



**SECTION 2.3- RECORDS FOR ALPHABETS H-S**

This section includes the record names, record descriptions, fields, and key of all records. The records that are used by the National Finance Center have an asterisk included.

<b>Records</b>	<b>Description</b>	<b>Fields</b>	<b>Key</b>
HAZ_CON_MAT_LNG	Related Lang-Hazardous Mtl Tbl	DESCR DESCRSHORT EFFDT HAZARD_ID LANGUAGE_CD SETID	KEY(4) KEY(2) KEY(3) KEY(1)
HAZ_CON_MAT_TBL	Hazardous Conditn/MatrI Codes	DESCR DESCRSHORT EFFDT EFF_STATUS HAZARD_CLASS HAZARD_DIVISION HAZARD_ID HAZARD_TYPE SETID	KEY(3) KEY(2) KEY(1)
HEALTH_BENEFIT	EE Health Benefit Elections	BENEFIT_NBR BENEFIT_PLAN COBRA_EVENT_ID COVERAGE_BEGIN_DT COVERAGE_ELECT COVERAGE_ELECT_DT COVERAGE_END_DT COVRG_CD DEDUCTION_END_DT EFFDT EMPLID EMPL_RCD HIPAA_DEP_RPT_DT HIPAA_REPORT_DT HLTH_PROVIDER_ID MED_PREM_PRETAX OTH_INSURANCE_IND OTH_INSURANCE_NAME PLAN_TYPE PRETAX_CD PREVIOUSLY_SEEN	KEY(5) KEY(3) KEY(6) KEY(1) KEY(2) KEY(4)
HEALTH_DEPENDNT	EE Health Benefit Dependents	BENEFIT_NBR COBRA_EVENT_ID DEPENDENT_BENEF	KEY(5) KEY(3) KEY(7)



		EFFDT	KEY(6)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HLTH_PROVIDER_ID	
		OTH_INSURANCE_IND	
		OTH_INSURANCE_NAME	
		PLAN_TYPE	KEY(4)
		PREVIOUSLY_SEEN	
HEALTH_PLAN_TBL	Health Plan Parameters	BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		HLTH_PROVIDER_REQD	
		PLAN_TYPE	KEY(1)
		WAIT_PERIOD_DD	
HIER_CTRL_TBL		DIMENSION_KEY	
		DW_KEY	KEY(1)
		LANGUAGE_CD	
		ROLLUP_NAME	
		SEQ_NBR	
		TABLE_NAME	
HIER_MAP_TBL		COLUMN_ID	
		COLUMN_TYPE	
		DESCR	
		DIM_LEVEL_NAME	
		DW_KEY	KEY(1)
		HIERARCHY_KEY	
		LEVELS	
HIRING_CTR_ESP	Hiring Center	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		HIRE_CTR_CD_ESP	KEY(1)
		RESPONSIBLE_ID	
		RESPONSIBLE_ROLE	
		SIGNATURE_CITY	
		UNEMPLOYMNT_OFFICE	
HOLDEXPKEYS_TAO	Qry Upgrd Tmp Activity Object	EXPNUM	KEY(3)
		OPRID	KEY(1)
		QRYNAME	KEY(2)
HOLIDAY_DATE	Holiday Dates	DESCR	
		HOLIDAY	KEY(2)
		HOLIDAY_HRS	
		HOLIDAY_SCHEDULE	KEY(1)
		HOLIDAY_TYPE	
		HOL_TIME_END	
		HOL_TIME_START	



HOLIDAY_DTE_LNG	Holiday Dates RelLang	DESCR HOLIDAY HOLIDAY_SCHEDULE LANGUAGE_CD	KEY(2) KEY(1) KEY(3)
HOLIDAY_LANG	Holiday Table ID RelLang	DESCR DESCRSHORT HOLIDAY_SCHEDULE LANGUAGE_CD	KEY(1) KEY(2)
HOLIDAY_TBL	Holiday Table ID	DESCR DESCRSHORT HOLIDAY_SCHEDULE	KEY(1)
HOURS_FRA_LANG	Hours Type Tbl RelLang - FRA	DESCR DESCRSHORT HOURLY_RT_FRA LANGUAGE_CD	KEY(1) KEY(2)
*HOURS_TYPE_FRA	Hours Type Table - FRA	DESCR DESCRSHORT HOURLY_RT_FRA HOUR_TYP_FP_SBR	KEY(1)
HPDBRETDIST_AET	Distribution State Record	ACCOUNT ACCOUNTING_PERIOD ACCT_CD BENEFIT_PLAN BUDGET_DATA BUDGET_LEVEL_INDC BUDGET_SEQ COMPANY DED_CD DED_CLASS DED_CUR DED_SLSTX_CLASS DEPTID EARNINGS EFFDT EFFSEQ EFF_STATUS EMPLID EMPL_RCD ERNCD FISCAL_YEAR HP_IGNOREOFFCYCLE HP_NEXT_EFFDT HP_PREVRDIST_SUB_X HP_PREVRDIST_TRANS HP_PREV_EFFDT	KEY(4)



		HP_PREV_EFFSEQ	
		HP_PRIORDAYS	
		HP_PRIOR_ACCT_CD	
		HP_RDIST_SUB_TRANS	
		HP_RDIST_TRANS_NO	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		JOBCODE	
		LINE_NUM	
		LOCALITY	
		OFF_CYCLE	
		OPRID	KEY(2)
		PAGE_NUM	
		PAYGROUP	
		PAY_DT	
		PAY_END_DT	
		PLAN_TYPE	
		POSITION_NBR	
		POSITION_POOL_ID	
		PRIOR_EFF_STATUS	
		PROCESS_INSTANCE	KEY(1)
		PROVINCE	
		RUN_CNTL_ID	KEY(3)
		SEPCHK	
		SETID	
		SETID_JOBCODE	
		STATE	
		TAX_CLASS	
		TAX_CLASS_CAN	
		TAX_CUR	
HP_1042S_PARAM	1042 Withholding Agent Info	COMPANY	KEY(1)
		CONTACT_PHONE	
		CONTACT_PHONE_EXT	
		HP_CONTACT_NM_1042	
HP_BDGT_CTXCHG	Budget Changes	ACCT_CD	
		ACTION_DTTM	KEY(1)
		BUDGET_LEVEL_INDC	
		BUDGET_SEQ	
		DEPTID	
		EFFDT	
		EFFSEQ	
		EFF_STATUS	
		EMPLID	
		EMPL_RCD	
		FISCAL_YEAR	



		HP_NEXT_EFFDT	
		HP_PREV_EFFDT	
		HP_PREV_EFFSEQ	
		HP_PRIOR_ACCT_CD	
		JOBCODE	
		POSITION_NBR	
		POSITION_POOL_ID	
		PRIOR_EFF_STATUS	
		PROVINCE	
		SETID	
		SETID_JOBCODE	
		TAX_CLASS_CAN	
HP_BDGT_DEDCD	Budget Changes	ACCT_CD	
		ACTION_DTTM	KEY(1)
		BENEFIT_PLAN	
		BUDGET_LEVEL_INDC	
		BUDGET_SEQ	
		DEDCD	
		DED_CLASS	
		DEPTID	
		EFFDT	
		EFFSEQ	
		EFF_STATUS	
		EMPLID	
		EMPL_RCD	
		FISCAL_YEAR	
		HP_NEXT_EFFDT	
		HP_PREV_EFFDT	
		HP_PREV_EFFSEQ	
		HP_PRIOR_ACCT_CD	
		JOBCODE	
		PLAN_TYPE	
		POSITION_NBR	
		POSITION_POOL_ID	
		PRIOR_EFF_STATUS	
		SETID	
		SETID_JOBCODE	
HP_BDGT_ERNCHG	Budget Changes	ACCT_CD	
		ACTION_DTTM	KEY(1)
		BUDGET_LEVEL_INDC	
		BUDGET_SEQ	
		DEPTID	
		EFFDT	
		EFFSEQ	
		EFF_STATUS	



		EMPLID	
		EMPL_RCD	
		ERNCD	
		FISCAL_YEAR	
		HP_NEXT_EFFDT	
		HP_PREV_EFFDT	
		HP_PREV_EFFSEQ	
		HP_PRIOR_ACCT_CD	
		JOBCODE	
		POSITION_NBR	
		POSITION_POOL_ID	
		PRIOR_EFF_STATUS	
		SETID	
		SETID_JOBCODE	
HP_BDGT_TAXCHG	Budget Changes	ACCT_CD	
		ACTION_DTTM	KEY(1)
		BUDGET_LEVEL_INDC	
		BUDGET_SEQ	
		DEPTID	
		EFFDT	
		EFFSEQ	
		EFF_STATUS	
		EMPLID	
		EMPL_RCD	
		FISCAL_YEAR	
		HP_NEXT_EFFDT	
		HP_PREV_EFFDT	
		HP_PREV_EFFSEQ	
		HP_PRIOR_ACCT_CD	
		JOBCODE	
		LOCALITY	
		POSITION_NBR	
		POSITION_POOL_ID	
		PRIOR_EFF_STATUS	
		SETID	
		SETID_JOBCODE	
		STATE	
		TAX_CLASS	
HP_BGTACTUAL_WK	Budget Actuals	ACCOUNT	KEY(10)
		ACCT_CD	KEY(9)
		ANNUAL_ENCUMB_AMT	
		DEPTID	KEY(2)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		ENCUMB_PROC_TYPE	KEY(11)



		FISCAL_YEAR	KEY(12)
		JOBCODE	KEY(5)
		POSITION_NBR	KEY(6)
		POSITION_POOL_ID	KEY(3)
		POSTED_ACTUAL_AMT	
		POSTED_ENCUMB_AMT	
		SETID	KEY(1)
		SETID_JOBCODE	KEY(4)
		WORK_ACTUAL_AMT	
		WORK_ENCUMB_AMT	
HP_CNTPAY04_AET	State Record for HP_CNTPAY04	COMPANY	
		CONTRACT_BEGIN_DT	
		CONTRACT_END_DT	
		EFFDT	
		EFFSEQ	
		EMPLID	
		EMPL_RCD	
		HOLIDAY_SCHEDULE	
		HP_TRACK_ACTUALS	
		HP_USE_HOL_SCHD	
		HP_WORKDAYS	
		PAYGROUP	
		PAYMENT_BEGIN_DT	
		PAYMENT_END_DT	
		PROCESS_INSTANCE	KEY(1)
		WORK_SCHEDULE	
HP_COL_DEFN_COL	User Defined Report Columns	HP_COLUMN_ID	KEY(2)
		HP_COL_HEADING1	
		HP_COL_HEADING2	
		HP_GROSS	
		HP_RPT_COLDEFN_CD	KEY(1)
HP_COL_DEFN_DTL	User defined report col detail	BENEFIT_PLAN	KEY(5)
		DEDCD	KEY(6)
		DED_CLASS	KEY(7)
		DED_SLSTX_CLASS	KEY(8)
		ERNCD	KEY(3)
		HP_COLUMN_ID	KEY(2)
		HP_RPT_COLDEFN_CD	KEY(1)
		LOCALITY	KEY(10)
		PLAN_TYPE	KEY(4)
		PROVINCE	KEY(12)
		STATE	KEY(9)
		TAX_CLASS	KEY(11)
		TAX_CLASS_CAN	KEY(13)
*HP_COL_DEFN_TBL	User Defined Report Column	DESCR	



HP_CTXDIST_WRK	Canadian Payroll Tax Dist	HP_RPT_COLDEFN_CD	KEY(1)
		ACCOUNT	
		ACCOUNTING_PERIOD	KEY(11)
		ACCT_CD	KEY(12)
		BUDGET_DATA	KEY(13)
		COMPANY	KEY(1)
		CURRENCY_CD	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNS_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	KEY(10)
		HP_DISTRIB_OVERRIDE	
		HP_RDIST_GL_INFACE	
		HP_RDIST_REV_SEQ	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		HP_RETDIST_STATUS	
		JOBCODE	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
PAY_END_DT	KEY(3)		
POSITION_NBR			
POSITION_POOL_ID			
PROVINCE	KEY(8)		
REVERSED			
SEPCHK	KEY(7)		
TAX_CLASS_CAN	KEY(9)		
TAX_CUR			
HP_CTX_ACCT	Canadian Tax Account	COMPANY	KEY(1)
		EFFDT	KEY(3)
HP_CTX_ACCT_DTL	Canadian Tax Account Detail	WAGE_LOSS_PLAN	KEY(2)
		ACCOUNT	
HP_CTX_ACCT_DTL	Canadian Tax Account Detail	COMPANY	KEY(1)
		EFFDT	KEY(3)
HP_CTX_ACCT_DTL	Canadian Tax Account Detail	SETID	
		TAX_CLASS_CAN	KEY(4)
HP_CTX_ACCT_DTL	Canadian Tax Account Detail	WAGE_LOSS_PLAN	KEY(2)
		ACCOUNT	
HP_DEDDIST_WRK	Payroll Deduction Fund Dist	ACCOUNTING_PERIOD	KEY(14)
		ACCT_CD	KEY(15)
		BENEFIT_PLAN	KEY(9)
		BUDGET_DATA	





		COMPANY	KEY(1)
		CURRENCY_CD	
		DEDCD	KEY(10)
		DED_CLASS	KEY(11)
		DED_CUR	
		DED_SLSTX_CLASS	KEY(12)
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNS_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	KEY(13)
		HP_DISTRIB_OVRRIDE	
		HP_RDIST_GL_INFACE	
		HP_RDIST_REV_SEQ	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		HP_RETDIST_STATUS	
		JOBCODE	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(8)
		POSITION_NBR	
		POSITION_POOL_ID	
		REVERSED	
		SEPCHK	KEY(7)
HP_DED_ACCT	Deductions Account	ACCOUNT	KEY(2)
		EFFDT	KEY(3)
		EFF_STATUS	
		SETID	KEY(1)
HP_DED_ACCT_MAP	Deductions Account Detail	ACCOUNT	KEY(2)
		BENEFIT_PLAN	KEY(5)
		DEDCD	KEY(6)
		DED_CLASS	KEY(7)
		EFFDT	KEY(3)
		PLAN_TYPE	KEY(4)
		SETID	KEY(1)
HP_DED_ACC_RULE	Deduction Account Mapping Rule	EFFDT	KEY(1)
		HP_FLDDDESCR	
		HP_FLDNAME	KEY(2)
		HP_FLDPRIORITY	
		HP_FLDREQ	
		HP_FLDUSED	



HP_DED_ACC_TMPL	Deductions Account Template	ACCOUNT	
		EFFDT	KEY(1)
		SETID	
HP_DISTBDGT_AET	State Record for Direct Retro	ACCOUNT	
		ACCOUNTING_PERIOD	
		ACCT_CD	
		BENEFIT_PLAN	
		BUDGET_AMT	
		BUDGET_DATA	
		BUDGET_LEVEL_INDC	
		COMPANY	
		CREATION_DT	
		CURRENCY_CD	
		DEDCD	
		DED_CLASS	
		DED_CUR	
		DED_SLSTX_CLASS	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNINGS	
		EARN_END_DT	
		EFFDT	KEY(4)
		EFFSEQ	
		EFF_STATUS	
		EMPLID	
		EMPL_RCD	
		ERNCD	
		FISCAL_YEAR	
		FROM_DATE	
		HP_BUDGET_DATATYPE	
		HP_DEPTID	
		HP_DISTRIB_OVRRIDE	
		HP_EXIST	
		HP_FISCAL_YEAR	
		HP_MARKET	
		HP_NEXT_EFFDT	
		HP_PREV_EFFDT	
		HP_PREV_EFFSEQ	
		HP_PRIOR_ACCT_CD	
		HP_RDIST_SUB_TRANS	KEY(5)
		HP_RDIST_TRANS_NO	
		HP_TRANSACTION_SRC	
		JOBCODE	
		LINE_NUM	
		LOCALITY	




---

		NAME	
		OFF_CYCLE	
		OPRID	KEY(2)
		PAGE_NUM	
		PAYGROUP	
		PAY_DT	
		PAY_END_DT	
		PLAN_TYPE	
		POSITION_NBR	
		POSITION_POOL_ID	
		PRIOR_EFF_STATUS	
		PROCESS_INSTANCE	KEY(1)
		PROVINCE	
		RUN_CNTL_ID	KEY(3)
		SEPCHK	
		SETID	
		SETID_JOBCODE	
		STATE	
		TAX_CLASS	
		TAX_CLASS_CAN	
		TAX_CUR	
HP_DISTSRCH_AET	State Record for Direct Retro	TO_DATE	
		ACCOUNT	
		ACCOUNTING_PERIOD	
		ACCT_CD	
		BENEFIT_PLAN	
		BUDGET_AMT	
		BUDGET_DATA	
		COMPANY	
		CREATION_DT	
		CURRENCY_CD	
		DEDCD	
		DED_CLASS	
		DED_CUR	
		DED_SLSTX_CLASS	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNINGS	
		EARN_END_DT	
		EMPL_RCD	
		ERNCD	
		FISCAL_YEAR	
		FROM_DATE	
		HP_BUDGET_DATATYPE	
		HP_DISTRIB_OVERRIDE	



		HP_EXIST	
		HP_FIELD_DESC	
		HP_FIELD_VALUE	
		HP_MARKET	
		HP_MAX_NBR	
		HP_MIN_NBR	
		HP_RDIST_SUB_TRANS	KEY(4)
		HP_RDIST_TRANS_NO	
		HP_REMAINDER_AMT	
		HP_TRANSACTION_SRC	
		HP_USE_SPACES	
		JOBCODE	
		LINE_NUM	
		LOCALITY	
		NAME	
		OFF_CYCLE	
		OPRID	KEY(2)
		PAGE_NUM	
		PAYGROUP	
		PAY_DT	
		PAY_END_DT	
		PLAN_TYPE	
		POSITION_NBR	
		POSITION_POOL_ID	
		PROCESS_INSTANCE	KEY(1)
		PROVINCE	
		RUN_CNTL_ID	KEY(3)
		SEPCHK	
		SETID	
		STATE	
		TAX_CLASS	
		TAX_CLASS_CAN	
		TAX_CUR	
		TO_DATE	
HP_DIST_FLDS	Distribution Field Selection	COUNTRY	
		FIELDNAME	
		FIELDNAME1	
		HP_BUDGET_DATATYPE	
		HP_DIST_CHARTFLD	
		HP_FIELD_DESCR	KEY(1)
		HP_FIELD_LENGTH	
		HP_FIELD_TYPE	
		HP_USE_SPACES	
		UPDATE_FLAG	
HP_EMPLT_TEACH		DATA_KEY1_DT	KEY(3)



		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HP_COLLAPSE_INDC	
		HP_FTTE	
		HP_STATS_DUTIES	
		HP_STATS_RPT_FLAG	
		HP_STATS_SUBJ_CD	
		HP_TEACHING_LOAD	
HP_ERNDIST_WRK	Pay Check Earnings Dist	ACCOUNT	
		ACCOUNTING_PERIOD	KEY(10)
		ACCT_CD	KEY(11)
		BUDGET_DATA	KEY(12)
		COMPANY	KEY(1)
		CURRENCY_CD	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNINGS	
		EARN_END_DT	
		EMPL_RCD	
		ERNCD	KEY(8)
		FISCAL_YEAR	KEY(9)
		HP_DISTRIB_OVERRIDE	
		HP_RDIST_GL_INFACE	
		HP_RDIST_REV_SEQ	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		HP_RETDIST_STATUS	
		JOBCODE	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		POSITION_NBR	
		POSITION_POOL_ID	
		REVERSED	
		SEPCHK	KEY(7)
HP_ERN_ACCT	Earnings Account	ACCOUNT	KEY(2)
		EFFDT	KEY(3)
		EFF_STATUS	
		SETID	KEY(1)
HP_ERN_ACCT_MAP	Earnings Account Detail	ACCOUNT	KEY(2)
		BUSINESS_UNIT	KEY(9)
		EFFDT	KEY(3)
		EMPL_CLASS	KEY(5)



		EMPL_TYPE	KEY(4)
		ERNCD	KEY(14)
		FULL_PART_TIME	KEY(7)
		JOBCODE	KEY(11)
		PAYGROUP	KEY(8)
		REG_TEMP	KEY(6)
		SAL_ADMIN_PLAN	KEY(13)
		SETID	KEY(1)
		SETID_JOBCODE	KEY(10)
		SETID_SALARY	KEY(12)
HP_ERN_ACC_RULE	Earnings Account Mapping Rule	EFFDT	KEY(1)
		HP_FLDDDESCR	
		HP_FLDNAME	KEY(2)
		HP_FLDPRIORITY	
		HP_FLDREQ	
		HP_FLDUSED	
HP_ERN_ACC_TMPL	Earnings Account Template	ACCOUNT	
		EFFDT	KEY(1)
		SETID	
HP_FRINGE_CTX	Canadian Taxes Exclusion	EFFDT	KEY(2)
		HP_FRINGE_GROUP	KEY(1)
		TAX_CLASS_CAN	KEY(3)
HP_FRINGE_DED	Benefits Exclusion	EFFDT	KEY(2)
		HP_FRINGE_GROUP	KEY(1)
		PLAN_TYPE	KEY(3)
HP_FRINGE_GROUP	Fringe Group Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		HP_FRINGE_GROUP	KEY(1)
HP_FRINGE_TAX	Taxes Exclusion	EFFDT	KEY(2)
		HP_FRINGE_GROUP	KEY(1)
		TAX_CLASS	KEY(3)
HP_FT_SURVEY		EMPLID	KEY(1)
		HP_ACTUAL_SALARY	
		HP_ADMIN_STIPENDS	
		HP_ANNUAL_SALARY	
		HP_APPT_TO_RANK_YR	
		HP_FIRST_DEGREE_YR	
		HP_FIRST_DEG_PROV	
		HP_FT_APPTMNT_TYPE	
		HP_HIGHEST_DEG_YR	
		HP_HIGH_DEG_PROV	
		HP_IMMIGRTN_STATUS	
		HP_LAST_DT_CHNGD	
		HP_LAST_DT_RPRTED	



		HP_LAST_LOAD_DT	
		HP_MED_DENT_CAT	
		HP_MM_NOT_ON_LEAVE	
		HP_MM_ON_OTHER_PD	
		HP_MM_ON_SABBATICL	
		HP_MM_ON_UNPAID_LV	
		HP_ONT_FINAL_SALRY	
		HP_ONT_SALARY_SRCE	
		HP_PREV_EMPLT_LOC	
		HP_PREV_EMPLOYMNT	
		HP_REDUCED_LOAD	
		HP_SALARY_STATUS	
		HP_STATS_CAN_YR	KEY(2)
		HP_STATS_DEG_LVL	
		HP_STATS_DEPT_CD	
		HP_STATS_INSTN_CD	
		HP_STATS_LOC_CD	
		HP_STATS_RANK_CD	
		HP_STATS_RESP_CD	
		HP_STATS_SUBJ_CD	
		HP_YEAR_OF_APPTMNT	
		HP_YEAR_OF_BIRTH	
		SEX	
*HP_GRSFRG_CNTL	Gross & Fringe Load Run Cntl	COMPANY	
		FROMDATE	
		HP_ALL_COMPPYG	
		HP_PROC_STATUS	
		LAST_UPDT_DT	
		OPRID_LAST_UPDT	
		PAYGROUP	
		THRUDATE	
HP_GRSFRG_DATA	Gross & Fringe Temporary table	ACCOUNTING_PERIOD	
		ACCT_CD	
		AMOUNT	
		BENEFIT_PLAN	
		BUSINESS_UNIT	
		CHARTFLD_SBR	
		COMPANY	KEY(1)
		CURRENCY_CD	
		DEDCD	
		DED_CLASS	
		DED_SLSTX_CLASS	
		EMPLID	
		EMPL_RCD	
		ERNCD	



		FISCAL_YEAR	
		HP_DEPTID	
		HP_GROSS	KEY(9)
		HP_RETDIST_PAY_DT	
		HP_RETDIST_STATUS	
		HP_RETRODIST_CHG	
		JOBCODE	
		LINE_NUM	KEY(6)
		LOCALITY	
		NAME	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYCHECK_NBR	
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	
		POSITION_NBR	
		POSITION_POOL_ID	
		PROVINCE	
		REVERSED	
		SEPCHK	KEY(7)
		SEQNO	KEY(8)
		SETID_DEPT	
		STATE	
		TAX_CLASS	
		TAX_CLASS_CAN	
HP_NON_OP_FUNDS		ACCT_CD	KEY(1)
		STATUS	
HP_PAYCHKERN_WK	Pay Check Earnings	ACCT_CD	KEY(10)
		ADDL_NBR	KEY(7)
		ADD_GROSS	
		BUDGET_DEPTID	
		BUSINESS_UNIT	KEY(11)
		COMPANY	KEY(1)
		DEPTID	KEY(12)
		DIST_CHECK_STATUS	
		DIST_PRORATE_OPTN	
		EARNINGS	
		EARN_BEGIN_DT	
		EARN_END_DT	
		EMPL_RCD	KEY(15)
		ERNCD	KEY(9)
		EX_DOC_ID	
		EX_DOC_TYPE	
		EX_LINE_NBR	





		JOBCODE	KEY(13)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		POSITION_NBR	KEY(14)
		REVERSED	
		SEPCHK	KEY(8)
HP_PAYDEDUC_WK	Payroll Deduction	AP_STATUS	
		BENEFIT_PLAN	KEY(10)
		BENEFIT_RCD_NBR	KEY(8)
		CALCULATED_BASE	
		COMPANY	KEY(1)
		DEDCD	KEY(11)
		DED_CLASS	KEY(12)
		DED_CUR	
		DED_CUR_PAYBK	
		DED_CUR_REFUND	
		DED_NOT_TAKEN	
		DED_SLSTX_CLASS	KEY(13)
		ESPP_PROCESS_FLAG	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(9)
		REASON_NOT_TAKEN	
		SEPCHK	KEY(7)
HP_PAYGL02_RCHK	retro distribution PayGL02 wrk	ACCOUNTING_PERIOD	
		BUSINESS_UNIT	
		COMPANY	KEY(1)
		FISCAL_YEAR	
		HP_RETDIST_PAY_DT	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(7)
HP_PAYGL02_RETD	retro distribution PayGL02 wrk	BUSINESS_UNIT	KEY(4)
		COMPANY	KEY(1)
		HP_RETDIST_PAY_DT	KEY(3)
		PAYGROUP	KEY(2)



HP_PAYTAXCAN_WK	CAN Payroll Tax	AP_STATUS	
		COMPANY	KEY(1)
		LINE_NUM	KEY(6)
		NLGRS_CUR	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PROVINCE	KEY(8)
		SEPCHK	KEY(7)
		TAX_CLASS_CAN	KEY(9)
		TAX_CUR	
		TAX_NOT_TAKEN	
		TXGRS_CUR	
UI_ER_RT			
WAGE_LOSS_PLAN			
HP_PAY_TAX_WK	U.S. Payroll Tax	AP_STATUS	
		COMPANY	KEY(1)
		LINE_NUM	KEY(6)
		LOCALITY	KEY(9)
		NLGRS_CUR	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		RESIDENT	
		SEPCHK	KEY(7)
		STATE	KEY(8)
		TAX_AGG	
		TAX_CLASS	KEY(10)
TAX_CUR			
TAX_NOT_TAKEN			
TIPS_CUR			
TIPS_DELAYED			
TXGRS_AGG			
TXGRS_CUR			
HP_PSPRFUND_AET	State Record for Direct Retro	COMPANY	
		PAYGROUP	
		PAY_END_DT	
HP_PT_APPNTMNT		PROCESS_INSTANCE	KEY(1)
		EG_EMPL_RCD	KEY(3)
		EMPLID	KEY(1)
		END_DT	
		HP_APPTMNT_STATUS	
		HP_FTTE	



		HP_PT_APPTMNT_TYPE	
		HP_PT_SALARY_PAID	
		HP_STATS_CAN_YR	KEY(2)
		HP_STATS_SUBJ_CD	
		HP_TEACHING_LOAD	
		START_DT	KEY(4)
HP_PT_SURVEY		EMPLID	KEY(1)
		HP_BARGAIN_AGENT	
		HP_HIGHEST_DEG_YR	
		HP_LAST_DT_CHNGD	
		HP_LAST_DT_RPRTED	
		HP_LAST_LOAD_DT	
		HP_STATS_CAN_YR	KEY(2)
		HP_STATS_DEG_LVL	
		HP_STATS_INSTN_CD	
		HP_TOTAL_APPNTMNTS	
		HP_YEAR_OF_BIRTH	
		SEX	
*HP_RC_GRSFR	Gross & Fringe Run Control	ACCOUNTING_PERIOD	
		COMPANY	
		FISCAL_YEAR	
		FROMDATE	
		HP_ALL_COMPPYG	
		HP_ALL_DEPT	
		HP_ALL_FUNDSRC	
		HP_ALL_PROJECTS	
		HP_DTL_SORT_CD	
		HP_INCL_RETRO	
		HP_RPT_COLDEFN_CD	
		HP_SORT_CD	
		HP_SORT_DEPT	
		HP_SORT_FYACTPD	
		HP_SUMMARY_RPT	
		OPRID	KEY(1)
		PAYGROUP	
		PAY_END_DT	
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
*HP_RC_GRSFR_ACT	Gross & Fringe Run Cntl - Acct	ACCT_CD	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*HP_RC_GRSFR_DPT	Gross & Fringe Run Cntl - Dept	DEPTID	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	KEY(3)



*HP_RC_GRSFR_PRJ	Gross & Fringe Run Cntl - Proj	OPRID	KEY(1)
		PROJECT_ID	KEY(3)
		RUN_CNTL_ID	KEY(2)
*HP_RC_PDAUDIT	Parameters for PreDistribution Audit	HP_AUDIT_LEVEL	
		HP_AUDIT_PROJECT	
		HP_FUND_LIMIT_AMT	
		HP_RPT_ON_FUND_LMT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
HP_RDIST_CTX	Retro Distribution CDN Trans	COMPANY	KEY(6)
		CREATION_DT	KEY(3)
		EMPLID	
		HP_RUN_CNTL_ID	KEY(1)
		HP_SELECTED	
		HP_TRANSACTION_SRC	KEY(5)
		HP_VIEWED	
		LINE_NUM	KEY(11)
		NAME	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)
		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		SEPCHK	KEY(12)
HP_RDIST_CTXDAT	Retro Distribution Tax Data	ACCOUNT	
		ACCOUNTING_PERIOD	
		ACCT_CD	
		BUDGET_DATA	
		COMPANY	KEY(6)
		CREATION_DT	KEY(3)
		CURRENCY_CD	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARN_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	
		HP_DISTRIB_OVERRIDE	
		HP_ERROR_STATUS	
		HP_NEW_ACCOUNT	
		HP_NEW_ACCT_CD	
		HP_NEW_ACCT_PERIOD	
		HP_NEW_FISCAL_YEAR	
		HP_NEW_JOBCODE	



		HP_NEW_POOL_ID	
		HP_NEW_TAX_CUR	
		HP_RDIST_SUB_TRANS	KEY(14)
		HP_RDIST_TRANS_NO	KEY(13)
		HP_RETDIST_PAY_DT	
		HP_RUN_CNTL_ID	KEY(1)
		HP_TRANSACTION_SRC	KEY(5)
		JOBCODE	
		LINE_NUM	KEY(11)
		NEW_DEPTID	
		NEW_POS_NBR	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)
		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		POSITION_NBR	
		POSITION_POOL_ID	
		PROVINCE	KEY(15)
		SEPCHK	KEY(12)
		TAX_CLASS_CAN	
		TAX_CUR	
HP_RDIST_DED	Retro Distribution Deductions	COMPANY	KEY(6)
		CREATION_DT	KEY(3)
		EMPLID	
		HP_RUN_CNTL_ID	KEY(1)
		HP_SELECTED	
		HP_TRANSACTION_SRC	KEY(5)
		HP_VIEWED	
		LINE_NUM	KEY(11)
		NAME	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)
		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		SEPCHK	KEY(12)
HP_RDIST_DEDDAT	Retro Distribution Ded Data	ACCOUNT	
		ACCOUNTING_PERIOD	
		ACCT_CD	
		BENEFIT_PLAN	
		BUDGET_DATA	
		COMPANY	KEY(6)



		CREATION_DT	KEY(3)
		CURRENCY_CD	
		DEDCD	
		DED_CLASS	
		DED_CUR	
		DED_SLSTX_CLASS	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNES_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	
		HP_DISTRIB_OVRRIDE	
		HP_ERROR_STATUS	
		HP_NEW_ACCOUNT	
		HP_NEW_ACCT_CD	
		HP_NEW_ACCT_PERIOD	
		HP_NEW_DED_CUR	
		HP_NEW_FISCAL_YEAR	
		HP_NEW_JOBCODE	
		HP_NEW_POOL_ID	
		HP_RDIST_SUB_TRANS	KEY(14)
		HP_RDIST_TRANS_NO	KEY(13)
		HP_RETDIST_PAY_DT	
		HP_RUN_CNTL_ID	KEY(1)
		HP_TRANSACTION_SRC	KEY(5)
		JOBCODE	
		LINE_NUM	KEY(11)
		NEW_DEPTID	
		NEW_POS_NBR	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)
		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		PLAN_TYPE	
		POSITION_NBR	
		POSITION_POOL_ID	
		SEPCHK	KEY(12)
HP_RDIST_ERN	Retro Distribution Earnings	COMPANY	KEY(6)
		CREATION_DT	KEY(3)
		EMPLID	
		HP_RUN_CNTL_ID	KEY(1)
		HP_SELECTED	
		HP_TRANSACTION_SRC	KEY(5)



		HP_VIEWED	
		LINE_NUM	KEY(11)
		NAME	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)
		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		SEPCHK	KEY(12)
HP_RDIST_ERNDAT	Retro Distrib Earn Data	ACCOUNT	
		ACCOUNTING_PERIOD	
		ACCT_CD	
		BUDGET_DATA	
		COMPANY	KEY(6)
		CREATION_DT	KEY(3)
		CURRENCY_CD	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNINGS	
		EARN_END_DT	
		EMPL_RCD	
		ERNCD	
		FISCAL_YEAR	
		HP_DISTRIB_OVERRIDE	
		HP_ERROR_STATUS	
		HP_NEW_ACCOUNT	
		HP_NEW_ACCT_CD	
		HP_NEW_ACCT_PERIOD	
		HP_NEW_FISCAL_YEAR	
		HP_NEW_JOBCODE	
		HP_NEW_POOL_ID	
		HP_RDIST_SUB_TRANS	KEY(14)
		HP_RDIST_TRANS_NO	KEY(13)
		HP_RETDIST_PAY_DT	
		HP_RUN_CNTL_ID	KEY(1)
		HP_TRANSACTION_SRC	KEY(5)
		JOBCODE	
		LINE_NUM	KEY(11)
		NEW_DEPTID	
		NEW_EARN_AMT	
		NEW_POS_NBR	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)



		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		POSITION_NBR	
		POSITION_POOL_ID	
		SEPCHK	KEY(12)
HP_RDIST_MSGTBL	Retro Distr Process Messages	COMPANY	KEY(6)
		CREATION_DT	KEY(3)
		HP_BUDGET_DATATYPE	
		HP_PROGRAM_NAME	
		HP_RDIST_MSG_KEY	KEY(15)
		HP_RDIST_SUB_TRANS	KEY(14)
		HP_RDIST_TRANS_NO	KEY(13)
		HP_RUN_CNTL_ID	KEY(1)
		HP_TRANSACTION_SRC	KEY(5)
		LINE_NUM	KEY(11)
		MESSAGE_NBR	
		MSGPARAM1	
		MSGSET	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)
		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		SEPCHK	KEY(12)
HP_RDIST_TAX	Retro Distribution Tax Trans	COMPANY	KEY(6)
		CREATION_DT	KEY(3)
		EMPLID	
		HP_RUN_CNTL_ID	KEY(1)
		HP_SELECTED	
		HP_TRANSACTION_SRC	KEY(5)
		HP_VIEWED	
		LINE_NUM	KEY(11)
		NAME	
		OFF_CYCLE	KEY(9)
		OPRID_LAST_UPDT	KEY(2)
		PAGE_NUM	KEY(10)
		PAYGROUP	KEY(7)
		PAY_DT	KEY(4)
		PAY_END_DT	KEY(8)
		SEPCHK	KEY(12)
HP_RDIST_TAXDAT	Retro Distribution tax Data	ACCOUNT	
		ACCOUNTING_PERIOD	
		ACCT_CD	





	BUDGET_DATA	
	COMPANY	KEY(6)
	CREATION_DT	KEY(3)
	CURRENCY_CD	
	DEFAULT_FUND_OPTN	
	DEPTID	
	EARN_END_DT	
	EMPL_RCD	
	FISCAL_YEAR	
	HP_DISTRIB_OVERRIDE	
	HP_ERROR_STATUS	
	HP_NEW_ACCOUNT	
	HP_NEW_ACCT_CD	
	HP_NEW_ACCT_PERIOD	
	HP_NEW_FISCAL_YEAR	
	HP_NEW_JOBCODE	
	HP_NEW_POOL_ID	
	HP_NEW_TAX_CUR	
	HP_RDIST_SUB_TRANS	KEY(14)
	HP_RDIST_TRANS_NO	KEY(13)
	HP_RETDIST_PAY_DT	
	HP_RUN_CNTL_ID	KEY(1)
	HP_TRANSACTION_SRC	KEY(5)
	JOBCODE	
	LINE_NUM	KEY(11)
	LOCALITY	
	NEW_DEPTID	
	NEW_POS_NBR	
	OFF_CYCLE	KEY(9)
	OPRID_LAST_UPDT	KEY(2)
	PAGE_NUM	KEY(10)
	PAYGROUP	KEY(7)
	PAY_DT	KEY(4)
	PAY_END_DT	KEY(8)
	POSITION_NBR	
	POSITION_POOL_ID	
	SEPCHK	KEY(12)
	STATE	
	TAX_CLASS	
	TAX_CUR	
*HP_RDIST_TRANS	Retro Distribution Transaction	
	APPROVED	
	APPROVE_DATE	
	CREATION_DT	KEY(3)
	HP_APPROVER_ID	
	HP_PROCESS_STATE	



		HP_RUN_CNTL_ID	KEY(1)
		HP_TRANSACTION_SRC	KEY(5)
		OPRID_LAST_UPDT	KEY(2)
		PAY_DT	KEY(4)
		PROCESS_DT	
HP_RDIST_TRIGGR	Dept Budget Period Dates	DEPTID	KEY(2)
		FISCAL_YEAR	KEY(3)
		FROM_DATE	
		HP_TRANSACTION_SRC	KEY(4)
		PAY_END_DT	
		SETID	KEY(1)
		TO_DATE	
HP_RETDIST_AET	Distribution State Record	ACCOUNTING_PERIOD	
		ACCT_CD	
		BENEFIT_PLAN	
		BUSINESS_UNIT	
		BUSINESS_UNIT_GL	
		COMPANY	
		CREATION_DT	KEY(6)
		CURRENCY_CD	
		DED_CD	
		DED_CLASS	
		DED_CUR	
		DED_SLSTX_CLASS	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNINGS	
		EARN_END_DT	
		EMPLID	
		EMPL_RCD	
		ERNCD	
		FISCAL_YEAR	
		HP_ACCT_CD_SUSPNS	
		HP_DISTRIB_OVERRIDE	
		HP_ERROR_FLAG	
		HP_ERROR_STATUS	
		HP_EXIST	
		HP_MARKET	
		HP_MIN_NBR	
		HP_NEW_ACCOUNT	
		HP_NEW_ACCT_CD	
		HP_NEW_ACCT_PERIOD	
		HP_NEW_DED_CUR	
		HP_NEW_FISCAL_YEAR	
		HP_NEW_JOBCODE	




---

	HP_NEW_POOL_ID	
	HP_NEW_TAX_CUR	
	HP_RDIST_ERR_OPT	
	HP_RDIST_SUB_TRANS	
	HP_RDIST_TRANS_NO	
	HP_RETDIST_PAY_DT	
	HP_RETDIST_SEQ_NO	
	HP_RUN_CNTL_ID	KEY(4)
	HP_SEQ_NBR	
	HP_TL_RECS_ADJ	
	HP_TRANSACTION_SRC	KEY(8)
	HP_WARNING_PRODUCE	
	JOBCODE	
	LAST_SEQ_REC_ADJ	
	LINE_NUM	
	LOCALITY	
	NEW_DEPTID	
	NEW_EARNS_AMT	
	NEW_POS_NBR	
	OFF_CYCLE	
	OPRID	KEY(2)
	OPRID_LAST_UPDT	KEY(5)
	PAGE_NUM	
	PAYGROUP	
	PAY_DT	KEY(7)
	PAY_END_DT	
	PLAN_TYPE	
	POSITION_NBR	
	POSITION_POOL_ID	
	PROCESS_INSTANCE	KEY(1)
	PROVINCE	
	RUN_CNTL_ID	KEY(3)
	SEPCHK	
	SEQ_NBR	
	SETID_DEPT	
	SETID_JOBCODE	
	STATE	
	TAX_CLASS	
	TAX_CLASS_CAN	
	TAX_CUR	
	XREF_NUM	
HP_RPTNG_PERIOD	HP_900_PROC_DT	
	HP_901_PROC_DT	
	HP_902_PROC_DT	
	HP_903_PROC_DT	



		HP_904_PROC_DT	
		HP_905_PROC_DT	
		HP_FT_FILENAME	
		HP_FT_TO_DATE	
		HP_OTHERPAID_CAT	
		HP_PT_FILENAME	
		HP_PT_TO_DATE	
		HP_SABBATICAL_CAT	
		HP_STATS_FT_DATE	
		HP_STATS_PT_DATE	
		HP_UNPAID_CAT	
		HP_WORKLOAD_CAT	
HP_STATS_FACLT		DESCR	
		DESCRSHORT	
		HP_MED_DENT_CAT	
		HP_STATS_FACULTY	KEY(1)
HP_STATS_FT_MBR		COUNTRY	
		EMPLID	KEY(1)
		EMPL_RCD	
		HP_PREV_EMPLOYMNT	
		HP_RESIDENT_STATUS	
		HP_SALARY_STATUS	
		HP_STATS_CAN_YR	KEY(2)
		HP_VISITING_FLAG	
		PROVINCE	
HP_STATS_SUBJ		DESCR	
		DESCRSHORT	
		HP_STATS_SUBJ_CD	KEY(1)
HP_SUBJ_TBL_LNG		DESCR	
		DESCRSHORT	
		HP_STATS_SUBJ_CD	KEY(1)
		LANGUAGE_CD	KEY(2)
HP_TAXDIST_WRK	U.S. Payroll Tax Dist	ACCOUNT	
		ACCOUNTING_PERIOD	KEY(12)
		ACCT_CD	KEY(13)
		BUDGET_DATA	KEY(14)
		COMPANY	KEY(1)
		CURRENCY_CD	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARN_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	KEY(11)
		HP_DISTRIB_OVERRIDE	
		HP_RDIST_GL_INFACE	



		HP_RDIST_REV_SEQ	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		HP_RETDIST_STATUS	
		JOBCODE	
		LINE_NUM	KEY(6)
		LOCALITY	KEY(9)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		POSITION_NBR	
		POSITION_POOL_ID	
		REVERSED	
		SEPCHK	KEY(7)
		STATE	KEY(8)
		TAX_CLASS	KEY(10)
		TAX_CUR	
HP_TAX_ACCT	Tax Account	COMPANY	KEY(1)
		EFFDT	KEY(2)
HP_TAX_ACCT_DTL	Tax Account Detail	ACCOUNT	
		COMPANY	KEY(1)
		EFFDT	KEY(2)
		SETID	
		TAX_CLASS	KEY(3)
HRAU_PSMPC1_TAO	PSMPCA Reporting temo table	APS_AGENT_CD_AUS	
		APS_EMPLSTAT_AUS	
		APS_ENGAGE_DT_AUS	
		APS_MAX_CLS_AUS	
		APS_MIN_CLS_AUS	
		APS_MLEAVE_IND	
		APS_MOVE_CD_AUS	
		APS_OPERATIVE_STAT	
		BIRTHCOUNTRY	
		BIRTHDATE	
		COMPRATE	
		EFFDT	KEY(4)
		EFFSEQ	KEY(5)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		EXPECTED_END_DATE	
		FIRST_NAME	
		LAST_NAME	
		MIDDLE_NAME	
		NAME_PREFIX	



		POSTAL	
		PROCESS_INSTANCE	KEY(1)
		SEX	
		STD_HOURS	
HRAU_PSMPC_AET	State record for PSMPC Report	APS_REP_TYPE_AUS	
		COMPANY	
		ERROR_COUNT	
		FROMDATE	
		OPRID	
		PHONE	
		PROCESS_INSTANCE	KEY(1)
		RECORD_COUNT	
		RUN_CNTL_ID	
		TEMP_FLD	
		THRUDATE	
HRAU_PSMPC_TAO	PSMPC Reporting temp table	APS_AGENT_CD_AUS	
		APS_CNTRY_AUS	
		APS_DISAB_AUS	
		APS_EDUC_CNTRY_FLG	
		APS_EDUC_LVL_AUS	
		APS_EE_LNG_AUS	
		APS_EE_LNG_CD_AUS	
		APS_EMPLSTAT_AUS	
		APS_ENGAGE_DT_AUS	
		APS_ENTRY_YR_AUS	
		APS_FTHR_LNG_AUS	
		APS_MAJOR_CD_AUS	
		APS_MAX_CLS_AUS	
		APS_MINOR_CD_AUS	
		APS_MIN_CLS_AUS	
		APS_MLEAVE_IND	
		APS_MOVE_CD_AUS	
		APS_MTHR_LNG_AUS	
		APS_OPERATIVE_STAT	
		APS_PREV_AGS_AUS	
		APS_PREV_IND_AUS	
		ASSIGNMENT_ID	
		BIRTHDATE	
		COMPRATE	
		DATE_ACQUIRED	
		DUTIES_TYPE	
		EFFDT	
		EFFSEQ	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)



		ETHNIC_CATEGORY	
		EXPECTED_END_DATE	
		FIRST_NAME	
		LAST_NAME	
		MIDDLE_NAME	
		NAME_PREFIX	
		NATIONAL_ID	
		POSTAL	
		PROCESS_INSTANCE	KEY(1)
		SEX	
		STD_HOURS	
HR_ACCTG_LINE	Payroll Accounting Line	ACCOUNTING_DT	
		ACCOUNTING_PERIOD	
		APPL_JRNL_ID	
		AUDIT_ACTN	
		BUDGET_DT	
		BUDGET_LINE_STATUS	
		BUSINESS_UNIT	
		BUSINESS_UNIT_GL	
		CHARTFLD_SBR	
		CURRENCY_CD	
		FISCAL_YEAR	
		FOREIGN_AMOUNT	
		FOREIGN_CURRENCY	
		GL_DISTRIB_STATUS	
		IN_PROCESS_FLG	
		JOURNAL_DATE	
		JOURNAL_ID	
		JOURNAL_LINE	
		JOURNAL_LINE_DATE	
		JRNL_LINE_STATUS	
		JRNL_LN_REF	
		KK_AMOUNT_TYPE	
		LEDGER	
		LEDGER_GROUP	
		LINE_DESCR	
		LINE_NBR	KEY(3)
		MONETARY_AMOUNT	
		OPEN_ITEM_STATUS	
		PROCESS_INSTANCE	
		RATE_DIV	
		RATE_MULT	
		RT_TYPE	
		RUN_DT	KEY(1)
		SEQNUM	KEY(2)



HR\_ACCTG\_LN\_STG

Payroll Accounting Line

STATISTICS\_CODE  
 STATISTIC\_AMOUNT  
 USE\_DISTRIBUTION  
 ACCOUNTING\_DT  
 ACCOUNTING\_PERIOD  
 APPL\_JRNL\_ID  
 AUDIT\_ACTN  
 BUDGET\_DT  
 BUDGET\_LINE\_STATUS  
 BUSINESS\_UNIT  
 BUSINESS\_UNIT\_GL  
 CHARTFLD\_SBR  
 CURRENCY\_CD  
 FISCAL\_YEAR  
 FOREIGN\_AMOUNT  
 FOREIGN\_CURRENCY  
 GL\_DISTRIB\_STATUS  
 IN\_PROCESS\_FLG  
 JOURNAL\_DATE  
 JOURNAL\_ID  
 JOURNAL\_LINE  
 JOURNAL\_LINE\_DATE  
 JRNL\_LINE\_STATUS  
 JRNL\_LN\_REF  
 KK\_AMOUNT\_TYPE  
 LEDGER  
 LEDGER\_GROUP  
 LINE\_DESCR  
 LINE\_NBR KEY(3)  
 MONETARY\_AMOUNT  
 OPEN\_ITEM\_STATUS  
 PROCESS\_INSTANCE  
 RATE\_DIV  
 RATE\_MULT  
 RT\_TYPE  
 RUN\_DT KEY(1)  
 SEQNUM KEY(2)  
 STATISTICS\_CODE  
 STATISTIC\_AMOUNT  
 USE\_DISTRIBUTION  
 ACTION\_DT\_SS KEY(3)  
 ADDRESS1\_AC  
 ADDRESS2\_AC  
 ADDRESS3\_AC  
 ADDRESS\_SBR

HR\_ADDR\_CHG\_DAT

Address Type





		ADDRESS_TYPE	KEY(2)
		CITY_AC	
		EFFSEQ	KEY(4)
		EFF_STATUS	
		EMPLID	KEY(1)
		REG_REGION	
		WF_PROC_SBR	
HR_AET	HR State Record	ACCESS_CD	
		ACTION	
		ACTION_REASON	
		ASOFDATE	
		DB_PLATFORM	
		DEPTID	
		EMPLID	
		EMPL_RCD	
		IF_FLAG	
		LANGUAGE_CD	
		LAST_NAME_SRCH	
		NAME	
		NATIONAL_ID	
		OPRCLASS	
		PROCESS_INSTANCE	KEY(1)
		SEC_VW_TYPE	
		SIN	
		SSN	
HR_BIAF_FRA_AET	BIAF Group Exec. Cache Rcd.	GB_GROUP_ID	
		OPRID	
		PROCESS_INSTANCE	
		RUN_CNTL_ID	
HR_CMP013_AET	State record for HR_CMP013	ASOF_DT	
		CMP_DONT_ABSORB	
		COMP_RATECD	
		GB_GROUP_ID	
		IF_FLAG	
		OPRID	KEY(2)
		PROCESS_BY	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		UPD_FUTURE_ROW_SW	
HR_CMP014_1_TAO	Temp record for HR_CMP013	ACTION	
		ACTION_REASON	
		COMP_EFFSEQ	KEY(7)
		COMP_RATECD	KEY(8)
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)



		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	
		JOB_EFFSEQ	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_CMP014_2_TAO	Temp record for HR_CMP013	ACTION	
		ACTION_REASON	
		COMP_EFFSEQ	KEY(7)
		COMP_RATECD	KEY(8)
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	
		JOB_EFFSEQ	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_CMP014_3_TAO	Temp record for HR_CMP013	ACTION_REASON	
		COMP_EFFSEQ	KEY(7)
		COMP_RATECD	KEY(8)
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	
		JOB_EFFSEQ	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_CMP014_AET	State record for HR_CMP014	ASOF_DT	
		CMP_DONT_ABSORB	
		COMP_EFFSEQ	
		COMP_RATECD	
		COUNTER	
		EFFDT	KEY(4)
		EFFSEQ	
		EMPLID	
		EMPL_RCD	
		GB_GROUP_ID	
		IF_FLAG	
		OPRID	KEY(2)
		PROCESS_BY	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		UPD_FUTURE_ROW_SW	



HR_CMP015_AET	State record for HR_CMP015	ASOF_DT CMP_DONT_ABSORB GB_GROUP_ID IF_FLAG OPRID KEY(2) PRCS_MODE_FLG PROCESS_BY PROCESS_INSTANCE KEY(1) RUN_CNTL_ID KEY(3)
HR_CMP015_AFT_C	Temp record for HR_CMP015	UPD_FUTURE_ROW_SW CHANGE_AMT CHANGE_PCT CHANGE_PTS CMP_SRC_IND COMPRATE COMP_EFFSEQ KEY(8) COMP_FREQUENCY COMP_PCT COMP_RATECD KEY(7) COMP_RATE_POINTS CONVERT_COMPRT CURRENCY_CD EMPLID KEY(3) EMPL_RCD KEY(4) FTE_INDICATOR JOB_EFFDT KEY(5) JOB_EFFSEQ KEY(6) MANUAL_SW OPRID KEY(1) RATE_CODE_GROUP RUN_CNTL_ID KEY(2)
HR_CMP015_AFT_J	Temp record for HR_CMP015	COMPRATE COMP_FREQUENCY CURRENCY_CD EMPLID KEY(3) EMPL_RCD KEY(4) JOB_EFFDT KEY(5) JOB_EFFSEQ KEY(6) OPRID KEY(1) RUN_CNTL_ID KEY(2)
HR_CMP015_BEF_C	Temp record for HR_CMP015	CHANGE_AMT CHANGE_PCT CHANGE_PTS CMP_SRC_IND COMPRATE



		COMP_EFFSEQ	KEY(8)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(7)
		COMP_RATE_POINTS	
		CONVERT_COMPRT	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FTE_INDICATOR	
		JOB_EFFDT	KEY(5)
		JOB_EFFSEQ	KEY(6)
		MANUAL_SW	
		OPRID	KEY(1)
		RATE_CODE_GROUP	
		RUN_CNTL_ID	KEY(2)
HR_CMP015_BEF_J	Temp record for HR_CMP015	COMPRATE	
		COMP_FREQUENCY	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	KEY(5)
		JOB_EFFSEQ	KEY(6)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_CMP015_GRP_T	Temp record for HR_CMP015	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_CMP015_G_RES	Group Build - Std Result Table	GB_GRP_RES_SBR	
HR_CMP015_TAO1	Temp record for HR_CMP015	ACTION	
		ACTION_REASON	
		CMP_CHANGE_AMT_FLG	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	
		JOB_EFFSEQ	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_CMP015_TAO2	Temp record for HR_CMP015	ACTION	
		ACTION_REASON	
		CMP_CHANGE_AMT_FLG	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)



		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	
		JOB_EFFSEQ	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_CMP050J2_AET	State record for HR_CMP013	EMPLID	
		EMPL_RCD	
		GRADE	
		PROCESS_INSTANCE	KEY(1)
		SAL_ADMIN_PLAN	
		SETID_SALARY	
		STEP	
HR_CMP050JP_AET	State record for HR_CMP013	CAL_BASE_DT	
		EP_REVIEW_ID	
		EXIST	
		GB_GROUP_ID	
		LANGUAGE_CD	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		SAL_INC_DT	
		SETID	
HR_CMP051J2_AET	State record for HR_CMP013	EMPLID	
		EMPL_RCD	
		PROCESS_INSTANCE	KEY(1)
HR_CMP051JP_AET	State record for HR_CMP013	CAL_BASE_DT	
		EP_REVIEW_ID	
		EXIST	
		GB_GROUP_ID	
		LANGUAGE_CD	
		OPRID	KEY(2)
		PNLGRPNAME	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		SAL_INC_DT	
		SETID	
HR_CMP052J2_AET	State record for HR_CMP013	AJSTD_SALINC_PCT	
		AJSTD_SAL_AMT	
		BUSINESS_UNIT	
		COMPANY	
		COMPRATE	
		COMP_EFFSEQ	KEY(5)
		COMP_FREQUENCY	
		COMP_RATECD	KEY(6)



		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		ERROR_FLAG	
		EXIST	
		GB_GROUP_ID	
		GP_PAYGROUP	
		GRADE	
		JOB_CODE	
		JOB_EFFDT	
		JOB_EFFSEQ	
		NAME	
		NAMES2	
		NEW_SAL_AMOUNT	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PAYGROUP	
		PAY_SYSTEM_FLG	
		PROCESS_INSTANCE	KEY(1)
		RATING_MODEL	
		REG_REGION	
		REVIEW_RATING	
		SALARY_MATRIX_CD	
		SALINC_AMOUNT	
		SALINC_PCT	
		SAL_ADMIN_PLAN	
		SAL_INC_ID	KEY(2)
		SETID_JOB_CODE	
		SETID_SALARY	
		STD_HOURS	
		STD_HRS_FREQUENCY	
HR_CMP052JP_AET	State record for HR_CMP013	CALC_NUM	
		CAL_BASE_DT	
		EFF_DIGIT	
		EXCHNG_TO_RT_TYPE	
		EXIST	
		GB_GROUP_ID	
		LANGUAGE_CD	
		MESSAGE_TEXT	
		MULTICURRENCY	
		OPRID	KEY(2)
		PNLGRPNAME	
		PROCESS_INSTANCE	KEY(1)
		ROUNDING_RULEJ	
		RUN_CNTL_ID	KEY(3)



		SAL_INC_DT	
		SAL_INC_ID	
		SELECT_ALL	
HR_CMP053J2_AET	State record for HR_CMP013	EMPLID	
		EMPL_RCD	
		PROCESS_INSTANCE	KEY(1)
HR_CMP053JP_AET	State record for HR_CMP013	CALC_NUM	
		CAL_BASE_DT	
		EXIST	
		GB_GROUP_ID	
		LANGUAGE_CD	
		OPRID	KEY(2)
		PNLGRPNAME	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		SAL_INC_DT	
		SAL_INC_ID	
HR_CM_EVAL_STA	CM Evaluation Approvals	ACTION_DT_SS	KEY(3)
		APPR_PATH	KEY(6)
		APPR_STEP	KEY(5)
		COMMENTS	
		CURRENT_STEP	
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPLID_TO	
		EVALUATION_ID	KEY(2)
		HR_WF_ACTION	
		ROLENAME	
		ROLEUSER	
		TRANS_DT	
HR_CM_EVAL_WL	Competency Evaluation Worklist	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EVALUATION_ID	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
*HR_DEV_REQ_STA	Job Approvals	ACTION_DATE	
		APPR_PATH	KEY(3)
		APPR_STEP	KEY(2)
		COMMENTS	
		CURRENT_STEP	
		EMPLID_TO	
		HR_WF_ACTION	



		JOB_REQ_NBR	KEY(1)
		ROLENAME	
		ROLEUSER	
		TRANS_DT	
HR_DEV_REQ_WL	Worklist for Requisitions	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		CLOSE_DT	
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		JOB_REQ_NBR	KEY(7)
		OPEN_DT	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_DIM_BEL_AET	DIMONA State Record	ACTION	
		ADDRESS1	
		ADDRESS2	
		ADDRESS3	
		ADDRESS4	
		ASOFDATE	
		BIRTHCOUNTRY	
		BIRTHDATE	
		BIRTHPLACE	
		BUSINESS_UNIT	
		CITY	
		COMPANY	
		COMPANY_FILTR	
		COUNTRY	
		COUNTRY_DESCR1	
		COUNTY	
		DATETIME_STAMP	
		DESCR	
		DIMONA_ACTION_BEL	
		DIMONA_ADDR_BEL	
		DIMONA_BIRTHPL_BEL	
		DIMONA_BLK_BEL	
		DIMONA_BUS_NR_BEL	
		DIMONA_COMMENT_BEL	
		DIMONA_COMP_NR_BEL	
		DIMONA_COUNCIL_BEL	
		DIMONA_CTCT_BEL	
		DIMONA_EE_SIS_BEL	
		DIMONA_EE_TYP_BEL	
		DIMONA_FIL_SRT_BEL	
		DIMONA_FRSTNM_BEL	
		DIMONA_FUNC_BEL	





---

DIMONA\_HOUSE\_BEL  
DIMONA\_IDENT\_BEL  
DIMONA\_INITIAL\_BEL  
DIMONA\_INSZ\_BEL  
DIMONA\_LAND\_CD\_BEL  
DIMONA\_LANG\_BEL  
DIMONA\_NAME\_BEL  
DIMONA\_NIV\_BEL  
DIMONA\_NOTIF\_BEL  
DIMONA\_NR\_1\_BEL  
DIMONA\_NR\_2\_BEL  
DIMONA\_NR\_BEL  
DIMONA\_PARIT\_BEL  
DIMONA\_RESTART\_BEL  
DIMONA\_SEG\_NR\_BEL  
DIMONA\_SENDER\_BEL  
DIMONA\_SEND\_NM\_BEL  
DIMONA\_SIGN\_BEL  
DIMONA\_SIS\_TYP\_BEL  
DIMONA\_START\_BEL  
DIMONA\_STATUS\_BEL  
DIMONA\_STREET\_BEL  
DIMONA\_TEL\_BEL  
DIMONA\_TEST\_BEL  
DIMONA\_VERS\_BEL  
DIMONA\_ZONE\_1\_BEL  
DIMONA\_ZONE\_2\_BEL  
DIMONA\_ZONE\_3\_BEL  
DIMONA\_ZONE\_4\_BEL  
DIMONA\_ZONE\_5\_BEL  
DIMONA\_ZONE\_6\_BEL  
DIMONA\_ZONE\_7\_BEL  
DIMONA\_ZONE\_8\_BEL  
DT\_OF\_DEATH  
EFFDT KEY(2)  
EMPLID  
EMPL\_CLASS  
EMPL\_RCD  
FIRST\_NAME  
FROMDATE  
FT\_STUDENT  
FULL\_PART\_TIME  
GEO\_CODE  
HIRE\_DT  
HOUSE\_TYPE



		IND_COMMITTEE_BEL	
		IN_CITY_LIMIT	
		LANGUAGE_CD	
		LAST_NAME	
		LAST_NAME_PREF_NLD	
		MAR_STATUS	
		NAME	
		NAME_INITIALS	
		NAME_PREFIX	
		NAME_ROYAL_PREFIX	
		NAME_ROYAL_SUFFIX	
		NAME_SUFFIX	
		NATIONAL_ID	
		NIS_CNTRY_NR_BEL	
		NOTIFIED_DT	
		NOTIFIED_TM	
		NSZ_DUMMY1_1_NLD	
		NSZ_DUMMY1_2_NLD	
		NSZ_DUMMY1_3_NLD	
		NUM1	
		NUM2	
		OFFICIAL_LANG	
		PARTNER_LAST_NAME	
		PARTNER_ROY_PREFIX	
		POSTAL	
		POSTAL2	
		POSTAL_NLD	
		PROCESS_DATE	
		PROCESS_INSTANCE	KEY(1)
		REGISTR_NUM	
		REHIRE_DT	
		RSZ_EMPLR_BEL	
		SETID_DEPT	
		SEX	
		STATE	
		TERMINATION_DT	
		THRUDATE	
HR_DIM_RSLT_BEL	DIMONA Result Table	DATETIME_STAMP	
		DIMONA_ACTION_BEL	
		DIMONA_NR_BEL	
		DIMONA_STATUS_BEL	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HIRE_DT	
		NOTIFIED_TM	KEY(4)



		PROCESS_DATE	KEY(3)
		START_DATE	
		TERMINATION_DT	
HR_DIM_RUN_BEL	DIMONA Run Control Record	BUSINESS_UNIT	
		COMPANY	
		DIMONA_ADDR_BEL	
		DIMONA_COMMENT_BEL	
		DIMONA_COUNCIL_BEL	
		DIMONA_CTCT_BEL	
		DIMONA_FUNC_BEL	
		DIMONA_LAND_CD_BEL	
		DIMONA_NAME_BEL	
		DIMONA_NR_BEL	
		DIMONA_RESTART_BEL	
		DIMONA_SENDER_BEL	
		DIMONA_SEND_NM_BEL	
		DIMONA_START_BEL	
		DIMONA_TEL_BEL	
		DIMONA_VERS_BEL	
		EMPLID	
		FROMDATE	
		LANGUAGE_CD	
		OPRID	KEY(1)
		POSTAL	
		POSTAL_NLD	
		RUN_CNTL_ID	KEY(2)
		SETID	
		START_DATE	
		THRUDATE	
HR_DIM_SEG1_BEL	DIMONA Segment 1	DIMONA_COMMENT_BEL	
		DIMONA_FIL_SRT_BEL	
		DIMONA_SENDER_BEL	
		DIMONA_SEND_NM_BEL	
		DIMONA_VERS_BEL	
		DIMONA_ZONE_2_BEL	
		DIMONA_ZONE_3_BEL	
		DIMONA_ZONE_4_BEL	
		DIMONA_ZONE_5_BEL	
		DIMONA_ZONE_6_BEL	
		HR_DIM_SBR1_BEL	
		NOTICEDATE	
HR_DIM_SEG2_BEL	DIMONA Segment 2	DIMONA_ADDR_BEL	
		DIMONA_COUNCIL_BEL	
		DIMONA_LAND_CD_BEL	
		DIMONA_ZONE_2_BEL	



		DIMONA_ZONE_3_BEL
		DIMONA_ZONE_4_BEL
		HR_DIM_SBR1_BEL
		POSTAL_NLD
HR_DIM_SEG3_BEL	DIMONA Segment 3	DIMONA_CTCT_BEL
		DIMONA_FUNC_BEL
		DIMONA_TEL_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
HR_DIM_SEG4_BEL	DIMONA Segment 4	HR_DIM_SBR1_BEL
		CNT_RSZ_SUBM_BEL
		DIMONA_IDENT_BEL
		DIMONA_LANG_BEL
		DIMONA_REGS_NR_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
		DIMONA_ZONE_4_BEL
HR_DIM_SEG5_BEL	DIMONA Segment 5	HR_DIM_SBR1_BEL
		DIMONA_FRSTNM_BEL
		DIMONA_INSZ_BEL
		DIMONA_NAME_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
HR_DIM_SEG6_BEL	DIMONA Segment 6	HR_DIM_SBR1_BEL
		DIMONA_ACTION_BEL
		DIMONA_MCROCRC_BEL
		DIMONA_NR_BEL
		DIMONA_SIS_TYP_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
		DIMONA_ZONE_4_BEL
HR_DIM_SEG7_BEL	DIMONA Segment 7	HR_DIM_SBR1_BEL
		BIRTHDATE
		DIMONA_BIRTHPL_BEL
		DIMONA_EE_SIS_BEL
		DIMONA_FRSTNM_BEL
		DIMONA_INITIAL_BEL
		DIMONA_INSZ_BEL
		DIMONA_LAND_CD_BEL
		DIMONA_NAME_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
		DIMONA_ZONE_4_BEL
		DIMONA_ZONE_5_BEL
		DIMONA_ZONE_6_BEL



---

		DIMONA_ZONE_7_BEL
		DIMONA_ZONE_8_BEL
		DIMONA_ZONE_9_BEL
		HR_DIM_SBR1_BEL
		SEX_FLG
HR_DIM_SEG8_BEL	DIMONA Segment 8	DIMONA_BIRTHPL_BEL
		DIMONA_BUS_NR_BEL
		DIMONA_HOUSE_BEL
		DIMONA_LAND_CD_BEL
		DIMONA_STREET_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
		DIMONA_ZONE_4_BEL
		DIMONA_ZONE_5_BEL
		DIMONA_ZONE_6_BEL
		HR_DIM_SBR1_BEL
		NSZ_POSTAL2_NLD
HR_DIM_SEG9_BEL	DIMONA Segment 9	DIMONA_PARIT_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
		DIMONA_ZONE_4_BEL
		HIRE_DT
		HR_DIM_SBR1_BEL
		NSZ_DUMMY1_1_NLD
		NSZ_DUMMY1_2_NLD
		NSZ_DUMMY1_3_NLD
		TERMINATION_DT
HR_DIM_SG10_BEL	DIMONA Segment 10	DIMONA_COMMENT_BEL
		DIMONA_FRSTNM_BEL
		DIMONA_LAND_CD_BEL
		DIMONA_NAME_BEL
		DIMONA_VERS_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
		DIMONA_ZONE_4_BEL
		DIMONA_ZONE_5_BEL
		DIMONA_ZONE_6_BEL
		HR_DIM_SBR1_BEL
		NSZ_POSTAL2_NLD
HR_DIM_SG11_BEL	DIMONA Segment 11	DIMONA_COMP_NR_BEL
		DIMONA_NOTIF_BEL
		DIMONA_SEG_NR_BEL
		DIMONA_ZONE_2_BEL
		DIMONA_ZONE_3_BEL
		HR_DIM_SBR1_BEL



HR_DIM_SG12_BEL	DIMONA Segment 12- Start file	DIMONA_COMMENT_BEL DIMONA_FIL_SRT_BEL DIMONA_FRSTNM_BEL DIMONA_IDENT_BEL DIMONA_INSZ_BEL DIMONA_NAME_BEL DIMONA_NR_1_BEL DIMONA_NR_BEL DIMONA_PARIT_BEL HIRE_DT NSZ_DUMMY1_1_NLD NSZ_DUMMY1_2_NLD NSZ_DUMMY1_3_NLD TERMINATION_DT	
HR_DIM_SG13_BEL	DIMONA-SEG13	CNT_RSZ_SUBM_BEL DIMONA_NOTIF_BEL DIMONA_NR_1_BEL RSZ_EMPLR_BEL	
HR_ENROLL_DAT	Wkflow Status - Trn Enrollment	ACTION_DT_SS COURSE EMPLID HR_WF_STATUS MANAGER	KEY(4) KEY(2) KEY(1)
HR_ENROLL_STA	Wkflow for Trn Enrollment SS	SESSION_NBR ACTION_DT_SS APPR_PATH APPR_STEP COMMENTS COURSE CURRENT_STEP EMPLID EMPLID_TO HR_WF_ACTION ROLENAME ROLEUSER SEQNO SESSION_NBR TRANS_DT	KEY(3) KEY(4) KEY(6) KEY(5)  KEY(2)  KEY(1)     KEY(7) KEY(3)
HR_FULLPART_DAT	Stage Record for FT/PT Change	ACTION ACTION_DT_SS EFFSEQ EMPLID EMPL_RCD FULL_PART_TIME_NEW POSITION_FLAG	 KEY(3) KEY(4) KEY(1) KEY(2)



HR_FULL_PART_WL	HR SS Full/Part Stat Chg	WF_PROC_SBR	
		ACTION_DT_SS	
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EVENTNAME	KEY(3)
		FULL_PART_TIME_NEW	
		INSTANCEID	KEY(5)
		STD_HOURS_NEW	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_GRPANNIV_AET	Create/Refresh Anniversary Dts	BUDGET_END_DT	
		BUDGET_ID	
		BUDGET_START_DT	
		EFFDT	KEY(4)
		EFFSEQ	
		EMPLID	
		EMPL_RCD	
		END_DT_DAY	
		END_DT_MONTH	
		END_DT_YEAR	
		FROMDATE	
		GB_GROUP_ID	
		HIRE_DT	
		HIRE_DT_DAY	
		HIRE_DT_MONTH	
		HIRE_DT_YEAR	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		START_DT_DAY	
		START_DT_MONTH	
START_DT_YEAR			
VERSIONGBQDM			
HR_HONOR_WL	HR SS Location Change	ACCOMPLISHMENT	
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		DT_ISSUED	
		EMPLID	KEY(7)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
HR_HRSALCHG_AET	State record for HRSALCHG	WORKLISTNAME	KEY(4)
		EFFDT	KEY(4)
		EMPLID	



		EMPL_RCD	
		IF_FLAG	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
HR_HRWF0006_AET	State record for HRSALCHG	EMPLID	
		IF_FLAG	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
HR_JOB_REQ_WL	HR Job Requisition Work List	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		JOB_REQ_NBR	KEY(7)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_LIC_CERT_WL	HR SS Location Change	ACCOMPLISHMENT	
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		DT_ISSUED	
		EMPLID	KEY(7)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_LMS_STRC_AET		FROM_DATE	
		LMS_ACTIVATION_DT	
		LMS_INCENTIVE_AMT	
		PROCESS_INSTANCE	KEY(1)
		SUB_GROUP_ID	
		THRU_DATE	
		VERSIONGBQDM	
HR_LOCATION_WL	HR SS Location Change	ACTION_DT_SS	KEY(9)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		LOCATION	
		SETID_LOCATION	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_LOC_TRANS	Self Service staged data	EMPLID	KEY(2)





		EMPL_RCD	KEY(3)
		JOB_DESCR_SS	
		POSITION_FLAG	
		TRANSACTION_NBR	KEY(1)
		WF_PROC_SBR	
HR_MARSTATUS_WL	HR SS Marital Status Change	ACTION_DT_SS	KEY(8)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		MAR_STATUS_NEW	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_MAR_STAT_DAT	Marital Status Staging Record	ACTION_DT_SS	KEY(2)
		EFFSEQ	KEY(3)
		EMPLID	KEY(1)
		MAR_STATUS	
		WF_PROC_SBR	
HR_MGR_LOC_DAT	SS staged data Location Change	ACTION	
		ACTION_DT_SS	KEY(3)
		ACTION_REASON	
		LOCATION	
		ORIGINATORID	KEY(2)
		TRANSACTION_NBR	KEY(1)
HR_MGR_REP_DAT	Wkflow Status - Reporting Chg	ACTION	
		ACTION_DT_SS	
		COMMENTS	
		HR_REPCHNG_REASON	
		REPORTS_TO	
		SUPERVISOR_ID	
		TRANSACTION_NBR	KEY(1)
		WF_STATUS	
HR_MGR_REP_STA	Wkflow for Reporting Change SS	APPR_PATH	KEY(3)
		APPR_STEP	KEY(2)
		COMMENTS	
		CURRENT_STEP	
		EMPLID_TO	
		HR_WF_ACTION	
		ROLENAME	
		ROLEUSER	
		SEQNO	KEY(4)
		TRANSACTION_NBR	KEY(1)
		TRANS_DT	
HR_NAME_DAT	Self Service Name Change	ACTION_DT_SS	KEY(3)



		COUNTRY_NM_FORMAT	
		EMPLID	KEY(1)
		FIRST_NAME	
		LAST_NAME	
		LAST_NAME_PREF_NLD	
		MIDDLE_NAME	
		NAME_AC	
		NAME_INITIALS	
		NAME_PREFIX	
		NAME_ROYAL_PREFIX	
		NAME_ROYAL_SUFFIX	
		NAME_SUFFIX	
		NAME_TITLE	
		NAME_TYPE	KEY(2)
		PARTNER_LAST_NAME	
		PARTNER_ROY_PREFIX	
		PREF_FIRST_NAME	
		SECOND_LAST_NAME	
HR_NSZ_AET	Cache record for Personal Data	WF_PROC_SBR	
		ABSENCE_CODE	
		ABSENCE_TYPE	
		ABS_BEGIN_TM	
		ABS_RETURN_TM	
		ADDRESS1	
		ADDRESS2	
		ADDRESS3	
		ADDRESS4	
		ASOFDATE	
		BEGIN_DT	
		BIRTHDATE	
		BUSINESS_UNIT2	
		CAO_NLD	
		CITY	
		COMMENT_DT	
		COMPANY	
		COMPANY_INFO_LBL	
		CONTACT_NAME	
		CONTRACT_NUM	
		COUNTRY	
		COUNTRY_DESCR1	
		COUNTY	
		DEPTID_FILTR	
		DESCR	
		DT_OF_DEATH	
		DUE_DT	



EFFDT  
EMPLID  
EMPLOYEE\_INFO\_LBL  
EMPL\_CLASS  
EMPL\_RCD  
EMPL\_TYPE  
END\_DATE  
FIRST\_NAME  
FULL\_PART\_TIME  
GEO\_CODE  
HIRE\_DT  
HOUSE\_TYPE  
ILL\_PERCENT\_NLD  
ILL\_STATUS\_NLD  
IN\_CITY\_LIMIT  
JOB\_EFFDT  
LANGUAGE\_CD  
LAST\_NAME  
LAST\_NAME\_PREF\_NLD  
MAR\_STATUS  
NAME  
NAME\_INITIALS  
NAME\_PREFIX  
NAME\_ROYAL\_PREFIX  
NAME\_ROYAL\_SUFFIX  
NAME\_SUFFIX  
NATIONAL\_ID  
NL\_CORRECTION  
NL\_REASON\_ELSE  
NL\_REASON\_END  
NL\_REPORT\_REASON  
NL\_SA\_WAO  
NL\_SA\_WW  
NL\_SA\_ZFW  
NL\_SA\_ZW  
NL\_START\_END  
NL\_START\_REASON  
NOTICEDATE  
NSZ\_CONTRACTID\_NLD  
NSZ\_DESCR70\_1\_NLD  
NSZ\_DUMMY2\_1\_NLD  
NSZ\_HOUSE\_LBL\_NLD  
NSZ\_HRS\_AWEEK\_NLD  
NSZ\_POSTAL2\_NLD  
NSZ\_TIME\_PERC\_NLD



		NSZ_UNION_ID_NLD	
		NUM1	
		NUM2	
		OWN_5PERCENT_CO	
		PANEL_NAME	
		PARTNER_LAST_NAME	
		PARTNER_ROY_PREFIX	
		POSITION_NBR	
		POSTAL	
		POSTAL_CITY_NLD	
		POSTAL_STREET_NLD	
		PROCESS_INSTANCE	KEY(1)
		REASON	
		REGISTR_NUM	
		RELAT_TO_OWNER_NLD	
		RETURN_DT	
		SETID_DEPT	
		SEX	
		SHIFT	
		SMOKER	
		STATE	
		STD_HOURS	
		STD_HRS_FREQUENCY	
		TERMINATION_DT	
		WAO_DATE_NLD	
		WAO_PERCENT_NLD	
HR_OFFER_DAT	Wkflow Status - Offer Request	ANNUAL_RT	
		APPLID	KEY(2)
		APP_DT	KEY(3)
		CURRENCY_CD	
		DESIRED_START_DT	KEY(4)
		EFFSEQ	KEY(5)
		HR_WF_STATUS	
HR_OFFER_STA	Wkflow for Offer Request SS	JOB_REQ_NBR	KEY(1)
		APPLID	KEY(1)
		APPR_PATH	KEY(7)
		APPR_STEP	KEY(6)
		APP_DT	KEY(2)
		COMMENTS	
		CURRENT_STEP	
		EMPLID	
		HR_WF_ACTION	
		JOB_REQ_NBR	KEY(3)
		OFFER_DT	KEY(4)
		ROLENAME	



Table Name	Description	Field Name	Key
HR_OFFER_SUB_WL	Offer Worklist Rec	ROLEUSER	
		SEQNO	KEY(8)
		SEQNUM	KEY(5)
		TRANS_DT	
		ACTIVITYNAME	KEY(2)
		APPLID	KEY(7)
		APP_DT	KEY(8)
		BUSPROCNAME	KEY(1)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		JOB_REQ_NBR	KEY(9)
HR_PER501_AET	State record for HR_PER501	OFFER_DT	KEY(10)
		SEQNUM	KEY(11)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		ASOF_DT	
		CMP_DONT_ABSORB	
		GB_GROUP_ID	
		IF_FLAG	
		OPRID	KEY(2)
		PRCS_MODE_FLG	
		PROCESS_BY	
HR_PER501_AFT_C	Temp record for HR_PER501	PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		UPD_FUTURE_ROW_SW	
		CHANGE_AMT	
		CHANGE_PCT	
		CHANGE_PTS	
		CMP_SRC_IND	
		COMPRATE	
		COMP_EFFSEQ	KEY(8)
		COMP_FREQUENCY	
		COMP_PCT	
COMP_RATECD	KEY(7)		
COMP_RATE_POINTS			
CONVERT_COMPRT			
CURRENCY_CD			
EMPLID	KEY(3)		
EMPL_RCD	KEY(4)		
FTE_INDICATOR			
JOB_EFFDT	KEY(5)		
JOB_EFFSEQ	KEY(6)		
MANUAL_SW			
OPRID	KEY(1)		
RATE_CODE_GROUP			



HR_PER501_AFT_J	Temp record for HR_PER501	RUN_CNTL_ID	KEY(2)
		COMPRATE	
		COMP_FREQUENCY	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	KEY(5)
		JOB_EFFSEQ	KEY(6)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_PER501_BEF_C	Temp record for HR_PER501	CHANGE_AMT	
		CHANGE_PCT	
		CHANGE_PTS	
		CMP_SRC_IND	
		COMPRATE	
		COMP_EFFSEQ	KEY(8)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(7)
		COMP_RATE_POINTS	
		CONVERT_COMPRT	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FTE_INDICATOR	
		JOB_EFFDT	KEY(5)
		JOB_EFFSEQ	KEY(6)
		MANUAL_SW	
		OPRID	KEY(1)
		RATE_CODE_GROUP	
RUN_CNTL_ID	KEY(2)		
HR_PER501_BEF_J	Temp record for HR_PER501	COMPRATE	
		COMP_FREQUENCY	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	KEY(5)
		JOB_EFFSEQ	KEY(6)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		GB_GROUP_ID	KEY(3)
HR_PER501_GRP_T	Temp record for HR_PER501	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_PER501_G_RES	Group Build - Std Result Table	GB_GRP_RES_SBR	
HR_PER501_TAO1	Temp record for HR_PER501	ACTION	



		ACTION_REASON	
		CMP_CHANGE_AMT_FLG	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	
		JOB_EFFSEQ	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_PER501_TAO2	Temp record for HR_PER501	ACTION	
		ACTION_REASON	
		CMP_CHANGE_AMT_FLG	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		JOB_EFFDT	
		JOB_EFFSEQ	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_PER510_AET	State Record - Create Row Sec	ASOF_DT	
		LOCK_FLAG	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		USER_OPRID	
HR_PER510_PERML	Temp Table of Create Row Sec	ACTION_FLAG	
		OPRID	KEY(1)
		ROWSECCLASS	KEY(3)
		RUN_CNTL_ID	KEY(2)
		STATUS_FLAG	
HR_PER510_SCRTY	Temp Table of Create Row Sec	ACCESS_CD	
		DEPTID	KEY(5)
		EMPLID	
		OPRID	KEY(1)
		ROWSECCLASS	KEY(3)
		RUN_CNTL_ID	KEY(2)
		SETID	KEY(4)
HR_PER510_USERP	Temp Table of Create Row Sec	ACTION_FLAG	
		EMPLID	
		OPRID	KEY(1)
		ROWSECCLASS_NEW	
		ROWSECCLASS_OLD	
		RUN_CNTL_ID	KEY(2)



Table Name	Description	Field Name	Key
HR_PE_DATES_TBL	Period pagelet setting table	STATUS_FLAG	
		USER_OPRID	KEY(3)
		EMPL_RCD	
		LAST_WEEK_NBR	
		NEXT_WEEK_NBR	
HR_PROMOTE_DAT	Wkflow Status - EE Promotion	OPRID	KEY(1)
		ACTION	
		ACTION_DT_SS	KEY(3)
		ACTION_REASON_SS	
		BUSINESS_UNIT	
		DEPTID	
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		JOBCODE	
		LOCATION	
		POSITION_FLAG	
		POSITION_NBR	
REPORTS_TO			
SUPERVISOR_ID			
WF_PROC_SBR			
WF_STATUS			
HR_PROMOTE_STA	Wkflow for EE Promotion SS	ACTION_DT_SS	KEY(3)
		APPR_PATH	KEY(6)
		APPR_STEP	KEY(5)
		COMMENTS	
		CURRENT_STEP	
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPLID_TO	
		EMPL_RCD	KEY(2)
		HR_WF_ACTION	
ROLENAME			
ROLEUSER			
SEQNO	KEY(7)		
TRANS_DT			
HR_PROMT_SUB_WL	Promote Worklist Rec	ACTION_DT_SS	KEY(9)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EFFSEQ	KEY(10)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		NAME	





HR_REPORTING_WL	Reporting Worklist Rec	TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
HR_REPORT_TRANS	Reporting Chg Transaction Data	TRANSACTIONID	KEY(6)
		TRANSACTION_NBR	KEY(7)
		WORKLISTNAME	KEY(4)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		JOB_DESCR_SS	
HR_RETIRE_DAT	Stage Record for Retire SS	POSITION_FLAG	
		TRANSACTION_NBR	KEY(1)
		WF_PROC_SBR	
		ACTION	
		ACTION_DT_SS	KEY(3)
		ACTION_REASON_SS	
HR_RETIRE_WL		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		WF_PROC_SBR	
		ACTION_REASON	KEY(10)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		EVENTNAME	KEY(3)
HR_SALBG_SUB_WL	Sal Chg for Group Worklist Rec	INSTANCEID	KEY(5)
		RETIREMENT_DT	KEY(9)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		ACTIVITYNAME	KEY(2)
		BUDGET_ID	KEY(9)
		BUDGET_START_DT	KEY(8)
		BUSPROCNAME	KEY(1)
		DESCR	
		DESCR50	
HR_SALCHANGE_WL	Salary Change Worklist Record.	EFFDT	KEY(10)
		EVENTNAME	KEY(3)
		GB_GROUP_ID	KEY(7)
		INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		ACTIVITYNAME	KEY(2)



		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		NAME	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_SALCHANG_DAT	Salary Change Status	ACTION_DT_SS	KEY(3)
		EMAIL_TEXTLONG	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HR_WF_STATUS	
HR_SALCHANG_STA	Salary Change Self Service	ACTION_DT_SS	KEY(3)
		APPR_PATH	KEY(5)
		APPR_STEP	KEY(4)
		COMMENTS	
		CURRENT_STEP	
		EMPLID	KEY(1)
		EMPLID_TO	
		EMPL_RCD	KEY(2)
		HR_WF_ACTION	
		ROLENAME	
		ROLEUSER	
		SEQNO	KEY(6)
		TRANS_DT	
HR_SALCHBGT_DAT	Salary Chg for Grp with Budget	AVAIL_BUDGET_AMT	
		BUDGET_ID	KEY(3)
		BUDGET_START_DT	KEY(2)
		CURRENCY_CD	
		CURR_BUDGET_AMT	
		EFFDT	KEY(4)
		FREQUENCY_ID	
		GB_GROUP_ID	KEY(1)
		HR_WF_STATUS	
		REQUESTED_AMT	
HR_SALCHBGT_STA	Workflow for Sal Chg for Grp	APPR_PATH	KEY(6)
		APPR_STEP	KEY(5)
		BUDGET_ID	KEY(3)
		BUDGET_START_DT	KEY(2)
		COMMENTS	
		CURRENT_STEP	
		EFFDT	KEY(4)
		EMPLID_TO	
		GB_GROUP_ID	KEY(1)



		HR_WF_ACTION	
		ROLENAME	
		ROLEUSER	
		SEQNO	KEY(7)
		TRANS_DT	
HR_SALCHGRP_DAT	Salary Chg for Grp w/o Budget	ACTION_DT_SS	KEY(2)
		AVAIL_BUDGET_AMT	
		CURRENCY_CD	
		CURR_BUDGET_AMT	
		FREQUENCY_ID	
		GB_GROUP_ID	KEY(1)
		HR_WF_STATUS	
		REQUESTED_AMT	
HR_SALCHGRP_STA	Workflow for Sal Chg for Grp	ACTION_DT_SS	KEY(2)
		APPR_PATH	KEY(4)
		APPR_STEP	KEY(3)
		COMMENTS	
		CURRENT_STEP	
		EMPLID_TO	
		GB_GROUP_ID	KEY(1)
		HR_WF_ACTION	
		ROLENAME	
		ROLEUSER	
		SEQNO	KEY(5)
		TRANS_DT	
HR_SALCH_SUB_WL	Sal Chg for Group Worklist Rec	ACTION_DT_SS	KEY(8)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		DESCR	
		EVENTNAME	KEY(3)
		GB_GROUP_ID	KEY(7)
		INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_SAL_CHG_COMP	Sal Chg for Grp Pay Components	ACTION_DT_SS	KEY(2)
		CHANGE_AMT	
		CHANGE_PCT	
		CHANGE_PTS	
		CMP_SRC_IND	
		COMPRATE	
		COMP_EFFSEQ	KEY(5)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(6)
		COMP_RATE_POINTS	



		CONVERT_COMPRT	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FTE_INDICATOR	
		GB_GROUP_ID	KEY(1)
		MANUAL_SW	
		NEW_COMPRATE	
		NEW_COMP_PCT	
		NEW_COMP_RATE_PTS	
		RATE_CODE_GROUP	
HR_SAL_CHG_EE	Salary Change Employees	ACTION_DT_SS	KEY(2)
		ANNUAL_INCREASE	
		ANNUAL_RT	
		BUSINESS_UNIT	
		CHANGE_AMT	
		CHANGE_PCT	
		COMPANY	
		COMPRATE	
		COMP_FREQUENCY	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		EMPL_STATUS	
		FTE	
		GB_GROUP_ID	KEY(1)
		GRADE	
		JOBCODE	
		NEW_ANNUAL_RT	
		NEW_COMPRATE	
		PAID_FTE	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		REG_REGION	
		SAL_ADMIN_PLAN	
		SETID_JOBCODE	
		SETID_SALARY	
		STD_HOURS	
		STD_HRS_FREQUENCY	
		STEP	
HR_SEN_GRP_TAO	Temp record for HR_CMP013	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
HR_SEN_PAY1_TAO	Temp record for HR_CMP013	ACTION	
		ACTION_REASON	



		COMPRATE	
		COMP_EFFSEQ	KEY(7)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(8)
		COMP_RATECD_OLD	
		COMP_RATE_POINTS	
		CURRENCY_CD	
		EFFDT	KEY(5)
		EFFDT_SEN	
		EFFSEQ	KEY(6)
		EFF_STATUS	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GB_GROUP_ID	KEY(9)
		JOB_EFFDT	
		JOB_EFFSEQ	
		LEVEL_NBR	
		MANUAL_SW	
		MIN_SEN_MONTHS	
		MIN_SEN_YEARS	
		OPRID	KEY(1)
		PRIOR_EFFSEQ	
		RUN_CNTL_ID	KEY(2)
		SENIORITY_CALC	
		SENIORITY_DATE	
HR_SEN_PAY2_TAO	Temp record for HR_CMP013	ACTION	
		ACTION_REASON	
		COMPRATE	
		COMP_EFFSEQ	KEY(7)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(8)
		COMP_RATECD_OLD	
		COMP_RATE_POINTS	
		CURRENCY_CD	
		EFFDT	KEY(5)
		EFFDT_SEN	
		EFFSEQ	KEY(6)
		EFF_STATUS	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GB_GROUP_ID	KEY(9)
		JOB_EFFDT	
		JOB_EFFSEQ	



		LEVEL_NBR	
		MANUAL_SW	
		MIN_SEN_MONTHS	
		MIN_SEN_YEARS	
		OPRID	KEY(1)
		PRIOR_EFFSEQ	
		RUN_CNTL_ID	KEY(2)
		SENIORITY_CALC	
		SENIORITY_DATE	
HR_SHS_FRA_AET	BIAF Group Exec. Cache Rcd.	AE_TEST_FLAG	
		CITIZENSHIP_STATUS	
		COUNTRY	
		COUNTRY2	
		COUNTRY_FLAG	
		DATA_VAL1	
		DATA_VAL2	
		DATA_VAL3	
		DATA_VAL4	
		DATA_VAL5	
		DATA_VAL6	
		DSCNT_DELAY_DAYS	
		EMPLID	
		EMPL_RCD	
		END_DT	
		ESTABID	
		GB_GROUP_ID	
		HIRE_DT	
		NATIONAL_ID	
		OPRID	
		PROBATION_DT	
		PROCESS_INSTANCE	
		REHIRE_DT	
		RP_PHONE	
		RUN_CNTL_ID	
		SHS_PROBATION_DAYS	
		SHS_RPT_FRA_SW	
		SSN_KEY_FRA	
		START_DT	
		THRU_DT	
HR_SPLIB_AET	AE Record for Group Build	ACTION	
		ACTION_REASON	
		AE_TEST_FLAG	
		BUDGET_ID	
		BUDGET_START_DT	
		CMP_DONT_ABSORB	



		EFFDT	
		EFFSEQ	
		EMPLID	
		EMPL_RCD	
		ERROR_FLAG	
		GB_GROUP_ID	
		GRADE	
		JOBCODE	
		OPRID	
		PROCESS_INSTANCE	
		RECORD_NAME	
		RUN_CNTL_ID	
		SAL_ADMIN_PLAN	
		SP_PROCESS_NAME	
		STEP	
		STEP_ENTRY_DT	
		UPD_FUTURE_ROW_SW	
		VERSIONGBQDM	
HR_SP_MER1_TAO	Temp record for HR_SP_MERIT	AMOUNT_PCT	
		AMOUNT_PER_POINT	
		COMP_EFFSEQ	
		COMP_FREQUENCY	
		COMP_RATECD	
		COMP_RATE_TYPE	
		CURRENCY_CD	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		OPRID	KEY(1)
		PCT_PER_POINT	
		POINT_PCT	
		PRCS_MODE_FLG	
		RATE_CODE_GROUP	
		RUN_CNTL_ID	KEY(2)
		SAL_PTS_FREQUENCY	
		SAL_PTS_PER_POINT	
HR_SP_MER2_TAO	Temp record for HR_SP_MERIT	AMOUNT_PCT	
		AMOUNT_PER_POINT	
		COMP_EFFSEQ	
		COMP_FREQUENCY	
		COMP_RATECD	
		COMP_RATE_TYPE	
		CURRENCY_CD	
		EFFDT	KEY(5)



		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		OPRID	KEY(1)
		PCT_PER_POINT	
		POINT_PCT	
		PRCS_MODE_FLG	
		RATE_CODE_GROUP	
		RUN_CNTL_ID	KEY(2)
		SAL_PTS_FREQUENCY	
HR_SP_MER3_TAO	Temp record for HR_SP_MERIT	SAL_PTS_PER_POINT	
		AMOUNT_PCT	
		AMOUNT_PER_POINT	
		APPROVER_ID	
		APPRVL_DT	
		COMP_FREQUENCY	
		COMP_RATECD	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		EP_REVIEW_STATUS	
		EP_REVIEW_TYPE	KEY(7)
		GB_GROUP_ID	
		OPRID	KEY(1)
		PCT_PER_POINT	
		PERIOD_BEGIN_DT	KEY(5)
		PERIOD_END_DT	KEY(6)
		POINT_PCT	
		RATE_CODE_GROUP	
		REVIEW_POINTS	
		RUN_CNTL_ID	KEY(2)
		SAL_PTS_FREQUENCY	
		SAL_PTS_PER_POINT	
		SP_FROM_DATE	
		SP_MER_INCR_MANUAL	
		SP_MER_INCR_STATUS	
		SP_TO_DATE	
HR_SP_MERIT_AET	State record - Load Merit Incr	ACTION	
		ACTION_REASON	
		ASOFDATE	
		CMP_DONT_ABSORB	
		EP_REVIEW_TYPE	
		GB_GROUP_ID	
		IF_FLAG	
		OPRID	KEY(2)





		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		SP_FROM_DATE	
		SP_TO_DATE	
		UPD_FUTURE_ROW_SW	
HR_SSTEXT_CFG	HR Text Catalog Configuration	HR_SSTEXT_CACHE_SW	
		HR_SSTEXT_KEY1_FLD	
		HR_SSTEXT_KEY1_REC	
		HR_SSTEXT_KEY2_FLD	
		HR_SSTEXT_KEY2_REC	
		HR_SSTEXT_KEY3_FLD	
		HR_SSTEXT_KEY3_REC	
		HR_SSTEXT_KEY4_FLD	
		HR_SSTEXT_KEY4_REC	
		HR_SSTEXT_SHOW_ID	
		OBJECTOWNERID	KEY(1)
		SYSTEM_DATA_FLG	
HR_SSTEXT_EFFDT	User Configurable Text - Effdt	EFFDT	KEY(3)
		OBJECTOWNERID	KEY(1)
		TEXT_ID	KEY(2)
HR_SSTEXT_LANG	User Configurable Text - Lang	EFFDT	KEY(3)
		HR_SSTEXT_KEY1	KEY(4)
		HR_SSTEXT_KEY2	KEY(5)
		HR_SSTEXT_KEY3	KEY(6)
		HR_SSTEXT_KEY4	KEY(7)
		HR_SSTEXT_TEXT	
		LANGUAGE_CD	KEY(8)
		OBJECTOWNERID	KEY(1)
		TEXT_ID	KEY(2)
HR_SSTEXT_MLNG	User Configurable Text - Lang	DESCR254_MIXED	
		LANGUAGE_CD	KEY(3)
		OBJECTOWNERID	KEY(1)
		TEXT_ID	KEY(2)
HR_SSTEXT_MSGID	User Configurable Text - MsgId	DESCR254_MIXED	
		HR_SSTEXT_USAGE	
		OBJECTOWNERID	KEY(1)
		TEXT_ID	KEY(2)
HR_SSTEXT_TEXT	User Configurable Text	EFFDT	KEY(3)
		HR_SSTEXT_KEY1	KEY(4)
		HR_SSTEXT_KEY2	KEY(5)
		HR_SSTEXT_KEY3	KEY(6)
		HR_SSTEXT_KEY4	KEY(7)
		HR_SSTEXT_TEXT	
		OBJECTOWNERID	KEY(1)
		TEXT_ID	KEY(2)



HR_TERMINATE_WL		ACTION_REASON	KEY(10)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		TERMINATION_DT	KEY(9)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_TERM_DAT	Stage Record for Terminate SS	ACTION	
		ACTION_DT_SS	KEY(3)
		ACTION_REASON_SS	
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		WF_PROC_SBR	
HR_TRAIN_SUB_WL	Training Worklist Rec	ACTION_DT_SS	KEY(10)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		COURSE	KEY(8)
		EMPLID	KEY(7)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		SESSION_NBR	KEY(9)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_TRANSFER_DAT	Wkflow Status - EE Transfer	ACTION	
		ACTION_DT_SS	KEY(3)
		ACTION_REASON_SS	
		BUSINESS_UNIT	
		DEPTID	
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		JOBCODE	
		LOCATION	
		POSITION_FLAG	
		POSITION_NBR	
		REPORTS_TO	
		SUPERVISOR_ID	
		WF_PROC_SBR	
		WF_STATUS	
HR_TRANSFER_STA	Wkflow for EE Transfer SS	ACTION_DT_SS	KEY(3)
		APPR_PATH	KEY(6)



		APPR_STEP	KEY(5)
		COMMENTS	
		CURRENT_STEP	
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPLID_TO	
		EMPL_RCD	KEY(2)
		HR_WF_ACTION	
		ROLENAME	
		ROLEUSER	
		SEQNO	KEY(7)
		TRANS_DT	
HR_TRANS_SUB_WL	Transfer Worklist Rec	ACTION_DT_SS	KEY(9)
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EFFSEQ	KEY(10)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		NAME	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
HR_VIAPRIS_AET	Cache record for Personal Data	ABSENCE_CODE	
		ABSENCE_TYPE	
		ABS_BEGIN_TM	
		ABS_RETURN_TM	
		ADDRESS1	
		ADDRESS2	
		ADDRESS3	
		ADDRESS4	
		ASOFDATE	
		BEGIN_DT	
		BIRTHDATE	
		BUSINESS_UNIT2	
		CITY	
		COMMENT_DT	
		COMPANY	
		COMPANY_INFO_LBL	
		CONTACT_NAME	
		CONTRACT_NUM	
		COUNTRY	
		COUNTRY_DESCR1	
		COUNTY	
		DEPTID_FILTR	



---

DESCR  
DT\_OF\_DEATH  
DUE\_DT  
EFFDT  
EMPLID  
EMPLOYEE\_INFO\_LBL  
EMPL\_CLASS  
EMPL\_RCD  
FIRST\_NAME  
FULL\_PART\_TIME  
GEO\_CODE  
HIRE\_DT  
HOUSE\_TYPE  
ILL\_PERCENT\_NLD  
ILL\_STATUS\_NLD  
IN\_CITY\_LIMIT  
JOB\_EFFDT  
LANGUAGE\_CD  
LAST\_NAME  
LAST\_NAME\_PREF\_NLD  
MAR\_STATUS  
NAME  
NAME\_INITIALS  
NAME\_PREFIX  
NAME\_ROYAL\_PREFIX  
NAME\_ROYAL\_SUFFIX  
NAME\_SUFFIX  
NATIONAL\_ID  
NOTIFIED\_DT  
NOTIFIED\_TM  
NOTIF\_END\_DT\_NLD  
NOTIF\_START\_DT\_NLD  
NUM1  
NUM2  
PANEL\_NAME  
PARTNER\_LAST\_NAME  
PARTNER\_ROY\_PREFIX  
POSITION\_NBR  
POSTAL  
PROCESS\_INSTANCE           KEY(1)  
REASON  
REGISTR\_NUM  
RETURN\_DT  
SETID\_DEPT  
SEX



		SHIFT	
		SMOKER	
		STATE	
		TERMINATION_DT	
		WAO_DATE_NLD	
		WAO_PERCENT_NLD	
HR_WC_APPR_AET	Automatic Approval	ACTION	
		ACTION_REASON	
		APPLID	
		APPROVAL_WEEK	
		APP_DT	
		ASOFDATE	
		EFFDT	KEY(4)
		EMPLID	
		EMPL_RCD	
		FLAG	
		JOB_REQ_NBR	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		REG_REGION	
		RUN_CNTL_ID	KEY(3)
		STATUS_DT	
		URL	
		WC_COUNCIL_ID	
		WC_DECISION_DTTM	
		WC_JCR_STATUS_DTTM	
HR_WF_STATUS	HR Workflow Status	ACTIVITYNAME	
		APPR_PATH	KEY(3)
		APPR_STEP	KEY(2)
		BUSPROCNAME	
		HR_ALL_PATHS	
		HR_EMAIL_EVENT	
		HR_NEXT_STATUS	
		HR_WF_ACTION	KEY(4)
		HR_WL_EVENT	
		SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
HR_WL_FP	Public Service WorkList	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EFFDT	
		EMPLID	
		EMPL_RCD	
		EVENTNAME	KEY(3)
		FP_NAME	
		INSTANCEID	KEY(5)



		NAME	
HS_ALLERGY_LANG	Allergy Language Table	TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		ALLERGY_CODE	KEY(2)
		DESCR	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
HS_ALLERGY_TBL	Allergy Table	SETID	KEY(1)
		ALLERGY_CODE	KEY(2)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
HS_CLASS_CAN	H&S - Canada - Class/Subclass	SETID	KEY(1)
		CLASS_SUBCLASS	KEY(1)
		DESCR50	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
HS_CLASS_LNG	Rel Lng tbl	CLASS_SUBCLASS	KEY(1)
		DESCR50	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		DESCR	
HS_DISABL_IND	Disablement Table for India	DESCRLONG	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		HS_DISABL_CD_IND	KEY(2)
		HS_INJURY_TYPE_IND	KEY(1)
		HS_PCT_LOSS_IND	
		DESCR	
		DESCRLONG	
		DESCRSHORT	
HS_DISABL_LNG	Language Record for India H&S	EFFDT	KEY(3)
		HS_DISABL_CD_IND	KEY(2)
		HS_INJURY_TYPE_IND	KEY(1)
		LANGUAGE_CD	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HS_EMPLCAN_SBR	
		HS_EMPLUK_SBR	
		RELATIONSHIP	
		EMPLID	KEY(1)
HS_EMPL_REL_CAN	HS Worker Relationship		



		EMPL_RCD	KEY(2)
		REL_DESCR_CAN	
HS_EMPL_REL_LNG	REI Lng Tbl	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(3)
		REL_DESCR_CAN	
HS_EMPL_SUB_CAN	HS Emp Sub Cont Details	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		SUBCON_DESCR_CAN	
HS_EMPL_SUB_LNG	Rel Lng Record	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(3)
		SUBCON_DESCR_CAN	
HS_FAMILY	H&S - Addl Family Details	EMPLID	KEY(1)
		NEXT_OF_KIN	
		NON_EMPLOYEE_ID	KEY(2)
HS_FAMILY_CHILD	H&S - German EE child data	BIRTHDATE	
		EMPLID	KEY(1)
		IN_SCHOOL_SW_GER	
		NAME	KEY(3)
		NON_EMPLOYEE_ID	KEY(2)
		TRAINING_SW_GER	
HS_IMMUN_LANG		DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		IMMUN_CODE	KEY(2)
		LANGUAGE_CD	KEY(3)
		SETID	KEY(1)
HS_IMMUN_TBL	Immunization Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		IMMUN_CODE	KEY(2)
		SETID	KEY(1)
HS_JOB_GER	H&S - GermanJob Details	CASE_OFFICER_GER	
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FORM_OFFICERSW_GER	
		OFFICER_TYPE_GER	KEY(5)
HS_MEDCATN_LANG	Medication Language Table	DESCR	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		MEDICATION_CODE	KEY(2)



HS_MEDCATN_TBL	Medication Table	SETID	KEY(1)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		MEDICATION_CODE	KEY(2)
		SETID	KEY(1)
*HS_NE_PERS_DATA	H&S Non employee pers data	EXTRA_ADDRESS_INFO	
		HS_ADDR_CAN_SBR	
		NON_EMPLOYEE_ID	KEY(1)
HS_PERS_DATA	H&S Additional Personal Data	EMPLID	KEY(1)
		EXTRA_ADDRESS_INFO	
		HS_ADDR_CAN_SBR	
		HS_PDATER_SBR	
HS_RPT_HIST_CAN	Rpt History for WCB submittal	DATE_TRANS	
		FIRM_TRANS	
		INCIDENT_NBR	KEY(1)
		NAME_TRANS	
		OP_LOCN_TRANS	
		PHONE_TRANS	
		TIME_TRANS	
IB_ARCH_RUNCNTL		CHNLNAME	KEY(3)
		IB_ARCH_MSGAGE	
		IB_ARCH_MSGDATE	
		IB_ARCH_PURGEALL	
		IB_STATUS_CANCEL	
		IB_STATUS_DONE	
		MSGSTATUS	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
IB_CONNPROP_SS	Self Serv Conn Prop Override	CONNGATEWAYID	KEY(1)
		CONNID	KEY(2)
		PROPID	KEY(3)
		PROPNAME	KEY(4)
IB_FAILOVER_AET		APPSERVER_PATH	
		DSPHEALTHDTTM	
		EMAIL_BCC	
		EMAIL_CC	
		EMAIL_SUBJECT	
		EMAIL_TO	
		IBFAILOVERPRIORITY	
		IB_FO_CHK_TIME	
		IB_FO_COUNT	
		IB_FO_INTERVAL	
		MACHINENAME	





		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
IB_FO_RUNCNTL		EMAIL_BCC	
		EMAIL_CC	
		EMAIL_SUBJECT	
		EMAIL_TO	
		IB_FO_CHK_DAY	
		IB_FO_CHK_HOUR	
		IB_FO_CHK_MINUTE	
		IB_FO_INTERVAL	
		OPRID	KEY(2)
		RUN_CNTL_ID	KEY(1)
IB_POPTN_TBL		DATE_FROM	
		USERID	KEY(1)
ICONV_PANELLIST	Run Control Rec - Sample	OPRID	KEY(1)
		PNLNAME	KEY(3)
		RUN_CNTL_ID	KEY(2)
ICONV_PANELNOT	Run Control Rec - Sample	OPRID	KEY(1)
		PNLNAME	KEY(3)
		RUN_CNTL_ID	KEY(2)
ICONV_PROJLIST	Run Control Rec - Sample	OPRID	KEY(1)
		PROJECTNAME	KEY(3)
		RUN_CNTL_ID	KEY(2)
ICONV_PROJNOT	Run Control Rec - Sample	OPRID	KEY(1)
		PROJECTNAME	KEY(3)
		RUN_CNTL_ID	KEY(2)
ICONV_RUNCNTL	Run Control Rec - Sample	ICONV_DELETEFRAMES	
		ICONV_DFLT_SHEET	
		ICONV_DOBTN_SCROLL	
		ICONV_DOLEVEL1	
		ICONV_DOLEVEL2	
		ICONV_DOLEVEL3	
		ICONV_DOPANELSIZE	
		ICONV_DOPNLGROUPS	
		ICONV_DOPNL_LEVEL1	
		ICONV_DOPNL_LEVEL2	
		ICONV_DOPNL_LEVEL3	
		ICONV_DOSROLLS	
		ICONV_DOSTYLES	
		ICONV_FRAMETOHORIZ	
		ICONV_GRIDLINESOFF	
		ICONV_GRIDODDEVEN	
		ICONV_PANELSIZE	
		ICONV_SCROLLLIMIT	



		ICONV_SHOWPROMPT	
		LANGUAGE_CD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
IC_ELIG_RL_LANG	VC Eligibility Rules Rel Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		ELIG_RULES_ID	KEY(1)
		LANGUAGE_CD	KEY(3)
ILLNESS_GER	H&S German Illness Data	ADDRESS_SBR	
		AUTOPSY_DT_GER	
		AUTOPSY_RESULT_GER	
		AUTOPSY_SW_GER	
		CASE_OFFICER_GER	
		CHECKUP_RESULT_GER	
		COMMENTS	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		END_DT	
		FATALITY_SW	
		ILLNESS_NBR_GER	KEY(4)
		ILLNESS_RESULT	
		ILLNESS_TYPE	
		ILL_END_DT_GER	
		ILL_START_DT_GER	
		INCIDENT_NBR	
		INCOMPETENT_SW_GER	
		INC_RELATED_SW_GER	
		JOBCODE	
		JOB_DESCR_EXT_GER	
		JOB_DESCR_GER	
		NON_EMPLOYEE_ID	KEY(3)
		OCC_ILLNESS_CD	
		OWNR_PRTNR_SW_GER	
		PARTNER_SW_GER	
		PAT_RESIDENCE_GER	
		PAY_CONT_SW_GER	
		PAY_UNTIL_DT_GER	
		PHYSICIAN_NAME	
		REG_REGION	
		RELATIONSHIP	
		RELATION_SW_GER	
		RETURN_DT	
		START_DT	
		SYMPTOMS_GER	



		USE_CURRENT_JOB_SW	
		WORK_DANGERS_GER	
		WORK_RESP_GER	
		WRK_AFTR_ST_SW_GER	
		WRK_STOP_CD_GER	
		WRK_STOP_DT_GER	
ILLNESS_GER_LNG	Rel Lng - Illness_ger	ADDRESS1	
		ADDRESS2	
		ADDRESS3	
		AUTOPSY_RESULT_GER	
		CHECKUP_RESULT_GER	
		CITY	
		COMMENTS	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ILLNESS_NBR_GER	KEY(4)
		JOB_DESCR_EXT_GER	
		JOB_DESCR_GER	
		LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(3)
		PAT_RESIDENCE_GER	
		PHYSICIAN_NAME	
		SYMPTOMS_GER	
		WORK_DANGERS_GER	
		WORK_RESP_GER	
ILLNESS_KEY_GER	Keys for Illness - GER	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		NON_EMPLOYEE_ID	KEY(3)
ILL_ACTION_GER	Incident Correct/Prevnt Action	ACTION_CATEGORY	
		ACTION_SEQUENCE	KEY(8)
		ACTION_STATUS	
		ACT_COMPLETION_DT	
		CORRECTIVE_ACTION	
		CORRECTIVE_PREVENT	KEY(7)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EST_COMPLETION_DT	
		HAZARD_ID	KEY(5)
		ILLNESS_NBR_GER	KEY(4)
		INCIDENT_CAUSE	KEY(6)
		INC_ACTGER_SBR	
		NON_EMPLOYEE_ID	KEY(3)
		RESPONSIBLE_ID	
ILL_CARE_GER	Injury/Illness Physician Addr	ADDRESS_SBR	
		CARE_TYPE	KEY(5)



		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FIRST_VISIT_DT_GER	
		HOSPITAL	
		ILLNESS_NBR_GER	KEY(4)
		MEDICAL_FAC_CD	
		NON_EMPLOYEE_ID	KEY(3)
		PHONE_SBR	
		PHYSICIAN_ID	
		PHYSICIAN_NAME	
		REG_REGION	KEY(6)
ILL_CARE_LNG	RellangInjury/Illness Dr Addr	CARE_TYPE	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HOSPITAL	
		ILLNESS_NBR_GER	KEY(4)
		LANGUAGE_CD	KEY(7)
		NON_EMPLOYEE_ID	KEY(3)
		PHYSICIAN_NAME	
		REG_REGION	KEY(6)
ILL_CAUSE_GER	Incident Hazards and Causes	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HAZARD_ID	KEY(5)
		ILLNESS_NBR_GER	KEY(4)
		INCIDENT_CAUSE	KEY(6)
		NON_EMPLOYEE_ID	KEY(3)
ILL_DIAG_GER	EE Injury/III Medcl Diagnosis	CARE_TYPE	KEY(5)
		DIAGNOSIS_CD	KEY(6)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ILLNESS_NBR_GER	KEY(4)
		NON_EMPLOYEE_ID	KEY(3)
ILL_FRA_LANG	Related Lang. Illness	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		OCC_ILLNESS_FRA	KEY(1)
IMP_ADJUST	Imputed Income Adjustments	ATX_DED	
		BENEFIT_PLAN	KEY(6)
		COMPANY	KEY(1)
		DED_CD	KEY(7)
		DED_ADDL_AMT	
		DED_CALC	
		DED_CLASS	KEY(8)
		DED_RATE_PCT	
		EMPLID	KEY(4)



		ONE_TIME_CD	
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(5)
		WRK_DED	
		YTD_DED	
IMP_CALC	Calculated Impute Deductions	ADJ_CO	
		ADJ_DT	
		ADJ_PG	
		BENEFIT_PLAN	KEY(8)
		CALCULATED_BASE	
		COMPANY	KEY(2)
		DEDCD	KEY(9)
		DED_CLASS	KEY(10)
		DED_CUR	
		DED_CUR_PAYBK	
		EMPLID	KEY(5)
		EMPL_RCD	KEY(6)
		GTL_DPL_EFFECT	
		PAYGROUP	KEY(3)
		PAY_END_DT	KEY(4)
		PLAN_TYPE	KEY(7)
		RUN_ID	KEY(1)
IMP_GTL_DPL	Imputed Income Run Control	BENEFIT_PLAN	
		DEDCD	
		GTL_DPL_EFFECT	KEY(3)
		OPRID	KEY(1)
		PLAN_TYPE	
		RUN_CNTL_ID	KEY(2)
INAIL_COMP_ITA	INAIL Company Codes	COMPANY	KEY(1)
		EFFDT	KEY(4)
		EFF_STATUS	
		ESTABID	KEY(2)
		INAIL_CODE	KEY(3)
		INAIL_PERCENT_ITA	
		INAIL_POS_CD_ITA	
INAIL_ITA_LANG	INAIL Lang Table ITA	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		INAIL_CODE	KEY(1)
		LANGUAGE_CD	KEY(2)
*INAIL_TBL_ITA	INAIL Table ITA	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	



		INAIL_CODE	KEY(1)
		INAIL_PERCENT_ITA	
		INAIL_POS_CD_ITA	
INCDNT_ACTN_TYP	Incident Action Type	CORRECTIVE_PREVENT	KEY(4)
		HAZARD_ID	KEY(2)
		INCIDENT_CAUSE	KEY(3)
		INCIDENT_NBR	KEY(1)
INCDNT_VEH_EMPL	Vehicle/Equip Empls Involved	EMPLID	KEY(3)
		EMPLOYEE_ROLE	
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		PROPERTY_ID	KEY(2)
INCIDENT_ACTION	Incident Correct/Prevnt Action	ACTION_CATEGORY	
		ACTION_SEQUENCE	KEY(5)
		ACTION_STATUS	
		ACT_COMPLETION_DT	
		CORRECTIVE_ACTION	
		CORRECTIVE_PREVENT	KEY(4)
		EST_COMPLETION_DT	
		HAZARD_ID	KEY(2)
		INCIDENT_CAUSE	KEY(3)
		INCIDENT_NBR	KEY(1)
		INC_ACTCAN_SBR	
		INC_ACTGER_SBR	
		RESPONSIBLE_ID	
INCIDENT_CAUSE	Incident Hazards and Causes	HAZARD_ID	KEY(2)
		INCIDENT_CAUSE	KEY(3)
		INCIDENT_NBR	KEY(1)
INCIDENT_DATA	Incident Where-When Facts	ADDRESS_SBR	
		DANGER_OCC_CD	
		DESCRLONG	
		DT_RECORDED	
		DT_REPORTED	
		EMPLOYER_PREMISES	
		ESTABID	
		EXACT_LOCATION	
		INCIDENT_DT	
		INCIDENT_NBR	KEY(1)
		INCIDENT_TIME	
		INCIDENT_TYPE	
		INC_DATACAN_SBR	
		INC_DATAFRA_SBR	
		INC_DATAUK_SBR	
		INC_MEX_SBR	
		INVESTIGATED	



Table Name	Description	Field Name	Key
INCIDENT_PEOPLE	Incident People	LOCATION	
		LOCATION_NAME	
		RECURRENCE	
		REG_REGION	
		REPORTED_BY_EMPL	
		REPORTED_BY_NONEMP	
		REPORTED_TO	
		RESULT_INJURY_ILL	
		ROAD_CONDITION	
		SETID_LOCATION	
		TIME_RECORDED	
		TIME_REPORTED	
		WEATHER_CONDITION	
		ABLE_TO_ANSWER_SW	
		ADDRESS_SBR	
		COMMENTS	
		CONFIRM_STATEMENT	
		DRUG_CLASS_CD	
		DRUG_INFLUENCE_SW	
		EMPLID	KEY(2)
		INCIDENT_NBR	KEY(1)
		INCIDENT_ROLE	KEY(4)
		INC_PPLCAN_SBR	
INC_PPLFRA_SBR			
INC_PPLGER_SBR			
NON_EMPLOYEE_ID	KEY(3)		
RESPONSIBLE_SW			
TRUSTWORTHY_SW			
INCIDENT_REPORT	Incident Report	COMMENTS	
		DESCR	KEY(4)
		INCIDENT_NBR	KEY(1)
		INC_RPTCAN_SBR	
		REG_REGION	KEY(2)
		REPORT_DATE	KEY(3)
		REPORT_EMPLID	
		REPORT_LOCATION	
INCIDENT_DTA_LNG	Incident - Related Language	REPORT_TIME	
		SETID_LOCATION	
		DESCRLONG	
		EXACT_LOCATION	
INCIDENT_VEHICLE	Incident Vehicle/Equip Details	INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(2)
		LOCATION_NAME	
		BUSINESS_UNIT	
		CURRENCY_CD	



		DEPTID	
		EST_PRPTY_DMG_AMT	
		EST_VEH_EQP_DAMAGE	
		INCIDENT_NBR	KEY(1)
		INC_VEHUSA_SBR	
		PROPERTY_ID	KEY(2)
		PRPTY_DMG_AMT	
		VEH_EQP_DMG_AMT	
INC_ACTION_LNG	Incident Correct/Prevnt Action	ACTION_SEQUENCE	KEY(5)
		CORRECTIVE_ACTION	
		CORRECTIVE_PREVENT	KEY(4)
		HAZARD_ID	KEY(2)
		INCIDENT_CAUSE	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(6)
INC_ANIMAL_DATA	HS - Animals data for Incident	ANIMAL_CD	KEY(2)
		COMMENTS	
		INCIDENT_NBR	KEY(1)
INC_CONTFAC_CAN	HS - Contributing Factors	CONTRIB_FACTOR_CAN	KEY(2)
		INCIDENT_NBR	KEY(1)
		OTHER_CF_DESC_CAN	
INC_DATA_IND	India Related Incident Details	ESTABID	
		HS_ALCOHOL_IND	
		HS_INC_SUB_IND	
		HS_REPORTED_BY_IND	
		INCIDENT_NBR	KEY(1)
INC_DEDUCT_NLD	EE General Deduction Detail	BENEFIT_PLAN	
		COMMENTS_NLD	
		CURRENCY_CD	
		DED_CD	
		DED_ADDL_AMT	
		DED_RATE_PCT	
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		GOAL_AMT	
		OK_TO_PAY	
		PERIOD_BEGIN_NLD	
		PERIOD_END_NLD	
		PLAN_TYPE	
INC_DISAB_CAN	HS - Disability Program - CAN	DESCRLONG	
		INCIDENT_NBR	KEY(1)
INC_DISAB_LNG	Rel Lng for INC_DISAB_CAN	DESCRLONG	
		INCIDENT_NBR	KEY(1)





INC_EARNING_NLD	EE General Deduction Detail	LANGUAGE_CD	KEY(2)
		COMMENTS_NLD	
		CURRENCY_CD	
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		HOURLY_RT	
		OK_TO_PAY	
		OTH_HRS	
		OTH_PAY	
		PERIOD_BEGIN_NLD	
		PERIOD_END_NLD	
INC_INITCON_FRA	H&S - Incident Conclusions -	SHIFT	
		CONCLUSIONS_FRA	
INC_PEOPLE_LNG	Incident Witnesses	INCIDENT_NBR	KEY(1)
		COMMENTS	
INC_REPORT_LNG	Incident Report	EMPLID	KEY(2)
		INCIDENT_NBR	KEY(1)
		INCIDENT_ROLE	KEY(4)
		LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(3)
		COMMENTS	
		DESCR	KEY(4)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(5)
		REG_REGION	KEY(2)
INC_TRAVEL_DATA	H&S - Travel Data	REPORT_DATE	KEY(3)
		ACTUAL_ROUTE	
		ARRIVAL_DATE	
		ARRIVAL_TIME	
		BREAK_DURATION_HRS	
		BREAK_INSTANT_CD	
		BREAK_REASON	
		BREAK_TAKEN_SW	
		COMMENTS	
		DESTINATION	
		DIRECT_ROUTE	
		DIRECT_ROUTE_SW	
		INCIDENT_NBR	KEY(1)
		INC_ANIMALS_SW	
INC_TRAVGER_SBR			
ROUTE_DETAILS			
ROUTE_LENGTH_KM			



		ROUTE_REASON	
		START_DATE	
		START_TIME	
		TRANSPORT_MODE	
		USUAL_ROUTE	
		USUAL_ROUTE_SW	
INC_TRAVRPT_GER	H&S - Incident Travel - German	ACCDT_RPT_TYPE_GER	KEY(2)
		ADDRESS_SBR	
		INCIDENT_NBR	KEY(1)
		POLICE_CASE_GER	
INC_TRV_DAT_LNG	Related Language Rec	COMMENTS	
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(2)
INDIC_2483_FRA	Indicator 2483 Table - FRA	DESCR	
		DESCR1_FRA	
		DESCR2_FRA	
		DESCR3_FRA	
		DESCR4_FRA	
		DESCR5_FRA	
		DESCR6_FRA	
		DESCRLONG	
		DESCRSHORT	
		GROUP_2483_ID_FRA	KEY(1)
		INDICATOR_2483_FRA	KEY(2)
		NBR_COLUMNS_FRA	
INDIC_2483_LANG	Indicator 2483 RelLang tbl-FRA	DESCR	
		DESCR1_FRA	
		DESCR2_FRA	
		DESCR3_FRA	
		DESCR4_FRA	
		DESCR5_FRA	
		DESCR6_FRA	
		DESCRLONG	
		DESCRSHORT	
		GROUP_2483_ID_FRA	KEY(1)
		INDICATOR_2483_FRA	KEY(2)
		LANGUAGE_CD	KEY(3)
INDIC_SHEET_FRA	Indicator Table	AE_SECTION	
		COMMENTS	
		DESCR	
		DESCR1_FRA	
		DESCR2_FRA	
		DESCR3_FRA	
		DESCR4_FRA	
		DESCR5_FRA	



		DESCR6_FRA	
		DESCRSHORT	
		GROUP_SHEET_CD_FRA	KEY(2)
		INDIC_SHEET_CD_FRA	KEY(3)
		NBR_COLUMNS_FRA	
		PAYROLL_FLAG	
INDIC_SHT_LANG	Indicator Language Table	TYPE_SHEET_CD_FRA	KEY(1)
		COMMENTS	
		DESCR	
		DESCR1_FRA	
		DESCR2_FRA	
		DESCR3_FRA	
		DESCR4_FRA	
		DESCR5_FRA	
		DESCR6_FRA	
		DESCRSHORT	
		GROUP_SHEET_CD_FRA	KEY(2)
		INDIC_SHEET_CD_FRA	KEY(3)
		LANGUAGE_CD	KEY(4)
INDI_SHEET_LANG	Indicator Table	TYPE_SHEET_CD_FRA	KEY(1)
		COMMENTS	
		DESCR	
		DESCR1_FRA	
		DESCR2_FRA	
		DESCR3_FRA	
		DESCR4_FRA	
		DESCR5_FRA	
		DESCR6_FRA	
		DESCRSHORT	
		GROUP_SHEET_CD_FRA	KEY(1)
		INDIC_SHEET_CD_FRA	KEY(2)
		INDIC_SHT_DESC_FRA	
		LANGUAGE_CD	KEY(3)
INDSTRY_ACT_ESP	IA Codes - ESP	DESCR50	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
INDUST_INSP_GER	Trade Control Office Info	INDSTRY_CD_ESP	KEY(1)
		CITY	
		DESCR	
INDUST_INSP_LNG	Trade Ctrl Office Rel lang Tbl	INDUST_INSP_ID_GER	KEY(1)
		CITY	
		DESCR	
		INDUST_INSP_ID_GER	KEY(1)
		LANGUAGE_CD	KEY(2)



INJURY_ABSENCES	Injury Absences	COMMENTSHORT	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		END_DT	
		HS_AWAY_TYPE	
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		START_DATE	KEY(5)
INJURY_CLM_CHRG	Injury Claims Charge Codes	CLAIM_NBR	KEY(1)
		INJURY_CHARGE_TYPE	KEY(2)
		INJ_CLMAUS_SBR	
INJURY_CLM_COST	Injury Claims Costs	CHARGE_DT	KEY(3)
		CLAIM_NBR	KEY(1)
		CURRENCY_CD	
		INJURY_CHARGE_AMT	
		INJURY_CHARGE_TYPE	KEY(2)
		INJ_COSTAUS_SBR	
INJURY_CLM_MGMT	Injury/Illness Claims Managmnt	APPEALED_BY	
		APPEAL_DT	
		ASSESSMENT_DT	
		CASE_DISPOSITION	
		CLAIMS_MANAGER	
		CLAIM_NBR	KEY(1)
		CLAIM_STATUS	
		CLOSE_DT	
		COMMENTS	
		CONTACT_ID	
		EMPLID	
		EMPL_RCD	
		INCIDENT_NBR	
		INJ_CM_CAN_SBR	
		INJ_CM_FRA_SBR	
		INVESTIGATED	
		NON_EMPLOYEE_ID	
		OPEN_DT	
		PHONE_SBR	
		PROVIDER_CLAIM_NBR	
		PROVIDER_DESCR	
		REOPEN_DT	
INJURY_ILL	EE Injury/Illness Detail Facts	AMBULANCE_ARRVL_DT	
		AMBULANCE_ARRVL_TM	
		AMBULANCE_CNTCT_DT	
		AMBULANCE_CNTCT_TM	
		AMBULANCE_SW	
		AWAY_FROM_WORKDAY	



		S	
		COMMENTS	
		DT_REPORTED	
		EMPLID	KEY(1)
		EMPLOYER_OBJECT_SW	
		EMPL_RCD	KEY(2)
		EMPL_RETURN_WORK	
		FATALITY_SW	
		FURTHER_INQUIRY	
		HOSPITAL_SW	
		ILLNESS_RESULT	
		INCIDENT_NBR	KEY(4)
		INJURY_ILLNESS	
		INJURY_TREATMENT	
		INJ_ILLAUS_SBR	
		INJ_ILLCAN_SBR	
		INJ_ILLFRA_SBR	
		INJ_ILLGER_SBR	
		INJ_ILLNZL_SBR	
		INJ_ILLUK_SBR	
		INJ_ILLUSA_SBR	
		LAST_FULL_WORK_DAY	
		LAST_WORKED_TM	
		NON_EMPLOYEE_ID	KEY(3)
		OCC_ILLNESS_CD	
		REG_REGION	
		RELATIONSHIP	
		REPORTABLE_CASE	
		RESTRICTD_WORKDAYS	
		RESUSCITATION_SW	
		RETURN_DT	
		RETURN_TM	
		TM_REPORTED	
		UNCONSCIOUS_HRS	
		UNCONSCIOUS_MINS	
		UNCONSCIOUS_SW	
		WITNESS_CONFIRM_SW	
		WORK_RELATED	
INJURY_ILL_ACC	Injury/III - Accident Type	ACCIDENT_TYPE_CD	KEY(5)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		PRIMARY_INJURY	
INJURY_ILL_ACT	Injury/III - Unsafe Act	EMPLID	KEY(2)



		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		PRIMARY_INJURY	
		UNSAFE_ACT_CD	KEY(5)
INJURY_ILL_ADDR	Injury/Illness Physician Addr	ADDRESS_SBR	
		CARE_TYPE	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HOSPITAL	
		INCIDENT_NBR	KEY(4)
		MEDICAL_FAC_CD	
		NON_EMPLOYEE_ID	KEY(3)
		PHONE_SBR	
		PHYSICIAN_ID	
		PHYSICIAN_NAME	
INJURY_ILL_AID	H&S - Injury First Aid	AID_EMPLID	
		AID_NON_EMPLID	
		DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		TREATMENT_DT	KEY(5)
		TREATMENT_TM	KEY(6)
		TREATMENT_TYPE	
INJURY_ILL_BP	EE Injury/Illness Body Parts	BODY_PART_CD	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		INCIDENT_NBR	KEY(4)
		NON_EMPLOYEE_ID	KEY(3)
		PRIMARY_INJURY	
		SIDE_OF_BODY	
INJURY_ILL_DESC	WCB Injury/Illness Details	DESC_TYPE	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		INCIDENT_NBR	KEY(4)
		INJURY_ILL_DESCR	
		NON_EMPLOYEE_ID	KEY(3)
INJURY_ILL_DESG	H&S - Injury Designate	DESIGNATE_EMPLID	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		INJ_DSGCAN_SBR	
		NON_EMPLOYEE_ID	KEY(4)



INJURY_ILL_DIAG	EE Injury/Ill Medcl Diagnosis	SEQUENCE_NBR	KEY(5)
		CARE_TYPE	KEY(5)
		DIAGNOSIS_CD	KEY(6)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		INCIDENT_NBR	KEY(4)
INJURY_ILL_IND	Record for Injury India	NON_EMPLOYEE_ID	KEY(3)
		APPROVE_DATE	
		CORRECTIVE_ACTION	
		CORRECTIVE_PREVENT	
		DEPTID	
		DESCR254	
		DESIGNATE_EMPLID	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		END_TIME	
		HS_ACTION_DATE_IND	
		HS_APPROVALBY_IND	
		HS_DISABL_CD_IND	
		HS_DISABL_TYPE_IND	
		HS_EMPLID_APPR_IND	
		HS_INJURY_TYPE_IND	
		HS_INSUR_DATE_IND	
		HS_INSUR_NBR_IND	
		HS_JOB_TYPE_IND	
		HS_LEAVE_TYPE_IND	
		HS_OFFCR_RESP_IND	
		HS_SHIFT_IND	
		INCIDENT_NBR	KEY(4)
		INSPECTOR_DATE	
		INSPECTOR_JOBTITLE	
		INSPECTOR_NAME	
		INSPECTOR_TIME	
		JOB_END_DT_IND	
		JOB_START_DT_IND	
		LEAVE_FROM_DT_IND	
LEAVE_TO_DT_IND			
NEAREST_HOSP_DIST			
NEAREST_HOSP_NAME			
NEAREST_PRACT_DIST			
NON_EMPLOYEE_ID	KEY(3)		
OCC_ILLNESS_CD			
REPORTED_TO			
SETID			
START_TIME			



INJURY_ILL_LNG	Related Language Record	SUPERVISOR_ID	
		DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(7)
		NON_EMPLOYEE_ID	KEY(4)
INJURY_ILL_NOI	Injury/Ill - Nature of Injury	TREATMENT_DT	KEY(5)
		TREATMENT_TM	KEY(6)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		INJURY_NATURE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
INJURY_ILL_SOI	Injury/Ill - Source of Injury	PRIMARY_INJURY	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		INJURY_SOURCE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
		PRIMARY_INJURY	
INJURY_NATR_LNG	Related Lang-Nature of Injury	DESCR100	
		DESCRSHORT	
		EFFDT	KEY(4)
		INJURY_NATURE_CD	KEY(2)
		LANGUAGE_CD	KEY(3)
		SETID	KEY(1)
		PRIMARY_INJURY	
INJURY_NATR_TBL	Nature of Injury Codes	DESCR100	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		INJURY_NATURE_CD	KEY(2)
		OSHA_INJ_CLASS	
		SETID	KEY(1)
INJURY_SRCE_LNG	Related Lang-Source of Injury	DESCR100	
		DESCRSHORT	
		EFFDT	KEY(4)
		INJURY_SOURCE_CD	KEY(2)
		LANGUAGE_CD	KEY(3)
		SETID	KEY(1)
		PRIMARY_INJURY	
INJURY_SRCE_TBL	Source of Injury Codes	DESCR100	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		INJURY_SOURCE_CD	KEY(2)
		OSHA_INJ_CLASS	
		SETID	KEY(1)





INJ_CLMADDR_CAN	Injury Claim Contact Work Addr	SETID	KEY(1)
		ADDRESS_SBR	
		CONTACT_ID	KEY(1)
		HS_ADDR_CAN_SBR	
		MAIL_DROP	
INJ_CLMADD_LNG	Personal/Employmt/Job-One Date	ADDRESS1	
		ADDRESS2	
		ADDRESS3	
		ADDRESS4	
		CITY	
		CONTACT_ID	KEY(1)
		COUNTRY	
		COUNTY	
		LANGUAGE_CD	KEY(2)
		STATE	
		STREET_NAME	
INJ_CLMCHG_IND	Claim Charges	CLAIM_NBR	KEY(2)
		HS_PAYMNT_TYPE_IND	KEY(1)
INJ_CLMCST_IND	claim Details Record	CLAIM_NBR	KEY(1)
		COMMENTS	
		CURRENCY_CD	
		DEPENDENT_BENEF	
		EMPLID	
		HS_PAYMNT_TYPE_IND	KEY(2)
		HS_RECIP_TYPE_IND	
		NON_EMPLOYEE_ID	
		PAYMENT_AMOUNT	
		PAYMENT_DT	
INJ_CLMMGT_IND	Claims details for India	CERTIFIED	
		CLAIM_NBR	KEY(1)
		COMMENTS	
		CURRENCY_CD	
		DEPENDENT_BENEF	
		HS_CERTIFY_DT_IND	
		HS_CLAIM_DT_IND	
		HS_CLMRECVD_DT_IND	
		HS_CLM_AMT_IND	
		HS_REC'D_AMT_IND	
INJ_CLM_MGM_LNG	Injury/Illness Claims Managmnt	CLAIMS_MANAGER	
		CLAIM_NBR	KEY(1)
		COMMENTS	
		LANGUAGE_CD	KEY(2)
INJ_ILLADDR_LNG	RellangInjury/Illness Dr Addr	CARE_TYPE	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)



		HOSPITAL	
		INCIDENT_NBR	KEY(4)
		LANGUAGE_CD	KEY(6)
		NON_EMPLOYEE_ID	KEY(3)
		PHYSICIAN_NAME	
INJ_ILLCAN_LNG	Rellang Wage Inclusions - CAN	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(6)
		NON_EMPLOYEE_ID	KEY(4)
		WAGE_ADDN_CD	KEY(5)
INJ_ILLWI_LNG	Rel language rec	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(6)
		NON_EMPLOYEE_ID	KEY(4)
		WAGE_INCLS_CD	KEY(5)
INJ_ILL_AID_FRA	H&S - Injury First Aid - FRA	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		MEDICAL_FAC_CD	
		NON_EMPLOYEE_ID	KEY(4)
		WHERE_EVACUATE_FRA	
INJ_ILL_BPI_CAN	Injury/Ill - NOI/BP Link	BODY_PART_CD	KEY(6)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		INJURY_NATURE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
INJ_ILL_EMPSTMT	H&S - Employer Statement	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		STATEMENT	
INJ_ILL_EMP_LNG	Related Language Record	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
		STATEMENT	
INJ_ILL_NBD_CAN	H&S - Non Business Action	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)



		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
INJ_ILL_NBD_LNG	Related Lng Record	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
INJ_ILL_NRD_CAN	H&S - Non Routine Action	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
INJ_ILL_NRD_LNG	Related Lang	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
INJ_ILL_OBJSTMT	H&S - Employer's Objection	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		STATEMENT	
INJ_ILL_OBJ_LNG	H&S - Related Language	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
		STATEMENT	
INJ_ILL_PDS_CAN	H&S - Prior Disability	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
INJ_ILL_PDS_LNG	Related Lang	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
INJ_ILL_PHC_CAN	H&S - Prior Helath Condition	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)



INJ_ILL_PHC_LNG	Rel Lng -	NON_EMPLOYEE_ID	KEY(4)
		DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
INJ_ILL_PRT_FRA	H&S - Protective Clothing	LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
INJ_ILL_STMT	H&S - Injury Ill Statement	NON_EMPLOYEE_ID	KEY(4)
		PROTECT_CLOTH_FRA	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
INJ_ILL_STM_LNG	Related Language Record	NON_EMPLOYEE_ID	KEY(4)
		STATEMENT	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
INJ_ILL_WA_CAN	Wage Inclusions - CAN	LANGUAGE_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(4)
		STATEMENT	
		ADDN_AMOUNT	
		DESCRLONG	
INJ_ILL_WA_LNG	Rellang Wage Inclusions - CAN	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		NON_EMPLOYEE_ID	KEY(4)
		WAGE_ADDN_CD	KEY(5)
INJ_ILL_WI_CAN	Wage Inclusions - Canada	DESCRLONG	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		INCLS_AMOUNT	
		NON_EMPLOYEE_ID	KEY(4)
		TIME_PERIOD_CD	



INJ_PEOPLE_CAN	Incident Witnesses	WAGE_INCLS_CD	KEY(5)
		COMMENTS	
		EMPLID	KEY(2)
		INCIDENT_NBR	KEY(1)
		INJURY_ROLE_CAN	
		IP_EMPLID_CAN	KEY(4)
		IP_NON_EMPLID_CAN	KEY(5)
INJ_REHAB_ACTN	Injury/Ill Rehabilitatn Action	NON_EMPLOYEE_ID	KEY(3)
		RESPONSIBLE_SW	
		ACTION_SEQUENCE	KEY(5)
		ACTION_STATUS	
		ACT_COMPLETION_DT	
		CORRECTIVE_ACTION	
		DIAGNOSIS_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EST_COMPLETION_DT	
		INCIDENT_NBR	KEY(4)
		NON_EMPLOYEE_ID	KEY(3)
		PHYSICIAN_ID	
		PHYSICIAN_NAME	
PROVIDER_DESCR			
REHAB_ACTION_TYPE			
RESPONSIBLE_ID			
INJ_REHAB_LNG	Injury/Ill Rehabilitatn Action	ACTION_SEQUENCE	KEY(5)
		CORRECTIVE_ACTION	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		INCIDENT_NBR	KEY(4)
		LANGUAGE_CD	KEY(6)
		NON_EMPLOYEE_ID	KEY(3)
		PHYSICIAN_NAME	
PROVIDER_DESCR			
INPDAI_COMP_ITA	INPDAI Company Codes	COMPANY	KEY(1)
		EFFDT	KEY(4)
		EFF_STATUS	
		ESTABID	KEY(2)
INPDAI_ITA_LANG	INPDAI lang Table ITA	INPDAI_CODE_ITA	KEY(3)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		INPDAI_CODE_ITA	KEY(1)
INPDAI_TBL_ITA	INPDAI Table ITA	LANGUAGE_CD	KEY(2)
		DESCR	
		DESCRSHORT	



		EFFDT	KEY(2)
		EFF_STATUS	
		INPDAI_CODE_ITA	KEY(1)
		INPDAI_POS_CD_ITA	
INPS_COMP_ITA	INPS Company Codes	COMPANY	KEY(1)
		EFFDT	KEY(4)
		EFF_STATUS	
		ESTABID	KEY(2)
		INPS_CODE_ITA	KEY(3)
INPS_ITA_LANG	INPS lang Table ITA	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		INPS_CODE_ITA	KEY(1)
		LANGUAGE_CD	KEY(2)
INPS_TBL_ITA	INPS Table ITA	ADDRESS_SBR	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		INPS_ACTIVITY_ITA	
		INPS_AUTHORIZ_ITA	
		INPS_CODE_ITA	KEY(1)
		INPS_FC_ITA	
		INPS_POS_CD_ITA	
		INPS_SITE_ITA	
		INPS_STAT_CD_ITA	
		ISTAT_CODE_ITA	
INSEE_FRA_LANG	INSEE Code Rellang - FRA	DESCR	
		DESCRLONG	
		DESCRSHORT	
		INSEE_CD_FRA	KEY(1)
		LANGUAGE_CD	KEY(2)
INSEE_TBL_FRA	INSEE Code Table - FRA	DESCR	
		DESCRLONG	
		DESCRSHORT	
		INSEE_CD_FRA	KEY(1)
		SPEC_ABILITY_FRA	
*INSTALLATION	Site-Specific Install Options	AA_ENABLED_JPN	
		ACCT_CD_LAST	
		ADJ_TL_FINAL_CHK	
		ADJ_TL_ONL_CHK	
		ADJ_TL_REV_ADJ	
		ALLW_CONC_CALCCONF	
		AM	
		AP	



---

APS\_AUS  
AP\_INVNO\_LAST  
AP\_INVNO\_PREFIX  
AR  
AUS  
AUTO\_EE\_TAX  
AUTO\_JOB\_END  
AUTO\_JOB\_SUSPEND  
BAL\_ID\_FOR\_CAL\_YR  
BD  
BEL  
BENEFIT\_ADMINISTRN  
BEN\_BILLING  
BI  
BRA  
CAN  
CAN\_CMA  
CAN\_IND\_SECTOR  
CAR\_LAST  
CCM  
CCU  
CHE  
CLAIM\_NBR\_LAST  
COBRA\_ADMINISTRN  
COBRA\_EMPLID\_LAST  
COMMIT\_AFTER  
COMPANY  
COMP\_FREQUENCY  
COUNTRY  
CPS\_TRANS\_ID\_LAST  
DEMAND\_ID\_LAST  
DI  
EHC  
EMPLID\_LAST\_EMPL  
EMPLID\_LENGTH  
EPG  
EPU  
EPW  
ESP  
EXCHNG\_TO\_CURRENCY  
EXCHNG\_TO\_RT\_TYPE  
FED  
FILE\_CREATE\_LAST  
FMLA\_ADMINISTRN  
FO\_PBM



---

FP\_FLAG  
FRA  
FSA\_CLAIMS  
FSA\_CLAIM\_NBR\_LAST  
FSA\_CRY\_CLAIM\_LAST  
GER  
GL  
GP\_CST\_INSTALL\_IND  
GRIEVANCE\_NBR\_LAST  
GVT\_PAY\_BASIS  
HKG  
HR  
ILL\_NBR\_LAST\_GER  
ILL\_NBR\_LAST\_NLD  
INCIDENT\_NBR\_LAST  
IND  
INSTALLED\_GP\_ARG  
INSTALLED\_GP\_AUS  
INSTALLED\_GP\_BRA  
INSTALLED\_GP\_CAN  
INSTALLED\_GP\_CHE  
INSTALLED\_GP\_DEU  
INSTALLED\_GP\_ESP  
INSTALLED\_GP\_FRA  
INSTALLED\_GP\_HKG  
INSTALLED\_GP\_IND  
INSTALLED\_GP\_IRL  
INSTALLED\_GP\_ITA  
INSTALLED\_GP\_JPN  
INSTALLED\_GP\_MEX  
INSTALLED\_GP\_MYS  
INSTALLED\_GP\_NLD  
INSTALLED\_GP\_NZL  
INSTALLED\_GP\_SGP  
INSTALLED\_GP\_TWN  
INSTALLED\_GP\_UK  
INSTALLED\_GP\_USA  
INSTALLED\_PAY\_GBL  
INSTALLED\_PAY\_INT  
INSTALLED\_PAY\_NA  
INV  
ITA  
JPN  
LAST\_TL\_CONTRCTR  
MAX\_ROWS\_SCROLL





MAX\_STD\_HRS  
MEX  
MIN\_STD\_HRS  
MULTI\_STEP\_GRADE  
MYS  
NLD  
NON\_EMPLOYEE\_LAST  
NZL  
OM  
ORGCHART  
PA  
PC  
PIN\_NUM\_LAST  
PO  
POSITION\_MGMT  
POSN\_NBR\_LAST  
PSEA  
PSEBENEFITS  
PSECOMP  
PSECOMP\_MGR  
PSEEQITY  
PSEPAY  
PSEPERF\_MANAGEMENT  
PSEPROFILE  
PSEPROFILE\_MGR  
PSERECRUIT  
PSERECRUIT\_MGR  
PUBLIC\_SECTOR  
REFRSH\_TL\_JOB\_CHG  
REFRSH\_TL\_PRECALC  
RETRODED\_SEQ\_LAST  
RETROPAY\_SEQ\_LAST  
RETRO\_DEDUCTIONS  
ROE\_NBR\_LAST  
ROWSECCLASS  
RP  
SAME\_ST\_LCL\_RSDNCE  
SGP  
ST  
START\_EVENT\_DT  
STD\_HRS\_DEFAULT  
STD\_HRS\_FREQUENCY  
TEMP\_ASSGN\_ID\_LAST  
TEMP\_SSN\_MASK  
TL



		TL_MOBILE	
		UK	
		US	
		USE_POINTS_SW	
		USE_RTCD_GROUP_SW	
		Z_JC_LAST_NMBR	
		Z_LAST_AWD_CASE	
		Z_LAST_DEPT_NUM	
		Z_LAST_JOB_REQ	
*INSTALLATION_FS	System Options - PS/Financials	ANALYSIS_SECURITY	
		BOOK_SECURITY	
		BU_SECURITY	
		DOC_SEQ	
		ITEM_APPROVALS	
		ITEM_APPROV_OPT	
		JOURNAL_NUM_ASSIGN	
		LEDGER_SECURITY	
		PROJECT_SECURITY	
		PYCYCL_SECURITY	
		RECON_LEVEL	
		RECON_USE_TRAN	
		SECURITY_TYPE	
		SETID_SECURITY	
		SUBCUST_USE_SW	
		VAT_AR	
INSUR_COMP_ESP	Insurance Company Table	ADDRESS_SBR	
		DESCR	
		DESCRSHORT	
		INSUR_COMP_CD_ESP	KEY(1)
INSUR_COMP_FRA	Insurance Company Tbl - FRA	ADDRESS_SBR	
		DESCR	
		DESCRSHORT	
		INSUR_COMP_CD_FRA	KEY(1)
INSUR_FRA_LANG	Insurance Company Rellang- FRA	DESCR	
		DESCRSHORT	
		INSUR_COMP_CD_FRA	KEY(1)
		LANGUAGE_CD	KEY(2)
INS_EARNS_BAL	EE CAN UI Insurable Earns	COMPANY	KEY(2)
		EARN_END_DT	KEY(5)
		EMPLID	KEY(1)
		INS_EARNS_AMENDED	
		ROE_NBR	
		UI_CALC_SEQ	
		UI_EARNS_CUR	
		UI_EE_PREMIUM_CUR	



		UI_EQUIV_WEEKS_CUR	
		UI_ER_RT	
		UI_PERIODS_PER_YR	
		UI_PERIOD_DT	KEY(4)
		UI_USE_WKLY	
		UI_WKLY_EARNS	
		UI_WKLY_HOURS	
		WAGE_LOSS_PLAN	KEY(3)
INTCPX_CPY_JPN	Company Codes	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		INTCP_COMPANY2	KEY(1)
INTCPX_CPY_JPNL	Related Lang - Company Tbl	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		INTCP_COMPANY2	KEY(1)
		LANGUAGE_CD	KEY(2)
INTCPX_DPT_JPN	Departments	DEPTID	KEY(3)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		INTCP_COMPANY2	KEY(1)
INTCPX_DPT_JPNL	Related Lang - Departments	DEPTID	KEY(3)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		INTCP_COMPANY2	KEY(1)
		LANGUAGE_CD	KEY(4)
INTCPX_SPV_JPN	Supervisor Level Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		SUPV_LVL_ID	KEY(1)
INTCPX_SPV_JPNL	Related Lng-Supervisor Lvl Tbl	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		SUPV_LVL_ID	KEY(1)
INTERVWER_AVAIL	Interviewer Availability	END_TIME	
		INTERVIEWER	KEY(1)
		INTERVW_DT	KEY(2)
		START_TIME	KEY(3)
INTERVW_ID_LANG	Related Lang-Interviewer Tbl	DESCR	
		DESCRSHORT	



		INTERVIEW_SCHED_ID	KEY(1)
		LANGUAGE_CD	KEY(2)
INTERVW_ID_TBL	Interview Schedule Type Codes	DESCR	
		DESCRSHORT	
		INTERVIEW_SCHED_ID	KEY(1)
INTERVW_SCHED	Applicant Interview Dates	COMMENTS	
		EMPLID	KEY(1)
		INTERVIEW_SCHED_ID	
		INTERVW_DT	KEY(6)
		JOB_CODE	KEY(5)
		JOB_REQ_NBR	KEY(2)
		POSITION_NBR	KEY(3)
		SCHED_AVAIL_CHECK	
		SCHED_PRINTED_DT	
		SETID	KEY(4)
INTERVW_SCH_TBL	Interview Schedule Slots	END_TIME	
		INTERVIEWER	
		INTERVIEW_SCHED_ID	KEY(1)
		INTERVIEW_TYPE	
		START_TIME	KEY(2)
INTERVW_TIMES	Applicant Interview Times	EMPLID	KEY(1)
		END_TIME	
		INTERVIEWER	
		INTERVIEW_TYPE	
		INTERVW_DT	KEY(6)
		JOB_CODE	KEY(5)
		JOB_REQ_NBR	KEY(2)
		POSITION_NBR	KEY(3)
		SCHED_AVAIL_CHECK	
		SETID	KEY(4)
		START_TIME	KEY(7)
INTL_CNTCT_LNG	Rellang Intl School/Pgm Concts	CONTACT_DESCR	
		CONTACT_NBR	KEY(3)
		CONTACT_TITLE	
		LANGUAGE_CD	KEY(2)
		SCH_PGM_CD	KEY(1)
INTL_CNTCT_PHON	Intl School Contact Phone Nbr	CONTACT_NBR	KEY(2)
		PHONE_SBR	
		PHONE_TYPE	KEY(3)
		SCH_PGM_CD	KEY(1)
INTL_CONTACT_TBL	Internatl School/Pgm Contacts	CONTACT_DESCR	
		CONTACT_NBR	KEY(2)
		CONTACT_TITLE	
		NAME	
		SCH_PGM_CD	KEY(1)



Table Name	Description	Field Name	Key
INTL_FLDSIZ_TBL	International Field Sizes	FIELDNAME	KEY(1)
INTL_SCHPGM	EE Dependent Schools/Programs	FLDSIZE_INTERNAT	
		AMOUNT	
		BEGIN_DT	
		CURRENCY_CD	
		DEPENDENT_ID	KEY(2)
		EMPLID	KEY(1)
		END_DT	
		PAYMENT_FREQUENCY	
		SCH_PGM_CD	KEY(3)
		CURRENCY_CD	
INTL_SCHPGM_PAY	EE Dependent School Pymt Sched	DEPENDENT_ID	KEY(2)
		DT_DUE	KEY(4)
		EMPLID	KEY(1)
		EMPLR_AMT	
		EMPL_AMT	
		PAID_UNPAID	
		REIMB_STATUS	
		SCH_PGM_CD	KEY(3)
		TOTAL_SCHEDULED	
		ADDRESS_SBR	
INTL_SCHPGM_TBL	Intnatl School/Program Codes	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		INTERNAL_EXTERNAL	
		SCH_PGM_CD	KEY(1)
		SCH_PGM_TYPE	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
INTL_SCHPM_LANG	Related Lang-Intnatl Schl/Pgm	LANGUAGE_CD	KEY(3)
		SCH_PGM_CD	KEY(1)
		DESCR	
		DESCRSHORT	
INT_CTCT_TL_LNG	Internatl School/Pgm Contacts	CONTACT_DESCR	
		CONTACT_NBR	KEY(2)
		CONTACT_TITLE	
		LANGUAGE_CD	KEY(3)
IPE_PLANTBL_LNG	Plan Table Retaled Lang	SCH_PGM_CD	KEY(1)
		DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
IPE_PLAN_STEPS	Step Table	PLAN_ID	KEY(1)
		STEP_ID	KEY(2)
IPE_PLAN_TABLE	Plan Table	DESCR	



		DESCRSHORT	
IPE_STEP_LANG	Steps Table Retaled Lang	PLAN_ID	KEY(1)
		COMMENTS	
		DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
IPE_STEP_TABLE	Step Table	STEP_ID	KEY(1)
		COMMENTS	
		DESCR	
		DESCRSHORT	
		DURATION_INTERVAL	
		DURATION_TIME	
		STEP_ID	KEY(1)
		STEP_TYPE	
IV_AVAIL_DATES	Interviewer Availability Dates	INTERVIEWER	KEY(1)
		INTERVW_DT	KEY(2)
		SLOT_NBR	
IV_AVAIL_TIMES	Interviewer Availability Times	END_TIME	
		INTERVIEWER	KEY(1)
		INTERVW_DT	KEY(2)
		SEQ_NBR	KEY(3)
		START_TIME	
IV_SCHED_TIMES	Interviewer Availability Times	APPLID	
		APP_DT	
		END_TIME	
		INTERVIEWER	KEY(1)
		INTERVW_DT	KEY(2)
		JOB_REQ_NBR	KEY(3)
		SEQ_NBR	
		SLOT_NBR	KEY(4)
		START_TIME	KEY(5)
*JOB	Employee Job History	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		ELIG_CONFIG9	
		POSN_CHANGE_RECORD	
		COMPANY	
		ELIG_CONFIG3	
		BENEFIT_SYSTEM	
		SUPERVISOR_ID	
		APPR_STATUS	
		EARN_DIST_TYPE	
		LUMP_SUM_PAY	
		DEPT_ENTRY_DT	



---

SETID\_SALARY  
MAIN\_APPT\_NUM\_JPN  
DIRECTLY\_TIPPED  
Z\_JOB\_FED2\_SBR  
REG\_REGION  
APPT\_TYPE  
ACTION\_DT  
POSITION\_ENTRY\_DT  
SETID\_DEPT  
SHIFT  
REG\_TEMP  
MONTHLY\_RT  
HOURLY\_RT  
POSITION\_OVERRIDE  
JOB\_CHE\_SBR  
COMP\_FREQUENCY  
STD\_HOURS  
JOB\_CODE  
SHIFT\_RT  
CONTRACT\_NUM  
DAILY\_RT  
SETID\_JOB\_CODE  
ELIG\_CONFIG7  
CURRENCY\_CD  
WORK\_DAY\_HOURS  
ESTABID  
GL\_PAY\_TYPE  
JOB\_LBR\_GBL\_SBR  
PAYGROUP  
HOLIDAY\_SCHEDULE  
SHIFT\_FACTOR  
APPR\_INSTANCE  
STEP  
JOB\_GER\_SBR  
CHANGE\_PCT  
COBRA\_ACTION  
JOB\_ESP\_SBR  
ACTION\_REASON  
ELIG\_CONFIG4  
GRADE  
BORDER\_WALKER  
ACCT\_CD  
BEN\_STATUS  
JOB\_FRA\_SBR  
ADDS\_TO\_FTE\_ACTUAL




---

		JOB_FED2_SBR	
		JOB_GP_SBR	
		JOB_INDICATOR	
		JOB_DATA_SRC_CD	
		JOB_ENTRY_DT	
		SAL_ADMIN_PLAN	
		TAX_LOCATION_CD	
		FORCE_PUBLISH	
		JOB_USA_SBR	
		BAS_ACTION	
		PRORATE_CNT_AMT	
		CHANGE_AMT	
		STD_HRS_FREQUENCY	
		EMPL_TYPE	
		FTE	
		ELIG_CONFIG1	
		FICA_STATUS_EE	
		BUSINESS_UNIT	
		EMPL_CLASS	
		BAS_GROUP_ID	
		ANNL_BENEF_BASE_RT	
		GRADE_ENTRY_DT	
		CLASS_INDC	
		DEPTID	
		REPORTS_TO	
		OFFICER_CD	
		ELIG_CONFIG2	
		PAY_SYSTEM_FLG	
		JOB_ITA_SBR	
		ELIG_CONFIG8	
		ANNUAL_RT	
		COMPRATE	
		ENCUMB_OVERRIDE	
		SETID_LOCATION	
		STEP_ENTRY_DT	
		ACTION	
		EMPL_STATUS	
		ELIG_CONFIG6	
		POSITION_NBR	
		ELIG_CONFIG5	
		FULL_PART_TIME	
		LOCATION	
JOBCDTRN_CAREER	Job Codes	EMPLID	KEY(1)
		EFFDT	KEY(2)
		TRN_PROGRAM	KEY(3)





JOB_CD_COMP_RATE	Job Code Comp Rate Table	SETID	KEY(1)		
		JOB_CODE	KEY(2)		
		EFFDT	KEY(3)		
		COMP_RATE_CD	KEY(4)		
		COMPRATE			
		FTE_INDICATOR			
		COMP_RATE_POINTS			
		RATE_CODE_GROUP			
		COMP_PCT			
		CURRENCY_CD			
		COMP_FREQUENCY			
		JOB_CD_SURVEY	Job Code Salary Survey	SURVEY_MED_TOT_RT	
				SURVEY_DEFAULT_IND	
				SURVEY_MED_BASE_RT	
SURVEY_MIDPOINT_RT					
SURVEY_CURRENCY_CD					
SURVEY_SALARY					
SURVEY_PROV_DESC30					
SURVEY_MEANBASE_RT					
SURVEY_MEANTOT_RT					
SETID	KEY(1)				
JOB_CODE	KEY(2)				
EFFDT	KEY(3)				
SURVEY_JOB_CODE	KEY(4)				
SURVEY_PROVIDER	KEY(5)				
JOB_CD_SURVEY_LN	JBCD Sal Survey - Rel Lang TBL	SETID	KEY(1)		
		JOB_CODE	KEY(2)		
		EFFDT	KEY(3)		
		SURVEY_JOB_CODE	KEY(4)		
		SURVEY_PROVIDER	KEY(5)		
		LANGUAGE_CD	KEY(6)		
		SURVEY_PROV_DESC30			
		JOB_CD_TASK_DEFN	Job Code Task Definition	IMPORTANCE	
				PCT_TIME_SPENT	
				FREQUENCY_PERFORM	
				SETID	KEY(1)
				JOB_CODE	KEY(2)
				SETID_LOCATION	KEY(3)
				LOCATION	KEY(4)
EFFDT	KEY(5)				
SETID_JOBTASK	KEY(6)				
JOB_TASK	KEY(7)				
CONSEQUENCE					
JOB_CD_TASK_TBL	Job Code Task Tbl Control			SETID	KEY(1)
				JOB_CODE	KEY(2)



		SETID_LOCATION	KEY(3)
		LOCATION	KEY(4)
		EFFDT	KEY(5)
JOB_CD_TRN_PROG	Job Codes	SETID	KEY(1)
		JOB_CODE	KEY(2)
		EFFDT	KEY(3)
JOB_CODE_HAZ_TBL	Hazard Codes identified by Job	TRN_PROGRAM	KEY(4)
		SETID	KEY(1)
		JOB_CODE	KEY(2)
		REG_REGION	KEY(3)
		HAZARD_ID	KEY(4)
		DT_REPORTED	
		DT_REMOVED	
JOB_CODE_LANG	Related Lang-Job Code Tbl	DESCR	
		DESCRSHORT	
		DESCRLONG	
		SETID	KEY(1)
		JOB_CODE	KEY(2)
		LANGUAGE_CD	KEY(3)
		EFFDT	KEY(4)
*JOB_CODE_TBL	Job Codes	JOB_CD_FSBR_LANG	
		JOB_CD_GER_SBR	
		Z_INACT_REACT_DT	
		POSN_MGMT_INDC	
		JOB_KNOWHOW_PCT	
		JOB_ACCNTAB_POINTS	
		MANAGER_LEVEL	
		DESCRLONG	
		REG_REGION	
		Z_PROFSNAL_CATEGORY	
		ENCUMB_SAL_OPTN	
		WORKERS_COMP_CD	
		EFF_STATUS	
		HP_STATS_DUTIES	
		DESCR	
		JOB_ACCNTAB_PCT	
		EG_GROUP	
		SAL_RANGE_CURRENCY	
		JOB_CD_FP_SBR	
		JOB_POINTS_TOTAL	
		JOB_FAMILY	
		SETID	KEY(1)
		JOB_CODE	KEY(2)
		EFFDT	KEY(3)
		RETRO_PERCENT	



---

JOB\_CD\_MYS\_SBR  
UNION\_CD  
ENCUMBER\_INDC  
JOB\_PROBSLV\_POINTS  
JOB\_KNOWHOW\_POINTS  
SAL\_RANGE\_FREQ  
REG\_TEMP  
JOB\_CD\_UK\_SBR  
OPRID  
JOB\_CD\_AUS\_SBR  
JOB\_CD\_FRA\_SBR  
JOB\_CD\_ITA\_SBR  
Z\_NF\_OFF\_TTL\_PRFX  
JOB\_CD\_USA\_SBR  
SAL\_RANGE\_MID\_RATE  
MED\_CHKUP\_REQ  
ACTION  
ACTION\_REASON  
Z\_CLASS\_STD\_CD  
STEP  
EG\_ACADEMIC\_RANK  
SETID\_SALARY  
JOB\_CD\_AUSHE\_SBR  
Z\_EARLY\_RET\_CD  
JOB\_CD\_FA\_SBR  
JOB\_PROBSLV\_PCT  
STD\_HOURS  
SAL\_RANGE\_MIN\_RATE  
SURVEY\_JOB\_CODE  
DESCRSHORT  
JOB\_CD\_FED\_SBR  
RETRO\_RATE  
Z\_NF\_MR\_AGENCY\_USE  
COMP\_FREQUENCY  
JOB\_FUNCTION  
Z\_JC\_MSTR\_RCRD  
DIRECTLY\_TIPPED  
HP\_STATS\_RPT\_FLAG  
GRADE  
JOB\_CD\_CAN\_SBR  
CURRENCY\_CD  
SURVEY\_SALARY  
ENCUMB\_SAL\_AMT  
STD\_HRS\_FREQUENCY  
SAL\_RANGE\_MAX\_RATE



		JOB_PROFILE_ID	
		Z_LC_JOB_CD_SBR	
		SAL_ADMIN_PLAN	
		Z_FS_ASPD	
*JOB_CODE_TBL_BRA	Brazil Jobcode Table	CBO_CD_BRA	
		SETID	KEY(1)
		JOB_CODE	KEY(2)
		EFFDT	KEY(3)
JOB_COMP_TMP_MC	Temp Job for Mass Changes	MC_DEFN_ID	KEY(1)
		MC_STATUS	KEY(2)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		COMP_EFFSEQ	KEY(7)
		COMP_RATE_CD	KEY(8)
		SPK_COMM_ID_GER	
		BENEFIT_PROGRAM	
		EMPL_CTG_L1	
		ELIG_CONFIG8	
		EEO_CLASS	
		TARIFF_AREA_GER	
		VALUE_5_FRA	
		ELIG_CONFIG2	
		SETID_LOCATION	
		JOB_EFFSEQ	
		FUNCTION_CD	
		WORK_DAY_HOURS	
		FTE	
		GP_ELIG_GRP	
		ACTION_REASON	
		ENCUMB_OVERRIDE	
		OFFICER_CD	
		PERFORM_GROUP_GER	
		GP_DFLT_ELIG_GRP	
		GP_DFLT_EXRTDT	
		COBRA_ACTION	
		REG_TEMP	
		ELIG_CONFIG1	
		MONTHLY_RT	
		DIRECTLY_TIPPED	
		POSITION_OVERRIDE	
		HOURLY_RT_FRA	
		CLASS_INDC	
		SHIFT_FACTOR	



---

STEP  
UNION\_CD  
VALUE\_4\_FRA  
ANNL\_BENEF\_BASE\_RT  
UNION\_FULL\_PART  
SETID\_SALARY  
EXEMPT\_JOB\_LBR  
POSITION\_NBR  
ELIG\_CONFIG4  
REPORTS\_TO  
EARNS\_DIST\_TYPE  
EMPL\_CLASS  
ACCT\_CD  
MC\_TEMPLATE\_ID  
HOLIDAY\_SCHEDULE  
VALUE\_2\_FRA  
COMP\_CHG\_AMT  
POSITION\_ENTRY\_DT  
RATING\_SCALE  
PAID\_HRS\_FREQUENCY  
UNION\_FEE\_END\_DT  
REVIEW\_RATING  
ACTION  
ENTRY\_DATE  
TARIFF\_GER  
MATRICULA\_NBR  
CUR\_RT\_TYPE  
UNION\_POS  
PAY\_UNION\_FEE  
ELIG\_CONFIG5  
WRKS\_CNCL\_FUNCTION  
COMP\_CHG\_PTS  
ESTABID  
POSN\_CHANGE\_RECORD  
UNION\_FEE\_AMOUNT  
ELIG\_CONFIG6  
SUPERVISOR\_ID  
UPDATE\_PAYROLL  
GP\_ASOF\_DT\_EXG\_RT  
CHANGE\_AMT  
JOB\_EFFDT  
REG\_REGION  
COMP\_COMPRATE  
EMPL\_CTG\_L2  
JOB\_INDICATOR



---

LABOR\_AGREEMENT  
SETID\_JOBCODE  
ANNL\_BEN\_BASE\_OVRD  
UNION\_FEE\_START\_DT  
ELIG\_CONFIG3  
ADDS\_TO\_FTE\_ACTUAL  
SHIFT\_RT  
LUMP\_SUM\_PAY  
COMP\_RATE\_POINTS  
FICA\_STATUS\_EE  
PAID\_FTE  
PAYGROUP  
GP\_DFLT\_CURRTTYP  
SUPV\_LVL\_ID  
DEPT\_ENTRY\_DT  
SETID\_DEPT  
STD\_HRS\_FREQUENCY  
LABOR\_TYPE\_GER  
BAS\_GROUP\_ID  
BEN\_STATUS  
PRORATE\_CNT\_AMT  
GRADE  
COMP\_CMP\_FREQUENCY  
ELIG\_CONFIG9  
EMPL\_CTG  
VALUE\_3\_FRA  
COMP\_CURR\_CD  
WRKS\_CNCL\_ROLE\_CHE  
HOURLY\_RT  
INTERCTR\_WRKS\_CNCL  
GP\_PAYGROUP  
CONTRACT\_NUM  
COMP\_FREQUENCY  
ANNUAL\_RT  
MAIN\_APPT\_NUM\_JPN  
LOCATION  
GL\_PAY\_TYPE  
ELIG\_CONFIG7  
COMP\_CHG\_PCT  
UNION\_SENIORITY\_DT  
BARG\_UNIT  
CHANGE\_PCT  
RATE\_CODE\_GROUP  
SHIFT  
CONVERT\_COMPRT



		MANUAL_SW	
		CURRENCY_CD	
		DAILY_RT	
		STD_HOURS	
		PAY_SYSTEM_FLG	
		TAX_LOCATION_CD	
		REVIEW_DT	
		CTG_RATE	
		FLSA_STATUS	
		DEPTID	
		COMP_PCT	
		SOC_SEC_RISK_CODE	
		JOB_CODE	
		ACTION_DT	
		GRADE_ENTRY_DT	
		ACCDNT_CD_FRA	
		BORDER_WALKER	
		FULL_PART_TIME	
		EXEMPT_HOURS_MONTH	
		EMPL_TYPE	
		BAS_ACTION	
		APPT_TYPE	
		COMPRATE	
		VALUE_1_FRA	
		JOB_ENTRY_DT	
		COMPANY	
		STEP_ENTRY_DT	
		SALARY_MATRIX_CD	
		BENEFIT_SYSTEM	
		SAL_ADMIN_PLAN	
		EMPL_STATUS	
		BUSINESS_UNIT	
		PAID_HOURS	
JOBFUNCTION_LNG	Jobcode Job Function	DESCRSHORT	
		DESCR	
		JOB_FUNCTION	KEY(1)
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
*JOBFUNCTION_TBL	Jobcode Job Function	JOB_FUNCTION	KEY(1)
		EFFDT	KEY(2)
		JOBFUNC_ITA_SBR	
		DESCR	
		DESCRSHORT	
		EFF_STATUS	
JOB_APPROVALS	Job Action Approvals	BUSINESS_UNIT	



Table Name	Description	Field Name	Key
		ACTION_REASON	
		DEPTID	
		POSITION_NBR	
		COMMENTS	
		CURRENCY_CD	
		JOB_RQST_STATUS	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		JOB_EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		COMP_FREQUENCY	
		ACTION	
		COMPRATE	
		JOB_CODE	
		JOB_RQST_STATUS_DT	
JOB_BASKET_TMP	Job Basket	JOB_REQ_NBR	KEY(1)
JOB_CTG_FRA_LNG	Job Category Related Lang.	JOB_CTG_FRA_CD	KEY(1)
		LANGUAGE_CD	KEY(2)
		DESCRLONG	
		DESCR	
		DESCRSHORT	
JOB_CTG_FRA_TBL	Job Category Setup Table - FRA	DESCR	
		DESCRLONG	
		SYSTEM_DATA_FLG	
		DESCRSHORT	
		JOB_CTG_FRA_CD	KEY(1)
JOB_EARNS_DIST	EE Job Earnings Distribution	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		DEPTID	KEY(5)
		JOB_CODE	KEY(6)
		POSITION_NBR	KEY(7)
		GL_PAY_TYPE	KEY(8)
		ACCT_CD	KEY(9)
		SHIFT	KEY(10)
		LOCATION	KEY(11)
		ERNCD	KEY(12)
		BUSINESS_UNIT	
		DIST_PCT	
		STD_HOURS	
		COMPRATE	
JOB_ERN_DST_TMP	Temp table for JOB_EARNS_DIST	COMPRATE	
		DIST_PCT	
		STD_HOURS	





Table Name	Description	Field Name	Key
		BUSINESS_UNIT	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		DEPTID	KEY(5)
		JOB_CODE	KEY(6)
		POSITION_NBR	KEY(7)
		GL_PAY_TYPE	KEY(8)
		ACCT_CD	KEY(9)
		SHIFT	KEY(10)
		LOCATION	KEY(11)
		ERNCD	KEY(12)
JOB_FAMILY_LNG	Rellang - job family table	JOB_FAMILY	KEY(1)
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
		DESCR	
		DESCRSHORT	
JOB_FAMILY_TBL	Job Family Table	DESCRSHORT	
		DESCR	
		JOB_FAMILY	KEY(1)
		EFFDT	KEY(2)
		JOB_PROFILE_ID	
JOB_IND	Job table for India	EFF_STATUS	
		COMMENTS	
		CATEGORY	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		POSITION_HELD_IND	
		MEMBER_STATUS_IND	
JOB_JR	Job Junior	JOB_JR_MEX_SBR	
		JOB_JR_GP_SBR	
		JOB_JR_HR_SBR	
		JOB_JR_JPN_SBR	
		LASTUPDDTTM	
		JOB_JR_AUS_SBR	
		JOB_JR_UK_SBR	
		JOB_JR_ESP_SBR	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		JOB_JR_ITA_SBR	



		JOB_JR_BRA_SBR	
		LASTUPDOPRID	
		JOB_JR_NLD_SBR	
		JOB_JR_FP_SBR	
JOB_LABOR_TAO	Labor Agreement Record	BARG_UNIT	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		POSN_CHANGE_RECORD	
		UNION_CD	
		JOB_LBR_FRA_SBR	
		JOB_LBR_GER_SBR	
		PAY_UNION_FEE	
		UNION_SENIORITY_DT	
		EFF_STATUS	
*JOB_PROFILE_TBL	Job Profile Table	EFF_STATUS	
		JOB_PROF_DESCR	
		JOB_PROFILE_ID	KEY(1)
		EFFDT	KEY(2)
		JOB_PROF_DESCRSHRT	
JOB_PROF_COMP	Job Profile Competency	EP_ITEM_MANDTRY_SW	
		EP_ITEM_CRIT_SW	
		JOB_PROFILE_ID	KEY(1)
		EFFDT	KEY(2)
		COMPETENCY	KEY(3)
		EP_MIN_WEIGHT	
		EP_WEIGHT	
JOB_PROF_LANG	Job Profile - Rel Lang	JOB_PROF_DESCR	
		JOB_PROF_DESCRSHRT	
		JOB_PROFILE_ID	KEY(1)
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
JOB_PROF_RESP	Job Profile Responsibility	JOB_PROFILE_ID	KEY(1)
		EFFDT	KEY(2)
		EP_ITEM_ID	KEY(3)
		EP_WEIGHT	
		EP_ITEM_MANDTRY_SW	
		EP_ITEM_CRIT_SW	
		EP_MIN_WEIGHT	
JOB_PROF_REVW	Job Profile Review Type Tmpl	JOB_PROFILE_ID	KEY(1)
		EFFDT	KEY(2)
		EP_REVIEW_TYPE	KEY(3)
		EP_TEMPLATE_ID	
JOB_PROF_SUB	Job Profile Sub-Competency	JOB_PROFILE_ID	KEY(1)



		EFFDT	KEY(2)
		COMPETENCY	KEY(3)
		EP_SUB_ID	KEY(4)
*JOB_REQUISITION	Job Requisition Codes	JOB_REQ_NBR	KEY(1)
		GVT_DT_LAST_SUBMIT	
		STATUS_REASON	
		BEGIN_DT	
		POSITION_NBR	
		TRAVEL_PERCENT	
		DESIRED_START_DT	
		END_DT	
		JOB_REQ_STATUS	
		STATUS_DT	
		REG_REGION	
		PROJECTED_FILL_DT	
		REG_TEMP	
		STEP_TO	
		ENCUMB_DT_INDC	
		STD_HRS_FREQUENCY	
		POSTING_TITLE	
		GVT_DT_ANN_CLOSED	
		OPENINGS_TARGET	
		GVT_JOB_REQ_SBR	
		TRAVELLING	
		REFERRAL_PGM_ID	
		APPROVAL_STATUS	
		ESTABID	
		ORIGINATOR_ID	
		GVT_DT_ANN_REOPEN	
		SAL_ADMIN_PLAN	
		SHIFT	
		TEMPLATE_ID	
		OPENINGS_CNT	
		SETID_DEPT	
		AUTHORIZATION_DT	
		GVT_DT_EARLY_CONS	
		CLOSE_DT	
		REQ_NEW_POSN	
		GVT_DT_PRI_PLC_CLR	
		GVT_VAC_FIL_METHOD	
		RECRUITER_ID	
		COMPANY	
		AUTHORIZATION_ID	
		GVT_RECR_EXAM_TYPE	
		GVT_DT_ANN_OPENED	



		HOT_JOB	
		GRADE_FROM	
		JOB_POSTING_ID	
		STEP_FROM	
		STATUS_CODE	
		DEPTID	
		JOBCODE	
		STD_HOURS	
		BUSINESS_UNIT	
		WC_COUNCIL_ID	
		OPEN_DT	
		GRADE_TO	
		GVT_DT_ANN_CL_EXT	
		FULL_PART_TIME	
		Z_LC_JOBREQ_SBR	
		LOCATION	
JOB_REQUIS_LANG	Related Lang-Job Requisitions	DESCRLONG	
		JOB_REQ_NBR	KEY(1)
		REQ_DESCR_TYPE	KEY(2)
		APP_VISIBLE	KEY(3)
		GVT_RECR_DESCR_CD	KEY(4)
		LANGUAGE_CD	KEY(5)
JOB_REQUIS_TAO	Job Requisition Codes	LOCATION	
		PROJECTED_FILL_DT	
		STD_HOURS	
		JOB_POSTING_ID	
		STD_HRS_FREQUENCY	
		GRADE_TO	
		REQ_NEW_POSN	
		COMPANY	
		TRAVEL_PERCENT	
		END_DT	
		SAL_ADMIN_PLAN	
		BEGIN_DT	
		AUTHORIZATION_DT	
		STEP_TO	
		STATUS_DT	
		ENCUMB_DT_INDC	
		REG_TEMP	
		SETID_DEPT	
		POSITION_NBR	
		JOB_REQ_NBR	
		TRAVELLING	
		FULL_PART_TIME	
		SHIFT	



		WC_COUNCIL_ID	
		REG_REGION	
		CLOSE_DT	
		STATUS_CODE	
		DESIRED_START_DT	
		RECRUITER_ID	
		SETID	
		BUSINESS_UNIT	
		OPENINGS_TARGET	
		STEP_FROM	
		OPENINGS_CNT	
		AUTHORIZATION_ID	
		OPEN_DT	
		GVT_JOB_REQ_SBR	
		GRADE_FROM	
		APPROVAL_STATUS	
		ORIGINATOR_ID	
		JOB_CODE	
		DEPTID	
*JOB_REQUIS_TYP	Job Requisit Type Tbl	REQ_CLOSE_DT	
		REQ_OPEN_DT	
		POSTING_DURATION	
		RELATIVE_OPEN_DT	
		REQ_DT_DESCR	
		JOB_REQ_NBR	KEY(1)
		JOB_REQUIS_DT_TYP	KEY(2)
		REQ_DT_MEDIUM	KEY(3)
*JOB_REQ_DESCRS	Job Requisition Descriptions	JOB_REQ_NBR	KEY(1)
		REQ_DESCR_TYPE	KEY(2)
		APP_VISIBLE	KEY(3)
		GVT_RECR_DESCR_CD	KEY(4)
		DESCRLONG	
*JOB_REQ_EDUC_EX	Education & Years of Exp.	JOB_REQ_NBR	KEY(1)
		SCREENING_FLAG	KEY(2)
		HIGHEST_EDUC_LVL	KEY(3)
		YEARS_OF_EXP	
JOB_REQ_HJ_HIST	Hot Job History	EFF_STATUS	
		JOB_REQ_NBR	KEY(1)
		EFFDT	KEY(2)
		EFFSEQ	KEY(3)
		RULE_ID_ER	
		RULE_TYPE_ER	
JOB_REQ_LANG	Job Requisition Codes	RECRUITER_NAME	
		JOB_REQ_NBR	KEY(1)
		LANGUAGE_CD	KEY(2)



JOB_REQ_LNG	Job Requisition Codes	JOB_REQ_NBR	KEY(1)
		LANGUAGE_CD	KEY(2)
		GVT_RECR_OFF_RMKS	
		POSTING_TITLE	
		COMMENTS	
*JOB_RQMT_ACCOMP	Requirements Srch-Accomplshmnt	CM_IMPORTANCE	
		REQUIRED	
		GVT_COMP_SBR	
		CM_IMPORTANCE_NBR	
		GVT_RECR_USE	
		POINTS	
		JOB_REQ_NBR	KEY(1)
		SCREENING_FLAG	KEY(2)
		ACCOMPLISHMENT	KEY(3)
*JOB_RQMT_COMP	Requirements Srch-Competencies	JOB_REQ_NBR	KEY(1)
		COMPETENCY	KEY(2)
		SCREENING_FLAG	KEY(3)
		PROFICIENCY_MAND	
		CM_IMPORTANCE	
		PROFICIENCY	
		CM_IMPORTANCE_NBR	
		REQUIRED	
		GVT_RECR_USE	
		GVT_COMP_SBR	
*JOB_RQMT_TBL	Requirements Srch Tbl	TRAVEL_MAND	
		CM_IMPORT_DSD	
		KW_INCLUDE	
		TIME_MAND	
		CM_IMPORT_FP	
		KW_IMPORTANCE	
		REGULAR_TEMP_MAND	
		CM_IMPORTANCE_NBR	
		CM_IMPORT_HRS	
		STD_HOURS_MAND	
		LOCATION_MAND	
		HIRE_DATE_MAND	
		TOTAL_POINTS	
		MIN_QUALIFCATN_PCT	
		EDUC_EXP_MAND	
		REFERRAL_PGM_ID	
		KW_MANDATORY	
		RESUME_TEXT_100	
		CM_IMPORT_RT	
		CM_IMPORT_LOC	
		CM_IMPORT_TRV	



		CM_IMPORTANCE	
		JOB_REQ_NBR	KEY(1)
		SCREENING_FLAG	KEY(2)
JOB_RQST_WC	Job Request Worklist Copy	BUSPROCNAME	KEY(1)
		WORKLISTNAME	KEY(2)
		INSTANCEID	KEY(3)
		EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		JOB_EFFDT	KEY(6)
		EFFSEQ	KEY(7)
		ACTION_REASON	
		ACTION	
JOB_RQST_WL	Job Request Worklist	ACTION	
		BUSPROCNAME	KEY(1)
		WORKLISTNAME	KEY(2)
		INSTANCEID	KEY(3)
		EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		JOB_EFFDT	KEY(6)
		EFFSEQ	KEY(7)
		ACTION_REASON	
JOB_TASK_LANG	Related Lang-Job Tasks	DESCR	
		SETID	KEY(1)
		JOB_TASK	KEY(2)
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(4)
		DESCRSHORT	
		DESCRLONG	
JOB_TASK_TBL	Job Tasks	DESCRSHORT	
		DESCRLONG	
		SETID	KEY(1)
		JOB_TASK	KEY(2)
		EFFDT	KEY(3)
		DESCR	
		EFF_STATUS	
JOB_TEMP	temp table for job	CURRENCY_CD	
		POSITION_ENTRY_DT	
		BENEFIT_SYSTEM	
		CONTRACT_NUM	
		ELIG_CONFIG5	
		STEP_ENTRY_DT	
		HOLIDAY_SCHEDULE	
		DEPTID	
		JOB_USA_SBR	
		SHIFT_FACTOR	



---

CHANGE\_PCT  
PAYGROUP  
SAL\_ADMIN\_PLAN  
JOB\_ITA\_SBR  
FTE  
ELIG\_CONFIG8  
GL\_PAY\_TYPE  
ELIG\_CONFIG2  
LOCATION  
BAS\_GROUP\_ID  
BAS\_ACTION  
ELIG\_CONFIG9  
ANNL\_BENEF\_BASE\_RT  
OFFICER\_CD  
EMPL\_CLASS  
JOB\_CHE\_SBR  
JOB\_GER\_SBR  
COMPRATE  
MONTHLY\_RT  
SHIFT  
SHIFT\_RT  
PRORATE\_CNT\_AMT  
ELIG\_CONFIG1  
DEPT\_ENTRY\_DT  
BEN\_STATUS  
STEP  
GRADE  
JOB\_ENTRY\_DT  
ELIG\_CONFIG4  
REG\_REGION  
JOB\_INDICATOR  
ENCUMB\_OVERRIDE  
ACCT\_CD  
EMPLID KEY(1)  
EMPL\_RCD KEY(2)  
EFFDT KEY(3)  
EFFSEQ KEY(4)  
JOB\_ESP\_SBR  
GRADE\_ENTRY\_DT  
STD\_HOURS  
JOB\_CODE  
FICA\_STATUS\_EE  
CLASS\_INDC  
PAY\_SYSTEM\_FLG  
DAILY\_RT






---

		SETID_LOCATION
		SETID_JOBCODE
		REG_TEMP
		BUSINESS_UNIT
		ELIG_CONFIG7
		HOURLY_RT
		COMP_FREQUENCY
		ANNUAL_RT
		POSITION_OVERRIDE
		COBRA_ACTION
		DIRECTLY_TIPPED
		LUMP_SUM_PAY
		REPORTS_TO
		SETID_DEPT
		ELIG_CONFIG6
		CHANGE_AMT
		STD_HRS_FREQUENCY
		SETID_SALARY
		ESTABID
		JOB_FED2_SBR
		JOB_FRA_SBR
		EMPL_TYPE
		ACTION_DT
		POSITION_NBR
		ADDS_TO_FTE_ACTUAL
		JOB_LBR_GBL_SBR
		EMPL_STATUS
		POSN_CHANGE_RECORD
		SUPERVISOR_ID
		BORDER_WALKER
		EARNES_DIST_TYPE
		ELIG_CONFIG3
		JOB_GP_SBR
		COMPANY
		FULL_PART_TIME
		ACTION
		TAX_LOCATION_CD
		WORK_DAY_HOURS
		ACTION_REASON
JOB_TMP_MC	Temp Job for Mass Changes	CTG_RATE
		ELIG_CONFIG7
		ADDS_TO_FTE_ACTUAL
		BENEFIT_SYSTEM
		GRADE_ENTRY_DT
		GVT_BIWEEKLY_RT



---

GP\_ELIG\_GRP  
JOBCODE  
COMP\_FREQUENCY  
BENEFIT\_PROGRAM  
ANNUAL\_RT  
GVT\_LEG\_AUTH\_1  
GP\_PAYGROUP  
GVT\_DAILY\_RT  
FICA\_STATUS\_EE  
FLSA\_STATUS  
GVT\_XFER\_FROM\_AGCY  
GVT\_PAY\_FLAG  
SOC\_SEC\_RISK\_CODE  
REVIEW\_DT  
GVT\_RTND\_GVT\_STEP  
GVT\_ANNUIT\_COM\_DT  
JOB\_EFFSEQ  
CHANGE\_PCT  
EMPL\_CTG  
TARIFF\_AREA\_GER  
CURRENCY\_CD  
GVT\_DED\_PRORT\_DT  
GVT\_ANNUIITY\_OFFSET  
COMPRATE  
JOB\_ENTRY\_DT  
SALARY\_MATRIX\_CD  
GVT\_PAR\_AUTH\_D1  
WORK\_DAY\_HOURS  
SAL\_ADMIN\_PLAN  
RATING\_SCALE  
VALUE\_1\_FRA  
GVT\_FEGLI  
GVT\_WORK\_SCHED  
REG\_TEMP  
MONTHLY\_RT  
MATRICULA\_NBR  
GP\_DFLT\_EXRTDT  
SHIFT\_FACTOR  
GVT\_FEGLI\_OPT\_PCT  
CONTRACT\_NUM  
GVT\_BASIC\_LIFE\_RED  
UNION\_SENIORITY\_DT  
GVT\_FERS\_COVERAGE  
ACTION\_REASON  
STEP



---

GVT\_RETRO\_BSE\_FLAG  
ELIG\_CONFIG9  
SETID\_SALARY  
GVT\_EFFDT  
PAID\_FTE  
EXEMPT\_JOB\_LBR  
LOCATION  
SETID\_DEPT  
GVT\_TSP\_UPD\_IND  
ANNL\_BENEF\_BASE\_RT  
GVT\_POSN\_OCCUPIED  
HOURLY\_RT\_FRA  
POSITION\_OVERRIDE  
POSITION\_NBR  
GVT\_DETL\_POSN\_NBR  
EMPL\_CLASS  
GVT\_EFFDT\_PROPOSED  
GVT\_OTH\_PAY\_CHG  
UNION\_CD  
GVT\_ANN\_IND  
FUNCTION\_CD  
LABOR\_AGREEMENT  
UPDATE\_PAYROLL  
CUR\_RT\_TYPE  
GVT\_XFER\_TO\_AGCY  
BAS\_ACTION  
TAX\_LOCATION\_CD  
GVT\_FEHB\_PCT  
ESTABID  
GVT\_CSRS\_FROZN\_SVC  
GVT\_SUB\_AGENCY  
ACCT\_CD  
REG\_REGION  
STD\_HRS\_FREQUENCY  
UNION\_FEE\_END\_DT  
EMPL\_STATUS  
HOLIDAY\_SCHEDULE  
PRORATE\_CNT\_AMT  
EMPL\_TYPE  
GVT\_PREV\_RET\_COVRG  
UNION\_FEE\_AMOUNT  
BORDER\_WALKER  
GVT\_RTND\_PAY\_PLAN  
LABOR\_TYPE\_GER  
GVT\_ANNL\_RT\_NO\_LOC



---

JOB_EFFDT	
GVT_LOCALITY_ADJ	
REVIEW_RATING	
ACTION	
GP_ASOF_DT_EXG_RT	
GVT_BW_RT_NO_LOC	
GVT_LEG_AUTH_2	
MAIN_APPT_NUM_JPN	
MC_DEFN_ID	KEY(1)
MC_STATUS	KEY(2)
EMPLID	KEY(3)
EMPL_RCD	KEY(4)
EFFDT	KEY(5)
EFFSEQ	KEY(6)
GVT_WIP_STATUS	
GVT_RTND_SAL_PLAN	
EXEMPT_HOURS_MONTH	
JOB_INDICATOR	
GVT_FEGLI_BASC_PCT	
DEPT_ENTRY_DT	
SHIFT_RT	
GVT_PAR_AUTH_D2	
GVT_NOA_CODE	
MC_TEMPLATE_ID	
ENCUMB_OVERRIDE	
GVT_SF52_NBR	
GVT_STATUS_TYPE	
CLASS_INDC	
WRKS_CNCL_ROLE_CHE	
GVT_FEGLI_LIVING	
WRKS_CNCL_FUNCTION	
GVT_PAR_AUTH_D1_2	
COBRA_ACTION	
ENTRY_DATE	
GVT_RTND_STEP	
DAILY_RT	
PAY_SYSTEM_FLG	
GVT_FEHB_DT	
VALUE_4_FRA	
BARG_UNIT	
GP_DFLT_ELIG_GRP	
GVT_RETRO_DED_FLAG	
GP_DFLT_CURRTTYP	
GVT_HRLY_RT_NO_LOC	
PAYGROUP	



GVT\_COMPRATE  
ELIG\_CONFIG1  
GRADE  
SUPERVISOR\_ID  
ELIG\_CONFIG4  
GVT\_PAY\_RATE\_DETER  
UNION\_FULL\_PART  
GVT\_RETRO\_JOB\_FLAG  
ACCDNT\_CD\_FRA  
BEN\_STATUS  
EMPL\_CTG\_L2  
FULL\_PART\_TIME  
GVT\_TYPE\_OF\_APPT  
BAS\_GROUP\_ID  
SUPV\_LVL\_ID  
STD\_HOURS  
STEP\_ENTRY\_DT  
REPORTS\_TO  
GVT\_PI\_UPD\_IND  
ELIG\_CONFIG6  
EARNES\_DIST\_TYPE  
GVT\_PAR\_AUTH\_D2\_2  
GVT\_TRANS\_NBR\_SEQ  
ELIG\_CONFIG3  
SETID\_JOBCODE  
LUMP\_SUM\_PAY  
POSN\_CHANGE\_RECORD  
GL\_PAY\_TYPE  
VALUE\_3\_FRA  
GVT\_LIVING\_AMT  
ANNL\_BEN\_BASE\_OVRD  
GVT\_ROUTE\_NEXT  
GVT\_PAY\_BASIS  
CHANGE\_AMT  
GVT\_RETRO\_FLAG  
GVT\_RETIRE\_PLAN  
VALUE\_2\_FRA  
GVT\_S113G\_CEILING  
GVT\_MNLY\_RT\_NO\_LOC  
OFFICER\_CD  
UNION\_FEE\_START\_DT  
APPT\_TYPE  
PERFORM\_GROUP\_GER  
PAY\_UNION\_FEE  
FTE



		GVT_PAR_NTE_DATE	
		GVT_RTND_GRADE	
		BUSINESS_UNIT	
		VALUE_5_FRA	
		INTERCTR_WRKS_CNCL	
		SETID_LOCATION	
		HOURLY_RT	
		GVT_DLY_RT_NO_LOC	
		ELIG_CONFIG5	
		TARIFF_GER	
		EMPL_CTG_L1	
		GVT_CHANGE_FLAG	
		POSITION_ENTRY_DT	
		ACTION_DT	
		PAID_HRS_FREQUENCY	
		GVT_ELIG_FEHB	
		COMPANY	
		GVT_POI	
		UNION_POS	
		ELIG_CONFIG8	
		PAID_HOURS	
		ELIG_CONFIG2	
		GVT_CONT_EMPLID	
		EEO_CLASS	
		GVT_LEO_POSITION	
		SPK_COMM_ID_GER	
		GVT_NID_CHANGE	
		DEPTID	
		GVT_STEP	
		GVT_TRANS_NBR	
		SHIFT	
		GVT_PAY_PLAN	
		DIRECTLY_TIPPED	
JOB_WORK_ESP	EE Job History	AFI_SS_ACTION_ESP	
		ACTION_DT	
		FIRST_SELFWRKR_ESP	
		WOMAN_SBRPRSNT_ESP	
		AFI_SENT	
		RE_JOIN_DSB_EE_ESP	
		UNEMPLYMNT_CND_ESP	
		EMPL_STATUS	
		ACTIVE_RENT_ESP	
		SOC_EXCLUSION_ESP	
		PART_STRK_ACT_ESP	
		EMPLID	KEY(1)



		EMPL_RCD	KEY(2)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		ACTION	KEY(5)
		ACTION_REASON	KEY(6)
		CONTRACT_TYPE	KEY(7)
		CONTRACT_TYPE_BEF	KEY(8)
		SOC_SEC_RISK_CODE	KEY(9)
		SOCS_RISK_CD_B_ESP	KEY(10)
		LABOR_AGREEMENT	KEY(11)
		LABOR_AGREEMENT_B	KEY(12)
		EMPL_CTG	KEY(13)
		EMPL_CTG_BEFORE	KEY(14)
		SOC_SEC_WRK_GRP_CD	KEY(15)
		SOCS_WRKGRP_B_ESP	
		AFI_TESTED	
		SUSBTIT_REASON_ESP	
		CONTRACT_NUM	
		SSN_EMPLOYER	
		PART_SUBROGTN_ESP	
		WOMAN_HRD_AFTR_ESP	
		INACTIVITY_TYP_ESP	
		PART_TIME_PERC_ESP	
		COMPANY	
		AFI_EE_STATUS_ESP	
		AFI_DELETED	
		REG_REGION	
		LABOR_RLTNSHIP_ESP	
		SUSBTIT_EMPLID_ESP	
JPN_TL_COMP_AET	St Rec TL_TRCOMPPLN AE Process	WORKGROUP	
		EFFDT	
		EMPL_RCD	
		PROCESS_INSTANCE	KEY(1)
		SEQ_NBR	KEY(2)
		EFF_STATUS	
		PROCESS_NAME	
		EMPLID	
JRNLDGEN_APPL_ID	Journal Generator Appl Id	COMP_TIME_PLAN	
		EFF_STATUS	
		ACCOUNT_SPECIFY	
		LINE_DESCR	
		DEFAULT_SPECIFY	
		SOURCE	
		BUS_UNIT_OPTN	
		TRANS_REF_NUM	



		STAY_IN_PERIOD	
		JOURNAL_DATE	
		JOURNAL_ID_MASK	
		ENTRY_SYNC	
		TREE_NAME	
		SETID	KEY(1)
		APPL_JRNL_ID	KEY(2)
		EFFDT	KEY(3)
		DOC_TYPE	
		HOW_SPECIFY	
		DESCR	
		TREE_LEVEL	
		JRNL_DESCR	
		JRNL_DT_OPTN	
		JRNL_DT_ALT_OPTN	
		JRNL_LN_REF	
		REVERSAL_CD	
JRNL_CNTL_TBL		BUSINESS_UNIT	KEY(1)
		FISCAL_YEAR	KEY(2)
		JOURNAL_ID	KEY(3)
		JOURNAL_DATE	KEY(4)
		UNPOST_SEQ	KEY(5)
KEYVALUEMP	Directory Group	DIRMAPNAME	KEY(1)
		DIRVALUEFLAG	
		FIELDNAME	KEY(3)
		KEY1	
		KEY_FIELD_FLG	
		RECNAME	KEY(2)
KK_BUDGET_HDR	Commitment Control Header	ACCOUNTING_PERIOD	
		AUDIT_ACTN	
		BD_HDR_STATUS	
		BUSINESS_UNIT	KEY(1)
		CF_VALUE	
		CURRENCY_CD	
		CUR_EFFDT	
		DTTM_STAMP_SEC	
		FISCAL_YEAR	
		FOREIGN_CURRENCY	
		IN_PROCESS_FLG	
		JOURNAL_DATE	KEY(3)
		JOURNAL_ID	KEY(2)
		JRNL_PROCESS_REQST	
		JRNL_TOTAL_DEBITS	
		JRNL_TOTAL_LINES	
		JRNL_TOT_CREDITS	





		LEDGER_GROUP	
		POSTED_DATE	
		PROCESS_INSTANCE	
		RATE_DIV	
		RATE_MULT	
		RT_TYPE	
		SOURCE_INSTANCE	
		SYSTEM_SOURCE	
		TYPE_KK	
		UNPOST_SEQ	KEY(4)
KK_BUDGET_LN	Commitment Control Line	ACTIVITY_ID	
		AUDIT_ACTN	
		BD_LINE_STATUS	
		BUDGET_PERIOD	
		BUSINESS_UNIT	KEY(1)
		BUSINESS_UNIT_PC	
		CHARTFLD_SBR	
		CURRENCY_CD	
		FOREIGN_AMOUNT	
		FOREIGN_CURRENCY	
		IN_PROCESS_FLG	
		JOURNAL_DATE	KEY(3)
		JOURNAL_ID	KEY(2)
		JOURNAL_LINE	KEY(5)
		JRNL_LINE_SOURCE	
		LEDGER	
		LINE_DESCR	
		MONETARY_AMOUNT	
		PC_DISTRIB_STATUS	
		PROCESS_INSTANCE	
		RATE_DIV	
		RATE_MULT	
		RESOURCE_TYPE	
		RT_TYPE	
		UNPOST_SEQ	KEY(4)
LAYOUT_STYL_TBL	Layout Syle Table	LAYOUT_STYLE_1	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
LCLWK_TXRCP_TBL	Work-work reciprocity rules	EFFDT	
		EFF_STATUS	
		LOCALITY_WORK	KEY(2)
		OTHER_LOCALITY	KEY(4)
		OTHER_STATE	KEY(3)
		RECIPROCITY_RULE	
		REDUCE_PCT	



LDAPATTRIBMAP	Directory Group	STATE_WORK	KEY(1)
		FIELDNAME	
LDAPMAP		LDAPATTRIBUTE	KEY(2)
		LDAPMAPNAME	KEY(1)
		LDAPFILTER	
		LDAPMAPNAME	KEY(1)
		LDAPPOR	
		LDAPSCOPE	
		LDAPSERVERNAME	
		LDAPSRCHBASE	
		LDAPUSERDN	
		LDAPUSERPSWD	
LEAVE_ACCRUAL	EE Leave Accruals	MSGNAME	
		ACCRUAL_PROC_DT	KEY(5)
		COMPANY	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		HRS_ADJUST_UNPROC	
		HRS_ADJUST_YTD	
		HRS_BOUGHT_UNPROC	
		HRS_BOUGHT_YTD	
		HRS_CARRYOVER	
		HRS_EARNED_YTD	
		HRS_SOLD_UNPROC	
		HRS_SOLD_YTD	
		HRS_TAKEN_UNPROC	
		HRS_TAKEN_YTD	
		PLAN_TYPE	KEY(4)
		SERVICE_HRS	
LEAVE_ADDL_TBL	Leave Plan Additional Hrs/Svc	SERVICE_HRS_UNPROC	
		BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		HOURS_EARNED	
		PLAN_TYPE	KEY(1)
LEAVE_PLAN	EE Leave Benefit Enrollments	SERVICE_INTERVALS	KEY(4)
		BENEFIT_NBR	KEY(4)
		BENEFIT_PLAN	
		COVERAGE_ELECT	
		COVERAGE_ELECT_DT	
		DEDUCTION_END_DT	
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		GVT_GFATH_CYOVER	
PLAN_TYPE	KEY(3)		



LEAVE_PLAN_TBL	Leave Benefit Plan Parameters	ACCRUAL_FREQUENCY	
		ACCRUAL_PROC_DT	
		BALANCE_VISIBLE	
		BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		GVT_RLV_EOY_FLAG	
		GVT_RLV_INTERVAL	
		HRS_GO_NEGATIVE	
		MAXIMUM_CARRYOVER	
		MAXIMUM_LEAVE_BAL	
		MAX_NEG_HRS	
		PAY_AT_TERMINATION	
		PAY_TERM_PCT	
		PAY_VS_LEAVE	
PLAN_TYPE	KEY(1)		
SERVICE_INTERVAL			
SPECIAL_CALCULATN			
YEAR_BEGIN_CALC			
LEAVE_RATE_TBL	Leave Plan Hours/Svr Rates	BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		GVT_SUPPL_HRS	
		HOURS_EARNED	
		PLAN_TYPE	KEY(1)
LEAVE_SRVYR_TBL	Leave Plan Service Year Rates	SERVICE_INTERVALS	KEY(4)
		BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		EMPLOYMENT_MONTH	KEY(4)
		HOURS_EARNED	
LEGAL_TYPE_LNG	Rellang Legal Company Type	MONTH_ELIGIBLE	
		PLAN_TYPE	KEY(1)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(4)
		LEGAL_TYPE	KEY(2)
*LEGAL_TYPE_TBL	Legal Company Type	SETID	KEY(1)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
LIFE_ADD_BEN	EE Life AD/D Benefit Enrollmnt	LEGAL_TYPE	KEY(2)
		SETID	KEY(1)
		BENEFITS_BASE	
		BENEFIT_NBR	KEY(4)
		BENEFIT_PLAN	



		COVERAGE_BEGIN_DT	
		COVERAGE_ELECT	
		COVERAGE_ELECT_DT	
		COVERAGE_END_DT	
		DEDUCTION_END_DT	
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FACTOR_XSALARY	
		FLAT_AMOUNT	
		GVT_ASSIGNED	
		LIFE_ADD_COVRG	
LIFE_ADD_BENEFC	EE Life AD/D Beneficiaries	PLAN_TYPE	KEY(3)
		BENEFIT_NBR	KEY(4)
		BENEF_PCT	
		CONTINGENT	
		DEPENDENT_BENEF	KEY(6)
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EXCESS	
		FLAT_AMOUNT	
LIFE_ADD_TBL	Life AD/D Ben Plan Parameters	PLAN_TYPE	KEY(3)
		BENEFIT_PLAN	KEY(2)
		COVG_GROUP_CD	
		EFFDT	KEY(3)
		FACTOR_XSALARY	
		FLAT_AMOUNT	
		GVT_ASSIGN_IND	
		LIFE_ADD_COVRG	
LIMIT_COORD_TBL	Deduction To Coordinate With	PLAN_TYPE	KEY(1)
		BENEFIT_PLAN	KEY(4)
		DEDCD	KEY(5)
		DED_CLASS	KEY(6)
		EFFDT	KEY(2)
		LIMIT_TYPE	KEY(1)
LIMIT_EXCLD_TBL	Deds Subtracted From Spcl Accm	PLAN_TYPE	KEY(3)
		BENEFIT_PLAN	KEY(4)
		DEDCD	KEY(5)
		DED_CLASS	KEY(6)
		EFFDT	KEY(2)
		LIMIT_TYPE	KEY(1)
LIMIT_IMPIN_TBL	Ded Added To Spcl Accum	PLAN_TYPE	KEY(3)
		BENEFIT_PLAN	KEY(4)
		DEDCD	KEY(5)



		DED_CLASS	KEY(6)
		EFFDT	KEY(2)
		LIMIT_TYPE	KEY(1)
		PLAN_TYPE	KEY(3)
LIMIT_INCLD_TBL	Deductions Subject To Limit	BENEFIT_PLAN	KEY(4)
		DEDCD	KEY(5)
		DED_CLASS	KEY(6)
		EFFDT	KEY(2)
		LIMIT_TYPE	KEY(1)
		PLAN_TYPE	KEY(3)
LIMIT_LANG	Related Lan Rec for LIMIT_TBL	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		LIMIT_TYPE	KEY(1)
LIMIT_TBL	Limit Definition Table	ALTA_SVC_YRS	
		ALTB_ADDL_EXCL	
		ALTB_MAX_ADDL	
		ALT_402G_ELECTION	
		ANNL_CAP_EXPN	
		DED_YTD_MAX	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		ERNCD_SPCL	
		LIMIT_TYPE	KEY(1)
		MAX_457_CATCH_UP	
		MAX_BENEF_BASE	
		MAX_CAP_EXPN	
		PCT_OF_SALARY	
		PER_YEAR_EXPN	
		ROLLOVER_ALLOWED	
		SERVICE_403B_PRORT	
LMS_ACTIVATION	Activation date record	LMS_ACTIVATION_DT	KEY(3)
		LMS_ELEMNT_PD_TYPE	KEY(2)
		LMS_WRK_PERIOD_ID	KEY(1)
LMS_AET	Salary Forecasting Cache record	AE_TEST_FLAG	
		AMOUNT	
		ASOFDATE	
		COMP_FREQUENCY	
		COMP_RATECD	
		CURRENCY_CD	
		CURRENCY_CD_AMT	
		EMPLID	
		EMPL_RCD	



---

FREQUENCY\_ID  
FROM\_CURR\_CD  
FROM\_DATE  
FTE  
GB\_GROUP\_ID  
JOB\_EFFDT  
JOB\_EFFSEQ  
LMS\_AVG\_SALARY  
LMS\_BASSAL\_ACUM1  
LMS\_BASSAL\_ACUM2  
LMS\_BASSAL\_AMT\_AC1  
LMS\_BASSAL\_AMT\_AC2  
LMS\_BASSAL\_PCT\_AC1  
LMS\_BASSAL\_PCT\_AC2  
LMS\_COMPUTED\_FLG  
LMS\_ELEMNT\_PD\_TYPE  
LMS\_EVENT\_ID  
LMS\_EVENT\_TYPE  
LMS\_EXCHG\_RT\_FLG  
LMS\_FORECASTED\_PD  
LMS\_FREQ\_FACTOR  
LMS\_FROM\_JOBCODE  
LMS\_FROM\_VC\_AMT  
LMS\_FTE  
LMS\_GRP\_HEAD\_COUNT  
LMS\_HEAD\_COUNT  
LMS\_INCENTGROUP\_ID  
LMS\_INCENTIVE\_AMT  
LMS\_INCENTIV\_ACUM1  
LMS\_INCENTIV\_ACUM2  
LMS\_INDIV\_MEAS\_FLG  
LMS\_LAST\_SCENAR\_DT  
LMS\_LAST\_SCEN\_DTTM  
LMS\_MCOP\_AMT  
LMS\_MCOP\_FREQUENCY  
LMS\_MCOP\_FTE\_IND  
LMS\_MCOP\_PCT  
LMS\_MCOP\_RATECDGRP  
LMS\_MCOP\_RATE\_PTS  
LMS\_MED\_SALARY  
LMS\_PERIOD\_TYPE  
LMS\_PREV\_DT\_FTE  
LMS\_PREV\_DT\_HEAD  
LMS\_PREV\_FROM\_DT  
LMS\_RATECD\_AMT



		LMS_RECALC_FLG	
		LMS_REFERENCE_PD	
		LMS_REF_PD_NBR	
		LMS_REGBON_ACUM1	
		LMS_REGBON_ACUM2	
		LMS_REPORT_FACTOR	
		LMS_SCENARIO_DT	
		LMS_SCENARIO_DTTM	
		LMS_SCENARIO_ID	
		LMS_SENPAY_ACUM1	
		LMS_SENPAY_ACUM2	
		LMS_SETID_FROM	
		LMS_SETID_TO	
		LMS_STRUCTURE_FLG	
		LMS_TO_JOBCODE	
		LMS_TO_VC_AMT	
		LMS_WRK_PERIOD_ID	
		MCOP_CURR_CD	
		OPRID	
		PAID_FTE	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PERIOD_END_DATE	
		PERIOD_START_DATE	
		PROCESS_INSTANCE	
		RATE_CODE_CLASS	
		RATE_CODE_GROUP	
		REG_REGION	
		RT_TYPE	
		RUN_CNTL_ID	
		SEQNUM	
		STD_HOURS	
		STD_HRS_FREQUENCY	
		SUB_GROUP_ID	
		THRU_DATE	
		VERSIONGBQDM	
LMS_AMOUNT_TAO	LMS - Temp table for AE Prcs	AMOUNT	
		EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		FROM_DATE	KEY(3)
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
LMS_BCOMP_TBL	Transaction Rec for Total Comp	AMOUNT	
		COMP_RATECD	
		CURRENCY_CD	



		EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		FROM_DATE	KEY(3)
		FTE	
		LMS_MCOP_AMT	
		LMS_MCOP_FREQUENCY	
		LMS_MCOP_FTE_IND	
		LMS_MCOP_PCT	
		LMS_MCOP_RATECDGRP	
		LMS_MCOP_RATE_PTS	
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
		MCOP_CURR_CD	
		RATE_CODE_CLASS	
		SEQNUM	KEY(6)
LMS_CATRAT_AET	LMS Category Ratio AET	AMOUNT	
		COMP_RATECD	
		LMS_CATEGORY_CD	
		LMS_CAT_RAT_FLG	
		LMS_DIVISOR_NBR	
		LMS_FULL_PRD_COST	
		LMS_MONTH_1	
		LMS_MONTH_10	
		LMS_MONTH_11	
		LMS_MONTH_12	
		LMS_MONTH_2	
		LMS_MONTH_3	
		LMS_MONTH_4	
		LMS_MONTH_5	
		LMS_MONTH_6	
		LMS_MONTH_7	
		LMS_MONTH_8	
		LMS_MONTH_9	
		LMS_MULTIPLE_NBR	
		LMS_PRORATED_COST	
		LMS_SMONTH_1	
		LMS_SMONTH_10	
		LMS_SMONTH_11	
		LMS_SMONTH_12	
		LMS_SMONTH_13	
		LMS_SMONTH_14	
		LMS_SMONTH_15	
		LMS_SMONTH_16	
		LMS_SMONTH_17	
		LMS_SMONTH_18	





		LMS_SMONTH_19	
		LMS_SMONTH_2	
		LMS_SMONTH_20	
		LMS_SMONTH_21	
		LMS_SMONTH_22	
		LMS_SMONTH_23	
		LMS_SMONTH_24	
		LMS_SMONTH_3	
		LMS_SMONTH_4	
		LMS_SMONTH_5	
		LMS_SMONTH_6	
		LMS_SMONTH_7	
		LMS_SMONTH_8	
		LMS_SMONTH_9	
		PROCESS_INSTANCE	
		RATE_CODE_CLASS	
LMS_CAT_RATIO	Category Ratio Record	EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		LMS_CATEGORY_CD	KEY(6)
		LMS_EVENT_ID	KEY(3)
		LMS_FULL_PRD_COST	
		LMS_PRORATED_COST	
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
LMS_CAT_TBL	Category Record	DESCR50	
		DESCRSHORT	
		LMS_CATEGORY_CD	KEY(1)
		LMS_EVNTCAT_MATRIX	
		LMS_PARENT_CAT_CD	
LMS_CAT_TBL_LNG	LMS - RelLang Record	DESCR50	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		LMS_CATEGORY_CD	KEY(1)
LMS_CMP_RUN_CTL	LMS Scenario Compare Run Cntl	LANGUAGE_CD	
		LMS_SCENAR2_DT	
		LMS_SCENARIO_DT	
		LMS_SCENARIO_ID	
		LMS_SCENARIO_ID2	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
LMS_EFF_RES	LMS - Result table	LMS_CAROVR_EFF_PCT	
		LMS_COUNT_EFF_PCT	
		LMS_LEVEL_EFF_PCT	
		LMS_MASS_EFF_PCT	
		LMS_NORIA_EFF_PCT	



		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
LMS_ELEM_PD	Elementary Period record	LMS_STRUCT_EFF_PCT	
		CURRENCY_CD	
		FROM_DATE	KEY(3)
		GB_GROUP_ID	KEY(4)
		LMS_AVG_SALARY	
		LMS_FTE	
		LMS_HEAD_COUNT	
		LMS_MED_SALARY	
		LMS_RATECD_AMT	
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
LMS_ENTRY_AET	LMS - Cache record	THRU_DATE	
		COMPRATE	
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_POINTS_VALUE	
		COMP_RATECD	KEY(1)
		COMP_RATE_POINTS	
		CURRENCY_CD	
		FREQUENCY_ID	
		FROM_CURRENCY	
		FTE_INDICATOR	
		GB_GROUP_ID	
		LMS_ACTIVATION_DT	
		LMS_AVERAGE_AMT	
		LMS_COUNTER	
		LMS_EMPLID	
		LMS_EMPLID_CNTR	
		LMS_ENTRY_TYPE	
		LMS_EVENT_FROM_DT	
		LMS_EVENT_THRU_DT	
		LMS_PEOPLE_NBR	
		LMS_POSITION_NBR	
		LMS_TO_JOBCODE	
		PROCESS_INSTANCE	
		RATE_CODE_CLASS	
		RATE_CODE_GROUP	
		SETID	
		STD_HOURS	
		STD_HRS_FREQUENCY	
		USE_RTCD_GROUP_SW	
		VERSIONGBQDM	
LMS_EVENT_LNG	LMS - RelLang Record	DESCR50	



Table Name	Description	Field Name	Key
LMS_EVENT_SEQ	Event chils record Record	DESCRLONG	
		LANGUAGE_CD	KEY(3)
		LMS_EVENT_ID	KEY(2)
		LMS_WRK_PERIOD_ID	KEY(1)
		AMOUNT_PCT	
		CHANGE_AMT	
		CHANGE_PCT	
		CHANGE_PTS	
		COMP_RATECD	
		CURRENCY_CD	
		FREQUENCY_ID	
		LMS_EVENT_ID	KEY(2)
		LMS_WRK_PERIOD_ID	KEY(1)
		POINT_PCT	
LMS_EVENT_TBL	LMS Event Definition Table	SEQNUM	KEY(3)
		COMP_POINTS_VALUE	
		CURRENCY_CD	
		DESCR50	
		DESCRLONG	
		FREQUENCY_ID	
		GB_GROUP_ID	
		LMS_ACTIVATION_DT	
		LMS_AVERAGE_AMT	
		LMS_ELEMNT_PD_TYPE	
		LMS_ENTRY_TYPE	
		LMS_EVENT_ID	KEY(2)
		LMS_EVENT_TYPE	
		LMS_FROM_JOBCODE	
		LMS_INDIV_MEAS_FLG	
		LMS_PEOPLE_NBR	
		LMS_POSITION_NBR	
		LMS_SENIORITY_FREQ	
		LMS_SETID_FROM	
		LMS_SETID_TO	
		LMS_TO_JOBCODE	
LMS_WRK_PERIOD_ID	KEY(1)		
SETID			
STD_HOURS			
STD_HRS_FREQUENCY			
LMS_EVN_EFF_RES	LMS - Event Effects Result Tbl	LMS_CAROVR_EFF_PCT	
		LMS_CATEGORY_CD	KEY(4)
		LMS_EVENT_ID	KEY(3)
		LMS_LEVEL_EFF_PCT	
		LMS_MASS_EFF_PCT	
		LMS_SCENARIO_DTTM	KEY(2)



LMS_HOURS_RATE	Hours rate Record	LMS_SCENARIO_ID	KEY(1)
		FREQUENCY_ID	
		LMS_HOURS_EFFDT	KEY(1)
		LMS_HOURS_FROM	
		LMS_HOURS_RATE_PCT	
		LMS_HOURS_TO	
		SEQ_NUM	KEY(2)
LMS_HRSRATE_TAO	LMS - AE temp record.	FREQUENCY_ID	
		LMS_HOURS_FROM	
		LMS_HOURS_RATE_PCT	
		LMS_HOURS_TO	
		SEQ_NUM	KEY(1)
LMS_INCENT_AET	LMS - cache record.	FROM_CURRENCY	
		LMS_AVERAGE_AMT	
		LMS_COUNTER	
		LMS_EMPLID	
		LMS_EMPLID_CNTR	
		LMS_PEOPLE_NBR	
		PROCESS_INSTANCE	
		SUB_GROUP_ID	
LMS_INCREAS_AET	Salary Forecasting cache rcd	AMOUNT_PCT	
		CHANGE_AMT	
		CHANGE_PCT	
		CHANGE_PTS	
		COMPRATE	
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD1	
		COMP_RATE_POINTS	
		COMP_RATE_TYPE	
		CURRENCY_CD	
		CURRENCY_CD1	
		EFFDT	KEY(2)
		FTE	
		FTE_INDICATOR	
		LMS_EVENT_FROM_DT	
		LMS_EVENT_THRU_DT	
		POINT_PCT	
		PROCESS_INSTANCE	KEY(1)
		RATE_CODE_CLASS1	
		RATE_CODE_GROUP	
LMS_PERIOD_LNG	LMS - ReLang Record	DESCR50	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		PERIOD_ID	KEY(1)



LMS_PERIOD_TBL	LMS Period Table	DESCR50 DESCRSHORT LMS_PERIOD_TYPE PERIOD_END_DATE PERIOD_ID KEY(1) PERIOD_START_DATE
LMS_POPULATION	EE Group Record	EMPLID KEY(3) EMPL_RCD KEY(4) FROM_DATE KEY(5) JOB_EFFDT JOB_EFFSEQ LMS_EE_ENTRY_DT LMS_EE_INCEN_DT LMS_EE_LEAVE_DT LMS_FTE LMS_INCENTGROUP_ID LMS_SCENARIO_DTTM KEY(2) LMS_SCENARIO_ID KEY(1)
LMS_PRIORITY	Event Priority Record	LMS_EVENT_TYPE KEY(1) LMS_PRIORITY_NUM
LMS_PROMO_AET	Salary Forecasting cache rec	COMPANY COMPRATE COMP_FREQUENCY COMP_PCT COMP_RATECD1 COMP_RATE_POINTS CURRENCY_CD1 EFFDT KEY(2) FTE_INDICATOR LMS_EVENT_FROM_DT LMS_EVENT_THRU_DT PROCESS_INSTANCE KEY(1) RATE_CODE_CLASS1 RATE_CODE_GROUP USE_RTCD_GROUP_SW
LMS_PRORATE_TBL	Proration Record	LMS_DIVISOR_NBR LMS_ELEMNT_PD_TYPE KEY(2) LMS_MONTH_1 LMS_MONTH_10 LMS_MONTH_11 LMS_MONTH_12 LMS_MONTH_2 LMS_MONTH_3 LMS_MONTH_4 LMS_MONTH_5



		LMS_MONTH_6	
		LMS_MONTH_7	
		LMS_MONTH_8	
		LMS_MONTH_9	
		LMS_PRORATE_MONTHS	
		LMS_SMONTH_1	
		LMS_SMONTH_10	
		LMS_SMONTH_11	
		LMS_SMONTH_12	
		LMS_SMONTH_13	
		LMS_SMONTH_14	
		LMS_SMONTH_15	
		LMS_SMONTH_16	
		LMS_SMONTH_17	
		LMS_SMONTH_18	
		LMS_SMONTH_19	
		LMS_SMONTH_2	
		LMS_SMONTH_20	
		LMS_SMONTH_21	
		LMS_SMONTH_22	
		LMS_SMONTH_23	
		LMS_SMONTH_24	
		LMS_SMONTH_3	
		LMS_SMONTH_4	
		LMS_SMONTH_5	
		LMS_SMONTH_6	
		LMS_SMONTH_7	
		LMS_SMONTH_8	
		LMS_SMONTH_9	
		PERIOD_ID	KEY(1)
LMS_PURGE_AET	LMS - Purge Prcs Cache Rec	LMS_SCENARIO_DTTM	
		LMS_SCENARIO_ID	
		PROCESS_INSTANCE	KEY(1)
LMS_RESULT2_AET		LMS_ANA_AVG_FTE	
		LMS_ANA_TOTAL_COMP	
		LMS_REF_AVG_FTE	
		LMS_REF_TOTAL_COMP	
		PROCESS_INSTANCE	
LMS_RESULT_AET	LMS - Result Table	LMS_ANA_AVG_COUNT	
		LMS_ANA_AVG_FTE	
		LMS_ANA_AVG_SALARY	
		LMS_ANA_MED_SALARY	
		LMS_ANA_TOTAL_COMP	
		LMS_ASM_AVG_FTE	
		LMS_ASM_TOTAL_COMP	



		LMS_AVG_SALARY	
		LMS_CAROVR_EFF_PCT	
		LMS_CAROVR_TOT_PCT	
		LMS_CATEGORY_CD	
		LMS_COUNTER	
		LMS_COUNT_EFF_PCT	
		LMS_EVENT_ID	
		LMS_FTE	
		LMS_FULL_PRD_COST	
		LMS_HEAD_COUNT	
		LMS_LEVEL_EFF_PCT	
		LMS_LEVEL_TOT_PCT	
		LMS_MASS_EFF_PCT	
		LMS_MASS_TOT_PCT	
		LMS_MAX_SALARY	
		LMS_MED_SALARY	
		LMS_MIN_SALARY	
		LMS_NORIA_EFF_PCT	
		LMS_PARENT_CAT_CD	
		LMS_PRORATED_COST	
		LMS_RATECD_AMT	
		LMS_REF_AVG_COUNT	
		LMS_REF_AVG_FTE	
		LMS_REF_AVG_SALARY	
		LMS_REF_MED_SALARY	
		LMS_REF_TOTAL_COMP	
		LMS_RSM_AVG_FTE	
		LMS_RSM_TOTAL_COMP	
		LMS_RSM_TOTAL_MFTE	
		LMS_STRUCT_EFF_PCT	
		PROCESS_INSTANCE	
LMS_RUN_CNTL	Salary Forecasting Run control	ASOFDATE	
		CURRENCY_CD	
		LANGUAGE_CD	
		LMS_ELEMNT_PD_TYPE	
		LMS_EXCHG_RT_FLG	
		LMS_RECALC_FLG	
		LMS_REPORT_FACTOR	
		LMS_SCENARIO_ID	
		LMS_STRUCTURE_FLG	
		OPRID	KEY(1)
		RT_TYPE	
		RUN_CNTL_ID	KEY(2)
LMS_SCENARIO	Scenario Record	DESCR50	
		DESCRLONG	



		GB_GROUP_ID	
		LMS_SCENARIO_ID	KEY(1)
		LMS_WRK_PERIOD_ID	
LMS_SCENAR_CTG	Structure Effect Groups	GB_GROUP_ID	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
LMS_SCENAR_EVT	Scenarion Event Record	GB_GROUP_ID	
		LMS_EVENT_ID	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
		LMS_SELECT_FLG	
LMS_SCENAR_HIST	Scenario History Record	ASOFDATE	
		CURRENCY_CD	
		DESCR50	
		GB_GROUP_ID	
		LMS_ELEMNT_PD_TYPE	
		LMS_EXCHG_RT_FLG	
		LMS_REPORT_FACTOR	
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
		LMS_STRUCTURE_FLG	
		LMS_WRK_PERIOD_ID	
		OPRID	
		PRCSINSTANCE	
		RT_TYPE	
		RUN_CNTL_ID	
LMS_SCENAR_LNG	LMS - ReLang Record	DESCR50	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
LMS_SCENA_PURGE	LMS - Purge Scenario Record	LMS_SCENARIO_DTTM	KEY(4)
		LMS_SCENARIO_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
LMS_SCEN_REPORT	LMS - Report Scenario Record	LMS_SCENARIO_DTTM	KEY(4)
		LMS_SCENARIO_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
LMS_SCEVHST_LNG	LMS - ReLang Record	DESCR50	
		LANGUAGE_CD	KEY(4)
		LMS_EVENT_ID	KEY(3)
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
LMS_SCHST_LNG	LMS - ReLang Record	DESCR50	
		LANGUAGE_CD	KEY(3)
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)





LMS_SC_EVT_HIST	Scenario History Record	DESCR50 LMS_ACTIVATION_DT LMS_EVENT_ID KEY(3) LMS_SCENARIO_DTTM KEY(2) LMS_SCENARIO_ID KEY(1)
LMS_SC_RESULT	Scenario Result Record	CURRENCY_CD GB_GROUP_ID KEY(3) LMS_ANA_AVG_COUNT LMS_ANA_AVG_FTE LMS_ANA_AVG_SALARY LMS_ANA_MED_SALARY LMS_ANA_TOTAL_COMP LMS_REF_AVG_COUNT LMS_REF_AVG_FTE LMS_REF_AVG_SALARY LMS_REF_MED_SALARY LMS_REF_TOTAL_COMP LMS_SCENARIO_DTTM KEY(2) LMS_SCENARIO_ID KEY(1)
LMS_SENIOR_AET	LMS - Seniority Cache Record	COMPRATE COMP_EFFSEQ COMP_FREQUENCY COMP_PCT COMP_RATECD COMP_RATECD_OLD COMP_RATE_POINTS CURRENCY_CD EFFDT KEY(2) EFFSEQ EMPLID EMPL_RCD FROM_DATE FTE_INDICATOR JOB_EFFDT JOB_EFFSEQ PROCESS_INSTANCE KEY(1) RATE_CODE_CLASS RATE_CODE_GROUP THRU_DATE
LMS_SUBGRP_TMP	LMS - Group Result temp table	FROM_DATE KEY(3) GB_GROUP_ID KEY(4) LMS_SCENARIO_DTTM KEY(2) LMS_SCENARIO_ID KEY(1) VERSIONGBQDM KEY(5)
LMS_VCOMP_TBL	Transaction Rec for Total Comp	CURRENCY_CD



		EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		FROM_CURR_CD	
		FROM_DATE	KEY(3)
		LMS_FROM_VC_AMT	
		LMS_SCENARIO_DTTM	KEY(2)
		LMS_SCENARIO_ID	KEY(1)
		LMS_TO_VC_AMT	
		SEQNUM	KEY(6)
LMS_WRPD_LNG	LMS - RelLang Record	DESCR50	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		LMS_WRK_PERIOD_ID	KEY(1)
LMS_WRKSCH_AET	LMS - AE cache record	AMOUNT	
		FREQUENCY_ID	
		FREQ_ANNUAL_FACTOR	
		FROM_DATE	
		LMS_FREQ_ANNUAL	
		LMS_FTE	
		LMS_FTE_SUP_HRS	
		LMS_HOURS_FROM	
		LMS_HOURS_RATE_PCT	
		LMS_HOURS_TO	
		LMS_SUP_HOURS	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PROCESS_INSTANCE	
		REG_REGION	
		SEQNUM	
		SEQ_NUM	KEY(1)
		STD_HOURS	
		STD_HRS_FREQUENCY	
LMS_WRK_PD_TBL	LMS - Working Period Table	DESCR50	
		DESCRSHORT	
		LMS_FORECASTED_PD	
		LMS_REFERENCE_PD	
		LMS_WRK_PERIOD_ID	KEY(1)
LOCALIZATION	Localization Record	DESCR	
		ENABLED	
		LOCALIZATION_CD	KEY(1)
*LOCAL_TAX_DATA	Employee Local Tax Data	COMPANY	KEY(2)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		LOCALITY	KEY(5)
		LOCALITY_LINK	



Table Name	Description	Field Name	Key
*LOCAL_TAX_TBL	Local Tax Table	LWT_ALLOWANCES	
		LWT_AMT	
		LWT_MAR_STATUS	
		LWT_PCT	
		RESIDENT	
		SPECIAL_LWT_STATUS	
		STATE	KEY(4)
		COUNTY	
		EFFDT	KEY(3)
		EFF_STATUS	
		EXEMPTION_AMT	
		GRADUATED_TBL_CD	
		LOCALITY	KEY(2)
		LOCALITY_NAME	
		LOC_JURISDCTN	
		LOC_TAX_TYPE	
		LOW_GROSS	
		MAINT_RESPONSBLTY	
		MAXIMUM_TAX	
		MINIMUM_TAX	
NONRESIDENT_TAX_RT			
OTH_LOCALITY			
OTH_LOCALITY_ABBRV			
OTH_LOCALITY_NAME			
PARTIAL_IND			
RESIDENT_TAX_RT			
STATE	KEY(1)		
TAX_CLASS			
WITHHOLD_WRK_ONLY			
LOCAL_TAX_TBL2	Local Tax Table 2	EE_DTL_REQUIRED	
		EFFDT	KEY(3)
		LOCALITY	KEY(2)
		LOCALITY_ABBRV	
		STATE	KEY(1)
		TAX_RPT_INTERVAL	
		W2_MAG_CODE	
LOCATION_CHE	Swiss Location Associate Rcd	W2_PRT_NAME	
		EFFDT	KEY(3)
		LOCATION	KEY(2)
LOCATION_LANG	Related Lang-Location Tbl	MUNICIPALITYCD_CHE	
		SETID	KEY(1)
		DESCR	
		DESCRSHORT	
		DESCR_AC	
		EFFDT	KEY(3)



Table Name	Description	Field Name	Key
*LOCATION_TBL	Company Site Locations	LANGUAGE_CD	KEY(4)
		LOCATION	KEY(2)
		SETID	KEY(1)
		ADDRESS_SBR	
		ATTN_TO	
		BUILDING	
		COMMENTS_2000	
		DESCR	
		DESCRSHORT	
		DESCR_AC	
		EFFDT	KEY(3)
		EFF_STATUS	
		ESTABID	
		EXTENSION	
		FAX	
		FLOOR	
		HOLIDAY_SCHEDULE	
		JURISDICTION	
		LABEL_FORMAT_ID2	
		LABEL_FORMAT_ID3	
		LANG_CD	
		LOCATION	KEY(2)
		LOC_TBLCAN_SBR	
		LOC_TBLESP_SBR	
		LOC_TBLGER_SBR	
		LOC_TBLMEX_SBR	
		LOC_TBLUK_SBR	
		LOC_TBLUSA_SBR	
LOC_TBL_FED_SBR			
MESSAGE_TEXT2			
PHONE_SBR			
REG_REGION			
SAL_ADMIN_PLAN			
SECTOR			
SETID	KEY(1)		
SETID_SALARY			
USG_LBL_FORMAT_ID			
LOCATN_HAZ_TBL	Hazard Codes w/in Location	DT_REMOVED	
		DT_REPORTED	
		HAZARD_ID	KEY(4)
		LOCATION	KEY(2)
		REG_REGION	KEY(3)
LOCL_TX_CLS_TBL	Local Tax Class Table	SETID	KEY(1)
		EFFDT	KEY(3)
		LOCALITY	KEY(2)



		STATE	KEY(1)
		TAX_CLASS	KEY(5)
		TAX_GRP_TYPE	KEY(4)
LOCL_TX_TYP_EFF	Local Tax Type Table	EFFDT	KEY(3)
		LOCALITY	KEY(2)
		STATE	KEY(1)
LOCL_TX_TYP_TBL	Local Tax Type Table	EFFDT	KEY(3)
		LOCALITY	KEY(2)
		SETID	
		STATE	KEY(1)
		TAX_GRP_TYPE	KEY(4)
		VENDOR_ID	
LOCTX_RECIP_TBL	Local Tax Reciprocity Rules	CREDIT_LIM_RT	
		EFFDT	KEY(5)
		EFF_STATUS	
		LOCALITY_RESIDENCE	KEY(2)
		LOCALITY_WORK	KEY(4)
		RECIPROCITY_RULE	
		REDUCE_PCT	
		STATE_RESIDENCE	KEY(1)
		STATE_WORK	KEY(3)
LOC_CASEOFF_GER	H&S - Location CaseOfficer	EFFDT	KEY(3)
		EMPLID	KEY(4)
		LOCATION	KEY(2)
		OFFICER_TYPE_GER	KEY(5)
		SETID	KEY(1)
LOC_CASEOFF_TBL	H&S - Location Case Officer	EFFDT	KEY(3)
		LOCATION	KEY(2)
		SETID	KEY(1)
LONG_EARNS_CAN	Long Term Earnings	DT_CHG_REASON_CAN	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		INCIDENT_NBR	KEY(1)
		LTE_AMOUNT_CAN	
		NON_EMPLOYEE_ID	KEY(4)
		PERIOD_END_DATE	
		PERIOD_START_DT	
		SEQUENCE_NBR	KEY(5)
LONG_TERM_GOALS	Long-Term Career Goals	ACT_COMPLETION_DT	
		CAREER_GOAL	
		EFFDT	KEY(2)
		EMPLID	KEY(1)
		EST_COMPLETION_DT	KEY(3)
MAINTENANCE_LOG		APPLYOPRID	
		DESCR	



		DESCRLONG	
		DTTM_IMPORTED	KEY(2)
		FIXOPRID	
		MAINTLOGTYPE	
		PRODUCT_LINE	
		RELEASEDTTM	
		RELEASELABEL	
		UPDATE_ID	KEY(1)
*MAJOR_TBL	College Major Subject Codes	DESCR	
		DESCRSHORT	
		GVT_DESCR70	
		MAJOR_CODE	KEY(1)
		Z_MJR_CATCODE	
		Z_MJR_CTGRY	
MAJOR_TBL_LANG	Related Lang-Major Tbl	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		MAJOR_CODE	KEY(1)
MAKE_ANL_DB_BU		BUSINESS_UNIT	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
MAKE_ANL_DB_REQ		ANALYSIS_DB_ID	
		ANL_DB_AGG_ACTION	
		ANL_DB_DATA_ACTION	
		ANL_DB_MD_ACTION	
		AS_OF_DATE	
		BUSINESS_UNIT	
		CUBE_BOOK_MARK	
		OPRID	KEY(1)
		POST_BUILD_SCRIPT	
		RUN_CNTL_ID	KEY(2)
MANDATES_FRA	Professional Mandates - FRA	ELECTION_TYPE	KEY(3)
		EMPLID	KEY(1)
		ESTABID	KEY(4)
		HOURS_CREDIT_FRA	
		MANDATE_BEGIN_DATE	
		MANDATE_END_DATE	KEY(2)
MASSRTRO_RUNCTL	Mass Retro Run Control	MASS_RETRO_RQST_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
MASS_RETRO_DEF	Mass Retro Pay Definition	BUSINESS_UNIT	
		COMPANY	
		EMPL_CLASS	
		EMPL_STATUS	
		EMPL_TYPE	



		FULL_PART_TIME	
		JOBCODE	
		JOBCODE_ELIG_DAYS	
		LOCATION	
		LOCATION_ELIG_DAYS	
		MASS_PRCES_FLAG	
		MASS_RETRO_RQST_ID	KEY(1)
		MASS_RETRO_SEQ_NO	KEY(2)
		PAYGROUP	
		REG_TEMP	
		UNION_CD	
		UNION_CD_ELIG_DAYS	
MASS_RETRO_LANG	Mass Retro Pay Request Rellang	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MASS_RETRO_RQST_ID	KEY(1)
MASS_RETRO_RQST	Mass Retro Pay Request	DELETE_REQUEST	
		DESCR	
		DESCRLONG	
		ELIG_FOR_INTEREST	
		END_DT	
		HIRE_DT	
		MASS_PRCES_FLAG	
		MASS_RETRO_RQST_ID	KEY(1)
		PRCS_END_DT	
		RETROPAY_PGM_ID	
		SERVICE_DT	
		START_DT	
MASS_RPT_DLVRV	Mass Report Roleuser List	MASS_REPORT_ID	KEY(1)
		MASS_REPORT_SEQ	KEY(2)
		ROLEUSER	KEY(3)
MASS_RPT_HDR	Mass Report Header	DESCRLONG	
		MASS_REPORT_ID	KEY(1)
MASS_RPT_HR_LN	Mass Reporting HR	ASOFDATE	
		LANGUAGE_CD	
		MASS_REPORT_ID	KEY(1)
		MASS_REPORT_SEQ	KEY(2)
		PRCSNAME	
MASS_RPT_PT_LN	Mass Reporting Line Sample	BUSINESS_UNIT	
		DEPTID	
		MASS_REPORT_ID	KEY(1)
		MASS_REPORT_SEQ	KEY(2)
		PRCSNAME	
MASS_RPT_XX_LN	Mass Reporting Line Sample	BUSINESS_UNIT	
		MASS_REPORT_ID	KEY(1)



Table Name	Description	Field Name	Key
MATRBK_ITA_AET	Matricula Book cache record	MASS_REPORT_SEQ	KEY(2)
		PRCSNAME	
		ALLOW_RETRO_CALC	
		COMPANY	
		EMPLID	
		EMPL_CLASS	
		EMPL_RCD	
		FROMDATE	
		HIRE_DT	
		LAST_MATR_CALC_ITA	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		REG_REGION	
		RUN_CNTL_ID	KEY(3)
MATR_BK_ITA_TAO	Matricula Book ITA	THRUDATE	
		UPDATE_FLAG	
		ADDRESS_SBR	
		BIRTHCOUNTRY	
		BIRTHDATE	
		BIRTHPLACE	
		BIRTHSTATE	
		COMPANY	KEY(4)
		COMPRATE	
		COMP_FREQUENCY	
		CURRENCY_CD	
		EFFDT	KEY(8)
		EMPL_CLASS	KEY(6)
		EMPL_CTG	
		EMPL_CTG_L1	
		EMPL_CTG_L2	
		FIRST_NAME	
		INPS_CODE_ITA	
		JOBCODE	
		LABOR_AGREEMENT	
LAST_NAME			
MAR_STATUS			
MATRICULA_NBR_ITA	KEY(7)		
NID_SPECIAL_CHAR			
OPRID	KEY(2)		
PROCESS_INSTANCE	KEY(1)		
REG_REGION	KEY(5)		
RUN_CNTL_ID	KEY(3)		
SETID_LBR_AGRMNT			
SPECIAL_HIRCTG_ITA			
TERMINATION_DT			





		WB_CODE_ITA	
		WB_REL_CITY_ITA	
		WB_REL_DATE_ITA	
MATR_BOOK_ITA	Matricula Book ITA	ADDRESS_SBR	
		BIRTHCOUNTRY	
		BIRTHDATE	
		BIRTHPLACE	
		BIRTHSTATE	
		COMPANY	KEY(1)
		COMPRATE	
		COMP_FREQUENCY	
		CURRENCY_CD	
		EFFDT	KEY(5)
		EMPL_CLASS	KEY(3)
		EMPL_CTG	
		EMPL_CTG_L1	
		EMPL_CTG_L2	
		FIRST_NAME	
		INPS_CODE_ITA	
		JOBCODE	
		LABOR_AGREEMENT	
		LAST_NAME	
		MAR_STATUS	
		MATRICULA_NBR_ITA	KEY(4)
		NID_SPECIAL_CHAR	
		REG_REGION	KEY(2)
		SETID_LBR_AGRMNT	
		SPECIAL_HIRCTG_ITA	
		TERMINATION_DT	
		WB_CODE_ITA	
		WB_REL_CITY_ITA	
		WB_REL_DATE_ITA	
MCFAGENTBUDDY	Agents buddy list	MCFBUDDY	KEY(2)
		MCFUQAGENTID	KEY(1)
MCFAGENTCUST	Agent customization	MCFACCEPT_MODE	
		MCFHEIGHT	
		MCFLEFT	
		MCFPOPUP_MODE	
		MCFTOP	
		MCFTYPE	KEY(2)
		MCFUQAGENTID	KEY(1)
		MCFWIDTH	
MCFAGENTLANG	Agent languages	LANGUAGE_CD	KEY(2)
		MCFUQAGENTID	KEY(1)
MCFAGENTPRES	Agent Presence	MCFPRESENCEDESCR	



		MCFPRESENCESTATE	KEY(2)
		MCFPRESKEY	KEY(3)
MCFAGENTURLS	Agent URLs	MCFUQAGENTID	KEY(1)
		MCFUQAGENTID	KEY(1)
		MCFURL	
		MCFURLDESCR	
MCFAGNTMSG	Agent messages	MCFURLNAME	KEY(2)
		DESCR100	
		MCFMSGID	
		MCFUQAGENTID	KEY(1)
		MESSAGE_DESCR	
MCFAGNTMSG_LANG		MSGNAME	KEY(2)
		DESCR100	
		LANGUAGE_CD	KEY(3)
		MCFMSGID	
		MCFUQAGENTID	KEY(1)
		MESSAGE_DESCR	
		MSGNAME	KEY(2)
MCFAGNTPRS_LANG		LANGUAGE_CD	KEY(4)
		MCFPRESENCEDESCR	
		MCFPRESENCESTATE	KEY(2)
		MCFPRESKEY	KEY(3)
		MCFUQAGENTID	KEY(1)
MCFCHATLOG		DESCRLONG	
		DTTM_STAMP	KEY(3)
		MCFUQQUEUEID	
		MCFUQTASKNUM	
		MCF_CHAT_ACTION	
		MCF_CHAT_ID	KEY(1)
		OPRID	KEY(2)
MCFCHATRSCFG		MCFCHATSESSTO	
		MCFEVENTTO	
		MCFUQQUEUEID	KEY(1)
MCFCTIEVENTLOG	CTI event log	CTI_ADDLINFO	
		CTI_ANI	
		CTI_CALLDURATION	
		CTI_CALLID	
		CTI_DNIS	
		CTI_OTHERDN	
		CTI_REFERENCEID	
		CTI_RELEASERESON	
		CTI_THISDN	
		CTI_TRANSCONTEXT	
		CTI_URLPOPPED	
		LANGUAGE_CD	



		MCFDOMAIN	KEY(1)
		MCFLOGGEDEVENT	
		MCFRENTOPIC	
		MCFUQAGENTID	
		MCFUQCOST	
		MCFUQPRIORITY	
		MCFUQQUEUEID	
		MCFUQQUEUEUTIME	KEY(3)
		MCFUQSKILLEVEL	
		MCFUQTASKNUM	
		MCFUQTASKTYPE	
		MCF_EVENTTYPE	
		PT_CTI_AGENTID	
		SEQ_NBR	KEY(2)
MCFEM_ATT_AUTH	Attachment Authorization Tbl	MCF_AUTH_ACL	
		MCF_AUTH_NAME	KEY(2)
		MCF_AUTH_TYPE	KEY(3)
		MCF_EMAIL_ID	KEY(1)
MCFEM_MAIL_DSCR		MCF_EMAIL_ID	KEY(1)
		MCF_LONGDSCR	
		MCF_LONGDSCR_NM	KEY(2)
MCFEM_MAIL_MAIN	Email repository	MCF_ATTACH_LIST	
		MCF_ATTACH_SIZES	
		MCF_ATT_URL	
		MCF_CONTENT_TYPE	
		MCF_DTTM_RECV	
		MCF_DTTM_SAVED	
		MCF_DTTM_SENT	
		MCF_EMAIL_FROM	
		MCF_EMAIL_ID	KEY(1)
		MCF_EMAIL_LANG_CD	
		MCF_EMAIL_MSG_ID	
		MCF_EMAIL_SENDER	
		MCF_EMAIL_STATUS	
		MCF_EMAIL_TEXT	
		MCF_IS_ATT_URL	
		MCF_MSG_SIZE	
		MCF_OFFSET_RECV	
		MCF_OFFSET_SENT	
		MCF_UID	
		MCF_WL_SUBJECT	
MCFEM_MAIL_MN2	MCFEM_MAIL_MN2	MCF_EMAIL_ID	KEY(1)
		MCF_IBNODE_NAME	
		MCF_SERVER	
		MCF_USER	



MCFEM_MAIL_PART	Email Parts Table	MCF_ATT_URL	
		MCF_CONTENT_TYPE	
		MCF_EMAIL_ID	KEY(1)
		MCF_EMAIL_PARTNO	KEY(2)
		MCF_EMAIL_TEXT	
		MCF_FILENAME	
		MCF_IS_ATT_URL	
MCFIMNETWORKS		MCFIMDOMAIN	KEY(1)
		MCFIMNETENABLED	
		MCFIMSERVER	
MCFQUEUEURLS	Queue URLs	MCFUQUEUEID	KEY(1)
		MCFURL	
		MCFURLDESCR	
		MCFURLNAME	KEY(2)
MCFSYSMSG		DESCR100	
		MFCCONTACTID	KEY(2)
		MCFUQUEUEID	KEY(1)
		MESSAGE_DESCR	
		MSGNAME	KEY(3)
MCFSYSMSG_LANG		DESCR100	
		LANGUAGE_CD	KEY(4)
		MFCCONTACTID	KEY(2)
		MCFUQUEUEID	KEY(1)
		MESSAGE_DESCR	
		MSGNAME	KEY(3)
MCFUQAGENTSTATE		MCFUQAGENTID	KEY(1)
		MCFUQKEY	KEY(3)
		MCFUQTIME	KEY(2)
		MCFUQVALUE	
MCFUQEVENTLOG	MCF Universal Queue Event Log	DESCRLONG	
		LANGUAGE_CD	
		MCFDOMAIN	KEY(1)
		MCFLOGGEDEVENT	
		MCFRENTOPIC	
		MCFUQAGENTID	
		MCFUQCOST	
		MCFUQPRIORITY	
		MCFUQUEUEID	
		MCFUQUEUEUETIME	KEY(3)
		MCFUQSKILLELVEL	
		MCFUQTASKNUM	
		MCFUQTASKTYPE	
		SEQ_NBR	KEY(2)
MCFUQLOG	Universal Queue Log	MCFUQAGENTID	
		MCFUQCOST	



		MCFUQEVENT	KEY(1)
		MCFUQINFO	
		MCFUQPRIORITY	
		MCFUQQUEUEID	
		MCFUQTASKNUM	KEY(2)
		MCFUQTASKTYPE	
		MCFUQTIME	KEY(3)
MCFUQQSERVSTATE		MCFUQKEY	KEY(3)
		MCFUQSERVERID	KEY(1)
		MCFUQTIME	KEY(2)
		MCFUQVALUE	
MCFUQQUEUESTATE		MCFUQKEY	KEY(3)
		MCFUQQUEUEID	KEY(1)
		MCFUQTIME	KEY(2)
		MCFUQVALUE	
MCFUQTASKCFG	Default task values by type	MCFCHATSESSTO	
		MCFGREETINTERVAL	
		MCFUQACTIMOUT_MINS	
		MCFUQAGTTMOUT_SECS	
		MCFUQCOST	
		MCFUQCPLTMOUT_MINS	
		MCFUQPRIORITY	
		MCFUQSKILLEVEL	
		MCFUQTASKTYPE	KEY(1)
		SEQ_NBR	
MCFUQTIMEOUT	MCFUQTIMEOUT	LANGUAGE_CD	
		MCFCOMMENTS	
		MCFTASKISCLOSED	
		MCFUQAGENTID	
		MCFUQAPPDATA	
		MCFUQATIMEOUT	
		MCFUQCOST	
		MCFUQCTIMEOUT	
		MCFUQINSERTTIME	KEY(2)
		MCFUQORIGQTIME	
		MCFUQPRIORITY	
		MCFUQQUEUEID	
		MCFUQQUEUEUETIME	
		MCFUQREASON	
		MCFUQSKILLEVEL	
		MCFUQTASKNUM	KEY(1)
		MCFUQTASKTYPE	
MCFUQWORKSET	MCFUQWORKSET	LANGUAGE_CD	
		MCFUQAGENTID	
		MCFUQAPPDATA	



		MCFUQATIMEOUT	
		MCFUQCOST	
		MCFUQCTIMEOUT	
		MCFUQORIGQTIME	
		MCFUQPRIORITY	
		MCFUQQUEUEID	
		MCFUQQUEUEUETIME	
		MCFUQSKILLEVEL	
		MCFUQSTATUS	
		MCFUQTASKNUM	KEY(1)
		MCFUQTASKTYPE	
		MCFUQTIEDAGENT	
MCF_AGENTMISC		MCFUQAGENTID	KEY(1)
		MCF_TRACELEVEL	
		MCF_UNASSIGNED	
MCF_IM_BUDDYLST		DESCR	
		MCFIMBUDDYLST	KEY(1)
MCF_IM_DEMO_REC		MCFIMBUDDYLST	KEY(1)
		MCFIMDEMODUMMY	
		MCFIMDOMAIN	KEY(3)
		MCFIMURL	
		MCFIMUSERANDNET	
MCF_INSTALL		USER_OPRID	KEY(2)
MC_ARCHIVE_DEFN	Mass Change Archive Defn	MCF_EMAIL_ID	KEY(1)
		ARCHIVE_ID	KEY(1)
		DESCR	
		DESCRLONG	
MC_DATA_TBL	Mass Change SQR Datatypes	DATATYPE_DESCR4	KEY(2)
		FIELDTYPE	KEY(1)
		SQR_DATA_PREFIX	
MC_DEFN	Mass Change Definition	ARCHIVE_DT	
		ARCHIVE_ID	
		DTTM_STAMP	
		MC_DEFN_ID	KEY(1)
		MC_NULL_DT	
		MC_NULL_DTTM_STAMP	
		MC_NULL_TIME	
		MC_TEMPLATE_ID	
		MC_TYPE_ID	
		OPRID	
		PS_OWNER	
MC_DEFN_CRIT	Mass Change Defn Criteria	ARITH_OPERATION	
		DECIMAL_POSITIONS	
		FIELDNAME	KEY(4)
		FIELDTYPE	



		FORMAT	
		MC_DEFN_ID	KEY(1)
		MC_FIELD_LABEL	
		MC_FIELD_LENGTH	
		MC_STMNT_SEQ	KEY(2)
		RECNAME	KEY(3)
MC_DEFN_CRIT_VL	Mass Change Defn Crit Values	FIELDNAME	KEY(4)
		MC_DEFN_ID	KEY(1)
		MC_FIELD_VALUE	
		MC_SEQ	KEY(5)
		MC_STMNT_SEQ	KEY(2)
		RECNAME	KEY(3)
MC_DEFN_DEFAULT	Mass Change Defn Defaults	DECIMAL_POSITIONS	
		FIELDNAME	KEY(4)
		FIELDTYPE	
		FORMAT	
		MC_DEFN_ID	KEY(1)
		MC_FIELD_LABEL	
		MC_FIELD_LENGTH	
		MC_FIELD_VALUE	
		MC_STMNT_SEQ	KEY(2)
		RECNAME	KEY(3)
MC_DEFN_DESCR	Mass Change Defn Description	DESCRLONG	
		MC_DEFN_ID	KEY(1)
MC_DEFN_HR	Mass Change Definition HR	ASOFDATE	
		BUSINESS_UNIT	
		MC_DEFN_ID	KEY(1)
		MC_STATUS	
MC_DEFN_LANG	Mass Change Defn Description	DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MC_DEFN_ID	KEY(1)
MC_DEFN_PC	Mass Change Definition PC	ACCOUNTING_DT	
		APPROVAL_SW	
		DTTM_STAMP	
		FLEX_FORMULA	
		FLEX_FORM_DESCR	
		FLEX_FORM_SEQ	
		FLEX_GROUP_ID	
		FLEX_GROUP_SEQ	
		FROM_DATE	
		INTFC_ID	
		INTFC_STATUS	
		LOAD_STATUS	
		MC_DEFN_ID	KEY(1)
		OPEN_TRANS_ID	



		PROCESS_INSTANCE	
		PS_OWNER	
		RESULTS	
		RESULT_VALUE	
		SETID	
		THRU_DATE	
		TIME_BEGIN_DT	
		TIME_END_DT	
		TRANS_DT	
MC_DEFN_PT	Mass Change Defn PeopleTools	MC_DEFN_ID	KEY(1)
MC_DEFN_SQL	Mass Change Defn SQL	MC_DEFN_ID	KEY(1)
		MC_SEQ	KEY(3)
		MC_STMNT_SEQ	KEY(2)
MC_DEFN_SQL_LN	Mass Change Defn SQL Line	MC_DEFN_ID	KEY(1)
		MC_SEQ	KEY(3)
		MC_SQL_STMNT	
		MC_STMNT_SEQ	KEY(2)
		SEQUENCE_NBR_6	KEY(4)
MC_DEFN_STMNT	Mass Change Defn Statement	DESCR	
		MC_DEFN_ID	KEY(1)
		MC_STMNT_SEQ	KEY(2)
MC_DTTM_PARMS	Mass Change Datetime Parms	DATEIN_PREFIX	
		DATEIN_SUFFIX	
		DATEOUT_PREFIX	
		DATEOUT_SUFFIX	
		DATETIMEIN_PREFIX	
		DATETIMEIN_SUFFIX	
		DATETIMEOUT_PREFIX	
		DATETIMEOUT_SUFFIX	
		DB_PLATFORM	KEY(1)
MC_GROUP	Mass Change Defn Group	MC_GROUP_ID	KEY(1)
		PS_OWNER	
MC_GROUP_LN	Mass Change Defn Group Line	MC_DEFN_ID	
		MC_GROUP_ID	KEY(1)
		MC_SEQ	KEY(2)
MC_HIST_CRIT	Mass Change History Criteria	ARITH_OPERATION	
		DTTM_STAMP	KEY(2)
		FIELDNAME	KEY(5)
		MC_DEFN_ID	KEY(1)
		MC_FIELD_LABEL	
		MC_STMNT_SEQ	KEY(3)
		RECNAME	KEY(4)
MC_HIST_CRIT_VL	Mass Change History Crit Value	DTTM_STAMP	KEY(2)
		FIELDNAME	KEY(5)
		MC_DEFN_ID	KEY(1)





		MC_FIELD_VALUE	
		MC_SEQ	KEY(6)
		MC_STMNT_SEQ	KEY(3)
		RECNAME	KEY(4)
MC_HIST_DEFAULT	Mass Change History Defaults	DTTM_STAMP	KEY(2)
		FIELDNAME	KEY(5)
		MC_DEFN_ID	KEY(1)
		MC_FIELD_LABEL	
		MC_FIELD_VALUE	
		MC_STMNT_SEQ	KEY(3)
		RECNAME	KEY(4)
MC_HIST_STMNT	Mass Change History Statement	DTTM_STAMP	KEY(2)
		MC_DEFN_ID	KEY(1)
		MC_STMNT_SEQ	KEY(3)
		OPRID	
MC_OPRID	Mass Change Operator Security	MC_EXEC_ONLINE_SW	
		OPRID	KEY(1)
MC_OPR_SECURITY	Mass Change Operator Security	MC_TEMPLATE_ID	KEY(2)
		OPRID	KEY(1)
MC_PROMPTS	Mass Change Prompt Table Setup	EDITTABLE	
		FIELDNAME	KEY(2)
		RECNAME	KEY(1)
MC_RUN_CNTL	Mass Change Run Control	FILENAME	
		MC_DEFN_ID	
		MC_GROUP_ID	
		MC_RUN_TYPE	
		MC_SQR_DIR	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
MC_TEMPLATE	Mass Change Template	MC_TEMPLATE_ID	KEY(1)
		MC_TYPE_ID	
		PS_OWNER	
MC_TEM_CRITERIA	Mass Change Template Criteria	FIELDNAME	KEY(4)
		MC_FIELD_LABEL	
		MC_STMNT_SEQ	KEY(2)
		MC_TEMPLATE_ID	KEY(1)
		RECNAME	KEY(3)
MC_TEM_DEFAULTS	Mass Change Template Defaults	FIELDNAME	KEY(4)
		MC_FIELD_LABEL	
		MC_STMNT_SEQ	KEY(2)
		MC_TEMPLATE_ID	KEY(1)
		RECNAME	KEY(3)
MC_TEM_DESCR	Mass Change Template Descr	DESCRLONG	
		MC_TEMPLATE_ID	KEY(1)
MC_TEM_LANG	Mass Change Template Descr	DESCRLONG	



		LANGUAGE_CD	KEY(2)
		MC_TEMPLATE_ID	KEY(1)
MC_TEM_STMNT	Mass Change Template Statement	DESCR	
		MC_STMNT_SEQ	KEY(2)
		MC_TEMPLATE_ID	KEY(1)
MC_TYPE	Mass Change Type	MC_PUBLIC_USE	
		MC_TYPE_ID	KEY(1)
		PS_OWNER	
MC_TYPE_DESCR	Mass Change Type Description	DESCRLONG	
		MC_TYPE_ID	KEY(1)
MC_TYPE_FIELD	Mass Change Type Field	FIELDNAME	KEY(4)
		MC_FIELD_ACTION	
		MC_FIELD_VALUE	
		MC_SEQ	KEY(3)
		MC_STMNT_SEQ	KEY(2)
		MC_TYPE_ID	KEY(1)
MC_TYPE_JOIN	Mass Change Type Join Table	FIELDNAME	KEY(3)
		MC_STMNT_SEQ	KEY(2)
		MC_TYPE_ID	KEY(1)
MC_TYPE_LANG	Mass Change Type Description	DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MC_TYPE_ID	KEY(1)
MC_TYPE_RECORD	Mass Change Type Record	MC_RECORD_TYPE	
		MC_SEQ	KEY(3)
		MC_STMNT_SEQ	KEY(2)
		MC_TYPE_ID	KEY(1)
		RECNAME	
MC_TYPE_SQL	Mass Change Type SQL Statement	MC_SEQ	KEY(3)
		MC_SQL_STMNT	
		MC_STMNT_SEQ	KEY(2)
		MC_TYPE_ID	KEY(1)
MC_TYPE_STMNT	Mass Change Type Statement	DESCR	
		MC_ARCH_TO_FILE_SW	
		MC_FREE_FORM_SW	
		MC_STMNT_SEQ	KEY(2)
		MC_TYPE_ID	KEY(1)
MC_TYPE_WHERE	Mass Change Type Where Clause	MC_SEQ	KEY(3)
		MC_STMNT_SEQ	KEY(2)
		MC_TYPE_ID	KEY(1)
		MC_WHERE_STMNT	
		SEQUENCE_NBR_6	KEY(4)
MEDCARE_ITM_AUS	AUS - Medicare Item Details	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	



		MEDICARE_ITM_AUS	KEY(1)
		MED_SCHED_FEE_AUS	
MEDICAL_FAC_LNG	Medical Facilities - RelLang	EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		MEDICAL_FAC_CD	KEY(1)
		MEDICAL_FAC_NAME	
MEDICAL_FAC_TBL	Medical Facility Codes	ADDRESS_SBR	
		EFFDT	KEY(2)
		EFF_STATUS	
		MEDICAL_FAC_CD	KEY(1)
		MEDICAL_FAC_NAME	
		MEDICAL_ORG_FRA_CD	
		PHONE_SBR	
MED_ORG_FRA_LNG	Medical Organisation Rel.Lang.	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		MEDICAL_ORG_FRA_CD	KEY(1)
MED_ORG_FRA_TBL	Medical Organisation Setup Tbl	DESCR	
		DESCRSHORT	
		MEDICAL_ORG_FRA_CD	KEY(1)
MERCHANT_ACCT	Merchant Account Set-Up	CMPAUTHNCTNTOKEN	
		DESCR	
		EFFDT	KEY(2)
		MERCHANTID	KEY(1)
		MERCHANT_ACCT_NAME	KEY(3)
		URL_ID	
MERCH_ACCT_DTL	Merchant Account Detail	EFFDT	KEY(2)
		MERCHANTID	KEY(1)
		MERCHANT_ACCT_KEY	KEY(4)
		MERCHANT_ACCT_NAME	KEY(3)
MERCH_ACCT_LANG	Merchant Account Set-Up	DESCR	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(4)
		MERCHANTID	KEY(1)
		MERCHANT_ACCT_NAME	KEY(3)
MERCH_ACCT_TYPE	Merchant Account Type Set-Up	EFFDT	KEY(2)
		MERCHANTID	KEY(1)
		MERCHANT_ACCT_TYPE	
MERCH_USER_OVRD	Merchant Account User Override	EFFDT	KEY(2)
		MERCHANTID	KEY(1)
		MERCHANT_ACCT_NAME	KEY(3)
		OPRID	KEY(4)
MERIT_GROUP_TBL	Merit Group Tbl (Obsolete)	AMOUNT_PER_POINT	
		CURRENCY_CD	
		EFFDT	KEY(2)



		ELIG_JPN_SBR	
		FROM_POINTS	
		MERIT_GROUP	KEY(3)
		MERIT_SCALE	KEY(1)
		PCT_PER_POINT	
		RATE_CODE_GROUP	
		REVIEW_BAND_CD	
		SAL_PTS_PER_POINT	
		TO_POINTS	
MERIT_SCALE_LNG	Merit Scale Lookup (Obsolete)	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		MERIT_SCALE	KEY(1)
MERIT_SCALE_TBL	Merit Scale Lookup (Obsolete)	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		MERIT_SCALE	KEY(1)
MESSAGE_LOG	Message Log Table	DTTM_STAMP_SEC	
		JOBID	
		MESSAGE_NBR	
		MESSAGE_SEQ	KEY(2)
		MESSAGE_SET_NBR	
		MESSAGE_SEVERITY	
		PROCESS_INSTANCE	KEY(1)
		PROGRAM_NAME	
MESSAGE_LOGPARM	Message Parameter Log	MESSAGE_PARM	
		MESSAGE_SEQ	KEY(2)
		PARM_SEQ	KEY(3)
		PROCESS_INSTANCE	KEY(1)
MESSAGE_SET_CPY	Message Sets Work/Copy	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	
		MESSAGE_SET_NBR	
		VERSION	
MILIT_SITN_FRA	Military Situation - FRA	BEGIN_DT_FRA	
		EMPLID	KEY(1)
		END_DT_FRA	
		FUNCTION_FRA	
		INDIV_FUNCTION_FRA	
		INDIV_NOTIF_DT_FRA	
		MILIT_ASGN_FRA	
		MILIT_FUNCTION_FRA	
		MILIT_NBR_FRA	



		MILIT_NOTIF_DT_FRA	
		MILIT_RANK_FRA	
		MILIT_SECT_FRA	
		MILIT_SECT_RES_FRA	
		MILIT_SITUATN_FRA	
		NOTIF_BY_INDIV_FRA	
		NOTIF_BY_MILIT_FRA	
		RESERVE_RANK_FRA	
MIX_COM_LOC_MEX	Mixed Committee Location MEX	BUSINESS_UNIT	
		EFFDT	KEY(2)
		LOCATION	KEY(3)
MIX_COM_MEX_LNG	Mixed Committee Language	MIXED_COMM_ID_MEX	KEY(1)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
MIX_COM_OBJ_LNG	Mixed Committee Objective Lang	MIXED_COMM_ID_MEX	KEY(1)
		DESCRLONG	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(5)
		MIXED_COMM_ID_MEX	KEY(1)
		OBJECTIVE_MEX	
		SEQUENCE	KEY(4)
		YEAR_MEX	KEY(3)
MIX_COM_OBJ_MEX	Mixed Committee Objective	DESCRLONG	
		EFFDT	KEY(2)
		MIXED_COMM_ID_MEX	KEY(1)
		OBJECTIVE_MEX	
		OBJECTIVE_TYPE_MEX	
		SEQUENCE	KEY(4)
		YEAR_MEX	KEY(3)
MIX_COM_REP_MEX	Mixed Committee Representative	EFFDT	KEY(2)
		EMPLID	KEY(3)
		MIXED_COMM_ID_MEX	KEY(1)
		REP_TYPE_MEX	
		STATUS	
		STATUS_DATE_MEX	KEY(4)
*MIX_COM_TBL_MEX	Mixed Committee Table Mexico	COMM_CLASS_MEX	
		CONST_DATE_MEX	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		MIXED_COMM_ID_MEX	KEY(1)
		YEAR_MEX	



MOBILEID		CHUNKCOUNT	
		CREATIONDATE	
		DEVICEBOOKMARK	
		DEVICEID	KEY(1)
		LASTSYNCDATE	
		OPRID	
		PLATFORMMOBILE	
		SEQUENCENO	KEY(2)
		SERVERBOOKMARK	
		SYNC_RESPONSE	
MOC_DEPT	MOC_DEPT	DEPTID	KEY(3)
		MOC_ID	KEY(1)
		SETID	KEY(2)
MOC_LOG	Mass Org. Changes Log Table	CHANGE_TYPE	
		MOC_ID	
MOC_POS	MOC_POS	MOC_ID	KEY(1)
		POSITION_NBR	KEY(2)
MODIFIED_WRK_LNG	Related Lang-Injury Work Modif	DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		MODIFIED_WORK_CD	KEY(2)
		SETID	KEY(1)
MODIFIED_WRK_TBL	Modified Work Codes	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		MODIFIED_WORK_CD	KEY(2)
		SETID	KEY(1)
MODIFIED_WORK	EE Injury-Work Modifications	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		INCIDENT_NBR	KEY(4)
		MODIFIED_FROM_DT	KEY(6)
		MODIFIED_TO_DT	
		MODIFIED_WORK_CD	KEY(5)
		NON_EMPLOYEE_ID	KEY(3)
MODIF_WORK_FRA	EE Injury-Work Modifications	EMPLID	KEY(1)
		EXAM_DT	KEY(2)
		EXAM_TYPE_CD	KEY(3)
		MODIFIED_FROM_DT	KEY(5)
		MODIFIED_TO_DT	
		MODIFIED_WORK_CD	KEY(4)
MSF_PUBDATA_AET	AE state rcd for MSF_PUBSUB_Q	CHNLNAME	
		PROCESS_INSTANCE	KEY(1)
		PUBID	



MU_AET	Mass Update Cache Record	PUBNODE AE_TEST_FLAG BUSINESS_UNIT EMPLID EMPL_RCD IN_PROCESS_FLG MU_EXEC_LOG_MSG MU_EXEC_STATUS_FLG MU_MASS_UPDATE_ID MU_PRCs_MODE_FLG MU_REFERENCE_DT MU_SELECTION_ID MU_SELECTION_TYPE OPRID PROCESS_INSTANCE KEY(1) RECNAME RUN_CNTL_ID SETID STEPNO KEY(2)
MU_COMP_DATA	Comp data Mass Update Setup	CHANGE_AMT CHANGE_PCT CHANGE_PTS COMPRATE COMP_FREQUENCY COMP_PCT COMP_RATECD COMP_RATE_POINTS CURRENCY_CD FTE_INDICATOR MU_ACTION_SW MU_MASS_UPDATE_ID KEY(1) MU_UPD_FUTURE_FLG RATE_CODE_GROUP SEQNUM KEY(2)
MU_EMPL_TMP	Mass Update Temp Record	EMPLID KEY(2) EMPL_RCD KEY(3) PROCESS_INSTANCE KEY(1)
MU_LEVEL01_DATA	Level 0/1 data Mass Update	FIELDNAME GB_VALUE GB_VALUE_DT GB_VALUE_DTTM GB_VALUE_NBR GB_VALUE_TM MU_MASS_UPDATE_ID KEY(1) MU_UPD_FUTURE_FLG



		MU_UPD_VIA_CI	
		MU_UPD_VIA_COLL	
		RECNAME	
MU_MASSUPD_RLNG	Mass Update Result Record	SEQNUM	KEY(2)
		EMPLID	KEY(5)
		EMPL_RCD	KEY(6)
		LANGUAGE_CD	KEY(7)
		MU_EXEC_LOG_MSG	
		MU_MASS_UPDATE_ID	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STEPNO	KEY(3)
MU_MASSUPD_RSLT	Mass Update Result Record	EMPLID	KEY(5)
		EMPL_RCD	KEY(6)
		MU_EXEC_LOG_MSG	
		MU_EXEC_STATUS_FLG	
		MU_MASS_UPDATE_ID	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STEPNO	KEY(3)
MU_MASS_UPD_LNG	Mass Update Setup Record	DESCR50	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		MU_MASS_UPDATE_ID	KEY(1)
MU_MASS_UPD_TBL	Mass Update Setup Record	BUSINESS_UNIT	
		DESCR50	
		DESCRSHORT	
		IN_PROCESS_FLG	
		MU_MASS_UPDATE_ID	KEY(1)
		MU_PRC_MODE_FLG	
		MU_PRC_NBR	
		MU_REFERENCE_DT	
		MU_SELECTION_ID	
		MU_SELECTION_TYPE	
		RECNAME	
NAMES	Person Names	EMPLID	KEY(1)
		NAME_TYPE	KEY(2)
		EFFDT	KEY(3)
		NAMEGBL_SBR	
NAMES_SS_TMP	Name Change Temp Record	NAMEGBL_SBR	
		EMPLID	KEY(1)
		NAME_TYPE	KEY(2)
		EFFDT	KEY(3)
NAME_PREFIX_LNG	Related Lang - Name Prefix Tbl	NAME_PREFIX	KEY(1)
		LANGUAGE_CD	KEY(2)





NAME_PREFIX_TBL	Name Prefixes	DESCR DESCRSHORT DESCRSHORT NAME_PREFIX	KEY(1)
NAME_SUFFIX_LNG	Related Lang - Name SuffixTbl	DESCR DESCRSHORT NAME_SUFFIX LANGUAGE_CD	KEY(1) KEY(2)
NAME_SUFFIX_TBL	Name SuffixTable	DESCR NAME_SUFFIX	KEY(1)
NAME_TYPE_LNG	Name Type Table (rel. Lang.)	DESCRSHORT NAME_TYPE_SHORT NAME_TYPE LANGUAGE_CD	KEY(1) KEY(2)
NAME_TYPE_TBL	Name Type Table	NAME_TYPE_DESCR DATA_TYPE_CD NAME_TYPE NAME_TYPE_DESCR ORDER_BY_SEQ NAME_TYPE_SHORT	KEY(1)
NATIONALITY_GER	GER - Nationality record	EMPLID NATIONALITY_DT NATION_CD	KEY(1) KEY(2) KEY(3)
NATIONS_DUEVO	GER - Nations Duevo Table	NATION_CD NATIONALITY DESCRSHORT DESCR EU_LAND COUNTRY NATIONALITY_CD OECD_COUNTRY	KEY(1)
NATIONS_DU_LNG	Nations Duevo Table - GER	DESCRSHORT COUNTRY DESCR NATIONALITY NATION_CD LANGUAGE_CD	KEY(1) KEY(2)
NDT_CO_PAYGROUP	NDT Co/PayGrp Test Population	COMPANY PAYGROUP	KEY(1) KEY(2)
NDT_CO_PAY_SLOB	NDT SLOB Co/Paygrp Definition	COMPANY PAYGROUP	KEY(1) KEY(2)
NDT_HCE_TBL	NDT Highly Compensated EE Defn	EFFDT MIN_ADD_FACTOR ADP_CALC_YEAR	KEY(1)



		HCE_COMP_METHOD	
		MAX_TIMES_FACTOR	
		ADP_CONTRIB_LIMIT	
		TOP_PCT	
		AGE_RANGE_HIGH	
		COMP_TOP_PCT	
		MIN_TIMES_FACTOR	
		MIN_SERVICE_REQD	
		ADP_COMP_LIMIT	
		COMP_HIGH	
NDT_RUNCTL	NDT Run Controls and Results	AMT	
		D_EXCESS_FCST_M	
		TOTAL_HCE_COUNT	
		ADP_LCE_FORECAST_K	
		SLOB	
		BENEFITS_BASE	
		D_EXCESS_ACTUAL_M	
		CAFETERIA_PLAN	
		PLAN_YEAR_BEGIN_DT	
		MONTH_END_DT	
		ADP_HCE_FORECAST_M	
		D_EXCESS_FCST_K	
		RESULTS_FORCST_AGG	
		D_EXCESS_ACTUAL_K	
		YEAR_CD	
		ADP_HCE_FORECAST_K	
		ADP_HCE_ACTUAL_M	
		MIN_SERVICE_REQD	
		RESULTS_ACTUAL_M	
		ADP_LCE_ACTUAL_K	
		AGE_RANGE_HIGH	
		ERNCD_SPCL	
		RESULTS_FORECAST_M	
		ADP_HCE_ACTUAL_K	
		TOTAL_NHCE_COUNT	
		MIN_EMPLOYEE_COUNT	
		ADP_LCE_FORECAST_M	
		PROJECTION_PERCENT	
		ADP_LCE_ACTUAL_M	
		RESULTS_ACTUAL_K	
		RESULTS_FORECAST_K	
		RESULTS_ACTUAL_AGG	
NEE_PROVIDR_LNG	Non Employee Provider Rel Lng	NEE_PROVIDER_ID	KEY(1)
		LANGUAGE_CD	KEY(2)
		DESCRSHORT	



NEE_PROVIDR_TAO	Non Employee Provider Table	DESCR50 DESCR50 ADDRESS_SBR CONTACT_NAME DESCRSHORT NEE_PROVIDER_ID PHONE_SBR	
NEE_PROVIDR_TBL	Non Employee Provider Table	PHONE_SBR DESCRSHORT NEE_PROVIDER_ID CONTACT_NAME DESCR50 ADDRESS_SBR	KEY(1)
NE_PERSDATA_LNG	Rellang -Non-Employee PersData	BUSINESS_TITLE DESCR EMPLOYER NON_EMPLOYEE_ID LANGUAGE_CD	KEY(1) KEY(2)
*NE_PERSONAL_DTA	Non-Employee Personal Data	NON_EMPLOYEE_ID REG_REGION NAMEGBL_SBR BUSINESS_TITLE COURSE_ATTENDEE SUPERVISOR_ID DEPTID DESCR PHYSICIAN_SW ADDRESS_SBR BIRTHDATE EMPLOYER SUPERVISOR_NAME INVOLVED_INCIDENT BUSINESS_UNIT SEX DT_OF_DEATH	KEY(1)
NE_PERS_PHONE	Non-Employee Phone Numbers	PHONE_SBR NON_EMPLOYEE_ID PHONE_TYPE	KEY(1) KEY(2)
NID_TYPE_LANG	Related Lng Tbl - NID_TYPE_TBL	COUNTRY NATIONAL_ID_TYPE LANGUAGE_CD DESCRSHORT DESCR	KEY(1) KEY(2) KEY(3)
*NID_TYPE_TBL	National ID Type table	DESCRSHORT NID_TYPE_DEFAULT	



		DESCR	
		COUNTRY	KEY(1)
		NATIONAL_ID_TYPE	KEY(2)
		NATIONAL_ID_FORMAT	
NM_ROYPREF_LNG	Related Lang for Roy Pref	NM_ROYAL_PREF	KEY(1)
		CERTIFIED_BY	KEY(2)
		LANGUAGE_CD	KEY(3)
		DESCR	
NM_ROYPREF_TBL	Name Royal Pref Table	NM_ROYAL_PREF	KEY(1)
		CERTIFIED_BY	KEY(2)
		DESCRSHORT	
		DESCR	
		EFF_STATUS	
NM_ROYSUFF_LNG	Related Lang for Royal Suff	NM_ROYAL_SUFF	KEY(1)
		CERTIFIED_BY	KEY(2)
		LANGUAGE_CD	KEY(3)
		DESCR	
NM_ROYSUFF_TBL	Name Royal Suff Table	EFF_STATUS	
		NM_ROYAL_SUFF	KEY(1)
		CERTIFIED_BY	KEY(2)
		DESCR	
		DESCRSHORT	
		DESCRLONG	
NON_COURSE_LANG	Rellang - Non Course Train Tbl	DESCR	
		COURSE	KEY(1)
		LANGUAGE_CD	KEY(2)
		DESCRSHORT	
NON_COURSE_TBL	Non Course Training Table	COURSE	KEY(1)
		DESCRSHORT	
		MEDIA_TYPE	
		DESCRLONG	
		DESCR	
NON_CRSE_COMPS	Non Course Target Competencies	COURSE	KEY(1)
		COMPETENCY	KEY(2)
NSZ_MSV_NLD	Company Contract Declaration	NSZ_DUMMY1_4_NLD	
		NSZ_TAG_NLD	
		CAO_NLD	
		NSZ_SEND_IND_NLD	
		NSZ_DUMMY1_5_NLD	
		END_DATE	
		NSZ_DESCR70_1_NLD	
		NSZ_DUMMY3_1_NLD	
		NSZ_POSTAL_NLD	
		NSZ_TIME_PERC_NLD	
		NSZ_WRK_TYPE_NLD	




---

		NSZ_ZW_IND_NLD
		EMPLID
		NOTICEDATE
		NSZ_DUMMY1_3_NLD
		NSZ_DUMMY1_2_NLD
		NSZ_ZFW_IND_NLD
		NSZ_HRS_AWEEK_NLD
		TERMINATION_DT
		POSTAL_CITY_NLD
		NSZ_DUMMY1_1_NLD
		NSZ_WAO_IND_NLD
		NUM2
		NSZ_REASON_NLD
		HIRE_DT
		NSZ_PARTIM_IND_NLD
		NSZ_HOUSE_LBL_NLD
		NSZ_UNION_ID_NLD
		POSTAL_STREET_NLD
		NSZ_WW_IND_NLD
		NSZ_DESCR35_1_NLD
		NSZ_CONTRACTID_NLD
		NSZ_DUMMY2_1_NLD
		NSZ_ILL_IND_NLD
		NSZ_DUMMY1_6_NLD
		WAO_PERCENT_NLD
NSZ_PERSON_NLD	Social Insurance - Employee.	POSTAL_STREET_NLD
		LAST_NAME
		TELEPHONE_NBR
		NSZ_DESCR35_1_NLD
		NSZ_DESCR25_1_NLD
		SEX_FLG
		NATIONAL_ID
		NSZ_HOUSE_LBL_NLD
		NSZ_DUMMY6_1_NLD
		NSZ_DUMMY1_1_NLD
		NUM2
		NSZ_DATE1_NLD
		FIRST_NAME
		SEX
		NAME_ROYAL_PREFIX
		POSTAL_CITY_NLD
		NSZ_DIIB_ID_NLD
		NSZ_DUMMY12_1_NLD
		NSZ_PERS_TITLE_NLD
		NSZ_DUMMY1_2_NLD



		NSZ_INITIALS_NLD	
		DT_OF_DEATH	
		MAR_STATUS	
		NSZ_DUMMY1_3_NLD	
		NAME_INITIALS	
		NSZ_DESCR24_1_NLD	
		NSZ_POSTAL2_NLD	
		NSZ_TAG_NLD	
		NSZ_DESCR40_1_NLD	
		BIRTHDATE	
		NSZ_DATE2_NLD	
NSZ_VW1_NLD	Social Assurance.	NSZ_BANK_ID_NLD	
		EMPLID	
		NSZ_DESCR70_1_NLD	
		NSZ_DUMMY3_1_NLD	
		NSZ_ZFW_IND_NLD	
		NSZ_TAG_NLD	
		NSZ_SEND_IND_NLD	
		NSZ_DATE10_NLD	
		NSZ_DATE5_NLD	
		NSZ_DATE8_NLD	
		NSZ_SASS_ID_NLD	
		NSZ_DATE9_NLD	
		NSZ_DUMMY3_2_NLD	
		NSZ_DATE2_NLD	
		NSZ_DATE6_NLD	
		NSZ_DATE3_NLD	
		NSZ_DATE7_NLD	
		NSZ_DATE1_NLD	
		NSZ_UNION_ID_NLD	
		NSZ_DATE4_NLD	
NVQ_AWARD_LNG	NVQ Award Bodies	NVQ_AWARDBDY_DESCR	
		NVQ_AWARDBODY	KEY(1)
		LANGUAGE_CD	KEY(2)
NVQ_AWARD_TBL	NVQ Award Bodies	NVQ_AWARDBODY	KEY(1)
		FAX_NBR	
		ADDRESS_SBR	
		NVQ_AWARDBDY_DESCR	
		TELEPHONE_NBR	
NVQ_DETAIL	NVQ Details - Award Bodies	NVQ_AWARDREF	
		ACCOMPLISHMENT	KEY(1)
		NVQ_AWARDBODY	KEY(2)
NVQ_ELEMENT_TBL	Elements required for a Unit	COMPETENCY	KEY(1)
		ELEMENT_NBR	KEY(2)
		ELEMENT_TITLE	



NVQ_EMPELEMENT	Employee Elements	EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		REVIEW_DT	KEY(3)
		COMPETENCY	KEY(4)
		ELEMENT_NBR	KEY(5)
		EXP_DT	
		DESCRLONG	
		COMP_DT	
		START_DT	
NVQ_EMPELE_LNG	Employee Elements	EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		REVIEW_DT	KEY(3)
		COMPETENCY	KEY(4)
		ELEMENT_NBR	KEY(5)
		LANGUAGE_CD	KEY(6)
		DESCRLONG	
NVQ_PROG	NVQs in Progress	NVQ_CERT_DT	
		NVQ_COMP_DT	
		EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		NVQ_CAND_NBR	
		NVQ_STATUS	
		NVQ_CAND_DT	
		NVQ_START_DT	
		DESCRLONG	
NVQ_REVIEW	NVQ Review	NVQ_REVIEW_TYP	
		NVQ_REVIEWER	
		EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		DT_ISSUED	KEY(3)
		MAJOR_CODE	KEY(4)
		REVIEW_DT	KEY(5)
		EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		DT_ISSUED	KEY(3)
NVQ_REVIEW_LNG	NVQ Review	MAJOR_CODE	KEY(4)
		REVIEW_DT	KEY(5)
		EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		DT_ISSUED	KEY(3)
		MAJOR_CODE	KEY(4)
		REVIEW_DT	KEY(5)
		LANGUAGE_CD	KEY(6)
		DESCRLONG	
NVQ_TEMP	NVQ Temporary Reporting Table	DESCR	
		EMPLID	
		PROFICIENCY	
		COMPETENCY	
		ACCOMPLISHMENT	
		DESCRLONG	



		UNIT_TITLE	
		REVIEW_DT	
NVQ_UNITSPR_LNG	NVQ Units in progress	DESCRLONG	
		EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		REVIEW_DT	KEY(3)
		COMPETENCY	KEY(4)
		LANGUAGE_CD	KEY(5)
NVQ_UNITS_PROG	NVQ Units in progress	EMPLID	KEY(1)
		ACCOMPLISHMENT	KEY(2)
		REVIEW_DT	KEY(3)
		COMPETENCY	KEY(4)
		START_DT	
		COMP_DT	
		EXP_DT	
		NVQ_PROGRESS	
		SUBMIT_DT	
		PRESENTED_DT	
		DESCRLONG	
NVQ_UNITS_REQ	Units required for NVQ	UNIT_OPTIONAL	
		UNIT_NBR	
		ACCOMPLISHMENT	KEY(1)
		COMPETENCY	KEY(2)
NVSDRILL_LANG	PS/nVision Drill Registration	SERVERNAME	KEY(1)
		DRILL_LAYOUT	KEY(2)
		LANGUAGE_CD	KEY(3)
		DESCR	
NVSDRILL_LAYOUT	PS/nVision Drill Registration	DESCR	
		SERVERNAME	KEY(1)
		DRILL_LAYOUT	KEY(2)
NVSDRILL_SRCH	PS/nVision Drill Coordinates	NVS_INSTANCE	KEY(1)
		DRILL_ROW	KEY(2)
		DRILL_COLUMN	KEY(3)
		REQUEST_URI	
NVS_OPR_RPTS	Personalized nVision Reports	OPRID	KEY(1)
		REPORT_ID	KEY(2)
		CATEGORY_EDIT	
		BUSINESS_UNIT	
NVS_REPORT	PS/nVision Report Requests	PSRF_FOLDER_NAME	
		REPORT_SCOPE	
		EFFDT_OPTN	
		REQUEST_URI	
		OUTDESTFORMAT	
		REQ_BU_ONLY	
		BUSINESS_UNIT	KEY(1)





		REPORT_ID	KEY(2)
		AS_OF_DT_OPTION	
		TREE_EFFDT	
		TIMEOUTMINUTES	
		NVS_LANG_TEMPLATE	
		NVS_EMAIL_TEMPLATE	
		DESCR	
		NPLODE_DETAILS	
		TRANSLATE_LEDGERS	
		LASTUPDDTTM	
		NVS_REPRQST_AMODE	
		NVS_DESCR_TEMPLATE	
		NVS_DIR_TEMPLATE	
		LAYOUT_ID	
		NVS_DOC_TEMPLATE	
		OUTDESTTYPE	
		AS_OF_DATE	
		LASTUPDOPRID	
		NVS_AUTH_TEMPLATE	
NVS_REPORT_AUTH		BUSINESS_UNIT	KEY(1)
		REPORT_ID	KEY(2)
		DISTID	KEY(3)
		DISTIDTYPE	KEY(4)
NVS_SCOPE	PS/nVision Scope	SETID	KEY(1)
		REPORT_SCOPE	KEY(2)
		RECNAME_COMB	
		BUSINESS_UNIT	
		DESCR	
NVS_SCOPE_FIELD	PS/nVision Scope Field	BU_KEYED_TREE	
		BUSINESS_UNIT	
		HOW_FIELD_SPECIFY	
		TREE_LEVEL	
		RECNAME	
		SETID	KEY(1)
		REPORT_SCOPE	KEY(2)
		FIELDNAME	KEY(3)
		TREE_NAME	
NVS_SCOPE_VALUE	PS/nVision Scope Values	SETID	KEY(1)
		REPORT_SCOPE	KEY(2)
		FIELDNAME	KEY(3)
		SELECT_VALUE	KEY(4)
OBSTACLES_MOBIL	Obstacles to Mobility - Career	EMPLID	KEY(1)
		EFFDT	KEY(2)
		OBSTACLES_MOBILITY	KEY(3)
OCCUPAT_CAN_LNG	Related Language	OCCUPATION_CD_CAN	KEY(1)



		LANGUAGE_CD	KEY(2)
		EFFDT	KEY(3)
		DESCR50	
		DESCRSHORT	
OCCUPAT_CAN_TBL	Occ Illness CAN	DESCR50	
		OCCUPATION_CD_CAN	KEY(1)
		EFFDT	KEY(2)
		DESCRSHORT	
		EFF_STATUS	
OCC_ILLNESS_FRA	Occupational Illness Table	DESCRSHORT	
		DESCR	
		OCC_ILLNESS_FRA	KEY(1)
		COMMENTS	
OCC_ILLNESS_LNG	Occ. Illnesses - RelLang	SETID	KEY(1)
		OCC_ILLNESS_CD	KEY(2)
		LANGUAGE_CD	KEY(3)
		EFFDT	KEY(4)
		DESCRLONG	
		DESCR50	
OCC_ILLNESS_TBL	Occupational Illnesses	EFF_STATUS	
		DESCRLONG	
		OCC_ILLGER_SBR	
		SETID	KEY(1)
		OCC_ILLNESS_CD	KEY(2)
		EFFDT	KEY(3)
		DESCR50	
OFFER	Employment Offers to Applicants	AUTHORIZATION_DT	
		LOCATION	
		APPROVAL_STATUS	
		APPLID	KEY(1)
		APP_DT	KEY(2)
		JOB_REQ_NBR	KEY(3)
		OFFER_DT	KEY(4)
		SEQNUM	KEY(5)
		LETTER_PRINTED_DT	
		JOBCODE	
		STEP	
		PROCESS_PREHIRE	
		STATUS_REASON	
		AUTHORIZATION_ID	
		STATUS_CODE	
		LETTER_CD	
		STATUS_DT	
OFFER_CMPNT_LAN	Offer Component Related Lang	OFFER_COMPONENT	KEY(1)
		EFFDT	KEY(2)



Table Name	Description	Field Name	Key
OFFER_CMPNT_TBL	Offer Component Table	LANGUAGE_CD	KEY(3)
		DESCR	
		DESCRSHORT	
		DESCRSHORT	
		OFFER_COMPONENT	KEY(1)
		EFFDT	KEY(2)
		CURRENCY_CD	
		EFF_STATUS	
		OFFER_TYPE	
		OFFER_FREQUENCY	
		DESCR	
		MONETARY_IND	
		OFFER_COMM	Employmt Offer Comments
LASTUPDOPRID			
COMMENTS_256			
APPLID	KEY(1)		
APP_DT	KEY(2)		
JOB_REQ_NBR	KEY(3)		
OFFER_DT	KEY(4)		
SEQNUM	KEY(5)		
COMMENT_DT	KEY(6)		
SEQ_NBR	KEY(7)		
OFFER_DTL	Employmt Offers to Applicants	APPLID	KEY(1)
		APP_DT	KEY(2)
		JOB_REQ_NBR	KEY(3)
		OFFER_DT	KEY(4)
		SEQNUM	KEY(5)
		OFFER_COMPONENT	KEY(6)
		OFFER_FREQUENCY	
		SEQUENCE	
		CURRENCY_CD	
		OFFER_AMT	
OFFER_HIST_TAO	Temp Table for 7.5x Upgrades	JOBCODE	
		RESPONSE_DT	
		LETTER_PRINTED_DT	
		SEQ_NBR	
		APPROVAL_STATUS	
		PROCESS_PREHIRE	
		AUTHORIZATION_DT	
		SETID	
		STATUS_REASON	
		LOCATION	
		RESPONSE_OFFER	
		LETTER_CD	
		OFFER_REJECT_RSN	



Table Name	Description	Field Name	Key
OFFER_STATUS	Employment Offers to Applicants	COMMENTS	
		STATUS_CODE	
		APPLID	KEY(1)
		APP_DT	KEY(2)
		JOB_REQ_NBR	KEY(3)
		OFFER_DT	KEY(4)
		SEQNUM	KEY(5)
		REQUEST_STATUS	KEY(6)
		EFFDT	KEY(7)
		STEP	
		EMPLID	
		AUTHORIZATION_ID	
		STATUS_DT	
		CURRENCY_CD	
POSITION_NBR			
OFFER_AMT			
PAY_FREQ_ABBRV			
STATUS_REASON			
LASTUPDDTTM			
OFFER_TAO	Temp Table for 7.5x Upgrades	APPLID	KEY(1)
		APP_DT	KEY(2)
		JOB_REQ_NBR	KEY(3)
		OFFER_DT	KEY(4)
		SEQNUM	KEY(5)
		STATUS_DT	KEY(6)
		SEQ_NUM	KEY(7)
		LASTUPDOPRID	
		STATUS_CODE	
		STATUS_CODE	
		LOCATION	
		JOBCODE	
		SETID	
		PAY_FREQ_ABBRV	
RESPONSE_OFFER			
STATUS_DT			
COMMENTS			
EMPLID			
LETTER_PRINTED_DT			
OFFER_AMT			
APPLID	KEY(1)		
APP_DT	KEY(2)		
JOB_REQ_NBR	KEY(3)		
OFFER_DT	KEY(4)		
SEQNUM	KEY(5)		
POSITION_NBR			



		LETTER_CD	
		STATUS_REASON	
		OFFER_REJECT_RSN	
		STEP	
		APPROVAL_STATUS	
		AUTHORIZATION_DT	
		PROCESS_PREHIRE	
		AUTHORIZATION_ID	
		RESPONSE_DT	
		CURRENCY_CD	
OFFER_TYPE_LANG	Offer Type Related Language	DESCRSHORT	
		OFFER_TYPE	KEY(1)
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
		DESCR	
OFFER_TYPE_TBL	Offer Type Table	DESCR	
		ROLENAME	
		OFFER_TYPE	KEY(1)
		EFFDT	KEY(2)
		EFF_STATUS	
		DESCRSHORT	
OHS001GER_TMP1	H&S Temp Tbl -	BASE_SALARY_IND	
		EMPLR_SOC_INS_NBR	
		OWNER_PRTNR_SW_GER	
		ADDRESS1	
		CHILD_NBR_GER	
		SI_ACCIDENT_NUM	
		STEP_ENTRY_GER	
		ADDRESS4	
		NAME	
		CITY_PASSPORT	
		FATALITY_SW	
		PAY_UNTIL_GER	
		POSTAL2_GER	
		CITY_FROM	
		BIRTHDATE_GER	
		CHILD_NBR1_GER	
		RUN_CNTL_ID	
		DESCR1_GER	
		INCIDENT_TMP2_GER	
		EMPLID	
		ADDRESS2	
		PARTNER_SW_GER	
		DESCR	
		WORK_STOP2_GER	




---

		SPOUSE_GER
		DESCR5_GER
		ADDRESS1_OTHER
		INCOMPETENT_SW_GER
		EMPL_CAT2_GER
		HOSPITAL
		CITY2_GER
		POSTAL_GER
		POSTAL
		INDUST_INSP_ID_GER
		DESCR4_GER
		RELATION_DESCR
		NATIONALITY
		CITY
		DESCR100_GER
		INCIDENT_TMP_GER
		CITY_GER
		DESCR2_GER
		RELATION_GER
		DESCR2
		RELATION_SW_GER
		OPRID
		WRK_AFTR_ST_GER
		CITY_OTHER
		POSTAL_OTHER
		NAME_TRANS
		WORK_STOP_GER
		DESCR100
OHS001GER_TMP2	H&S - Temp rptng table	PHYSICIAN_NAME
		LOCATION_NAME
		ADDRESS3
		CONFIRM_STATEMENT
		PREVENT_ACT_CD_GER
		POSTAL4_GER
		CORRECT_ACT_CD_GER
		SEX_GER
		POSTAL5_GER
		END_TIME1
		START_TIME1
		EMPLID
		DESCR100_2_GER
		DESCR100_3_GER
		POSTAL3_GER
		DESCR100_4_GER
		WA_CD_GER



OHS004GER\_TMP1

H&S - Temp rpting table

NATION\_CD  
VEH\_EQUIP\_YEAR  
INJURY\_NATURE\_CD  
ADDRESS4\_OTHER  
ADDRESS2\_OTHER  
RUN\_CNTL\_ID  
CASE\_OFFICER\_GER  
HAZARD  
DESCR7\_GER  
DESCR3\_GER  
CITY5\_GER  
FATALITY\_GER  
JOBCODE  
VEH\_EQUIP\_MAKE  
UNSAFE\_ITEM\_CD\_GER  
WORK\_STOP3\_GER  
HAZARD\_ID  
COMMENTS  
OPRID  
CASE\_NBR\_GER  
ACCIDENT\_INS  
UNSAFE\_ACT\_CD  
SEX  
WRK\_AFTR\_ST2\_GER  
DESCRSHORT  
DESCR6\_GER  
ADDRESS2  
ACCIDENT\_TYPE\_CD  
CITY3\_GER  
DESCR8\_GER  
BODY\_PART\_CD  
EXACT\_LOCATION  
INJURY\_SOURCE\_CD  
ADDRESS3\_OTHER  
CITY4\_GER  
YEAR\_RPT\_GER  
RUN\_CNTL\_ID  
RELATION\_SW\_GER  
PARTNER\_SW\_GER  
DESCR2\_GER  
CITY\_OTHER  
PAY\_UNTIL\_GER  
DESCR  
CHILD\_NBR\_GER  
SI\_ACCIDENT\_NUM




---

		EMPL_CAT2_GER
		RELATION_GER
		INCOMPETENT_SW_GER
		DESCR4_GER
		WORK_STOP2_GER
		EMPLR_SOC_INS_NBR
		CITY_PASSPORT
		NATIONALITY
		SPOUSE_GER
		BIRTHDATE_GER
		CHILD_NBR1_GER
		NAME
		ADDRESS1_OTHER
		OWNR_PRTNR_SW_GER
		CITY_FROM
		POSTAL
		DESCR1_GER
		OPRID
		WRK_AFTR_ST_GER
		DESCR5_GER
		NAME_TRANS
		DESCR100
		CITY
		POSTAL_OTHER
		PHYSICIAN_NAME
		STEP_ENTRY_GER
		WORK_STOP_GER
		INDUST_INSP_ID_GER
		FATALITY_SW
		CITY_GER
		ADDRESS4
		DESCR2
		ADDRESS1
		POSTAL_GER
OHS004GER_TMP2	H&S- Temp Rpt Table	NATION_CD
		COMMENTS
		CITY
		ADDRESS2_OTHER
		FATALITY_SW
		ADDRESS4_OTHER
		PHYSICIAN_NAME
		POSTAL_OTHER
		DESCR100
		WORK_STOP_GER
		YEAR_RPT_GER





		OPRID	
		JOB_START_GER	
		DEATH_GER	
		PAT_RESIDENCE_GER	
		FIRST_VISIT_GER	
		ILL_START_GER	
		SYMPTOMS_GER	
		DESCR1_GER	
		JOB_END_GER	
		WRK_AFTR_ST2_GER	
		AUTOPSY_GER	
		POSTAL	
		WORK_RESP_GER	
		CORRECT_ACT_CD_GER	
		JOB_DESCR_GER	
		OCC_ILLNESS_CD	
		RUN_CNTL_ID	
		ADDRESS3_OTHER	
		JOBCODE	
		AUTOPSY2_GER	
		DESCR	
		SEX_GER	
		CHECKUP_RESULT_GER	
		CASE_OFFICER_GER	
		WORK_DANGERS_GER	
		CITY_OTHER	
		AUTOPSY_RESULT_GER	
		ADDRESS3	
		SEX	
OHS501UK_TMP1	UK H&S Temp Rpt Rec	LOCAL_AUTHORITY_UK	
		STATE_DESCR2	
		ADDRESS1	
		ADDRESS4	
		ADDRESS3_OTHER	
		RP_JOBTITLE	
		EXACT_LOCATION	
		BUSINESS_DESCR	
		ADDRESS2	
		COUNTRY_DESCR1	
		ADDRESS1_OTHER	
		COUNTY_OTHER	
		INCIDENT_NBR	KEY(1)
		EMPLID	KEY(2)
		NON_EMPLOYEE_ID	KEY(3)
		LOCATION_NAME	



OHS501UK\_TMP2

UK H&S Reporting Record

ADDRESS4\_OTHER  
 STATE\_DESCR1  
 RP\_NAME  
 RP\_PHONE  
 ADDRESS2\_OTHER  
 CITY  
 POSTAL  
 EMPLOYER\_PREMISES  
 LOCATION  
 INCIDENT\_DT  
 COMMENTS  
 COUNTY  
 CITY\_OTHER  
 ORG\_NAME  
 ADDRESS3  
 INCIDENT\_TM\_CHAR  
 POSTAL\_OTHER  
 PUBLIC\_PLACE\_SW\_UK  
 COUNTRY\_DESCR2  
 CITY  
 FATALITY\_SW  
 EMPLOYER  
 EXT\_SCHEME\_DESCR  
 ACCIDENT\_TYPE\_CD  
 DANGER\_OCC\_CD  
 FALL\_HEIGHT\_UK  
 PHYSICIAN\_NAME  
 COUNTRY\_DESCR2  
 POSTAL\_OTHER  
 COMMENTS  
 ADDRESS1  
 ADDRESS2\_OTHER  
 HOSPITAL\_SW  
 ADDRESS4  
 BIRTHDATE  
 ADDRESS4\_OTHER  
 JOBTITLE  
 COUNTY\_OTHER  
 SCHEME\_TYPE\_CD\_UK  
 STATE\_DESCR1  
 POSTAL  
 INJURIES  
 ADDRESS2  
 INCIDENT\_TYPE  
 INCIDENT\_NBR KEY(1)



		EMPLID	KEY(2)
		NON_EMPLOYEE_ID	KEY(3)
		ADDRESS3_OTHER	
		NAME	
		SELF_EMPL_SW_UK	
		HOSPITAL_24_SW_UK	
		ADDRESS1_OTHER	
		DESCR50	
		COUNTRY_DESCR1	
		PHONE	
		MEM_PUBLIC_SW_UK	
		CITY_OTHER	
		STATE_DESCR2	
		OCC_ILL_DIAG_DT_UK	
		MEDICAL_FAC_NAME	
		SEX	
		RESUSCITATION_SW	
		ADDRESS3	
		COUNTY	
		BODY_PARTS	
		OCC_ILLNESS_CD	
		UNCONSCIOUS_SW	
		INCIDENT_DT	
		AWAY_FROM_WORKDAY	
		S	
OLAP_ATTRIB_NAM		ATTRIBUTE_NAME	
		ATTRIBUTE_NUM	KEY(1)
OPRROWS_REP_VW		OPRID	KEY(1)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		LAST_NAME	
		JOB_DESCR_SS	
		FIRST_NAME	
OPRROWS_TMP		ASOFDATE	
		OPRID	KEY(1)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		ITEMNAME	KEY(4)
OPR_DEFAULT_TBL	GL Operator Defaults	OPRID	KEY(1)
		SETID	
		BUSINESS_UNIT	
		AS_OF_DATE	
OPR_DEF_HR_TAO	Operator Defaults Table - HR	COUNTRY	
		PAY_SYSTEM_FLG	
		MAX_STD_HRS	



		COMPANY	
		CARRY_ID	
		INDUSTRY	
		REG_REGION	
		EXCHNG_TO_CURRENCY	
		CAN_IND_SECTOR	
		STD_HRS_FREQUENCY	
		CAN_CMA	
		BUSINESS_UNIT	
		INDUSTRY_SECTOR	
		ALT_CHAR_ENABLED	
		OPRCLASS	KEY(1)
		SETID	
		MIN_STD_HRS	
		EXCHNG_TO_RT_TYPE	
		STD_HRS_DEFAULT	
OPR_DEF_TBL_FS	Operator Dflts - PS/Financials	BUSINESS_UNIT	
		SOURCE	
		LC_CNTRY	
		DR_CR_VISIBLE_FLG	
		SETID	
		OPRID	KEY(1)
		ALT_CHAR_ENABLED	
		AS_OF_DATE	
		LEDGER_GROUP	
		NAME1	
		LEDGER	
*OPR_DEF_TBL_HR	Operator Defaults Table - HR	REG_REGION	
		INDUSTRY	
		STD_HRS_DEFAULT	
		INDUSTRY_SECTOR	
		ALT_CHAR_ENABLED	
		COMPANY	
		CAN_CMA	
		BUSINESS_UNIT	
		COUNTRY	
		MIN_STD_HRS	
		EXCHNG_TO_RT_TYPE	
		OPRCLASS	KEY(1)
		EXCHNG_TO_CURRENCY	
		SETID	
		PAY_SYSTEM_FLG	
		MAX_STD_HRS	
		CARRY_ID	
		STD_HRS_FREQUENCY	



OPR_ROWS_EE	Employee Search - Global	CAN_IND_SECTOR LAST_NAME PER_STATUS NAME_AC FIRST_NAME EMPLMT_SGBL_SBR	
OPR_ROWS_EE2	Employee Search - Global	EMPLMT_SGBL_SBR NAME_AC FIRST_NAME LAST_NAME PER_STATUS	
OPR_ROWS_EE_TRN	Pre Reqs Met Employees	LAST_NAME PER_STATUS EMPLMT_SGBL_SBR NAME_AC FIRST_NAME	
OPR_ROWS_NOPRQ	Pre Reqs Not Met Employees	EMPLMT_SGBL_SBR PER_STATUS LAST_NAME FIRST_NAME NAME_AC	
ORG_NAMEVALUE		ORGID SERVICE_ID PARAM_NAME VALUE	KEY(1) KEY(2) KEY(3)
ORG_TBL	Organizations	MANAGER_NAME DESCRLONG DESCR EFF_STATUS SETID DEPTID EFFDT	KEY(1) KEY(2) KEY(3)
OSHA_300_RUNS	OSHA 300/300A Report Runs	OPRID RUNCNTLID PRCSNAME DTTM_STAMP SEQ_NBR FILE_DATA_CHAR THRU_DATE FROM_DATE	KEY(1) KEY(2) KEY(3) KEY(4) KEY(5)
OSHA_301_REPORT	OSHA 301 Report	HOSPITAL_IN_PT TITLE TIME_BEGAN_WK NATURE_OF_INJ_ILL PHYSICIAN_NAME	



		HOSPITAL	
		WHAT_HAPPENED	
		ACTIVITY_BEFORE_IN	
		INCIDENT_TIME	
		ADDRESS1	
		STATE	
		CITY	
		WHAT_OBJECT_CAUSED	
		EMER_CARE_GIVEN	
		PHONE	
		NAME1	
		DATE_FILED	
		INCIDENT_NBR	KEY(1)
		EMPLID	KEY(2)
		DT_OF_DEATH	
		ADDRESS2	
		POSTAL	
OSHA_TEMPLATES	PS_OSHA_TEMPLATES	FILENAME	KEY(1)
		SEQ_NBR	KEY(2)
		FILE_DATA_CHAR	
OTH_EARNS_TAO	Payroll Other Earnings	COMP_RATECD	
		GB_GROUP_ID	
		SEPCHK	
		OTH_EARNS	
		EX_DOC_ID	
		BAS_CREDIT_SW	
		COMPANY	KEY(1)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		LINE_NUM	KEY(6)
		ADDL_NBR	KEY(7)
		ERNCD	KEY(8)
		TL_SOURCE	
		EX_DOC_TYPE	
		TAX_METHOD	
		OTH_HRS	
		COMPRATE_USED	
		XREF_NUM	
		HRS_DIST_SW	
		COMPRATE	
		RATE_USED	
		ADDL_SEQ	
		CURRENCY_CD	



		OTH_PAY	
		ADD_GROSS	
		VC_PAYOUT_PRD_ID	
		EX_LINE_NBR	
		JOB_PAY	
		VC_PLAN_ID	
P11D_NOTES_UK	P11D Notes	CAR_ID	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		P11D_NOTE_DSC_UK	
		P11D_NOTE_NO_UK	KEY(5)
		TAX_YEAR_END_UK	KEY(3)
P11D_SEC_A_UK	P11D Section A (UK)	ACCESSORIES_PRICE1	
		ACCESSORIES_PRICE2	
		AVAILABLE_FROM_DT	
		AVAILABLE_TO_DT	
		AVAILABLE_TO_STR	
		BUSINESS_MILEAGE_1	
		BUSINESS_MILEAGE_2	
		BUSINESS_MILEAGE_3	
		CO2_EMISSIONS	
		CAPITAL_CONT	
		CAR_BENEFIT_CHARGE	
		CAR_ID	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ENGINE_SIZE_1	
		ENGINE_SIZE_2	
		ENGINE_SIZE_3	
		ENGINE_TYPE_CD	
		FUEL_BEN_CHARGE	
		FUEL_PROVIDED	
		FUEL_REIMBURSED	
		LIST_PRICE	
		MAKE_AND_MODEL	
		PAYMENT_RECEIVED	
		REGISTRATION_DT	
		TAX_PERCENTAGE	
		TAX_YEAR_END_UK	KEY(3)
		TOTAL_CAR_AND_ACC	
		UNAVAILABLE_DAYS	
PAYGROUP_LANG	Related Lang-Paygroup Tbl	COMPANY	KEY(1)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)



		LANGUAGE_CD	KEY(3)
		PAYGROUP	KEY(2)
*PAYGROUP_TBL	Paygroups	AUTO_OVERTIME	
		AUTO_PAYSHEET_UPD	
		CAO_NLD	
		COMPANY	KEY(1)
		CONFIRM_ERRORS	
		COUNTRY	
		CURRENCY_CD	
		DD_SRC_BANK_ID	
		DED_PRIORITY	
		DEFAULT_SETID	
		DESCR	
		DESCRSHORT	
		DFLT_BEN_PROGRAM	
		EFFDT	KEY(3)
		EFF_STATUS	
		EMPL_TYPE	
		ERNCD_1042_EARNS	
		ERNCD_CNTRCT_REG	
		ERNCD_ERN_NOT_PD	
		ERNCD_HOLIDAY	
		ERNCD_OT_HRS	
		ERNCD_PD_NOT_ERN	
		ERNCD_REG_EARNS	
		ERNCD_REG_HRS	
		ERNCD_TIPS_ADJUST	
		ERNCD_TIPS_CRED	
		ERN_PROGRAM	
		ERR_PED_OPTION	
		FLSA_BASIC_FORMULA	
		FLSA_CALENDAR_ID	
		FLSA_PERIOD_TYPE	
		FLSA_REQUIRED	
		FLSA_SAL_HRS_USE	
		FREQ_ID_DAILY	
		FREQ_ID_MONTHLY	
		HOLIDAY_SCHEDULE	
		INDUSTRY	
		INDUSTRY_SECTOR	
		NET_PAY_MAXIMUM	
		NET_PAY_MINIMUM	
		OASDI_EARNS_BREAK	
		OASDI_HIGH_EXEMPT	
		OASDI_LOW_FACTOR	





		PAYCHECK_ADDR_OPTN	
		PAYCHECK_EMPL_SEQ	
		PAYCHECK_LOCN_OPTN	
		PAYCHECK_SEQ	
		PAYCHECK_SEQ_FLD01	
		PAYCHECK_SEQ_FLD02	
		PAYCHECK_SEQ_FLD03	
		PAYCHECK_SEQ_FLD04	
		PAYCHECK_SEQ_FLD05	
		PAYCHECK_SEQ_FLD06	
		PAYCHECK_SEQ_FLD07	
		PAYCHECK_SEQ_FLD08	
		PAYCHECK_SEQ_FLD09	
		PAYCHECK_SEQ_FLD10	
		PAYGROUP	KEY(2)
		PAY_FREQUENCY	
		PAY_REF_NBR	
		PAY_RPT_EMPL_SEQ	
		PAY_RPT_SEQ	
		PAY_RPT_SUBTOTALS	
		PI_CONFIG_ID	
		PRORATE_HRLY	
		PRORATE_SALARIED	
		REG_REGION	
		RETIREE_PAYGROUP	
		RETROPAY_PGM_ID	
		ROE_CONTACT_ID	
		ROE_ISSUER_ID	
		RT_CONV_DT	
		RT_TYPE	
		SRC_BANK_ID	
		STDNT_FIN_PAYGROUP	
		TERM_PGM_ID	
		TIPS_ADJUST	
		TIPS_DELAY_WTHLD	
		WAGE_LOSS_PLAN	
		WORK_SCHEDULE	
		PAYGRP_CAN_SBR	
		PAYGRP_FED_SBR	
PAYGRP_EMPLTYPE	Paygroup Employee Types	COMPANY	KEY(1)
		CONF_REQD_JOB	
		CONF_REQD_PARTIAL	
		EFFDT	KEY(3)
		EMPL_TYPE	KEY(4)
		PAYGROUP	KEY(2)





		CURRENCY_CD	
		DATE_ACKNOWLEDGE	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		EX_DOC_ID	KEY(3)
		EX_DOC_TYPE	KEY(4)
		EX_LINE_NBR	KEY(5)
		GROSSUP	
		MONETARY_AMOUNT	
		PROCESS_INSTANCE	
		REJECTED_REASON	
		SEPCHK	
*PAY_CALC_RUNCTL	Payroll Calc Run Control	CALC_SELECT	
		COMPANY	
		OFF_CYCLE	
		OPRID	KEY(1)
		PAGE_NUM	
		PAGE_NUM_THRU	
		PAYGROUP	
		PAY_END_DT	
		PRELIMINARY_CALC	
		PROCESS_ON_OFF	
		PROC_ERR086	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		XFER_CALC_ERRS	
*PAY_CALENDAR	Pay Calendar	ACCRUAL_PCT	
		AGGR_ID	
		CA_GL_INTFC_RUN	
		CHECK_DT	
		CLOSE_DT	
		COMPANY	KEY(1)
		CONFIRM_ERRORS	
		CPS_RUN	
		DED_SUBSET_GENL	
		DED_SUBSET_ID	
		DED_TAKEN	
		DED_TAKEN_GENL	
		ERR_PAY_END_DT	
		GL_INTERFACE_RUN	
		LD_TL_INTFC_RUN	
		OFF_CYCLE_EE_DED	
		ONCYCLE_PAY_END_DT	
		PAYGROUP	KEY(2)



		PAY_BEGIN_DT	
		PAY_CALC_RUN	
		PAY_CHECKS_RUN	
		PAY_CONFIRM_RUN	
		PAY_CONFIRM_START	
		PAY_END_DT	KEY(3)
		PAY_OFF_CYCLE	
		PAY_OFF_CYCLE_CAL	
		PAY_OFF_CYCLE_CLS	
		PAY_PDS_PER_YEAR	
		PAY_PERIOD	
		PAY_PRECALC_RUN	
		PAY_SHEETS_RUN	
		PERIOD_WEEKS	
		POSN_FUND_RUN	
		REVERSE_FLAG	
		RUN_ID	
		SINGLE_CHECK	
		Z_PAY_PERIOD_NUM	
PAY_CALENDR_NLD	Pay Calendar	PAY_CAL_FED_SBR	
		CALENDAR_YEAR	
		CHECK_DT	
		COMPANY	KEY(1)
		MONTHCD	
		NL_NBR_OF_WORKDAYS	
		NL_PRODUCTION_CD	
		NL_TXT_PAYMENT_ORD	
		PAYGROUP	KEY(2)
		PAY_BEGIN_DT	
		PAY_CALC_RUN	
		PAY_END_DT	KEY(3)
		RUN_ID	
PAY_CAL_BAL_ID	Pay Calendar - Balance ID	BALANCE_ID	KEY(4)
		BALANCE_PERIOD	
		BALANCE_QTR	
		BALANCE_YEAR	
		COMPANY	KEY(1)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
PAY_CBLD_RUNCTL	Calendar Build Run Control	CHECK_DT_DAYS	
		COMPANY	
		GVT_CY_RUN	
		GVT_FY_RUN	
		GVT_LY_RUN	
		GVT_PAY_YEAR	



		GVT_PY_RUN	
		OPRID	KEY(1)
		PAYGROUP	
		PAY_END_DT	
		PAY_PDS_PER_YEAR	
		RUN_CNTL_ID	KEY(2)
PAY_CHECK	Pay Check	BENEFIT_RCD_NBR	
		BUSINESS_UNIT	
		CHECK_DT	
		COMPANY	KEY(1)
		DEPTID	
		EMPLID	
		EMPL_RCD	
		EMPL_TYPE	
		FORM_ID	
		HP_CORRECTED_DT	
		HP_CORRECT_STATUS	
		LINE_NUM	KEY(6)
		LOCATION	
		NAME	
		NET_PAY	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYCHECK_ADDR_OPTN	
		PAYCHECK_ADJUST	
		PAYCHECK_CASHED	
		PAYCHECK_DIST_KEY1	
		PAYCHECK_DIST_KEY2	
		PAYCHECK_NAME	
		PAYCHECK_NBR	
		PAYCHECK_OPTION	
		PAYCHECK_REPRINT	
		PAYCHECK_STATUS	
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PAY_SHEET_SRC	
		PROVINCE	
		SEPCHK	KEY(7)
		SIN	
		SSN	
		TOTAL_DEDUCTIONS	
		TOTAL_GROSS	
		TOTAL_TAXES	
		ADDRESS_SBR	
		PAY_CHK_FED_SBR	



PAY_CHECK_DEAD	Unusable Checks	DEAD_CHECK_REASON	KEY(3)
		FORMID_REPLACED_BY	
		FORM_ID	KEY(1)
		PAYCHECK_NBR	KEY(2)
		PAYCHECK_NBR_REPL	
PAY_CHECK_DUE	Payment Record	PAY_SHEET_SRC	
		ACCOUNT_NUM	KEY(2)
		CHECK_DT	KEY(5)
		FORM_ID	KEY(3)
		NET_PAY	
PAY_CHECK_EARNS	Pay Check Earnings	PAYCHECK_NBR	KEY(4)
		PAY_SHEET_SRC	
		TRANSIT_NUM	KEY(1)
		ACCT_CD	KEY(10)
		ADDL_NBR	KEY(7)
		ADD_GROSS	
		BUDGET_DEPTID	
		BUSINESS_UNIT	KEY(11)
		COMPANY	KEY(1)
		DEPTID	KEY(12)
		DIST_CHECK_STATUS	
		DIST_PRORATE_OPTN	
		EARNINGS	
		EARN_BEGIN_DT	
		EARN_END_DT	
		EMPL_RCD	KEY(15)
		ERNCD	KEY(9)
		EX_DOC_ID	
EX_DOC_TYPE			
EX_LINE_NBR			
JOBCODE	KEY(13)		
LINE_NUM	KEY(6)		
OFF_CYCLE	KEY(4)		
PAGE_NUM	KEY(5)		
PAYGROUP	KEY(2)		
PAY_END_DT	KEY(3)		
POSITION_NBR	KEY(14)		
REVERSED			
SEPCHK	KEY(8)		
*PAY_CHECK_REVRS	Reversal Run Control Detail	ACCOUNTING_PERIOD	
		ACCTG_PERIOD_OPTN	
		CHECK_DT	
		COMPANY	
		DLT_CHECK_REVRS	
		EMPLID	



		FISCAL_YEAR	
		FORM_ID	
		LINE_NUM	KEY(7)
		OFF_CYCLE	KEY(5)
		OPRID	KEY(1)
		PAGE_NUM	KEY(6)
		PAYCHECK_ADJUST	
		PAYCHECK_NBR	
		PAYGROUP	KEY(3)
		PAY_END_DT	KEY(4)
		RUN_CNTL_ID	KEY(2)
		SEPCHK	KEY(8)
*PAY_CONF_RUNCTL	Payroll Confirm Run Control	COMPANY	
		OFF_CYCLE	
		OPRID	KEY(1)
		PAGE_NUM	
		PAGE_NUM_THRU	
		PAYGROUP	
		PAY_END_DT	
		PROCESS_ON_OFF	
		REVERSALS	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
PAY_CTX_DIST	Canadian Payroll Tax Dist	ACCOUNT	
		ACCOUNTING_PERIOD	KEY(11)
		ACCT_CD	KEY(12)
		BUDGET_DATA	KEY(13)
		COMPANY	KEY(1)
		CURRENCY_CD	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARN_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	KEY(10)
		HP_DISTRIB_OVRIDE	
		HP_RDIST_GL_INFACE	
		HP_RDIST_REV_SEQ	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		HP_RETDIST_STATUS	
		JOBCODE	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)



		PAY_END_DT	KEY(3)
		POSITION_NBR	
		POSITION_POOL_ID	
		PROVINCE	KEY(8)
		REVERSED	
		SEPCHK	KEY(7)
		TAX_CLASS_CAN	KEY(9)
		TAX_CUR	
PAY_CTX_LIAB_AP	Canadian CA Tax Liability	COMPANY	KEY(1)
		LINE_NBR	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PROVINCE	KEY(8)
		SEPCHK	KEY(7)
		SEQNO	KEY(10)
		TAX_CLASS_CAN	KEY(9)
		TAX_CUR	
		CHARTFLD_SBR	
PAY_CTX_OVRD	CAN Payroll Tax Override	ADDL_NBR	KEY(7)
		COMPANY	KEY(1)
		CTX_CLASS	KEY(9)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		ONE_TIME_CD	KEY(10)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(8)
		TAX_AMT	
PAY_DBAL_RUNCTL	Delete Balance Run Control	BALANCE_ID	
		BALANCE_PERIOD	
		BALANCE_YEAR	
		COMPANY	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
PAY_DEDUCTION	Payroll Deduction	AP_STATUS	
		BENEFIT_PLAN	KEY(10)
		BENEFIT_RCD_NBR	KEY(8)
		CALCULATED_BASE	
		COMPANY	KEY(1)
		DEDCD	KEY(11)
		DED_CLASS	KEY(12)





		DED_CUR	
		DED_CUR_PAYBK	
		DED_CUR_REFUND	
		DED_NOT_TAKEN	
		DED_SLSTX_CLASS	KEY(13)
		DISBURSE_DT	
		DISBURSE_STATUS	
		ESPP_PROCESS_FLAG	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(9)
		REASON_NOT_TAKEN	
		SEPCHK	KEY(7)
		PAY_CHK_FED_SBR	
PAY_DED_DIST	Payroll Deduction Fund Dist	ACCOUNT	
		ACCOUNTING_PERIOD	KEY(14)
		ACCT_CD	KEY(15)
		BENEFIT_PLAN	KEY(9)
		BUDGET_DATA	
		COMPANY	KEY(1)
		CURRENCY_CD	
		DEDCD	KEY(10)
		DED_CLASS	KEY(11)
		DED_CUR	
		DED_SLSTX_CLASS	KEY(12)
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARNES_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	KEY(13)
		HP_DISTRIB_OVRRIDE	
		HP_RDIST_GL_INFACE	
		HP_RDIST_REV_SEQ	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		HP_RETDIST_STATUS	
		JOBCODE	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)



		PLAN_TYPE	KEY(8)
		POSITION_NBR	
		POSITION_POOL_ID	
		REVERSED	
PAY_DED_LIAB_AP	CA Deduction Liability	SEPCHK	KEY(7)
		BENEFIT_PLAN	KEY(10)
		BENEFIT_RCD_NBR	KEY(8)
		COMPANY	KEY(1)
		DEDCD	KEY(11)
		DED_CLASS	KEY(12)
		DED_CUR	
		DED_SLSTX_CLASS	KEY(13)
		LINE_NBR	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(9)
		SEPCHK	KEY(7)
		SEQNO	KEY(14)
PAY_DISTRIBUTN	Payroll Deposit Distribution	CHARTFLD_SBR	
		ACCOUNT_NUM	
		ACCOUNT_TYPE	
		BANK_CD	
		BRANCH_EC_CD	
		COMPANY	KEY(1)
		DEPOSIT_AMOUNT	
		FORM_ID	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYCHECK_NBR	
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PRIORITY	KEY(8)
PAY_EARNINGS	Payroll Earnings	SEPCHK	KEY(7)
		ACCT_CD	
		ADDPAY_REASON	
		ADDL_NBR	KEY(7)
		ADDL_TAXES	
		BENEFIT_RCD_NBR	
		BEN_DED_STATUS	
		BUSINESS_UNIT	
		COMPANY	KEY(1)



---

COMPRATE_USED_OT	
COMPRATE_USED_REG	
COMP_RATECD_OT	
COMP_RATECD_REG	
DED_SUBSET_GENL	
DED_SUBSET_ID	
DED_TAKEN	
DED_TAKEN_GENL	
DEPTID	
DISABLE_DIR_DEP	
EARNES_BEGIN_DT	
EARNES_END_DT	
EI_PRIOR_PD_CORR	
EMPLID	
EMPL_RCD	
ERNCD_OT_HRS	
ERNCD_REG_EARNES	
ERNCD_REG_HRS	
FICA_STATUS_EE	
FLSA_END_DT	
FLSA_REQUIRED	
FLSA_RT	
FLSA_STATUS	
GENL_DED_STATUS	
GL_PAY_TYPE	
GROSSUP	
HOURLY_RT	
JOBCODE	
JOB_PAY	
LINE_NUM	KEY(6)
LOCALITY	
OFF_CYCLE	KEY(4)
OK_TO_PAY	
ORIG_PAYGROUP	
OT_HRLY_EARNES	
OT_HRS	
OVERRIDE_HOURLY_RT	
PAGE_NUM	KEY(5)
PAID_PRDS_PER_YEAR	
PAYGROUP	KEY(2)
PAY_END_DT	KEY(3)
PAY_FREQUENCY	
PAY_LINE_STATUS	
PAY_SHEET_SRC	
POSITION_NBR	



Table Name	Field Name	Field Type
PAY_ERN_DIST	Pay Check Earnings Dist	
	RATE_USED	
	REG_EARNS	
	REG_EARN_HRS	
	REG_HRLY_EARNS	
	REG_HRS	
	REG_PAY	
	REG_PAY_HRS	
	SEPCHK	
	SHIFT	
	SHIFT_RT	
	SINGLE_CHECK_USE	
	STATE	
	TAX_METHOD	
	TAX_PERIODS	
	TL_SOURCE	
	UNION_CD	
	XREF_NUM	
	ACCOUNT	
	ACCOUNTING_PERIOD	KEY(10)
	ACCT_CD	KEY(11)
	BUDGET_DATA	KEY(12)
	COMPANY	KEY(1)
	CURRENCY_CD	
	DEFAULT_FUND_OPTN	
	DEPTID	
	EARNINGS	
	EARNS_END_DT	
	EMPL_RCD	
	ERNCD	KEY(8)
	FISCAL_YEAR	KEY(9)
	HP_DISTRIB_OVERRIDE	
	HP_RDIST_GL_INFACE	
	HP_RDIST_REV_SEQ	
HP_RETDIST_PAY_DT		
HP_RETDIST_SEQ_NO		
HP_RETDIST_STATUS		
JOBCODE		
LINE_NUM	KEY(6)	
OFF_CYCLE	KEY(4)	
PAGE_NUM	KEY(5)	
PAYGROUP	KEY(2)	
PAY_END_DT	KEY(3)	
POSITION_NBR		
POSITION_POOL_ID		
REVERSED		



PAY_FORM_LANG	Payroll Form Codes RelLang	SEPCHK	KEY(7)
		DESCR	
		DESCRSHORT	
		FORM_ID	KEY(1)
*PAY_FORM_TBL	Payroll Form Codes	LANGUAGE_CD	KEY(2)
		DESCR	
		DESCRSHORT	
		FORM_ALIGNMENT_CNT	
		FORM_ID	KEY(1)
PAY_GARNISH	Payroll Garnishment	LAST_FORM_USED	
		AP_STATUS	
		AUTO_CALC_STOP	
		AUT_CALC_STOP_DAYS	
		BENEFIT_PLAN	KEY(9)
		COMPANY	KEY(1)
		DEDCD	KEY(10)
		DEDUCT_AMT	
		DEDUCT_CMPNY_FEE	
		DEDUCT_GARN_AMT	
		DEDUCT_PAYEE_FEE	
		DED_CLASS	KEY(11)
		GARNID	KEY(13)
		GARN_DED_LIM_AMT	
		GARN_DED_LIM_TYPE	
		GARN_DED_MAX_AMT	
		GARN_DED_OTH_AMT	
		GARN_DE_AMT	
		GARN_DE_TAXES	
		GARN_EX_AMT	
		GARN_EX_CALC	
		GARN_PRIORITY	KEY(12)
		GARN_PRORATE_RL_ID	
		GARN_REFUND	
		GARN_RULE_ID	
		GARN_SUPPORT_TYPE	
		INCLUDED_FEE_ADJ	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(8)
		PRORATE_INEFF_SW	
		SEPCHK	KEY(7)
		STATE_GARN_LAW	



Table Name	Description	Field Name	Key
PAY_GARN_OVRD	Payroll Garnishment Override	STATE_GARN_PRORATE	
		PAY_CHK_FED_SBR	
		ADDL_NBR	KEY(7)
		CMPNY_FEE_AMT	
		CMPNY_FEE_PCT	
		COMPANY	KEY(1)
		GARNID	KEY(9)
		GARN_DED_AMT	
		GARN_DED_CALC	
		GARN_DED_PCT	
		GARN_ONE_TIME_CD	
		GARN_PRIORITY	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYEE_FEE_AMT	
		PAYEE_FEE_PCT	
PAY_IMP_RUNCTL	Imputed Income Run Control	PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(8)
		BALANCE_ID	
		BALANCE_YEAR	
		CALC_SELECT	
		COMPANY	
		FROM_MONTH	
		IMPUTE_MODE	
		OPRID	KEY(1)
		PAYGROUP	
PAY_END_DT			
RUN_CNTL_ID	KEY(2)		
THRU_MONTH			
PAY_INS_EARNS	CAN UI Insurable Earnings	COMPANY	KEY(1)
		EARNS_END_DT	KEY(9)
		EMPLID	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(7)
		UI_CALC_SEQ	
		UI_EARNS_CUR	
		UI_EE_PREMIUM_CHQ	
		UI_EE_PREMIUM_CUR	
UI_EQUIV_WEEKS_CHQ			



		UI_EQUIV_WEEKS_CUR	
		UI_ER_RT	
		UI_PERIODS_PER_YR	
		UI_PERIOD_DT	KEY(8)
		UI_USE_WKLY	
		UI_WKLY_EARNS	
		UI_WKLY_EARNS_CHQ	
		UI_WKLY_HOURS	
		UI_WKLY_HOURS_CHQ	
		WAGE_LOSS_PLAN	
PAY_ISSUED	Pay Issued Message	ACCOUNT	
		CHECK_DT	
		CURRENCY_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EX_DOC_ID	KEY(3)
		EX_DOC_TYPE	KEY(4)
		EX_LINE_NBR	KEY(5)
		FORM_ID	
		MONETARY_AMOUNT	
		PAYCHECK_NBR	
		PAYCHECK_STATUS	
PAY_ISS_STG_PUB	Pay Issued Staging Table	ACCOUNT	
		AUDIT_ACTN	
		CHECK_DT	
		CURRENCY_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EX_DOC_ID	KEY(3)
		EX_DOC_TYPE	KEY(4)
		EX_LINE_NBR	KEY(5)
		FORM_ID	
		MONETARY_AMOUNT	
		PAYCHECK_NBR	
		PAYCHECK_STATUS	
		PROCESS_INSTANCE	
PAY_LINE	Payroll Line	BENEFIT_PROGRAM	
		BENEFIT_RCD_NBR	
		BUSINESS_UNIT	
		CHECK_DT	
		COMPANY	KEY(1)
		CONFIRMED	
		DEPTID	
		EMPLID	
		EMPL_RCD	



Table Name	Description	Field Name	Key
PAY_MESSAGE	Payroll Errors (Messages)	EMPL_TYPE	
		FORM_ID	
		JOB_CHANGE	
		LINE_NUM	KEY(6)
		LOCATION	
		LOCKED_FOR_CONF	
		MANUAL_CHECK	
		NAME	
		NET_PAY	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PARTIAL_PERIOD	
		PAYCHECK_ADJUST	
		PAYCHECK_NBR	
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PAY_SHEET_SRC	
		SINGLE_CHECK_USE	
		TL_SOURCE	
		TOTAL_GROSS	
PAY_MESSAGE_LNG	Payroll Message RelLang	COMPANY	KEY(1)
		LINE_NUM	KEY(6)
		MSGDATA1	KEY(9)
		MSGDATA2	KEY(10)
		MSGDATA3	KEY(11)
		MSGID	KEY(8)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PRCSINSTANCE	
		RUN_ID	
		SEPCHK	KEY(7)
PAY_MESSAGE_TBL	Payroll Message Table	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
PAY_OL_PRNTCTL	Online Print Configuration	MSGID	KEY(1)
		CONFIRM_W_ERRS	
		DESCR	
		DESCRLONG	
		DISTRIB_W_ERRS	
		MAX_ERROR_COUNT	
		MSGID	KEY(1)
		OPRID	KEY(1)
		OUTDEST	





Table Name	Description	Field Name	Key
PAY_ONE_TIME	Payroll Deduction Override	OUTDESTFORMAT	
		OUTDESTTYPE	
		RUNLOCATION	
		SERVERNAME	
		ADDL_NBR	KEY(7)
		BENEFIT_PLAN	KEY(10)
		COMPANY	KEY(1)
		DEDCD	KEY(11)
		DED_ADDL_AMT	
		DED_CALC	
		DED_CLASS	KEY(12)
		DED_RATE_PCT	
		DED_SLSTX_CLASS	KEY(13)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		ONE_TIME_CD	KEY(14)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(9)
PAY_OTH_EARNS	Payroll Other Earnings	SEPCHK	KEY(8)
		ADDL_NBR	KEY(7)
		ADDL_SEQ	
		ADD_GROSS	
		APPLID	
		AWARD_DATE	
		BAS_CREDIT_SW	
		COMPANY	KEY(1)
		COMPRATE	
		COMPRATE_USED	
		COMP_RATECD	
		CURRENCY_CD	
		ERNCD	KEY(8)
		EX_DOC_ID	
		EX_DOC_TYPE	
		EX_LINE_NBR	
		GB_GROUP_ID	
		HRS_DIST_SW	
		JOB_PAY	
		LINE_NUM	KEY(6)
NOTIFY_STATUS			
OFF_CYCLE	KEY(4)		
OTH_EARNS			
OTH_HRS			
OTH_PAY			



		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		RATE_USED	
		SEPCHK	
		TAX_METHOD	
		TL_SOURCE	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
		XREF_NUM	
PAY_PAGE	Payroll Page	BALNC_HOURLY_RT	
		BALNC_LINES	
		BALNC_LINES_OK	
		BALNC_OTH_EARNS	
		BALNC_OTH_HRS	
		BALNC_OT_HRS	
		BALNC_REG_PAY	
		BALNC_REG_PAY_HRS	
		COMPANY	KEY(1)
		CONFIRMED	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PAY_SHEET_SRC	
		SINGLE_CHECK_USE	
*PAY_PRNT_RUNCTL	Check Reprint Run Control	CHECK_DT	
		FORM_ALIGNMENT_CNT	
		FORM_ID	
		OPRID	KEY(1)
		PAYCHECK_NBR	
		PAYCHECK_NBR_THRU	
		RUN_CNTL_ID	KEY(2)
PAY_REQUEST	Pay Request Message	CURRENCY_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		EX_DOC_ID	KEY(3)
		EX_DOC_TYPE	KEY(4)
		EX_LINE_NBR	KEY(5)
		GROSSUP	
		MONETARY_AMOUNT	
		SEPCHK	
*PAY_REV_RUNCTL	Reversal Run Control	COMPANY	
		OPRID	KEY(1)



		PAYGROUP	
		PAY_END_DT	
PAY_RQT_STG_SUB	Pay Request Staging Table	RUN_CNTL_ID	KEY(2)
		AUDIT_ACTN	
		CURRENCY_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		EX_DOC_ID	KEY(3)
		EX_DOC_TYPE	KEY(4)
		EX_LINE_NBR	KEY(5)
		GROSSUP	
		MONETARY_AMOUNT	
		PROCESS_INSTANCE	
		SEPCHK	
		SEQNO	
PAY_RUN_LANG	Related Lang for PAY_RUN_TBL	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		RUN_ID	KEY(1)
*PAY_RUN_TBL	Payroll Run ID	DESCR	
		DESCRSHORT	
		RUN_ID	KEY(1)
PAY_SPCL_EARNS	Payroll Special Accumulator	COMPANY	KEY(1)
		EMPL_RCD	KEY(8)
		ERNCD_SPCL	KEY(9)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(7)
		SPCL_EARNS	
		SPCL_HRS	
PAY_TAX	U.S. Payroll Tax	AP_STATUS	
		COMPANY	KEY(1)
		LINE_NUM	KEY(6)
		LOCALITY	KEY(9)
		NLGRS_CUR	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		RESIDENT	
		SEPCHK	KEY(7)



Record Name	Description	Field Name	Key
PAY_TAX_1042	U.S. Payroll Tax for 1042	STATE	KEY(8)
		TAX_AGG	
		TAX_CLASS	KEY(10)
		TAX_CUR	
		TAX_NOT_TAKEN	
		TIPS_CUR	
		TIPS_DELAYED	
		TXGRS_AGG	
		TXGRS_CUR	
		PAY_CHK_FED_SBR	
		COMPANY	KEY(1)
		COUNTRY	KEY(9)
		INCOME_CD_1042	KEY(10)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
PAY_END_DT	KEY(3)		
SEPCHK	KEY(7)		
STATE	KEY(8)		
TAX_1042_CUR			
TAX_RT	KEY(11)		
TXGRS_1042_CUR			
WH_ALLOW_CUR			
PAY_TAX_CAN	CAN Payroll Tax	AP_STATUS	
		COMPANY	KEY(1)
		LINE_NUM	KEY(6)
		NLGRS_CUR	
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PROVINCE	KEY(8)
		SEPCHK	KEY(7)
		TAX_CLASS_CAN	KEY(9)
		TAX_CUR	
		TAX_NOT_TAKEN	
		TXGRS_CUR	
		UI_ER_RT	
		WAGE_LOSS_PLAN	
		PAY_TAX_DIST	U.S. Payroll Tax Dist
ACCOUNTING_PERIOD	KEY(12)		
ACCT_CD	KEY(13)		
BUDGET_DATA	KEY(14)		
COMPANY	KEY(1)		



		CURRENCY_CD	
		DEFAULT_FUND_OPTN	
		DEPTID	
		EARN_END_DT	
		EMPL_RCD	
		FISCAL_YEAR	KEY(11)
		HP_DISTRIB_OVERRIDE	
		HP_RDIST_GL_INFACE	
		HP_RDIST_REV_SEQ	
		HP_RETDIST_PAY_DT	
		HP_RETDIST_SEQ_NO	
		HP_RETDIST_STATUS	
		JOBCODE	
		LINE_NUM	KEY(6)
		LOCALITY	KEY(9)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		POSITION_NBR	
		POSITION_POOL_ID	
		REVERSED	
		SEPCHK	KEY(7)
		STATE	KEY(8)
		TAX_CLASS	KEY(10)
		TAX_CUR	
PAY_TAX_LIAB_AP	TAX LIABILITY AP	COMPANY	KEY(1)
		LINE_NBR	
		LINE_NUM	KEY(6)
		LOCALITY	KEY(9)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(7)
		SEQNO	KEY(11)
		STATE	KEY(8)
		TAX_CLASS	KEY(10)
		TAX_CUR	
		CHARTFLD_SBR	
PAY_TAX_OVRD	U.S. Payroll Tax Override	ADDL_NBR	KEY(7)
		COMPANY	KEY(1)
		LINE_NUM	KEY(6)
		LOCALITY	KEY(10)
		OFF_CYCLE	KEY(4)



		ONE_TIME_CD	KEY(12)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(8)
		STATE	KEY(9)
		TAX_AMT	
		TAX_CLASS	KEY(11)
PA_401A17_PARMS	401(a)17	CARRY_BACK	
		CONSEC_FRACTION	
		DESCR	
		LIMIT_EFFDT	
		LIMIT_OPTIONS	
		LIMIT_START_YEAR	
		LIMIT_USE_NAME	KEY(1)
		PROJECT_COLA	
		PRORATE_PARTIAL	
		PRORATE_SHORT	
		TBL_LOOKUP_NAME	
PA_415_LIMIT	415 Limits	AMT_415E_ALIAS	
		AMT_415E_IND	
		BENEFIT_PLAN	
		COLA_TABLE_ID	
		COLA_TYPE	
		DBFRACT_WARNING	
		DEFINITION_NAME	KEY(1)
		DESCR	
		FAE_DEFINITION_NM	
		FAE_USERCD	
		INCREASE_FACT1	
		INCREASE_FACT2	
		LIMIT_TABLE_ALIAS	
		REDUCTION_FACT1	
		REDUCTION_FACT2	
		REDUCTION_OPTIONS	
		TENYR_PART_SVC_DFN	
		TENYR_PART_USERCD	
		TENYR_RED_SVCDFN	
		TENYR_RED_USERCD	
PA_415_LIMIT3	415 Limits	BENEFIT_PLAN	KEY(2)
		DEFINITION_NAME	KEY(1)
		FORM_SET	KEY(3)
		PLAN_ORDER_NUMBER	
PA_ACCT_BAL	Employee Accounts	APPLY_401A17	
		CONS_DEDUCT_NAME	



		CREDIT_BASIS	
		CREDIT_CALC	
		CUSTOM_STMT_NAME	
		DEFINITION_NAME	KEY(1)
		LIMIT_401A17_NAME	
PA_ACCUMS	Cash Balance History	PROJECT_METHOD	
		ACCUM_CREDITS	
		ACCUM_INTEREST	
		ACCUM_PERIOD	
		BALANCE_INTEREST	
		BALANCE_INT_RATE	
		BEG_BALANCE	
		BENEFIT_PLAN	KEY(1)
		CONTRIBUTION_RATE	
		CONTRIB_RATE_ABOVE	
		CREDIT_ADJ_PRD	
		CREDIT_INT_ADJ	
		CREDIT_INT_RATE	
		CREDIT_PRD	
		EARNINGS	
		EMPLID	KEY(3)
		END_BALANCE	
		END_DATE	
		FUNCTN_RESULT_NM	KEY(2)
		START_DATE	KEY(4)
PA_ACTIVE_JOB		ACTIVE_DEFINITION	KEY(1)
		ACTIVE_INACTIVE	KEY(2)
		CATEGORY	KEY(3)
PA_ACT_JOBLIST		ACTIVE_DEFINITION	KEY(1)
		DESCR	
PA_ALIAS_USE	Aliases	ALIAS_FLD_NAME	
		ALIAS_FLD_PIC	
		ALIAS_NAME	KEY(1)
		ALIAS_PROMPT	
		ALIAS_TBL_NAME	
		ALIAS_TYPE	
		AUTO_ASSOC_FR_NM	
		AUTO_ASSOC_PLAN_NM	
		AUTO_CONCEPT_CD	
		DESCR	
		DESCR50	
		DURR_XREF_ALIAS	
		PA_SEQ_NUM	
		PSTABLE	
		TBL_STRT_EFF_CD	



		WHERE_CLAUSE_TYPE			
PA_ALIAS_XPANL	Aliases	ALIAS_NAME	KEY(1)		
		CUSTOM_STMT_NAME	KEY(4)		
		PANEL_ALIAS_NUM	KEY(3)		
		PANEL_NAME	KEY(2)		
PA_ALIAS_XREF	Aliases	ALIAS_NAME	KEY(1)		
		ALIAS_TYPE	KEY(2)		
		PA_KEYFIELD	KEY(3)		
		PA_KEYVALUE	KEY(4)		
		PA_USEFIELD	KEY(6)		
		PA_USEREC	KEY(5)		
PA_AUDIT	Pension Audit Trace Parameters	PA_AUDIT_IND	KEY(1)		
		PA_TRACE_415			
		PA_TRACE_ACT			
		PA_TRACE_AGE			
		PA_TRACE_BEL			
		PA_TRACE_CLC			
		PA_TRACE_CMP			
		PA_TRACE_CSH			
		PA_TRACE_DED			
		PA_TRACE_DTH			
		PA_TRACE_EPB			
		PA_TRACE_ERN			
		PA_TRACE_FAE			
		PA_TRACE_HRS			
		PA_TRACE_OPT			
		PA_TRACE_PEL			
		PA_TRACE_PMT			
		PA_TRACE_PRT			
		PA_TRACE_SOC			
		PA_TRACE_SRV			
		PA_TRACE_VST			
		PA_AUDIT_TRACE	Pension Audit Trace Log	PA_AUDIT_TXT	
				PROCESS_INSTANCE	
RUNDTTM					
PA_CALCULATION	Calculation Input Parameters	RUN_CNTL_ID			
		ADD_YRS_TO_AGE			
		ASOFDATE			
		BEN_CMDT_ALIAS			
		BEN_CMDT_ALIAST			
		BEN_CMDT_DATE			
		BEN_STMT_DT			
		BIRTHDATE			
		CALCULATION_TYPE			
		CALC_ALL_PLANS_CD			





		CALC_ARCH_DEL_CD	
		CALC_ARCH_DEL_DT	
		CALC_EXEC_TS	
		CALC_NAME	KEY(1)
		CALC_PURPOSE	
		CALC_REASON	
		CALC_RUN_STATUS	
		CALC_SEQ_NUM	
		CALC_STATUS	
		CALC_TS	
		CPI_ASMP_INC_PCT	
		CUSTOM_STMT_NAME	
		DELETE_EXIST_RSLTS	
		DEPENDENT_BENEF	
		DESCR	
		EARN_ASSUMP_AMT	
		EMPLID	
		EVENT_AGE	
		EVENT_DT	
		EVENT_DT_ALIAS	
		EVENT_DT_ALIAST	
		EXT_EMPL_DATA_IND	
		GROUP_NAME	
		HRS_ASSMP_AMT	
		LIST_NM	
		NAME	
		OPRID	
		PA_SVC_RESTORE	
		PROCESS_INSTANCE	
		REL_CALC_BEN_PCT	
		REL_CALC_NAME	
		RUN_CNTL_ID	
		SALSC_ASMP_INC_PCT	
		SPOUSE_BIRTHDATE	
		SSPIA_RESULT_NM	
		SS_PIA_CD	
		VERBOSE_MODE	
		WAGE_BASE_ESCAL_RT	
PA_CALC_GRP	Group Calculation List	EMPLID	KEY(2)
		LIST_NM	KEY(1)
PA_CALC_RESTART	Calculation Restart Data	BENEFIT_PLAN	
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EMPLID	
		OPRID	



PA_CBAL_TRANS	Cash Balance Adjustments	RUN_CNTL_ID	
		BENEFIT_PLAN	KEY(1)
		CBAL_TRAN_RESN	
		COMMENTS	
		CONTRIB_ADJ_AMT	
		EMPLID	KEY(3)
		FUNCTN_RESULT_NM	KEY(2)
		INTEREST_ADJ_AMT	
		SEQNUM	KEY(4)
		TRANSACTION_DATE	KEY(5)
PA_CB_EMP_BEN	Union Code History	TRANS_STATUS	
		BENEFIT_PLAN	KEY(3)
		DEPENDENT_BENEF	
PA_CLC_415_AY	Calc Results 415 limits	EFFDT	KEY(2)
		EMPLID	KEY(1)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		COLA_ADJ	
		DB_415E_LIMIT	
		DB_FRACTION	
		DC_FRACTION	
		EMPLID	KEY(3)
		FAE_ADJ	
		FAE_LIMIT	
		L415_DEFINITION	KEY(4)
		MAX_ADJ	
		MAX_LIMIT	
		REDUCTION_AMT	
PA_CLC_ACCT_AY	Calc Results Cash Balance	SLA_AMOUNT	
		USED_415_LIMIT	
		ACCUM_CREDITS	
		ACCUM_INTEREST	
		BALANCE_INTEREST	
		BALANCE_INT_RATE	
		BEG_BALANCE	
		BENEFIT_PLAN	KEY(2)
		CALC_NAME	KEY(1)
		CONTRIBUTION_RATE	
		CONTRIB_RATE_ABOVE	
		CREDIT_ADJ_PRD	
		CREDIT_INT_ADJ	
		CREDIT_INT_RATE	
		CREDIT_PRD	
EARNINGS			
EMPLID	KEY(4)		



Table Name	Description	Field Name	Key
PA_CLC_ADJUST	Calc Input Adjustment Values	END_BALANCE	
		END_DT	
		FUNCTN_RESULT_NM	KEY(3)
		START_DT	KEY(5)
		BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		FLD_CODE	
		FLD_NAME	
		FLD_PICTURE	
		FLD_SEQ_NUM	KEY(8)
		FLD_TYPE	
		FLD_TYPE_SDEC	
		FUNCTN_NAME	KEY(6)
FUNCTN_SEQ_NUM	KEY(7)		
PA_CLC_ALS_ERR	Calc Output Alias Errors	OVERRIDE_IND	
		PROC_EXEC_ORD_NUM	KEY(4)
		PROC_NAME	
		PROC_SEQ_NUM	KEY(5)
		ALIAS_CHAIN_NUM	
		ALIAS_CHN_POS_NUM	
		ALIAS_ERR_CD	
		ALIAS_NAME	
		BENEFIT_PLAN	
		CALC_NAME	
PA_CLC_ALS_VAL	Calc Output Alias Resolutions	CALC_SEQ_NUM	
		EMPLID	
		PROC_SEQ_NUM	
		ALIAS_CHAR_VAL	
		ALIAS_DATE_VAL	
		ALIAS_DEC_VAL	
		ALIAS_INT_VAL	
		ALIAS_NAME	KEY(5)
		ALIAS_TS_VAL	
		ALIAS_VAL_FLD_TYPE	
PA_CLC_DATES	Calc Output Dates	BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EMPLID	KEY(3)
		BENEFIT_PLAN	KEY(3)
		BEN_CMAGE_DEC	
		BEN_CMCMNT_AGE	
		BEN_CMDT_DATE	
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)



Table Name	Description	Field Name	Key
PA_CLC_EACCT_AY	Calc Results Employee Accounts	EMPLID	KEY(4)
		LUMP_AGE_DEC	
		LUMP_SUM_AGE	
		LUMP_SUM_DT	
		ACCUM_POST_TAX	
		ACCUM_POST_TAX_INT	
		ACCUM_PRE_TAX	
		ACCUM_PRE_TAX_INT	
		BALANCE_INT_RATE	
		BEG_BALANCE	
		BENEFIT_PLAN	KEY(2)
		CALC_NAME	KEY(1)
		CREDIT_INT_RATE	
		EMPLID	KEY(4)
		END_BALANCE	
		END_DT	
		FUNCTN_RESULT_NM	KEY(3)
		PA_SVC_PRCHABLE	
		PA_SVC_PRCH_ADJ	
		PA_SVC_PURCHASED	
		POST_TAX_DED_ADJ	
		POST_TAX_DED_AMT	
		POST_TAX_DED_INT	
PO_TAX_DED_INT_ADJ			
PRE_TAX_DED_ADJ			
PRE_TAX_DED_AMT			
PRE_TAX_DED_INT			
PR_TAX_DED_INT_ADJ			
PA_CLC_EMP	Calc Results Employee Bio	START_DT	KEY(5)
		BIRTHDATE	
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EMPLID	KEY(3)
		EVENT_DT	
		MAR_STATUS	
		NAME	
		SEX	
		SPOUSE_BIRTHDATE	
SPOUSE_NAME			
PA_CLC_EMP_JOB	Calc Results Employee Job Hist	ACTION	
		ACTION_DT	
		ACTION_REASON	
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EFFDT	KEY(4)



		EFFSEQ	KEY(5)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(6)
		EMPL_TYPE	
PA_CLC_FAE_AY	Calc Results Final Avg Earning	BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		DENOMINTR	
		EMPLID	KEY(5)
		END_DT	
		ERN_ADJ_AMT	
		ERN_GEN_AMT	
		ERN_PRD_AMT	
		FUNCTN_RESULT_NM	KEY(4)
		LAST_PROC_DT	
		PROJECTED_FLAG	
		START_DT	KEY(6)
PA_CLC_MULTIJOB	Calc Results	BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		COMBINE_MULTIJOB	
		EMPLID	KEY(3)
		EMPL_RCD	
PA_CLC_OFRM_AY	Calc Results Optional Form Amt	APPLIES_AT_DATE	
		BASE_BENEFIT	KEY(6)
		BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		DEFAULT_MARRIED	
		DEFAULT_SINGLE	
		DEPENDENT_BENEF	
		EMPLID	KEY(3)
		FORM_AVAILABLE	
		FORM_CODE	KEY(7)
		FORM_FACTOR	
		FORM_LONG_NAME	
		FOR_415_ONLY	
		FUNCTN_RESULT_NM	KEY(5)
		GUARANTEED_PAYMENT	KEY(8)
		L415_DEFINITION	
		L415_PMT_AMT1	
		L415_PMT_AMT1_NOTX	
		L415_PMT_AMT2	
		L415_PMT_AMT2_NOTX	
		L415_PMT_AMT3	



		L415_PMT_AMT3_NOTX	
		L415_PMT_AMT4	
		L415_PMT_AMT4_NOTX	
		LIO_AGE_DATE	
		MDIB_VIOLATION	
		PA_DEP_PMT1	
		PA_DEP_PMT2	
		PA_DEP_PMT3	
		PA_DEP_PMT4	
		PA_PMT_AMT1	
		PA_PMT_AMT1_NOTAX	
		PA_PMT_AMT2	
		PA_PMT_AMT2_NOTAX	
		PA_PMT_AMT3	
		PA_PMT_AMT3_NOTAX	
		PA_PMT_AMT4	
		PA_PMT_AMT4_NOTAX	
		PA_PMT_TYP1	
		PA_PMT_TYP2	
		PA_PMT_TYP3	
		PA_PMT_TYP4	
		PCT_CONTINUED	KEY(9)
		PRECEDENCE_ORDER	
		PRORATION_PCT	
		PYMT_FREQ	
		QJSA_IND	
		SLA_FORM_IND	
		SMALL_BNFT_CASHOUT	
		SPOUSAL_CONSENT	
		USER_REDUCTION	
		USE_IN_415	
PA_CLC_PEL_AY	Calc Results Plan Eligibility	BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		ELIG_STATUS_PA	
		EMPLID	KEY(3)
		FUNCTN_RESULT_NM	KEY(5)
		START_DT	KEY(6)
		STOP_DT	
PA_CLC_PLN_BENE	Calculation Inputs by Plan	BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		EMPLID	KEY(2)
		PA_BENEF_DOB	
		PA_BENEF_NAME	
		PA_BENEF_SEX	



Table Name	Description	Field Name	Key
PA_CLC_PLN_INPT	Calculation Inputs by Plan	PA_SS_ELIG	
		BENEFIT_PLAN	KEY(3)
		BEN_CMCMT_AGE	
		BEN_CMDT_ALIAS	
		BEN_CMDT_ALIAST	
		BEN_CMDT_DATE	
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		CLC_PLN_ORD_NUM	
		CONT_ASMP_PCT	
		ERISA_QUAL_IND	
		LUMP_SUM_AGE	
		LUMP_SUM_DT	
		LUMP_SUM_DT_ALIAS	
		LUMP_SUM_DT_ALIAST	
		PA_BENEF_DOB	
		PA_BENEF_SEX	
		PA_CB_CONT_SW	
		PA_SS_ELIG_OVRD	
		USE_ADJUST_SECT	
		USE_NRD_OR_ERD	
		USE_OVERRIDE_SECT	
		USE_PROCESS_SECT	
PA_CLC_PROCLIST	Calc Input Process Selection	BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		DESCR	
		EXEC_ONLY_CD	
		EXPOSE_INT_CD	
		FLD_CNT	
		OVERRIDE_IND	
		PROC_EXEC_ORD_NUM	KEY(4)
		PROC_NAME	
		PROC_PREV_ELIG_CD	
		PROC_SEQ_NUM	KEY(5)
		PROC_TYPE	
PA_CLC_PR_FLD_1	Calc Input Override Values	BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		FLD_CODE	
		FLD_NAME	
		FLD_PICTURE	
		FLD_SEQ_NUM	KEY(8)
		FLD_TYPE	
		FLD_TYPE_CHAR	



Table Name	Description	Field Name	Key
PA_CLC_SOC_AY	Calc Results Social Security	FLD_TYPE_DATE	
		FLD_TYPE_DEC	
		FUNCTN_NAME	KEY(6)
		FUNCTN_SEQ_NUM	KEY(7)
		OVERRIDE_IND	
		PROC_EXEC_ORD_NUM	KEY(4)
		PROC_NAME	
		PROC_SEQ_NUM	KEY(5)
		BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	
		CALENDAR_YR	KEY(5)
		CVRD_AMT	
		EARNED_AMT	
		EMPLID	KEY(2)
		FUNCTN_RESULT_NM	KEY(4)
		HIGH_AMT	
IDXD_AMT			
SOC_SEC_FLAG			
TWB_AMT			
USAW_AMT			
PA_CLC_SRCH_3		CALC_NAME	KEY(1)
		EMPLID	
		LIST_NM	
		NAME	
PA_CLC_SUMMARY	Calc Results Panel Work Record	NATIONAL_ID	
		BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
PA_CLC_SVC_ADJ		EMPLID	KEY(3)
		BENEFIT_PLAN	KEY(1)
		DATE_FROM	KEY(6)
		DATE_TO	KEY(7)
		EMPLID	KEY(3)
		FUNCTN_RESULT_NM	KEY(2)
		PA_SVC_DURATN	
PA_CLC_SVC_ADJ2		SEQNUM	KEY(4)
		TRANSACTION_DATE	KEY(5)
		BENEFIT_PLAN	KEY(1)
		DATE_FROM	KEY(6)
		DATE_TO	KEY(7)
		EMPLID	KEY(3)
		FUNCTN_RESULT_NM	KEY(2)
		PA_SVC_DURATN	
		SEQNUM	KEY(4)





PA_CLC_SVC_AY	Calc Results Service	TRANSACTION_DATE	KEY(5)
		ACCUM_BRKS	
		ACCUM_SVC_W_BRKS	
		ACTION	
		ACTION_REASON	
		BENEFIT_PLAN	KEY(3)
		BRKS_PRD	
		CALC_NAME	KEY(1)
		EMPLID	KEY(2)
		FUNCTN_RESULT_NM	KEY(4)
		GEN_ADJ_IND	
		HRS_FOR_PRD	
		PRCS_THRU_DT	
		PRD_END_DT	
		PRD_FR_DT	KEY(5)
		SERVICE_TYPE	
		SVC_ADJ_AMT	
		SVC_AMT_WO_BRK	
		SVC_AMT_W_BRK	
UNITS			
VEST_SVC_PCT			
PA_CLC_VAL_CHAR	Calc Results Character Fields	BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EMPLID	KEY(3)
		FLD_NAME	
		FLD_SEQ_NUM	KEY(6)
PA_CLC_VAL_DEC	Calc Results Decimal Fields	FLD_VAL_CHAR_NOVRD	
		FUNCTN_RESULT_NM	KEY(5)
		BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EMPLID	KEY(3)
PA_CLC_VAL_DT	Calc Results Date Fields	FLD_NAME	
		FLD_SEQ_NUM	KEY(6)
		FLD_VAL_DEC_NOVRD	
		FUNCTN_RESULT_NM	KEY(5)
		BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
PA_CLC_VAL_DT	Calc Results Date Fields	CALC_SEQ_NUM	KEY(2)
		EMPLID	KEY(3)
		FLD_NAME	
		FLD_SEQ_NUM	KEY(6)
		FLD_VAL_DT_NOVRD	
		FUNCTN_RESULT_NM	KEY(5)



PA_CONS_ARRAY	Consolidated Earnings	ACCUM_PERIOD	KEY(4)		
		EFFDT	KEY(3)		
		EMPLID	KEY(1)		
		END_DT	KEY(6)		
		ERN_ADJ_AMT			
		ERN_GEN_AMT			
		ERN_PRD_AMT			
		FUNCTN_RESULT_NM	KEY(2)		
		LAST_PROC_DT			
		OVERRIDE_AMT			
		OVERRIDE_FRACTN			
		OVERRIDE_IND			
		OVERRIDE_PARTIAL			
		OVERRIDE_TYPE			
		PARTIAL_PERIOD_CD			
PARTIAL_PRD_FRACTN					
START_DT	KEY(5)				
PA_CONS_DED	Consolidated Contributions	ACCUM_BASIS			
		ACCUM_PERIOD			
		BENEFIT_PLAN			
		DEDCD			
		DED_CLASS			
		DEFINITION_NAME	KEY(1)		
		DESCR			
		PLAN_TYPE			
		START_DAY			
		START_MONTH			
PA_CONS_DED_AY	Consolidated Contributions	ACCUM_PERIOD	KEY(4)		
		EFFDT	KEY(3)		
		EMPLID	KEY(1)		
		END_DT	KEY(6)		
		FUNCTN_RESULT_NM	KEY(2)		
		LAST_PROC_DT			
		OVERRIDE_IND			
		OVERRIDE_POSTTAX			
		OVERRIDE_PRETAX			
		OVERRIDE_TYPE			
		POST_TAX_DED_AMT			
		PRE_TAX_DED_AMT			
		START_DT	KEY(5)		
		PA_CONS_EARN	Consolidated Earnings	ACCUM_BASIS	
				ACCUM_PERIOD	
ADDITIONAL					
ADDITIONAL_ALIAS					
ADDITIONAL_ALIAST					



		ADDITIONAL_TYPE	
		CONS_BASIS	
		DEFINITION_NAME	KEY(1)
		DESCR	
		ERNCD_SPCL	
		MAXIMUM_LIMIT	
		MAXIMUM_LIMIT_TYPE	
		MAX_LIMIT_ALIAS	
		MAX_LIMIT_ALIAST	
		MINIMUM	
		MINIMUM_ALIAS	
		MINIMUM_ALIAST	
		MINIMUM_TYPE	
		PARTIAL_CONT_CDS	
		PARTIAL_EXCL_CDS	
		PARTIAL_INCL_CDS	
		PA_W2_BOX	
		ROUND_METHOD	
		START_DAY	
		START_MONTH	
		TOTAL_PAY	
		USE_ACTUAL_COMPRTS	
PA_CONS_EARNEXC	Consolidated Earnings	DEFINITION_NAME	KEY(1)
		HR_ACTION_CATEGORY	KEY(2)
PA_CONS_EARNHIR	Consolidated Earnings	ANNUALIZE_OPTION	
		DEFINITION_NAME	KEY(1)
		HR_ACTION_CATEGORY	KEY(2)
		PERIOD_METHODS	
PA_CONS_EARNST1	Consolidated Earnings	DEFINITION_NAME	KEY(1)
		GENERATE_EARNS	
		HR_ACTION_CATEGORY	KEY(2)
		REPLACE_AMOUNT	
		REPLACE_AMT_ALIAS	
		REPLACE_AMT_ALIAST	
		REPLACE_AMT_TYPE	
		UPLIFT_FACTOR	
		UPLIFT_FACT_ALIAS	
		UPLIFT_FACT_ALIAST	
		UPLIFT_FACT_TYPE	
PA_CONS_EARNST2	Consolidated Earnings	CUSTOM_STMT_NAME	KEY(2)
		DEFINITION_NAME	KEY(1)
		GENERATE_EARNS	
		REPLACE_AMOUNT	
		REPLACE_AMT_ALIAS	
		REPLACE_AMT_ALIAST	



		REPLACE_AMT_TYPE	
		UPLIFT_FACTOR	
		UPLIFT_FACT_ALIAS	
		UPLIFT_FACT_ALIAST	
		UPLIFT_FACT_TYPE	
PA_CONS_EARNTER	Consolidated Earnings	ANNUALIZE_OPTION	
		DEFINITION_NAME	KEY(1)
		HR_ACTION_CATEGORY	KEY(2)
		PERIOD_METHODS	
PA_CONS_EARN_CD	Consolidated Earnings	ACCUMULATION_PCT	
		DEFINITION_NAME	KEY(1)
		ERNCD	KEY(2)
		PA_LIMIT_AMOUNT	
		SPCL_BALANCE	
PA_CONS_EARN_RT	Consolidated Earnings	COMP_MULT_ALIAS	
		COMP_MULT_ALIAST	
		COMP_MULT_TYPE	
		COMP_RATE_MULT	
		COMP_RATE_PERIOD	
		DEFINITION_NAME	KEY(1)
		EFFDT_DAY	
		EFFDT_MONTH	
		PA_SEQ_NUM	KEY(2)
PA_CONS_HOUREXC	Consolidated Hours	DEFINITION_NAME	KEY(1)
		HR_ACTION_CATEGORY	KEY(2)
PA_CONS_HOURHIR	Consolidated Hours	ANNUALIZE_OPTION	
		DEFINITION_NAME	KEY(1)
		HR_ACTION_CATEGORY	KEY(2)
		PERIOD_METHODS	
PA_CONS_HOURTER	Consolidated Hours	ANNUALIZE_OPTION	
		DEFINITION_NAME	KEY(1)
		HR_ACTION_CATEGORY	KEY(2)
		PERIOD_METHODS	
PA_CONS_HRS	Consolidated Hours	ACCUM_BASIS	
		ACCUM_PERIOD	
		ADDITIONAL	
		ADDITIONAL_ALIAS	
		ADDITIONAL_ALIAST	
		ADDITIONAL_TYPE	
		CONS_EARNINGS_NM	
		CUSTOM_STMT_NAME	
		DEFINITION_NAME	KEY(1)
		DESCR	
		EARN_HRS_DIVISOR	
		ERNCD_SPCL	



		HRS_BASIS	
		HRS_CONSTANT	
		HRS_CONSTANT_ALIAS	
		HRS_CONSTANT_TYPE	
		HRS_CONST_ALIAST	
		HR_ACTION_CATEGORY	
		MAXIMUM_LIMIT	
		MAXIMUM_LIMIT_TYPE	
		MAX_LIMIT_ALIAS	
		MAX_LIMIT_ALIAST	
		MINIMUM	
		MINIMUM_ALIAS	
		MINIMUM_ALIAST	
		MINIMUM_TYPE	
		PA_W2_BOX	
		START_DAY	
		START_MONTH	
		TABLE_USE_NAME	
		TABLE_USE_NAMET	
		TOTAL_PAY	
		USE_ANNV_PD	
PA_CONS_HRSTAT3	Consolidated Hours	DEFINITION_NAME	KEY(1)
		GENERATION_METHOD	
		HR_ACTION_CATEGORY	KEY(2)
		REPLACE_AMOUNT	
		REPLACE_AMT_ALIAS	
		REPLACE_AMT_ALIAST	
		REPLACE_AMT_TYPE	
		UPLIFT_FACTOR	
		UPLIFT_FACT_ALIAS	
		UPLIFT_FACT_ALIAST	
		UPLIFT_FACT_TYPE	
PA_CONS_HRSTAT4	Consolidated Hours	CUSTOM_STMT_NAME	KEY(2)
		DEFINITION_NAME	KEY(1)
		GENERATION_METHOD	
		REPLACE_AMOUNT	
		REPLACE_AMT_ALIAS	
		REPLACE_AMT_ALIAST	
		REPLACE_AMT_TYPE	
		UPLIFT_FACTOR	
		UPLIFT_FACT_ALIAS	
		UPLIFT_FACT_ALIAST	
		UPLIFT_FACT_TYPE	
PA_CONS_HRS_AY	Consolidated Hours	ACCUM_PERIOD	KEY(4)
		EFFDT	KEY(3)



		EMPLID	KEY(1)
		END_DT	KEY(6)
		ERN_ADJ_HRS	
		ERN_GEN_HRS	
		ERN_PRD_HRS	
		FUNCTN_RESULT_NM	KEY(2)
		LAST_PROC_DT	
		OVERRIDE_HRS	
		OVERRIDE_IND	
		OVERRIDE_PARTIAL	
		OVERRIDE_TYPE	
		PARTIAL_PERIOD_CD	
		START_DT	KEY(5)
PA_CONS_HRS_CD	Consolidated Hours	ACCUMULATION_PCT	
		DEFINITION_NAME	KEY(1)
		ERNCD	KEY(2)
		LIMIT_HOURS	
		SPCL_BALANCE	
PA_CPI_PCT_TBL	Consumer Price Index	CPI_PCT	
		CPI_YR	KEY(2)
		EFFDT	KEY(1)
PA_CUSTOM	Custom Statements	CUSTOM_ORDER	
		CUSTOM_STMT_NAME	KEY(1)
		CUSTOM_TYPE	
		DESCR	
		DESCRLONG	
PA_CUSTOM2	Custom Statements	CUSTOM_STMT_NAME	KEY(1)
		KEYWORD	
		OPERAND1	
		OPERAND1_ALSTYP	
		OPERAND1_CHAR	
		OPERAND1_DATE	
		OPERAND1_DEC	
		OPERAND1_DT	
		OPERAND1_HIST	
		OPERAND1_PIC	
		OPERAND1_PLAN	
		OPERAND1_SEQ	
		OPERAND1_TYP	
		OPERAND2	
		OPERAND2_ALSTYP	
		OPERAND2_CHAR	
		OPERAND2_DATE	
		OPERAND2_DEC	
		OPERAND2_DT	



		OPERAND2_HIST	
		OPERAND2_PIC	
		OPERAND2_PLAN	
		OPERAND2_SEQ	
		OPERAND2_TYP	
		OPERAND3	
		OPERAND3_ALSTYP	
		OPERAND3_CHAR	
		OPERAND3_DATE	
		OPERAND3_DEC	
		OPERAND3_DT	
		OPERAND3_HIST	
		OPERAND3_PIC	
		OPERAND3_SEQ	
		OPERAND3_TYP	
		OPERATOR1	
		OPERATOR2	
		PA_SEQ_NUM	KEY(2)
		STMT_TYPE	
PA_CUSTOM3	Custom Statements	DESCR	
		KEYWORD	KEY(1)
PA_CUSTOM_TEMP	Custom Statements	OPERAND3	KEY(1)
PA_CVRGE_HSTRY	PRSA Coverage History	BENEFIT_PLAN	KEY(2)
		EMPLID	KEY(1)
		PART_STATUS	
		START_DATE	KEY(3)
PA_DATE	Date Alias	DATE_ACTION_TYPE	
		DATE_FROM	
		DATE_FROM_ALIAS	
		DATE_FROM_ALIAST	
		DATE_FROM_TYPE	
		DATE_OPTION	
		DESCR	
		DT_OPTION_TYPE	
		PERIOD_DAYS	
		PERIOD_DAYS_ALIAS	
		PERIOD_DAYS_ALIAST	
		PERIOD_DAYS_TYPE	
		PERIOD_DUR1_ALIAS	
		PERIOD_DUR1_ALIAST	
		PERIOD_DUR1_IND	
		PERIOD_DUR1_TYPE	
		PERIOD_DURATION1	
		PERIOD_MNTH_ALIAST	
		PERIOD_MONTH	



		PERIOD_MONTH_ALIAS	
		PERIOD_MONTH_TYPE	
		RESULT_NAME	KEY(1)
		SERVICE_NAME	
		SVC_AMOUNT	
PA_DATE_CNV_OPT	Date Conversion	CONVERSION_METHOD	
		CONV_DAYS_PER_MM	
		CONV_DECIMAL_POS	
		CONV_OPTION_TYPE	
		DATE_EXTRACT	
		DAYS_PER_YEAR	
		DESCR	
		OPTION_NAME	KEY(1)
PA_DATE_RND_OPT	Date Round	DEC_PLACES	
		DESCR	
		OPTION_NAME	KEY(1)
		ROUND_DAY	
		ROUND_PERIOD	
		ROUND_RULE	
		ROUND_TYPE	
		UPD_PERIOD_NUM	
		UP_PERIOD_NUM	
PA_DBPAY_CO	Plan Administration	BENEFIT_PLAN	KEY(3)
		COMPANY	KEY(4)
		EFFDT	KEY(2)
		PLAN_TYPE	KEY(1)
PA_DBPAY_FUND	Plan Funding Providers	BENEFIT_PLAN	KEY(1)
		EFFDT	KEY(2)
		SETID	
		VENDOR_ID	
PA_DC_FRACT	415(e) Fraction	DB_415E_LIMIT	
		DC_FRACTION	
		EFFDT	KEY(2)
		EMPLID	KEY(1)
PA_DFN_ACCOUNT	Employee & Cash Balance Accts	ACCUM_PD	
		AGE_STRT1_ALT	
		AGE_STRT2_ALT	
		APPLY_401A17	
		APPLY_401A17_PROJ	
		CONS_DEDUCT_NAME	
		CREDIT_BASIS	
		CREDIT_CALC	
		CREDIT_FULL_PERIOD	
		CREDIT_MAX_ALIAS	
		CREDIT_MAX_TYPE	





---

CREDIT\_MIN\_ALIAS  
CREDIT\_MIN\_TYPE  
CREDIT\_PARTIAL  
DEFINITION\_NAME KEY(1)  
DESCR  
DFN\_401A17  
DFN\_INTEREST  
DFN\_INTEREST2  
DFN\_INTEREST\_CRED  
EACCT\_TYPE  
EARNINGS\_TYPE  
FULL\_PCT1  
FULL\_PCT2  
FULL\_STMT1  
FULL\_STMT2  
FULL\_TABLE1  
FULL\_TABLE2  
FULL\_TA\_AGE\_MTHD1  
FULL\_TA\_AGE\_MTHD2  
FULL\_TA\_AGE\_OPT1  
FULL\_TA\_AGE\_OPT2  
FULL\_TA\_AGE\_STRT1  
FULL\_TA\_AGE\_STRT2  
FULL\_TA\_SVC\_MN2  
FULL\_TA\_SVC\_NM1  
FULL\_TA\_SVC\_OPT1  
FULL\_TA\_SVC\_OPT2  
FULL\_TA\_TBL1  
FULL\_TA\_TBL2  
FULL\_TA\_TBL\_OPT1  
FULL\_TA\_TBL\_OPT2  
INTEREST\_ONLY  
MAXIMUM\_FLAG  
MINIMUM\_FLAG  
NRD\_ALT  
NRD\_NAME  
PROJECT\_CONSOL  
PROJECT\_EARNINGS  
STEP\_RT\_THD\_AMT  
STEP\_RT\_THD\_TBL\_NM  
STEP\_RT\_THRESHOLD  
TA\_TBL\_LOOKUP\_PCT  
TA\_TBL\_OPTIONS  
TA\_THD\_TBL\_NM  
TBL\_LOOKUP\_PCT



PA_DFN_AGE	Early/Late Adjustments	ADJ_END_DT ADJ_END_DT_ALIAS ADJ_END_DT_ALIAST ADJ_END_DT_TYPE ADJ_STARTDT_ALIAST ADJ_START_DT ADJ_START_DT_ALIAS ADJ_START_DT_TYPE DEFINITION_NAME KEY(1) DESCR
PA_DFN_AGE_ADJ	Early/Late Adjustments	NUM_OF_DEC_PLACES ACTUARIAL_ASSUM ADJUST_AGE1 ADJUST_AGE1_ALIAS ADJUST_AGE1_ALIAST ADJUST_AGE1_TYPE ADJUST_AGE2 ADJUST_AGE2_ALIAS ADJUST_AGE2_ALIAST ADJUST_AGE2_TYPE ADJUST_DATE1 ADJUST_DATE1_ALIAS ADJUST_DATE1_ALIAT ADJUST_DATE1_TYPE ADJUST_DATE2 ADJUST_DATE2_ALIAS ADJUST_DATE2_ALIAT ADJUST_DATE2_TYPE ADJUST_LENGTH ADJUST_LENGTH2 ADJUST_MIN_MAX ADJ_AGE_DURATN ADJ_DT_DURATN APPLIES_TO BN_ADJ_FROM_AGE BN_ADJ_TO_AGE BN_AGEFROM_ALIAS BN_AGEFROM_ALIAST BN_AGEFROM_TYPE BN_AGETO_ALIAS BN_AGETO_ALIAST BN_AGETO_TYPE BN_AGE_ADJ_FROM BN_AGE_ADJ_TO BN_NORMAL_FORM_NM



Table Name	Description	Field Name	Key
PA_DFN_AGE_TBL	Early/Late Adjustments	DEFINITION_NAME	KEY(1)
		EE_ADJ_FROM_AGE	
		EE_ADJ_TO_AGE	
		EE_AGEFROM_ALIAS	
		EE_AGEFROM_ALIAST	
		EE_AGEFROM_TYPE	
		EE_AGETO_ALIAS	
		EE_AGETO_ALIAST	
		EE_AGETO_TYPE	
		EE_AGE_ADJ_FROM	
		EE_AGE_ADJ_TO	
		METHOD_NAME	
		NUM_OF_DEC_PLACES	
		PERCENT_FRACTION	
PERIOD_NUM			
SUB_ADJUSTMENT	KEY(2)		
USES_METHOD			
PA_DFN_AVGEARN	Final Average Earnings	ARITH_SEQ	KEY(3)
		DEFINITION_NAME	KEY(1)
		FRACTION1	
		FRACTION2	
		ORDER_SEQ	
		PERIODS	
		PERIOD_PCT	
		SUB_ADJUSTMENT	KEY(2)
		ANNUALIZE_FULL	
		ANNUALIZE_PARTIAL	
		AVERAGE_FROM	
		CONSECUTIVE_IND	
		DEFINITION_NAME	KEY(1)
		DESCR	
DETERMINE_PARTIAL			
EARNINGS_TYPE			
FAE_ANN_SVC_FR			
FINAL_METHOD			
GENERATED_METHOD			
HIGH_PERIODS			
LAST_PERIODS			
LIMIT_401A17_NAME			
LIMIT_METHOD			
PARTIAL_METHOD			
PERIOD_START_ALIAS			
PERIOD_START_DATE			
PERIOD_START_TYPE			
PERIOD_STOP_ALIAS			



		PERIOD_STOP_ALIAST	
		PERIOD_STOP_DATE	
		PERIOD_STOP_TYPE	
		PER_START_ALIAST	
		PROJECT_METHOD	
		SHORT_SVC_DEF	
		SHORT_SVC_METHOD	
		ZERO_METHOD	
PA_DFN_BEN_ELIG	Benefit Eligibility	AGE_DEFINITION	
		AGE_MINIMUM	
		CLAUSE_COMPARISON	
		CLAUSE_KEY	KEY(2)
		DB_CUSTOM_STMT	
		DEFINITION_NAME	KEY(1)
		ORDER_NUM	
		POINTS_MINIMUM	
		SERVICE_DEFINITION	
		SERVICE_MINIMUM	
PA_DFN_COV_COMP	Covered Compensation	COMP_BASIS	
		DEFINITION_NAME	KEY(1)
		DESCR	
		EXCLUDE_SSRA	
		ROUNDED_TBL	
		ROUND_EFFDT	
		TBL_EFFDT	
		TBL_EFFDT_ALIAS	
		TBL_EFFDT_ALIAST	
		USE_COV_COMP	
PA_DFN_DEATH	Death Coverage	ADJUST_DEFINITION	
		ADJUST_LENGTH1	
		ADJUST_TABLE	
		ADJUST_TBL_METHOD	
		APPLY_ADJUSTMENT	
		DEFINITION_NAME	KEY(1)
		DESCR	
		FIXED_AGE1	
		FIXED_AGE1_ALIAS	
		FIXED_AGE1_ALIAST	
		FIXED_AGE1_TYPE	
		FIXED_AGE2	
		FIXED_AGE2_ALIAS	
		FIXED_AGE2_ALIAST	
		FIXED_AGE2_TYPE	
		FIXED_DATE1	
		FIXED_DATE1_ALIAS	



		FIXED_DATE1_ALIAST	
		FIXED_DATE1_TYPE	
		FIXED_DATE2	
		FIXED_DATE2_ALIAS	
		FIXED_DATE2_ALIAST	
		FIXED_DATE2_TYPE	
		FIXED_LENGTH	
		NUM_OF_DEC_PLACES	
		PERCENT_FRACTION	
		PERCENT_TYPE	
		PERIODS_OPTION	
		PERIOD_NUM	
		PRESERVE_CREDIT	
		PRESERVE_ROW	
		ROUND_OPTION	
		SEGMENT_DATES	
PA_DFN_DEATHAGE	Death Coverage	AGE1	
		AGE2	
		DEFINITION_NAME	KEY(1)
		FRACTION1	
		FRACTION2	
		ORDER_SEQ	KEY(2)
		PERIOD_PCT	
PA_DFN_DEATHCOV	Death Coverage	DEFINITION_NAME	KEY(1)
		FRACTION1	
		FRACTION2	
		ORDER_SEQ	KEY(2)
		PERIODS	
		PERIOD_PCT	
PA_DFN_EEBENEFI	Employee Paid Benefit	ANNUTY_ACT_ASM1	
		ANNUTY_ACT_ASM2	
		ANNUTY_VAL_ML_TYPE	
		BAL_PROJ_TBL1	
		BAL_PROJ_TBL2	
		BAL_VALUE_ML_TYPE	
		DEFINITION_NAME	KEY(1)
		DESCR	
		DETERM_DT_INT	
		EE_ROC_ASOF_DT_NAM	
		EMPL_ACCT_FR_NAME	
		PROJ_DT_IND	
		USE_PBGC_GRAD1	
		USE_PBGC_GRAD2	
PA_DFN_FACTOR	Actuarial Factor Assumptions	COLA_AGE	
		COLA_AGE_ALIAS	



---

COLA\_AGE\_ALIAST  
COLA\_AGE\_TYPE  
COLA\_AMT  
COLA\_AMT\_ALIAS  
COLA\_AMT\_ALIAST  
COLA\_AMT\_TYPE  
COLA\_INDICATOR  
DEFINITION\_NAME           KEY(1)  
DESCR  
DISCOUNT\_AGE  
DISCOUNT\_AGE\_ALIAS  
DISCOUNT\_AGE\_TYPE  
DISCOUNT\_AG\_ALIAST  
DISCOUNT\_INTEREST  
INTEREST\_AGE  
INTEREST\_AGE\_ALIAS  
INTEREST\_AGE\_TYPE  
INTEREST\_AG\_ALIAST  
INTEREST\_BASIS  
INTEREST\_CUST\_TBL  
INTEREST\_PCT  
INTEREST\_SCALE  
INTERPOLATION\_PREC  
JOINT\_AGE\_DIFF\_ALS  
PAYMENTS\_PER\_YEAR  
PAYMENT\_TIMING  
PRIMARY\_AGE1  
PRIMARY\_AGE1\_ALIAS  
PRIMARY\_AGE1\_ALIAT  
PRIMARY\_AGE1\_DIR  
PRIMARY\_AGE1\_TYPE  
PRIMARY\_AGE2  
PRIMARY\_AGE2\_ALIAS  
PRIMARY\_AGE2\_ALIAT  
PRIMARY\_AGE2\_DIR  
PRIMARY\_MORT\_BASIS  
PRIMARY\_MORT\_TBL1  
PRIMARY\_MORT\_TBL2  
PRIMARY\_PCT  
ROUNDING\_RULE  
SECOND\_AGE1  
SECOND\_AGE1\_ALIAS  
SECOND\_AGE1\_ALIAST  
SECOND\_AGE1\_DIR  
SECOND\_AGE2



		SECOND_AGE2_ALIAS	
		SECOND_AGE2_ALIAST	
		SECOND_AGE2_DIR	
		SECOND_MORT_BASIS	
		SECOND_MORT_TBL1	
		SECOND_MORT_TBL2	
		SECOND_PCT	
PA_DFN_FORMULA	Benefit Formula	BEN_CMDT_ALIAS	
		BEN_CMDT_DATE	
		BEN_CMDT_TYPE	
		CUSTOM_STMT_NAME	KEY(1)
		DESCR	
		MAR_FORM_CODE	
		MAR_PCT_CONTD	
		MAR_YRS_CERT	
		PA_SS_AUTOBEN_PCT	
		PYMT_FREQ	
		PYMT_FREQ_NM	
		SIN_FORM_CODE	
		SIN_PCT_CONTD	
		SIN_YRS_CERT	
PA_DFN_FORM_CD	Benefit Formula	DESCR	
		FORM_CODE	KEY(1)
PA_DFN_INTEREST	Interest Method	B_INT_LVL_TYPE	
		B_INT_L_CONST_TYPE	
		B_INT_TYPE	
		DESCR	
		INTEREST_USE_NAME	KEY(1)
		INT_FP_DENOM	
		INT_FP_NUMER	
		INT_LR_CONST	
		INT_LR_FP_P_TYPE	
		INT_LR_FP_TYPE	
		INT_LR_PD_TYPE	
		INT_LR_STMT_NAME	
		INT_LR_TATBL_NAME	
		INT_LR_TATBL_OPT	
		INT_LR_TBL_NAME	
		INT_PP_P_TYPE	
		INT_PP_TYPE	
PA_DFN_OPT_FORM	Optional Forms	ACCOUNT_BAL_NAME	
		ACTUARIAL_ASSUME	
		ALT_ASSUMPTION_SET	
		ALT_SET_CONDITIONS	
		ALT_SET_MAXIMUM	



---

ALT\_SET\_MAX\_ALIAS  
ALT\_SET\_MAX\_ALIAST  
ALT\_SET\_MAX\_TYPE  
ALT\_SET\_MINIMUM  
ALT\_SET\_MIN\_ALIAS  
ALT\_SET\_MIN\_ALIAST  
ALT\_SET\_MIN\_FLAG  
ALT\_SET\_MIN\_TYPE  
ALT\_SET\_NAME  
ARITHMETIC\_STMT  
BN\_PAY\_AGE\_ALIAS  
BN\_PAY\_AGE\_ALIAST  
CASHOUT\_THRESHOLD  
CONSTANT\_ALIAS  
CONSTANT\_ALIAST  
CONSTANT\_AMT  
CONSTANT\_TYPE  
DEATH\_PAYMENT\_FORM  
DEFAULT\_MARRIED  
DEFAULT\_SINGLE  
DEFINITION\_NAME KEY(1)  
EE\_PAY\_AGE\_ALIAS  
EE\_PAY\_AGE\_ALIAST  
FORM\_CODE KEY(2)  
FORM\_METHOD  
FOR\_415\_ONLY  
GUARANTEED\_ALIAS KEY(4)  
GUARANTEED\_ALIAST  
GUARANTEED\_PAYMENT KEY(3)  
GUARANTEED\_TYPE  
LIO\_AGE  
LIO\_AGE\_ALIAS  
LIO\_AGE\_ALIAST  
LIO\_AGE\_TYPE  
LIO\_USER\_CODE  
LUMPSUM\_NA  
LUMP\_BENE\_FORMULA  
LUMP\_MAXIMUM  
LUMP\_MAXIMUM\_ALIAS  
LUMP\_MAXIMUM\_FLAG  
LUMP\_MAXIMUM\_TYPE  
LUMP\_MAXIMU\_ALIAST  
LUMP\_MINIMUM  
LUMP\_MINIMUM\_ALIAS  
LUMP\_MINIMUM\_FLAG





		LUMP_MINIMUM_TYPE	
		LUMP_MINIMU_ALIAST	
		LUMP_NA_CONDITIONS	
		LUMP_NA_MAXIMUM	
		LUMP_NA_MAX_ALIAS	
		LUMP_NA_MAX_ALIAST	
		LUMP_NA_MAX_TYPE	
		PCT_CONTINUED	KEY(5)
		PCT_CONTINUE_ALIAS	KEY(6)
		PCT_CONTINUE_TYPE	
		PCT_CONTINU_ALIAST	
		PIA_FUNCTION_RESLT	
		QJSA_IND	
		SMALL_BNFT_CASHOUT	
		SPOUSAL_CONSENT	
		SP_BCD_AGE_ALIAS	
		SP_BCD_AGE_ALIAST	
		TABLE_USE_NAME	
		USER_TYPE	
PA_DFN_OPT_SET	Optional Forms	BENEFIT_FORMULA	
		BN_BCD_AGE_ALIAS	
		BN_BCD_AGE_ALIAST	
		BYPASS_CUSTOM_STMT	
		BYPASS_FORM_SET	
		DEFINITION_NAME	KEY(1)
		DESCR	
		EE_AGE_ALIAS	
		EE_AGE_ALIAST	
		EE_AGE_OPTION	
		PA_CB_CONT_SW	
		TAX_USER_CODE	
		USE_IN_415	
PA_DFN_PARTIC	Participation	AGE_DEFINITION	
		AGE_REQUIREMENT	
		AGE_REQ_FLAG	
		DATE_ADJUSTMENTS	
		DAY1	
		DAY2	
		DAY3	
		DAY4	
		DEFINITION_NAME	KEY(1)
		DESCR	
		IMMEDIATE_ELIG	
		MONTH1	
		MONTH2	



PA\_DFN\_PIA

Social Security

MONTH3  
 MONTH4  
 ROUNDING\_METHOD  
 SVC\_REQUIREMENT  
 SVC\_REQUIREMENT1  
 SVC\_REQUIREMENT2  
 SVC\_REQUIRE\_RULE  
 SVC\_RESULT\_NAME1  
 SVC\_RESULT\_NAME2  
 SVC\_RQMT1\_ALIAS  
 SVC\_RQMT1\_ALIAST  
 SVC\_RQMT1\_ALS\_TYPE  
 SVC\_RQMT2\_ALIAS  
 SVC\_RQMT2\_ALIAST  
 SVC\_RQMT2\_ALS\_TYPE  
 AGE\_62\_RULE  
 ANNUALIZE\_METHOD  
 ATTAINED\_AGE  
 COMMENCE\_AGE  
 COMMENCE\_AGE\_ALIAS  
 COMMENCE\_AGE\_ALIAT  
 COMMENCE\_AGE\_TYPE  
 COMMENCE\_OPTION  
 DEFERRED\_CREDIT  
 DEFINITION\_NAME                      KEY(1)  
 DESCR  
 DISABILITY\_ALIAS  
 DISABILITY\_ALIAST  
 DISABILITY\_DT  
 DISABILITY\_TYPE  
 EARLIEST\_AGE  
 EARLIEST\_AGE\_ALIAS  
 EARLIEST\_AGE\_ALIAT  
 EARLIEST\_AGE\_TYPE  
 EARLY\_COMMENCE  
 EARN\_CONSOLIDATION  
 LAG\_PCT  
 LAG\_PCT\_ALIAS  
 LAG\_PCT\_ALIAST  
 LAG\_PCT\_TYPE  
 LAG\_REGRESSION  
 LATEST\_AGE  
 LATEST\_AGE\_ALIAS  
 LATEST\_AGE\_ALIAST  
 LATEST\_AGE\_TYPE



		LATEST_OPTION	
		LAW_EFF_ALIAS	
		LAW_EFF_ALIAST	
		LAW_EFF_TYPE	
		LAW_EFF_YEAR	
		PIA_EARN_TYPE	
		PROJECTION_METHOD	
		PROJECT_METHOD	
		REGRESSION_METHOD	
		REGRESS_PCT	
		REGRESS_PCT_ALIAS	
		REGRESS_PCT_ALIAST	
		REGRESS_PCT_TYPE	
		SS_BENEFIT_TYPE	
		SS_COMMENCE_ALIAS	
		SS_COMMENCE_ALIAST	
		SS_COMMENCE_DT	
		SS_COMMENCE_TYPE	
		TERM_PROJECTION	
		TERM_REGRESSION	
		USE_EARN_PERIOD	
PA_DFN_SCAT_CAT	Service	CATEGORY	KEY(2)
		DEFINITION_NAME	KEY(1)
		PNL_DOES_NOT	
		PNL_INS_IGNR_FUT	
		PNL_OCCURS_WITHIN	
		PNL_SLASH3	
		PNL_SLASH4	
		PNL_WHAT_NEXT	
		SVC_ADJ_ACTION1	KEY(3)
		SVC_ADJ_ACTION2	KEY(5)
		SVC_ADJ_ACT_RSN1	KEY(4)
		SVC_ADJ_ACT_RSN2	KEY(6)
		SVC_ADJ_ADD_NUM	
		SVC_ADJ_ADD_TYP	
		SVC_ADJ_TYP	
		SVC_ADJ_WITHIN_NUM	
		SVC_ADJ_WITHIN_TYP	
PA_DFN_SUMM_WRK	Work record	CUSTOM_STMT_NAME	
		DEFINITION_NAME	
		DESCR	
		SELECT_DFN	
PA_DFN_SVC	Service	ADD_TIME_ORD_NUM	
		BRK_1YR_HRS_NUM	
		BRK_1YR_TYPE	



---

BRK\_1YR\_WAIT\_TYPE  
BRK\_1YR\_WAIT\_YN  
BRK\_ELAP\_PRD\_CD  
BRK\_ELAP\_UNIT\_CD  
BRK\_ELP\_DU\_OPT  
BRK\_PRI\_SVC\_MIN\_YN  
BRK\_RQRMT\_NUM  
BRK\_RSTR\_VSTD\_YN  
BRK\_SVC\_FR  
BRK\_SVC\_RSTR\_CD  
BRK\_WAIT\_ASS\_DAY  
BRK\_WAIT\_ELAP\_CD  
COMPUTATION\_PERIOD  
CONSEC\_TIME\_TYP  
CONTRIB\_CODE  
CONTRIB\_NAME  
CUR\_FUT\_PROJ\_MTHD  
DATE\_OPTION  
DEFINITION\_NAME           KEY(1)  
DESCR  
DOL\_STANDARD  
DT\_RND\_ORD\_NUM  
ELAPSED\_TIME\_TYPE  
ELAP\_TIME\_DU\_OPT  
EQUIV\_PERIOD  
EQUIV\_PERIOD\_CD  
EQUIV\_TYPE  
EXCLUDE\_AFTER\_TYPE  
EXCLUDE\_PRIOR\_TYPE  
EXCL\_SVC\_AFT\_ALS  
EXCL\_SVC\_AFT\_DT  
EXCL\_SVC\_B4\_ALS  
EXCL\_SVC\_B4\_DT  
EXCL\_SVC\_CD  
FNL\_ADD\_SVC\_ALS\_NM  
FNL\_ADD\_SVC\_ALS\_TY  
FNL\_ADD\_SVC\_NUM  
FNL\_ADD\_SVC\_TYP  
FNL\_MAX\_SVC\_ALS\_NM  
FNL\_MAX\_SVC\_ALS\_TY  
FNL\_MAX\_SVC\_NUM  
FNL\_MAX\_SVC\_TYP  
FNL\_MIN\_SVC\_ALS\_NM  
FNL\_MIN\_SVC\_ALS\_TY  
FNL\_MIN\_SVC\_NUM



		FNL_MIN_SVC_TYP	
		FNL_RSLT_DU_OPT	
		FNL_SUB_SVC_ALS_NM	
		FNL_SUB_SVC_ALS_TY	
		FNL_SUB_SVC_NUM	
		FNL_SUB_SVC_TYP	
		FNL_SVC_RSLT_UNIT	
		FUT_ADJ_ORD_NUM	
		HRS_CONSOLIDATION	
		HRS_RQRMT_AMT	
		HRS_TIM_TYP	
		INIT_COMP_ANNIVYR	
		PRORATE_CUR_TYPE	
		PRORATE_CUR_UNIT	
		PRORATE_PREV_TYPE	
		PRORATE_PREV_UNIT	
		SERVICE_TYPE	
		SVC_DFN_TYPE	
		TIME_RQRMT_AMT	
		XCL_SVC_B4_ALS_TYP	
		X_SVC_AFT_ALS_TYP	
PA_DFN_SVC_CNV	Service	COMP_PERIOD	KEY(2)
		DECIMAL_PLACES	
		DECIMAL_TYPE	
		DEC_PLC_ALS_NM	
		DEC_PLC_ALS_TYP	
		DEFINITION_NAME	KEY(1)
		ET_HRS_CNV_DU_OPT	
		HOURS_DIVISOR	
		HOURS_DIV_TYPE	
		HRS_CNV_TYPE	
		HRS_DIV_ALS_NM	
		HRS_DIV_ALS_TYP	
		MINIMUM_ACCRUAL	
		MINIMUM_SVC_UNIT	
		MIN_ACCRUAL_TYPE	
		MIN_ACCR_ALS_NM	
		MIN_ACCR_ALS_TYP	
		MIN_SVC_UNIT_TYPE	
		MIN_SVC_UN_ALS_NM	
		MIN_SVC_UN_ALS_TYP	
		SCHEDULE_NAME	
		ZERO_ONE_RULE	
PA_DFN_SVC_STAT	Service	ADD_TIME	
		ADJUSTMENT_RULE	



		ALLOCATION_PERIOD	
		CATEGORY	KEY(2)
		CATG_TYPE	
		DEFINITION_NAME	KEY(1)
		DT_RND_OPT_NM	
		FUTURE_ADJ_FLAG	
		HIRE_CATG_CD	
		INCLUDE_CD	
		LIMITATION_PERIOD	
		LIMIT_PERIOD_HOURS	
		MIN_MAX_HOURS	
		MIN_MAX_HRS_ADJ	
		MIN_MAX_INDICATOR	
		MIN_MAX_SERVICE	
		PERIODS_ADD_TYPE	
		PERIODS_TO_ADD	
		PERIOD_UNIT	
		PRDS_TO_ADD_ALS_NM	
		PRDS_TO_AD_ALS_TYP	
		RECORD_IMPACTED	
PA_DFN_VEST	Vesting	SVC_DFN_TYPE	
		COND_CUSTOM	
		COND_DEATH	
		COND_DISABILITY	
		COND_STMT	
		COND_USER_CODE	
		CONTRIB_WITHDRAWAL	
		DEATH_NO_SPOUSE	
		DEFINITION_NAME	KEY(1)
		DESCR	
		FORFEIT_CUSTOM	
		FORFEIT_STMT	
		FORFEIT_USER_CODE	
		IMMEDIATE_VESTING	
		MIN_VEST	
		MIN_VEST_ALIAS	
		MIN_VEST_TYPE	
PA_DFN_VESTSCHD	Vesting	VEST_RETIRE_TYPES	
		AGE_RSLT	
		CLIFF_SCHED	
		CLIFF_SCHED_ALIAS	
		CLIFF_SCHED_ALIAST	
		CLIFF_SCHED_TYPE	
		CLIFF_SVC_RSLT	
		DEFINITION_NAME	KEY(1)



		INTERPOLATE_VST	
		SCHED_NAME	KEY(2)
		SCHED_TYPE	
		STEP_SVC_RSLT	
		TABLE_USE_NAME	
PA_DFN_VESTSTEP	Vesting	DEFINITION_NAME	KEY(1)
		SCHED_NAME	KEY(2)
		SERVICE_FROM	KEY(3)
		STEP_PERCENT	
PA_DFN_VEST_AGE	Vesting	AGE_PERCENT	
		DEFINITION_NAME	KEY(1)
		FROM_AGE	KEY(3)
		SCHED_NAME	KEY(2)
PA_DFN_VEST_RET	Vesting	DEFINITION_NAME	KEY(1)
		RETIRE_TYPE	KEY(2)
PA_DLAY_CRD_PCT	Delayed Retirement Credit	CREDIT_PCT	
		HIGH_YR	KEY(2)
		LOW_YR	KEY(1)
PA_DRODAT	DRO Data	COMMENTS	
		COURT_DOC_ID	KEY(2)
		COURT_NAME	
		DATE_RECEIVED	
		DEPENDENT_BENEF	
		DRO_CANCEL_DOC	
		DRO_CANCEL_DT	
		EMPLID	KEY(1)
PA_DURATION	Date Durations	DATE_FROM	
		DATE_FROM_ALIAS	
		DATE_FROM_ALIAST	
		DATE_FROM_TYPE	
		DATE_OPTION	
		DATE_TO	
		DATE_TO_ALIAS	
		DATE_TO_ALIAST	
		DATE_TO_TYPE	
		DESCR	
		RESULT_NAME	KEY(1)
PA_DURATION_OPT	Date Durations	AGE_CALC_TYPE	
		DAY_MONTH_TYPE	
		DAY_PER_MONTH	
		DECIMAL_CNV_METHOD	
		DECIMAL_MONTH	
		DECIMAL_YEAR	
		DEC_PLACES	
		DESCR	



		FIRST_COMPLETE	
		FIRST_PERIOD	
		MONTH_CONV	
		MONTH_EQUIV_FLAG	
		OPTION_NAME	KEY(1)
		SECOND_COMPLETE	
		SECOND_PERIOD	
		SECOND_ROUND_ELSE	
		SECOND_ROUND_RULE	
		SECOND_ROUND_UP	
		THIRD_PERIOD	
		THIRD_ROUND_ELSE	
		THIRD_ROUND_RULE	
		THIRD_ROUND_UP	
		YEAR_CONV	
PA_EACCT_ACCUM	Employee Account History	ACCUM_PERIOD	
		ACCUM_POST_TAX	
		ACCUM_POST_TAX_INT	
		ACCUM_PRE_TAX	
		ACCUM_PRE_TAX_INT	
		BALANCE_INT_RATE	
		BEG_BALANCE	
		BENEFIT_PLAN	KEY(2)
		CREDIT_INT_RATE	
		EMPLID	KEY(1)
		END_BALANCE	
		END_DATE	
		FUNCTN_RESULT_NM	KEY(3)
		PA_SVC_PRCHABLE	
		PA_SVC_PRCH_ADJ	
		PA_SVC_PURCHASED	
		POST_TAX_DED_ADJ	
		POST_TAX_DED_AMT	
		POST_TAX_DED_INT	
		PO_TAX_DED_INT_ADJ	
		PRE_TAX_DED_ADJ	
		PRE_TAX_DED_AMT	
		PRE_TAX_DED_INT	
		PR_TAX_DED_INT_ADJ	
		START_DATE	KEY(4)
PA_EACCT_TRANS	Employee Account Adjustments	BENEFIT_PLAN	KEY(2)
		COMMENTS	
		CONTRIB_ADJ_AMT	
		EACCT_FR_NAME	
		EACCT_TRAN_RESN	





		EACCT_TRAN_TYPE	
		EMPLID	KEY(1)
		FUNCTN_RESULT_NM	KEY(3)
		INTEREST_ADJ_AMT	
		PA_SVC_PRCH_ADJ	
		PA_TRANS_COMMENT	
		PB_CALC_SVC	
		SEQNUM	KEY(5)
		TRANSACTION_DATE	KEY(4)
		TRANS_STATUS	
PA_EE_ERR_TBL		ASOFDATE	
		BENEFIT_PLAN	
		EMPLID	
		ERR_MSG	
		PARA_NAME	
		PGM_NAME	
		RUN_CNTL_ID	
PA_ELIG_EMPCD		EMPL_RCD	KEY(4)
		END_DT	KEY(3)
		RUN_CNTL_ID	KEY(1)
		START_DT	KEY(2)
PA_EMP_PEN_STAT	Pension Status History	BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		PENSION_STATUS	
PA_EMP_PEN_VEST	Vesting History	BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		VESTING_PERCENT	
PA_EMP_SS_EARNS	Employee Soc-Sec Earnings	EARNINGS	
		EMPLID	KEY(1)
		YEAR_DISPLAY	KEY(2)
PA_EMP_VAL	Prior Actuarial Valuation	BENEFIT_PLAN	KEY(2)
		EMPLID	KEY(1)
		PY_VAL_CODE	
		PY_VAL_DATE	
PA_FACTOR_SETUP	Factor Alias	ACTUARIAL_ASSUM	
		DESCR	
		FACTOR_NAME	KEY(1)
		FROM_FORM_CODE	
		FROM_GUAR_PMTS	
		FROM_PCT_ALIAS	
		FROM_PCT_ALIAST	
		FROM_PCT_CONT	
		FROM_PCT_TYPE	



		FROM_PMTS_ALIAS	
		FROM_PMTS_ALIAST	
		FROM_PMTS_TYPE	
		PRIMARY_AGE	
		PRIMARY_AGE_ALIAS	
		PRIMARY_AGE_ALIAST	
		PRIMARY_AGE_TYPE	
		SECONDRY_AGE	
		SECONDRY_AGE_ALIAS	
		SECONDRY_AGE_ALIAT	
		SECONDRY_AGE_TYPE	
		TO_FORM_CODE	
		TO_GUAR_PMTS	
		TO_PCT_ALIAS	
		TO_PCT_ALIAST	
		TO_PCT_CONT	
		TO_PCT_TYPE	
		TO_PMTS_ALIAS	
		TO_PMTS_ALIAST	
		TO_PMTS_TYPE	
PA_FNC_RSLT_DFN	Function Result Alias	ACTIVE_INACTIVE	
		BENEFIT_PLAN	KEY(1)
		EFFDT	KEY(4)
		FUNCTN_NAME	KEY(2)
		FUNCTN_RESULT_NM	KEY(3)
		OPRID	
PA_FNC_RSLT_TBL	Function Result Alias	BENEFIT_PLAN	KEY(1)
		DESCR	
		EACCT_FR_NAME	
		EACCT_TYPE	
		FUNCTN_NAME	KEY(2)
		FUNCTN_RESULT_NM	KEY(3)
		PENSVC_STAT	
		SERVICE_ADJ_METHOD	
		SERVICE_FR_NAME	
		USE_STARTUP_IND	
PA_FUNCTN	Functions	DESCR	
		EXPOSE_INT_CD	
		FLD_CNT	
		FUNCTN_NAME	KEY(1)
		FUNCTN_SEQ_NUM	
		PROC_INSTALL_CD	
		PROC_PREV_ELIG_CD	
		PROC_TYPE	
PA_FUNCTN_FLD_1	Fields for Functions	FLD_CODE	



		FLD_NAME	
		FLD_PICTURE	
		FLD_SEQ_NUM	KEY(2)
		FLD_TYPE	
		FUNCTN_NAME	
PA_FUNCTN_RESLT	Function Result Table	FUNCTN_SEQ_NUM	KEY(1)
		BENEFIT_PLAN	KEY(1)
		BREAK_DFN_NAME	
		BREAK_DFN_USE_CD	
		DEFINITION_NAME	KEY(7)
		EFFDT	KEY(4)
		ELIG_SCOPE	
		FUNCTN_NAME	KEY(2)
		FUNCTN_RESULT_NM	KEY(3)
		GROUP_NAME	KEY(8)
		GROUP_PRECEDENCE	
		PA_STATUS_DATE	
		START_DATE	KEY(5)
		START_DATE_ALIAS	
		START_DATE_ALIAST	
		START_DT_TYPE	
		STOP_DATE	KEY(6)
		STOP_DATE_ALIAS	
		STOP_DATE_ALIAST	
		STOP_DT_TYPE	
PA_GENL_COMMENT	General Comments	USE_ELG_OR_ALL_JBS	
		COMMENTS	
		COMMENTS_BY_NAME	
		COMMENT_DT	KEY(2)
PA_HR_ACT	HR Action/Reasons Categories	EMPLID	KEY(1)
		CATEGORY	KEY(1)
		DESCR	
PA_HR_ACTION	HR Action/Reasons by Category	ACTION	KEY(3)
		ACTION_REASON	KEY(4)
		ALL_REASONS	KEY(5)
		CATEGORY	KEY(1)
		EFFDT	KEY(2)
PA_HR_ACT_EFFDT	HR Action/Reasons Category	CATEGORY	KEY(1)
		EFFDT	KEY(2)
PA_HST_EARN_BAL	Historical Payroll Data	BALANCE_ID	KEY(3)
		BALANCE_PERIOD	KEY(6)
		BALANCE_QTR	KEY(5)
		BALANCE_YEAR	KEY(4)
		COMPANY	KEY(2)
		EMPLID	KEY(1)



		EMPL_RCD	KEY(7)
		ERNCD	KEY(9)
		GRS_MTD	
		HRS_MTD	
PA_HST_OTH_EARN	Historical Payroll Data	SPCL_BALANCE	KEY(8)
		ADDL_NBR	KEY(7)
		COMPANY	KEY(1)
		ERNCD	KEY(8)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		OTH_EARNS	
		OTH_HRS	
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	
PA_HST_PAY_CHK	Historical Payroll Data	CHECK_DT	
		COMPANY	KEY(1)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYCHECK_NBR	
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(7)
PA_HST_PAY_DED	Historical Payroll Data	BENEFIT_PLAN	KEY(9)
		COMPANY	KEY(1)
		DEDCD	KEY(10)
		DED_CLASS	KEY(11)
		DED_CUR	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PLAN_TYPE	KEY(8)
		SEPCHK	KEY(7)
PA_HST_PAY_EARN	Historical Payroll Data	ADDL_NBR	KEY(7)
		COMPANY	KEY(1)
		EARN_BEGIN_DT	
		EARN_END_DT	
		EMPLID	
		EMPL_RCD	
		ERNCD_OT_HRS	
		ERNCD_REG_EARNS	



		ERNCD_REG_HRS	
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		OT_HRLY_EARNS	
		OT_HRS	
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		REG_EARNS	
		REG_EARN_HRS	
		REG_HRLY_EARNS	
		REG_HRS	
		SEPCHK	
PA_HST_SPL_EARN	Historical Payroll Data	COMPANY	KEY(1)
		ERNCD_SPCL	KEY(8)
		LINE_NUM	KEY(6)
		OFF_CYCLE	KEY(4)
		PAGE_NUM	KEY(5)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		SEPCHK	KEY(7)
		SPCL_EARNS	
		SPCL_HRS	
PA_HST_W2_AMTS	Historical Payroll Data	BOX	KEY(6)
		CALENDAR_YEAR	KEY(3)
		COMPANY	KEY(1)
		EMPLID	KEY(2)
		LOCALITY	KEY(8)
		SEQUENCE_NUMBER	KEY(5)
		STATE	KEY(7)
		TAXFORM_ID	KEY(4)
		W2_AMOUNT	
PA_HST_YE_AMTS	Historical Payroll Data	BOX	KEY(6)
		CALENDAR_YEAR	KEY(3)
		COMPANY	KEY(1)
		EMPLID	KEY(2)
		LOCALITY	KEY(8)
		SEQUENCE_NUMBER	KEY(5)
		STATE	KEY(7)
		TAXFORM_ID	KEY(4)
		W2_AMOUNT	
PA_I_ESTIMATE	Pension Web Calc User Inputs	BEN_CMCMNT_AGE	
		BEN_CMDT_DATE	
		BIRTHDATE	
		EARN_ASSUMP_AMT	



		EMPLID	KEY(1)
		EVENT_AGE	
		EVENT_DT	
		HRS_ASSMP_AMT	
		OPRID	
		SALSC_ASMP_INC_PCT	
		SPOUSE_BIRTHDATE	
PA_MORT_RATES	Mortality Rates	MORT_AGE	KEY(2)
		MORT_RATE	
PA_MORT_TABLES	Mortality Tables	MORT_TABLE_NAME	KEY(1)
		DESCR	
		MORT_TABLE_NAME	KEY(1)
PA_PELG_EMP_HST	Plan Eligibility History	EFFDT	KEY(2)
		ELIG_STATUS_PA	
PA_PELG_HIST	Plan Eligibility History	EMPLID	KEY(1)
		BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(3)
		ELIG_STATUS_PA	
PA_PENSION_STAT	Status Code Assignment	EMPLID	KEY(1)
		BENEFIT_PLAN	KEY(1)
		CUSTOM_STMT_NAME	
		EFFDT	KEY(2)
		PENSION_STATUS	KEY(3)
PA_PEN_SVC_STAT		EFFDT	KEY(3)
		EMPLID	KEY(1)
		FUNCTN_RESULT_NM	KEY(2)
		STATUS	
PA_PEN_VAL	Actuarial Valuation Categories	BENEFIT_PLAN	KEY(1)
		EFFDT	KEY(2)
		PENSION_STATUS	KEY(3)
		VAL_CATEGORY	
PA_PEN_VAL_MTX	Actuarial Valuation Matrix	ACTIVE_EXTRACT	
		CY_VAL_CODE	KEY(2)
		INACTIVE_EXTRACT	
		PY_VAL_CODE	KEY(1)
PA_PLAN_ADMIN	Plan Administration	BENEFIT_PLAN	KEY(1)
		EFFDT	KEY(2)
		PLAN_ADMINISTRATOR	
		PLAN_EIN	
		PLAN_NUMBER	
		ADDRESS_SBR	
PA_PLAN_ALIASES	Plan Aliases	ACTIVE_DEFINITION	
		BENEFIT_PLAN	KEY(1)
		CONTRIB_NAME	
		DATE_OPTION	



		EFFDT	KEY(2)
		ERD_ALIAS_NAME	
		NRD_ALIAS_NAME	
		PA_SS_AUTOBEN_ELIG	
		VST_ALIAS_NAME	
PA_PLAN_DT_TBL	Plan Dates by emp/plan/effdt	BENEFIT_PLAN	KEY(2)
		CURR_ELIG_DT	
		CURR_PRTC_DT	
		EFFDT	
		EMPLID	KEY(1)
		ERLY_RET_RED_DT	
		NORM_RET_DT	
		VESTING_DT	
PA_PLAN_ORDER	Plan Calculation Order	BENEFIT_PLAN	KEY(1)
		CLC_PLN_ORD_NUM	
PA_PRDIC_ERR	Periodic Process Recap	BENEFIT_PLAN	KEY(4)
		EMPLID	KEY(5)
		EMPL_NAME	
		PROCESS_INSTANCE	KEY(2)
		RUN_CNTL_ID	KEY(1)
		RUN_DT	KEY(3)
PA_PRDIC_PLAN	Periodic Process Recap	BENEFIT_PLAN	KEY(4)
		PROCESS_INSTANCE	KEY(2)
		RUN_CNTL_ID	KEY(1)
		RUN_DT	KEY(3)
		TOTAL_EMPLOYEES	
		TOTAL_EMPLOYEE_ERR	
PA_PRDIC_RSLT	Periodic Process Recap	ACCT_BAL_IND	
		AS_OF_DATE	
		BENEFIT_PLAN	
		CALC_ALL_PLANS_CD	
		CALC_NAME	
		CASH_BAL_IND	
		CONS_CONTRIB_IND	
		CONS_EARN_IND	
		CONS_HRS_IND	
		EMPLID	
		EXT_EMP_DATA_IND	
		GROUP_NAME	
		PARTIC_IND	
		PAYROLL_HIST_IND	
		PENSION_ST_IND	
		PERIODIC_CYCLE	
		PRDIC_RUNSTAT	
		PROCESS_INSTANCE	KEY(2)



		PROCESS_MODE	
		RUN_CNTL_ID	KEY(1)
		RUN_DT	KEY(3)
		SERVICE_IND	
PA_PRIMJOB_LIST		BENEFIT_PLAN	KEY(2)
		EMPLID	KEY(1)
		USE_ALL_PLANS	KEY(3)
PA_PRIMJOB_OVRD		BENEFIT_PLAN	KEY(2)
		EFFDT	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	
		PRIMARY_JOB_IND	
		USE_ALL_PLANS	KEY(3)
PA_PRIOR_PLAN	Prior Plan Data	BENEFIT_PLAN	KEY(2)
		BEN_AMT	
		EMPLID	KEY(1)
		PART_STATUS	
		SERVICE_AMOUNT	
PA_PROC	Plan Implementation	BENEFIT_PLAN	KEY(1)
		EFFDT	KEY(2)
		LAST_PROC_SEQ_NUM	
		OPRID	
		PA_SNGL_JOB_ENV	
PA_PROC_USE	Plan Implementation	BENEFIT_PLAN	KEY(1)
		DESCR	
		EFFDT	KEY(2)
		EXPOSE_INT_CD	
		FLD_CNT	
		FUNCTN_NAME	
		PROC_EXEC_ORD_NUM	
		PROC_INSTALL_CD	
		PROC_NAME	
		PROC_PREV_ELIG_CD	
		PROC_SEQ_NUM	KEY(3)
		PROC_TYPE	
PA_PROC_U_FLD_1	Plan Implementation	BENEFIT_PLAN	KEY(1)
		EFFDT	KEY(3)
		FLD_CODE	
		FLD_NAME	
		FLD_PICTURE	
		FLD_SEQ_NUM	KEY(6)
		FLD_TYPE	
		FUNCTN_NAME	KEY(4)
		FUNCTN_SEQ_NUM	KEY(5)
		PROC_SEQ_NUM	KEY(2)





PA_PROJECTION	Projection Methods	DEFINITION_NAME	KEY(1)
PA_PROJECTIONS	Projections	DESCR	
		PROJECT_CONT	
		PROJECT_CURRENT	
		PROJECT_DATA	
		PROJECT_EARNS	
		PROJECT_HOURS	
		PROJECT_METHOD	KEY(1)
		PRORATE_UNITS	
		SAME_RT_ACCRL_PD	
PA_PRTC_PRTPN	Plan Participation History	BENEFIT_PLAN	KEY(3)
		EFFDT	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PART_STATUS	
PA_QDROCOM	QDRO Related Comments	BENEFIT_PLAN	KEY(3)
		COMMENTS	
		COMMENT_DT	KEY(4)
		EMPLID	KEY(1)
		PA_COMMENT_SRC	KEY(5)
		QDRO_ID	KEY(2)
PA_QDRODAT	QDRO Data	BENEFIT_PLAN	KEY(3)
		COURT_DOC_ID	
		COURT_NAME	
		DATE_RECEIVED	
		EMPLID	KEY(1)
		QDRO_AMOUNT	
		QDRO_ID	KEY(2)
		QDRO_ISSUE_DT	
		QDRO_JOINED_DT	
		QDRO_OFFSET_DT	
PA_QDROSTA	QDRO Status	BENEFIT_PLAN	KEY(3)
		COMMENTS	
		COMMENT_DT	
		EMPLID	KEY(1)
		PA_SEQ_NUM	KEY(5)
		QDRO_ID	KEY(2)
		QDRO_STATUS	
		QDRO_STATUS_DT	KEY(4)
PA_QDRO_COM	QDRO Related Documents	CITY	
		COMMENTS	
		COMMENT_DT	
		COUNTRY	
		DEPENDENT_ID	
		DOC_RECIPIENT	



		DOC_TYPE	
		EMPLID	KEY(1)
		IN_OUT	
		NAME	
		PA_SEQ_NUM	KEY(4)
		PHONE	
		POSTAL	
		QDRO_DOC_DT	KEY(3)
		QDRO_ID	KEY(2)
		STATE	
		STREET1	
		STREET2	
PA_QDRO_COMNOTE	QDRO Related Documents	COMMENTS	
		COMMENT_DT	KEY(5)
		COMMENT_SEQ_NUM	KEY(6)
		EMPLID	KEY(1)
		PA_SEQ_NUM	KEY(4)
		QDRO_DOC_DT	KEY(3)
		QDRO_ID	KEY(2)
PA_RA_PAY_TRUST	Employee to Retiree transition	ALT_NAME_PAYEE	
		APPLIES_AT_DATE	KEY(5)
		BENEFIT_PLAN	KEY(4)
		CALC_FINAL_CD	
		DBPAY_COMPANY	
		DB_PAYEE_STATUS	
		DEPENDENT_BENEF	KEY(3)
		EMPLID	KEY(1)
		EMPLID_PAYEE	KEY(6)
		EMPL_RCD	KEY(2)
		EMPL_RCD_PAYEE	
		PMT_AMT	
		PMT_END_DT	
		PYMT_FREQ	
		W2_EMPLID	
		W2_RECEIPT_CD	
PA_RT_ACTIVITY	Activity List	ACTIVITY_LIST	KEY(1)
		DESCR	
		PA_ACTIVITY_CD	KEY(2)
PA_RT_ACT_LIST	Activity List	ACTIVITY_LIST	KEY(1)
		DESCR20	
PA_RT_ADJ	Payment Adjustments	BENEFIT_PLAN	KEY(4)
		COMMENTS	
		EFFDT	KEY(6)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)



		PA_ADJ_AMT	
		PA_ADJ_AMT_NOTAX	
		PA_ADJ_RSN	
		PA_ADJ_TYP	
		PA_CHECK_DATE	
		PA_PMT_END_DT	
		PA_PMT_NBR	KEY(5)
		PA_POSTED_SW	
		PA_RUN_ID	KEY(3)
		PA_SEQ_NUM	KEY(7)
		SETID	
		VENDOR_ID	
PA_RT_CALENDAR	Pension Payment Calendar	ALL_PLANS_CD	KEY(3)
		BENEFIT_PLAN	KEY(2)
		PA_CALENDAR_NM	KEY(1)
		PA_CHECK_DATE	
		PA_MODIF_FLG	
		PA_PMT_END_DT	
		PA_RUN_ID	KEY(4)
		PA_RUN_ID_PURGE	
		PA_RUN_ID_STATUS	
		PA_RUN_ID_WARN_DT	
		PYMT_FREQ	
PA_RT_CAL_ROOT	Pension Payment Calendar View	ALL_PLANS_CD	KEY(3)
		BENEFIT_PLAN	KEY(2)
		PA_CALENDAR_NM	KEY(1)
PA_RT_EMP_CMNT	Pension Payee Comments	BENEFIT_PLAN	KEY(2)
		CALC_NAME	
		COMMENTS	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
PA_RT_EMP_FORM	Retiree Form Selection	APPLIES_AT_DATE	
		BENEFIT_PLAN	KEY(3)
		CALC_NAME	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FORM_CODE	
		FORM_LONG_NAME	
		FORM_SET	
		GUARANTEED_PAYMENT	
		LIO_AGE_DATE	
		PA_DEP_PMT1	
		PA_DEP_PMT2	
		PA_DEP_PMT3	
		PA_DEP_PMT4	



Table Name	Description	Field Name	Key		
PA_RT_EMP_LIST	Pension Payee Checklist	PA_PMT_AMT1			
		PA_PMT_AMT1_NOTAX			
		PA_PMT_AMT2			
		PA_PMT_AMT2_NOTAX			
		PA_PMT_AMT3			
		PA_PMT_AMT3_NOTAX			
		PA_PMT_AMT4			
		PA_PMT_AMT4_NOTAX			
		PA_PMT_NBR	KEY(4)		
		PA_PMT_TYP1			
		PA_PMT_TYP2			
		PA_PMT_TYP3			
		PA_PMT_TYP4			
		PCT_CONTINUED			
PYMT_FREQ					
PA_RT_EMP_LIST	Pension Payee Checklist	ACTIVITY_LIST	KEY(3)		
		COMMENTS			
		COMPLETE			
		COMPLETE_DATE			
		EMPLID	KEY(1)		
		EMPL_RCD	KEY(2)		
		PA_ACTIVITY_CD	KEY(5)		
		PA_SEQ_NUM	KEY(4)		
		PA_RT_EMP_SETUP	Pension Payee Setup	BENEFIT_PLAN	
				COMMENTS	
DEPENDENT_BENEF					
EMPLID	KEY(1)				
EMPLID_PAYEE	KEY(3)				
EMPL_RCD	KEY(2)				
EMPL_RCD_PAYEE	KEY(4)				
PA_JOB_SW					
PA_PAYEE_TYPE					
PA_PERS_DATA_SW					
PA_RT_EMP_SUM	Pension Payee Payment Summary	BENEFIT_PLAN	KEY(3)		
		BEN_CMDT_DATE			
		EMPLID	KEY(1)		
		EMPL_RCD	KEY(2)		
		PA_CHECK_DATE			
		PA_PMT_END_DT			
		PA_PMT_FINAL_DATE			
		PA_TOT_EMPL_ACCT			
		PA_TOT_NOTAX_PAID			
		PA_TOT_PAID			
PA_RT_MODIFIED		PA_TOT_POST_TAX			
		BENEFIT_PLAN	KEY(1)		



Table Name	Description	Field Name	Key
PA_RT_PAY_DETL	Pension Payee Detail Payments	PA_MODIFICATION_DT	
		BENEFIT_PLAN	KEY(4)
		CALC_NAME	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FORM_CODE	
		FORM_LONG_NAME	
		GUARANTEED_PAYMENT	
		PA_ADJ_AMT	
		PA_ADJ_AMT_NOTAX	
		PA_ALT_PAYEE	
		PA_CHECK_DATE	
		PA_PMT_AMT	
		PA_PMT_AMT_NOTAX	
		PA_PMT_END_DT	
		PA_PMT_NBR	KEY(5)
		PA_PMT_TOTAL	
		PA_PMT_TOTAL_NOTAX	
		PA_PMT_TYPE	
		PA_RUN_ID	KEY(3)
		PCT_CONTINUED	
		PYMT_FREQ	
		SETID	
VENDOR_ID			
PA_RT_PAY_SCHED	Pension Payee Schedule Payment	BENEFIT_PLAN	KEY(3)
		CALC_NAME	
		COMMENTS	
		DELETE_ON_SAVE	
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FORM_CODE	
		FORM_LONG_NAME	
		GUARANTEED_PAYMENT	
		PA_ALT_PAYEE	
		PA_PMT_AMT1	
		PA_PMT_AMT1_NOTAX	
		PA_PMT_AMT2	
		PA_PMT_AMT2_NOTAX	
		PA_PMT_AMT3	
		PA_PMT_AMT3_NOTAX	
		PA_PMT_AMT4	
		PA_PMT_AMT4_NOTAX	
		PA_PMT_CHOICE	
		PA_PMT_NBR	KEY(4)



		PA_PMT_RSN	
		PA_PMT_STAT	
		PA_PMT_TYP1	
		PA_PMT_TYP2	
		PA_PMT_TYP3	
		PA_PMT_TYP4	
		PCT_CONTINUED	
		PYMT_FREQ	
		SETID	
		VENDOR_ID	
PA_RT_SUMRY		BENEFIT_PLAN	KEY(3)
		PA_RUN_ID	KEY(1)
		PA_TOT_ADJ_AMT	
		PA_TOT_MANL_AMT	
		PA_TOT_PMT_AMT	
		PA_TOT_PMT_CNT	
		PA_TOT_SCHD_AMT	
PA_RT_SUM_HDR		PROCESS_INSTANCE	KEY(2)
		ALL_PLANS_CD	
		BENEFIT_PLAN	
		CONFIRM_FLG	
		PA_CHECK_DATE	
		PA_PMT_END_DT	
		PA_RUN_ID	KEY(1)
		PA_TOT_ADJ_AMT	
		PA_TOT_MANL_AMT	
		PA_TOT_PMT_AMT	
		PA_TOT_SCHD_AMT	
		PROCESS_INSTANCE	KEY(2)
PA_RUN_CNTL	Run Control Table	PYMT_FREQ	
		ACCT_BAL_IND	
		ACT_FUNCTN_RESULT	
		ALL_PLANS_CD	
		AS_OF_DATE	
		BENEFIT_PLAN	
		CALC_ALL_PLANS_CD	
		CALC_NAME	
		CALC_SEQ_NUM	
		CASH_BAL_IND	
		COLA_ADJ_PCT	
		CONFIRM_FLG	
		CONS_CONTRIB_IND	
		CONS_EARN_IND	
		CONS_HRS_IND	
		DELETE_IND	



		EMPLID	
		ERN_FUNCNTN_RESULT	
		EXPL_OF_OPTIONS	
		EXT_EMP_DATA_IND	
		FUNCNTN_RESULT_NM	
		GROUP_NAME	
		HRS_FUNCNTN_RESULT	
		LIST_NM	
		MAR_STATUS_FORM	
		MIN_BEN_IND	
		OPRID	KEY(1)
		PARTIC_IND	
		PAYROLL_HIST_IND	
		PAY_END_DT	
		PA_CHECK_DATE	
		PA_PMT_END_DT	
		PA_RUN_ID	
		PENSION_ST_IND	
		PERIODIC_CYCLE	
		PLAN_DATES_IND	
		POPULATION_CD	
		PRCSNAME	
		PRCSTYPE	
		PRIOR_VAL_DATE	
		PROCESS_MODE	
		PYMT_FREQ	
		REPORT_TYPE	
		RUN_CNTL_ID	KEY(2)
		RUN_CNTL_WRK	
		SERVICE_IND	
		SINGLE_CERTIFICATE	
		SPOUSE_CONSENT	
		SVC_FUNCNTN_RESULT	
		VALIDATION_RUN_IND	
		VST_FUNCNTN_RESULT	
PA_RUN_CNTL_CLC	Run Control Table	AS_OF_DATE	
		BENEFIT_PLAN	
		CALC_NAME	
		CALC_SEQ_NUM	
		EMPLID	
		EXPL_OF_OPTIONS	
		MAR_STATUS_FORM	
		OPRID	KEY(1)
		PRCSNAME	
		PRCSTYPE	



		REPORT_TYPE	
		RUN_CNTL_ID	KEY(2)
		RUN_CNTL_WRK	
		SINGLE_CERTIFICATE	
		SPOUSE_CONSENT	
PA_SSV_DEFAULTS	Web Calc Default Parameters	ALLOW_USER_EARNS	
		ALLOW_USER_HOURS	
		ALLOW_USER_SALARY	
		ASOFDATE	
		BEN_CMCMT_AGE_LIM	
		CALC_ALL_PLANS_CD	
		CPI_ASMP_INC_PCT	
		EARN_ASSUMP_LIMIT	
		EXT_EMPL_DATA_IND	
		HRS_ASSMP_AMT	
		HRS_ASSMP_LIMIT	
		PA_SVC_RESTORE	
		PA_WEB_CALC_NAME	KEY(1)
		PA_WEB_INSTRUCT	
		PA_WEB_RETENTION	
		SALSC_ASMP_INC_LIM	
		VERBOSE_MODE	
		WAGE_BASE_ESCAL_RT	
		WAGE_SALSC_ADJ_PCT	
PA_SSV_DISCLAIM	Disclaimer Text for Web Calcs	PA_WEB_CALC_NAME	
		PA_WEB_DISCLAIM	
PA_SSV_OPFORM	Disclaimer Text for Web Calcs	PA_WEB_CALC_NAME	
		PA_WEB_OPFORM	
PA_SSV_PLN_INPT	WEB Calculation Inputs by Plan	BENEFIT_PLAN	KEY(2)
		CLC_PLN_ORD_NUM	
		CONT_ASMP_PCT	
		ERISA_QUAL_IND	
		PA_WEB_CALC_NAME	KEY(1)
		USE_PROCESS_SECT	
PA_SSV_PROCLIST	Calc Input Process Selection	BENEFIT_PLAN	KEY(2)
		DESCR	
		EXEC_ONLY_CD	
		EXPOSE_INT_CD	
		FLD_CNT	
		OVERRIDE_IND	
		PA_WEB_CALC_NAME	KEY(1)
		PROC_EXEC_ORD_NUM	KEY(3)
		PROC_NAME	
		PROC_PREV_ELIG_CD	
		PROC_SEQ_NUM	KEY(4)





PA_SS_DROP_TBL	Disability Drop Years	PROC_TYPE	
		DROP_NBR	
		HIGH_AGE	KEY(2)
		LOW_AGE	KEY(1)
PA_STRTUP_HISTO	Plan Start Up History	ACCUM_POST_TAX	
		ACCUM_POST_TAX_INT	
		ACCUM_PRE_TAX	
		ACCUM_PRE_TAX_INT	
		BENEFIT_PLAN	KEY(2)
		EMPLID	KEY(1)
		FUNCTN_RESULT_NM	KEY(3)
		START_UP_AMOUNT	
		START_UP_DATE	
PA_SUMMARY_CALC	Calculation Recap	ASOFDATE	
		CALC_EMP_CNT	
		CALC_ERROR_CNT	
		CALC_NAME	KEY(1)
		CALC_RSLT_CNT	
		RUN_CNTL_ID	KEY(2)
PA_SUMMARY_EMP	Calculation Recap	CALC_NAME	KEY(1)
		EMPLID	KEY(2)
		EMPL_NAME	
		EMPL_PLAN_CNT	
		RUN_CNTL_ID	
PA_SUMMARY_PLAN	Calculation Recap	BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		EMPLID	KEY(2)
		PLAN_415	
		PLAN_NONQUAL	
		PLAN_NORM_FORM	
		PLAN_QDRO	
		PLAN_QUAL	
		RUN_CNTL_ID	
PA_SVC_HIST	Service History Table	ACCUM_BRKS	
		ACCUM_SVC_W_BRKS	
		ACTION	
		ACTION_REASON	
		BRKS_PRD	
		COMPUTATION_PERIOD	KEY(4)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		END_DATE	
		FUNCTN_RESULT_NM	KEY(2)
		GEN_ADJ_IND	
		HRS_FOR_PRD	



		LAST_PROC_DT	
		SERVICE_TYPE	
		START_DATE	KEY(5)
		SVC_ADJ_AMT	
		SVC_AMT_WO_BRK	
		SVC_AMT_W_BRK	
		UNITS	
		VEST_SVC_PCT	
PA_SVC_SCHS	Service Schedule Tables	DESCR	
		SCHEDULE_NAME	KEY(1)
PA_SVC_TRANS	Employee Account Adjustments	BENEFIT_PLAN	KEY(2)
		COMMENTS	
		EACCT_FR_NAME	
		EMPLID	KEY(1)
		FUNCTN_RESULT_NM	KEY(3)
		PA_TRANS_COMMENT	
		PB_CALC_SVC2	
		SEQNUM	KEY(5)
		SVC_ADJ_AMT	
		TRANSACTION_DATE	KEY(4)
		TRANS_STATUS	
PA_TBL_DFN	Table Aliases	RECNAME	KEY(1)
		TABLE_TYPE	
PA_TBL_LOOKUP	Table Lookup Aliases	ALIAS_NAME	KEY(1)
		DECIMAL_POSITIONS	
		DESCR	
		INTERPOLATE_METHOD	
		LOOKUP_TABLE_TYPE	
		TABLE_NAME	
		TL_LKUP1_ALIAS_NM	
		TL_LKUP1_ALIAS_TYP	
		TL_LKUP1_TYPE_CD	
		TL_LKUP2_ALIAS_NM	
		TL_LKUP2_ALIAS_TYP	
		TL_LKUP2_TYPE_CD	
		TL_RSLT_NUM_RND_CD	
		TL_RSLT_RND_MTHD	
		TL_TBL_1ST_COL_NM	
		TL_TBL_1ST_COL_PIC	
		TL_TBL_2ND_COL_NM	
		TL_TBL_2ND_COL_PIC	
		TL_TBL_3RD_COL_NM	
		TL_TBL_3RD_COL_PIC	
		TOO_HIGH	
		TOO_LOW	



PA_TBL_USE	Table Lookup Use Names	DESCR	
		RECNAME	
		TABLE_USE_NAME	KEY(1)
PA_TEMP1		BENEFIT_PLAN	KEY(4)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EMPLID	KEY(3)
		FLD_NAME	
		FLD_SEQ_NUM	KEY(6)
		FLD_VAL_DEC_NOVRD	
		FUNCTN_RESULT_NM	KEY(5)
PA_TEMP2		BENEFIT_PLAN	KEY(3)
		CALC_NAME	KEY(1)
		CALC_SEQ_NUM	KEY(2)
		EFFDT	KEY(6)
		FLD_CODE	
		FLD_NAME	
		FLD_PICTURE	
		FLD_SEQ_NUM	KEY(9)
		FLD_TYPE	
		FLD_TYPE_CHAR	
		FLD_TYPE_DATE	
		FLD_TYPE_DEC	
		FUNCTN_NAME	KEY(7)
		FUNCTN_SEQ_NUM	KEY(8)
		OVERRIDE_IND	
		PROC_EXEC_ORD_NUM	KEY(4)
		PROC_NAME	
		PROC_SEQ_NUM	KEY(5)
PA_TEMP3		BENEFIT_PLAN	KEY(1)
		EFFDT	KEY(3)
		FLD_CODE	
		FLD_NAME	
		FLD_PICTURE	
		FLD_SEQ_NUM	KEY(6)
		FLD_TYPE	
		FUNCTN_NAME	KEY(4)
		FUNCTN_SEQ_NUM	KEY(5)
		PROC_SEQ_NUM	KEY(2)
PA_TE_1PMT		BENEFIT_PLAN	KEY(3)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(4)
		PA_ADJ_AMT	
		PA_ADJ_AMT_NOTAX	
		PA_ADJ_RSN	



	PA_PMT_NBR	KEY(5)
	PA_RUN_ID	KEY(1)
	SETID	
	VENDOR_ID	
PA_TE_APAY	EARNINGS_END_DT	KEY(5)
	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	ERNCD	KEY(4)
	OTH_PAY	
	PA_RUN_ID	KEY(1)
PA_TE_BADJ	BENEFIT_PLAN	KEY(3)
	EMPLID	KEY(2)
	EMPL_RCD	KEY(4)
	PA_ADJ_AMT	
	PA_ADJ_AMT_NOTAX	
	PA_ADJ_RSN	KEY(5)
	PA_RUN_ID	KEY(1)
PA_TE_BDED	BENEFIT_PLAN	KEY(3)
	DEDCD	KEY(6)
	DED_CLASS	
	DED_CUR	
	EMPLID	KEY(2)
	EMPL_RCD	KEY(5)
	PA_RUN_ID	KEY(1)
	PLAN_TYPE	KEY(4)
PA_TE_BIO	ADDRESS1	
	ADDRESS2	
	ADDRESS3	
	ADDRESS4	
	CITY	
	COMPANY	
	COUNTRY	
	COUNTY	
	EMPLID	KEY(2)
	EMPL_NAME	KEY(3)
	EMPL_RCD	KEY(4)
	PAYGROUP	
	PA_ALT_PAYEE	
	PA_RUN_ID	KEY(1)
	POSTAL	
	STATE	
PA_TE_DDEP	ACCOUNT_NUM	
	ACCOUNT_TYPE	
	AMOUNT_PCT	
	BANK_CD	



	DEPOSIT_AMT	
	DEPOSIT_TYPE	
	EMPLID	KEY(2)
	PA_RUN_ID	KEY(1)
	PRIORITY	KEY(3)
PA_TE_FTX	EIC_STATUS	
	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	FICA_STATUS_EE	
	FUT_EXEMPT	
	FWT_ADDL_AMT	
	FWT_ADDL_PCT	
	FWT_ALLOWANCES	
	FWT_MAR_STATUS	
	PA_RUN_ID	KEY(1)
	SPECIAL_FWT_STATUS	
	W2_EMPLID	
PA_TE_GDED	DEDCD	KEY(4)
	DEDUCTION_END_DT	KEY(5)
	DED_ADDL_AMT	
	DED_CALC	
	DED_RATE_PCT	
	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	GOAL_AMT	
	PA_RUN_ID	KEY(1)
PA_TE_HDR	PA_CHECK_DATE	
	PA_PMT_END_DT	
	PA_RUN_ID	KEY(1)
PA_TE_LTX	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	LOCALITY	KEY(5)
	LWT_ALLOWANCES	
	LWT_AMT	
	LWT_PCT	
	PA_RUN_ID	KEY(1)
	RESIDENT	
	STATE	KEY(4)
PA_TE_SPMT	BENEFIT_PLAN	KEY(3)
	EMPLID	KEY(2)
	EMPL_RCD	KEY(4)
	FORM_CODE	
	GUARANTEED_PAYMENT	
	PA_PMT_AMT	
	PA_PMT_AMT_NOTAX	



		PA_PMT_END_DT	
		PA_PMT_NBR	KEY(5)
		PA_RUN_ID	KEY(1)
		PCT_CONTINUED	
		PYMT_FREQ	
		SETID	
		VENDOR_ID	
PA_TE_STX		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		PA_RUN_ID	KEY(1)
		RESIDENT	
		SDI_STATUS	
		SPECIAL_SWT_STATUS	
		STATE	KEY(4)
		SUT_EXEMPT	
		SWT_ADDL_ALLOWNCES	
		SWT_ADDL_AMT	
		SWT_ADDL_PCT	
		SWT_ALLOWANCES	
		SWT_MAR_STATUS	
PA_TE_SUMRY		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		PA_RUN_ID	KEY(1)
		PA_TOT_ADJ_AMT	
		PA_TOT_PLN_CNT	
		PA_TOT_PMT_AMT	
		PA_TOT_SCHD_AMT	
PA_TE_SUM_HDR		PA_CHECK_DATE	
		PA_PMT_END_DT	
		PA_RUN_ID	KEY(1)
		PA_TOT_ADJ_AMT	
		PA_TOT_PMT_AMT	
		PA_TOT_SCHD_AMT	
		PYMT_FREQ	
PA_TE_TRAILER	Trustee Extract Control Record	OTH_PAY	
		PA_ADJ_AMT	
		PA_ADJ_AMT_NOTAX	
		PA_CHECK_DATE	
		PA_PMT_AMT	
		PA_PMT_AMT1	
		PA_PMT_AMT1_NOTAX	
		PA_PMT_AMT_NOTAX	
		PA_PMT_END_DT	
		PA_RUN_ID	KEY(1)
		RECORD_TYPE20	



		RECORD_TYPE30	
		RECORD_TYPE31	
		RECORD_TYPE32	
		RECORD_TYPE40	
		RECORD_TYPE41	
		RECORD_TYPE50	
		RECORD_TYPE60	
		RECORD_TYPE70	
		RECORD_TYPE80	
		RECORD_TYPE81	
PA_TL_120AFR_TB	Federal Mid-Term Rates	EFFDT	KEY(1)
		INTEREST_RATE	
		MONTH_IDX	
		TL_SEQ_NUM	KEY(2)
PA_TL_30YR_TBIL	30 Year T-Bond Rates	EFFDT	KEY(1)
		MONTH_IDX	
		TBILL_30YR_RATE	
		TL_SEQ_NUM	KEY(2)
PA_TL_415_LIMDC	415 Limits	EFFDT	KEY(1)
		MAX_415_LIMIT	
		TL_SEQ_NUM	KEY(2)
		YEAR_IDX	
PA_TL_415_LIMIT	415 Limits	EFFDT	KEY(1)
		MAX_415_LIMIT	
		TL_SEQ_NUM	KEY(2)
		YEAR_IDX	
PA_TL_AGESVC_CR	Age/Service Credit	AGE_PLUS_SERVICE	
		CRED_PCT	
		EFFDT	KEY(1)
		TL_SEQ_NUM	KEY(2)
PA_TL_AGE_CRED	Age Credit	CRED_AGE	
		CRED_PCT	
		EFFDT	KEY(1)
		TL_SEQ_NUM	KEY(2)
PA_TL_BLEND1_TB	Blend 1 Tbl	EFFDT	KEY(1)
		LIMIT_AMT	
		LIMIT_YEAR	
		TL_SEQ_NUM	KEY(2)
PA_TL_BLEND2_TB	Blend 2 Tbl	EFFDT	KEY(1)
		LIMIT_AMT	
		LIMIT_YEAR	
		TL_SEQ_NUM	KEY(2)
PA_TL_BLEND3_TB	Blend 3 Tbl	EFFDT	KEY(1)
		LIMIT_AMT	
		LIMIT_YEAR	



PA_TL_EARLY_TBL	User Table for Pension	TL_SEQ_NUM	KEY(2)
		EARLY_ADJ_PCT	
		EFFDT	KEY(1)
		MHABCD_DD	
PA_TL_INT_LKUP	Interest Rates	TL_SEQ_NUM	KEY(2)
		EFFDT	KEY(1)
		IMMED_ANNUIITY_RATE	
		TL_SEQ_NUM	KEY(2)
PA_TL_JS100_TBL	JS Lookup Table	VALUATION_DT	KEY(3)
		BEN_AGE	
		EE_AGE	
		EFFDT	KEY(1)
		JS_FACTOR	
PA_TL_MAX_WAGE	Maximum Wage Base	TL_SEQ_NUM	KEY(2)
		EFFDT	KEY(1)
		MAX_WAGE_AMT	
		TL_SEQ_NUM	KEY(2)
PA_TL_OBRA93_TB	401(a)17 Limits	YEAR_INDX	KEY(3)
		EFFDT	KEY(1)
		LIMIT_AMT	
		LIMIT_YEAR	KEY(3)
PA_TL_PBGC_TBL	PBGC Interest Rates	TL_SEQ_NUM	KEY(2)
		EFFDT	KEY(1)
		IMMED_ANNUIITY_RATE	
		TL_SEQ_NUM	KEY(2)
PA_TL_SVCAGE_CR	Service/Age Credit	VALUATION_DT	KEY(3)
		CRED_AGE	
		CRED_PCT	
		CRED_SVC	
		EFFDT	KEY(1)
PA_TL_SVC_CRED	Service Credit	TL_SEQ_NUM	KEY(2)
		EFFDT	KEY(1)
		INTEREST_PCT	
		SVC_AMOUNT	
PA_TL_SVC_SCHD	Service Schedule	TL_SEQ_NUM	KEY(2)
		SCHEDULE_NAME	KEY(1)
		SVC_SCHD_HRS_NUM	KEY(2)
		SVC_SCHD_SVC_NUM	
PA_TL_TRA86_TBL	401(a)17 Limits	EFFDT	KEY(1)
		LIMIT_AMT	
		LIMIT_YEAR	
PA_TWB_AMT_TBL	Maximum Taxable Wage Base	TL_SEQ_NUM	KEY(2)
		EFFDT	KEY(1)
		TWB_AMT	
		TWB_YR	KEY(2)





PA_USAW_AMT_TBL	US Average Wage Base Amounts	EFFDT	KEY(1)
		USAW_AMT	
		USAW_ASSUMPTION	
		USAW_YR	KEY(2)
PA_VALID_NUMS		RETIREMENT_YEAR	KEY(1)
PA_WTHDRW_CTB	Payment Adjustments	BENEFIT_PLAN	KEY(4)
		COMMENTS	
		EACCT_FR_NAME	
		EFFDT	KEY(6)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FUNCTN_RESULT_NM	
		PA_ADJ_AMT	
		PA_ADJ_AMT_NOTAX	
		PA_CHECK_DATE	
		PA_PMT_END_DT	
		PA_PMT_NBR	KEY(5)
		PA_POSTED_SW	
		PA_RUN_ID	KEY(3)
		PA_SEQ_NUM	KEY(7)
		PA_SVC_FORFEIT	
		PA_WITHDRAW_ALL	
		SERVICE_FR_NAME	
		SETID	
		VENDOR_ID	
PCMP_CHK_TYP_LNG	Prof Comp RI Check Type Lang	LANGUAGE_CD	KEY(3)
		PCMP_CHK_DESCR	
		PCMP_CHK_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_CHK_TYPE	Prof Comp RI Check Type	PCMP_CHK_DESCR	
		PCMP_CHK_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_CLASS	Prof Compliance Classification	PCMP_CLASS	KEY(4)
		PCMP_CLASS_DESCR	
		PCMP_REG_AUTH	KEY(3)
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_CLASS_COMM	Prof Comp Classifictn Comments	PCMP_CLASS	KEY(4)
		PCMP_CLASS_COMM	
		PCMP_REG_AUTH	KEY(3)
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_CLASS_LANG	Prof Comp Classification Lang	LANGUAGE_CD	KEY(5)
		PCMP_CLASS	KEY(4)
		PCMP_CLASS_DESCR	



		PCMP_REG_AUTH	KEY(3)
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_CLSSCOMLNG	Prof Comp Class Comments Lang	LANGUAGE_CD	KEY(5)
		PCMP_CLASS	KEY(4)
		PCMP_CLASS_COMM	
		PCMP_REG_AUTH	KEY(3)
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_CMPPLANLNG	Prof Comp Compliance Plan	COMPANY	KEY(1)
		LANGUAGE_CD	KEY(3)
		PCMP_CMP_PLANDESC	
		PCMP_CMP_PLANYR	KEY(2)
PCMP_CMPPLNALNG	Prof Comp Compliance Plan Area	COMPANY	KEY(1)
		LANGUAGE_CD	KEY(4)
		PCMP_CMP_PLANAREA	
		PCMP_CMP_PLANNOTES	
		PCMP_CMP_PLANSEQ	KEY(3)
		PCMP_CMP_PLANYR	KEY(2)
PCMP_CMP_PLAN	Prof Comp Compliance Plan	COMPANY	KEY(1)
		PCMP_CMP_PLANDESC	
		PCMP_CMP_PLANYR	KEY(2)
PCMP_CMP_PLANA	Prof Comp Compliance Plan Area	COMPANY	KEY(1)
		PCMP_CMP_PLANAREA	
		PCMP_CMP_PLANNOTES	
		PCMP_CMP_PLANSEQ	KEY(3)
		PCMP_CMP_PLANYR	KEY(2)
PCMP_COMPL	Prof Comp Complaint Type	PCMP_COMPL	KEY(2)
		PCMP_COMPL_DESCR	
		SETID	KEY(1)
PCMP_COMPL_LANG	Prof Comp Complaint Type	LANGUAGE_CD	KEY(3)
		PCMP_COMPL	KEY(2)
		PCMP_COMPL_DESCR	
		SETID	KEY(1)
PCMP_COMPPRDEFF	Prof Comp Company Products	COMPANY	KEY(1)
		EFFDT	KEY(4)
		EFF_STATUS	
		PCMP_PRODUCT	KEY(3)
		PCMP_PROD_TYPE	KEY(2)
PCMP_COMPREGEFF	Prof Comp Company RegAuth Dtls	COMPANY	KEY(1)
		EFFDT	KEY(4)
		EFF_STATUS	
		PCMP_COMP_REF	
		PCMP_REG_AUTH	KEY(3)
		PCMP_REG_AUTH_CONT	



PCMP_COMP_PROD	Prof Comp Company Products	PCMP_TYPE	KEY(2)
		COMPANY	KEY(1)
		PCMP_PRODUCT	KEY(3)
PCMP_COMP_REG	Prof Comp Company RegAuth Dtls	PCMP_PROD_TYPE	KEY(2)
		COMPANY	KEY(1)
		PCMP_REG_AUTH	KEY(3)
PCMP_DEVACT_LNG	Prof Comp Dev Activity Lang	PCMP_TYPE	KEY(2)
		LANGUAGE_CD	KEY(3)
		PCMP_DEV_ACT	KEY(2)
		PCMP_DEV_DESCR	
		SETID	KEY(1)
PCMP_DEVPLANLNG	Prof Comp Development Plan Lng	LANGUAGE_CD	KEY(7)
		PCMP_CLASS	KEY(4)
		PCMP_DEV_AREA	KEY(6)
		PCMP_DEV_DESCR	
		PCMP_ELEM_TYPE	KEY(5)
		PCMP_REG_AUTH	KEY(3)
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_DEV_ACPS	Prof Comp Dev Accomplishments	ACCOMPLISHMENT	KEY(2)
		SETID	KEY(1)
PCMP_DEV_ACT	Prof Comp Development Activity	PCMP_DEV_ACT	KEY(2)
		PCMP_DEV_DESCR	
		SETID	KEY(1)
PCMP_DEV_COMP	Prof Comp Dev Competencies	COMPETENCY	KEY(2)
		SETID	KEY(1)
PCMP_DEV_CRSE	Prof Comp Dev Courses	COURSE	KEY(2)
		SETID	KEY(1)
PCMP_DEV_PLAN	Prof Comp Development Plan	PCMP_CLASS	KEY(4)
		PCMP_DEV_AREA	KEY(6)
		PCMP_DEV_DESCR	
		PCMP_ELEM_TYPE	KEY(5)
		PCMP_REG_AUTH	KEY(3)
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_HIRE_WL	Prof Comp Hire Worklist Rec	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
PCMP_JOBCHG_TAO		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)



PCMP_JOBTER_TAO	Prof Comp Job Termination	LAST_UPDT_DT	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
PCMP_MGRSUP_RI	Prof Comp Mgr/Super RI	LAST_UPDT_DT	
		BUSINESS_UNIT	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		PCMP_ASSIGNED_DT	KEY(7)
		PCMP_MGR_SUPER	KEY(2)
		PCMP_MGR_SUPER_ID	KEY(1)
		PCMP_REG_AUTH	KEY(6)
		PCMP_RI_STATUS	
		PCMP_TYPE	KEY(5)
PCMP_MGR_SUPER	Prof Comp Mgr/Supervisor	PCMP_ASSIGNED_DT	
		PCMP_MGR_SUPER	KEY(2)
		PCMP_MGR_SUPER_ID	KEY(1)
PCMP_OBMODC_LNG	Prof Comp Observ Model Comment	EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		PCMP_OBS_COMM	
		PCMP_OBS_MODEL	KEY(2)
		SETID	KEY(1)
PCMP_OBMODECLNG	Prof Comp Obs. Model Elem Comm	EFFDT	KEY(3)
		LANGUAGE_CD	KEY(5)
		PCMP_OBS_COMM	
		PCMP_OBS_ELEM	KEY(4)
		PCMP_OBS_MODEL	KEY(2)
		SETID	KEY(1)
PCMP_OBSELEMLNG	Prof Comp Observation Element	LANGUAGE_CD	KEY(3)
		PCMP_OBS_ELEM	KEY(2)
		PCMP_OBS_ELEM_DESC	
		SETID	KEY(1)
PCMP_OBSMOD_COM	Prof Comp Observ Model Comment	EFFDT	KEY(3)
		PCMP_OBS_COMM	
		PCMP_OBS_MODEL	KEY(2)
		SETID	KEY(1)
PCMP_OBSMOD_ECM	Prof Comp Obs. Model Elem Comm	EFFDT	KEY(3)
		PCMP_OBS_COMM	
		PCMP_OBS_ELEM	KEY(4)
		PCMP_OBS_MODEL	KEY(2)
		SETID	KEY(1)
PCMP_OBSMOD_ELM	Prof Comp Obs. Model Elements	EFFDT	KEY(3)
		PCMP_OBS_ELEM	KEY(4)
		PCMP_OBS_ELEM_REQ	
		PCMP_OBS_MODEL	KEY(2)
		SETID	KEY(1)



PCMP_OBSMOD_LNG	Prof Comp Observation Model	EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		PCMP_OBSMODEL_DESC	
		PCMP_OBS_MODEL	KEY(2)
PCMP_OBS_ELEM	Prof Comp Observation Element	SETID	KEY(1)
		PCMP_OBS_ELEM	KEY(2)
		PCMP_OBS_ELEM_DESC	
		SETID	KEY(1)
PCMP_OBS_MODEL	Prof Comp Observation Model	EFFDT	KEY(3)
		EFF_STATUS	
		PCMP_OBSMODEL_DESC	
		PCMP_OBS_MODEL	KEY(2)
PCMP_PROD_TYPLNG	Prof Comp Product Type	SETID	KEY(1)
		LANGUAGE_CD	KEY(3)
		PCMP_PRODTYP_DESCR	
		PCMP_PROD_TYPE	KEY(2)
PCMP_PRODUCT	Prof Comp Product	SETID	KEY(1)
		PCMP_PRODUCT	KEY(3)
		PCMP_PRODUCT_DESCR	
		PCMP_PROD_TYPE	KEY(2)
PCMP_PROD_LNG	Prof Comp Product	SETID	KEY(1)
		LANGUAGE_CD	KEY(4)
		PCMP_PRODUCT	KEY(3)
		PCMP_PRODUCT_DESCR	
PCMP_PROD_TYPE	Prof Comp Product Type	PCMP_PROD_TYPE	KEY(2)
		SETID	KEY(1)
		PCMP_PRODTYP_DESCR	
		PCMP_PROD_TYPE	KEY(2)
PCMP_REASS_AET	Prof Comp Reassignment AET	SETID	KEY(1)
		AE_TEST_FLAG	
		BUSINESS_UNIT	
		EMPLID	
		EMPL_RCD	
		PCMP_ASSIGNED_DT	
		PCMP_MGR_SUPER	
		PCMP_MGR_SUPER_ID	
		PCMP_REASS_EMPLID	
		PCMP_REASS_EMPREC	
		PCMP_REASS_OPT	
		PCMP_REG_AUTH	
		PCMP_RI_STATUS	
		PCMP_TARGET_EMPLID	
PCMP_TYPE			
PCMP_RECERT_AET	Prof Comp AE Re-Certification	PROCESS_INSTANCE	KEY(1)
		AE_TEST_FLAG	



		BUSINESS_UNIT	
		PCMP_MGR_SUPER_ID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		TO_DATE	
PCMP_RECERT_TAO	Prof Comp Temp Table	BUSINESS_UNIT	
		EMPLID	KEY(3)
		EXPIRATN_DT	
		NAME	
		PCMP_AE_SW	
		PCMP_DEV_AREA	KEY(4)
		PCMP_DEV_DESCR	
		PCMP_MGR_SUPER_ID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
PCMP_REG_AUTH	Prof Comp Regulatory Authority	PCMP_NOTIFY_ACTN_A	
		PCMP_NOTIFY_ACTN_C	
		PCMP_NOTIFY_ACTN_J	
		PCMP_NOTIFY_ACTN_T	
		PCMP_NOTIFY_ADD	
		PCMP_NOTIFY_CHG	
		PCMP_NOTIFY_CLS	
		PCMP_NOTIFY_MESS_A	
		PCMP_NOTIFY_MESS_C	
		PCMP_NOTIFY_MESS_J	
		PCMP_NOTIFY_MESS_T	
		PCMP_NOTIFY_TIME_A	
		PCMP_NOTIFY_TIME_C	
		PCMP_NOTIFY_TIME_J	
		PCMP_NOTIFY_TIME_T	
		PCMP_NOTIFY_TRM	
		PCMP_REG_AUTH	KEY(3)
		PCMP_REG_AUTH_DESC	
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
		ADDRESS_SBR	
		PHONE_SBR	
PCMP_RGAUTHCLNG	Prof Comp Reg Auth Comments	LANGUAGE_CD	KEY(4)
		PCMP_REG_AUTH	KEY(3)
		PCMP_REG_AUTH_COM	
		M	
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_RGAUTH_COM	Prof Comp Reg Auth Comments	PCMP_REG_AUTH	KEY(3)
		PCMP_REG_AUTH_COM	
		M	



		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
PCMP_RGAUTH_LNG	Prof Comp Reg Authority Lang	LANGUAGE_CD	KEY(4)
		PCMP_NOTIFY_ACTN_A	
		PCMP_NOTIFY_ACTN_C	
		PCMP_NOTIFY_ACTN_J	
		PCMP_NOTIFY_ACTN_T	
		PCMP_NOTIFY_MESS_A	
		PCMP_NOTIFY_MESS_C	
		PCMP_NOTIFY_MESS_J	
		PCMP_NOTIFY_MESS_T	
		PCMP_REG_AUTH	KEY(3)
		PCMP_REG_AUTH_DESC	
		PCMP_TYPE	KEY(2)
		SETID	KEY(1)
		ADDRESS_SBR	
PCMP_RI	Professional Compliance RI	BUSINESS_UNIT	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_REGISTERED_DT	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RICHCOMLNG	Prof Comp RI Check Comments	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(7)
		PCMP_CHK_DT	KEY(5)
		PCMP_CHK_TYPE	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_RI_CHK_COMM	
		PCMP_TYPE	KEY(3)
PCMP_RICOMPCLNG	Prof Comp RI Complaint	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(7)
		PCMP_COMPL	KEY(5)
		PCMP_COMPL_COMM	
		PCMP_COMPL_DT	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RICOMPLCOM	Prof Comp RI Complaint	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_COMPL	KEY(5)
		PCMP_COMPL_COMM	
		PCMP_COMPL_DT	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)



PCMP_RIDEVACLNG	Prof Comp Dev Area Comments	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(8)
		PCMP_CREATION_DT	KEY(5)
		PCMP_DEV_AREA	KEY(7)
		PCMP_DEV_COMM	
		PCMP_ELEM_TYPE	KEY(6)
		PCMP_REG_AUTH	KEY(4)
PCMP_RIDEVA_LNG	Prof Comp Dev Record	PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(8)
		PCMP_CREATION_DT	KEY(5)
		PCMP_DEV_AREA	KEY(7)
		PCMP_DEV_DESCR	
		PCMP_ELEM_TYPE	KEY(6)
PCMP_RIDEVRCLNG	Prof Comp Dev Record Comments	PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(6)
		PCMP_CREATION_DT	KEY(5)
		PCMP_DEV_COMM	
		PCMP_REG_AUTH	KEY(4)
PCMP_RIKPIRCLNG	Prof Comp RI KPI Review	PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(6)
		PCMP_KPI_COMM	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RIOBSC_LNG	Prof Comp RI Observation Comm	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(7)
		PCMP_OBS_COMM	
		PCMP_OBS_DT	KEY(5)
		PCMP_OBS_MODEL	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RIOBSECLNG	Prof Comp RI Observation Elems	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		LANGUAGE_CD	KEY(8)
		PCMP_OBS_COMM	
		PCMP_OBS_DT	KEY(5)





		PCMP_OBS_ELEM	KEY(7)
		PCMP_OBS_MODEL	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_CHK	Prof Comp RI Check.	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_CHK_DT	KEY(5)
		PCMP_CHK_TYPE	KEY(6)
		PCMP_DEV_STATUS	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_CHKCOMM	Prof Comp RI Check Comments	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_CHK_DT	KEY(5)
		PCMP_CHK_TYPE	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_RI_CHK_COMM	
		PCMP_TYPE	KEY(3)
PCMP_RI_CLASS	Prof Comp RI Class	EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_CLASS	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_COMPL	Prof Comp RI Complaint	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_COMPL	KEY(5)
		PCMP_COMPL_DT	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_DEVACOM	Prof Comp Dev Area Comments	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_CREATION_DT	KEY(5)
		PCMP_DEV_AREA	KEY(7)
		PCMP_DEV_COMM	
		PCMP_ELEM_TYPE	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_DEVAREA	Prof Comp Dev Record	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_CREATION_DT	KEY(5)
		PCMP_DEV_AREA	KEY(7)
		PCMP_DEV_DESCR	
		PCMP_DEV_STATUS	
		PCMP_ELEM_TYPE	KEY(6)



PCMP_RI_DEVRCOM	Prof Comp Dev Record Comments	PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_CREATION_DT	KEY(5)
PCMP_RI_DEV_REC	Prof Comp Dev Record	PCMP_DEV_COMM	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
PCMP_RI_KPIBALP	Prof Comp RI KPI Advice	PCMP_ACT_COMP_DT	
		PCMP_CREATION_DT	KEY(5)
		PCMP_DEV_STATUS	
		PCMP_EXP_COMP_DT	
		PCMP_REG_AUTH	KEY(4)
PCMP_RI_KPINTUP	Prof Comp RI KPI NTU	PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_KPI_BALANCE	
		PCMP_KPI_REV_DT	KEY(5)
PCMP_RI_KPIPERP	Prof Comp RI KPI Persistency	PCMP_PROD_TYPE	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
PCMP_RI_KPIREVC	Prof Comp RI KPI Review	PCMP_KPI_PERCENT	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_PRODUCT	KEY(7)
		PCMP_PROD_TYPE	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_KPI_COMM	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)



PCMP_RI_KPI_BAL	Prof Comp RI KPI Advice	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_KPI_FROM_DT	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_KPI_TO_DT	
		PCMP_REG_AUTH	KEY(4)
PCMP_RI_KPI_COM	Prof Comp RI KPI Complaints	PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_KPI_FROM_DT	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_KPI_TO_DT	
PCMP_RI_KPI_FF	Prof Comp RI KPI FactFind	PCMP_REG_AUTH	KEY(4)
		PCMP_RI_COMPL	
		PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_KPI_FROM_DT	
PCMP_RI_KPI_NTU	Prof Comp RI KPI NTU	PCMP_KPI_PERCENT	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_KPI_TO_DT	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
		EMPLID	KEY(1)
PCMP_RI_KPI_PER	Prof Comp RI KPI Persistency	EMPL_RCD	KEY(2)
		PCMP_KPI_FROM_DT	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_KPI_TO_DT	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_KPI_REV	Prof Comp RI KPI Review	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FREQUENCY_TYPE	
		PCMP_KPI_REV_DT	KEY(5)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_OBS	Prof Comp RI Observation	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)



		PCMP_OBS_DT	KEY(5)
		PCMP_OBS_MODEL	KEY(6)
		PCMP_OBS_STATUS	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_OBSECOM	Prof Comp RI Observation Elems	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_OBS_COMM	
		PCMP_OBS_DT	KEY(5)
		PCMP_OBS_ELEM	KEY(7)
		PCMP_OBS_MODEL	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_OBS_COM	Prof Comp RI Observation Comm	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_OBS_COMM	
		PCMP_OBS_DT	KEY(5)
		PCMP_OBS_MODEL	KEY(6)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_OBS_ELM	Prof Comp RI Observation Elems	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_OBS_DT	KEY(5)
		PCMP_OBS_ELEM	KEY(7)
		PCMP_OBS_ELEM_REQ	
		PCMP_OBS_MODEL	KEY(6)
		PCMP_OBS_STATUS	
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_PROD	Prof Comp RI Products	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_PRODUCT	KEY(6)
		PCMP_PROD_TYPE	KEY(5)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_RI_PRODEFF	Prof Comp RI Products	EFFDT	KEY(7)
		EFF_STATUS	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PCMP_PRODUCT	KEY(6)
		PCMP_PROD_TYPE	KEY(5)
		PCMP_REG_AUTH	KEY(4)
		PCMP_TYPE	KEY(3)
PCMP_TERM_WL	Prof Comp Term Worklist Rec	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)



		EMPLID	
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		PCMP_MGR_SUPER	KEY(8)
		PCMP_MGR_SUPER_ID	KEY(7)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
PCMP_TYPE	Professional Compliance Type	PCMP_NOTIFY_ACTN_H	
		PCMP_NOTIFY_HIR	
		PCMP_NOTIFY_MESS_H	
		PCMP_NOTIFY_TIME_H	
		PCMP_TYPE	KEY(2)
		PCMP_TYPE_DESCR	
		SETID	KEY(1)
PCMP_TYPE_COMM	Prof Comp Type Comments	PCMP_TYPE	KEY(2)
		PCMP_TYPE_COMMENTS	
		SETID	KEY(1)
PCMP_TYPE_JOBCD	Prof Comp Jocode Compliance	JOBCODE	KEY(2)
		PCMP_TYPE	KEY(3)
		SETID	KEY(1)
PCMP_TYPE_LANG	Prof Comp Type Lang	LANGUAGE_CD	KEY(3)
		PCMP_NOTIFY_ACTN_H	
		PCMP_NOTIFY_MESS_H	
		PCMP_TYPE	KEY(2)
		PCMP_TYPE_DESCR	
		SETID	KEY(1)
PCMP_TYP_COMLNG	Prof Comp Type Comments Lang	LANGUAGE_CD	KEY(3)
		PCMP_TYPE	KEY(2)
		PCMP_TYPE_COMMENTS	
		SETID	KEY(1)
PENSION_BENEFC	EE Pension Beneficiaries	BENEFIT_NBR	KEY(4)
		BENEF_PCT	
		CONTINGENT	
		DEPENDENT_BENEF	KEY(6)
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EXCESS	
		FLAT_AMOUNT	
		PLAN_TYPE	KEY(3)
PENSION_PLAN	EE Pension Benefit Enrollments	BENEFIT_NBR	
		BENEFIT_PLAN	
		COVERAGE_ELECT	
		COVERAGE_ELECT_DT	
		DEDUCTION_END_DT	



Table Name	Description	Field Name	Key
PENSION_PLN_TBL	Pension Benefit Plan Parametrs	EMPLID	
		EMPL_RCD	
		PENSION_BASE	
		PLAN_TYPE	
		VOLUNTARY_AMT	
		VOLUNTARY_PCT	
		BENEFIT_PLAN	KEY(2)
		COORDINATE_CPP	
		EE_PCT_OVER_YMPE	
		EE_PCT_UNDER_YMPE	
		EFFDT	KEY(3)
		ERNCD_SPCL	
		ER_PCT_OVER_YMPE	
		ER_PCT_UNDER_YMPE	
		PA_ANNUAL_BASE_HRS	
		PA_BEN_ENT_CEILING	
		PA_CB_CONT_SW	
		PA_EXCLUDE_FROM	
		PA_EXCLUDE_TO	
		PA_MDIB_AGE_ALIAS	
		PA_MDIB_RULE	
		PA_PCT_OVER_YMPE	
		PA_PCT_UNDER_YMPE	
		PCT_OVER_STEP	
		PCT_UP_TO_STEP	
		PENSION_TYPE	
		PENSION_YTD_BASED	
		PENS_RT_TBL_TYPE	
		PEN_CNTRB_STEP	
		PLAN_REG_NO	
		PLAN_TYPE	KEY(1)
		PLN_YR_BEGIN_DAY	
		PLN_YR_BEGIN_MONTH	
PLN_YR_END_DAY			
PLN_YR_END_MONTH			
VOLUN_CNTR_ALLOWED			
PENSION_RTE_TBL	Pension Plan Rates Per Earning	ANNUAL_RT	KEY(4)
		BENEFIT_PLAN	KEY(2)
		EE_PCT_OVER_YMPE	
		EE_PCT_UNDER_YMPE	
		EFFDT	KEY(3)
		ER_PCT_OVER_YMPE	
		ER_PCT_UNDER_YMPE	
		PLAN_TYPE	KEY(1)



PENS_BENEF_FRA	EE Pension Beneficiaries	DEPENDENT_ID	KEY(4)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
PENS_FND_CD_FRA	Pensions Code for France	PENS_FUND_CD_FRA	KEY(1)
PENS_FUND_FRA	Pension Institution Table FRA	DESCR50	
		DESCRSHORT	
		FND_INST_TYPE_FRA	
		PENS_FUND_CD_FRA	KEY(1)
		PENS_FUND_INST_FRA	KEY(2)
		ADDRESS_SBR	
PER062_GRD_JPN	temporary table for per062jp	EP_REVIEW_ID	
		PROCESS_INSTANCE	KEY(1)
		REVIEW_WEIGHT	
		SEQUENCE	KEY(2)
		SETID	
PER062_TMP2_JPN	temporary table for per062jp	ELIGIBILITY_POINTS	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		EP_REVIEW_ID	KEY(5)
		PROCESS_INSTANCE	KEY(1)
		RATING_MODEL	
		REVIEW_RATING	
		REVIEW_WEIGHT	
		SETID_SALARY	KEY(4)
PER062_TMP3_JPN	temporary table for per062jp	ELIGIBILITY_POINTS	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		PROCESS_INSTANCE	KEY(1)
PER062_TMP_JPN	temporary table for per062jp	BUSINESS_UNIT	
		COMPANY	
		DEPTID	
		EDUC_LVL_AD_BT	
		EFFDT	
		EFFSEQ	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		GRADE	
		GRADE_ENTRY_DT	
		HIRE_DT	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		SAL_ADMIN_PLAN	
		SETID_DEPT	
		SETID_SALARY	



PER064JP_AET	State Record for PER064JP_AE	STEP SUPV_LVL_ID ACTION ASOFDATE COMPANY FLAG OPRID PROCESS_INSTANCE KEY(1) RUN_CNTL_ID
PER064JP_DATA	Reporting Record for PER064JP	ACTION ACTION_REASON BUSINESS_UNIT COMPANY DEPTID EFFDT KEY(4) EFFSEQ KEY(5) EMPLID KEY(2) EMPL_CLASS EMPL_RCD KEY(3) GRADE JOBINSTANCE KEY(1) LOCATION REG_REGION SAL_ADMIN_PLAN SETID SETID_DEPT SETID_LOCATION SETID_SALARY SUPV_LVL_ID TREE_NODE_NUM TREE_NODE_NUM_END
PER066JP_AET	State record for PER066JP_AE	ASOFDATE COMPANY OPRID PNLGRPNAME PROCESS_INSTANCE KEY(1) RUN_CNTL_ID SETID TREE_NAME TREE_NODE TREE_NODE_NUM TREE_NODE_NUM_END
PER066JP_DATA	Reporting Record for PER066JP	BUSINESS_UNIT DEPTID KEY(2) EMPLID KEY(3)





		EMPL_RCD	KEY(4)
		JOBINSTANCE	KEY(1)
		MAIN_APPT_NUM_JPN	
		SETID	
		SUPV_LVL_ID	
		TREE_NODE_NUM	
		TREE_NODE_NUM_END	
PER501_AET	AE State Record for HR_PER501	OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
PER501_TMP	Update calculated JOB fields	ANNUAL_RT	
		CHANGE_AMT	
		CHANGE_PCT	
		COMPANY	
		COMPRATE	
		COMP_ANNUAL_FACTOR	
		COMP_BASE_PAY_SW	
		COMP_CHG_AMT	
		COMP_CHG_PCT	
		COMP_CHG_PTS	
		COMP_COMPRATE	
		COMP_COMP_FREQ	
		COMP_CURR_CD	
		COMP_EFFSEQ	KEY(7)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_POINTS_VALUE	
		COMP_RATECD	KEY(8)
		COMP_RATE_POINTS	
		COMP_RATE_TYPE	
		COMP_STD_HOURS_SW	
		CONVERT_COMPRT	
		CURRENCY_CD	
		DAILY_RT	
		DAY_ANNUAL_FACTOR	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FREQUENCY_TYPE	
		FREQ_ANNUAL_FACTOR	
		FREQ_ID_DAILY	
		FREQ_ID_MONTHLY	
		FTE	
		FTE_INDICATOR	



		GP_PAYGROUP	
		HOURLY_RT	
		MONTHLY_RT	
		MTH_ANNUAL_FACTOR	
		OPRID	KEY(1)
		PAID_ANNUAL_FACTOR	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PAYGROUP	
		PAY_SYSTEM_FLG	
		RATE_CODE_GROUP	
		REG_REGION	
		REG_REGION_COUNTRY	
		RUN_CNTL_ID	KEY(2)
		STD_ANNUAL_FACTOR	
		STD_HOURS	
		STD_HRS_FREQUENCY	
		USE_STD_HOURS_SW	
PER501_TMP1	Update calculated JOB fields	ANNUAL_RT	
		CHANGE_AMT	
		CHANGE_PCT	
		COMPANY	
		COMPRATE	
		COMP_ANNUAL_FACTOR	
		COMP_BASE_PAY_SW	
		COMP_CHG_AMT	
		COMP_CHG_PCT	
		COMP_CHG_PTS	
		COMP_COMPRATE	
		COMP_COMP_FREQ	
		COMP_CURR_CD	
		COMP_EFFSEQ	KEY(7)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_POINTS_VALUE	
		COMP_RATECD	KEY(8)
		COMP_RATE_POINTS	
		COMP_RATE_TYPE	
		COMP_STD_HOURS_SW	
		CONVERT_COMPRT	
		CURRENCY_CD	
		DAILY_RT	
		DAY_ANNUAL_FACTOR	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)



		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FREQUENCY_TYPE	
		FREQ_ANNUAL_FACTOR	
		FREQ_ID_DAILY	
		FREQ_ID_MONTHLY	
		FTE	
		FTE_INDICATOR	
		GP_PAYGROUP	
		HOURLY_RT	
		MONTHLY_RT	
		MTH_ANNUAL_FACTOR	
		OPRID	KEY(1)
		PAID_ANNUAL_FACTOR	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PAYGROUP	
		PAY_SYSTEM_FLG	
		RATE_CODE_GROUP	
		REG_REGION	
		REG_REGION_COUNTRY	
		RUN_CNTL_ID	KEY(2)
		STD_ANNUAL_FACTOR	
		STD_HOURS	
		STD_HRS_FREQUENCY	
		USE_STD_HOURS_SW	
PER501_TMP2	Update calculated JOB fields 2	COMP_EFFSEQ	KEY(7)
		COMP_RATECD	KEY(8)
		CONVERT_COMPRT	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
PER501_TMP3	Update calculated JOB fields 3	COMPRATE	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		OPRID	KEY(1)
		PRIOR_EFFDT	
		PRIOR_EFFSEQ	
		RUN_CNTL_ID	KEY(2)
PER501_TMP4	Update calculated JOB fields 3	COMPRATE	



		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		OPRID	KEY(1)
		PRIOR_EFFDT	
		PRIOR_EFFSEQ	
		RUN_CNTL_ID	KEY(2)
*PERSON	PERSON record	BIRTHCOUNTRY	
		BIRTHDATE	
		BIRTHPLACE	
		BIRTHSTATE	
		DT_OF_DEATH	
		EMPLID	KEY(1)
		HIGHLY_COMP_EMPL_C	
		HIGHLY_COMP_EMPL_P	
		ORIG_HIRE_DT	
		PER_STATUS	
*PERSONAL_PHONE	Personal Data - Phone Numbers	EMPLID	KEY(1)
		PHONE_TYPE	KEY(2)
		Z_LC_EMPL_EMAIL	
		Z_LC_EMPL_RELAY	
		PHONE_SBR	
PERSONNEL_RPT	Personnell Rpt Snapshot	ADDRESS_SBR	
		NAMEGBL_NPC_SBR	
		PERS_DTCAN_SBR	
		PERS_DTCHE_SBR	
		PERS_DTESP_SBR	
		PERS_DTFED2_SBR	
		PERS_DTFRA_SBR	
		PERS_DTGER_SBR	
		PERS_DTITA_SBR	
		PERS_DTJPN_SBR	
		PERS_DTUSA_SBR	
		ADDRESS1_AC	
		ADDRESS2_AC	
		ADDRESS3_AC	
		AGE_STATUS	
		ALTER_EMPLID	
		APPLID	
		APP_DT	
		ASOFDATE	
		BIRTHCOUNTRY	
		BIRTHDATE	
		BIRTHPLACE	




---

		BIRTHSTATE	
		CITY_AC	
		DT_OF_DEATH	
		EMPLID	KEY(1)
		FT_STUDENT	
		HIGHEST_EDUC_LVL	
		HIGHLY_COMP_EMPL_C	
		HIGHLY_COMP_EMPL_P	
		LANG_CD	
		MAR_STATUS	
		MAR_STATUS_DT	
		ORIG_HIRE_DT	
		PER_STATUS	
		PER_TYPE	
		PHONE	
		RUNDATE	
		SEX	
		YEARS_OF_EXP	
PERSONNEL_TAO	Personnell Rpt Snapshot	ADDRESS1_AC	
		ADDRESS2_AC	
		ADDRESS3_AC	
		AGE_STATUS	
		ALTER_EMPLID	
		APPLID	
		APP_DT	
		ASOFDATE	
		BIRTHCOUNTRY	
		BIRTHDATE	
		BIRTHPLACE	
		BIRTHSTATE	
		CITY_AC	
		DT_OF_DEATH	
		EMPLID	KEY(1)
		FT_STUDENT	
		HIGHEST_EDUC_LVL	
		HIGHLY_COMP_EMPL_C	
		HIGHLY_COMP_EMPL_P	
		LANG_CD	
		MAR_STATUS	
		MAR_STATUS_DT	
		ORIG_HIRE_DT	
		PER_STATUS	
		PER_TYPE	
		PHONE	
		RUNDATE	



		SEX	
		YEARS_OF_EXP	
		ADDRESS_SBR	
		NAMEGBL_NPC_SBR	
		PERS_DTCAN_SBR	
		PERS_DTCHES_SBR	
		PERS_DTESP_SBR	
		PERS_DTFED2_SBR	
		PERS_DTFRA_SBR	
		PERS_DTGER_SBR	
		PERS_DTITA_SBR	
		PERS_DTJPN_SBR	
		PERS_DTUSA_SBR	
PERSON_BRA	PERSON BRAZIL	CTPS_EXP_DT_BRA	
		CTPS_SERIES_BRA	
		CTPS_STATE_BRA	
		EMPLID	KEY(1)
		MILITAR_CAT_BRA	
		MILITAR_REGION_BRA	
		MILITAR_SERIES_BRA	
		MILITAR_STATE_BRA	
		MIL_CERT_TYPE_BRA	
		PIS_PASEP_DT_BRA	
		RG_ISSUEDBY_BRA	
		RG_ISSUED_DT_BRA	
		RG_STATE_BRA	
		VOTER_CITY_BRA	
		VOTER_SECTION_BRA	
		VOTER_STATE_BRA	
		VOTER_ZONE_BRA	
PERSON_FRA	Person Subrecord - FRA	EMPLID	KEY(1)
		WRK_EXP_FRA_CD	
PERSON_PRCSTMP	Temporary PERSON/ADDRESS	EMPLID	KEY(3)
		OPRID	KEY(2)
		PRCSINSTANCE	KEY(1)
		ADDRESS_NPC_SBR	
PERS_APPL_INFO	Effective Dated Pers App Data	APPLID	
		APP_DT	
		APP_IS_FAMILY	
		EFFDT	KEY(2)
		EMPLID	KEY(1)
		EMPL_REFERRAL_ID	
		PREV_EMPL_BY_COMPY	
		REFERRAL_SOURCE	
		REF_SRC_SUB_CAT	



*PERS_CNTRCT_TYP	Contract Type	RESUME_TEXT_FILE SPECIFIC_REFER_SRC CONTRACT_TYPE DESCR DESCRSHORT EFFDT EFF_STATUS SETID	KEY(2)     KEY(3)  KEY(1)
PERS_CNTTYP_LNG	Contract Type	CNT_TBL_ESP_SBR CNT_TBL_ITA_SBR CONTRACT_TYPE DESCR DESCRSHORT EFFDT LANGUAGE_CD SETID	KEY(2)    KEY(4) KEY(3) KEY(1)
PERS_DATA_BRA	Personal Data Effdt	EDUCATION_LVL_BRA EFFDT EMPLID ETHNIC_GROUP_BRA NATIONALITY_CD_BRA	KEY(2) KEY(1)
*PERS_DATA_EFFDT	Effective Dated Personal Data	AGE_STATUS ALTER_EMPLID APPLID APP_DT EFFDT EMPLID FT_STUDENT HIGHEST_EDUC_LVL LANG_CD MAR_STATUS MAR_STATUS_DT PER_TYPE SEX YEARS_OF_EXP PERS_DTCAN_SBR PERS_DTCHE_SBR PERS_DTESP_SBR PERS_DTFED2_SBR PERS_DTFP_SBR PERS_DTFRA_SBR PERS_DTGER_SBR PERS_DTITA_SBR PERS_DTJPN_SBR	KEY(2) KEY(1)



PERS_DATA_IND	Personal Data - Caste	PERS_DTUSA_SBR EFFDT EMPLID GPIN_CASTE	KEY(2) KEY(1)
PERS_DATA_MEX	Personal Data Effdt Mexico	AFORE_MEX EFFDT EMPLID MED_REC_CD_MEX	KEY(3) KEY(2) KEY(1)
PERS_MILIT_USA	Personal Military Record US	EMPLID MIL_DISCHRG_DT_USA	KEY(1)
PERS_NID	PERS_NID Record	EMPLID NID_SBR	KEY(1)
PERS_OFFLNG_CAN	Employee Level Languages	PERSNID_SGP_SBR EMPLID INTRL_MNT_LNG_CAN INTRL_NB_LNG_CAN INTRL_NCR_LNG_CAN INTRL_ON_LNG_CAN INTRL_QC_LNG_CAN PUB_SVC_LNG_CAN SUPR_COMM_MNT_CAN SUPR_COMM_NB_CAN SUPR_COMM_NCR_CAN SUPR_COMM_ON_CAN SUPR_COMM_QC_CAN	KEY(1)
PERS_REGIST_BEL	Empl Registration Number - BEL	EMPLID EMPL_RCD PERS_REG_DT_BEL PERS_REG_NBR_BEL	KEY(1) KEY(2)
PERS_SRCH_WL	Personnel Worklist	ACTIVITYNAME BUSPROCNAME EMPLID EVENTNAME INSTANCEID NAME OPRCLASS TRANSACTIONID WORKLISTNAME	KEY(2) KEY(1) KEY(7) KEY(3) KEY(5) KEY(6) KEY(4)
PHYSICAL_EXAM	EE Physical Exams	BASELINE BLOOD_DONOR BLOOD_TYPE COMMENTS DESCR EMPLID EXAM_DT	KEY(1) KEY(2)





		EXAM_RESULTS	
		EXAM_TYPE_CD	KEY(3)
		NEXT_EXAM_DT	
		ORGAN_DONOR	
		PHYSICIAN_ID	
		PHYSICIAN_NAME	
		REFERRAL	
		ADDRESS_SBR	
		EXAM_FED_SBR	
		PHONE_SBR	
		PHYS_EXA_FP_SBR	
		P_EXAMFRA_SBR	
PHYS_EXAM_LANG	Rellang - EE Physical Exams	COMMENTS	
		DESCR	
		EMPLID	KEY(1)
		EXAM_DT	KEY(2)
		EXAM_TYPE_CD	KEY(3)
		LANGUAGE_CD	KEY(4)
		PHYSICIAN_NAME	
PINGOPTIONS	PINGOPTIONS	PTP_AS_RED	
		PTP_AS_YELLOW	
		PTP_DB_RED	
		PTP_DB_YELLOW	
		PTP_TOTAL_RED	
		PTP_TOTAL_YELLOW	
		PTP_WB_RED	
		PTP_WB_YELLOW	
		PTP_WS_RED	
		PTP_WS_YELLOW	
PI_CHECK	PI Imported Check Data	CHECK_DT	
		CURRENCY_CD	
		PAY_END_DT	KEY(7)
		PI_CHECK_AMT1	
		PI_CHECK_AMT2	
		PI_CHECK_CODE	
		PI_CHECK_FLD1	
		PI_CHECK_FLD2	
		PI_CHECK_FLD3	
		PI_CHECK_FLD4	
		PI_CHECK_FLD5	
		PI_CHECK_KEY1	
		PI_CHECK_KEY2	
		PI_CHECK_NBR	KEY(8)
		PI_CHECK_RT1	
		PI_CHECK_TYPE	



		PI_CONFIG_ID	KEY(3)
		PI_EMPLID	KEY(6)
		PI_NAME_FIRST	
		PI_NAME_LAST	
		PI_NET_PAY	
		PI_PAY_FREQUENCY	
		PI_PAY_GROUP1	KEY(4)
		PI_PAY_GROUP2	KEY(5)
		PI_RUN_NUM	KEY(1)
		PI_SYSTEM_ID	KEY(2)
		PI_TAX_METHOD	
		PI_TOTAL_DEDUCT	
		PI_TOTAL_GROSS	
		PI_TOTAL_TAXES	
		PI_VOID_IND	
PI_CONFIG_FILE	PYI Configuration File	EFFDT	KEY(2)
		FILE_HANDLE	
		PI_CONFIG_ID	KEY(1)
		PI_FILE_ID	KEY(3)
PI_CONFIG_LANG	PYI Configuration Table - Lang	DESCR	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		PI_CONFIG_ID	KEY(1)
*PI_CONFIG_TBL	PYI Configuration Table	DESCR	
		EFFDT	KEY(2)
		EFF_STATUS	
		PI_CONFIG_ID	KEY(1)
		PI_SYSTEM_ID	
PI_DED_BAL	Payroll Interface Imported Deduction Balances	CURRENCY_CD	KEY(11)
		PI_ARREARS_BAL	
		PI_BALANCE_ID	KEY(7)
		PI_BALANCE_KEY1	
		PI_BALANCE_KEY2	
		PI_BALANCE_PERIOD	KEY(10)
		PI_BALANCE_QTR	KEY(9)
		PI_BALANCE_YEAR	KEY(8)
		PI_CONFIG_ID	KEY(3)
		PI_COV_BASE_MTD	
		PI_COV_BASE_QTD	
		PI_COV_BASE_YTD	
		PI_DED_CD	KEY(13)
		PI_DED_MTD	
		PI_DED_QTD	
		PI_DED_TYPE	KEY(12)



		PI_DED_YTD	
		PI_EMPLID	KEY(6)
		PI_PAY_GROUP1	KEY(4)
		PI_PAY_GROUP2	KEY(5)
		PI_RUN_NUM	KEY(1)
		PI_SYSTEM_ID	KEY(2)
PI_DED_DETAIL	Payroll Interface Imported Check Deductions	CURRENCY_CD	
		PAY_END_DT	KEY(7)
		PI_CALCULATED_BASE	
		PI_CHECK_NBR	KEY(8)
		PI_CONFIG_ID	KEY(3)
		PI_DED_CD	KEY(10)
		PI_DED_CUR	
		PI_DED_CUR_PAYBK	
		PI_DED_CUR_REFUND	
		PI_DED_DISTR	
		PI_DED_NOT_TAKEN	
		PI_DED_TYPE	KEY(9)
		PI_DED_YTD	
		PI_EMPLID	KEY(6)
		PI_PAY_GROUP1	KEY(4)
		PI_PAY_GROUP2	KEY(5)
		PI_RUN_NUM	KEY(1)
		PI_SYSTEM_ID	KEY(2)
PI_DEFFD_TAO	PYI Field definition	SEQ_NUM	KEY(11)
		CONVERT_CASE	
		EFFDT	
		PI_FIELD_ID	
		PI_FIELD_SEQ	
		PI_FILE_ID	
		PI_GROUP_ID	
		PI_KEY_FIELD	
		PI_RECORD_SEQ	
		PI_SYSTEM_ID	
		REDEFINE_IND	
		REVERSE_SIGN	
PI_DEFFL_TAO	PYI File definition	CONVERT_CASE	
		DATA_DELIMITER	
		DESCR	
		DESCRSHORT	
		EFFDT	
		EFF_STATUS	
		EXT_FLDID_IND	
		INCL_HEADER_IND	



		MAX_FLDS_PER_REC	
		PI_FILE_ID	
		PI_FILE_TYPE	
		PI_PROCESS_TYPE	
		PI_RECORD_LEN	
		PI_SYSTEM_ID	
PI_DEFN_FIELD	PYI Field definition	CONVERT_CASE	
		EFFDT	KEY(2)
		PI_FIELD_ID	
		PI_FIELD_SEQ	KEY(4)
		PI_FILE_ID	KEY(1)
		PI_GROUP_ID	
		PI_KEY_FIELD	
		PI_RECORD_SEQ	KEY(3)
		PI_SYSTEM_ID	
		REDEFINE_IND	
		REVERSE_SIGN	
PI_DEFN_FILE	PYI File definition	CONVERT_CASE	
		DATA_DELIMITER	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		EXT_FLDID_IND	
		INCL_HEADER_IND	
		MAX_FLDS_PER_REC	
		PI_FILE_ID	KEY(1)
		PI_FILE_TYPE	
		PI_PROCESS_TYPE	
		PI_RECORD_LEN	
		PI_SYSTEM_ID	
PI_DEFN_F_LANG	PYI File definition - RelLang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		PI_FILE_ID	KEY(1)
PI_DEFN_RECORD	PYI Record definition	DESCR	
		DESCRLONG	
		EFFDT	KEY(2)
		PI_BASE_REC_SEQ	
		PI_FILE_ID	KEY(1)
		PI_INSTANCE_ID	
		PI_PROCESS_ID	
		PI_RECORD_ID	
		PI_RECORD_SEQ	KEY(3)



		PI_RECORD_TYPE	
		PRIMARY_PS_REC	
		REC_OCCUR_IND	
		REC_TERM_LEN	
		REC_TERM_VAL	
PI_DEFN_R_LANG	PYI Record definition - Lang	DESCR	
		DESCRLONG	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(4)
		PI_FILE_ID	KEY(1)
		PI_RECORD_SEQ	KEY(3)
PI_DEFRC_TAO	PYI Record definition	DESCR	
		DESCRLONG	
		EFFDT	
		PI_BASE_REC_SEQ	
		PI_FILE_ID	
		PI_INSTANCE_ID	
		PI_PROCESS_ID	
		PI_RECORD_ID	
		PI_RECORD_SEQ	
		PI_RECORD_TYPE	
		PRIMARY_PS_REC	
		REC_OCCUR_IND	
		REC_TERM_LEN	
		REC_TERM_VAL	
PI_DEFRL_TAO	PYI Record definition - Lang	DESCR	
		DESCRLONG	
		EFFDT	
		LANGUAGE_CD	
		PI_FILE_ID	
		PI_RECORD_SEQ	
PI_DFLLG_TAO	PYI File definition - RelLang	DESCR	
		DESCRSHORT	
		EFFDT	
		LANGUAGE_CD	
		PI_FILE_ID	
PI_EARN_BAL	PI Imported Earning Balances	CURRENCY_CD	KEY(11)
		HRS_MTD	
		HRS_QTD	
		HRS_YTD	
		PI_BALANCE_ID	KEY(7)
		PI_BALANCE_KEY1	
		PI_BALANCE_KEY2	
		PI_BALANCE_PERIOD	KEY(10)
		PI_BALANCE_QTR	KEY(9)



		PI_BALANCE_YEAR	KEY(8)
		PI_CONFIG_ID	KEY(3)
		PI_EARN_CD	KEY(13)
		PI_EARN_TYPE	KEY(12)
		PI_EMPLID	KEY(6)
		PI_GRS_MTD	
		PI_GRS_QTD	
		PI_GRS_YTD	
		PI_PAY_GROUP1	KEY(4)
		PI_PAY_GROUP2	KEY(5)
		PI_RUN_NUM	KEY(1)
		PI_SYSTEM_ID	KEY(2)
PI_EARN_DETAIL	PI Import Check Earn Detail	CURRENCY_CD	
		EARN_BEG_DT	
		EARN_END_DT	
		EARN_HRS	
		HOURLY_RT	
		HRS_YTD	
		PAY_END_DT	KEY(7)
		PI_CHECK_NBR	KEY(8)
		PI_CONFIG_ID	KEY(3)
		PI_EARN_AMT	
		PI_EARN_CD	KEY(10)
		PI_EARN_DISTR	
		PI_EARN_TYPE	KEY(9)
		PI_EMPLID	KEY(6)
		PI_GRS_YTD	
		PI_PAY_GROUP1	KEY(4)
		PI_PAY_GROUP2	KEY(5)
		PI_RUN_NUM	KEY(1)
		PI_SYSTEM_ID	KEY(2)
PI_EMPLID_TBL	PYI Employee Table	SEQ_NUM	KEY(11)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PI_EMPLID	
		PI_SYSTEM_ID	
PI_EXP_INP_AET		AE_INT_14	
		CHARSET	
		COMPANY	
		EMPLID	
		FILE_HANDLE	
		FILE_NAME	
		FILE_SEQ_NO	
		OPRID	



	PAYGROUP	
	PI_CONFIG_ID	
	PI_RECORD_LEN	
	PI_RUN_NUM	
	PI_RUN_OPT	
	PI_RUN_TYPE	
	PI_WRK01	
	PI_WRK02	
	PI_WRK03	
	PI_WRK04	
	PI_WRK05	
	PI_WRK06	
	PI_WRK07	
	PI_WRK08	
	PI_WRK09	
	PROCESS_INSTANCE	KEY(1)
	RECDATA_SEQ_NO	
	REC_DATA_PARTIAL	
	RUN_CNTL_ID	
	RUN_ID	
PI_EXTIO	CHARSET	
	EMPLID	KEY(6)
	FILE_HANDLE	KEY(5)
	FILE_NAME	
	FILE_SEQ_NO	KEY(7)
	PI_RECORD_LEN	
	PI_RUN_NUM	KEY(4)
	PI_RUN_OPT	KEY(3)
	PI_RUN_TYPE	KEY(1)
	RECDATA_SEQ_NO	
	REC_DATA_PARTIAL	
	RUN_ID	KEY(2)
PI_EXTIO2_TAO	CHARSET	
	COMPANY	
	EMPLID	
	FILE_HANDLE	
	FILE_NAME	
	FILE_SEQ_NO	
	PAYGROUP	
	PI_CONFIG_ID	
	PI_RECORD_LEN	
	PI_RUN_NUM	
	PI_RUN_OPT	
	PI_RUN_TYPE	
	PI_SYSTEM_ID	



		PI_WRK01	
		PI_WRK02	
		PI_WRK03	
		PI_WRK04	
		PI_WRK05	
		PI_WRK06	
		RECDATA_SEQ_NO	
		REC_DATA_PARTIAL	
		RUN_ID	
PI_EXTIO_TAO		CHARSET	
		COMPANY	
		EMPLID	
		FILE_HANDLE	
		FILE_NAME	
		FILE_SEQ_NO	
		PAYGROUP	
		PI_CONFIG_ID	
		PI_RECORD_LEN	
		PI_RUN_NUM	
		PI_RUN_OPT	
		PI_RUN_TYPE	
		PI_SYSTEM_ID	
		PI_WRK01	
		PI_WRK02	
		PI_WRK03	
		PI_WRK04	
		PI_WRK05	
		PI_WRK06	
		RECDATA_SEQ_NO	
		REC_DATA_PARTIAL	
		RUN_ID	
PI_FIELD_LANG	PYI Field Definition Tbl -Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		PI_FIELD_ID	KEY(2)
		PI_SYSTEM_ID	KEY(1)
*PI_FIELD_TBL	PYI Field Definition Table	BLANK_IF_ZERO	
		DECIMAL_CHAR	
		DECIMAL_LEN	
		DESCR	
		DESCRSHORT	
		DISPLAY_DEC	
		DT_FORMAT	
		EFFDT	KEY(3)





		EFF_STATUS	
		EXT_COL_NAME	
		EXT_FLDID_ID	
		JUSTIFICATION	
		NULL_BLANK_CHAR	
		NULL_ZERO_NUM	
		PAD_CHAR	
		PAD_FIELD_IND	
		PI_DFLT_VALUE	
		PI_FIELD_ID	KEY(2)
		PI_FIELD_LEN	
		PI_FIELD_TYPE	
		PI_INSTANCE_ID	
		PI_PROCESS_ID	
		PI_PROCESS_TYPE	
		PI_SYSTEM_ID	KEY(1)
		PI_TEXT_TYPE	
		PI_XLAT_IND	
		PS_FIELD1_NM	
		PS_FIELD2_NM	
		PS_FIELD3_NM	
		PS_RECORD_NM	
		REMOVE_TRAIL_SPACE	
		ROUND_DEC	
		SIGN_NEG_CHAR	
		SIGN_POSITION	
		SIGN_POS_CHAR	
		SIGN_POS_IND	
PI_FIELD_XLAT	PYI Field Translation Record	EFFDT	KEY(3)
		PI_FIELD_ID	KEY(2)
		PI_FIELD_VALUE	
		PI_SYSTEM_ID	KEY(1)
		PS_FIELD1_VALUE	KEY(4)
		PS_FIELD2_VALUE	KEY(5)
		PS_FIELD3_VALUE	KEY(6)
PI_GROUP_LANG	Payroll Interface Grp Tbl-Lang	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(3)
		PI_GROUP_ID	KEY(2)
		PI_SYSTEM_ID	KEY(1)
PI_GROUP_TBL	Payroll Interface Group Table	DESCR	
		DESCRSHORT	
		PI_GROUP_ID	KEY(2)
		PI_PROCESS_TYPE	
		PI_SYSTEM_ID	KEY(1)



		PS_FIELD1_NM	
		PS_KEY_VALUE	
		PS_RECORD_NM	
PI_INSTANCE_TBL	PI Instance Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		INCLD_EXCLD_IND	
		PI_INSTANCE_ID	KEY(2)
		PI_INSTANCE_IND	
		PI_SYSTEM_ID	KEY(1)
		PS_FIELD1_NM	
		PS_RECORD_NM	
		ROW_NUM	
PI_INSTANC_LANG	PI Instance Table - RelLang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		PI_INSTANCE_ID	KEY(2)
		PI_SYSTEM_ID	KEY(1)
PI_INST_VALUE	PI Instance Table Value	EFFDT	KEY(3)
		PI_INSTANCE_ID	KEY(2)
		PI_INSTANCE_SEQ	KEY(4)
		PI_SYSTEM_ID	KEY(1)
		PS_FIELD1_VALUE	
PI_MESSAGE	Payroll Interface Messages	COMPANY	KEY(1)
		EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		ERROR_KEY	KEY(6)
		MSGDATA1	KEY(8)
		MSGDATA2	KEY(9)
		MSGDATA3	KEY(10)
		MSGID	KEY(7)
		PAYGROUP	KEY(2)
		PAY_END_DT	KEY(3)
		PI_RUN_NUM	
		RUN_ID	
*PI_PARTIC	PYI Participant Output	COMPANY	KEY(4)
		COUNTRY	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EMPL_STATUS	
		LAST_EXPORT_SEQ	
		PAYGROUP	KEY(5)
		PAY_END_DT	
		PI_CHANGE_IND	



		PI_CHANGE_TYPE	
		PI_CONFIG_ID	
		PI_EMPLID	
		PI_PARTIC_STATUS	
		PI_RUN_NUM	KEY(3)
		PI_SYSTEM_ID	
		STATUS_DTTM	
*PI_PARTIC_EXPT	PYI Participant Output-Export	COMPANY	KEY(4)
		EFFDT	KEY(7)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EXPORT_ROW	
		EXPORT_SEQ	KEY(6)
		PAYGROUP	KEY(5)
		PI_CHANGE_IND	
		PI_CONFIG_ID	
		PI_EMPLID	
		PI_EXPORT_SEQ	
		PI_FILE_ID	
		PI_RECORD_ID	
		PI_RECORD_SEQ	
		PI_RUN_NUM	KEY(3)
		PI_SYSTEM_ID	
*PI_PARTIC_EXTBL	Payroll Interface Participation Emplid Change	CHAR_VAL	
		COMPANY	KEY(4)
		DATE_VAL	
		DTTM_VAL	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		NUM_VAL	
		PAYGROUP	KEY(5)
		PI_FIELD_ID	KEY(7)
		PI_RUN_NUM	KEY(3)
		SEQ_NUM	KEY(6)
PI_PIFLD_TAO	PYI Field Definition Table	BLANK_IF_ZERO	
		DECIMAL_CHAR	
		DECIMAL_LEN	
		DESCR	
		DESCRSHORT	
		DISPLAY_DEC	
		DT_FORMAT	
		EFFDT	
		EFF_STATUS	
		EXT_COL_NAME	



		EXT_FLDID_ID	
		JUSTIFICATION	
		NULL_BLANK_CHAR	
		NULL_ZERO_NUM	
		PAD_CHAR	
		PAD_FIELD_IND	
		PI_DFLT_VALUE	
		PI_FIELD_ID	
		PI_FIELD_LEN	
		PI_FIELD_TYPE	
		PI_INSTANCE_ID	
		PI_PROCESS_ID	
		PI_PROCESS_TYPE	
		PI_SYSTEM_ID	
		PI_TEXT_TYPE	
		PI_XLAT_IND	
		PS_FIELD1_NM	
		PS_FIELD2_NM	
		PS_FIELD3_NM	
		PS_RECORD_NM	
		REMOVE_TRAIL_SPACE	
		ROUND_DEC	
		SIGN_NEG_CHAR	
		SIGN_POSITION	
		SIGN_POS_CHAR	
		SIGN_POS_IND	
PI_PIFLG_TAO	PYI Field Definition Tbl -Lang	DESCR	
		DESCRSHORT	
		EFFDT	
		LANGUAGE_CD	
		PI_FIELD_ID	
		PI_SYSTEM_ID	
PI_PIFXL_TAO	PYI Field Translation Record	EFFDT	
		PI_FIELD_ID	
		PI_FIELD_VALUE	
		PI_SYSTEM_ID	
		PS_FIELD1_VALUE	
		PS_FIELD2_VALUE	
		PS_FIELD3_VALUE	
*PI_PRESELECT	Payroll Interface SmartSelect Table	DATETIME_STAMP	KEY(4)
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		EMPL_RCDN_FLAG	
		PI_RUN_NUM	
		PI_SELECT_TYPE	KEY(1)



PI_PROCESS_TBL	PYI Special Code Table	DESCRSHORT PI_PROCESS_ID KEY(1) PI_PROCESS_PHASE KEY(2) PRCS_DESCR PRCS_TYPE USER_DEFINED_IND USER_EXIT
PI_PROCESS_VAL	Payroll Interface Special Process Value	DESCR  PI_PROCESS_ID KEY(1) PI_PROCESS_PHASE KEY(2) RETURN_VALUE KEY(3)
PI_PROC_TB_LANG	PYI Special Code Table - Lang	DESCRSHORT LANGUAGE_CD KEY(3) PI_PROCESS_ID KEY(1) PI_PROCESS_PHASE KEY(2) PRCS_DESCR
PI_PROC_VA_LANG	Payroll Interface Special Process Value -Lang	DESCR  LANGUAGE_CD KEY(4) PI_PROCESS_ID KEY(1) PI_PROCESS_PHASE KEY(2) RETURN_VALUE KEY(3)
PI_PSREC_FLD	Payroll Interface Peoplesoft Field Definition	COLLATE_ORDER  EFFDT_IND EFFSEQ_IND FIELDNAME KEY(4) FIELDNUM KEY_FIELD_IND ORDER_BY_SEQ PI_PROCESS_TYPE KEY(3) PI_SYSTEM_ID KEY(1) RECNAME KEY(2)
PI_PS_RECORD	Payroll Interface Peoplesoft record	DATA_REQUIRED DED_CALC_DATA DESCRLONG INCLD_CNTRY_WHERE INCLD_CO_IN_WHERE JOB_DATA PI_PROCESS_TYPE KEY(3) PI_SYSTEM_ID KEY(1) RECNAME KEY(2) SELECT_WHERE_TYPE
PI_PS_REC_LANG	Payroll Interface Peoplesoft record -	DESCRLONG



RelLang			
		LANGUAGE_CD	KEY(4)
		PI_PROCESS_TYPE	KEY(3)
		PI_SYSTEM_ID	KEY(1)
		RECNAME	KEY(2)
*PI_RUNCTL	Payroll Interface Run Control	ACTIVE_EMPL	
		CBL_AE_SEPARATE	
		CHKPT_INTERVAL	
		COBOL_COMPLETE	
		EXCLUDE_DEDCALC	
		EXPORT_CHG_FULL	
		OPRID	KEY(1)
		PI_REPROCESS_IND	
		PI_RUN_NUM	
		PI_RUN_OPT	
		PI_RUN_TYPE	
		PI_SELECT_TYPE	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		GVT_PI_SBR	
*PI_RUNCTL_AE	Payroll Interface Run Control	OPRID	KEY(1)
		PI_RUN_NUM	
		PI_RUN_OPT	
		PI_RUN_TYPE	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
PI_RUNCTL_SID	Run Control for Cloning Util	OPRID	KEY(1)
		PICLONE_FIELD	
		PICLONE_GROUP	
		PICLONE_INSTANCE	
		PICLONE_PSTBL	
		PI_FDEFN_FROM	
		PI_FDEFN_TO	
		PI_SYSID_FROM	
		PI_SYSID_TO	
		RUN_CNTL_ID	KEY(2)
*PI_RUN_PYGRP	Payroll Int. Run Pygrp Table	CHECK_DT	
		COMPANY	KEY(2)
		COMPARE_DTTM	
		COUNTRY	
		CURRENCY_CD	
		PAYGROUP	KEY(3)
		PAY_BEGIN_DT	
		PAY_END_DT	
		PAY_FREQUENCY	



		PI_BALANCE_ID	
		PI_BALANCE_PERIOD	
		PI_BALANCE_QTR	
		PI_BALANCE_YEAR	
		PI_CONFIG_ID	
		PI_PYGRP_STATUS	
		PI_RUN_NUM	KEY(1)
		PI_SELECT_TYPE	
		STATUS_DTTM	
*PI_RUN_TBL	Payroll Interface Run Table	ACTIVE_EMPL	
		EXCLUDE_DEDCALC	
		EXPORT_CHG_FULL	
		PI_RUN_NUM	KEY(1)
		PI_RUN_STATUS	
		PI_RUN_TYPE	
		PI_SELECT_TYPE	
		RUN_ID	
		STATUS_DTTM	
PI_SETUP_AET	State rec for Payroll Interface Setup Prcc	PI_FDEFN_FROM	
		PI_FDEFN_TO	
		PI_SYSID_FROM	
		PI_SYSID_TO	
		PROCESS_INSTANCE	
PI_SYSTEM_LANG	PYI Interface System Tbl-Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		PI_SYSTEM_ID	KEY(1)
PI_SYSTEM_STAT	PI System Status	EFFDT	KEY(2)
		EMPL_STATUS	KEY(3)
		PI_SYSTEM_ID	KEY(1)
*PI_SYSTEM_TBL	PYI Interface System Table	CHARSET	
		CONVERT_CASE	
		CONVERT_EMPLID	
		DATA_DELIMITER	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFFDT_TRANS_IND	
		EFF_STATUS	
		EXPORT_CHG_IND	
		EXP_HIST_MTH	
		EXT_FLDID_IND	
		EXT_FLDID_LEN	



Table Name	Description	Field Name	Key
PI_TAX_BAL	Payroll Interface Imported Tax Balances	INCL_HEADER_IND	
		LAST_FLD_DELIMITER	
		LITERAL_STRING_CHR	
		NULL_BLANK_CHAR	
		NULL_ZERO_NUM	
		PI_EMPLID_FIELD	
		PI_EXPT_DEST	
		PI_FILE_TYPE	
		PI_PROCESS_FILTER	
		PI_SYSTEM_ID	KEY(1)
		PI_VERSION	
		REMOVE_TRAIL_SPACE	
		SYSTEM_ID_CD	
		CURRENCY_CD	KEY(11)
		PI_BALANCE_ID	KEY(7)
		PI_BALANCE_KEY1	
		PI_BALANCE_KEY2	
		PI_BALANCE_PERIOD	KEY(10)
		PI_BALANCE_QTR	KEY(9)
		PI_BALANCE_YEAR	KEY(8)
		PI_CONFIG_ID	KEY(3)
		PI_COUNTRY	KEY(14)
		PI_EMPLID	KEY(6)
		PI_LOCALITY	
		PI_NLGRS_MTD	
		PI_NLGRS_QTD	
		PI_NLGRS_YTD	
PI_PAY_GROUP1	KEY(4)		
PI_PAY_GROUP2	KEY(5)		
PI_RUN_NUM	KEY(1)		
PI_STATE	KEY(15)		
PI_SYSTEM_ID	KEY(2)		
PI_TAX_CD	KEY(13)		
PI_TAX_MTD			
PI_TAX_QTD			
PI_TAX_TYPE	KEY(12)		
PI_TAX_YTD			
PI_TXGRS_MTD			
PI_TXGRS_QTD			
PI_TXGRS_YTD			
PI_TAX_DETAIL	PI Import Check Taxes	CURRENCY_CD	
		PAY_END_DT	KEY(7)
		PI_CHECK_NBR	KEY(8)
		PI_CONFIG_ID	KEY(3)





		PI_COUNTRY	
		PI_EMPLID	KEY(6)
		PI_LOCALITY	
		PI_PAY_GROUP1	KEY(4)
		PI_PAY_GROUP2	KEY(5)
		PI_RUN_NUM	KEY(1)
		PI_STATE	
		PI_SYSTEM_ID	KEY(2)
		PI_TAX_CD	KEY(10)
		PI_TAX_CUR	
		PI_TAX_DISTR	
		PI_TAX_TYPE	KEY(9)
		PI_TAX_YTD	
		PI_TXGRS_CUR	
		SEQ_NUM	KEY(11)
PKG_ADD_CMP_TBL	Additional Component Table	ADD_CMP_TYPE	
		ADD_COMPONENT	KEY(1)
		COMP_RATECD	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		FBT_CALC_TYPE	
		PACKAGE_LEVEL	
PKG_ADD_LANG	Sal Package Addit Comp - Lang	ADD_COMPONENT	KEY(1)
		DESCR	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
PKG_BSE_CMP_ADD	Additional Components	ADD_COMPONENT	KEY(3)
		COMPONENT	KEY(1)
		EFFDT	KEY(2)
PKG_BSE_CMP_CAL	Component Calculation Rules	COMPONENT	KEY(1)
		EFFDT	KEY(2)
		SPCL_EFFECT	
		SUB_COMPONENT	KEY(3)
PKG_BSE_CMP_CDE	Pkg Base Component Expense Cds	COMPONENT	KEY(1)
		EFFDT	KEY(2)
		EXPENSE_CD	
		EXP_GST_TYPE	
		PIN_DED_NUM	
		PIN_ERN_NUM	
		PKG_PAY_EXP_TYPE	
		SEQNO	KEY(3)
PKG_BSE_CMP_TBL	Packaging Component Table	ADD_GROSS	
		BEN_BSE_COMPRATECD	



		CALC_STARTING_PT	
		COMPONENT	KEY(1)
		COMPONENT_TYPE	
		COMP_RATECD	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		ENROL_BENEF_BASE	
		PACKAGE_LEVEL	
		PROJECTION_TYPE	
PKG_BSE_LANG	Pkg Component Tbl - Language	COMPONENT	KEY(1)
		DESCR	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
PKG_CALENDAR	Calendar Table for Sal Pckg	COMPANY	KEY(2)
		GP_PAYGROUP	KEY(1)
		PAYGROUP	KEY(3)
		PAY_BEGIN_DT	
		PAY_END_DT	KEY(4)
PKG_CAL_HDR		COMPANY	KEY(2)
		GP_PAYGROUP	KEY(1)
		PAYGROUP	KEY(3)
PKG_COMPANY_PRT	Sal Pkg Company Payroll Tax	COMPANY	KEY(1)
		COUNTRY	KEY(3)
		EFFDT	KEY(2)
		PAYROLL_TAX_PCT	
		STATE	KEY(4)
PKG_ERN_DED_XCL	Sal Pkg Earning/Ded Inclusion	PKG_ERNDED_PIN_NUM	KEY(1)
PKG_EXP_CMP_TBL	Pkg Expense Component Tbl	ACTUAL_AMT_TEC	
		ACTUAL_AMT_TPV	
		ADDITIONAL_FLAG	
		ASOFDATE	KEY(4)
		BSE_COMPONENT	KEY(6)
		COMPONENT	KEY(5)
		COMPONENT_AMT_TEC	
		COMPONENT_AMT_TPV	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		OVERBUDGET_FLAG	
		PROJ_AMT_TEC	
		PROJ_AMT_TPV	
PKG_EXP_PER_TBL	Pkg Period Expenses Table	ADD_COMPONENT	KEY(6)
		BUDGET_AMT	



Table Name	Description	Field Name	Key
PKG_EXP_TBL	Pkg Expense Header Tbl	COMPONENT	KEY(5)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EXPENSE_AMT	
		PERIOD_END	KEY(4)
		PERIOD_START	
		REMAINING_BUDGET	
		TAXABLE_AMT	
		ASOFDATE	KEY(4)
PKG_FBT_INT_TBL	FBT Statutory Int Rate Tbl	EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		NONPKG_DEDNS_PER	
		NONPKG_DEDNS_PTD	
		NONPKG_EARNS_PER	
		NONPKG_EARNS_PTD	
		NONPKG_EXPENSE_PER	
		NONPKG_EXPENSE_PTD	
		PERIOD_START	
PKG_FBT_IN_LANG	FBT Stat Int Rate Tbl - Lang	COUNTRY	KEY(1)
		DESCR	
		EFFDT	KEY(2)
		EFF_STATUS	
PKG_FBT_LANG	FBT Tax Rates - Language table	FBT_STAT_PCT	
		COUNTRY	KEY(1)
		DESCR	
		EFFDT	KEY(3)
PKG_FBT_TBL	FBT Tax Table	LANGUAGE_CD	KEY(2)
		COUNTRY	KEY(1)
		DESCR	
		EFFDT	KEY(3)
PKG_FBT_VE_HDR	FBT Vehicle Stat Pct Hdr	LANGUAGE_CD	KEY(2)
		COUNTRY	KEY(1)
		DESCR	
		EFFDT	KEY(2)
		EFF_STATUS	
		FBT_MIN_FOR_GC	
		FBT_PCT	
GST_RATE			



PKG_FBT_VEH_TBL	FBT Vehicle Stat Pct Tbl	COUNTRY	KEY(1)
		EFFDT	KEY(2)
		FBT_STAT_PCT	
PKG_FBT_VH_LANG	Pkg Veh Statutory % Hdr - Lang	MILEAGE_LIMIT	KEY(3)
		COUNTRY	KEY(1)
		DESCR	
PKG_MDL_ADD_CMP	Pkg Model Addnl Component Tbl	EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		ADD_CMP_AMT	
PKG_MDL_BSE_CMP	Pkg Model Base Component Tbl	ADD_CMP_AMT_PER	
		ADD_CMP_ENROL_AMT	
		ADD_COMPONENT	KEY(7)
		COMPONENT	KEY(5)
		COMPONENT_START	KEY(6)
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		AL_ANN_CONTRIB	
		AL_STANDBY_FARE	
		BENEFIT_BASE	
		BR_ANN_BENEFIT	
		BR_ANN_CONTRIB	
		CF_GST_AMOUNT	
		COMPONENT	KEY(5)
		COMPONENT_AMT	
COMPONENT_AMT_TEC			
COMPONENT_AMT_TPV			
COMPONENT_END			
COMPONENT_PCT			
COMPONENT_PER_AMT			
COMPONENT_PER_TEC			
COMPONENT_PER_TPV			
COMPONENT_START	KEY(6)		
EFFDT	KEY(3)		
EFFSEQ	KEY(4)		
EMPLID	KEY(1)		
EMPL_RCD	KEY(2)		
EN_ANN_CONTRIB			
EN_ANN_ENT			
EX_ANN_CONTRIB			
EX_ANN_EXPENSE			
GST_AMOUNT			
GST_RATE			
HO_CAPITAL_COST			



---

HO\_EXPIRY\_DT  
HO\_GOODS\_DESC  
HO\_LEASE\_TERM  
HO\_RESIDUAL\_AMT  
HO\_RESIDUAL\_PCT  
HO\_START\_DT  
HS\_ACCOM\_TYPE  
HS\_ANN\_CONTRIB  
HS\_MARKET\_VALUE  
LA\_ACCOM\_COST  
LA\_ADDL\_FOOD\_COST  
LA\_ALLOW\_AMT  
LN\_ACCOUNT\_NBR  
LN\_INTEREST\_RATE  
LN\_LOAN\_AMT  
LN\_LOAN\_BALANCE  
MV\_ANNUAL\_EXP  
MV\_BODY\_TYPE  
MV\_CAPITAL\_BASE  
MV\_CAPITAL\_COST  
MV\_CAPITAL\_GST  
MV\_CHASSIS\_NBR  
MV\_COLOUR  
MV\_DEPRECIATED\_AMT  
MV\_END\_DATE  
MV\_ENGINE\_NBR  
MV\_FBT\_METHOD  
MV\_LEASED  
MV\_LS\_COMPANY  
MV\_LS\_END\_DT  
MV\_LS\_NBR  
MV\_LS\_PAYOUT\_DT  
MV\_LS\_RESID\_AMT  
MV\_LS\_RESID\_PCT  
MV\_LS\_START\_DT  
MV\_LS\_TERM  
MV\_MAKE  
MV\_MILEAGE  
MV\_MILEAGE\_END  
MV\_MILEAGE\_START  
MV\_MODEL  
MV\_MTHLY\_AMT  
MV\_OPERATE\_COST  
MV\_PRIVATE\_DAYS  
MV\_PRIVATE\_PCT



Table Name	Description	Field Name	Key
PKG_MDL_BUDGET	Pkg Model Budget Table	MV_REG_EXP_DT	
		MV_REG_NBR	
		MV_START_DATE	
		MV_TRANSMISSION	
		MV_YEAR	
		PKG_REMAINDER	
		PK_ANN_CONTRIB	
		PK_AVAIL_DAYS	
		PK_DAY_RATE	
		PK_FBT_METHOD	
		PK_MARKET_VALUE	
		PY_ANN_CONTRIB	
		PY_FBT_METHOD	
		PY_SELL_PRICE	
		RD_ANN_CONTRIB	
		RD_COST_AMT	
		RD_FBT_METHOD	
		TAXABLE_AMT	
		TAX_ADJ_AMT	
		TAX_EXEMPT_AMT	
		WV_ANN_CONTRIB	
		WV_ANN_WAIVER	
		PKG_MDL_HDR	Sal Packaging - Model Header
COMPONENT_AMT			
COMPONENT_START	KEY(6)		
EFFDT	KEY(3)		
EFFSEQ	KEY(4)		
EMPLID	KEY(1)		
EMPL_RCD	KEY(2)		
EXPENSE_AMT			
PERIOD_END	KEY(7)		
PERIOD_START			
PKG_MDL_TBL	Package Model table	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
PKG_MDL_TBL	Package Model table	CF_TEC_PER_TARGET	
		CF_TEC_TARGET	
		CF_TPV_PER_TARGET	
		CF_TPV_TARGET	
		COMPANY	
		CURRENCY_CD	
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
GP_PAYGROUP			



		GROSS_SALARY	
		JOBCODE	
		PAYGROUP	
		PAYROLL_STATE_AUS	
		PKG_CONFIRMED	
		PKG_DEENROLLED	
		PKG_END_DT	
		PKG_METHOD	
		PKG_RULE_ID	
		PKG_START_DT	
		PKG_STATUS	
		PKG_TEMPLATE_ID	
		REVIEW_DT	
		SETID	
		TAX_SCALE	
		TAX_YEARLY	
		TEC_BALANCE	
		TEC_CURRENT	
		TEC_PER_BALANCE	
		TEC_PER_CURRENT	
		TEC_PER_TARGET	
		TEC_TARGET	
		TPV_BALANCE	
		TPV_CURRENT	
		TPV_PER_BALANCE	
		TPV_PER_CURRENT	
		TPV_PER_TARGET	
		TPV_TARGET	
PKG_PAYG_TX_DTL	Tax Rates for Sal Pckg - Dtls	A_PCT	
		B_AMT	
		EFFDT	KEY(2)
		TAX_SCALE	KEY(1)
		WEEKLY_THRESHOLD	KEY(3)
PKG_PAYG_TX_TBL	Tax Rates - for Sal Packaging	DESCR	
		EFFDT	KEY(2)
		EFF_STATUS	
		TAX_SCALE	KEY(1)
PKG_PYTX_HDR	State Payroll Tax - Header	COMPANY	KEY(1)
		EFFDT	KEY(2)
PKG_PYTX_RT_TBL	State Payroll Tax Rates	COMPANY	KEY(1)
		COUNTRY	KEY(3)
		EFFDT	KEY(2)
		PAYROLL_TAX_PCT	
		PRT_BASIS	
		STATE	KEY(4)



PKG_RULE_CMP	Salary Package Rule Detail Tbl	AMT_OR_PCT BOOLEAN_TYPE CMP_COMPONENT CMP_VALUE COMPONENT KEY(3) COMPONENT_SEQ KEY(4) EFFDT KEY(2) PKG_REQ PKG_RULE_ID KEY(1)
PKG_RULE_LANG	Pkg Rule Table - Language	DESCR DESCRSHORT EFFDT KEY(3) LANGUAGE_CD KEY(2) PKG_RULE_ID KEY(1)
*PKG_RULE_TBL	Salary Package Rule Table	DESCR DESCRSHORT EFFDT KEY(2) EFF_STATUS PKG_RULE_ID KEY(1)
PKG_TAX_LANG	Tax Rates for Sal Packg - Lang	DESCR EFFDT KEY(3) LANGUAGE_CD KEY(2) TAX_SCALE KEY(1)
PKG_TMP_CMP	Packaging Template Components	COMPONENT KEY(3) EFFDT KEY(2) PKG_TEMPLATE_ID KEY(1)
PKG_TMP_LANG	Pkg Template Table - Language	DESCR EFFDT KEY(3) LANGUAGE_CD KEY(2) PKG_TEMPLATE_ID KEY(1)
*PKG_TMP_TBL	Packaging Template Table	DESCR DESCRSHORT EFFDT KEY(2) EFF_STATUS PKG_TEMPLATE_ID KEY(1)
PK_LICENSE_CODE	Packaging - Product Licensing	DESCR DESCR254 EFFDT KEY(4) EFF_STATUS PK_LICENSE_CODE KEY(1) PK_PRODUCT_LINE KEY(3) PK_RELEASE KEY(2)
PK_LICENSE_DEFN	Packaging - Product Licensing	LASTUPDDTTM LASTUPDOPRID OBJECTOWNERID





		PK_ACTIVEFLAG	
		PK_LICENSE_CODE	KEY(1)
		PK_OBJECTNAME	KEY(5)
		PK_OBJECTTYPE	KEY(4)
		PK_PRODUCT_LINE	KEY(3)
		PK_RELEASE	KEY(2)
PK_LICENSE_HDR	Packaging - Product Licensing	PK_LICENSE_CODE	KEY(1)
		PK_OBJECTTYPE	KEY(4)
		PK_PRODUCT_LINE	KEY(3)
		PK_RELEASE	KEY(2)
PLACE_ORIG_CHE	Employee Place of Origin	EMPLID	KEY(1)
		MAIN_ORIG_CHE	
		ORIGIN_CHE	
		SEQ_NUM	KEY(2)
PLAN_SAL_WL	Plan Salaries Worklist	ACTIVITYNAME	KEY(2)
		BUDGET_ID	KEY(9)
		BUDGET_START_DT	KEY(8)
		BUSPROCNAME	KEY(1)
		DESCR50	
		DESCRSHORT	
		EVENTNAME	KEY(3)
		GB_GROUP_ID	KEY(7)
		INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
PLN_SL_WL_LNG	Plan Sal Worklist Rel Lang Tbl	ACTIVITYNAME	KEY(2)
		BUDGET_ID	KEY(9)
		BUDGET_START_DT	KEY(8)
		BUSPROCNAME	KEY(1)
		DESCR50	
		DESCRSHORT	
		EVENTNAME	KEY(3)
		GB_GROUP_ID	KEY(7)
		INSTANCEID	KEY(5)
		LANGUAGE_CD	KEY(10)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
PMN_FILTER	Process Monitor Filter	DISTSTATUS	
		FILTERUNIT	
		FILTERVALUE	
		OPRID	KEY(1)
		PMN_SAVE_FLAG	
		PRCSNAME	
		PRCSTYPE	
		RUNSTATUS	



		SERVERNAME	
		WS_OPRID	
PM_PS_DMO_REC	Demo Data Records	COUNTRY	KEY(2)
		IMPORT_OPTION	
		RECNAME	KEY(1)
PM_PS_DMO_WHERE	Demo Data Rec Where Clause	COUNTRY	KEY(2)
		PM_CLAUSE_SEQ	KEY(3)
		PM_CONDITION	KEY(4)
		PM_FIELD_NAME	KEY(5)
		PM_OPERATORS	KEY(6)
		PM_VALUE	KEY(7)
		RECNAME	KEY(1)
PM_PS_REC	System Data Records	COUNTRY	KEY(2)
		IMPORT_OPTION	
		RECNAME	KEY(1)
PM_PS_RECUP_WHE	System Data Rec Where Clause	PM_CLAUSE_SEQ	KEY(2)
		PM_CONDITION	KEY(3)
		PM_FIELD_NAME	KEY(4)
		PM_OPERATORS	KEY(5)
		PM_VALUE	KEY(6)
		RECNAME	KEY(1)
PM_PS_REC_WHERE	System Data Rec Where Clause	COUNTRY	KEY(2)
		PM_CLAUSE_SEQ	KEY(3)
		PM_CONDITION	KEY(4)
		PM_FIELD_NAME	KEY(5)
		PM_OPERATORS	KEY(6)
		PM_VALUE	KEY(7)
		RECNAME	KEY(1)
PM_PS_TSTBLS	Temp Test Data Records	RECNAME	KEY(1)
PM_PS_TSTWHERE	Temp Data Rec Where Clause	PM_CLAUSE_SEQ	KEY(3)
		PM_CONDITION	KEY(4)
		PM_DATATYPE	KEY(2)
		PM_FIELD_NAME	KEY(5)
		PM_OPERATORS	KEY(6)
		PM_VALUE	KEY(7)
		RECNAME	KEY(1)
PM_PS_TST_REC	Test Data Records	COUNTRY	KEY(2)
		IMPORT_OPTION	
		RECNAME	KEY(1)
PM_PS_TST_WHERE	Test Data Rec Where Clause	COUNTRY	KEY(2)
		PM_CLAUSE_SEQ	KEY(3)
		PM_CONDITION	KEY(4)
		PM_FIELD_NAME	KEY(5)
		PM_OPERATORS	KEY(6)
		PM_VALUE	KEY(7)



*POOL_TBL	Pool Definition Table	RECNAME	KEY(1)
		DEPTID	KEY(2)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		EFF_STATUS	
		POSITION_POOL_ID	KEY(3)
		SETID	KEY(1)
POOL_TBL_LANG	Related Pool Language Table	DEPTID	KEY(2)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(5)
		LANGUAGE_CD	KEY(4)
		POSITION_POOL_ID	KEY(3)
		SETID	KEY(1)
POP_CTG_FRA_LNG	Population Category Rel. Lang.	DESCR	
		DESCRLONG	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		POPULATION_CTG_FRA	KEY(1)
POP_CTG_FRA_TBL	Population Category Setup -FRA	DESCR	
		DESCRLONG	
		DESCRSHORT	
		POPULATION_CTG_FRA	KEY(1)
PORTAL_CSS_RUN	Security Sync Run Control	OPRID	KEY(1)
		PORTAL_CREFP_FLAG	
		PORTAL_FLDRP_FLAG	
		PORTAL_NAME	
		RUN_CNTL_ID	KEY(2)
PORTAL_FLDRP		PORTAL_LEVEL_NUM	KEY(3)
		PORTAL_NAME	KEY(2)
		PORTAL_OBJNAME	KEY(5)
		PORTAL_PERMNAME	KEY(6)
		PORTAL_PRNTOBJNAME	KEY(4)
		PROCESS_INSTANCE	KEY(1)
PORTAL_FLDRPTMP		PORTAL_LEVEL_NUM	KEY(3)
		PORTAL_NAME	KEY(2)
		PORTAL_OBJNAME	KEY(5)
		PORTAL_PERMNAME	KEY(6)
		PORTAL_PRNTOBJNAME	KEY(4)
		PROCESS_INSTANCE	KEY(1)
PORTAL_HPCOL1		COMPONENT_HDR	KEY(2)
		OPRID	KEY(1)
		PORTAL_COMPID	KEY(3)
PORTAL_HPCOL2		COMPONENT_HDR	KEY(2)



		OPRID	KEY(1)
		PORTAL_COMPID	KEY(3)
PORTAL_HPCOL3		COMPONENT_HDR	KEY(2)
		OPRID	KEY(1)
		PORTAL_COMPID	KEY(3)
PORTAL_HPCOL4		COMPONENT_HDR	KEY(2)
		OPRID	KEY(1)
		PORTAL_COMPID	KEY(3)
PORTAL_HPHDR		COMPONENT_HDR	KEY(2)
		OPRID	KEY(1)
		PORTAL_LABEL	
PORTAL_HPHDR2		COMPONENT_HDR	KEY(2)
		OPRID	KEY(1)
		PORTAL_LABEL	
PORTAL_HPHDR3		COMPONENT_HDR	KEY(2)
		OPRID	KEY(1)
		PORTAL_LABEL	
PORTAL_SRCH_PRF		OPRID	KEY(1)
		PORTAL_PG_DISPLAY	
		PORTAL_SUMM_FLG	
*POSITION_DATA	Position Data	ACTION	
		ACTION_DT	
		ACTION_REASON	
		ADDS_TO_FTE_ACTUAL	
		BUDGETED_POSN	
		BUSINESS_UNIT	
		CLASS_INDC	
		COMPANY	
		CONFIDENTIAL_POSN	
		DEPTID	
		DESCR	
		DESCRLONG	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		EG_ACADEMIC_RANK	
		EG_GROUP	
		EMERG_CNTCT_GB	
		ENCUMBER_INDC	
		ENCUMB_SAL_AMT	
		ENCUMB_SAL_OPTN	
		FRI_HRS	
		FTE	
		FULL_PART_TIME	
		GRADE	



---

HEALTH\_CERTIFICATE  
INCLUDE\_SALPLN\_FLG  
JOB\_CODE  
JOB\_PROFILE\_ID  
JOB\_SHARE  
KEY\_POSITION  
LOCATION  
MAIL\_DROP  
MAX\_HEAD\_COUNT  
MON\_HRS  
OPRID  
ORCODE  
ORCODE\_FLAG  
PAYGROUP  
POSITION\_NBR KEY(1)  
POSITION\_POOL\_ID  
POSN\_STATUS  
REG\_REGION  
REG\_TEMP  
REPORTS\_TO  
REPORT\_DOTTED\_LINE  
SAL\_ADMIN\_PLAN  
SAT\_HRS  
SHIFT  
SIGN\_AUTHORITY  
STATUS\_DT  
STD\_HOURS  
STD\_HRS\_FREQUENCY  
STEP  
SUN\_HRS  
SUPV\_LVL\_ID  
THURS\_HRS  
TUES\_HRS  
UNION\_CD  
UPDATE\_INCUMBENTS  
WED\_HRS  
Z\_AS\_ACTG\_STTN\_CD  
Z\_COPR\_ST  
Z\_INACT\_REACT\_DT  
Z\_INTER\_OCC\_SERIES  
Z\_JC\_MSTR\_RCRD  
Z\_LC\_REMARKS  
Z\_NFC\_POSITION\_NBR  
Z\_NF\_CLSIF\_ACTN\_CD  
Z\_NF\_GRD\_BASIS\_IND



		Z_NF_INTR_OCC	
		Z_NF_IP_AGENCY_USE	
		Z_NF_MAINT_REV_CD	
		Z_NF_POSN_SCHDL	
		Z_NF_POSN_SENS_CD2	
		Z_NF_PROJ_DTY_IND	
		Z_NF_REQST_RCVD_DT	
		Z_NF_VAC_REV_CD	
		Z_PIV_CARD_REQ	
		PHONE_SBR	
		POS_DTA_AUS_SBR	
		POS_DTA_FED_SBR	
		POS_DTA_GER_SBR	
POSN_APPLD_TAO	Temp POSN_APPLIEDFOR table	Z_LC_POSDTA_SBR	
		GVT_PSNAPFR_SBR	
		APPLID	
		APP_DT	
		APP_STATUS	
		CONTRACT_NUM	
		EMPLID	
		EMPL_REFERRAL_ID	
		ENTRY_DATE	
		ENTRY_SOURCE	
		ESTABID	
		JOB_REQ_NBR	
		KEYWORD_MATCH	
		LETTER_CD	
		LETTER_PRINTED_DT	
		MET_FINAL_QUALS	
		MET_PRE_QUALS	
		OFF_REFSRC_CAT	
		OFF_REFSRC_SUB	
		OK_TO_INTERVIEW	
		OK_TO_OFFER	
		OK_TO_ROUTE	
		REFERRAL_SOURCE	
		REQST_ADDTNL_INFO	
		SPECIFIC_REFER_SRC	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
*POSN_APPLIEDFOR	Applicant-Posns Applied For	APPLID	KEY(1)
		APP_DT	KEY(2)
		CONTRACT_NUM	
		ENTRY_DATE	



		ENTRY_SOURCE	
		ESTABID	
		JOB_REQ_NBR	KEY(3)
		KEYWORD_MATCH	
		LETTER_CD	
		LETTER_PRINTED_DT	
		MET_FINAL_QUALS	
		MET_PRE_QUALS	
		OFF_REFSRC_CAT	
		OFF_REFSRC_SUB	
		OK_TO_INTERVIEW	
		OK_TO_OFFER	
		OK_TO_ROUTE	
		REQST_ADDTNL_INFO	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
		Z_LC_REFERRAL_DATE	
		Z_LC_REFER_CODE	
		GVT_PSNAPFR_SBR	
*POSN_BUDGET	Dept Budget by Jobcode/Posn#	ACTION_DT	
		ADJUSTMT_AMT	
		ADJUSTMT_FTE	
		ADJUSTMT_HEADCOUNT	
		APPRVD_AMT	
		APPRVD_FTE	
		APPRVD_HEADCOUNT	
		APPRVL_DT	
		CURRENCY_CD	
		CURR_BUDGET_AMT	
		CURR_BUDGET_COUNT	
		CURR_BUDGET_FTE	
		DEPTID	KEY(2)
		EFFDT	KEY(3)
		JOBCODE	KEY(5)
		LAST_ADJUSTMENT_DT	
		POSITION_NBR	KEY(6)
		POSN_STATUS	
		REQUESTED_AMT	
		REQUESTED_FTE	
		REQUEST_DT	
		REQUEST_HEADCOUNT	
		SETID	KEY(1)
		SETID_JOBCODE	KEY(4)
*POSN_BUDGET_DT	Dept Budget Period Dates	BUDGET_END_DT	



		DEPTID	KEY(2)
		EFFDT	KEY(3)
		SETID	KEY(1)
POSN_DATA_LANG	Related Lang-Position Data	DESCR	
		DESCRLONG	
		DESCRSHORT	
		EFFDT	KEY(3)
		GVT_ORG_TTL_DESCR	
		LANGUAGE_CD	KEY(2)
POSN_EARNS_DIST	Position Earnings Distribution	POSITION_NBR	KEY(1)
		ACCT_CD	KEY(6)
		DEPTID	KEY(3)
		DIST_PCT	
		EFFDT	KEY(2)
		ERNCD	KEY(9)
		GL_PAY_TYPE	KEY(5)
		JOBCODE	KEY(4)
		LOCATION	KEY(8)
		POSITION_NBR	KEY(1)
		SHIFT	KEY(7)
		STD_HOURS	
POSTAL_ALT_CHE	Alt. Language Community Names	CITY	
		DTTM_IMPORTED	
		LANGUAGE_CD	
		POSTAL_KEY_CHE	KEY(1)
		SEQNUM	KEY(2)
POSTAL_CD_CHE	Swiss Postal Codes	CITY	
		DTTM_IMPORTED	
		EFFDT	KEY(2)
		GPCH_TX_VILLAGE_CD	
		LANGUAGE_CD	
		OTH_LANGUAGE_CHE	
		POSTAL	
		POSTAL_CD_EXT_CHE	
		POSTAL_CD_TYPE_CHE	
		POSTAL_KEY_CHE	KEY(1)
		STATE	
POSTAL_CHG_NLD	Dutch Postal Table Change Data	LAST_CHNG_DT_NLD	
POSTAL_TBL_JPN	Postal Code/Address Lookup Tbl	POSTAL_RCD_CNT_NLD	
		ADDRESS1	
		ADDRESS1_AC	
		CITY	
		CITY_AC	
		MUNICIPAL_CD_JPN	
		POSTAL	KEY(1)





---

POSTAL_TBL_NLD	Dutch Postal Code Table	STATE	
		BRKPNT_FROM_NLD	KEY(3)
		BRKPNT_UNTIL_NLD	
		POSTAL_CITY_NLD	
		POSTAL_NLD	KEY(1)
		POSTAL_STREET_NLD	
		RANGE_IND_NLD	KEY(2)
POST_TBLJPN_LNG	Postal Code/Address Lookup Tbl	ADDRESS1	
		ADDRESS1_AC	
		CITY	
		CITY_AC	
		LANGUAGE_CD	KEY(2)
		POSTAL	KEY(1)
PQ_REPTNG_TBL	PQ Releve Reporting	COMPANY	KEY(1)
		EFFDT	KEY(2)
		QUEBEC_ID_NO	
		RELEVE2_SERIAL_BEG	
		RELEVE2_SERIAL_END	
		RELEVE_SERIAL_BEG	
		RELEVE_SERIAL_END	
PRCSDEFN	Process Defn	APIAWARE	
		CMDLINE	
		CMDLINETYPE	
		DESCR	
		DESCRLONG	
		FILEDEPEND	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LOGRQST	
		MAXCONCURRENT	
		MSGLOGTBL	
		MVSSHELLID	
		OUTDEST	
		OUTDESTFORMAT	
		OUTDESTSRC	
		OUTDESTTYPE	
		PARMLIST	
		PARMLISTTYPE	
		PRCSCATEGORY	
		PRCSFILENAME	
		PRCSNAME	KEY(2)
		PRCSPRIORITY	
		PRCSSHOWURL	
		PRCSTYPE	KEY(1)
		PSRF_FOLDER_NAME	



		RECURNAME	
		RECVRYPRCSNAME	
		RECVRYPRCSTYPE	
		RESTARTENABLED	
		RETENTIONDAYS	
		RETRYCOUNT	
		RQSTTBL	
		RUNLOCATION	
		SERVERNAME	
		SQRRTFLAG	
		TIMEOUTMAXMINS	
		TIMEOUTMINUTES	
		VERSION	
		WORKINGDIR	
		WORKINGDIRTYPE	
PRCSDEFNCNTDIST	Process Defn - Distribution	DISTID	KEY(3)
		DISTIDTYPE	
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
PRCSDEFNCOND		CONDCODETYPE	KEY(3)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		RETURNCODE	KEY(4)
PRCSDEFNGRP	Process Defn - Process Groups	PRCSGRP	KEY(3)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
PRCSDEFNLANG	Process Defn - Related Lang	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(3)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
PRCSDEFNMESSAGE		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		PRCSEVENTTYPE	KEY(3)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		SCHDLMSGTYPE	
		TEXT254	
PRCSDEFNMETA	Process Definition Meta String	METAPARM	KEY(3)
		METAVALUE	
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
PRCSDEFNNOTIFY	Process Defn - Notification	DISTID	KEY(3)
		DISTIDTYPE	
		NOTIFYDISABLED	



		NOTIFYONERROR	
		NOTIFYONSUCCESS	
		NOTIFYONWARNING	
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
PRCSDEFNPNL	Process Defn - Panel Groups	PNLGRPNAME	KEY(3)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
PRCSDEFNURL	Process Defn	DESCR60	
		MARKET	
		MENUNAME	
		PNLGRPNAME	
		PNLNAME	
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		SEQNO	KEY(3)
PRCSDEFNURLKEY	Process Defn	FIELDNAME	
		PARMKEY	
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		SEQNO	KEY(3)
		SEQNUM	KEY(4)
PRCSDEFNURL_LNG	Process Defn	DESCR60	
		LANGUAGE_CD	KEY(4)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		SEQNO	KEY(3)
PRCSDEFNXFER	Process Defn - Panel Transfers	BARNAME	
		ITEMNUM	
		MENUACTION	
		MENUNAME	
		PNLNAME	
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		XFERCODE	KEY(3)
PRCSFILE		LASTUPDDTTM	KEY(2)
		PRCSFILENAME	
		PRCSINSTANCE	
		SERVERNAME	KEY(1)
PRCSJOBCHGHIST		LAST_UPDATE_DTTM	
		PRCSJOBNAME	KEY(1)
		SEQNO	
PRCSJOBNTDIST	Process Job- Distribution	DISTID	KEY(2)
		DISTIDTYPE	
		PRCSJOBNAME	KEY(1)



PRCSJOBDEFN	Job Defn	CNTDISTPRCSOVRD DESCR JOBPRIORITY JOBRUNMODE LASTUPDDTTM LASTUPDOPRID MAXCONCURRENT NOTIFYPRCSOVRD OVERRIDEDFLTVALUE PRCSCATEGORY PRCSFILENAME PRCSJOBNAME KEY(1) PRCSTYPE RECURNAME RECVRYPRCSNAME RECVRYPRCSTYPE RETRYCOUNT SERVERNAME TIMEOUTMAXMINS VERSION
PRCSJOBDEFNLANG	Job Defn - Related Lang	DESCR LANGUAGE_CD KEY(2) PRCSJOBNAME KEY(1)
PRCSJOBGRP	Job Defn - Process Groups	PRCSGRP KEY(2) PRCSJOBNAME KEY(1)
PRCSJOBITEM	Job Defn - Job Items	PRCSJOBNAME KEY(1) PRCSJOBSEQ KEY(2) PRCSNAME PRCSTYPE
PRCSJOBITEMCHG		RUNALWAYS DBNAME OLDPRCSJOBSEQ OLDPRCSNAME OLDPRCSTYPE PRCSJOBCHNGTYPE PRCSJOBNAME KEY(1) PRCSJOBSEQ PRCSNAME PRCSTYPE PROCESS_STATUS SEQNO KEY(2)
PRCSJOBMESSAGE	Process Job Message	MESSAGE_NBR MESSAGE_SET_NBR PRCSEVENTTYPE KEY(2) PRCSJOBNAME KEY(1)



		SCHDLMSGTYPE	
		TEXT254	
PRCSJOBNOTIFY		DISTID	KEY(2)
		DISTIDTYPE	
		NOTIFYDISABLED	
		NOTIFYONERROR	
		NOTIFYONSUCCESS	
		NOTIFYONWARNING	
		PRCSJOBNAME	KEY(1)
PRCSJOBPNL	Job Defn - Panel Groups	PNLGRPNAME	KEY(2)
		PRCSJOBNAME	KEY(1)
PRCSMUTUALEXCL		PRCSNAME	KEY(2)
		PRCSNAME_1	
		PRCSTYPE	KEY(1)
		PRCSTYPE_1	
		SEQNO	KEY(3)
PRCSOUTDESTLIST		OUTDESTSRC	KEY(2)
		OUTDESTTYPE	KEY(1)
PRCSOUTDESTTYPE	Prcs Output List	ACTIVE_FLAG	
		DEFAULT_OUTPUT	
		GENPRCSTYPE	KEY(1)
		OUTDESTTYPE	KEY(2)
PRCSOUTPUTLIST	Prcs Output List	ACTIVE_FLAG	
		DEFAULT_OUTPUT	
		GENPRCSTYPE	KEY(1)
		OUTDESTFORMAT	KEY(3)
		OUTDESTTYPE	KEY(2)
PRCSPURGELIST		DAYSBEFOREPURGE	
		ENABLED	
		RUNSTATUS	KEY(1)
PRCSRECUR	Recurrence Defn	BEGINDTTM	
		DAYOFMONTH	
		DURATION	
		DURATIONUNIT	
		ENDDTTM	
		INITIATEWHEN	
		LASTUPDDTTM	
		LASTUPDOPRID	
		RECURDAYSPCL	
		RECURDESCR	
		RECURNAME	KEY(1)
		RECURTYPE	
		RECUR_USECURRDATE	
		REPEATRECURRENCE	
		REPEATUNIT	



		RUN1STWEEK	
		RUN2NDWEEK	
		RUN3RDWEEK	
		RUN4THWEEK	
		RUN5THWEEK	
		RUN6THWEEK	
		RUNFRIDAY	
		RUNMONDAY	
		RUNSATURDAY	
		RUNSUNDAY	
		RUNTHURSDAY	
		RUNTUESDAY	
		RUNWEDNESDAY	
		VERSION	
PRCSRECURDATE	Process Schdlr Recurring Date	RECURDESCR	
		RECURNAME	KEY(1)
		RECURUNTIL	
		RECURUNTILYEAR	
		RECUR_DATE	KEY(2)
PRCSRECURXEMPT	Process Schdlr Recurring Date	ADJUSTDAYS	
		ADJUSTOPTION	
		RECURDESCR	
		RECURNAME	KEY(1)
		RECURUNTIL	
		RECURUNTILYEAR	
		RECUR_DATE	KEY(2)
		RESCHEDOPTIONTYPE	
PRCSREURLANG	Recurrence Defn - Related Lang	LANGUAGE_CD	KEY(2)
		RECURDESCR	
		RECURNAME	KEY(1)
PRCSRQSTDIST	Content Dist Mgr - User Access	DISTID	KEY(2)
		DISTIDTYPE	KEY(3)
		PRCSINSTANCE	KEY(1)
PRCSRQSTNOTIFY	Process Request Notification	DISTID	KEY(2)
		DISTIDTYPE	KEY(3)
		JOBINSTANCE	
		NOTIFYONERROR	
		NOTIFYONSUCCESS	
		PRCSINSTANCE	KEY(1)
PRCSRQSTURL		KEYLIST	
		MARKET	
		MENUNAME	
		PNLGRPNAME	
		PNLNAME	
		PRCSINSTANCE	KEY(1)



*PRCSRUNCNTL	Run Control Rec - Sample	SEQNO	KEY(2)
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
PRCSRUNCNTLDIST	Run Control Rec - Tools	DISTID	KEY(5)
		DISTIDTYPE	KEY(6)
		OPRID	KEY(1)
		PRCSNAME	KEY(4)
		PRCSTYPE	KEY(3)
		RUNCNTLID	KEY(2)
PRCSRUNCNTLDTL	Run Control Rec - Tools	EMAIL_LOG_FLAG	
		EMAIL_WEB_RPT	
		OPRID	KEY(1)
		OUTDEST	
		OUTDESTFORMAT	
		OUTDESTTYPE	
		PRCSFILENAME	
		PRCSNAME	KEY(4)
		PRCSTYPE	KEY(3)
		PSRF_FOLDER_NAME	
		RUNCNTLID	KEY(2)
PRCSRUNCNTLEOPT	Run Control Rec - Tools	OPRID	KEY(1)
		PRCSNAME	KEY(4)
		PRCSTYPE	KEY(3)
		RQSTTEXTTYPE	KEY(5)
		RQST_TEXT	
		RUNCNTLID	KEY(2)
PRCSSEQUENCE		MAX_SEQ_NBR	
		MIN_SEQ_NBR	
		PRCSSEQKEY	KEY(1)
		SEQUENCENO	
PRCSSYSTEM	Process Scheduler System Rec	ARCH_PROCESSED	
		OPSYS	
		PRCSPURGENEXTDTTM	
		PRCSPURGERECURNAME	
		PRCSSYSLOADOPT	
		PURGEPRCSFILES	
		RECURDTTM	
		RETENTIONDAYS	
		VERSION_UPDATED	
PRCSTYPEDEFN	Process Type Defn	AS4JOBDESCLIB	
		AS4JOBDESCNAME	
		CMDLINE	
		DBTYPE	KEY(3)



		GENPRCSTYPE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MVSSHELLID	
		OPSYS	KEY(2)
		OUTPUTDEST	
		PARMLIST	
		PRCSTYPE	KEY(1)
		PRCSTYPEDESCR	
		RESTARTENABLED	
		VERSION	
		WINPARM	
		WORKINGDIR	
PRCSTYPEDEFNLNG	Process Type Defn - Rel Lang	DBTYPE	KEY(3)
		LANGUAGE_CD	KEY(4)
		OPSYS	KEY(2)
		PRCSTYPE	KEY(1)
		PRCSTYPEDESCR	
PRCSTYPEMETA	Process Type Defn Meta List	DBTYPE	KEY(3)
		METAPARM	KEY(4)
		METAVALUE	
		OPSYS	KEY(2)
		PRCSTYPE	KEY(1)
PRCS_CAT_LG_TBL		DESCR	
		LANGUAGE_CD	KEY(2)
		PRCSCATEGORY	KEY(1)
PRCS_CAT_TBL		DESCR	
		PRCSCATEGORY	KEY(1)
PRCS_GROUPS		DESCR	
		PRCSGRP	KEY(1)
PRCS_GROUPS_LNG		DESCR	
		LANGUAGE_CD	KEY(2)
		PRCSGRP	KEY(1)
PRCS_RENSERVER		URI_HOST	
		URI_PORT	
PRESENCE_TBL	Substantial Presence Table	ALIEN_REG	
		CALENDAR_YEAR	KEY(2)
		DAYS_CURRENT	
		DAYS_FLAG	
		DAYS_PRIOR1	
		DAYS_PRIOR2	
		EMPLID	KEY(1)
		PASSED	
PREVENT_ACT_CAN	Preventative Action Table	DESCR50	
		DESCRSHORT	





		EFFDT	KEY(2)
		EFF_STATUS	
PREVENT_ACT_GER	H&S - Preventative Action Ger	PREVENT_ACT_CD_CAN	KEY(1)
		DESCR100	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
PREVENT_ACT_LNG	Preventative Action Table	PREVENT_ACT_CD_GER	KEY(1)
		DESCR50	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
PREVENT_GER_LNG	Related Lang Tbl	PREVENT_ACT_CD_CAN	KEY(1)
		DESCR100	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
PREV_COMP_ITA	PREV Company Codes	PREVENT_ACT_CD_GER	KEY(1)
		COMPANY	KEY(1)
		EFFDT	KEY(4)
		EFF_STATUS	
		ESTABID	KEY(2)
PREV_ITA_LANG	PREV lang Table ITA	PREV_CODE_ITA	KEY(3)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		PREV_CODE_ITA	KEY(1)
PREV_TBL_ITA	PREV Table ITA	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		PREV_CODE_ITA	KEY(1)
PRF_STS_FRA_LNG	Professional Status Rel.Lang.	PREV_POS_CODE_ITA	
		DESCR	
		DESCRLONG	
		DESCRSHORT	
		EE_PROF_STATUS_FRA	KEY(1)
PRF_STS_FRA_TBL	Professional Status Setup Tbl	LANGUAGE_CD	KEY(2)
		DESCR	
		DESCRLONG	
		DESCRSHORT	
		EE_PROF_STATUS_FRA	KEY(1)
PRG_PERMISSIONS	Permissions List Purge History	CLASSDEFNDESC	
		CLASSID	KEY(1)



		DESCR100	
		LASTUPDDTTM	
		LASTUPDOPRID	
PRG_USR_PROFILE	User Profile Purge History	PERMLST_PURGE_STAT	
		DESCR100	
		EMPLID	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OPRDEFNDESC	
		OPRID	KEY(1)
		USRPROF_PURGE_STAT	
PRIMARY_JOBS		EFFDT	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(3)
		JOB_EFFSEQ	
		JOB_EMPL_RCD	
		PRIMARY_FLAG1	
		PRIMARY_FLAG2	
		PRIMARY_JOBS_SRC	
		PRIMARY_JOB_APP	KEY(2)
		PRIMARY_JOB_IND	
*PRIORWORK_EXPER	Employee Prior Work Experience	CAN_NOC_CD	
		CITY	
		COUNTRY	
		COUNTY	
		CURRENCY_CD	
		DESCRLONG	
		EMPLID	KEY(1)
		EMPLOYER	
		ENDING_RATE	
		ENDING_TITLE	
		END_DT	
		GVT_OFFICIAL_DESCR	
		PAY_FREQ_ABBRV	
		REL_WRK_EXPER	
		SEQUENCE_NBR	KEY(3)
		START_DT	KEY(2)
		STATE	
		US_SOC_CD	
		Z_OFFICIAL_TITLE	
		Z_SIMS_DESCRLONG	
		Z_SIMS_JOBCODE	
		Z_SIMS_SUPV_IND	
		Z_WRK_TITLE_OTH	
		GVT_PRI_WRK_SBR	



PRIORWRK_EX_LNG	Employee Prior Work Experience	PCMP_PREVUK_SBR	
		PHONE_SBR	
		DESCRLONG	
		EMPLID	KEY(1)
		EMPLOYER	
		ENDING_TITLE	
		LANGUAGE_CD	KEY(4)
		PCMP_PREV_CLASS	
		PCMP_PREV_LEAVE	
		SEQUENCE_NBR	KEY(3)
PRODUCT_TBL	Products	START_DT	KEY(2)
		ACCOUNTING_OWNER	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
PROJECT	Operational Projects	EFF_STATUS	
		PRODUCT	KEY(2)
		SETID	KEY(1)
		AFUDC_PROJ_SW	
		AN_GRP_ACTV_BUD	
		AN_GRP_TOT_COSTS	
		ASSET_ID	
		BURDEN_PLAN	
		BUSINESS_UNIT	KEY(1)
		BUSINESS_UNIT_AM	
		CURRENCY_CD	
		CUR_EFFDT_TYPE	
		DESCR	
		DOCKET_NUMBER	
		DTTM_STAMP	
EFF_STATUS			
ENFORCE			
INTEGRATION_TMPL			
IN_USE_SW			
LAST_ACTIVITY_ID			
LAST_CRITERIA_ID			
PC_ACT_OPTION			
PC_INDENT_LEVEL			
PC_MSP_PROJ_ID			
PC_MSP_USR1			
PC_MSP_USR2			
PC_REV_ACTIVITY			
PC_SCH_FIELD1			
PC_SCH_FIELD2			
PC_SCH_FIELD3			



		PC_SCH_FIELD4	
		PC_SCH_FIELD5	
		PC_SCH_FIELD6	
		PC_SCH_FIELD7	
		PC_SCH_FIELD8	
		PC_SCH_PRODUCT	
		PC_USER_CURRENCY	
		PERCENT_COMPLETE	
		PROFILE_ID	
		PROJECT_FUNCTION	
		PROJECT_ID	KEY(2)
		PROJECT_TYPE	
		PROJECT_USER1	
		PROJECT_USER2	
		PROJECT_USER3	
		PROJECT_USER4	
		PROJECT_USER5	
		PROJECT_USERAMT1	
		PROJECT_USERAMT2	
		PROJECT_USERAMT3	
		PROJECT_USER_DT1	
		PROJECT_USER_DT2	
		RT_TYPE	
		SALES_TAX_PROJ_SW	
		SET_OVERRIDE	
		SUMMARY_SW	
		SYSTEM_SOURCE	
		TARGET_PROJ_SW	
		TEMPLATE_ID	
		TEMPLATE_SW	
		TOLERANCE	
		WBS_TREE_NAME	
PROJECT_DESCR	Project Description	BUSINESS_UNIT	KEY(1)
		DESCR254	
		DESCRLONG	
		DTTM_STAMP	KEY(3)
		OPRID	
		PROJECT_ID	KEY(2)
PROJECT_FS	Operational Projects	AFUDC_PROJ_SW	
		ASSET_ID	
		BUSINESS_UNIT	KEY(1)
		BUSINESS_UNIT_AM	
		DESCR	
		DOCKET_NUMBER	
		INTEGRATION_TMPL	



Table Name	Description	Field Name	Key
PROJECT_LANG	Operational Projects	PROFILE_ID	
		PROJECT_FUNCTION	
		PROJECT_ID	KEY(2)
		PROJECT_TYPE	
		PROJECT_USER1	
		PROJECT_USER2	
		PROJECT_USER3	
		PROJECT_USER4	
		PROJECT_USER5	
		SALES_TAX_PROJ_SW	
		SETID	KEY(3)
		SUMMARY_SW	
		SYSTEM_SOURCE	
		TARGET_PROJ_SW	
PROJECT_STATUS	Project Status	TEMPLATE_ID	
		TEMPLATE_SW	
		BUSINESS_UNIT	KEY(1)
		DESCR	
PROJECT_TBL	Projects	LANGUAGE_CD	KEY(3)
		PROJECT_ID	KEY(2)
		ACTUAL_FINISH_DT	
		ACTUAL_START_DT	
		BASELINE_FINISH_DT	
		BASELINE_START_DT	
		BUSINESS_UNIT	KEY(1)
		DESCRLONG	
		EARLY_FINISH_DT	
		EARLY_START_DT	
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		END_DT	
		INTEREST_FACTOR	
PERCENT_COMPLETE			
PROJECT_ID	KEY(2)		
PROJECT_PRIORITY			
PROJECT_STATUS			
START_DT			
ACCOUNTING_OWNER			
DESCR			
DESCRSHORT			
EFFDT	KEY(3)		
EFF_STATUS			
END_DT			
MANAGER_NAME			
PROJECT	KEY(2)		



Table Name	Description	Field Name	Key
PROJECT_TBL_LNG	Projects	SETID	KEY(1)
		START_DT	
		ACCOUNTING_OWNER	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(4)
		MANAGER_NAME	
		PROJECT	KEY(2)
		SETID	KEY(1)
PROJECT_TEAM	Project Team Member	BUSINESS_UNIT	KEY(1)
		DESCRLONG	
		EMAILID	
		EMAIL_NOTIFICATION	
		END_DT	
		PROJECT_ID	KEY(2)
		PROJ_ROLE	
		START_DT	
		TEAM_MEMBER	KEY(3)
		TEAM_MEMBER_IND	
PROJ_ACTIVITY	Project Activities	ACTIVITY_ID	KEY(3)
		ACTIVITY_MANAGER	
		ACTIVITY_TYPE	
		ACTIVITY_USER1	
		ACTIVITY_USER2	
		ACTIVITY_USER3	
		ACTIVITY_USER4	
		ACTIVITY_USER5	
		ACTUAL_FINISH_DT	
		ACTUAL_START_DT	
		ACT_TEMPLATE_ID	
		ACT_TEMPLATE_SW	
		ACT_TYPE_SCH	
		AFUDC_ACT_SW	
		BASELINE_FINISH_DT	
		BASELINE_START_DT	
		BCWP	
		BCWS	
		BURDEN_PLAN	
		BUSINESS_UNIT	KEY(1)
DESCR			
DRAWING_NAME			
DTTM_STAMP			
EARLY_FINISH_DT			
EARLY_START_DT			



		EFF_STATUS	
		INTEGRATION_ANTYPE	
		INTEGRATION_ID	
		INTEGRATION_TRG	
		IN_USE_FLAG	
		LATE_FINISH_DT	
		LATE_START_DT	
		PC_ACT_USERAMT1	
		PC_ACT_USERAMT2	
		PC_ACT_USERAMT3	
		PC_ACT_USER_DT1	
		PC_ACT_USER_DT2	
		PC_MILESTONE_FLG	
		PC_MSP_UNIQUE_ID	
		PC_SCH_FIELD1	
		PC_SCH_FIELD2	
		PC_SCH_FIELD3	
		PC_SCH_FIELD4	
		PC_SCH_FIELD5	
		PC_SCH_FIELD6	
		PC_SCH_FIELD7	
		PC_USER_CURRENCY	
		PC_WBS_ID	
		PERCENT_COMPLETE	
		PROJECT_ID	KEY(2)
		SALES_TAX_ACT_SW	
		SYSTEM_SOURCE	
		TARGET_ACT_SW	
		WBS_ID	
		WORK_ORDER_DTL_ID	
		WORK_ORDER_ID	
PROJ_ACTIVTY_LG	Project Activities	ACTIVITY_ID	KEY(3)
		BUSINESS_UNIT	KEY(1)
		DESCR	
		LANGUAGE_CD	KEY(4)
		PROJECT_ID	KEY(2)
PROJ_ACT_STATUS	Project Activity Status	ACTIVITY_ID	KEY(3)
		ACTIVITY_MANAGER	
		ACTIVITY_PRIORITY	
		ACTIVITY_STATUS	
		ACT_PCT_COMPLETE	
		BUSINESS_UNIT	KEY(1)
		DESCRLONG	
		EFFDT	KEY(4)
		EFFSEQ	KEY(5)



		END_DT	
		PROJECT_ID	KEY(2)
		START_DT	
PROJ_ACT_TEAM	Project Activity Team Member	ACTIVITY_ID	KEY(3)
		APPT_TYPE_MTH_ACAD	
		APPT_TYPE_MTH_CAL	
		APPT_TYPE_MTH_SUMR	
		BUSINESS_UNIT	KEY(1)
		DESCRLONG	
		EMAILID	
		EMAIL_NOTIFICATION	
		END_DT	
		PERCENTAGE	
		PROJECT_ID	KEY(2)
		PROJ_ROLE	
		START_DT	
		TEAM_MEMBER	KEY(4)
		TEAM_MEMBER_IND	KEY(5)
PROJ_CATG_LANG	Project Resource Category	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(4)
		RESOURCE_CATEGORY	KEY(2)
		SETID	KEY(1)
PROJ_CATG_TBL	Project Resource Category	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		RESOURCE_CATEGORY	KEY(2)
		SETID	KEY(1)
PROJ_CAT_SUB	Project Cat SubCat Prompt Tbl	DESCR	
		RESOURCE_CATEGORY	KEY(2)
		RESOURCE_SUB_CAT	KEY(3)
		SETID	KEY(1)
PROJ_CAT_SUB_LG	Project Cat SubCat Prompt Tbl	DESCR	
		LANGUAGE_CD	KEY(4)
		RESOURCE_CATEGORY	KEY(2)
		RESOURCE_SUB_CAT	KEY(3)
		SETID	KEY(1)
PROJ_RES_TYPE	Project Resource Types	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		RESOURCE_TYPE	KEY(2)
		SETID	KEY(1)





PROJ_RES_TYP_LG	Project Resource Types	DESCR DESCRSHORT EFFDT LANGUAGE_CD RESOURCE_TYPE SETID	KEY(3) KEY(4) KEY(2) KEY(1)
PROJ_STATUS_CTL	Project Status Table	ANALYSIS_TYPE EFFDT PC_ACTION PROJECT_STATUS SETID	KEY(4) KEY(3) KEY(2) KEY(1)
PROJ_STATUS_LNG	Project Status Table	DESCR EFFDT LANGUAGE_CD PROJECT_STATUS SETID	KEY(3) KEY(4) KEY(2) KEY(1)
PROJ_STATUS_TBL	Project Status Table	DESCR EFFDT EFF_STATUS PERCENT_COMPLETE PROJECT_STATUS SETID	KEY(3) KEY(2) KEY(1)
PROJ_SUBCAT_LNG	Project Resource SubCategory	DESCR DESCRSHORT EFFDT LANGUAGE_CD RESOURCE_SUB_CAT SETID	KEY(3) KEY(4) KEY(2) KEY(1)
PROJ_SUBCAT_TBL	Project Resource SubCategory	DESCR DESCRSHORT EFFDT EFF_STATUS RESOURCE_SUB_CAT SETID	KEY(3) KEY(2) KEY(1)
PROJ_TYPE_CAT	Project Type Cat Prompt Tbl	DESCR RESOURCE_CATEGORY RESOURCE_TYPE SETID	KEY(3) KEY(2) KEY(1)
PROJ_TYPE_LANG	Project Type Table	DESCR EFFDT LANGUAGE_CD PROJECT_TYPE SETID	KEY(3) KEY(4) KEY(2) KEY(1)
PROJ_TYPE_TBL	Project Type Table	DESCR EFFDT	KEY(3)



Table Name	Description	Field Name	Key
PROJ_TYP_CAT_LG	Project Type Cat Prompt Tbl	EFF_STATUS	
		PC_STATUS_PATH_FLG	
		PROJECT_TYPE	KEY(2)
		SETID	KEY(1)
		DESCR	
		LANGUAGE_CD	KEY(4)
		RESOURCE_CATEGORY	KEY(3)
		RESOURCE_TYPE	KEY(2)
		SETID	KEY(1)
		EFFDT	KEY(4)
PROTECT_BEL	Protection Period - Belgium	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		END_DT	
		PROT_ID_BEL	KEY(3)
		LOGINDTTM	KEY(3)
PSACCESSLOG		LOGIPADDRESS	KEY(2)
		LOGOUTDTTM	
		OPRID	KEY(1)
		ACCESSID	
PSACCESSPRFL	Access Profile	ACCESSPSWD	
		ENCRYPTED	
		SYMBOLICID	KEY(1)
		VERSION	
		ACECUBENAME	KEY(2)
		ACEDIMNAME	
PSACECUBE		ACEFMSTYPE	
		ACEISCALCAGGR	
		ACEISVIRTUAL	
		ACEMODELID	KEY(1)
		ACERULEID	
		COMMENTS	
		ACEAGRRECORDNAME	
		ACECOLLNAME	KEY(2)
		ACEMODELID	KEY(1)
		COMMENTS	
PSACECUBECOLL		RECORDNAME	
		ACEAGGRFIELDNAME	
		ACECOLLNAME	KEY(2)
PSACECUBECOLMAP		ACECUBENAME	
		ACECUBENAME2	
		ACECUBENAME3	
		ACEISASCEND	
		ACEISASCEND2	
		ACEISASCEND3	
		ACEISCUBE	KEY(4)



	ACEISSORTNAME	
	ACEMODELID	KEY(1)
	ACEPARTNAME	KEY(3)
	ACEPRSTAGGRYP	
	ACEUSRFUNCNAME	
	FIELDNAME	
PSACECUBEDIMS	ACECUBENAME	KEY(2)
	ACEDIMNAME	KEY(3)
	ACEMODELID	KEY(1)
	ACEUSRFUNCNAME	
PSACEDIM	ACEDIMNAME	KEY(2)
	ACEDIMSEQUENCE	KEY(3)
	ACEMODELID	KEY(1)
	ACETOTALNAME	
	ACEUSRFUNCNAME	
	COMMENTS	
PSACEEXPDIMS	ACEDIMNAME	KEY(3)
	ACEEXPSETNAME	KEY(2)
	ACEMODELID	KEY(1)
PSACEEXPSET	ACEEXPSETNAME	KEY(2)
	ACEEXPSETSEQUENCE	
	ACEMODELID	KEY(1)
PSACEMDLDEFN	ACEISRESOLVE	
	ACEISVALIDMDL	
	ACEISWARN	
	ACEMAXDELTA	
	ACEMAXITER	
	ACEMODELID	KEY(1)
	DESCR	
	DESCRLONG	
	LASTUPDDTTM	
	LASTUPDOPRID	
	OBJECTOWNERID	
	VERSION	
PSACEMDLDEFNDEL	ACEMODELID	KEY(1)
	VERSION	
PSACEMDLDEFNLNG	ACEMODELID	KEY(1)
	DESCR	
	DESCRLONG	
	LANGUAGE_CD	KEY(2)
PSACEORGANIZER	ACEMODELID	KEY(1)
	ACEORGANIZERNAME	KEY(2)
	COMMENTS	
PSACEORGMAP	ACEMODELID	KEY(1)
	ACEORGANIZERNAME	KEY(2)



		ACEPARTNAME	KEY(4)
		ACEPARTTYPE	KEY(3)
PSACERULE		ACEEVALID	
		ACEMODELID	KEY(1)
		ACERULEID	KEY(2)
		ACERULESTR	
PSACETREE		DETAILSTARTLVL	
		DIMENSION_ID	KEY(2)
		EFFDT	
		PROBINST	KEY(1)
		RECNAME	
		SETCNTRLVALUE	
		SETID	
		TREEDISCARDLVL	
		TREE_NAME	
		TREE_NODE	
PSACEUSRFUNC		ACEMODELID	KEY(1)
		ACERULEID	
		ACEUSRFUNCNAME	KEY(2)
		COMMENTS	
PSACTARCHIVE		ACTIVITYNAME	KEY(1)
		LASTUPDDTTM	KEY(3)
		OPRID	KEY(2)
		PATHNO	KEY(5)
		STEPNO	KEY(4)
		STEP_STATUS	
PSACTIVEXLIC		ACTIVEXCLSID	KEY(1)
		ACTIVEXLICENSE	
		ACTIVEXLICENSELEN	
PSACTIVIMG	Activity Defn Lang	ACTIVITYNAME	KEY(1)
		IMGSEG	
		PSIMAGEEVER	
		SEQNO	KEY(2)
PSACTIVIMGLANG	Activity Defn Lang	ACTIVITYNAME	KEY(1)
		IMGSEG	
		LANGUAGE_CD	KEY(3)
		PSIMAGEEVER	
		SEQNO	KEY(2)
PSACTIVITYDEFN	Activity Description	ACTIVITYNAME	KEY(1)
		ACTVALID	
		AUTO_SEQ	
		DESCR60	
		DESCRLONG	
		FONT	
		HELPCONTEXTNUM	



		ICENABLED	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		VERSION	
PSACTIVITYDEL	Activity Description	ACTIVITYNAME	KEY(1)
		VERSION	KEY(2)
PSACTIVITYLANG	Activity Defn Lang	ACTIVITYNAME	KEY(1)
		DESCR60	
		DESCRLONG	
		FONT	
		LANGUAGE_CD	KEY(2)
PSACTIVITYLOG	Activity Guide Log	ACTIVITYNAME	KEY(1)
		DISPLAY_IMG	
		DISPLAY_URL	
		EXPIRATION_DATE	
		LASTCHANGEDTTM	
		OPRID	KEY(2)
		PATHNO	KEY(5)
		SEQUENCE_NBR	KEY(3)
		SERIAL	
		STEPNO	KEY(4)
		STEP_STATUS	
PSAEAPPLDEFN	AE Application Defn	AEPROGTYPE	
		AE_APPLID	KEY(1)
		AE_APPLLIBRARY	
		AE_DATE_OVERRIDE	
		AE_DISABLE_RESTART	
		ASOF_DT	
		DESCR	
		DESCRLONG	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LICENSE_CODE	
		MESSAGE_SET_NBR	
		OBJECTOWNERID	
		RECUSE	
		TEMPTBLINSTANCES	
		VERSION	
PSAEAPPLDEL	AE Application Defn	AE_APPLID	KEY(1)
		VERSION	KEY(2)
PSAEAPPLLANG	AE Application Defn (Rel Lang)	AE_APPLID	KEY(1)
		DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)



PSAEAPPLSTATE	Application state record	AE_APPLID	KEY(1)
		AE_DEFAULT_STATE	
		AE_STATE_RECNAME	KEY(2)
PSAEAPPLTEMPBL	Application Engine Temp Tables	AE_APPLID	KEY(1)
		RECNAME	KEY(2)
PSAESECTDEFN	AE Section Definition	AE_APPLID	KEY(1)
		AE_PUBLIC_SW	
		AE_SECTION	KEY(2)
		AE_SECTION_TYPE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		VERSION	
PSAESECTDEL	AE Section Definition	AE_APPLID	KEY(1)
		AE_SECTION	KEY(2)
		VERSION	KEY(3)
PSAESECTDTLDEFN	AE Section Detailed Definition	AE_APPLID	KEY(1)
		AE_AUTO_COMMIT	
		AE_SECTION	KEY(2)
		DBTYPE	KEY(4)
		DESCR	
		DESCRLONG	
		EFFDT	KEY(5)
		EFF_STATUS	
		MARKET	KEY(3)
PSAESTEPDEFN	AE Step Definition	AE_ABEND_ACTION	
		AE_ACTIVE_STATUS	
		AE_APPLID	KEY(1)
		AE_COMMIT_AFTER	
		AE_COMMIT_FREQ	
		AE_DO_APPL_ID	
		AE_DO_SECTION	
		AE_DYNAMIC_DO	
		AE_MESSAGE_NBR_FLD	
		AE_MESSAGE_SET_FLD	
		AE_ON_NOROWS	
		AE_PC_ON_FALSE	
		AE_SECTION	KEY(2)
		AE_SEQ_NUM	
		AE_STEP	KEY(6)
		DBTYPE	KEY(4)
		DESCR	
DESCRLONG			
EFFDT	KEY(5)		
MARKET	KEY(3)		
MESSAGE_NBR			



PSAESTEPMSGDEFN	AE Message Action Definition	MESSAGE_SET_NBR	
		AE_APPLID	KEY(1)
		AE_MESSAGE_PARMS	
		AE_SECTION	KEY(2)
		AE_STEP	KEY(6)
		DBTYPE	KEY(4)
PSAESTMTDEFN	AE Statement Defn	EFFDT	KEY(5)
		MARKET	KEY(3)
		AE_APPLID	KEY(1)
		AE_DO_SELECT_TYPE	
		AE_REUSE_STMT	
		AE_SECTION	KEY(2)
		AE_STEP	KEY(6)
		AE_STMT_TYPE	KEY(7)
		DBTYPE	KEY(4)
		DESCR	
		DESCRLONG	
PSANALYTICREG	Analytic Tools Engine Registry	EFFDT	KEY(5)
		MARKET	KEY(3)
		SQLID	
		DOMAIN	
		MACHINENAME	KEY(1)
		MSGNAME	
		PORT_NUM	
		PROBINST	
		PROCESSID	KEY(2)
		PTATACCEPTING	
		PTATENGINETYPE	
		PTATLASTOP	
		PTATLASTOPBY	
		PTATLASTOPEND	
		PTATLASTOPSTART	
		PTATLOADEDDBY	
		PTATLOADEDDTTM	
PTATREGDTTM	KEY(3)		
PTATRMTACCESS			
PTATSTATE			
PTATTIMEOUT			
PTATTUXSRVID			
PSAPMSGARCHPC	Archived Publication Contracts	APMSGVER	
		CHNLNAME	KEY(2)
		IB_SEGMENTINDEX	KEY(5)
		IB_SENDPUBID	
		IB_SLAVEQUEUED	
		LASTUPDDTTM	



Table Name	Description	Field Name	Key
PSAPMSGARCHPD	App Message Data Archive	MACHINENAME	
		NRID	
		PROCESSID	
		PUBCONSTATUS	
		PUBID	KEY(3)
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(1)
		RETRYCOUNT	
		RQSTRNSFRMNAME	
		SLAVEPROCESSNAME	
		STATUSSTRING	
		SUBCHANNEL	
		SUBNODE	KEY(4)
		TGTRQSTMSGNAME	
		TRXTYPE	
		TUXDOMAIN	
		CHNLNAME	KEY(2)
PSAPMSGARCHPH	App Messaging Header Archive	COMPMIMEDATALEN	
		DATASEQNO	KEY(6)
		MIMEDATALONG	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEGMENTNO	KEY(4)
		SUBSEGMENTNO	KEY(5)
		UNCOMPMIMEDATALEN	
		CHNLNAME	KEY(2)
		DEFAULTDATAVER	
DESTPUBNODE			
EXTERNALMESSAGEID	KEY(4)		
IB_SLAVEQUEUED			
LASTUPDDTTM			
MACHINENAME			
MSGNAME			
MSGNAMEDETAIL			
NRID			
ORIGPUBNODE			
PROCESSID			
PUBCLASS			
PUBID	KEY(3)		
PUBLISHER			
PUBLISHTIMESTAMP			
PUBNODE	KEY(1)		
PUBPROC			
PUBROUTINGTRAIL			
PUBSTATUS			





		RETRYCOUNT	
		SLAVEPROCESSNAME	
		STATUSSTRING	
		SUBCHANNEL	
		TRXTYPE	
		TUXDOMAIN	
PSAPMSGARCHPT		CHNLNAME	KEY(2)
		COMPMIMEDATALEN	
		DATASEQNO	KEY(8)
		IB_SEGMENTINDEX	KEY(5)
		MIMEDATALONG	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEGMENTNO	KEY(6)
		SUBNODE	KEY(4)
		SUBSEGMENTNO	KEY(7)
		UNCOMPMIMEDATALEN	
PSAPMSGARCHSC	Subscription Contracts Archive	APMSGVER	
		CHNLNAME	KEY(2)
		IB_SEGMENTINDEX	KEY(6)
		IB_SLAVEQUEUED	
		LASTUPDDTTM	
		MACHINENAME	
		MSGNAME	KEY(4)
		PROCESSID	
		PUBID	KEY(3)
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(1)
		RETRYCOUNT	
		SLAVEPROCESSNAME	
		STATUSSTRING	
		SUBCHANNEL	
		SUBCONSTATUS	
		SUBNAME	KEY(5)
		SUBOWNER	
		SUBPROCID	
		TRXTYPE	
		TUXCLIENTID_1	
		TUXCLIENTID_2	
		TUXCLIENTID_3	
		TUXCLIENTID_4	
		TUXDOMAIN	
PSAPMSGARCHST		CHNLNAME	KEY(2)
		COMPMIMEDATALEN	
		DATASEQNO	KEY(7)



		MIMEDATALONG	
		MSGNAME	KEY(4)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEGMENTNO	KEY(5)
		SUBSEGMENTNO	KEY(6)
		UNCOMP_MIMEDATALEN	
PSAPMSGARCHTMP	App Message Archive Temp	CHNLNAME	KEY(2)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
PSAPMSGCHUNKTBL	IB Segment Chunking	CHNLNAME	KEY(2)
		IB_CHUNKCOUNT	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
PSAPMSGDOMSTAT		APPSERVER_PATH	KEY(2)
		DOMAIN_STATUS	
		IBFAILOVERGROUP	
		IBFAILOVERPRIORITY	
		IB_SLAVEMODE	
		MACHINENAME	KEY(1)
PSAPMSGDSPSTAT		APPSERVER_PATH	KEY(3)
		CLEANUP_DTTM	
		DISPATCHERNAME	KEY(1)
		DSPHEALTHDTTM	
		DSPRESET	
		DSPSTATUS	
		IB_SLAVEMODE	
		MACHINENAME	KEY(2)
		STATUSSTRING	
PSAPMSGPCONDATA		CHNLNAME	KEY(2)
		COMP_MIMEDATALEN	
		DATASEQNO	KEY(8)
		IB_SEGMENTINDEX	KEY(5)
		MIMEDATALONG	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEGMENTNO	KEY(6)
		SUBNODE	KEY(4)
		SUBSEGMENTNO	KEY(7)
		UNCOMP_MIMEDATALEN	
PSAPMSGPUBATTR		ATTRNAME	KEY(4)
		ATTRVALUE	
		CHNLNAME	KEY(2)
		PUBID	KEY(3)
		PUBNODE	KEY(1)



PSAPMSGPUBCERR		CHNLNAME	KEY(2)
		ERRORTIMESTAMP	KEY(6)
		IB_SEGMENTINDEX	KEY(5)
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		PUBDATAERRLOC	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEQNO	KEY(7)
		SUBNODE	KEY(4)
PSAPMSGPUBCERRP	App Message PubCon Error Parm	CHNLNAME	KEY(2)
		ERRORTIMESTAMP	KEY(6)
		IB_SEGMENTINDEX	KEY(5)
		MESSAGE_PARM	
		PARM_SEQ	KEY(8)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEQNO	KEY(7)
		SUBNODE	KEY(4)
PSAPMSGPUBCLOCK		CHNLLOCK	
PSAPMSGPUBCON		CHNLNAME	KEY(1)
		APMSGVER	
		CHNLNAME	KEY(2)
		IB_SEGMENTINDEX	KEY(5)
		IB_SENDPUBID	
		IB_SLAVEQUEUED	
		LASTUPDDTTM	
		MACHINENAME	
		NRID	
		PROCESSID	
		PUBCONSTATUS	
		PUBID	KEY(3)
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(1)
		RETRYCOUNT	
		RQSTTRNSFRMNAME	
		SLAVEPROCESSNAME	
		STATUSSTRING	
		SUBCHANNEL	
		SUBNODE	KEY(4)
		TGTRQSTMSGNAME	
		TRXTYPE	
		TUXDOMAIN	
PSAPMSGPUBCSYNC		CHNLNAME	KEY(1)
		LASTUPDDTTM	



PSAPMSGPUBDATA		CHNLNAME	KEY(2)
		COMPMIMEDATALEN	
		DATASEQNO	KEY(6)
		MIMEDATALONG	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEGMENTNO	KEY(4)
		SUBSEGMENTNO	KEY(5)
		UNCOMPMIMEDATALEN	
PSAPMSGPUBERR		CHNLNAME	KEY(2)
		ERRORTIMESTAMP	KEY(4)
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		PUBDATAERRLOC	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEQNO	KEY(5)
PSAPMSGPUBERRP	App Message Pub Error Parms	CHNLNAME	KEY(2)
		ERRORTIMESTAMP	KEY(4)
		MESSAGE_PARM	
		PARAM_SEQ	KEY(6)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEQNO	KEY(5)
PSAPMSGPUBHDR		CHNLNAME	KEY(2)
		DEFAULTDATAVER	
		DESPUBNODE	
		EXTERNALMESSAGEID	KEY(4)
		IB_SLAVEQUEUED	
		LASTUPDDTTM	
		MACHINENAME	
		MSGNAME	
		MSGNAMEDETAIL	
		NRID	
		ORIGPUBNODE	
		PROCESSID	
		PUBCLASS	
		PUBID	KEY(3)
		PUBLISHER	
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(1)
		PUBPROC	
		PUBROUTINGTRAIL	
		PUBSTATUS	
		RETRYCOUNT	



Table Name	Description	Field Name	Key
PSAPMSGPUBINST		SLAVEPROCESSNAME	
		STATUSSTRING	
		SUBCHANNEL	
		TRXTYPE	
		TUXDOMAIN	
		CHNLNAME	KEY(1)
		PUBID	
		CHNLLOCK	
		CHNLNAME	KEY(1)
		CHNLNAME	KEY(1)
PSAPMSGPUBLOCK		CHNLNAME	KEY(1)
		CHNLNAME	KEY(1)
PSAPMSGPUBSYNC		CHNLNAME	KEY(1)
		CHNLNAME	KEY(1)
PSAPMSGQUEUESET	IB Message Queue Status	LASTUPDDTTM	
		APPSERVER_PATH	KEY(3)
		DATASEQNO	KEY(4)
		DISPATCHERNAME	KEY(1)
		IB_DISPATCH_COUNT	
		IB_QUEUESETLONG	
		IB_QUEUESET_SLAVE	
		IB_QUEUESET_STATUS	
		IB_QUEUESLAVEBUSY	
		MACHINENAME	KEY(2)
PSAPMSGSCONDATA		CHNLNAME	KEY(2)
		COMPMIMEDATALEN	
		DATASEQNO	KEY(7)
		MIMEDATALONG	
		MSGNAME	KEY(4)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEGMENTNO	KEY(5)
		SUBSEGMENTNO	KEY(6)
		UNCOMPMIMEDATALEN	
PSAPMSGSUBCERR		CHNLNAME	KEY(2)
		ERRORTIMESTAMP	KEY(7)
		IB_SEGMENTINDEX	KEY(6)
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		MSGNAME	KEY(4)
		PUBDATAERRLOC	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEQNO	KEY(8)
PSAPMSGSUBCERRP	App Message SubCon Error Params	SUBNAME	KEY(5)
		CHNLNAME	KEY(2)
		ERRORTIMESTAMP	KEY(7)
		IB_SEGMENTINDEX	KEY(6)
		MESSAGE_PARM	



	MSGNAME	KEY(4)
	PARM_SEQ	KEY(9)
	PUBID	KEY(3)
	PUBNODE	KEY(1)
	SEQNO	KEY(8)
	SUBNAME	KEY(5)
PSAPMSGSUBCLOCK	CHNLLOCK	
	CHNLNAME	KEY(1)
PSAPMSGSUBCON	APMSGVER	
	CHNLNAME	KEY(2)
	IB_SEGMENTINDEX	KEY(6)
	IB_SLAVEQUEUED	
	LASTUPDDTTM	
	MACHINENAME	
	MSGNAME	KEY(4)
	PROCESSID	
	PUBID	KEY(3)
	PUBLISHTIMESTAMP	
	PUBNODE	KEY(1)
	RETRYCOUNT	
	SLAVEPROCESSNAME	
	STATUSSTRING	
	SUBCHANNEL	
	SUBCONSTATUS	
	SUBNAME	KEY(5)
	SUBOWNER	
	SUBPROCID	
	TRXTYPE	
	TUXCLIENTID_1	
	TUXCLIENTID_2	
	TUXCLIENTID_3	
	TUXCLIENTID_4	
	TUXDOMAIN	
PSAPMSGSUBCSYNC	CHNLNAME	KEY(1)
	LASTUPDDTTM	
PSAPMSGSUBPRCID	SUBPROCID	
PSAPMSGXTB	APMSG_XTB_0	
	APMSG_XTB_1	
	APMSG_XTB_10	
	APMSG_XTB_11	
	APMSG_XTB_12	
	APMSG_XTB_2	
	APMSG_XTB_3	
	APMSG_XTB_4	
	APMSG_XTB_5	



		APMSG_XTB_6	
		APMSG_XTB_7	
		APMSG_XTB_8	
		APMSG_XTB_9	
		APMSG_XTB_STAT	
PSAPPCLASSDEFN	Application Class Defintions	APPCLASSID	KEY(1)
		APPCLASSREF	
		DESCR	
		PACKAGEROOT	KEY(2)
		QUALIFYPATH	KEY(3)
PSAPPRRULEDEL	delete table for approval rule	APPR_RULE_SET	KEY(1)
		EFFDT	KEY(2)
		VERSION	
PSARCHAUDIT	Archive Audit	OPRID	
		PROCESS_INSTANCE	
		PSARCH_BATCHNUM	
		PSARCH_EVENT	
		PSARCH_EVENTDTTM	
		PSARCH_ID	
		PSARCH_NUMOFROWS	
		PSARCH_PROCESS	
		PSARCH_SQL	
		RECNAME	
		RUN_CNTL_ID	
PSARCHBATCH	Archive Batch	OPRID	
		PROCESS_INSTANCE	
		PSARCH_BATCHNUM	KEY(1)
		PSARCH_BATCHSTATUS	
		PSARCH_DTTM	
		PSARCH_ID	
PSARCHIVE_AET	AET record for PSARCHIVE	AE_APPLID	
		AE_APPSTATUS	
		AE_SECTION	
		PROCESS_INSTANCE	KEY(1)
		PSARCH_AERESTART	
		PSARCH_BASEOBJECT	
		PSARCH_BASETABLE	
		PSARCH_BATCHNUM	
		PSARCH_COMMIT_ROWS	
		PSARCH_COUNT_ROWS	
		PSARCH_GOTOEND	
		PSARCH_ID	
		PSARCH_LINKTABLE	
		PSARCH_NUMOFROWS	
		PSARCH_OBJECT	



		PSARCH_POSTAE	
		PSARCH_PREAE	
		PSARCH_PROCESS	
		PSARCH_PROC_FLAG	
		PSARCH_ROWPROCESS	
		PSARCH_SELECTQRY	
		PSARCH_SQL	
		PSARCH_UNITOFWORK	
		RECNAME	
		RECNAME1	
		RUN_CNTL_ID	
PSARCHIVE_TAO	TAO record for PSARCHIVE	PROCESS_INSTANCE	
		PSARCH_BATCHNUM	
		PSARCH_COMMITCNT	
		PSARCH_CURRCNT	
		PSARCH_ID	KEY(2)
		PSARCH_PROCESS	KEY(3)
		PSARCH_PROCESSED	
		RECNAME	KEY(4)
		RUN_CNTL_ID	KEY(1)
PSARCHOBJDEFN	Archiving Object Definition	DESCR	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		PSARCH_OBJECT	KEY(1)
		VERSION	
PSARCHOBJDEL	Archiving Object Delete Table	PSARCH_OBJECT	KEY(1)
		VERSION	KEY(2)
PSARCHOBJLANG	Archiving Object Defn Lang	DESCR	
		LANGUAGE_CD	KEY(2)
		PSARCH_OBJECT	KEY(1)
PSARCHOBJREC	Archive Object Records	HIST_RECNAME	
		PSARCH_BASETABLE	
		PSARCH_OBJECT	KEY(1)
		RECNAME	KEY(2)
PSARCHRUNCNTL	Data Archive Manager Run Cntl	OPRID	KEY(1)
		PSARCH_BATCHNUM	
		PSARCH_COMMIT_ROWS	
		PSARCH_COUNT_ROWS	
		PSARCH_DEFINEBINDS	
		PSARCH_ID	KEY(3)
		PSARCH_PROCESS	
		PSARCH_ROWPROCESS	
		PSARCH_SELECTQRY	
		PSARCH_UNITOFWORK	





PSARCHRUNQRYBND	Archive Query Bind Definitions	RUN_CNTL_ID	KEY(2)
		OPRID	KEY(1)
		PSARCH_BINDNAME	KEY(5)
		PSARCH_ID	KEY(3)
		PSARCH_MATCHDT	
		PSARCH_MATCHVAL	
		PSARCH_PARMHEADING	
		PSARCH_PARMNAME	KEY(6)
		PSARCH_SELECTQRY	KEY(4)
		RUN_CNTL_ID	KEY(2)
PSARCHTEMPAE	Archiving Template AE Defn	PSARCH_ID	KEY(1)
		PSARCH_POSTAE	
		PSARCH_PREAE	
PSARCHTEMPDEL	Archive Template Delete Table	PSARCH_PROCESS	KEY(2)
		PSARCH_ID	KEY(1)
PSARCHTEMPLANG	Archive Template Defn Lang	VERSION	KEY(2)
		DESCR	
		LANGUAGE_CD	KEY(2)
PSARCHTEMPLATE	Archive Template Defn	PSARCH_ID	KEY(1)
		DESCR	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		PSARCH_ID	KEY(1)
PSARCHTEMPOBJ	Archiving Template Object Defn	VERSION	
		PSARCH_BASEOBJECT	
		PSARCH_ID	KEY(1)
		PSARCH_LINKTABLE	
PSARCHTEMPQRY	Archiving Template Query Defn	PSARCH_OBJECT	KEY(2)
		PSARCH_ID	KEY(1)
PSASOFDATE	SQR Request Dates	PSARCH_SELECTQRY	KEY(2)
		ASOFDATE	
PSATTRIBUTE	WSDL Attribute table	FROMDATE	
		ATTRIBUTE_ORD	
PSAUDIT	Field Level Audits	ATTRIBUTE_TAG	KEY(3)
		DOC_UID	KEY(1)
		ELEMENT_UID	KEY(2)
		QSPACE	
		WS_ATTRIBUTE_VALUE	
		AUDIT_ACTN	
		AUDIT_OPRID	
AUDIT_STAMP			
		FIELDNAME	
		KEY1	
		KEY10	



		KEY11	
		KEY12	
		KEY13	
		KEY14	
		KEY15	
		KEY2	
		KEY3	
		KEY4	
		KEY5	
		KEY6	
		KEY7	
		KEY8	
		KEY9	
		NEWVALUE	
		OLDVALUE	
		RECNAME	
PSAUDITWRK	Audit Work Table	INDEXNAME	KEY(2)
		RECNAME	
PSAUTHBUSCOMP	Authorized Comp.Interfaces	SQLTABLENAME	KEY(1)
		AUTHORIZEDACTIONS	
		BCMETHORD	KEY(3)
		BCNAME	KEY(2)
		CLASSID	KEY(1)
PSAUTHCHNLMON	Msg Monitor Channel Security	CHNLNAME	KEY(2)
		CLASSID	KEY(1)
		DISPLAYONLY	
PSAUTHCUBE		ANALYSIS_DB_ID	KEY(2)
		CLASSID	KEY(1)
PSAUTHITEM	Authorized Menu Item	AUTHORIZEDACTIONS	
		BARITEMNAME	KEY(3)
		BARNAME	KEY(2)
		CLASSID	KEY(5)
		DISPLAYONLY	
		MENUNAME	KEY(1)
		PNLITEMNAME	KEY(4)
PSAUTHMP	Mobile Page Access	CLASSID	KEY(1)
		MOBILEPAGENAME	KEY(2)
PSAUTHOPTN		CLASSID	KEY(1)
		OPTN_CATEGORY_LVL	KEY(2)
		USEROPTN	KEY(3)
PSAUTHPRCS	Authorized Process Groups	CLASSID	KEY(1)
		PRCSGRP	KEY(2)
PSAUTHSIGNON	Authorized Signon Period	CLASSID	KEY(3)
		DAYOFWEEK	KEY(1)
		ENDTIME	



PSBATCHAUTH		STARTTIME	KEY(2)
		CMDLN	
		CREATED_DTTM	
		GUID	KEY(1)
		HASH_SIGNATURE	
		TIMETOLIVE	
PSBATCHAUTHLONG		GUID	
		LONGCMDLN	
PSBATCHRPT_HDR	Batch Reporting Header	ENDDTTM	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUNDTTM	
		RUN_CNTL_ID	
PSBATCHRPT_SEQ	Batch Report Messages	MESSAGE_NBR	KEY(3)
		MESSAGE_SET_NBR	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RPT_FIELDVALUE_01	
		RPT_FIELDVALUE_02	
		RPT_FIELDVALUE_03	
		RPT_FIELDVALUE_04	
		RPT_FIELDVALUE_05	
		RPT_FIELDVALUE_06	
		RPT_FIELDVALUE_07	
		RPT_FIELDVALUE_08	
		RPT_FIELDVALUE_09	
		RPT_FIELDVALUE_10	
PSBATCHRPT_TBL	Batch Report Table	COLHEADING01	
		COLHEADING02	
		COLHEADING03	
		COLHEADING04	
		COLHEADING05	
		COLHEADING06	
		COLHEADING07	
		COLHEADING08	
		COLHEADING09	
		COLHEADING10	
		GROUP_BY_COLUMNS	
		GROUP_MESSAGE_NBR	
		MESSAGE_NBR	KEY(3)
		MESSAGE_NBR01	
		MESSAGE_NBR02	
		MESSAGE_NBR03	
		MESSAGE_NBR04	
		MESSAGE_NBR05	
		MESSAGE_NBR06	



		MESSAGE_NBR07	
		MESSAGE_NBR08	
		MESSAGE_NBR09	
		MESSAGE_NBR10	
		MESSAGE_SET_NBR	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		TOTAL_ROW_COUNT	
PSBATREPPROFFLD	Batch Replication Field	BATREPOPR	
		FIELDNAME	KEY(3)
		MSGNAME	KEY(2)
		PUBNODE	KEY(1)
PSBATREPPROFHDR	Batch Replication Profile Hdr	PUBNODE	KEY(1)
PSBATREPPROFLNG	Batch Replication Profile Lang	LANGUAGE_CD	KEY(2)
		PUBNODE	KEY(1)
PSBATREPPROFMSG	Batch Replication Profile Msg	MSGNAME	KEY(2)
		PUBNODE	KEY(1)
PSBATREPPROFVAL	Batch Replication Profile Valu	BATREPVALUE	KEY(4)
		FIELDNAME	KEY(3)
		MSGNAME	KEY(2)
		PUBNODE	KEY(1)
PSBATREPREQHDR	Batch Replication Request Hdr	BATREPID	KEY(1)
		BATREPPUSHPULL	
		CHNLNAME	
		DESCR	
		LAST_DTTM_UPDATE	
		MASTERNODE	
		OPRID	
		PUBID	
		PUBNODE	
		SLAVENODE	
PSBATREPREQMSG	Batch Replication Request Msg	BATREPID	KEY(1)
		MSGNAME	KEY(2)
PSBATREPREQRES	Batch Replication Req Results	APMSGROWS	
		BATREPID	KEY(1)
		CHNLNAME	KEY(4)
		DATALEN	
		MSGNAME	KEY(2)
		PUBID	KEY(5)
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(3)
PSBCDEFN	Comp Intfc Defn	ADDRCHRECNAME	
		BCDISPLAYNAME	
		BCNAME	KEY(1)
		BCPGNAME	
		BCSTDMETHODS	



		DESCR	
		DESCR	
		DESCRLONG	
		ITEMCOUNT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MARKET	
		MENUNAME	
		OBJECTOWNERID	
		SEARCHRECNAME	
		VERSION	
PSBCDEFNLANG	Comp Intfc Defn (Alt Lang)	BCNAME	KEY(1)
		DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
PSBCDEL	Comp Intfc - Tools Del	BCNAME	KEY(1)
		VERSION	KEY(2)
PSBCITEM	Comp Intfc Item Table	BCACCESS	
		BCITEMNAME	KEY(4)
		BCITEMPARENT	KEY(3)
		BCNAME	KEY(1)
		BCSCROLL	
		BCSCROLLNAME	
		BCSCROLLNUM	
		BCTYPE	KEY(2)
		COMMENTSHORT	
		FIELDNAME	
		MPDEVICEPERSISTINT	
		RECNAME	
		SEQUENCE_NBR_6	
		SUBRECNAME	
		SYNCID	
PSBCITEMLANG	Comp Intfc Item - (Alt Lang)	BCITEMNAME	KEY(2)
		BCITEMPARENT	KEY(4)
		BCNAME	KEY(1)
		BCTYPE	KEY(3)
		COMMENTSHORT	
		LANGUAGE_CD	KEY(5)
PSBINDRULE	Bind Table	BINDINDEX	
		BINDNAME	
		OBJECTID1	
		OBJECTID2	
		OBJECTID3	
		OBJECTID4	
		OBJECTID5	
		OBJECTVALUE1	



		OBJECTVALUE2	
		OBJECTVALUE3	
		OBJECTVALUE4	
		OBJECTVALUE5	
PSBUSPITEMIMG	Images for bus proc items	COMPNAME	KEY(3)
		COMPTYPE	KEY(4)
		IMGFMT	
		ITEM_IMAGE	
		OBJNAME	KEY(1)
		OBJTYPE	KEY(2)
PSBUSPITEMLANG	Lang dep for bus proc items	COMPNAME	KEY(3)
		COMPTYPE	KEY(4)
		DESCR60	
		DESCRLONG	
		DESCR_X	
		DESCR_Y	
		FONT	
		LANGUAGE_CD	KEY(5)
		LOC_X	
		LOC_Y	
		OBJNAME	KEY(1)
		OBJTYPE	KEY(2)
		VERTICES	
PSBUSPRIMG	Business Process Defn Lang	BUSPROCNAME	KEY(1)
		IMGSEG	
		PSIMAGEVER	
		SEQNO	KEY(2)
PSBUSPRIMGLANG	Business Process Defn Lang	BUSPROCNAME	KEY(1)
		IMGSEG	
		LANGUAGE_CD	KEY(3)
		PSIMAGEVER	
		SEQNO	KEY(2)
PSBUSPROCDEFN	Business Process Definition	BUSPROCNAME	KEY(1)
		DESCR60	
		DESCRLONG	
		FONT	
		HELPCONTEXTNUM	
		HOMEPAGE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		NAVIGATORBP	
		OBJECTOWNERID	
		VERSION	
PSBUSPROCDEL	Business Process Definition	BUSPROCNAME	KEY(1)
		VERSION	KEY(2)



PSBUSPROCITEM	Bus proc item table	COMPNAME	KEY(3)
		COMPTYPE	KEY(4)
		CONTNAME	
		DEFAULT_FONT	
		DESCR60	
		DESCRLONG	
		DESCR_X	
		DESCR_Y	
		DESTNAME	
		DESTTYPE	
		FONT	
		LOC_X	
		LOC_Y	
		OBJNAME	KEY(1)
		OBJTYPE	KEY(2)
		ORDERNO	
		PROPERTIES	
SRCNAME			
SRCTYPE			
VERTICES			
PSBUSPROCLANG	Business Process Defn Lang	BUSPROCNAME	KEY(1)
		DESCR60	
		DESCRLONG	
		FONT	
PSBUSPROCSEC	Business Process Security	LANGUAGE_CD	KEY(2)
		BUSPROCNAME	KEY(2)
PSCDSETVALDE_LG		OPRID	KEY(1)
		CODESETGROUPNAME	KEY(1)
		CODESETNAME	KEY(2)
		DESCR	
		LANGUAGE_CD	KEY(5)
		SEQNUM	KEY(4)
PSCERTDB		TOCODESETGRPNAME	KEY(3)
		CERTALIAS	KEY(2)
		CERTDATA	
		CERTISSUERALIAS	KEY(3)
		CERTTYPE	KEY(1)
		CERTVALIDFROM	KEY(4)
		CERTVALIDTO	
PSCCHARSETS	List of valid character sets	CHARSET	KEY(1)
		CHARSET_TYPE	
		DESCR	
		DESCRSHORT	
		MAX_BYTES_CHAR	
		UNICODE_CHARSET	



PSCHGCTLHIST	Change Control History Table	WINDOWS_VALID	
		CHGCTRL_ACTION	
		DESCRLONG	
		DTTM_STAMP	
		INCIDENT_ID	
		OBJECTID1	KEY(3)
		OBJECTID2	KEY(5)
		OBJECTID3	KEY(7)
		OBJECTID4	KEY(9)
		OBJECTTYPE	KEY(2)
		OBJECTVALUE1	KEY(4)
		OBJECTVALUE2	KEY(6)
		OBJECTVALUE3	KEY(8)
		OBJECTVALUE4	KEY(10)
		OPRID	KEY(1)
PSCHGCTLLOCK	Change Control Locked Objects	PROJECTNAME	
		DESCRLONG	
		DTTM_STAMP	
		INCIDENT_ID	
		OBJECTID1	KEY(3)
		OBJECTID2	KEY(5)
		OBJECTID3	KEY(7)
		OBJECTID4	KEY(9)
		OBJECTTYPE	KEY(2)
		OBJECTVALUE1	KEY(4)
		OBJECTVALUE2	KEY(6)
		OBJECTVALUE3	KEY(8)
		OBJECTVALUE4	KEY(10)
		OPRID	KEY(1)
		PSCHNLDEFN	Channel Definition
APMSGARCHIVE			
CHNLDISPLAYNAME			
CHNLNAME	KEY(1)		
CHNLSTATUS			
DESCR			
DESCRLONG			
ERRORTHRESHOLD			
LASTUPDDTTM			
LASTUPDOPRID			
OBJECTOWNERID			
PUBRETRYSEC			
PUBTIMEOUTMIN			
QUALITYOFSERVICE			
SUBRETRYSEC			
SUBTIMEOUTMIN			





		THRUPUTTYPE	
		VERSION	
PSCHNLDEFNLANG	Channel Definition(Alt Lang)	CHNLNAME	KEY(1)
		DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
PSCHNLDEL	Channel Definition Delete	CHNLNAME	KEY(1)
		VERSION	KEY(2)
PSCHNLNODE	Channel Node	CHNLNAME	KEY(1)
		MSGNODENAME	KEY(2)
		PUBSUBDIRECTION	
PSCIREF	Comp Intfc - Reference	BCITEMNAME	KEY(3)
		BCITEMPARENT	KEY(2)
		BCNAME	KEY(1)
		CI_OWNS_DATA	
		DESCRLONG	
		REF_BACKPOINTER	
		REF_CINAME	KEY(4)
PSCIREFENUM	Comp Intfc - Enumeration Path	BCITEMNAME	KEY(3)
		BCITEMPARENT	KEY(2)
		BCNAME	KEY(1)
		FROM_CI	
		REF_CINAME	KEY(4)
		SEQUENCE_NBR_6	KEY(5)
		USE_REF	
PSCIREFLANG	Comp Intfc - Ref (Alt Lang)	BCITEMNAME	KEY(3)
		BCITEMPARENT	KEY(2)
		BCNAME	KEY(1)
		DESCRLONG	
		LANGUAGE_CD	KEY(5)
		REF_CINAME	KEY(4)
PSCIREFPROPERTY	Comp Intfc - Ref Property	BCITEMNAME	KEY(3)
		BCITEMPARENT	KEY(2)
		BCNAME	KEY(1)
		REF_CINAME	KEY(4)
		REF_CIPROPERTYNAME	
		SRC_CIPROPERTYNAME	KEY(5)
PSCISYNCDEFN	Comp Intfc - Sync Defn	BCNAME	KEY(1)
		CONFLICTRESOLUTION	
		MPDEVICEPERSIST	
		MSGSET	
		RELCONTENTPROJ	
		SYNCID	
*PSCLASSDEFN	Permissions Lists Definition	ALLOWPSWDEMAIL	
		CLASSDEFNDESC	



		CLASSID	KEY(1)
		DEFAULTBPM	
		LASTUPDDTTM	
		LASTUPDOPRID	
		STARTAPPSERVER	
		TIMEOUTMINUTES	
		VERSION	
PSCCLASSDEL		CLASSID	KEY(1)
		VERSION	KEY(2)
PSCLOCK	Database Clock Access	CLOCK_OPTION	
PSCODESET		CODESETGROUPNAME	KEY(1)
		CODESETKEY	
		CODESETNAME	KEY(2)
		MATCHNAME	KEY(3)
		MATCHVALUE	KEY(4)
PSCODESETGROUP		CODESETGROUPNAME	KEY(1)
PSCODESETGRPVAL		CODESETGROUPNAME	KEY(1)
		MATCHNAME	KEY(2)
		MATCHVALUE	KEY(3)
PSCODESETVAL		CODESETGROUPNAME	KEY(1)
		CODESETNAME	KEY(2)
		RETNAME	KEY(5)
		RETVALUE	
		SEQNUM	KEY(4)
		TOCODESETGRPNAME	KEY(3)
PSCODESETVAL_DE		CODESETCOMPKEY	
		CODESETGROUPNAME	KEY(1)
		CODESETNAME	KEY(2)
		DESCR	
		SEQNUM	KEY(4)
		TOCODESETGRPNAME	KEY(3)
PSCODESETVAL_HD		CODESETGROUPNAME	KEY(1)
		CODESETNAME	KEY(2)
		TOCODESETGRPNAME	KEY(3)
PSCOLLATIONS	Collation Information	COLLATION_NAME	
		COLLATION_TYPE	KEY(1)
PSCOLORDEFN	Color Definition	COLORNAME	KEY(2)
		COLORREF	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OPRID	KEY(1)
		VERSION	
		WINCOLORREF	
PSCOLORDEL	Color Definition	COLORNAME	KEY(2)
		OPRID	KEY(1)



PSCONN	Connector Definition	VERSION	KEY(3)
		CONNCLASSNAME	
		CONNGATEWAYID	KEY(1)
		CONNID	KEY(2)
		DESCR	
PSCONNECTSTRDOWN		STATUS	
		CONNECTSTRING	
		MSGNODENAME	KEY(1)
PSCONNECTSTRING	Message Node Connect String	SEQNO	KEY(2)
		CONNECTSTRING	
		MSGNODENAME	KEY(1)
PSCONNLANG	Connector Definition	SEQNO	KEY(2)
		CONNGATEWAYID	KEY(1)
		CONNID	KEY(2)
PSCONNPROP	Connector Properties	DESCR	
		LANGUAGE_CD	KEY(3)
		CONNGATEWAYID	KEY(1)
		CONNID	KEY(2)
		DATATYPEDESCR	
		DEFAULT_FLG	
		DESCRLONG	
		PROPID	KEY(3)
		PROPNAME	KEY(4)
		PROPVALUE	
PSCONNPROPLANG	Connector Properties	REQUIRED_FLG	
		SEQNUM	KEY(5)
		CONNGATEWAYID	KEY(1)
		CONNID	KEY(2)
		DESCRLONG	
		LANGUAGE_CD	KEY(6)
		PROPID	KEY(3)
PSCONTDEFN		PROPNAME	KEY(4)
		SEQNUM	KEY(5)
		ALTCONTNUM	KEY(2)
		AUXFLAGMASK	
		COMPALG	
		CONTFMT	
		CONTNAME	KEY(1)
		CONTSTYLE	
		CONTTYPE	KEY(3)
		DESCR	
LASTUPDDTTM			
LASTUPDOPRID			
URL			
VERSION			



PSCONTDEFNLANG		ALTCONTNUM	KEY(2)
		COMPALG	
		CONTFMT	
		CONTNAME	KEY(1)
		CONTTYPE	KEY(3)
		DESCR	
		LANGUAGE_CD	KEY(4)
PSCONTDEL		ALTCONTNUM	KEY(3)
		CONTNAME	KEY(1)
		CONTTYPE	KEY(2)
		VERSION	
PSCONTENT		ALTCONTNUM	KEY(2)
		CONTDATA	
		CONTNAME	KEY(1)
		CONTTYPE	KEY(3)
		SEQNUM	KEY(4)
PSCONTENTLANG		ALTCONTNUM	KEY(2)
		CONTDATA	
		CONTNAME	KEY(1)
		CONTTYPE	KEY(3)
		LANGUAGE_CD	KEY(4)
		SEQNUM	KEY(5)
PSCRYPTALGCHAIN	Encryption Algorithm Chain	CRYPT_ALG_ID	
		CRYPT_CHAIN_ID	KEY(1)
		CRYPT_CHAIN_SEQ	KEY(2)
PSCRYPTALGDEFN		CRYPT_ALG_ID	KEY(2)
		CRYPT_DLL_ID	KEY(1)
		DESCR	
		DESCR254	
PSCRYPTALGPARAM	Encryption Algorithm Params	CRYPT_ALG_ID	KEY(2)
		CRYPT_DLL_ID	KEY(1)
		CRYPT_FROMKEY	
		CRYPT_PARAM_NM	KEY(3)
		CRYPT_PARAM_VAL	
PSCRYPTCHNDEFN	Encryption Chain Defn table	CRYPT_CHAIN_ID	KEY(1)
		DESCR	
		DESCR254	
PSCRYPTDEFN		CRYPT_CHAIN_SEQ	KEY(2)
		CRYPT_PRFL_ID	KEY(1)
		DESCR100	
PSCRYPTDLLDEFN		CRYPT_DLL_ID	KEY(1)
		CRYPT_DLL_NAME	
		DESCR	
PSCRYPTKEYSET		CERTALIAS	
		CRYPT_ALG_ID	KEY(1)



		CRYPT_CERTKEY	
		CRYPT_GETCERT	
		CRYPT_KEY	
PSCRYPTPRFL		CRYPT_KEYSET_ID	KEY(2)
		CRYPT_CHAIN_ID	
		CRYPT_PRFL_ID	KEY(1)
		DESCR	
		DESCR254	
PSCRYPTPRFLPRM	Encryption Profile Parameter	CRYPT_CHAIN_ID	KEY(2)
		CRYPT_CHAIN_SEQ	KEY(3)
		CRYPT_PARAM_NM	KEY(4)
		CRYPT_PARAM_VAL	
		CRYPT_PRFL_ID	KEY(1)
PSCUBETBLSPC		SETID	
PSDB2TRIGGER		PSTRIGID	
		PSTRIGNAME	KEY(3)
		PSTRIGTYPE	KEY(2)
		RECNAME	KEY(1)
PSDBFIELD	Database Field	AUXFLAGMASK	
		DECIMALPOS	
		DEFCNTRYR	
		DESCRLONG	
		DISPFMTNAME	
		FIELDNAME	KEY(1)
		FIELDTYPE	
		FLDNOTUSED	
		FORMAT	
		FORMATFAMILY	
		FORMATLENGTH	
		IMAGE_FMT	
		IMEMODE	
		KBLAYOUT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LENGTH	
		OBJECTOWNERID	
		VERSION	
PSDBFIELDLANG	Database Field(Alt Language)	DESCRLONG	
		FIELDNAME	KEY(1)
		LANGUAGE_CD	KEY(2)
*PSDBFLDLABL	DBField Label Table	DEFAULT_LABEL	
		FIELDNAME	KEY(1)
		LABEL_ID	KEY(2)
		LONGNAME	
		SHORTNAME	



PSDBFLDLABLLANG	DBField Label Language Table	FIELDNAME	KEY(1)
		LABEL_ID	KEY(2)
		LANGUAGE_CD	KEY(3)
		LONGNAME	
		SHORTNAME	
PSDDLDEFPARMS	DDL Model Parameter	PARMNAME	KEY(4)
		PARMVALUE	
		PLATFORMID	KEY(2)
		SIZING_SET	KEY(3)
		STATEMENT_TYPE	KEY(1)
PSDDLMODEL	DDL Model Statement	MODEL_STATEMENT	
		PARMCOUNT	
		PLATFORMID	KEY(2)
		SIZING_SET	KEY(3)
		STATEMENT_TYPE	KEY(1)
PSDELETELOG		PSSYSDELETEDTTM	
		PSSYSROWID	KEY(2)
		RECNAME	KEY(1)
PSDETAILTBL	FILE IMAGE TABLE	BINARYSTREAM	
		OBJECTID	KEY(1)
		SEQNUM	KEY(2)
PSDIAGDEL	Diagnostic Framework	PACKAGEID	KEY(1)
		VERSION	KEY(2)
PSDIAGQRY0	Diagnostic Framework Query 0	OPRID	KEY(1)
		PACKAGEID	KEY(3)
		PSSYSCREATEDTTM	KEY(2)
PSDIAGQRY1	Diagnostic Framework Query 1	DESCR50	
		FIELD_BOOL	
		FIELD_CHAR	
		FIELD_DATE	
		FLDFORMAT	
		KEYVALUE	KEY(4)
		OPRID	KEY(1)
		PACKAGEID	KEY(3)
		PSSYSCREATEDTTM	KEY(2)
		ROW_NUM	
PSDIAGQRY2	Diagnostic Framework Query 2	APPCLASSID	KEY(4)
		DESCR50	
		FIELD_BOOL	
		FIELD_CHAR	
		FIELD_DATE	
		FLDFORMAT	
		KEYVALUE	KEY(5)
		OPRID	KEY(1)
		PACKAGEID	KEY(3)



		PSSYSCREATEDTTM	KEY(2)
		ROW_NUM	
PSDIAGQRYCLASS	Diagnostic Framework Query Cls	APPCLASSID	KEY(4)
		OPRID	KEY(1)
		PACKAGEID	KEY(3)
		PSSYSCREATEDTTM	KEY(2)
PSDIAGREG	Diagnostic Framework	LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		PACKAGEID	KEY(1)
		VERSION	
PSDOCUMENT	Stores WSDL documents	DOC_STRING	
		DOC_UID	KEY(1)
		DOC_URL	
		PT_IB_DOCSERVICEID	
PSDSANCESTOR		DSDIRID	KEY(1)
		DSNAMEOC	KEY(2)
		DSOIDOC	
		DSPARENT	KEY(3)
PSDSATTR		DESCR100	
		DSDIRID	
		DSNAMEAT	
		DSOBSOLETE	
		DSOIDAT	
		DSSNGLVAL	
		DSUSRMOD	
PSDSDIR		DESCR100	
		DSCACHESCHEMA_PB	
		DSCNCTDN	
		DSCNCTPWD	
		DSDIRID	KEY(1)
		DSPROTO	
		HTMLAREA	
		XLATDSPROD	
PSDSDIR_LNG		DESCR100	
		DSCNCTDN	
		DSDIRID	KEY(1)
		LANGUAGE_CD	KEY(2)
PSDSEXT_INSTALL		DSDIRID	KEY(1)
		DSEXTDETAILS_PB	
		DSEXTELEMTYPE	
		DSEXTENCODED	
		DSEXTINSTALLED	
		DSEXTINSTALL_CB	
		DSEXT_REV	KEY(3)



	DSNAMEOC	
	DSOID	KEY(2)
PSDSOBJCLS	DESCR100	
	DSDIRID	KEY(1)
	DSNAMEOC	KEY(2)
	DSOBSOLETE	
	DSOCTYPE	
	DSOIDOC	
PSDSOCATTR	DSDIRID	KEY(1)
	DSNAMEAT	KEY(3)
	DSNAMEOC	KEY(2)
	MANDATORY	KEY(4)
PSDSPARENT	DSDIRID	KEY(1)
	DSNAMEOC	KEY(2)
	DSOIDOC	
	DSOIDSUP	KEY(3)
PSDSRIMCFG	DSCNCTDN	
	DSDIRID	KEY(1)
	DSEENTRYLIMIT	
	DSRIMDSPLYATTR	
	DSSRCHSCOPE	
	EMAILATTRIB	
	LDAPSRCHBASE	
	USE_SSL	
PSDSSHEMA	DSDIRID	KEY(1)
	LASTUPDDTTM	
	LASTUPDOPRID	
PSDSSECMAPMAIN	DIRCONTYPE	
	DSCNCTDN	
	DSDIRID	
	DSNAMEAT	
	DSSECMAPID	KEY(1)
	DSSRCHSCOPE	
	LDAPSRCHBASE	
	SEL_YN	
	STATUS	KEY(2)
	USE_SSL	
PSDSSECMAPSRVR	DSSECMAPID	KEY(1)
	DSSRVR	
	SEQNUM	KEY(2)
PSDSSECRULERULE	DESCR100	
	DSDIRID	
	DSSRCHID	KEY(1)
	DSUSRMAPID	
PSDSSECROLE_LNG	DESCR100	





		DSSRCHID	KEY(1)
		LANGUAGE_CD	KEY(2)
PSDSSECRRSVR		DSSECMAPID	KEY(1)
		DSSRVR	KEY(2)
		SEQNUM	
PSDSSVR		DSDIRID	KEY(1)
		DSSRVR	KEY(2)
		LDAPPORT	
		LDAPSPORT	
PSDSTTIME		DESCR	
		DSTABSOLUTE	
		DSTDAY	
		DSTDAYOFWEEK	
		DSTHOUR	
		DSTID	KEY(1)
		DSTMINUTE	
		DSTMONTH	
PSDSUSERPRFL		ATTRIBUTE_NAME	
		CONSTVAL	
		DSUSRMAPID	KEY(2)
		UPDATE_ALWAYS	
		USRPROFILEPROPERTY	KEY(1)
PSELEMENT	WSDL element table	DOC_UID	KEY(1)
		ELEMENT_ORD	
		ELEMENT_PREFIX	
		ELEMENT_TAG	
		ELEMENT_UID	KEY(2)
		ELEMENT_VALUE	
		PARENT_UID	KEY(3)
PSEVENTDEFN	Event Definition	ACTIVE	
		ACTIVITYNAME	KEY(1)
		EVENTNAME	KEY(2)
		RECNAME	
		ROUTECNT	
PSEVENTROUTE	Event Routing	ACTIVITYNAME	KEY(1)
		ALLOWMULTIUNWRKD	
		CACHEWORKLIST	
		EVENTNAME	KEY(2)
		MAILATTRS	
		MAEXPRCNT	
		MAPFIELD CNT	
		MAPLEVELCNT	
		MAPRECFIELD CNT	
		MAPROLENAM ECNT	
		POOLEDLIST	



		REASSIGNABLE	
		ROUTENAME	KEY(3)
		ROUTETYPE	KEY(4)
		SHOWENTRIES	
		TIMEOUTACTIVE	
		TIMEOUTEMAILOPR	
		TIMEOUTEMAILSUPR	
		TIMEOUTMAXDAYS	
		TIMEOUTMAXHRS	
		TIMEOUTMAXMINS	
		TIMEOUTWLOPR	
		WLRECNAME	
		WORKEDBYACTIVITY	
		WORKEDBYBUSPROC	
		WORKEDWHEN	
PSFILEDETS		ATTACHSYSFILENAME	KEY(1)
		SQLTABLENAME	KEY(2)
PSFILEREDEFN		CATEMPLATETEXT	
		DBPLATFORM	
		DESCRLONG	
		DIR_SECURITY	
		FILEREFBINARY	
		FILEREFNAME	KEY(1)
		FILEREFPATHANDFILE	
		FILEREFTYPECODE	KEY(2)
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		OSPLATFORM	
		PSSERVER	
		VERSION	
PSFILEREDEFNDEL		FILEREFNAME	KEY(1)
		FILEREFTYPECODE	KEY(2)
		VERSION	KEY(3)
PSFILEREFS		ATTACHSYSFILENAME	KEY(1)
PSFILE_ATTDET		FILE_ATTDET_SBR	
PSFLDDEFN	File Layout - File Defns	DESCR	
		DESCRLONG	
		FLDCONVERTTABS	
		FLDDEFNNAME	KEY(1)
		FLDDELIMITER	
		FLDDELIMITERTYPE	
		FLDEMBQUOTEFORMAT	
		FLDEXCELFORMAT	
		FLDFILENAME	



		FLDFORMAT	
		FLDIMPLYDECIMAL	
		FLDINTRPBACKSLASH	
		FLDQUALIFIER	
		FLDQUALIFEROPT	
		FLDSEGCOUNT	
		FLDSEGID	
		FLDSEGIDLENGTH	
		FLDSEGIDSTART	
		FLDSTRIPSPACE	
		FLDTAG	
		FLDXMLBUFFSIZE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		VERSION	
PSFLDDEL	File Layout - Tools Delete	FLDDEFNNAME	
		VERSION	
PSFLDFIELDDEFN	File Layout - File Fields	DECIMAL_POS	
		DESCR100	
		FLDDATEFMT	
		FLDDATESEPARATOR	
		FLDDEFNNAME	KEY(1)
		FLDFIELDDFLT	
		FLDFIELDNAME	KEY(3)
		FLDFIELDTYPE	
		FLDIPVFIELD	
		FLDIPVSEG	
		FLDLENGTH	
		FLDOFFSET	
		FLDQUALIFIER	
		FLDSEGNAME	KEY(2)
		FLDSEQNO	
		FLDSTART	
		FLDSTRIPCHAR	
		FLDSUPPRESS	
		FLDTAG	
		FLDTRIMSPACES	
		FLDUPPER	
PSFLDSEGDEFN	File Layout - File Segments.	DESCR100	
		FLDDEFNNAME	KEY(1)
		FLDDELIMITER	
		FLDDELIMITERTYPE	
		FLDFIELDCOUNT	
		FLDIDSEQNO	
		FLDMAXSEGLN	



		FLDOFFSET	
		FLDQUALIFIER	
		FLDSEGCOUNT	
		FLDSEGID	
		FLDSEGIDLENGTH	
		FLDSEGIDSTART	
		FLDSEGNAME	KEY(2)
		FLDSEGPARENT	
		FLDSEQNO	
		FLDTAG	
		RECNAME_FILE	
		SQLID	
		SQLTYPE	
PSFMTDEFN	Format Definition Table	DESCR	
		DISPLAYLEN	
		FMTOPTIONS	
		FORMATFAMILY	KEY(1)
		FORMATTYPE	
		ITEMCOUNT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		PUNCCHARSET	
		VERSION	
PSFMTDEL		FORMATFAMILY	KEY(1)
		VERSION	KEY(2)
PSFMTITEM	Format Item Table	DISPFMTNAME	KEY(3)
		DISPLAYFORMAT	
		FORMATFAMILY	KEY(1)
		STOREDFMTNAME	KEY(2)
		STOREDFORMAT	
PSGATEWAY		CONNGATEWAYID	KEY(1)
		CONNURL	
		LOCAL_FLAG	
		VERSION	
PSGATEWAYDEL		CONNGATEWAYID	KEY(1)
		VERSION	
PSGRANTTBL		TABlename	KEY(2)
		TYPE	KEY(1)
PSHOLIDAYDEFN	Holiday Definition	DAYOFMONTH	
		DAYOFWK	
		HOLIDAYNAME	KEY(1)
		LASTUPDDTTM	
		LASTUPDOPRID	
		MONTHOFYEAR	
		VERSION	



Table Name	Description	Field Name	Key
PSHOLIDAYDEL	Holiday Definition	WEEKOFMONTH	
		HOLIDAYNAME	KEY(1)
*PSHUPLD_RUNCTL	Paysheet Load Report Run Cntrl	VERSION	KEY(2)
		OPRID	KEY(1)
*PSHUP_RUNCTL	Paysheet Load Run Control	PU_SOURCE	
		PU_TXN_STATUS	
		RUN_CNTL_ID	KEY(2)
		COMPANY	
		EMPLID	
		EMPL_RCD	
		OFF_CYCLE	
		OK_TO_PAY	
		OPRID	KEY(1)
		PAYGROUP	
		PAY_END_DT	
		PROCESS_ON_OFF	
		PU_RESET	
		PU_SOURCE	
RUN_CNTL_ID	KEY(2)		
RUN_ID	KEY(3)		
PSHUP_TXN	Paysheet Load holding record	SEP_OFF_CYCLE_IND	
		ACCT_CD	
		ADDLPAY_REASON	
		ADDL_NBR	
		ADDL_PAY_SHIFT	
		ADDL_SEQ	
		AMT	
		APPLID	
		AWARD_DATE	
		BENEFIT_PLAN	
		BUSINESS_UNIT	
		COMPANY	KEY(3)
		COMP_RATECD	
		CREATION_DT	KEY(2)
		CTX_CLASS	
		CURRENCY_CD	
		DEDCD	
		DED_CALC	
		DED_CLASS	
		DED_RATE_PCT	
DED_SLSTX_CLASS			
DED_SUBSET_GENL			
DED_SUBSET_ID			
DED_TAKEN			
DED_TAKEN_GENL			




---

	DEPTID	
	DISABLE_DIR_DEP	
	EARN_BEGIN_DT	KEY(7)
	EARN_END_DT	KEY(8)
	EMPLID	KEY(9)
	EMPL_RCD	KEY(10)
	ERNCD	
	EX_DOC_ID	
	EX_DOC_TYPE	
	EX_LINE_NBR	
	GB_GROUP_ID	
	GL_PAY_TYPE	
	GROSSUP	
	HOURLY_RT	
	JOB_CODE	
	LINE_NUM	
	LOCALITY	
	MANUAL_CHECK	
	OFF_CYCLE	KEY(6)
	OK_TO_PAY	
	ONE_TIME_CD	
	OTH_HRS	
	OVERRIDE_ONLY	
	PAGE_NUM	
	PAYCHECK_NBR	
	PAYGROUP	KEY(4)
	PAY_END_DT	KEY(5)
	PLAN_TYPE	
	POSITION_NBR	
	PU_DISTRIBUTE	
	PU_SOURCE	KEY(1)
	PU_TXN_STATUS	
	PU_TXN_TYPE	
	SEPCHK	
	SEQNO	KEY(11)
	STATE	
	TAX_CLASS	
	TAX_METHOD	
	TAX_PERIODS	
	VC_PAYOUT_PRD_ID	
	VC_PLAN_ID	
PSHUP_TXN_AET	State Record / Payroll Update	
	ACTION	
	ADDLPAY_REASON	
	AMT	
	APPLID	



		AWARD_DATE	
		COMPANY	
		CREATION_DT	
		DED_SLSTX_CLASS	
		DED_TAKEN	
		DED_TAKEN_GENL	
		EARN_BEGIN_DT	
		EARN_END_DT	
		EMPLID	
		EMPL_RCD	
		ERNCD	
		GROSSUP	
		IF_FLAG	
		MANUAL_CHECK	
		OFF_CYCLE	
		OK_TO_PAY	
		ONE_TIME_CD	
		OPRID	
		OVERRIDE_ONLY	
		PAYCHECK_NBR	
		PAYGROUP	
		PAY_END_DT	
		PROCESS_INSTANCE	KEY(1)
		PU_DISTRIBUTE	
		PU_SOURCE	
		PU_TXN_STATUS	
		PU_TXN_TYPE	
		SEQNO	
		TAX_PERIODS	
		UPDATE_FLAG	
PSIBBRKSLAVE	IB Slave	APPSERVER_PATH	
		CHNLNAME	KEY(2)
		LASTUPDDTTM	
		MACHINENAME	
		PUBID	KEY(3)
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(1)
		SLAVEPROCESSNAME	
PSIBFAILOVER		SUBCHANNEL	
		APPSERVER_PATH	KEY(1)
		EMAIL_CC	
		EMAIL_TO	
		IB_FAILOVER_FLAG	
		IB_FAILOVER_TIME	
		IB_SLAVEMODE	



PSIBFILERUNCNTL	Inbound File Loader Run Cntrl	LASTUPDDTTM	
		MACHINENAME	KEY(2)
		DTTM_STAMP_SEC	
		IB_FILE_ID	
		IB_REQUEST_ID	KEY(2)
		PROCESS_FREQUENCY	
		PROCESS_INSTANCE	
		PROCESS_ORIG	
		PROCESS_STATUS	
		REQUEST_NBR	
PSIBFLOMSGMAP	Inbound File Loader Layouts	RUN_CNTL_ID	KEY(1)
		APMSGVER	
		FLDDEFNNAME	
		IB_FILE_ID	KEY(1)
PSIBFODOMTSTAMP		MSGNAME	
		SEQNO	KEY(2)
		APPSERVER_PATH	KEY(2)
PSIBFOLOCK		DSPHEALTHDTTM	
		IB_FO_CHK_TIME	
		MACHINENAME	KEY(1)
PSIBFOLOCK		IB_FAILOVER_LOCK	
		IB_FAILOVER_NAME	KEY(1)
PSIBGATEWAYURLS		CONNGATEWAYID	KEY(1)
		CONNURL	
PSIBINFILERULE	IB Inbound File Loader	SEQNUM	KEY(2)
		AE_APPLID	
		AE_SECTION	
		APPCLASSID	
		EFF_STATUS	
		IB_CREATE_HDR_FLG	
		IB_CREATE_TRL_FLG	
		IB_FILETYPE	
		IB_FILE_ID	KEY(1)
		IB_FILE_INBOUND	
		IB_FILE_LAYOUT_ID	
		IB_SEGSIZE	
		PACKAGEROOT	
		PUBNODE	
		QUALIFYPATH	
PSIBLOADBALURL		CONNGATEWAYID	KEY(1)
		PT_IBGWLDBALURL	KEY(2)
PSIBLOGARCHTMP		APMSGVER	KEY(5)
		CHNLNAME	KEY(2)
		GUID	KEY(3)
		MSGNAME	KEY(4)





PSIBLOGDATA		ORIGPUBNODE	KEY(1)	
		TRXTYPE	KEY(6)	
		APMSGVER	KEY(5)	
		CHNLNAME	KEY(2)	
		COMPDATALEN		
		DATASEQNO	KEY(6)	
		GUID	KEY(3)	
		LOGTYPE	KEY(7)	
		MSGNAME	KEY(4)	
		ORIGPUBNODE	KEY(1)	
		PUBDATALONG		
		PUBNODE		
		UNCOMPDATALEN		
PSIBLOGDATAARCH		APMSGVER	KEY(5)	
		CHNLNAME	KEY(2)	
		COMPDATALEN		
		DATASEQNO	KEY(6)	
		GUID	KEY(3)	
		LOGTYPE	KEY(7)	
		MSGNAME	KEY(4)	
		ORIGPUBNODE	KEY(1)	
		PUBDATALONG		
		PUBNODE		
		UNCOMPDATALEN		
		CHNLNAME	KEY(2)	
	PSIBLOGERR		ERRORTIMESTAMP	KEY(4)
		GUID	KEY(3)	
		MESSAGE_NBR		
		MESSAGE_SET_NBR		
		ORIGPUBNODE	KEY(1)	
		PUBDATAERRLOC		
		PUBNODE		
		SEQNO	KEY(5)	
PSIBLOGERRP		App Message PubCon Error Parms	CHNLNAME	KEY(2)
			ERRORTIMESTAMP	KEY(4)
			GUID	KEY(3)
			MESSAGE_PARM	
			ORIGPUBNODE	KEY(1)
		PARAM_SEQ	KEY(6)	
		PUBNODE		
		SEQNO	KEY(5)	
	PSIBLOGHDR		APMSGVER	KEY(5)
			CHNLNAME	KEY(2)
			DESTPUBNODE	
			FINALDESTNODE	



		GUID	KEY(3)
		LASTUPDDTTM	
		MSGNAME	KEY(4)
		MSGNAMEDETAIL	
		NRID	
		ORIGPUBNODE	KEY(1)
		PUBLISHER	
		PUBLISHTIMESTAMP	
		PUBNODE	
		PUBROUTINGTRAIL	
		STATUSSTRING	
		TRXTYPE	KEY(6)
PSIBLOGHDRARCH		APMSGVER	KEY(5)
		CHNLNAME	KEY(2)
		DESTPUBNODE	
		FINALDESTNODE	
		GUID	KEY(3)
		LASTUPDDTTM	
		MSGNAME	KEY(4)
		MSGNAMEDETAIL	
		NRID	
		ORIGPUBNODE	KEY(1)
		PUBLISHER	
		PUBLISHTIMESTAMP	
		PUBNODE	
		PUBROUTINGTRAIL	
		STATUSSTRING	
		TRXTYPE	KEY(6)
PSIBMSGFILE_ATT	Integration Broker Attachments	FILE_ATTDET_SBR	
PSIBMSGSCHEMA		APMSGVER	KEY(2)
		COMPDATALEN	
		DATASEQNO	KEY(3)
		IB_SCHEMADATA	
		LASTUPDDTTM	
		MSGNAME	KEY(1)
		PUBLISHER	
		UNCOMPDATALEN	
PSIBPROFILEASYN		APPSERVERDBTIME	
		APPSERVERRECVTIME	
		CHNLNAME	KEY(2)
		GWREQCONNECTOR	
		GWREQTOTAL	
		GWREQTRANSFORM	
		IBPROFILETIMESTAMP	
		MSGNAME	



	PUBID	KEY(3)
	PUBNODE	KEY(1)
PSIBPROFILEBRK	BRK_PEOPLECODE	
	BRK_TOTAL	
	BRK_TRANSFORM	
	CHNLNAME	KEY(2)
	IBPROFILETIMESTAMP	
	MSGNAME	
	PUBID	KEY(3)
	PUBNODE	KEY(1)
PSIBPROFILEPUB	APPSERVERDBTIME	
	APPSERVERRECVTIME	
	CHNLNAME	KEY(2)
	GWREQCONNECTOR	
	GWREQTOTAL	
	GWREQTRANSFORM	
	GWRESPTOTAL	
	GWRESPTRANSFORM	
	IBPROFILETIMESTAMP	
	IB_TCA_TIME	
	MSGNAME	
	ONACKRECVPC	
	ONREQUESTPC	
	ONSENDPC	
	PUBCON_TOTAL	
	PUBCON_TRANSFORM	
	PUBID	KEY(3)
	PUBNODE	KEY(1)
	SUBNODE	KEY(4)
PSIBPROFILESUB	CHNLNAME	KEY(2)
	IBPROFILETIMESTAMP	
	MSGNAME	KEY(4)
	PUBID	KEY(3)
	PUBNODE	KEY(1)
	SUBCON_PEOPLECODE	
	SUBCON_TOTAL	
	SUBNAME	KEY(5)
PSIBPROFILESYNC	APPSERVERRECVTIME	
	APPSERVERSENDTIME	
	GUID	KEY(1)
	GWREQCONNECTOR	
	GWREQTOTAL	
	GWREQTRANSFORM	
	GWRESPTOTAL	
	GWRESPTRANSFORM	



		IBPROFILETIMESTAMP	
		IB_TCA_TIME	
		MSGNAME	
		ONREQUESTPC	
		ONROUTEPC	
		ONSENDPC	
		PUBNODE	
		SYNCTYPE	
		TRANSFORMIB	
		TRANSFORMOB	
PSIBPUBSLAVE	IB Publication Slave	APPSERVER_PATH	
		CHNLNAME	KEY(2)
		IB_SEGMENTINDEX	KEY(5)
		LASTUPDDTTM	
		MACHINENAME	
		PUBID	KEY(3)
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(1)
		SLAVEPROCESSNAME	
		SUBCHANNEL	
		SUBNODE	KEY(4)
PSIBSCHEMAS_ATT	Integration Broker Uploads	FILE_ATTDET_SBR	
PSIBSEGRSTR_AET		CHNLNAME	
		IB_SEGBYDATABASE	
		IB_SEGMENTINDEX	
		PROCESS_INSTANCE	KEY(1)
		PUBID	
PSIBSUBSLAVE	IB Subscription Slave	APPSERVER_PATH	
		CHNLNAME	KEY(2)
		IB_SEGMENTINDEX	KEY(6)
		LASTUPDDTTM	
		MACHINENAME	
		MSGNAME	KEY(4)
		PUBID	KEY(3)
		PUBLISHTIMESTAMP	
		PUBNODE	KEY(1)
		SLAVEPROCESSNAME	
		SUBCHANNEL	
		SUBNAME	KEY(5)
PSIBWSDLADMIN		OPRID	
		PT_IBWSDL_ROUTEURL	
		WRKPASSWORD	
PSIBXML_ATT	Integration Broker Uploads	FILE_ATTDET_SBR	
PSIB_CHART_AVG		IB_AVG_TIME_1	
		IB_AVG_TIME_10	



		IB_AVG_TIME_11	
		IB_AVG_TIME_12	
		IB_AVG_TIME_2	
		IB_AVG_TIME_3	
		IB_AVG_TIME_4	
		IB_AVG_TIME_5	
		IB_AVG_TIME_6	
		IB_AVG_TIME_7	
		IB_AVG_TIME_8	
		IB_AVG_TIME_9	
PSIB_INFILE_AET	State table	AE_APPLID	
		AE_SECTION	
		APPCLASSID	
		FLDDEFNNAME	
		IB_CREATE_HDR_FLG	
		IB_CREATE_TRL_FLG	
		IB_END_TRANS_FLG	
		IB_FILETYPE	
		IB_FILE_ID	
		IB_FILE_INBOUND	
		IB_FILE_LAYOUT_ID	
		IB_REQUEST_ID	
		IB_SEGSIZE	
		IB_TEMP_FLD	
		PACKAGEROOT	
		PROCESS_FREQUENCY	
		PROCESS_INSTANCE	KEY(1)
		PUBNODE	
		QUALIFYPATH	
		RUN_CNTL_ID	
		SEQ_NBR	
PSIB_MSGFLOPROC	File Layout process	IB_FILE_ID	KEY(2)
		IB_FILE_INBOUND	
		PROCESS_INSTANCE	KEY(1)
		SEQ_NBR	KEY(3)
PSIDXDDLPARM	Index DDL Parameters	INDEXID	KEY(2)
		PARMNAME	KEY(5)
		PARMVALUE	
		PLATFORMID	KEY(3)
		RECNAME	KEY(1)
		SIZINGSET	KEY(4)
PSIMPDEFN	Import Definition	FIELD COUNT	
		FILENAME	
		IMPNAME	KEY(1)
		LASTUPDDTTM	



		LASTUPDOPRID	
		RECNAME	
		VERSION	
PSIMPDEL	Import Definition	IMPNAME	KEY(1)
		VERSION	KEY(2)
PSIMPFIELD	Import Field	BYPASS	
		DATETYPE	
		DECIMALPOS	
		FIELDNAME	KEY(2)
		IMPDEFAULT	
		IMPNAME	KEY(1)
		LENGTH	
		STARTLOC	
		XLATCOUNT	
PSIMPXLAT	Import Translate	FIELDNAME	KEY(2)
		IMPNAME	KEY(1)
		NEWCODE	
		OLDCODE	KEY(3)
PSINDEXDEFN	Index Definition	ACTIVEFLAG	
		CLUSTERFLAG	
		CUSTKEYORDER	
		DDLCOUNT	
		IDXCMENTS	
		INDEXID	KEY(2)
		INDEXTYPE	
		KEYCOUNT	
		PLATFORM_ALB	
		PLATFORM_DB2	
		PLATFORM_DB4	
		PLATFORM_DBX	
		PLATFORM_INF	
		PLATFORM_MSS	
		PLATFORM_ORA	
		PLATFORM_SBS	
		PLATFORM_SYB	
		RECNAME	KEY(1)
		UNIQUEFLAG	
PSINST_VER_TRX	IB_INST_VER_TRX	MSGNODENAME	KEY(1)
		RESPMSGNAME	
		RESPMSGVER	
		RQSTMSGNAME	KEY(3)
		RQSTMSGVER	KEY(4)
		TRXTYPE	KEY(2)
PSIOCFGDEFAULT		DLLNAME	
		IODATATYPE	



PSIODEFN		IOSETTINGNAME	
		IOVALUE	
		BIDISPNAME	
		DLLNAME	
		DRIVER_VERSION	
		IOCOMMENTS	
		IODESCR	
		IOINPUTCOUNT	
		IOMAXTRIES	
		IONAME	KEY(1)
		IOOUTPUTCOUNT	
		IOPUBLIC	
		IOSETTINGCOUNT	
		IOTYPE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LONGOBJNAME	
	OBJECTOWNERID		
	QUERYCRITERIA		
	VERSION		
PSIODEFNLANG		IODESCR	
		IONAME	KEY(1)
PSIODEL		LANGUAGE_CD	KEY(2)
		IONAME	
PSIOINPUTS		VERSION	
		IODATATYPE	
PSIONRDATA	Near Realtime Data	IODISPNAME	
		IOINPUTNAME	
		IOLINENUM	
		IONAME	
		IOVALUE	
		REQUIRED	
		IOLINENUM	
		IONRID	
		IONRINPUTDATA	
		IONRNUMTRIES	
PSIONRHDR	Near Realtime Header	BEGINDDTTM	
		ENDDTTM	
		IOKEYVALUE	
		IOMESSAGE	
		IONAME	
		IONRID	
		IONRNUMTRIES	
		IOPRID	
		IOSTATUS	
		IODATATYPE	
PSIOOUTPUTS			



		IODISPNAME	
		IOLINENUM	
		IONAME	
		IOOUTPUTNAME	
PSIOSETTINGS		IODATATYPE	
		IOLINENUM	
		IONAME	
		IOSETTINGNAME	
		IOVALUE	
		REQUIRED	
PSJPUPDEFN		LASTUPDDTTM	
		LASTUPDOPRID	
		OPRID	KEY(3)
		PTJPLT_APPNAME	KEY(1)
		PTJPLT_NAME	KEY(2)
		VERSION	
PSJPUPDEL		OPRID	KEY(3)
		PTJPLT_APPNAME	KEY(1)
		PTJPLT_NAME	KEY(2)
		VERSION	
PSJPUPPREF		OPRID	KEY(3)
		PTJPLT_APPNAME	KEY(1)
		PTJPLT_NAME	KEY(2)
		PTJPLT_PREFNAME	KEY(4)
PSJPUPPREFVAL		OPRID	KEY(3)
		PTJPLT_APPNAME	KEY(1)
		PTJPLT_NAME	KEY(2)
		PTJPLT_PREFNAME	KEY(4)
		PTJPLT_PREFVALUE	
		SEQNUM	KEY(5)
PSKEYDB		CERTALIAS	KEY(2)
		CERTDATA	
		CERTISSUERIALIAS	
		CERTRENEW	
		CERTTYPE	KEY(1)
PSKEYDEFN	Key in Index Definition	ASCDESC	
		FIELDNAME	KEY(3)
		INDEXID	KEY(2)
		KEYPOSN	
		RECNAME	KEY(1)
PSLANGUAGES	Language support table	CHARSET	
		DIRECTIONALITY	
		INSTALLED	
		ISO_LOCALE	
		LANGUAGE_CD	KEY(1)





		SCLANG	
		VERITY_CHARSET	
		VERITY_LOCALE	
		WINDOWS_CHARSET	
PSLEGEND	SimpleGraph	PS_COLORS	
		PS_LEGEND_LBL	
PSLOCALEDEFN	Locale definitions	DESCR	
		LOCALECD	KEY(1)
PSLOCALELANG	Related Language PSLOCALEDEFN	DESCR	
		LANGUAGE_CD	KEY(2)
		LOCALECD	KEY(1)
PSLOCALEOPTNDFN	Locale based option defaults	LOCALECD	KEY(3)
		OPTN_CATEGORY_LVL	KEY(1)
		USEROPTN	KEY(2)
		USER_OPTION_VALUE	
PSLOCALEORDER		ISO_LOCALE	
		ISO_LOCALE_CHILD	
		SEQNUM	
PSLOCK	Manager locking versions	OBJECTYPENAME	KEY(1)
		VERSION	
PSMAPEXPR	Map Expression	ACTIVITYNAME	KEY(1)
		EVENTNAME	KEY(2)
		EXPNUM	KEY(5)
		EXPTXT	
		MAPNAME	KEY(4)
		MAPTYPE	KEY(3)
PSMAPFIELD	Map Field	ACTIVITYNAME	KEY(1)
		EVENTNAME	KEY(2)
		EXPNUM	
		FORMFIELDNAME	
		MAPMETHOD	
		MAPNAME	KEY(4)
		MAPTYPE	KEY(3)
		MAPUSE	
		RECFIELDNUM	
		ROLENUM	
		SEQNO	KEY(5)
PSMAPLEVEL	Map Level	ACTIVITYNAME	KEY(1)
		DELETEUNNAMED	
		EVENTNAME	KEY(2)
		LEVELNUM	
		MAPNAME	KEY(4)
		MAPTYPE	KEY(3)
		OUTPUTALL	
		RECNAME	



		SCROLLFOUND	
		SCROLLNOTFOUND	
PSMAPRECFIELD	Map Record Field	SEQNO	KEY(5)
		ACTIVITYNAME	KEY(1)
		EVENTNAME	KEY(2)
		FIELDNAME	
		FIELDNUM	KEY(5)
		MAPNAME	KEY(4)
		MAPTYPE	KEY(3)
PSMAPROLEBIND	Map Role Bind Parameter	RECNAME	
		ACTIVITYNAME	KEY(1)
		BINDCONSTANT	
		BINDSEQNO	KEY(6)
		BINDTYPE	
		EVENTNAME	KEY(2)
		FIELDNAME	
		HEADING	
		MAPNAME	KEY(4)
		MAPTYPE	KEY(3)
PSMAPROLENAME	Map Role Name	NAMESEQNO	KEY(5)
		RECNAME	
		ACTIVITYNAME	KEY(1)
		EVENTNAME	KEY(2)
		MAPNAME	KEY(4)
		MAPTYPE	KEY(3)
		NAMESEQNO	KEY(5)
		ROLEBINDCNT	
PSMCFCLUSTER		ROLENAME	
		DESCR	
PSMCFLOGCLUSTER		MCFREN_URL_ID	KEY(1)
		MCFUQSERVERID	KEY(1)
		MCFUQ_MS_STATUS	
PSMCFQSERV		MCFUQ_TIMETICK	
		DESCR	
		MCFDOMAIN	
		MCFHOST	
		MCFREN_URL_ID	KEY(1)
		MCFUQPROCID	
PSMCFQSERVLANG		MCFUQSERVERID	KEY(2)
		DESCR	
		LANGUAGE_CD	KEY(2)
		MCFREN_URL_ID	KEY(3)
PSMCFQUEUES		MCFUQSERVERID	KEY(1)
		DESCR	
		MCFREN_LOG_RTENT	KEY(1)



PSMCFQUEUEESLANG		MCFUQQUEUEID	KEY(2)
		DESCR	
		LANGUAGE_CD	KEY(3)
		MCFREN_LOG_RTENT	KEY(2)
PSMCFRENTCFG	Rensrv entity key/value pairs	MCFUQQUEUEID	KEY(1)
		MCFKEY	
		MCFREN_PHYS_RTENT	
		MCFVALUE	
PSMCFRENMAP		MCFREN_LOG_RTENT	KEY(1)
		MCFREN_PHYS_RTENT	KEY(2)
		MCFREN_RTENT_OWNER	
PSMCFRENMAP_ADM		ACTIVE_FLAG	
		MCFREN_LOG_RTENT	KEY(1)
		MCFREN_PHYS_RTENT	KEY(2)
PSMCFRENPERMS	REN Server permissions	REN_PERMTYPE	KEY(1)
		REN_PERMVALUE	
PSMCFRENURL		MCFREN_PHYS_RTENT	KEY(1)
		MCFREN_URL_ID	
PSMCFRENURLID	REN URLs	ACTIVE_FLAG	
		AUTHTOKEN	
		MCFREN_BROWSER_URL	
		MCFREN_INT_URL	
		MCFREN_URL_ID	KEY(1)
		PROCESS_STATUS	
		REN_CLUS_ROOT_PATH	
PSMCFSEQNUM		MCFCONTACTID	KEY(1)
		SEQ_NBR	
PSMCFSYSTEM	MCF system key/value config	MCFKEY	KEY(2)
		MCFSYSTEMID	KEY(1)
		MCFVALUE	
PSMCFUQAGENTQ		MCFREN_LOG_RTENT	KEY(2)
		MCFREN_PHYS_RTENT	
		MCFUQAGENTID	KEY(1)
		MCFUQMAXWKLD	
		MCFUQQUEUEID	
		MCFUQSKILLLEVEL	
PSMCFUQAGENTS		MCFUQAGENTID	KEY(1)
		MCF_NICKNAME	
		NAME	
PSMCFUQCLUSTER		MCFUQSERVERID	KEY(1)
		MCFUQ_MS_STATUS	
		MCFUQ_TIMETICK	
PSMENUDEFN	Menu Definition	DESCR	
		DESCRLONG	
		GROUPORDER	



		GROUPSEP	
		INSTALLED	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MENUGROUP	
		MENULABEL	
		MENUNAME	KEY(1)
		MENUORDER	
		MENUSEP	
		MENUTYPE	
		OBJECTOWNERID	
		VERSION	
PSMENUDEFNLANG	Menu Definition Language	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MENUGROUP	
		MENULABEL	
		MENUNAME	KEY(1)
PSMENUDEL	Menu Definition	MENUNAME	KEY(1)
		VERSION	KEY(2)
PSMENUITEM	Menu Item	BARLABEL	
		BARNAME	KEY(2)
		ITIMLABEL	
		ITEMNAME	KEY(3)
		ITEMNUM	
		ITEMTYPE	
		MARKET	
		MENUNAME	KEY(1)
		PNLGRPNAME	
		SEARCHRECNAME	
		XFERCOUNT	
PSMENUITEMLANG	Menu Item Language	BARLABEL	
		BARNAME	KEY(2)
		ITIMLABEL	
		ITEMNAME	KEY(3)
		LANGUAGE_CD	KEY(4)
		MENUNAME	KEY(1)
PSMERCHANTAPP		EFFDT	KEY(2)
		MERCHANTID	KEY(1)
		MRCHAPPATTRNAME	KEY(3)
		MRCHAPPATTRVALUE	
PSMERCHANTCAT		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		MERCHANTCAT	KEY(3)



	MERCHANTID	KEY(1)
	MERCHWSITEURL	
*PSMERCHANTID	CMPAUTHNTCTNTOKEN	
	COMPANYID	
	DESCR	
	DESCRSHORT	
	EFFDT	KEY(2)
	MERCHANTID	KEY(1)
	MERCHINSTALLED	
	MERCHWSITEURL	
	MRCHIMAGENAME	
	MRCHUIDTYPE	
	OBJECTOWNERID	
	RELATIONSHIPMNGR	
	RELMNGREMAIL	
	RELMNGRPHONENBR	
PSMERCHANTIDLNG	DESCR	
	DESCRSHORT	
	EFFDT	KEY(2)
	LANGUAGE_CD	KEY(3)
	MERCHANTID	KEY(1)
PSMERCHBI	EFFDT	KEY(2)
	IONAME	KEY(3)
	MERCHANTID	KEY(1)
	SIGNONBI	
PSMERCHBIPARMS	EFFDT	KEY(2)
	IOLINENUM	KEY(4)
	IONAME	KEY(3)
	IOSETTINGNAME	
	IOVALUE	
	MERCHANTID	KEY(1)
	OVERRIDEDFLTVALUE	
	REQUIRED	
PSMERCHANTCATLNG	DESCR	
	DESCRSHORT	
	EFFDT	KEY(2)
	LANGUAGE_CD	KEY(4)
	MERCHANTCAT	KEY(3)
	MERCHANTID	KEY(1)
PSMPCONTDEV	ALLOW_CREATE	
	ALLOW_DELETE	
	BCITEMNAME	KEY(5)
	BCITEMPARENT	KEY(4)
	BCTYPE	KEY(3)
	DETAILVIEWLBL	



	DISPLAYINLINE	
	DISPLAYTIMEZONE	
	EDIT_IN_LISTVW	
	ERRORPAGE	
	FIELDUSE	
	HEIGHT_IN_LINES	
	HORIZONTAL	
	HTMLAREAINLINE	
	HYPERLINK	
	INVISIBLE	
	ISHTMLAREA	
	SPHONENUMBER	
	ISPUSHBUTTON	
	LABEL_ID	
	LBLTEXT	
	LBLTYPE	
	LISTVIEWLBL	
	LISTVW_COL_PCT	
	MOBILEDEVICEID	KEY(2)
	MOBILEPAGENAME	KEY(1)
	MPASDROPDOWN	
	MPGROUPLABEL	
	MPLINEFEED	
	MPSUPPHEADER	
	MPTIMEPICKER	
	MPTPINTERVAL	
	MSGNUM	
	MSGSET	
	OCCURSCOUNT1	
	ORDERNO	
	PROMPTDISPLAY	
	READONLY	
	RELATEDPAGE	
	SHOW_DETAIL_ICON	
	SHOW_IN_HEADER	
	SHOW_IN_LISTVW	
	SUPPRESSONDEV	
	SYNCID	
	TABLABEL	
	WIDTH_IN_CHARS	
PSMPCONTDEVLANG	BCITEMNAME	KEY(5)
	BCITEMPARENT	KEY(4)
	BCTYPE	KEY(3)
	DETAILVIEWLBL	
	LABEL_ID	



		LANGUAGE_CD	KEY(6)
		LBLTEXT	
		LBLTYPE	
		LISTVIEWLBL	
		MOBILEDEVICEID	KEY(2)
		MOBILEPAGENAME	KEY(1)
		TABLABEL	
PSMPDEFN		BCNAME	
		DESCR	
		DESCRLONG	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MOBILEPAGENAME	KEY(1)
		OBJECTOWNERID	
		SYNCID	
		VERSION	
PSMPDEFNDEL		MOBILEPAGENAME	KEY(1)
		VERSION	
PSMPDEFNDEV		ALLOW_CREATE	
		ALLOW_DELETE	
		DETAILVIEWLBL	
		ERRORPAGE	
		LISTVIEWLBL	
		MOBILEDEVICEID	KEY(2)
		MOBILEPAGENAME	KEY(1)
		MSGNUM	
		MSGSET	
		OCCURSCOUNT1	
		SKIPGOTO	
		SYNCID	
PSMPDEFNDEVLANG		DETAILVIEWLBL	
		LANGUAGE_CD	KEY(3)
		LISTVIEWLBL	
		MOBILEDEVICEID	KEY(2)
		MOBILEPAGENAME	KEY(1)
PSMPDEFNLANG		DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MOBILEPAGENAME	KEY(1)
PSMPRTPREF	Mobile Runtime Preferences	LASTUPDDTTM	
		OPRID	KEY(1)
		SYNCID	
		UPDATED	
PSMRCHANTCATTBL		DESCR	
		DESCRSHORT	



		EFFDT	KEY(2)
		EFF_STATUS	
PSMRCHNTCTTBLNG		MERCHANTCAT	KEY(1)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
		MERCHANTCAT	KEY(1)
PSMSFDIST		DISCOBJECTID1	KEY(1)
		DISCOBJECTID2	KEY(2)
		DISCOBJECTID3	KEY(3)
		MSFGENSTATUS	
		MSFSCHEDDTM	KEY(4)
PSMSFINITFILEID		MSF_FILEID	KEY(1)
PSMSFOPTIONS		LOCKPRISTINE	
		MDFEXTRACT	
		MDFLOCATION	KEY(1)
		MINDISKAVL	
PSMSFPENVSTAGE		MSF_FILEID	
		MSF_FILE_DIRECTORY	
		MSF_FILE_NAME	
		MSF_FILE_VERSION	KEY(1)
		MSF_REVISION	
PSMSFPUBDATA	MSF staging table for pub/sub	CHNLNAME	KEY(2)
		COMPMIMEDATALEN	
		DATASEQNO	KEY(6)
		MIMEDATALONG	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		SEGMENTNO	KEY(4)
		SUBSEGMENTNO	KEY(5)
		UNCOMPIMEDATALEN	
PSMSFREFRESH		MSFCOMPLETEDDTM	
		MSFGENSTATUS	
		MSFINSTALLED	
		MSFRETRYCOUNT	
		MSFSCHEDDTM	KEY(2)
		OPRID	KEY(1)
		REPLICATIONSET	
PSMSFSEQ		ACTIVEFLAG	
		DBID	KEY(5)
		DISCOBJECTID1	KEY(1)
		DISCOBJECTID2	KEY(2)
		DISCOBJECTID3	KEY(3)
		ISCOMPLETED	





		PTMAXVALUE	
		PTNEXTVALUE	
PSMSFTABLES		SEQUENCENO	KEY(4)
		ARANGE	
		DESCR254	
		DISCOBJECTID1	KEY(1)
		DISCOBJECTID2	KEY(2)
		DISCOBJECTID3	KEY(3)
		PARENTFIELDNAME	
		PARENTRECNAME	
		RANGESIZE	
PSMSFUSER		WHERE_CLAUSE	
		DBID	
		LASTINSTALLED	
		LASTSCHEDULED	
		OPRID	KEY(1)
PSMSF_AET		ACTIVEFLAG	
		CURAVAIL	
		DBID	
		DISCOBJECTID1	
		DISCOBJECTID2	
		DISCOBJECTID3	
		ISCOMPLETED	
		NEWASSIGNED	
		NEWIDS	
		PARENTFIELDNAME	
		PARENTRECNAME	
		PROCESS_INSTANCE	KEY(1)
		PTMAXVALUE	
		PTNEXTSYSTEMID	
		PTNEXTVALUE	
		PTUPDSYSTEMID	
		RECNAME	
		SEQUENCENO	
PSMSGAGTDEFN	Message Agent Definition	WHERE_CLAUSE	
		ACTIVITYNAME	KEY(1)
		BARNAME	
		DFLTACTION	
		INPUTNAME	KEY(2)
		ITEMNAME	
		MAPEXPCNT	
		MAPFIELDCNT	
		MAPLEVELCNT	
		MAPRECFIELDCNT	
		MAPROLENAMCNT	



		MENUNAME	
		QRYNAME	
		REPLYERR	
		REPLYOK	
		SEARCHRECNAME	
		SRCTYPE	
		VERIFYORIGID	
PSMSGCATDEFN	Message Catalog	DESCRLONG	
		LAST_UPDATE_DTTM	
		MESSAGE_NBR	KEY(2)
		MESSAGE_SET_NBR	KEY(1)
		MESSAGE_TEXT	
		MSG_SEVERITY	
PSMSGCATLANG	Message Catalog	DESCRLONG	
		LANGUAGE_CD	KEY(3)
		MESSAGE_NBR	KEY(2)
		MESSAGE_SET_NBR	KEY(1)
		MESSAGE_TEXT	
PSMSGDEFN	Application Message Definition	ACTIONS	
		BARITEMNAME	
		BARNAME	
		CHNLNAME	
		DEFAULTVER	
		DESCR	
		DESCRLONG	
		ERRPROCMODE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MENUNAME	
		MSGDISPLAYNAME	
		MSGNAME	KEY(1)
		MSGSTATUS	
		NONREPUDIATION	
		OBJECTOWNERID	
		PNLITEMNAME	
		USEEDIT	
		VALIDATESTSTRUCT	
		VERSION	
PSMSGDEFNLANG	Message Definition(Alt Lang)	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MSGNAME	KEY(1)
PSMSGDEL	Message Definition	MSGNAME	KEY(1)
		VERSION	KEY(2)
PSMSGFLDOVR	Record Field Override	APMSGVER	KEY(2)



		DONOTPUBLISH	
		FIELDNAME	KEY(6)
		MSGNAME	KEY(1)
		PRNTRECNAME	KEY(4)
		RECNAME	KEY(3)
		SEQNO	KEY(5)
		XMLALIAS	
PSMSGNODEDEFN	Message Node Definition	ACTIVE_NODE	
		APMSGAPPREL	
		AUTHOPTN	
		CODESETGROUPNAME	
		COMPANYID	
		CONNGATEWAYID	
		CONNID	
		CONTACTEMAIL	
		CONTACTMNGR	
		CONTACTPHONENBR	
		CONTACTURL	
		DESCR	
		DESCRLONG	
		HUBNODENAME	
		IBPASSWORD	
		IB_SEGMENTAWARE	
		IMAGE_NAME	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LOCALDEFAULTFLG	
		LOCALNODE	
		MASTERNODENAME	
		MSGNODENAME	KEY(1)
		NODE_TYPE	
		NONREPUDIATION	
		PORTAL_NAME	
		ROUTINGTYPE	
		TOKENTYPE	
		TOKEN_ENCRYPTED	
		TOKEN_SIGNED	
		TOOLSREL	
		VERSION	
PSMSGNODEDEL	Message Node Definition	MSGNODENAME	KEY(1)
		VERSION	KEY(2)
PSMSGREC	Message Definition Record	APMSGVER	KEY(2)
		MSGNAME	KEY(1)
		PRNTRECNAME	KEY(4)
		RECNAME	KEY(3)



		SEQNO	KEY(5)
		XMLALIAS	
		DESCR	
		DESCRSHORT	
PSMSGSETDEFN	Message Sets	MESSAGE_SET_NBR	KEY(1)
		VERSION	
		DESCR	
		DESCRSHORT	
PSMSGSETLANG	Message Sets	LANGUAGE_CD	KEY(2)
		MESSAGE_SET_NBR	KEY(1)
		APMSGVER	KEY(2)
PSMSGVER	App. Message Defn Version	IB_MSGSCHEMA	
		MSGNAME	KEY(1)
		DESCRLONG	
		LANGUAGE_CD	KEY(5)
		MSGNODENAME	KEY(1)
		PROPID	KEY(2)
		PROPNAME	KEY(3)
		SEQNUM	KEY(4)
		DATATYPEDESCR	
		DESCRLONG	
		MSGNODENAME	KEY(1)
		PROPID	KEY(2)
		PROPNAME	KEY(3)
		PROPVALUE	
		REQUIRED_FLG	
		SEQNUM	KEY(4)
		DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MSGNODENAME	KEY(1)
		COMMENTS	
		MSGNODENAME	KEY(1)
		NAMETYPE	KEY(2)
		PROPNAME	KEY(3)
		PROPVALUE	
		COMMENTS	
		LANGUAGE_CD	KEY(4)
		MSGNODENAME	KEY(1)
		NAMETYPE	KEY(2)
		PROPNAME	KEY(3)
		MSGNODENAME	KEY(1)
		RQSTMSGNAME	KEY(3)
		RQSTMSGVER	KEY(4)
		TRXTYPE	KEY(2)
PSNODECONPRPLANG	Connector Properties		
PSNODECONPROP	Connector Properties		
PSNODEDEFNLANG	Message Node Definition Lang		
PSNODEPROP	Business Entity Properties		
PSNODEPROPLANG	Business Entity Properties		
PSNODESDOWN	Undelivered Transactions		



PSNODETRX	Node Transaction Definition	COMMENTS
		CONNGATEWAYID
		CONNID
		CONNOVERRIDE
		EFFDT KEY(2)
		EFF_STATUS
		EXTRESPMSGNAME
		EXTRQSTMSGNAME
		LASTUPDDTTM
		LASTUPDOPRID
		LOGMSGDTLFLG
		MSGNODENAME KEY(1)
		RESPMSGNAME
		RESPMSGVER
		ROUTINGTYPE
		RQSTMSGNAME KEY(4)
		RQSTMSGVER KEY(5)
		TRXTYPE KEY(3)
		VERSION
PSNODETRXDEL	Node Transaction Definition	EFFDT KEY(2)
		MSGNODENAME KEY(1)
		RQSTMSGNAME KEY(4)
		RQSTMSGVER KEY(5)
		TRXTYPE KEY(3)
		VERSION
PSNODEURITEXT	Node URI Text	MSGNODENAME KEY(1)
		URI_TEXT
		URI_TYPE KEY(2)
PSNODTRCNPRLANG	Node Trans Connector Props	EFFDT KEY(2)
		LANGUAGE_CD KEY(9)
		MSGNODENAME KEY(1)
		PROPID KEY(6)
		PROPNAME KEY(7)
		RQSTMSGNAME KEY(4)
		RQSTMSGVER KEY(5)
		SEQNUM KEY(8)
		TRXTYPE KEY(3)
PSNODTRXCONPROP	Node Trans Connector Props	EFFDT KEY(2)
		EFF_STATUS
		MSGNODENAME KEY(1)
		PROPID KEY(6)
		PROPNAME KEY(7)
		PROPVALUE
		RQSTMSGNAME KEY(4)
		RQSTMSGVER KEY(5)



		SEQNUM	KEY(8)
		TRXTYPE	KEY(3)
PSNVSbatchRSTRT		NVS_INST_COUNT	
		NVS_RQST_IDX	
		NVS_SCOPE_IDX	
		PRCSINSTANCE	KEY(1)
PSNVSBOOK	PS/nVision Report Book	AS_OF_DATE	
		AS_OF_DT_OPTION	
		EFFDT_OPTN	
		IGNORE_ERRORS	
		OPRID	KEY(1)
		REQUEST_URI	
		RUN_CNTL_ID	KEY(2)
		TREE_EFFDT	
PSNVSBOOKREQUEST	PS/nVision Report Book Request	BUSINESS_UNIT	
		EFF_STATUS	
		NVS_BOOK_SEQ	KEY(3)
		OPRID	KEY(1)
		REPORT_ID	
		RUN_CNTL_ID	KEY(2)
PSOBJCHNG	Object Change	ENTTYPE	KEY(1)
		NEWNAME	KEY(3)
		OBJCHG_STAMP	KEY(4)
		OLDNAME	KEY(2)
		OLDNAME2	
PSOBJGROUP	Object Group	ENTNAME	KEY(3)
		ENTTYPE	KEY(2)
		OBJGROUPID	KEY(1)
		VERSION	
PSOBJSECDESC	Object Security ENTTYPE descr	DESCR100	
		ENTTYPE	KEY(1)
PSOPRALIAS	Peoplesoft ID Values	APPLID	
		BIDDER_ID	
		CONTACT_ID	
		CUST_ID	
		EMPLID	
		EOTP_PARTNERID	
		EXT_ORG_ID	
		OPRALIASTYPE	KEY(2)
		OPRALIASVALUE	
		OPRID	KEY(1)
		PERSON_ID	
		SETID	
		VENDOR_ID	
PSOPRALIASFIELD	Operator Alias Fieldnames	FIELDNAME	KEY(2)



		FIELDNAME_DESCR	
		FIELDNUM	
		OPRALIASTYPE	KEY(1)
		RECNAME	
PSOPRALIASTYPE	Peoplesoft ID Types	DESCR	
		DESCRLONG	
		OPRALIASTYPE	KEY(1)
		SEQNUM	
PSOPRALSTYPLANG	Peoplesoft ID Types - LANG	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		OPRALIASTYPE	KEY(1)
*PSOPRDEFN	Operator Definition	ACCTLOCK	
		CURRENCY_CD	
		DEFAULTNAVHP	
		EMAILID	
		EMPLID	
		ENCRYPTED	
		EXPENT	
		FAILEDLOGINS	
		LANGUAGE_CD	
		LASTPSWDCHANGE	
		LASTSIGNONDTM	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MULTILANG	
		OPERPSWD	
		OPRCLASS	
		OPRDEFNDESC	
		OPRID	KEY(1)
		OPRTYPE	
		PRCSPRFLCLS	
		PTALLOWSWITCHUSER	
		ROWSECCLASS	
		SYMBOLICID	
		USERIDALIAS	
		VERSION	
PSOPRDEL		OPRID	
		VERSION	
PSOPROBJ	Operator Object Group	CLASSID	KEY(2)
		DISPLAYONLY	
		OBJGROUPID	KEY(1)
		VERSION	
PSOPTCONARRAY		DESCR	
		PAMS_COMPARISON	



		PAMS_CONARRAY_NAME	KEY(2)
		PAMS_CONSEXP_ID	
		PAMS_CONSEXP_ID2	
		PAMS_DUALFLD	
		PAMS_LINEXP_ID	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_REGION_ID	
		PAMS_SLACKFLD	
PSOPTCONSEXP		PAMS_BIN_OP	
		PAMS_CONSEXP_ID	KEY(2)
		PAMS_CONSEXP_TYPE	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_NUM_DIM	
		PAMS_OBJ1_ID	
		PAMS_OBJ2_ID	
		PAMS_VAL	
PSOPTFIELD	Optmz. Application Rec. Fields	FIELDNAME	KEY(3)
		PROBTYPE	KEY(1)
		RECNAME	KEY(2)
PSOPTINDEX		DESCR	
		PAMS_INDEX_NAME	KEY(2)
		PAMS_MODEL_NAME	KEY(1)
PSOPTINDEXSET		DESCR	
		PAMS_INDEXSET_NAME	KEY(2)
		PAMS_MODEL_NAME	KEY(1)
		PAMS_NUM_DIM	
		PAMS_OBJ_ID	
		PAMS_PRED_ID	
*PSOPTIONS	PeopleTools System Options	AEOPTTRC	
		APMSGMAXMSGSIZE	
		APPCLASSID	
		AUTHOKENTYPE	
		BACKGRNDDISCINT	
		BSE_TIMEZONE	
		CASEINSSEARCH	
		CHGCTL_USE_HISTORY	
		CHGCTL_USE_LOCKING	
		COLLATION_TYPE	
		COMMITLIMIT	
		CTRLF1URL	
		DB2ALLCCSIDOK	
		DBLENGTHTYPE	
		F1URL	
		GRANT_ACCESS	
		GUID	






---

	HELP_CONTEXT_LAST	
	ICEURL	
	IClientURL	
	LANGUAGE_CD	
	LICENSE_CODE	
	LICENSE_GROUP	
	LONGNAME	
	MAINTLOG_VALID	
	MAXCHUNKSIZE	
	MULTICOMPANY	
	MULTICURRENCY	
	MULTIJOB	
	NVSUSEBUSUNIT	
	NVSUSESECREPRQST	
	OPRID	
	PACKAGEROOT	
	PCODEWIP	
	PLATCOMPAT	
	PSSDWENABLED	
	PTENABLESWITCHUSER	
	SAVEERRORISFATAL	
	SHORTNAME	
	STATS_GATHER	
	STATS_START	
	STATS_STOP	
	STATS_TABLE	
	STATS_TIMER	
	STYLESHEETNAME	
	SYSTEMTYPE	
	TEMPINSTANCEBATCH	
	TEMPINSTANCEONLINE	
	TEMPTBLINSTANCES	
	TIMEOUTMINUTES	
	TRANS_CHG_LASTUPD	
	TREEINACTIVITY_PER	
	USETREELOCKING	
PSOPTLINEXP	PAMS_LINEXP_ID	KEY(2)
	PAMS_LINEXP_TYPE	
	PAMS_LIN_OP	
	PAMS_MODEL_NAME	KEY(1)
	PAMS_NUM_DIM	
	PAMS_OBJ1_ID	
	PAMS_OBJ2_ID	
PSOPTMDLSLVR	MODELID	KEY(2)
	MODELTYPE	KEY(3)



		OPT_SOLVERSTTG_ID	KEY(4)
		PAMS_ACTIVE	
		PROBTYPE	KEY(1)
PSOPTMODEL		DESCR	
		DESCRLONG	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_PARTIAL_MODEL	
		VERSION	
PSOPTMODELDEL		PAMS_MODEL_NAME	KEY(1)
		VERSION	
PSOPTMODELLNG		DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		PAMS_MODEL_NAME	KEY(1)
PSOPTNCATGRPLNG	Personalization cat grp lang	DESCR	
		LANGUAGE_CD	KEY(2)
		OPTN_CATEGORY_GRP	KEY(1)
PSOPTNCATGRPTBL	Personalizations Category Grp	DESCR	
		OBJECTOWNERID	
		OPTN_CATEGORY_GRP	KEY(1)
PSOPTNCATLANG	Personalization Category Lang	DESCR	
		LANGUAGE_CD	KEY(2)
		OPTN_CATEGORY	KEY(1)
PSOPTNCATTBL	Personalization Category table	DESCR	
		OBJECTOWNERID	
		OPTN_CATEGORY	KEY(1)
PSOPTOBJECTIVE		PAMS_LINEXP_ID	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_OBJ_ACTIVE	
		PAMS_OBJ_NAME	KEY(2)
		PAMS_OBJ_SENSE	
PSOPTPARAEXPDIM		PAMS_CONSEXP_ID	KEY(2)
		PAMS_DIM	KEY(3)
		PAMS_IS_INDEX	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_OBJ_ID	
PSOPTPARARRAY		DESCR	
		FIELDNAME	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_NUM_DIM	
		PAMS_PARADEF	
		PAMS_PARARRAY_NAME	KEY(2)



		PAMS_VAL	
		RECNAME	
PSOPTPARMTYPE	Transaction Parameter Types	DESCR	
		PARM_TYPE	KEY(1)
PSOPTPARSDIM		FIELDNAME	
		PAMS_DIM	KEY(3)
		PAMS_INDEXSET_NAME	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_PARARRAY_NAME	KEY(2)
PSOPTPRBINST	Optmz. Problem Instances	DESCRLONG	
		PROBINST	KEY(1)
		PROBTYPE	
		PTVALIDINST	
PSOPTPRBINSTLNG	Optmz. Problem Instances Lang	DESCRLONG	
		LANGUAGE_CD	KEY(2)
		PROBINST	KEY(1)
PSOPTPRBTYPE	Optimization Problem Types	APPCLASSID	
		APPCLASSID2	
		APPPKGPATH	
		APPPKGPATH2	
		DESCR	
		DESCRLONG	
		DLLNAME	
		DLLVERSION	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MSGSET	
		OBJECTOWNERID	
		PROBTYPE	KEY(1)
		VERSION	
PSOPTPRBTYPEPEDEL	Problem Type del table	PROBTYPE	KEY(1)
		VERSION	
PSOPTPRBTYPELNG	Optmz. Problem Types Lang	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		PROBTYPE	KEY(1)
PSOPTPRED		PAMS_COMPARISON	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_OBJ1_ID	
		PAMS_OBJ2_ID	
		PAMS_PRED_ID	KEY(2)
		PAMS_PRED_TYPE	
		PAMS_VAL	
PSOPTPREDDIM		PAMS_DIM	KEY(3)
		PAMS_INDEX_NAME	



		PAMS_MODEL_NAME	KEY(1)
		PAMS_PRED_ID	KEY(2)
PSOPTPTMODEL		MODELID	KEY(2)
		MODELTYPE	KEY(3)
		PROBTYPE	KEY(1)
PSOPTREC	Optmz. Application Records	CALLBACK	
		DESCRLONG	
		PROBTYPE	KEY(1)
		READABLE	
		READONCE	
		RECNAME	KEY(2)
		SCENMGMT	
		SYNCORDER	
		WRITABLE	
PSOPTRECLNG	Optmz. App. Records Lang	DESCRLONG	
		LANGUAGE_CD	KEY(3)
		PROBTYPE	KEY(1)
		RECNAME	KEY(2)
PSOPTREGION		PAMS_IS_SLICED	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_NUM_DIM	
		PAMS_OBJ_ID	
		PAMS_PRED_ID	
		PAMS_REGION_ID	KEY(2)
PSOPTREGIONDIM		PAMS_DIM	KEY(3)
		PAMS_INDEX_NAME	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_REGION_ID	KEY(2)
PSOPTSETDIM		FIELDNAME	
		PAMS_DIM	KEY(3)
		PAMS_INDEXSET_NAME	KEY(2)
		PAMS_MODEL_NAME	KEY(1)
		PAMS_OBJ_ID	
		RECNAME	
PSOPTSLICEDIM		PAMS_DIM	KEY(3)
		PAMS_INDEX_NAME	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_SLICESET_ID	KEY(2)
PSOPTSLICESET		PAMS_INDEXSET_NAME	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_SLICESET_ID	KEY(2)
PSOPTSOLVERCODE	Optimization 3rd party license	LICENSECODE1	
		LICENSECODELONG	
		PROBTYPE	KEY(1)
		SOLVERTYPE	KEY(2)



PSOPTSOLVERPARA		VENDOR_ID	
		MODELID	KEY(2)
		MODELTYPE	KEY(3)
		OPT_SLVR_PARM_VAL	
		OPT_SOLVERSTTG_ID	KEY(4)
		OPT_SOLVER_PARA_ID	KEY(5)
PSOPTSYNC	Optmz. Prob. Inst. Sync.	PROBTYPE	KEY(1)
		PROBINST	KEY(1)
		RECNAME	KEY(2)
		VERSION	
PSOPTTRN	Optimization Transactions	DESCRLONG	
		LOCKALLFLAG	
		PROBTYPE	KEY(1)
		TRANNAME	KEY(2)
PSOPTTRNCTLG	Optmz. Transaction Catalog	DEF_VALUE	
		PARMID	KEY(3)
		PARM_ATTR	
		PARM_TYPE	
		PROBTYPE	KEY(1)
		TRANNAME	KEY(2)
PSOPTTRNLNG	Optmz. Transaction Lang	DESCRLONG	
		LANGUAGE_CD	KEY(3)
		PROBTYPE	KEY(1)
		TRANNAME	KEY(2)
PSOPTVARARRAY		DESCR	
		FIELDNAME	
		PAMS_BOUNDTYPE	
		PAMS_LOWERBOUND	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_NUM_DIM	
		PAMS_REDCOSTFLD	
		PAMS_UPPERBOUND	
		PAMS_VARARRAY_NAME	KEY(2)
		PAMS_VARARRAY_TYPE	
		RECNAME	
PSOPTVAREXPDIM		PAMS_DIM	KEY(3)
		PAMS_IS_INDEX	
		PAMS_LINEXP_ID	KEY(2)
		PAMS_MODEL_NAME	KEY(1)
		PAMS_OBJ_ID	
PSOPTVARSDIM		FIELDNAME	
		PAMS_DIM	KEY(3)
		PAMS_INDEXSET_NAME	
		PAMS_MODEL_NAME	KEY(1)
		PAMS_VARARRAY_NAME	KEY(2)



PSPACKAGEDEFN	Application Package Defn	DESCR	
		DESCRLONG	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		PACKAGEID	KEY(1)
		PACKAGELEVEL	
		PACKAGEREF	
		PACKAGEROOT	KEY(2)
		QUALIFYPATH	KEY(3)
		VERSION	
PSPACKAGEDEL	Application Package Delete	PACKAGEID	KEY(1)
		PACKAGEROOT	KEY(2)
		QUALIFYPATH	KEY(3)
		VERSION	
PSPACKAGELANG	Application Package Lang	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		PACKAGEID	KEY(1)
		PACKAGEROOT	KEY(3)
PSPCMNAME	PeopleCode Reference	QUALIFYPATH	KEY(4)
		NAMENUM	KEY(15)
		OBJECTID1	KEY(1)
		OBJECTID2	KEY(3)
		OBJECTID3	KEY(5)
		OBJECTID4	KEY(7)
		OBJECTID5	KEY(9)
		OBJECTID6	KEY(11)
		OBJECTID7	KEY(13)
		OBJECTVALUE1	KEY(2)
		OBJECTVALUE2	KEY(4)
		OBJECTVALUE3	KEY(6)
		OBJECTVALUE4	KEY(8)
		OBJECTVALUE5	KEY(10)
		OBJECTVALUE6	KEY(12)
OBJECTVALUE7	KEY(14)		
PSPCMPROG	PeopleCode Program	RECNAME	
		REFNAME	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LICENSE_CODE	
		NAMECOUNT	
		OBJECTID1	KEY(1)
OBJECTID2	KEY(3)		
OBJECTID3	KEY(5)		



		OBJECTID4	KEY(7)
		OBJECTID5	KEY(9)
		OBJECTID6	KEY(11)
		OBJECTID7	KEY(13)
		OBJECTVALUE1	KEY(2)
		OBJECTVALUE2	KEY(4)
		OBJECTVALUE3	KEY(6)
		OBJECTVALUE4	KEY(8)
		OBJECTVALUE5	KEY(10)
		OBJECTVALUE6	KEY(12)
		OBJECTVALUE7	KEY(14)
		PROGFLAGS	
		PROGLEN	
		PROGRUNLOC	
		PROGSEQ	KEY(15)
		PROGTX	
		VERSION	
PSPCMROGDEL	PeopleCode Program	OBJECTID1	KEY(1)
		OBJECTID2	KEY(3)
		OBJECTID3	KEY(5)
		OBJECTID4	KEY(7)
		OBJECTID5	KEY(9)
		OBJECTID6	KEY(11)
		OBJECTID7	
		OBJECTVALUE1	KEY(2)
		OBJECTVALUE2	KEY(4)
		OBJECTVALUE3	KEY(6)
		OBJECTVALUE4	KEY(8)
		OBJECTVALUE5	KEY(10)
		OBJECTVALUE6	KEY(12)
		OBJECTVALUE7	
		VERSION	KEY(13)
PSPCMSYCID		OBJECTID1	
		OBJECTID2	
		OBJECTID3	
		OBJECTID4	
		OBJECTID5	
		OBJECTID6	
		OBJECTID7	
		OBJECTVALUE1	
		OBJECTVALUE2	
		OBJECTVALUE3	
		OBJECTVALUE4	
		OBJECTVALUE5	
		OBJECTVALUE6	



		OBJECTVALUE7	
		SYNCID	
PSPERMLISTOTHER		ACTIVE_FLAG	
		BARITEMNAME	KEY(3)
		BARNAME	KEY(2)
		DESCR100	
		ITEMNAME	KEY(4)
		MENUNAME	KEY(1)
PSPERMLIST_RMT	Permissions Lists Remote	LASTUPDDTTM	
		LASTUPDOPRID	
		MSGNODENAME	KEY(2)
		PERMLISTDESC	
		PERMLISTID	KEY(1)
		VERSION	
PSPGEACCESSDESC		AUTHORIZEDACTIONS	
		PAGEACCESSDESCR	
PSPING_CHART	PSPING_CHART	METRIC	KEY(3)
		MYNUMBER	
		PTP_DTTM_A1	KEY(2)
		PTP_TEST_CASE_ID	KEY(1)
PSPING_DEL_DUMR	PSPING_DEL_DUMR	PSPING_CLEAR_ALL	
		PSPING_DELETE	
		PSPING_SEARCH	
		PSPING_SELECT_ALL	
		PSPING_SRCH_BUTTON	
		PTP_TEST_CASE_ID	
PSPING_DYNA_DUM		PTP_TEST_CASE_ID	
PSPMAGENT	Agent Definitions	PM_AGENTID	KEY(1)
		PM_AGENT_INACTIVE	
		PM_AGENT_TYPE	
		PM_DOMAIN_DIR	
		PM_DOMAIN_MONITOR	
		PM_DOMAIN_NAME	
		PM_DOMAIN_TYPE	
		PM_HOST_PORT	
		PM_INSTANCE	
		PM_SYSTEMID	
PSPMAGENTFILTER	Agent filter level	LASTUPDDTTM	
		LASTUPDOPRID	
		PM_AGENT_TYPE	KEY(2)
		PM_FILTER_LEVEL	
		PM_FILTER_PROPGT	
		PM_SYSTEMID	KEY(1)
PSPMARCHRUNCNTL	Archiving run control	OPRID	KEY(1)
		PM_RUNSTATS	





PSPMCOLLINST	Collator server instances	RUN_CNTL_ID	KEY(2)
		LASTUPDDTTM	
PSPMCONTEXTDEFN	Context definitions	PM_HOST_PORT	KEY(1)
		PM_INSTANCE	KEY(2)
		DESCR60	
PSPMCONTEXT_LNG	Context definitions	PM_CONTEXTID	KEY(1)
		PM_CONTEXT_LABEL	
		DESCR60	
PSPMEVENTARCH	Event history (archive)	LANGUAGE_CD	KEY(2)
		PM_CONTEXTID	KEY(1)
PSPMEVENTDEFN	Performance Monitor Event Defn	PM_CONTEXT_LABEL	
		PM_ADDTNL_DESCR	
		PM_AGENTID	
		PM_AGENT_DTTM	
		PM_EVENT_DEFN_ID	
		PM_EVENT_DEFN_SET	
		PM_FILTER_LEVEL	
		PM_INSTANCE_ID	KEY(1)
		PM_METRIC_VALUE1	
		PM_METRIC_VALUE2	
		PM_METRIC_VALUE3	
		PM_METRIC_VALUE4	
		PM_METRIC_VALUE5	
		PM_METRIC_VALUE6	
		PM_METRIC_VALUE7	
PSPMEVENTHIST	Event history	PM_MON_DTTM	
		PM_PROCESS_ID	
		DESCR60	
		PM_ADDTNL_LABEL	
		PM_EVENT_DEFN_ID	KEY(2)
		PM_EVENT_DEFN_SET	KEY(1)
		PM_EVENT_LABEL	
PM_FILTER_LEVEL			
		PM_METRICID_1	
		PM_METRICID_2	
		PM_METRICID_3	
		PM_METRICID_4	
		PM_METRICID_5	
		PM_METRICID_6	
		PM_METRICID_7	
		PM_SAMPLING_ENABLE	
		PM_ADDTNL_DESCR	
		PM_AGENTID	
		PM_AGENT_DTTM	
		PM_EVENT_DEFN_ID	



		PM_EVENT_DEFN_SET	
		PM_FILTER_LEVEL	
		PM_INSTANCE_ID	KEY(1)
		PM_METRIC_VALUE1	
		PM_METRIC_VALUE2	
		PM_METRIC_VALUE3	
		PM_METRIC_VALUE4	
		PM_METRIC_VALUE5	
		PM_METRIC_VALUE6	
		PM_METRIC_VALUE7	
		PM_MON_DTTM	
		PM_PROCESS_ID	
PSPMEVENTHISTCL	Event history	PM_ADDTNL_DESCR	
		PM_AGENTID	
		PM_AGENT_DTTM	
		PM_EVENT_DEFN_ID	
		PM_EVENT_DEFN_SET	
		PM_FILTER_LEVEL	
		PM_INSTANCE_ID	KEY(1)
		PM_METRIC_VALUE1	
		PM_METRIC_VALUE2	
		PM_METRIC_VALUE3	
		PM_METRIC_VALUE4	
		PM_METRIC_VALUE5	
		PM_METRIC_VALUE6	
		PM_METRIC_VALUE7	
		PM_MON_DTTM	
		PM_PROCESS_ID	
PSPMEVENTSET	Event set	DESCR60	
		PM_EVENT_DEFN_SET	KEY(1)
PSPMEVENTSET_LN	Event set	DESCR60	
		LANGUAGE_CD	KEY(2)
		PM_EVENT_DEFN_SET	KEY(1)
PSPMEVENT_LNG	Performance Monitor Event Defn	DESCR60	
		LANGUAGE_CD	KEY(3)
		PM_ADDTNL_LABEL	
		PM_EVENT_DEFN_ID	KEY(2)
		PM_EVENT_DEFN_SET	KEY(1)
		PM_EVENT_LABEL	
PSPMMETRICDEFN	Metric definitions	DESCR60	
		PM_METRICID	KEY(1)
		PM_METRICINT	
		PM_METRICLABEL	
		PM_METRICTYPE	
		PM_METRIC_DEFSCALE	



PSPMMETRICVALUE	Metric Value Labels	PM_METRIC_DISP	
		PM_METRICID	KEY(1)
		PM_METRICLABEL	
		PM_METRIC_VALUE	KEY(2)
PSPMMETRICVL_LN	Metric Value Labels	LANGUAGE_CD	KEY(3)
		PM_METRICID	KEY(1)
		PM_METRICLABEL	
		PM_METRIC_VALUE	KEY(2)
PSPMMETRIC_LNG	Metric definitions	DESCR60	
		LANGUAGE_CD	KEY(2)
		PM_METRICID	KEY(1)
		PM_METRICLABEL	
PSPMMONINST	Monitor instances	PM_MONITOR_URL	KEY(1)
PSPMMONITORGBL	Global Setup	LASTUPDDTTM	
		LASTUPDOPRID	
		PM_AGENT_SEQUENCE	
		PM_COLL_NUM_ROWS	
		PM_DBTRUNCATE	
		PM_GUID_PREFIX	
		PM_LOOKUP_DTTM	
		PM_PPMI_OPRID	
		PM_PPMI_PSWD	
		PM_SRCH_MAX_ROWS	
		PM_SYSTEM_SEQUENCE	
PSPMOPRDEFN	User ids.	OPRID	KEY(2)
		PM_SYSTEMID	KEY(1)
PSPMPERFTRACE	Performance trace names	PM_PERF_TRACE	KEY(2)
		PM_SYSTEMID	KEY(1)
PSPMPNLGRPDEFN	Component definitions	PM_SYSTEMID	KEY(1)
		PNLGRPNAME	KEY(2)
PSPMSYSDEFAULTS	System Defaults	LASTUPDDTTM	
		LASTUPDOPRID	
		PM_ARCHIVE_MODE	
		PM_BUFF_INT	
		PM_FILTER_LEVEL2	
		PM_MAX_BUFF	
		PM_MAX_HIST_AGE	
		PM_MAX_TRANS_TMOUT	
		PM_PING_INT	
		PM_SAMPLE_INT	
		PM_SAMPLING_RATE	
		PM_USER_TRACE	
PSPMSYSDEFN	System identifiers.	DBNAME	
		DESCR60	
		GUID	



		LASTUPDDTTM	
		LASTUPDOPRID	
		PM_ARCHIVE_MODE	
		PM_BUFF_INT	
		PM_FILTER_LEVEL3	
		PM_MAX_BUFF	
		PM_MAX_HIST_AGE	
		PM_MAX_TRANS_TMOUT	
		PM_PING_INT	
		PM_SAMPLE_INT	
		PM_SAMPLING_RATE	
		PM_SYSTEMID	KEY(1)
		PM_USER_TRACE	
PSPMSYSDEFN_LNG	System identifiers.	DESCR60	
		LANGUAGE_CD	KEY(2)
		PM_SYSTEMID	KEY(1)
PSPMSYSVERSION	System version	PM_SYSTEMID	KEY(1)
		PM_VALID_FROM_DTTM	
		PM_VALID_TO_DTTM	
		TOOLSREL	KEY(2)
PSPMTABLEMAP	Table mapping	PM_EVENT_TBL_NAME	
		PM_TRANS_TBL_NAME	
PSPMTRANSARCH	PMU History (archive)	OPRID	
		PM_ADDTNL_DESCR	
		PM_AGENTID	
		PM_AGENT_STRT_DTTM	
		PM_CONTEXTID_1	
		PM_CONTEXTID_2	
		PM_CONTEXTID_3	
		PM_CONTEXT_VALUE1	
		PM_CONTEXT_VALUE2	
		PM_CONTEXT_VALUE3	
		PM_INSTANCE_ID	KEY(1)
		PM_METRIC_VALUE1	
		PM_METRIC_VALUE2	
		PM_METRIC_VALUE3	
		PM_METRIC_VALUE4	
		PM_METRIC_VALUE5	
		PM_METRIC_VALUE6	
		PM_METRIC_VALUE7	
		PM_MON_STRT_DTTM	
		PM_PARENT_INST_ID	
		PM_PERF_TRACE	
		PM_PROCESS_ID	
		PM_TOP_INST_ID	



Table Name	Description	Field Name	Field Type
PSPMTRANSCURR	Current PMUs	PM_TRANS_DEFN_ID	
		PM_TRANS_DEFN_SET	
		PM_TRANS_DURATION	
		PM_TRANS_STATUS	
		OPRID	
		PM_ACTION	
		PM_ADDTNL_DESCR	
		PM_AGENTID	
		PM_AGENT_LAST_DTTM	
		PM_AGENT_STRT_DTTM	
		PM_CONTEXTID_1	
		PM_CONTEXTID_2	
		PM_CONTEXTID_3	
		PM_CONTEXT_VALUE1	
		PM_CONTEXT_VALUE2	
		PM_CONTEXT_VALUE3	
		PM_INSTANCE_ID	KEY(1)
		PM_INSTANCE_SEQ	KEY(2)
		PM_METRIC_VALUE1	
		PM_METRIC_VALUE2	
		PM_METRIC_VALUE3	
		PM_METRIC_VALUE4	
		PM_METRIC_VALUE5	
		PM_METRIC_VALUE6	
		PM_METRIC_VALUE7	
		PM_MON_LAST_DTTM	
		PM_MON_STRT_DTTM	
		PM_PARENT_INST_ID	
		PM_PERF_TRACE	
		PM_PROCESS_ID	
		PM_TIMEOUT_DTTM	
		PM_TOP_INST_ID	
		PM_TRANS_DEFN_ID	
PM_TRANS_DEFN_SET			
PM_TRANS_DELETED			
PSPMTRANSDEFN	PMU Defn.	DESCR60	
		PM_ADDTNL_LABEL	
		PM_CONTEXTID_1	
		PM_CONTEXTID_2	
		PM_CONTEXTID_3	
		PM_DISPLAY_C1	
		PM_DISPLAY_C2	
		PM_DISPLAY_C3	
		PM_DISPLAY_M1	
		PM_DISPLAY_M2	



		PM_DISPLAY_M3	
		PM_DISPLAY_M4	
		PM_DISPLAY_M5	
		PM_DISPLAY_M6	
		PM_DISPLAY_M7	
		PM_FILTER_LEVEL	
		PM_METRICID_1	
		PM_METRICID_2	
		PM_METRICID_3	
		PM_METRICID_4	
		PM_METRICID_5	
		PM_METRICID_6	
		PM_METRICID_7	
		PM_SAMPLING_ENABLE	
		PM_TRANS_DEFN_ID	KEY(2)
		PM_TRANS_DEFN_SET	KEY(1)
		PM_TRANS_LABEL	
PSPMTRANSHIST	PMU History	OPRID	
		PM_ADDTNL_DESCR	
		PM_AGENTID	
		PM_AGENT_STRT_DTTM	
		PM_CONTEXTID_1	
		PM_CONTEXTID_2	
		PM_CONTEXTID_3	
		PM_CONTEXT_VALUE1	
		PM_CONTEXT_VALUE2	
		PM_CONTEXT_VALUE3	
		PM_INSTANCE_ID	KEY(1)
		PM_METRIC_VALUE1	
		PM_METRIC_VALUE2	
		PM_METRIC_VALUE3	
		PM_METRIC_VALUE4	
		PM_METRIC_VALUE5	
		PM_METRIC_VALUE6	
		PM_METRIC_VALUE7	
		PM_MON_STRT_DTTM	
		PM_PARENT_INST_ID	
		PM_PERF_TRACE	
		PM_PROCESS_ID	
		PM_TOP_INST_ID	
		PM_TRANS_DEFN_ID	
		PM_TRANS_DEFN_SET	
		PM_TRANS_DURATION	
		PM_TRANS_STATUS	
PSPMTRANSHISTCL	PMU History	OPRID	



		PM_ADDTNL_DESCR	
		PM_AGENTID	
		PM_AGENT_STRT_DTTM	
		PM_CONTEXTID_1	
		PM_CONTEXTID_2	
		PM_CONTEXTID_3	
		PM_CONTEXT_VALUE1	
		PM_CONTEXT_VALUE2	
		PM_CONTEXT_VALUE3	
		PM_INSTANCE_ID	KEY(1)
		PM_METRIC_VALUE1	
		PM_METRIC_VALUE2	
		PM_METRIC_VALUE3	
		PM_METRIC_VALUE4	
		PM_METRIC_VALUE5	
		PM_METRIC_VALUE6	
		PM_METRIC_VALUE7	
		PM_MON_STRT_DTTM	
		PM_PARENT_INST_ID	
		PM_PERF_TRACE	
		PM_PROCESS_ID	
		PM_TOP_INST_ID	
		PM_TRANS_DEFN_ID	
		PM_TRANS_DEFN_SET	
		PM_TRANS_DURATION	
		PM_TRANS_STATUS	
PSPMTRANSSET	PMU Set	DESCR60	
		PM_TRANS_DEFN_SET	KEY(1)
PSPMTRANSSET_LN	PMU Set	DESCR60	
		LANGUAGE_CD	KEY(2)
		PM_TRANS_DEFN_SET	KEY(1)
PSPMTRANS_LNG	PMU Defn.	DESCR60	
		LANGUAGE_CD	KEY(3)
		PM_ADDTNL_LABEL	
		PM_TRANS_DEFN_ID	KEY(2)
		PM_TRANS_DEFN_SET	KEY(1)
		PM_TRANS_LABEL	
PSPNLACEGRDAXIS		ACEGRIDAXISTYPE	
		FIELDNAME	KEY(3)
		PNLFLDID	KEY(2)
		PNLNAME	KEY(1)
PSPNLACEGRDDATA		ACECOLLNAME	KEY(4)
		ACEGRIDAXISTYPE	
		ACEGRIDDISPLSLICER	
		ACEMODELID	KEY(3)



	ACESLCDFTVIEWEXPAN	
	PNLFLDID	KEY(2)
	PNLNAME	KEY(1)
	PROBINSTPNLFLDID	
	RECORDNAME	
PSPNLACTIVEX	ACTIVEXCLSID	
	ACTIVEXDATA	
	ACTIVEXDATALEN	
	ACTIVEXDATASEQ	KEY(3)
	PNLFLDID	KEY(2)
	PNLNAME	KEY(1)
PSPNLBTNDATA	CONTNAME	
	CONTNAMEDISABLE	
	CONTNAMEOVER	
	LBLTEXT	
	LBLTYPE	
	MSGNUM	
	MSGSET	
	PNLFLDID	KEY(2)
	PNLNAME	KEY(1)
	PTBTNCLASSTYPE	KEY(3)
	PTBTNFIELDTYPE	KEY(4)
	PTBTNLBLTEXT2	
	PTBTNLBLTYPE	
	PTBTNLBLTYPE2	
	PTBTNMSGNUM2	
	PTBTNMSGSET2	
	PTVISIBLE	
PSPNLBTNLANG	LANGUAGE_CD	KEY(5)
	LBLTEXT	
	LBLTYPE	
	PNLFLDID	KEY(2)
	PNLNAME	KEY(1)
	PTBTNCLASSTYPE	KEY(3)
	PTBTNFIELDTYPE	KEY(4)
	PTBTNLBLTEXT2	
PSPNLCNTRLDATA	ALLOWMULTIROWINS	
	PNLFLDID	KEY(2)
	PNLNAME	KEY(1)
	PTBAREAHIDEROWSEP	
	PTBAREAROWACTALGN	
	PTBAREASHWGRDLINES	
	PTBAREASTYLENAME	
	PTBTNOCCURSOFFSET	
	PTBTNSTARTOFFSET	





PSPNLDEFN	Panel Definition	PTFINDSTRING PTFTGNAVBARALGN PTFTGROWACTALGN PTFTGSHOW PTFTGSHOWNAVBAR PTFTGSHOWROWACT PTFTGSTYLENAME PTHDGNAVBARALGN PTHDGNAVBARBTNS PTHDGROWACTALGN PTHDGROWACTBTNS PTHDGSHOW PTSEPOCCURSOFFSET PTSEPSTARTOFFSET DEFERPROC DESCR DESCRLONG FIELDCOUNT GRIDHORZ GRIDVERT HELPCONTEXTNUM LASTUPDDTTM LASTUPDOPRID LICENSE_CODE MAXPNLFLDID OBJECTOWNERID PANELBOTTOM PANELLEFT PANELRIGHT PANELTOP PNLNAME PNLSTYLE PNLTYPE PNLUSE POPUPMENU STYLESHEETNAME VERSION	KEY(1)
PSPNLDEFNLANG	Panel Definition	DESCR DESCRLONG GRIDHORZ GRIDVERT LANGUAGE_CD PANELBOTTOM PANELLEFT PANELRIGHT	KEY(2)



		PANELTOP	
		PNLNAME	KEY(1)
PSPNLDEL	Panel Definition	PNLNAME	KEY(1)
		VERSION	KEY(2)
PSPNLFIELD	Panel Field	ASSOCFIELDNUM	
		CONTNAME	
		CONTNAMEDISABLE	
		CONTNAMEOVER	
		DEFERPROC	
		DISPFMTNAME	
		DSPLFILL	
		DSPLFORMAT	
		EDITLBLBOTTOM	
		EDITLBLLEFT	
		EDITLBLRIGHT	
		EDITLBLTOP	
		EDITSIZE	
		ENABLEASANCHOR	
		FIELDBOTTOM	
		FIELDLEFT	
		FIELDNAME	
		FIELDNUM	
		FIELDRIGHT	
		FIELDSIZETYPE	
		FIELDSTYLE	
		FIELDTOP	
		FIELDTYPE	
		FIELDUSE	
		FIELDUSETMP	
		FORMATFAMILY	
		GOTOMENUNAME	
		GOTOMKTNAME	
		GOTONODENAME	
		GOTOPNLACTION	
		GOTOPNLGRPNAME	
		GOTOPNLNAME	
		GOTOPORTALNAME	
		GRDACTIVETABSTYLE	
		GRDACTTYPE	
		GRDALLOWCOLSORT	
		GRDCOLUMNCOUNT	
		GRDEVENROWSTYLE	
		GRDINACTIVETABSTYL	
		GRDLABELSTYLE	
		GRDLBLALIGN	



---

GRDLBLMSGNUM  
GRDLBLMSGSET  
GRDNAVBARSTYLE  
GRDODDROWSTYLE  
GRDSHOWCOLHDG  
GRDSHOWROWHDG  
LABELSIZETYPE  
LABELSTYLE  
LABEL\_ID  
LBLLOC  
LBLPADSIZE  
LBLTEXT  
LBLTYPE  
MULTIRECTREE  
NODECOUNT  
OCCURSCOUNT1  
OCCURSCOUNT2  
OCCURSCOUNT3  
OCCURSLEVEL  
OCCURSOFFSET1  
OCCURSOFFSET2  
OCCURSOFFSET3  
OFFVALUE  
ONVALUE  
OPENNEWWINDOW  
PBDISPLAYTYPE  
PNLFIELDNAME  
PNLFLDID KEY(2)  
PNLNAME KEY(1)  
POPUPMENU  
PRCSNAME  
PRCSTYPE  
PROMPTFIELD  
PTADJHIDDENFIELDS  
PTCOLLAPSEDATAAREA  
PTDFLTVIEWEXPANDED  
PTHIDEFIELDS  
PTLBLIMGCOLLAPSE  
PTLBLIMGEXPAND  
PTLEBEXPANDFIELD  
RECNAME  
SCROLLACTION  
SECUREINVISIBLE  
SELINDICATORTYPE  
SHOWCOLHIDEROWS



		SHOWTABCNTLBTN	
		SRCHBYPNLDATA	
		SUBPNLNAME	
		SUBPNLVER	
		TABENABLE	
		TOOLACTION	
		TRECTRLID	
		TRECTRLTYPE	
		URLDYNAMIC	
		URLENCODEDBYAPP	
		URL_ID	
		USEDEFAULTLABEL	
PSPNLFIELDLANG	Panel Field	DSPLFORMAT	
		EDITLBLBOTTOM	
		EDITLBLLEFT	
		EDITBLRIGHT	
		EDITLBLTOP	
		EDITSIZE	
		FIELDBOTTOM	
		FIELDLEFT	
		FIELDRIGHT	
		FIELDSTZTYPE	
		FIELDTOP	
		GRDLBLALIGN	
		LABELSTZTYPE	
		LABEL_ID	
		LANGUAGE_CD	KEY(3)
		LBLLOC	
		LBLPADSIZE	
		LBLTEXT	
		LBLTYPE	
		PNLFLDID	KEY(2)
		PNLNAME	KEY(1)
		PTLBLIMGCOLLAPSE	
		PTLBLIMGEXPAND	
		USEDEFAULTLABEL	
PSPNLGDEFNLANG	Panel Group Related Lang	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(3)
		MARKET	KEY(2)
		PNLGRPNAME	KEY(1)
PSPNLGROUP	Panel Group	FOLDERTABLABEL	
		HIDDEN	
		ITEMLABEL	
		ITEMNAME	



		MARKET	KEY(2)
		PNLGRPNAME	KEY(1)
		PNLNAME	KEY(3)
		SUBITEMNUM	
PSPNLGROUPLANG	Panel Group Related Language	FOLDERTABLABEL	
		ITIMELABEL	
		LANGUAGE_CD	KEY(4)
		MARKET	KEY(2)
		PNLGRPNAME	KEY(1)
		PNLNAME	KEY(3)
PSPNLGRPDEFN	Panel Group Definition	ACTIONS	
		ADDLINKMSGNUM	
		ADDLINKMSGSET	
		ADDSRCHRECNAME	
		ALLOWACTMODESEL	
		DEFERPROC	
		DESCR	
		DESCRLONG	
		DFLTACTION	
		DFLTSRCHTYPE	
		DISABLESAVE	
		EXPENTRYPROC	
		FORCESEARCH	
		INCLNAVIGATION	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LOADLOC	
		MARKET	KEY(2)
		OBJECTOWNERID	
		PNLGRPNAME	KEY(1)
		PNLNAVFLAGS	
		PRIMARYACTION	
		REQSECURESSL	
		SAVELOC	
		SEARCHPNLNAME	
		SEARCHRECNAME	
		SHOWTBAR	
		SRCHLINKMSGNUM	
		SRCHLINKMSGSET	
		SRCHTEXTMSGNUM	
		SRCHTEXTMSGSET	
		TBARBTNS	
		VERSION	
PSPNLGRPDEL	Panel Group Definition	MARKET	KEY(2)
		PNLGRPNAME	KEY(1)



		VERSION	KEY(3)
PSPNLHTMLAREA	Panel HTML Area	HTMLAREA	
		PNLFLDID	KEY(2)
		PNLNAME	KEY(1)
PSPNLHTMLLANG	Panel HTML Area	HTMLAREA	
		LANGUAGE_CD	KEY(3)
		PNLFLDID	KEY(2)
		PNLNAME	KEY(1)
PSPNLTREECTRL	Panel Tree Control	FIELDNAME	
		NODENUM	KEY(5)
		PARENTNODENUM	KEY(4)
		PNLNAME	KEY(1)
		RECNAME	
		TREECTRLID	KEY(2)
		TREELEAF	
		TREELVLNUM	KEY(3)
PSPRCSCHLDINFO		CHILDPID	
		CHLDSTARTDTM	
		PRCSINSTANCE	KEY(1)
		SESSIONIDNUM	
PSPRCSJOBSTATUS		DISTSTATUS	
		JOBINSTANCE	
		MAINJOBINSTANCE	
		PRCSINSTANCE	
		RECEIVED	
		RUNSTATUS	
		SERVERNAMERUN	
		SRVRTYPE	
PSPRCSLOCK	Process Scheduler - Lock Rec	PRCSLOCK	
PSPRCSPARMS	Process Request Parameters	CMDLINE	
		ORIGOUTDEST	
		ORIGPARMLIST	
		OUTDEST	
		PARMLIST	
		PRCSFILENAME	
		PRCSINSTANCE	KEY(1)
		PRCSOUTPUTDIR	
		PRCSPARMEXTFLAG	
		WORKINGDIR	
PSPRCSPRFL	Process Profile	CLASSID	KEY(1)
		CLIENTDESTFILE	
		CLIENTDESTPRNT	
		MVSJOBACCT	
		MVSJOBNAME	
		OVRDOUTDEST	



PSPRCSQUE

Process Request Queue

OVRDSRVRPARMS  
 RECURUPD  
 RQSTSTATUSUPD  
 RQSTSTATUSVIEW  
 SRVRDESTFILE  
 SRVRDESTPRNT  
 SRVRSTATUSUPD  
 SRVRSTATUSVIEW  
 CONTINUEJOB  
 DISTSTATUS  
 EMAIL\_LOG\_FLAG  
 EMAIL\_WEB\_RPT  
 GENPRCSTYPE  
 INITIATEDNEXT  
 JOBINSTANCE  
 LASTUPDDTTM  
 MAINJOBINSTANCE  
 MAINJOBNAME  
 MAINJOBSEQ  
 MCFREN\_URL\_ID  
 OPRID  
 OPSYS  
 ORIGPRCSINSTANCE  
 OUTDESTFORMAT  
 OUTDESTTYPE  
 PRCSCATEGORY  
 PRCSURREXPREDTTM  
 PRCSINSTANCE KEY(1)  
 PRCSITEMLEVEL  
 PRCSJOBNAME  
 PRCSJOBSEQ  
 PRCSNAME  
 PRCSPTY  
 PRCSRTNCD  
 PRCSSTARTDTTM  
 PRCTYPE  
 PRCSWINPOP  
 PSRF\_FOLDER\_NAME  
 P\_PRCSINSTANCE  
 RECURDTTM  
 RECURNAME  
 RECURORIGPRCSINST  
 RESTARTENABLED  
 RETRYCOUNT  
 RQSTDTTM



---

		RUNCNTLID	
		RUNDTTM	
		RUNLOCATION	
		RUNSERVEROPTION	
		RUNSTATUS	
		SCHEDULENAME	
		SERVERASSIGN	
		SERVERNAMERQST	
		SERVERNAMERUN	
		SESSIONIDNUM	
		TIMEZONE	
		TUXSVCID	
		USERNOTIFIED	
PSPRCRQST	Process Request	BEGINDTTM	
		CONTINUEJOB	
		DBNAME	
		DBTYPE	
		DISTSTATUS	
		ENDDTTM	
		GENPRCSTYPE	
		INITIATEDNEXT	
		JOBINSTANCE	
		LASTUPDDTTM	
		MAINJOBINSTANCE	
		MAINJOBNAME	
		MAINJOBSEQ	
		OPRID	
		OPSYS	
		ORIGPRCSINSTANCE	
		OUTDESTFORMAT	
		OUTDESTTYPE	
		PRCSCATEGORY	
		PRCSURREXPREDTTM	
		PRCSINSTANCE	KEY(1)
		PRCSITEMLEVEL	
		PRCSJOBNAME	
		PRCSJOBSEQ	
		PRCSNAME	
		PRCSRTNCD	
		PRCSTYPE	
		PRCSVERSION	
		PSRF_FOLDER_NAME	
		P_PRCINSTANCE	
		RECURNAME	
		RECURORIGPRCSINST	





		RESTARTENABLED	
		RETRYCOUNT	
		RQSTDTM	
		RUNCNTLID	
		RUNDTTM	
		RUNLOCATION	
		RUNSERVEROPTION	
		RUNSTATUS	
		SCHEDULENAME	
		SERVERNAMERQST	
		SERVERNAMERUN	
		TIMEZONE	
		USERNOTIFIED	
PSPRCRQSTARCH	Process Request	ARCHIVE_DT	
		BEGINDTM	
		DELETE_FLAG	
		ENDDTTM	
		GENPRCSTYPE	
		JOBINSTANCE	
		MAINJOBINSTANCE	
		MAINJOBNAME	
		MAINJOBSEQ	
		OPRID	
		OPSYS	
		OUTDESTFORMAT	
		OUTDESTTYPE	
		PRCSINSTANCE	KEY(1)
		PRCSITEMLEVEL	
		PRCSJOBNAME	
		PRCSJOBSEQ	
		PRCSNAME	
		PRCSOUTPUTDIR	
		PRCSRTNCD	
		PRCSTYPE	
		PSRF_FOLDER_NAME	
		RECURNAME	
		RUNCNTLID	
		RUNSTATUS	
		SCHEDULENAME	
		SERVERNAMERUN	
PSPRCRQSTFILE		PRCSINSTANCE	KEY(1)
		PRCSRQSTFILE	
		SEQNUM	KEY(2)
PSPRCRQSTMETA		METAPARM	KEY(2)
		METAVALUE	



PSPRCSRQSTSTRNG	Process Request Text	PRCSINSTANCE	KEY(1)
		PRCSINSTANCE	KEY(1)
		PRCSRQSTSTRING	
PSPRCSRQSTTEXT	Process Request Text	RQSTSTRINGTYPE	KEY(2)
		PRCSINSTANCE	
		RQSTTEXTTYPE	
PSPRCSRQSTTIME		RQST_TEXT	
		PRCSCPUTIME	
		PRCSINSTANCE	KEY(1)
PSPRCSRQSTXFER	Process Request - Transfer	PRCSNAME	
		PRCSREALTIME	
		PRCSTYPE	
PSPRCSRQSTXFER	Process Request - Transfer	SEQNUM	KEY(2)
		KEYNAME	KEY(2)
		KEYVALUE	
PSPRCSRUNCDEL	Run Control Rec - Tools Del	PRCSINSTANCE	KEY(1)
		OPRID	KEY(1)
		RUNCNTLID	KEY(2)
PSPRCSRUNCNTL	Run Control Rec - Tools	VERSION	KEY(3)
		CLNTDESTFILE	
		CLNTDESTPRINTER	
PSPRCSRUNCNTL	Run Control Rec - Tools	LASTUPDDTTM	
		LASTUPDOPRID	
		OPRID	KEY(1)
PSPRCSRUNCNTLS	Run Control Rec - Tools	OUTDESTFORMAT	
		OUTDESTTYPE	
		RUNCNTLID	KEY(2)
PSPRCSRUNCNTLS	Run Control Rec - Tools	RUNLOCATION	
		SERVERNAME	
		SRVRDESTFILE	
PSPRCSRUNCNTLS	Run Control Rec - Tools	SRVRDESTPRINTER	
		VERSION	
		LASTUPDDTTM	
PSPRCSRUNCNTLS	Run Control Rec - Tools	LASTUPDOPRID	
		OPRID	KEY(1)
		RECURNAME	
PSPRDMCNTPRV	Portal Content Provider Tbl	RUNCNTLID	KEY(2)
		SERVERNAME	
		TIMEZONE	
PSPRDMCNTPRV	Portal Content Provider Tbl	PORTAL_CNTPRV_NAM	KEY(2)
		PORTAL_NAME	KEY(1)
		PORTAL_TEMPL_NAME	
PSPRDMDEFN	Portal Definition Table	CREATEDTTM	
		CREATEOPRID	
		DESCR254	



		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		PORTAL_ADMROLE	
		PORTAL_CATEGORY	
		PORTAL_CREATEDFROM	
		PORTAL_EFFDT	
		PORTAL_EXPIRE_DT	
		PORTAL_FLDR_NAVOBJ	
		PORTAL_HOSTNODENAM	
		PORTAL_ISFOLDERNAV	
		PORTAL_ISHPMODFYLK	
		PORTAL_LABEL	
		PORTAL_NAME	KEY(1)
		PORTAL_REMOTE	
		PORTAL_TEMPL_NAME	
		PORTAL_TYPE	
		PORTAL_WELCOMETEXT	
		STATUS	
		VERSION	
PSPRDMDEFNLANG	Portal Definition Lang Tbl	DESCR254	
		LANGUAGE_CD	KEY(2)
		PORTAL_LABEL	
		PORTAL_NAME	KEY(1)
PSPRDMDEL	Portal Definition Delete Tbl	PORTAL_NAME	KEY(1)
		VERSION	KEY(2)
PSPROJDEFNLANG	Project Definition Lang Table	DESCRLONG	
		LANGUAGE_CD	KEY(2)
		PROJECTDESCR	
		PROJECTNAME	KEY(1)
PSPROJECTDEFN	Project Definition Table	COMMITLIMIT	
		COMPARETYPE	
		COMPREDTTM	
		COMPRELEASE	
		DESCRLONG	
		KEEPTGT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MAINTPROJ	
		OBJECTOWNERID	
		PROJECTDESCR	
		PROJECTNAME	KEY(1)
		RELEASEDTTM	
		RELEASELABEL	
		REPORTFILTER	



		SRCCOMPREDTTM	
		TGTCOMPREDTTM	
		TGTDBNAME	
		TGTOPRACT	
		TGTOPRID	
		TGTORIENTATION	
		TGTSERVERNAME	
		VERSION	
PSPROJECTDEL	Project Definition Table	PROJECTNAME	KEY(1)
		VERSION	KEY(2)
PSPROJECTDEP	Incident Dependency Table	PROJECTNAME	KEY(1)
		UPDATE_ID	KEY(2)
PSPROJECTINC	Project Incidents Table	PROJECTNAME	KEY(1)
		UPDATE_ID	KEY(2)
PSPROJECTITEM	Project Item Table	COPYDONE	
		NODETYPE	
		OBJECTID1	
		OBJECTID2	
		OBJECTID3	
		OBJECTID4	
		OBJECTTYPE	KEY(2)
		OBJECTVALUE1	KEY(3)
		OBJECTVALUE2	KEY(4)
		OBJECTVALUE3	KEY(5)
		OBJECTVALUE4	KEY(6)
		PROJECTNAME	KEY(1)
		SOURCESTATUS	
		TAKEACTION	
		TARGETSTATUS	
		UPGRADEACTION	
PSPROJECTMSG	Project Messages	MESSAGESEQ	KEY(4)
		MESSAGE_NBR	
		MESSAGE_PARM1	
		MESSAGE_PARM2	
		MESSAGE_PARM3	
		MESSAGE_PARM4	
		MESSAGE_PARM5	
		MESSAGE_SET_NBR	
		OBJECTTYPE	KEY(3)
		PROJECTNAME	KEY(1)
		UPGPROCESSTYPE	KEY(2)
PSPROJECTSEC		PROJECTNAME	KEY(1)
		SECTIONNAME	KEY(3)
		UPGPROCESSTYPE	KEY(2)
PSPROJECTWORK		DBINDICATOR	



		OBJECTVALUE1	KEY(2)
		OBJECTVALUE2	KEY(3)
		OBJECTVALUE3	KEY(4)
		OBJECTVALUE4	KEY(5)
		PROJECTNAME	KEY(1)
PSPRSMATTR	Portal Attribute Table	PORTAL_ATTR_NAM	KEY(4)
		PORTAL_ATTR_NMDSPL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
PSPRSMATTRLANG	Portal Attribute Lang Table	LANGUAGE_CD	KEY(5)
		PORTAL_ATTR_NAM	KEY(4)
		PORTAL_ATTR_NMDSPL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
PSPRSMATTRVAL	Portal Attr Value Tbl	PORTAL_ATTR_NAM	KEY(4)
		PORTAL_ATTR_VAL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		PORTAL_SEQ_NUM	KEY(5)
PSPRSMATTRVALNG	Portal Attr Value Lang Tbl	LANGUAGE_CD	KEY(6)
		PORTAL_ATTR_NAM	KEY(4)
		PORTAL_ATTR_VAL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		PORTAL_SEQ_NUM	KEY(5)
PSPRSMCTRBEXCL		PORTAL_EXCLUDE	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
PSPRSMDEFN	Portal Structure Defn Tbl	DESCR254	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		OPRID	
		PORTAL_CNTPRV_NAM	
		PORTAL_CREATION_DT	
		PORTAL_CREF_STGT	
		PORTAL_CREF_TMPT	
		PORTAL_CREF_URLT	
		PORTAL_CREF_USGT	
		PORTAL_EFFDT	



		PORTAL_EXPIRE_DT	
		PORTAL_ISPUBLIC	
		PORTAL_LABEL	
		PORTAL_LINKOBJNAME	
		PORTAL_LINK_PORTAL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_PRNTOBJNAME	
		PORTAL_PRODUCT	
		PORTAL_REFTYPE	KEY(2)
		PORTAL_SEQ_NUM	
		PORTAL_STG_NAME	
		PORTAL_TEMPL_NAME	
		PORTAL_URI_SEG1	
		PORTAL_URI_SEG2	
		PORTAL_URI_SEG3	
		PORTAL_URI_SEG4	
		PORTAL_URLTEXT	
		PORTAL_URL_CHKSUM	
		VERSION	
PSPRSMDEFNLANG	Portal Structure Defn Lang Tbl	DESCR254	
		LANGUAGE_CD	KEY(4)
		PORTAL_LABEL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
PSPRSMDEL	Portal Structure Defn Del Tbl	PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	
		PORTAL_REFTYPE	
		VERSION	KEY(2)
PSPRSMHPASGPGLT	Portal Assigned Pagelets	PORTAL_COL_NUM	
		PORTAL_LAYOUTBEHAV	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_OBJNAME_PGT	KEY(4)
		PORTAL_REFTYPE	KEY(2)
		PORTAL_ROW_NUM	
PSPRSMPERM	Portal Structure Permission	PORTAL_ISCASCADE	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_PERMNAME	KEY(4)
		PORTAL_PERMTYPE	KEY(5)
		PORTAL_REFTYPE	KEY(2)
PSPRSMPERM_RMT	Portal Structure Permission	MSGNODENAME	KEY(2)
		PORTAL_NAME	KEY(1)



		PORTAL_OBJNAME	KEY(4)
		PORTAL_PERMNAME	KEY(5)
		PORTAL_REFTYPE	KEY(3)
PSPRMSYNC	Portal Registry Sync Id table	PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		SYNCID	
PSPRMSYSATTR	Portal System Attribute Table	PORTAL_ATTR_NAM	KEY(4)
		PORTAL_ATTR_NMDSPL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
PSPRMSYSATTRVL	Portal Sys Attr Value Tbl	PORTAL_ATTR_NAM	KEY(4)
		PORTAL_ATTR_VAL	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		PORTAL_SEQ_NUM	KEY(5)
PSPRSMWSRPCONS	Consumed Portlets	PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		PTWSRPPORTLETNAME	KEY(5)
		PTWSRPPRODUCERNAME	KEY(4)
PSPRSMWSRPPROD	Produced Portlets	PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		PTWSRP_ISEDMODE	
		PTWSRP_ISHELPMODE	
		STATUS	
PSPRUFDEFN	Portal Registry Favorites Defn	LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		OPRID	KEY(2)
		PORTAL_LABEL	KEY(4)
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	
		PORTAL_PRNTLABEL	
		PORTAL_REFTYPE	KEY(3)
		PORTAL_SEQ_NUM	
		PORTAL_URLTEXT	
		VERSION	
PSPRUFDEL	Portal Favorite Del Tbl	OPRID	KEY(2)
		PORTAL_LABEL	KEY(4)
		PORTAL_NAME	KEY(1)
		PORTAL_REFTYPE	KEY(3)



PSPRUHDEFN	Portal User Homepage Defn	VERSION LASTUPDDTTM LASTUPDOPRID OBJECTOWNERID OPRID KEY(2) PORTAL_GREETING254 PORTAL_NAME KEY(1)
PSPRUHDEL	Portal User Homepage Del Tbl	VERSION OPRID PORTAL_NAME KEY(1) KEY(2)
PSPRUHPERSPGLT		VERSION LASTUPDDTTM OPRID KEY(2) PORTAL_NAME KEY(1)
PSPRUHTAB	Portal User Homepage Tab data	PORTAL_OBJNAME_PGT KEY(3) OPRID KEY(2) PORTAL_COLLAYOUT PORTAL_LABEL PORTAL_NAME KEY(1) PORTAL_OBJNAME KEY(3) PORTAL_SEQ_NUM PORTAL_STG_NAME
PSPRUHTABPGLT	Portal User HP Tab Pagelet	OPRID KEY(2) PORTAL_COL_NUM PORTAL_MINIMIZE PORTAL_NAME KEY(1) PORTAL_OBJNAME KEY(3) PORTAL_OBJNAME_PGT KEY(4) PORTAL_ROW_NUM
PSPSWDEMAIL		EMAILTEXT EMAILTEXTID KEY(1)
PSPSWDEMAILLANG		EMAILTEXT EMAILTEXTID KEY(1) LANGUAGE_CD KEY(2)
PSPSWDHINT	Lost Password Hint	HINT_ACTIVE HINT_ID KEY(1) HINT_QUESTION LASTUPDDTTM LASTUPDOPRID
PSPSWDHINT_LANG	Lost Password Hint	HINT_ID KEY(1) HINT_QUESTION LANGUAGE_CD KEY(2)
PSPSWDHISTORY		OPERPSWD KEY(2) OPRID KEY(1) PSWDSAVEDATE





PSPTUPGDSLOG		DESCR50	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		PTCREATDTTM	
		PTFRMREL	KEY(2)
		PTPATCHFILNM	
		PTPOSTDTTM	
		PTPRODUCTGRY	
		UPDATE_ID	KEY(1)
		VERSION	
PSPTUPGDSLOGDEL		UPDATE_ID	KEY(1)
		VERSION	KEY(2)
PSPURGEPERMLIST	Permissions List Purge History	CLASSDEFNDESC	
		CLASSID	KEY(1)
		DESCR100	
		LASTUPDDTTM	
		LASTUPDOPRID	
		PERMLST_PURGE_STAT	
PSQASCONFIG		CE_DOMAIN	
		MAXQUERYSIZE	
		QAS_RESULT_PATH	
		URL_CE_CMS	
		URL_CE_WEBSERV	
		URL_IG	
		URL_QAS_RESULT	
PSQASFIELDS		QASINSTANCEID	KEY(1)
		QASUNIQUENAME	KEY(2)
PSQASPROMPTS		QASINSTANCEID	KEY(1)
		QASPROMPTVALUE	
		QASUNIQUENAME	KEY(2)
PSQASRUN		CREATEDTTM	
		OPRID	KEY(1)
		QASBLOCKSIZE	
		QASDATAPATH	
		QASERRORMSG	
		QASINSTANCEID	KEY(2)
		QASISPUBLIC	
		QASMAXROWS	
		QASNUMCOLS	
		QASSTATUS	
		QASTOTALBLOCKS	
		QASTOTALBYTES	
		QASTOTALROWS	
		QRYNAME	



PSQRYACCLSTRECS	Query Access Record List	CLASSID	KEY(2)
		RECDESCR	
		RECNAME	
		VERSION	KEY(1)
PSQRYBIND	Query Prompt	BNDNAME	KEY(3)
		BNDNUM	
		DECIMALPOS	
		EDITTABLE	
		FIELDNAME	
		FIELDTYPE	
		FORMAT	
		HDGTYPE	
		HEADING	
		LENGTH	
		OPRID	KEY(1)
		QRYNAME	KEY(2)
		USECOUNT	
		USEEDIT	
PSQRYBINDLANG	Query Prompt Alternate Lang.	BNDNAME	KEY(3)
		HEADING	
		LANGUAGE_CD	KEY(4)
		OPRID	KEY(1)
		QRYNAME	KEY(2)
PSQRYCRITERIA	Query Criteria	COMBTYPE	
		CONDTYPE	
		CRTNUM	KEY(4)
		EXPRTYPE	
		LCRTFLDNUM	
		LCRTSELNUM	
		LPARENLVL	
		NEGATION	
		OPRID	KEY(1)
		QRYNAME	KEY(2)
		QRYOJSELNUM	
		R1CRTEXPNUM	
		R1CRTFLDNUM	
		R1CRTSELNUM	
		R2CRTEXPNUM	
		R2CRTFLDNUM	
		R2CRTSELNUM	
		RPARENLVL	
		SELNUM	KEY(3)
PSQRYDEFN	Query Definition	APPROVEDTTM	
		APPROVEOPRID	
		BNDCOUNT	



		CREATEDTTM	
		CREATEOPRID	
		DESCR	
		DESCRLONG	
		EXECLOGGING	
		EXPCOUNT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OPRID	KEY(1)
		QRYAPPROVED	
		QRYDISABLED	
		QRYFOLDER	
		QRYNAME	KEY(2)
		QRYTYPE	
		QRYVALID	
		SELCOUNT	
		VERSION	
PSQRYDEFNLANG	Query Definition Alt. Language	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(3)
		OPRID	KEY(1)
		QRYNAME	KEY(2)
PSQRYDEL	Query Definition	OPRID	KEY(1)
		QRYNAME	KEY(2)
		VERSION	KEY(3)
PSQRYEXECLOG	Query RunTime Log	APPLNAME	KEY(3)
		EXECDTTM	KEY(4)
		EXECTIME	
		FETCHTIME	
		KILLEDREASON	
		MAXROWLIMIT	
		NUMROWS	
		OPRID	KEY(1)
		QRYNAME	KEY(2)
		RUNOPRID	
PSQRYEXPR	Query Expression	DECIMALPOS	
		EXPNUM	KEY(3)
		EXPRESSIONTEXT	
		FIELDTYPE	
		LENGTH	
		OPRID	KEY(1)
		QRYNAME	KEY(2)
		USECOUNT	
PSQRYFAVORITES	Query Manager Favorites Table	OPRID	KEY(1)
		QRYNAME	KEY(2)



PSQRYFIELD	Query Field	QRYOWNER	KEY(3)
		AGGREGATEFUNC	
		COLUMNNUM	
		FIELDNAME	
		FLDEXPNUM	
		FLDNUM	
		FLDRCDNUM	
		GROUPBYNUM	
		HDGTYPE	
		HEADING	
		OPRID	KEY(1)
		ORDERBYDIR	
		ORDERBYNUM	
		QRYFLDNAME	KEY(3)
		QRYNAME	KEY(2)
		RECNAME	
		SELNUM	
		SUBTTLNUM	
		TTLTYPE	
		USECOUNT	
XLATEXPNUM			
XLATEXPRTYPE			
XLATFLDNUM			
XLATTYPE			
PSQRYFIELDLANG	Query Field Alternate Language	HEADING	
		LANGUAGE_CD	KEY(4)
		OPRID	KEY(1)
		QRYFLDNAME	KEY(3)
PSQRYFLAGS	Query Global Flags Table	QRYNAME	KEY(2)
		QRYSTATSQL	
PSQRYLINK	Query Global Flags Table	QRYTIMEOUT	
		QRYNAME	KEY(1)
PSQRYPREFS	Query Global Flags Table	QRYNAMECHILD	
		OPRID	KEY(1)
PSQRYRECORD	Query Record	QRYAUTOJOIN	
		QRYNAMESTYLE	
		CORRNAME	
		JOINFLDNUM	
		JOINRCDNUM	
		JOINTYPE	
		OPRID	KEY(1)
		QRYNAME	KEY(2)
		RCDNUM	KEY(4)
RECNAME			
		SELNUM	KEY(3)



PSQRYSELECT	Query Select	CRTCOUNT	
		FLDCOUNT	
		HAVECRTCOUNT	
		OPRID	KEY(1)
		PARENTSELNUM	
		QRYDISTINCT	
		QRYNAME	KEY(2)
		RDCCOUNT	
		SELECTTYPE	
		SELNUM	KEY(3)
PSQRYSTATS	Query RunTime Statistics	AVGEXECTIME	
		AVGFETCHTIME	
		AVGNUMROWS	
		EXECCOUNT	
		LASTEXECDTTM	
		NUMKILLS	
		OPRID	KEY(1)
		QRYNAME	KEY(2)
		HOSTNAME	
		OPRID	
PSQRYTRANS		PROCESSID	
		QRYDOMAINID	
		QRYENDTIME	
		QRYMACHINENAME	
		QRYNAME	
		QRYSTARTTIME	
		STATUS	
		USERID	
		PARMNAME	KEY(4)
		PARMVALUE	
PSRECDDLPARM	Record DDL Parameter	PLATFORMID	KEY(2)
		RECNAME	KEY(1)
		SIZINGSET	KEY(3)
		AUDITRECNAME	
PSRECDEFN	Record Definition	AUXFLAGMASK	
		BUILDSEQNO	
		DDLCOUNT	
		DESCRLONG	
		FLDCOUNT	
		INDEXCOUNT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		OPTDELRECNAME	
		OPTTRIGFLAG	



		PARENTRECNAME	
		QRYSECRECNAME	
		RECDESCR	
		RECNAME	KEY(1)
		RECTYPE	
		RECUSE	
		RELANGRECNAME	
		SETCNTRLFLD	
		SQLTABLENAME	
		SYSTEMIDFIELDNAME	
		TIMESTAMPFIELDNAME	
		VERSION	
PSRECDEFNLANG	Record Definition(Alt Lang)	DESCRLONG	
		LANGUAGE_CD	KEY(2)
		RECDESCR	
		RECNAME	KEY(1)
PSRECDEL	Record Definition	RECNAME	KEY(1)
		VERSION	KEY(2)
PSRECFIELD	Record Field	CURCTLFIELDNAME	
		CURRCTLUSE	
		DEFFIELDNAME	
		DEFGUICONTROL	
		DEFRECNAME	
		EDITTABLE	
		FIELDNAME	KEY(2)
		FIELDNUM	
		LABEL_ID	
		LASTUPDDTTM	
		LASTUPDOPRID	
		RECNAME	KEY(1)
		RELTMDTFIELDNAME	
		SETCNTRLFLD	
		SUBRECORD	
		SUBRECVER	
		TIMEZONEFIELDNAME	
		TIMEZONEUSE	
		USEEDIT	
		USEEDIT2	
PSRECFIELDDDB	Record Field Without Subrecs	CURCTLFIELDNAME	
		CURRCTLUSE	
		DEFFIELDNAME	
		DEFGUICONTROL	
		DEFRECNAME	
		EDITTABLE	
		FIELDNAME	KEY(2)



		FIELDNUM	
		LABEL_ID	
		LASTUPDDTTM	
		LASTUPDOPRID	
		RECNAME	KEY(1)
		RECNAME_PARENT	
		RELTMDTFIELDNAME	
		SETCNTRLFLD	
		SUBRECORD	
		SUBRECVER	
		TIMEZONEFIELDNAME	
		TIMEZONEUSE	
		USEEDIT	
		USEEDIT2	
PSRECFLDAUGRP	Rec Field Auto Group	FIELDNAME	KEY(2)
		FIELDNAMEGROUP	KEY(3)
		RECNAME	KEY(1)
PSRECTBLSPC		DBNAME	KEY(2)
		DBTYPE	KEY(4)
		DDLSPACENAME	KEY(1)
		RECNAME	KEY(3)
		TEMPTBLINST	
PSRECURDEL	Process Recurrence Definition	RECURNAME	KEY(1)
		VERSION	KEY(2)
PSRECXL	Exclude list for Auto Lookup	RECNAME	KEY(1)
PSRELATCONTACT	Relationship Contact Details	AUTHOPTN	
		COMPANYID	
		CONTACTEMAIL	
		CONTACTMNGR	
		CONTACTPHONENBR	
		IBPASSWORD	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MSGNODENAME	KEY(2)
		RELATIONSHIPID	KEY(1)
PSRELATIONLANG	Integr Broker Relationship	COMMENTS	
		DESCR	
		LANGUAGE_CD	KEY(2)
		RELATIONSHIPID	KEY(1)
PSRELATIONPROP	Relationship Properties	COMMENTS	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MSGNODENAME	KEY(2)
		NAMETYPE	KEY(3)
		PROPNAME	KEY(4)



		PROPVALUE	
		RELATIONSHIPID	KEY(1)
PSRELATIONSHIP	Integr Broker Relationship	COMMENTS	
		DESCR	
		END_DATE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		NODE1	
		NODE2	
		RELATIONSHIPID	KEY(1)
		RELATIONSTATUS	
		START_DATE	
		VERSION	
PSRELATIONTRX	Relationship Transactions	ASYNCREPLYMSG	
		ASYNCREPLYVER	
		COMMENTS	
		EFFDT	KEY(2)
		EFF_STATUS	
		LASTUPDDTTM	
		LASTUPDOPRID	
		RELATIONSHIPID	KEY(1)
		RESPTRNSFRMNAME	
		RQSTTRNSFRMNAME	
		SEQNUM	
		SRCNODE	KEY(3)
		SRCRQSTMSGNAME	KEY(5)
		SRCRQSTMSGVER	KEY(6)
		SRCTRXTYPE	KEY(4)
		TGTNODE	KEY(7)
		TGTRQSTMSGNAME	KEY(8)
		TGTRQSTMSGVER	KEY(9)
		TGTRXTYPE	
		USERIDTYPE	
		VERSION	
PSRELATSHIPDEL	Integr Broker Relationship	RELATIONSHIPID	KEY(1)
		VERSION	
PSRELATTRXDEL	Relationship Transactions	EFFDT	KEY(2)
		RELATIONSHIPID	KEY(1)
		SRCNODE	KEY(3)
		SRCRQSTMSGNAME	KEY(5)
		SRCRQSTMSGVER	KEY(6)
		SRCTRXTYPE	KEY(4)
		TGTNODE	KEY(7)
		TGTRQSTMSGNAME	KEY(8)
		TGTRQSTMSGVER	KEY(9)





PSRELEASE	Release Table	VERSION	
		RELEASEDTTM	KEY(1)
PSRELPROPLANG	Relationship Properties	RELEASELABEL	
		COMMENTS	
		LANGUAGE_CD	KEY(5)
		MSGNODENAME	KEY(2)
		NAMETYPE	KEY(3)
		PROPNAME	KEY(4)
		RELATIONSHIPID	KEY(1)
PSREMOTEDBDEFN	Remote Database Table	DBSERVER	
		DBTYPE	
		DB_PORT	
		DESCR	
		INFORMIXSERVERNAME	
		LOCAL_CONNECT_FLAG	
		PASSWORD	
		REMOTEDBCONNTYPE	
		REMOTEDBNAME	
		REMOTEDB_ID	KEY(1)
		USERID	
PSREN		DOMAIN	
		HOST	
		PORT_NUM	
		PROCESS_INST	
		REN_ID	KEY(1)
PSRENCLUSTER		MCFREN_URL_ID	KEY(1)
		REN_ID	KEY(2)
PSRENCLUS_OWNER		MCFREN_URL_ID	KEY(1)
		REOWNER	KEY(2)
PSRENNAMETOPIC		MCFPERMNAME	KEY(1)
		MCFTOPICROOTPATH	
PSRF_FINFO_TBL	Report Folder Info Table	DBNAME	
		PSRF_FOLDER_ID	KEY(1)
		PSRF_FOLDER_NAME	
		PSRF_PRNT_FLDR_ID	
PSRF_FLIST_LANG	Folder List Language Table	DESCR	
		LANGUAGE_CD	KEY(2)
		PSRF_FOLDER_NAME	KEY(1)
PSRF_FLIST_TBL	Folder List Table	DESCR	
		PSRF_FOLDER_NAME	KEY(1)
		PSRF_IS_DEFAULT	
PSRF_FVIEW_LANG	Folder List Language Table	DESCR	
		LANGUAGE_CD	KEY(2)
		PSRF_FOLDER_NAME	KEY(1)
PSRF_FVIEW_TBL	Folder List Table	DBNAME	



		DESCR	
PSRF_POPTN_TBL		PSRF_FOLDER_NAME	KEY(1)
		PSRF_PGLT_MAXRPTS	
		PSRF_PGLT_NUM_UNIT	
		PSRF_PGLT_TIME_NUM	
		USERID	KEY(1)
PSRF_RATTR_TBL	Report Attributes Table	PSRF_ATTRIBUTE_NAME	KEY(2)
		PSRF_ATTRIBUTE_VALU	
		PSRF_REPORT_ID	KEY(1)
PSRF_RDESC_LANG	Lang Rpt DescrTbl For Folders	DBNAME	KEY(3)
		LANGUAGE_CD	KEY(4)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		PSRF_REPORT_DESCR	
PSRF_RDESC_TBL	Report DescrTbl For Folders	DBNAME	KEY(3)
		PRCSNAME	KEY(2)
		PRCSTYPE	KEY(1)
		PSRF_REPORT_DESCR	
PSRF_RFLTR_TBL	Report Chron View Filter	FILTERUNIT	
		FILTERVALUE	
		PRCSINSTANCE	
		PSRF_CREATED_ON	
		PSRF_CREATION_DTTM	
		PSRF_FOLDER_NAME	
		PSRF_REPORT_NAME	
		TO_PRCINSTANCE	
		USERID	KEY(1)
PSRF_RINFO_TBL	Report Info Table	CONTENTID	
		DBNAME	
		EXPIRATION_DATE	
		PRCSINSTANCE	
		PRCSNAME	
		PRCSTYPE	
		PSRF_CREATION_DTTM	
		PSRF_FOLDER_ID	
		PSRF_REPORT_DESCR	
		PSRF_REPORT_ID	KEY(1)
		PSRF_REPORT_NAME	
		PSRF_REPORT_URL	
PSRF_RSCRTY_TBL	Report Security Table	PSRF_CREATION_DTTM	
		PSRF_REPORT_ID	KEY(2)
		PSRF_VIEWED	
		USERID	KEY(1)
PSRGWFLDOPT	Record Gateway Field Options	FIELDNAME	KEY(3)
		INDEXNAME	KEY(1)



		ISBLOBATTACH	
		ISVFIELD	
		ISWORDIDX	
PSRGWIDX		RECNAME	KEY(2)
		INCVWNAME	
		INDEXNAME	KEY(1)
		RECNAME	KEY(2)
		RGWIDX_SQL	
		VEGGIEKEY	
		ZONEOPT	
PSRMT_COLUMN		COLUMN_DEFAULT	
		COLUMN_DESC	
		COLUMN_NAME	
		COLUMN_NULLABLE	
		COLUMN_PREC	
		COLUMN_SCALE	
		COLUMN_SIZE	
		COLUMN_TYPE	
		COLUMN_TYPE_NAME	
		TABLE_CAT	
		TABLE_NAME	
		TABLE_SCHEM	
PSRMT_TABLE		TABLE_CAT	
		TABLE_DESC	
		TABLE_NAME	
		TABLE_SCHEM	
		TABLE_TYPE	
PSROLECANGRANT	Roles That Can Be Granted	GRANTROLENAM	KEY(2)
		ROLENAM	KEY(1)
PSROLECLASS	Role Classes	CLASSID	KEY(2)
		ROLENAM	KEY(1)
PSROLEDEFN	Role Definition	ALLOWLOOKUP	
		ALLOWNOTIFY	
		DESCR	
		DESCRLONG	
		FIELDNAME	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LDAP_RULE_ON	
		PC_EVENT_TYPE	
		PC_FUNCTION_NAME	
		QRYNAME	
		QRYNAME_SEC	
		RECNAME	
		ROLENAM	KEY(1)



		ROLESTATUS	
		ROLETYPE	
		ROLE_PCODE_RULE_ON	
		ROLE_QUERY_RULE_ON	
		VERSION	
PSROLEDEFNLANG	Role Definition Language table	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		ROLENAME	KEY(1)
PSROLEDEFNL_RMT	Role Definition Language table	DESCR	
		DESCRLONG	
		LANGUAGE_CD	KEY(3)
		MSGNODENAME	KEY(2)
		ROLENAME	KEY(1)
PSROLEDEFN_RMT	Role Definition	DESCR	
		DESCRLONG	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MSGNODENAME	KEY(2)
		ROLENAME	KEY(1)
		ROLESTATUS	
		VERSION	
PSROLEDEL		ROLENAME	KEY(1)
		VERSION	KEY(2)
PSROLEGROUP		GROUPNAME	KEY(2)
		ROLENAME	KEY(1)
PSROLEOTHER		ACTIVE_FLAG	
		BARITEMNAME	KEY(3)
		BARNAME	KEY(2)
		DESCR100	
		ITEMNAME	KEY(4)
		MENUNAME	KEY(1)
PSROLEPERM_RMT	Role Classes	MSGNODENAME	KEY(3)
		PERMLISTID	KEY(2)
		ROLENAME	KEY(1)
PSROLEUSER	Role User	DYNAMIC_SW	
		ROLENAME	KEY(2)
		ROLEUSER	KEY(1)
PSROLEUSER_RMT	Role User	DYNAMIC_SW	
		MSGNODENAME	KEY(3)
		ROLENAME	KEY(2)
		ROLEUSER	KEY(1)
PSRTOBJCOUNTER		OBJECTID	KEY(1)
PSRUN_SEARCH		INDEXNAME	KEY(2)
		RUN_CNTL_ID	KEY(1)



PSRUN_SRCH_AET	State Record for SEARCH_BUILD	SIDX_BUILD_TYPE INDEXNAME LANGUAGE_CD PROCESS_INSTANCE KEY(1) RUN_CNTL_ID SIDX_BUILD_TYPE
PSSCDICTDEFN	Message Sets	SCLANG KEY(2) SCOPRID KEY(1) VERSION
PSSCWORDEFN	Spell Check system words	SCLANG KEY(2) SCNEGWORDFLG SCOPRID KEY(1) SCWORD KEY(3)
PSSECNODEOPR	Profile Security Table	MSGNODENAME KEY(2) OPRID KEY(1)
PSSECOPTIONS		ALLOWOPRID LOCKOUTDURATION LOGINATTEMPTS MINPSWDLENGTH PASSWORD_HISTORY PSWDEXPIRESHOURS PSWDREQDIGITS PSWDREQSPECIAL PSWDWARNDAYS PSWD_CNTRL_ON PURGE_DAYS
PSSERVERSTAT	Process Server Statistics	BEGINDDTTM DAEMONACTION DAEMONPRCSINST DAEMONPROCESSID LASTUPDDTTM MAXCPU MINMEM ORDERNO PRCSDISKSPACE PRCSTHRESHOLD SCHDLRAESRVCNT SCHDLRMASTERSTAT SCHDLROESRVCNT SCHDLRUSEAESRVFLAG SERVERACTION SERVERNAME KEY(1) SERVERSTATUS SRVRHOSTNAME
PSSGWIDX		ALLOW_HTTPS



		GLOB_INC_LIST	
		GLOB_INC_TYPE	
		INDEXNAME	KEY(1)
		LINK_DEPTH	
		MIME_INC_LIST	
		MIME_INC_TYPE	
		PROXY_HOST	
		PROXY_PORT	
PSSGWSTARTOPT	Spider Gateway -start options	IDX_URL	
		INDEXNAME	KEY(1)
		ISDOMRESTRICTED	
		ISHOSTRESTRICTED	
		REMAPTO_URL	
		SEQUENCENO	KEY(2)
PSSHADOWDATA		PSSDWCHECKINID	
		PSSDWCOMPUTERNAME	
		PSSDWDATETIME	
		PSSDWEXPORTED	
		PSSDWMGR	
		PSSDWOBJECTID1	
		PSSDWOBJECTID2	
		PSSDWOPERATION	
		PSSDWPATH1	
		PSSDWPATH2	
		PSSDWPROJECTNAME	
		PSSDWSEQUENCE	KEY(1)
PSSHADOWPAYLOAD		PSSDWPAYLOAD	
		PSSDWPAYLOADLEN	
		PSSDWPAYLOADSEQ	KEY(2)
		PSSDWSEQUENCE	KEY(1)
PSSHADOWSEQ		PSSDWNEXTSEQUENCE	KEY(1)
PSSIDXDEFN	Search Index Defintions	APPENDTOCL	
		FS_PATH	
		GATEWAY	
		INDEXNAME	KEY(1)
		STYLE_PATH	
PSSIDLXLANGUAGE	Languages in each Search Index	INDEXNAME	KEY(1)
		LANGUAGE_CD	KEY(2)
		LANGUAGE_MAP	
PSSIDXSCHEM		INDEXNAME	KEY(1)
		RUNCNTLID	
		RUNRECURRANCE	KEY(3)
		SERVERNAMERQST	KEY(2)
		SIDX_BUILD_TYPE	
PSSIGNONPPC		ENABLED	



		EVENTNAME	
		EXECUTE_AUTHFAIL	
		FIELDNAME	
		FUNCNAME	
		RECNAME	
		SEQNO	KEY(1)
PSSIMPLEGRAPH	SimpleGraph	PS_GRAPH_SRCH	
PSSPCDDLPARM	Space DDL Parameters	DBNAME	KEY(2)
		DDLSPACENAME	KEY(1)
		PARMNAME	KEY(5)
		PARMVALUE	
		PLATFORMID	KEY(3)
		SIZINGSET	KEY(4)
		VERSION	
PSSPTDEFN		MSGSPNAME	KEY(1)
		VERSION	
PSSPTDEL		MSGSPNAME	KEY(1)
		VERSION	
PSSPTIMES		ENDINGDAY	KEY(4)
		ENDINGSECOND	KEY(5)
		MSGSPNAME	KEY(1)
		STARTINGDAY	KEY(2)
		STARTINGSECOND	KEY(3)
PSSQLDEFN	SQL Object Defn	ENABLEEFFDT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		SQLID	KEY(1)
		SQLTYPE	KEY(2)
		VERSION	
PSSQLDEL	SQL Object Defn	SQLID	KEY(1)
		SQLTYPE	KEY(2)
		VERSION	KEY(3)
PSSQLDESCR	SQL Object Description	DBTYPE	KEY(4)
		DESCR	
		DESCRLONG	
		EFFDT	KEY(5)
		MARKET	KEY(3)
		SQLID	KEY(1)
		SQLTYPE	KEY(2)
PSSQLLANG	SQL Object Defn (Rel Lang)	DBTYPE	KEY(4)
		DESCR	
		DESCRLONG	
		EFFDT	KEY(5)
		LANGUAGE_CD	KEY(6)



		MARKET	KEY(3)
		SQLID	KEY(1)
		SQLTYPE	KEY(2)
PSSQLTEXTDEFN	SQL Object Text	DBTYPE	KEY(4)
		EFFDT	KEY(5)
		MARKET	KEY(3)
		SEQNUM	KEY(6)
		SQLID	KEY(1)
		SQLTEXT	
		SQLTYPE	KEY(2)
PSSTATEFULSRV		DOMAIN	
		MACHINENAME	KEY(1)
		MSGNAME	
		PORT_NUM	
		PROBINST	
		PROBINSTHOSTTYPE	
		PROCESSID	KEY(2)
		STFLSRVACCEPTING	
		STFLSRVCURRENTOP	
		STFLSRVID	
		STFLSRVLASTOPDTTM	
		STFLSRVLASTOUID	
		STFLSRVOPENDTTM	
		STFLSRVOPENUID	
		STFLSRVREGDTTM	KEY(3)
		STFLSRVRMTACCESS	
		STFLSRVSTATE	
		STFLSRVTIMEOUT	
PSSTATUS	PeopleTools System Control	DBID	
		LASTCHANGEDTTM	
		LASTREFRESHDTTM	
		OWNERACCT	
		OWNERID	
		TOOLSREL	
		UNICODE_ENABLED	
		VERSION	KEY(1)
PSSTEPDEFN	Step Definition	ACTIVITYNAME	KEY(1)
		BARNAME	
		CONTNAME	
		CONTNAMEDISABLE	
		CONTNAMEPROC	
		CONTNAMEWORK	
		DEFAULTSTEP	
		DFLTACTION	
		DISPLAY	





PSSTYLECLASS

ITEMNAME  
 MENUNAME  
 PANELITEMNAME  
 PATHNO  
 PROGRAMDIR  
 PROGRAMNAME  
 REQD  
 STEPACTION  
 STEPNAME KEY(2)  
 STEPNO  
 WORKMULT  
 ACTIVEPSEUDOCLASS  
 BKGNDATTACH  
 BKGNDCOLOR  
 BKGNDIMGURL  
 BKGNDPOS  
 BKGNDPOS2  
 BKGNDPOS2LEN  
 BKGNDPOS2UNITS  
 BKGNDPOSLEN  
 BKGNDPOSUNITS  
 BKGNDREPEAT  
 BKGNDTRANSPARENT  
 BRDRBTMCOLOR  
 BRDRBTMSTYLE  
 BRDRBTMWIDTH  
 BRDRBTMWIDTHLEN  
 BRDRBTMWIDTHUNITS  
 BRDRLEFTCOLOR  
 BRDRLEFTSTYLE  
 BRDRLEFTWIDTH  
 BRDRLEFTWIDTHLEN  
 BRDRLEFTWIDTHUNITS  
 BRDRRGHTCOLOR  
 BRDRRGHTSTYLE  
 BRDRRGHTWIDTH  
 BRDRRGHTWIDTHLEN  
 BRDRRGHTWIDTHUNITS  
 BRDRTOPCOLOR  
 BRDRTOPSTYLE  
 BRDRTOPWIDTH  
 BRDRTOPWIDTHLEN  
 BRDRTOPWIDTHUNITS  
 CLEAR  
 COLOR



---

CURSORTYPE  
DISABLEDHYPERLINK  
DISPLAY  
FLOATYPE  
FONTSIZE  
FONTSIZEABS  
FONTSIZELEN  
FONTSIZEUNITS  
FONTSTYLE  
FONTVARIANT  
FONTWGHT  
HEIGHT  
HEIGHTLEN  
HEIGHTUNITS  
HOVERPSEUDOCLASS  
LETTERSPACING  
LETTERSPACINGLEN  
LETTERSPACINGUNITS  
LINEHEIGHT  
LINEHEIGHTLEN  
LINEHEIGHTUNITS  
LINKPSEUDOCLASS  
LISTSTYLEIMGURL  
LISTSTYLEPOS  
LISTSTYLETYPE  
MARGINBTM  
MARGINBTMLEN  
MARGINBTMUNITS  
MARGINLEFT  
MARGINLEFTLEN  
MARGINLEFTUNITS  
MARGINRGHT  
MARGINRGHTLEN  
MARGINRGHTUNITS  
MARGINTOP  
MARGINTOPLN  
MARGINTOPUNITS  
NUMFONTFAMILY  
PADDINGBTM  
PADDINGBTMLEN  
PADDINGBTMUNITS  
PADDINGLEFT  
PADDINGLEFTLEN  
PADDINGLEFTUNITS  
PADDINGRGHT



	PADDINGRGHTLEN	
	PADDINGRGHTUNITS	
	PADDINGTOP	
	PADDINGTOPLEN	
	PADDINGTOPUNITS	
	STYLECLASSNAME	KEY(2)
	STYLESHEETNAME	KEY(1)
	SUBSTYLESHEET	
	TEXTALIGN	
	TEXTDECORBLINK	
	TEXTDECORLINETHROU	
	TEXTDECORNONE	
	TEXTDECOROVERLINE	
	TEXTDECORUNDERLINE	
	TEXTINDENT	
	TEXTINDENTLEN	
	TEXTINDENTUNITS	
	TEXTTRANSFORM	
	VERTALIGN	
	VERTALIGNPCT	
	VISITEDPSEUDOCLASS	
	WHITESPACE	
	WIDTH	
	WIDTHLEN	
	WIDTHUNITS	
	WORDSPACING	
	WORDSPACINGLEN	
	WORDSPACINGUNITS	
PSSTYLECLASSFNT	FONTNAME	
	SEQNUM	KEY(3)
	STYLECLASSNAME	KEY(2)
	STYLESHEETNAME	KEY(1)
PSSTYLECLSLANG	FONTSIZE	
	FONTSIZEABS	
	FONTSIZELEN	
	FONTSIZEUNITS	
	FONTWGHT	
	HEIGHT	
	HEIGHTLEN	
	HEIGHTUNITS	
	LANGUAGE_CD	KEY(3)
	NUMFONTFAMILY	
	STYLECLASSNAME	KEY(2)
	STYLESHEETNAME	KEY(1)
	WIDTH	



PSSTYLEDEFN	Style Definition	WIDTHLEN	
		WIDTHUNITS	
		ERRCOLORBG	
		ERRCOLORFG	
		FACENAME	
		FONTHEIGHT	
		FONTSLANT	
		FONTWEIGHT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OVRCOLORBG	
		OVRCOLORFG	
		STDCOLORBG	
		STDCOLORFG	
STRIKEOUT			
STYLENAME	KEY(1)		
UNDERLINE			
VERSION			
PSSTYLEDEFNLANG	Style Definition Related Lang	ERRCOLORBG	
		ERRCOLORFG	
		FACENAME	
		FONTHEIGHT	
		FONTSLANT	
		FONTWEIGHT	
		LANGUAGE_CD	KEY(2)
		OVRCOLORBG	
		OVRCOLORFG	
		STDCOLORBG	
		STDCOLORFG	
		STRIKEOUT	
		STYLENAME	KEY(1)
		UNDERLINE	
PSSTYLEDEL	Style Definition	STYLENAME	KEY(1)
		VERSION	KEY(2)
PSSTYLEDFNLANG		DESCR	
		LANGUAGE_CD	KEY(2)
		STYLESHEETNAME	KEY(1)
PSSTYLEFNLANG		FONTNAME	
		LANGUAGE_CD	KEY(3)
		SEQNUM	KEY(4)
		STYLECLASSNAME	KEY(2)
		STYLESHEETNAME	KEY(1)
PSSTYSHEETDEFN		DESCR	
		LASTUPDDTTM	
		LASTUPDOPRID	



		NUMSTYLECLASS	
		PARENTSTYLENAME	
		STYLESHEETNAME	KEY(1)
		STYLESHEETTYPE	
		VERSION	
PSSTYLSHEETDEL		STYLESHEETNAME	KEY(1)
		VERSION	
PSSUBCHNL	Subchannel Definition	CHNLNAME	KEY(1)
		FIELDNAME	KEY(2)
PSSUBDEFN	Subscription Definition	ACTIONLOCATION	
		ACTIONNAME	
		ACTIONTYPE	
		GENSUBPROC	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MSGNAME	KEY(1)
		PROCESSLOCALPUB	
		RETRYONFAIL	
		SUBNAME	KEY(2)
		SUBOWNER	
		SUBSTATUS	
		SUBTIMEOUTMIN	
		VERSION	
PSSUBDEL	Subscription Definition	MSGNAME	KEY(1)
		SUBNAME	KEY(2)
		VERSION	KEY(3)
PSSUMMARYTBL	SUMMARY TABLE	APP_TBL_NAME	
		COMPRESS_SIZE	
		FILE_NAME	
		FILE_SIZE	
		LAST_MODIFIED_DATE	
		OBJECTID	KEY(1)
		REC_OBJ_ID	
		TEMP_DOC	
PSSYNCSERVERVAL		SYNCDTTM	
		SYNCID	KEY(3)
		SYNCROWCOUNT	
		SYNCSESSIONID	KEY(1)
		SYNCSTATUS	
		SYNCTYPEID	KEY(2)
PSSYSTEMID		PTNEXTSYSTEMID	
		PTUPDSYSTEMID	
		RECNAME	KEY(1)
PSTBARITEMLANG	Toolbar Item language	ITEMNUM	KEY(2)
		LANGUAGE_CD	KEY(3)



		OPRID	KEY(1)
PSTBLSPCCAT		TIPTXT COMMENTS DBNAME	KEY(2)
		DBXTSTYPE DDLSPACENAME	KEY(1)
PSTHRESHOLD	SimpleGraph	TSTYPE DESCR PS_COLORS PS_THRESHOLD_MAX PS_THRESHOLD_MIN	
PSTIMEZONE	Time Zone Data	DSTEND DSTOFFSET DSTSTART LASTUPDDTTM OBSERVEDST SYNCID TIMEZONE	KEY(1)
		TIMEZONEDSTLBL TIMEZONESTDLBL TZDESCR	
PSTIMEZONELANG	Time Zone Data	UTCOFFSET LANGUAGE_CD TIMEZONE	KEY(2) KEY(1)
		TIMEZONEDSTLBL TIMEZONESTDLBL TZDESCR	
PSTOOLBARDEFN	Toolbar Definition	ITEMCOUNT LASTUPDDTTM LASTUPDOPRID OPRID	KEY(1)
		TBLOCATION VERSION	
PSTOOLBARDEL	Toolbar Definition	OPRID VERSION	KEY(1) KEY(2)
PSTOOLBARITEM	Toolbar Item	COMMANDID IMGFMT IMGRESID ITEMACTIONTYPE ITEMIMAGE ITEMMENUBARNAME ITEMMENUAME ITEMNUM ITEMPANELGROUPNAME ITEMPANELNAME	KEY(2)



Table Name	Description	Field Name	Key
PSTRANSFRM_TST		ITEMTYPE	
		OPRID	KEY(1)
		TIPTXT	
		USESPECIFIEDACTION	
		AE_APPLID	
		FILENAME	
		IB_DESTNODENAME	
		IB_SRCNODENAME	
		PROJECTNAME	KEY(1)
		EFFDT	KEY(4)
PSTREEBRADEL	Tree Branch	SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_BRANCH	KEY(5)
		TREE_NAME	KEY(3)
		VERSION	KEY(6)
		BRANCH_IMAGE	
PSTREEBRANCH	Tree Branch	BRANCH_LEVEL_NUM	
		EFFDT	KEY(4)
		LEAF_COUNT	
		NODE_COUNT	
		PARENT_BRANCH	
		PARENT_NODE_NUM	
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_BRANCH	KEY(5)
		TREE_LEVEL_NUM	
		TREE_NAME	KEY(3)
		TREE_NODE_NUM	
		TREE_NODE_NUM_END	
		VERSION	
		ALL_VALUES	
		BRANCH_IMAGE	
DESCR			
DUPLICATE_LEAF			
EFFDT	KEY(4)		
EFF_STATUS			
LASTUPDDTTM			
LASTUPDOPRID			
LEAF_COUNT			
LEAF_IMAGE			
LEVEL_COUNT			
NODECOL_IMAGE			
NODEEXP_IMAGE			
NODE_COUNT			
SETCNTRLVALUE	KEY(2)		



		SETID	KEY(1)
		TREE_ACC_METHOD	
		TREE_ACC_SELECTOR	
		TREE_ACC_SEL_OPT	
		TREE_CATEGORY	
		TREE_HAS_RANGES	
		TREE_IMAGE	
		TREE_NAME	KEY(3)
		TREE_STRCT_ID	
		USE_LEVELS	
		VALID_TREE	
		VERSION	
PSTREEDEFNLANG	Foreign Language Tree Defn	DESCR	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(5)
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_NAME	KEY(3)
PSTREEDEL	Tree Definition	EFFDT	KEY(4)
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_NAME	KEY(3)
		VERSION	KEY(5)
PSTREELEAF	Tree Leaf	DYNAMIC_RANGE	
		EFFDT	KEY(4)
		LEAF_IMAGE	
		OLD_TREE_NODE_NUM	
		RANGE_FROM	KEY(6)
		RANGE_TO	KEY(7)
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_BRANCH	KEY(8)
		TREE_NAME	KEY(3)
		TREE_NODE_NUM	KEY(5)
PSTREELEVEL	Tree Level	ALL_VALUES	
		EFFDT	KEY(4)
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_LEVEL	KEY(5)
		TREE_LEVEL_NUM	
		TREE_NAME	KEY(3)
PSTREELOCK	Prompt table for Tree Manager	EFFDT	KEY(4)
		LAST_ACTIVITY_TIME	
		LOCK_USER_ID	
		SETCNTRLVALUE	KEY(2)





Table Name	Description	Field Name	Key
PSTREENODE	Tree Node	SETID	KEY(1)
		TREEDEFNCHANGED	
		TREE_BRANCH	KEY(5)
		TREE_NAME	KEY(3)
		EFFDT	KEY(4)
		NODECOL_IMAGE	
		NODEEXP_IMAGE	
		OLD_TREE_NODE_NUM	
		PARENT_NODE_NAME	
		PARENT_NODE_NUM	
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_BRANCH	KEY(7)
		TREE_LEVEL_NUM	
		TREE_NAME	KEY(3)
TREE_NODE	KEY(6)		
TREE_NODE_NUM	KEY(5)		
TREE_NODE_NUM_END			
TREE_NODE_TYPE			
PSTREEPROMPT	Prompt table for Tree Manager	EFFDT	KEY(4)
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_BRANCH	KEY(5)
		TREE_NAME	KEY(3)
PSTREEPUBSUB	Record - TREE_CHANGED Message	EFFDT_NEW	
		EFFDT_OLD	
		EVENTNAME	
		SETCNTRLVALUE_NEW	
		SETCNTRLVALUE_OLD	
		SETID_NEW	
		SETID_OLD	
		TREE_BRANCH_NEW	
		TREE_BRANCH_OLD	
		TREE_EVENT_ID	
		TREE_NAME_NEW	
		TREE_NAME_OLD	
		TREE_STRCT_ID	
		EFFDT	KEY(4)
		LENGTH	
SELECTOR_DT			
SELECTOR_NUM			
SETCNTRLVALUE	KEY(2)		
SETID	KEY(1)		
TREE_ACC_SEL_OPT			
TREE_NAME	KEY(3)		



		VERSION	
PSTREESELECT01	Tree Select Work-Size 1	RANGE_FROM_01	KEY(3)
		RANGE_TO_01	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT02	Tree Select Work-Size 2	RANGE_FROM_02	KEY(3)
		RANGE_TO_02	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT03	Tree Select Work-Size 3	RANGE_FROM_03	KEY(3)
		RANGE_TO_03	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT04	Tree Select Work-Size 4	RANGE_FROM_04	KEY(3)
		RANGE_TO_04	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT05	Tree Select Work-Size 5	RANGE_FROM_05	KEY(3)
		RANGE_TO_05	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT06	Tree Select Work-Size 6	RANGE_FROM_06	KEY(3)
		RANGE_TO_06	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT07	Tree Select Work-Size 7	RANGE_FROM_07	KEY(3)
		RANGE_TO_07	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT08	Tree Select Work-Size 8	RANGE_FROM_08	KEY(3)
		RANGE_TO_08	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT09	Tree Select Work-Size 9	RANGE_FROM_09	KEY(3)
		RANGE_TO_09	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT10	Tree Select Work-Size 10	RANGE_FROM_10	KEY(3)
		RANGE_TO_10	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT11	Tree Select Work-Size 11	RANGE_FROM_11	KEY(3)
		RANGE_TO_11	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)



---

PSTREESELECT12	Tree Select Work-Size 12	RANGE_FROM_12	KEY(3)
		RANGE_TO_12	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT13	Tree Select Work-Size 13	RANGE_FROM_13	KEY(3)
		RANGE_TO_13	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT14	Tree Select Work-Size 14	RANGE_FROM_14	KEY(3)
		RANGE_TO_14	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT15	Tree Select Work-Size 15	RANGE_FROM_15	KEY(3)
		RANGE_TO_15	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT16	Tree Select Work-Size 16	RANGE_FROM_16	KEY(3)
		RANGE_TO_16	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT17	Tree Select Work-Size 17	RANGE_FROM_17	KEY(3)
		RANGE_TO_17	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT18	Tree Select Work-Size 18	RANGE_FROM_18	KEY(3)
		RANGE_TO_18	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT19	Tree Select Work-Size 19	RANGE_FROM_19	KEY(3)
		RANGE_TO_19	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT20	Tree Select Work-Size 20	RANGE_FROM_20	KEY(2)
		RANGE_TO_20	KEY(4)
		SELECTOR_NUM	KEY(3)
		TREE_NODE_NUM	KEY(1)
PSTREESELECT21	Tree Select Work-Size 21	RANGE_FROM_21	KEY(3)
		RANGE_TO_21	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT22	Tree Select Work-Size 22	RANGE_FROM_22	KEY(3)
		RANGE_TO_22	KEY(4)
		SELECTOR_NUM	KEY(1)
		TREE_NODE_NUM	KEY(2)
PSTREESELECT23	Tree Select Work-Size 23	RANGE_FROM_23	KEY(3)



		RANGE_TO_23	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELECT24	Tree Select Work-Size 24	TREE_NODE_NUM	KEY(2)
		RANGE_FROM_24	KEY(3)
		RANGE_TO_24	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELECT25	Tree Select Work-Size 25	TREE_NODE_NUM	KEY(2)
		RANGE_FROM_25	KEY(3)
		RANGE_TO_25	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELECT26	Tree Select Work-Size 26	TREE_NODE_NUM	KEY(2)
		RANGE_FROM_26	KEY(3)
		RANGE_TO_26	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELECT27	Tree Select Work-Size 27	TREE_NODE_NUM	KEY(2)
		RANGE_FROM_27	KEY(3)
		RANGE_TO_27	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELECT28	Tree Select Work-Size 28	TREE_NODE_NUM	KEY(2)
		RANGE_FROM_28	KEY(3)
		RANGE_TO_28	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELECT29	Tree Select Work-Size 29	TREE_NODE_NUM	KEY(2)
		RANGE_FROM_29	KEY(3)
		RANGE_TO_29	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELECT30	Tree Select Work-Size 30	TREE_NODE_NUM	KEY(2)
		RANGE_FROM_30	KEY(3)
		RANGE_TO_30	KEY(4)
		SELECTOR_NUM	KEY(1)
PSTREESELNUM	Tree Select Control Number	TREE_NODE_NUM	KEY(2)
PSTREESTRCT	Tree Structure	SELECTOR_NUM	
		DESCR	
		DTL_BARNAME	
		DTL_FIELDNAME	
		DTL_ITEMNAME	
		DTL_MENUNAME	
		DTL_MULTINAVIGATE	
		DTL_PNLGRPNAME	
		DTL_PNLNAME	
		DTL_RECNAME	
		DTL_SETID	
		DTL_TREE_LEVEL_NUM	
		DTL_TREE_NAME	
		DYNAMIC_RANGE	



		LASTUPDDTTM	
		LASTUPDOPRID	
		LEVEL_BARNAME	
		LEVEL_ITEMNAME	
		LEVEL_MENUNAME	
		LEVEL_PNLGRPNAME	
		LEVEL_PNLNAME	
		LEVEL_RECNAME	
		NODE_BARNAME	
		NODE_FIELDNAME	
		NODE_ITEMNAME	
		NODE_MENUNAME	
		NODE_MULTINAVIGATE	
		NODE_PNLGRPNAME	
		NODE_PNLNAME	
		NODE_RECNAME	
		SETCNTRLFLD	
		SETCNTRLVALUE	
		SETCNTRL_COUNT	
		SETCNTRL_IND	
		TREE_STRCT_ID	KEY(1)
		TREE_STRCT_TYPE	
		VERSION	
PSTREESTRCTLANG		DESCR	
		LANGUAGE_CD	KEY(2)
		TREE_STRCT_ID	KEY(1)
PSTREESTRDEL	Tree Structure	TREE_STRCT_ID	KEY(1)
		VERSION	KEY(2)
PSTRGRECS		RECNAME	KEY(1)
PSTRIGGERDEFN		AUDITRECNAME	
		RECNAME	KEY(1)
		TRIGGERCODE	
		TRIGGERNAME	
		TR_ADD	
		TR_CHANGE	
		TR_DELETE	
PSTRUSTNODES		MSGNODENAME	KEY(1)
PSTYPECODEDEFN		DESCRLONG	
		FILEREFPATH	
		FILEREFATYPECODE	KEY(1)
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		VERSION	
PSTYPECODEDEL		FILEREFATYPECODE	KEY(1)



PSTZOFFSET	Offsets for Query	VERSION	KEY(2)
		BASEOFFSET	
		ENDDATETIME	
		STARTDATETIME	KEY(2)
PST_PNLFIELDS	Upgrader Panel Work	TIMEZONE	KEY(1)
		TIMEZONELABEL	
		ASSOCFIELDNUM	
		DISPFMTNAME	
		DSPLFILL	
		DSPLFORMAT	
		EDITLBLBOTTOM	
		EDITLBLLEFT	
		EDITLBLRIGHT	
		EDITBLTOP	
		EDITSIZE	
		FIELDBOTTOM	
		FIELDLEFT	
		FIELDNAME	
		FIELDNUM	
		FIELDRIGHT	
		FIELDSIZETYPE	
		FIELDSTYLE	
		FIELDTOP	
		FIELDTYPE	
		FIELDUSE	
		FORMATFAMILY	
		GRDACTFIELDNAME	
		GRDACTPNLNAME	
		GRDACTRECNAME	
		GRDACTTYPE	
		GRDCOLHDGSTYLE	
		GRDCOLUMNCOUNT	
		GRDEVENROWSTYLE	
		GRDLBLALIGN	
		GRDLBLMSGNUM	
		GRDLBLMSGSET	
		GRDODDROWSTYLE	
		GRDSHOWCOLHDG	
GRDSHOWROWHDG			
HELPCONTEXTNUM			
IMAGE_FMT			
LABELSIZETYPE			
LABELSTYLE			
LBLLOC			
LBLPADSIZE			



		LBLTEXT	
		LBLTYPE	
		MULTIRECTREE	
		NODECOUNT	
		OCCURSCOUNT1	
		OCCURSCOUNT2	
		OCCURSCOUNT3	
		OCCURSLEVEL	
		OCCURSOFFSET1	
		OCCURSOFFSET2	
		OCCURSOFFSET3	
		OFFVALUE	
		ONVALUE	
		POPUPMENU	
		PRCSNAME	
		PRCSTYPE	
		PROMPTFIELD	
		RECNAME	
		SRC_TGT	
		SUBPNLNAME	
		SUBPNLVER	
		TREECTRLID	
		TREECTRLTYPE	
PSUPGMCF843_AET	AE state table for UPGMCF843	ACTIVE_FLAG	
		AUTHTOKEN	
		MCFREN_BROWSER_URL	
		MCFREN_INT_URL	
		MCFREN_URL_ID	
		PROCESS_INSTANCE	KEY(1)
		PROCESS_STATUS	
		REN_CLUS_ROOT_PATH	
*PSURLDEFN	URL Table	COMMENTS	
		DESCR	
		IClient_SERVERFLAG	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OBJECTOWNERID	
		URL	
		URL_ID	KEY(1)
		VERSION	
PSURLDEFNLANG	URL Table	COMMENTS	
		DESCR	
		LANGUAGE_CD	KEY(2)
		URL	
		URL_ID	KEY(1)



PSURLDEL		URL_ID	
		VERSION	
PSUSERATTR	User Security Attributes	HINT_QUESTION	
		HINT_RESPONSE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MPDEFAULTMP	
		NO_SYMBID_WARN	
		OPRID	KEY(1)
PSUSEREMAIL	User ID's Email Addresses	EMAILID	
		EMAILTYPE	KEY(2)
		OPRID	KEY(1)
		PRIMARY_EMAIL	
PSUSEROBJDEFN	Parent table for persistence	MENUNAME	KEY(1)
		OPRID	KEY(4)
		PNLGRPNAME	KEY(2)
		PNLNAME	KEY(3)
PSUSEROBJTYPE	Format for persistible object	FIELDTYPE	KEY(5)
		FLAG	
		MENUNAME	KEY(1)
		OBJNAME	
		OPRID	KEY(4)
		PNLGRPNAME	KEY(2)
		PNLNAME	KEY(3)
		PTCUSTOMFORMAT	
PSUSEROPTNDEFN	User Personalization Admin	DESCR	
		FIELDNAME	
		FORMATLENGTH	
		FORMAT_CNTL	
		IMAGE_FIELD	
		IMAGE_NAME	
		LASTUPDDTTM	
		LASTUPDOPRID	
		LOCALE_BASED	
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		OPTN_CATEGORY	
		OPTN_CATEGORY_GRP	
		OPTN_CATEGORY_LVL	KEY(1)
		RECNAME	
		USEROPTN	KEY(2)
		USEROPTN_TYPE	
		USER_OPTION_VALUE	
		VERSION	
PSUSEROPTNLANG	Related Lang PSUSEROPTNDEFN	DESCR	





		LANGUAGE_CD	KEY(3)
		OPTN_CATEGORY_LVL	KEY(1)
		USEROPTN	KEY(2)
PSUSEROTHER		ACTIVE_FLAG	
		BARITEMNAME	KEY(3)
		BARNAME	KEY(2)
		DESCR100	
		ITEMNAME	KEY(4)
		MENUNAME	KEY(1)
PSUSERPRSNLDEL	User Prsnl Deletes	OPRID	KEY(1)
		USEROPTN	KEY(2)
PSUSERPRSNLOPTN	User Personalizations	OPRID	KEY(1)
		OPTN_CATEGORY_LVL	KEY(2)
		USEROPTN	KEY(3)
		USER_OPTION_CNTL	
		USER_OPTION_VALUE	
PSUSERSELFOTHER		ACTIVE_FLAG	
		BARITEMNAME	KEY(3)
		BARNAME	KEY(2)
		DESCR100	
		ITEMNAME	KEY(4)
		MENUNAME	KEY(1)
PSUSERSRCHDEFN		OPRID	KEY(2)
		PTCUSTOMFORMAT	
		PTSRCHNAME	KEY(3)
		RECNAME	KEY(1)
PSUSERTYPEON		OPRALIASTYPE	KEY(1)
PSVAITEM	Bus proc item table	COMPNAME	KEY(4)
		COMPTYPE	KEY(5)
		CONTNAME	
		DEFAULT_FONT	
		DESCR60	
		DESCRLONG	
		DESCR_X	
		DESCR_Y	
		DESTNAME	
		DESTTYPE	
		FONT	
		LOC_X	
		LOC_Y	
		OBJNAME	KEY(1)
		OBJNAME2	KEY(2)
		OBJTYPE	KEY(3)
		ORDERNO	
		PROPERTIES	



		SRCNAME	
		SRCTYPE	
		VERTICES	
PSVAITEMIMG	Images for bus proc items	COMPNAME	KEY(4)
		COMPTYPE	KEY(5)
		IMGFMT	
		ITEM_IMAGE	
		OBJNAME	KEY(1)
		OBJNAME2	KEY(2)
		OBJTYPE	KEY(3)
PSVAITEMLANG	Lang dep for bus proc items	COMPNAME	KEY(4)
		COMPTYPE	KEY(5)
		DESCR60	
		DESCRLONG	
		DESCR_X	
		DESCR_Y	
		FONT	
		LANGUAGE_CD	KEY(6)
		LOC_X	
		LOC_Y	
		OBJNAME	KEY(1)
		OBJNAME2	KEY(2)
		OBJTYPE	KEY(3)
		VERTICES	
PSVA_DELCHG_TMP		APPR_RULE_SET	
		APPR_RULE_SET2	
		BUSPROCNAME	
PSVA_DELCNT_TMP		APPR_RULE_SET	KEY(1)
		TOTAL_COUNT	
PSVERITYLOCALE		VERITY_LOCALE	KEY(1)
PSVERSION	Manager notification versions	OBJECTYPENAME	KEY(1)
		VERSION	
PSVIEWTEXT_TMP	PS ViewText temp	RECNAME	KEY(1)
		VIEWTEXT	
PSWEBPROFBROW	Web Profile Browsers	PSWEBPROBROW_SB	
PSWEBPROFCOOK	Web Profile Cookies	PSWEBPROCOOK_SB	
PSWEBPROFDEF	Web Profile Defaults	PIANAME	
		PROPERTYNAME	KEY(1)
		PT_PROPVALUE	
		STRATEGY	
PSWEBPROFHIST	Web Profile History	DELIVEREDLAST	
		PORTALHTTPPORT	KEY(2)
		PORTALHTTPSPORT	
		SESSIONCOOKIEIDOM	
		SESSIONCOOKIEENAME	



		WEBPROFILENAME	
		WEBSERVERIP	
		WEBSERVERNAME	KEY(1)
		WEBSERVERPROPS	
		WEBSERVERPUBLICURL	
		WEBSITENAME	KEY(3)
PSWEBPROFILE	Web Profile	PSWEBPROFILE_SB	
PSWEBPROFNVP	Web Profile Name/Value Pairs	PROPERTYNAME	KEY(2)
		PT_PROPVALUE	
		WEBPROFILENAME	KEY(1)
PSWEBPROFPROP	Web Profile Custom Properties	PSWEBPROPROP_SB	
PSWLINSTMAX	Worklist Instance Maximum	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EVENTNAME	KEY(3)
		INSTMAX	
		WORKLISTNAME	KEY(4)
PSWORKLIST	Worklist Entry	ACTIONDTTM	
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		COMMENTSHORT	
		DO_REPLICATE_FLAG	
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		INSTAVAILABLEDTTM	
		INSTSELECTEDDTTM	
		INSTSTATUS	
		INSTTIMEOUTDTTM	
		INSTWORKEDDTTM	
		LASTUPDDTTM	
		OPRID	
		ORIGINATORID	
		ORIGINATORTYPE	
		PREVOPRID	
		SYNCID	
		TIMEDOUT	
		TRANSACTIONID	
		URL	
		WLDAYSTOSELECT	
		WLDAYSTOWORK	
		WL_PRIORITY	
		WORKLISTNAME	KEY(4)
PSWSBINDOPS	WSDL Binding Operations	BINDINGNAME	
		BINDINGPROTOCOL	
		BINDINGSTYLE	
		BINDING_UID	



		DOC_UID	
		ELEMENT_PREFIX	
		OPERATIONNAME	
		OPERATIONSTYLE	
		OPERATION_UID	KEY(1)
		PORTTYPE	
		QPORTTYPE	
		SOAACTION	
		TRANSPORT	
PSWSDLFILE_ATT	WSDL Endpoints	FILE_ATTDET_SBR	
PSWSENDPOINT		BINDINGNAME	
		DOC_UID	
		ELEMENT_PREFIX	
		ENDPOINT	
		ENDPOINT_UID	KEY(1)
		PORTNAME	
		QBINDING	
		SERVICENAMEW	
PSWSOPINOUT	WSDL Operation InOutFault	BINDING_UID	
		DOC_UID	
		ELEMENT_ORD	
		ELEMENT_PREFIX	
		ELEMENT_TAG	
		OPERATION_UID	
		OPERINOUT_UID	KEY(1)
PSWSRPCPHDEFN		LASTUPDDTTM	
		LASTUPDOPRID	
		OPRID	KEY(3)
		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
		PTWSRP_PLTHANDLE	
		PTWSRP_PLTHANDLE1	
		VERSION	
PSWSRPCPHDEL		OPRID	KEY(3)
		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
		VERSION	
PSWSRPPLTDEFN	Remote WSRP Portlet Definition	CREATEDTTM	
		LASTUPDDTTM	
		LASTUPDOPRID	
		PTWSRPISOBDELETE	
		PTWSRPLASTREFRESH	
		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
		PTWSRP_ISDFMKSECUR	



		PTWSRP_ISEDMODE	
		PTWSRP_ISHELPMODE	
		PTWSRP_ISMETHODGET	
		PTWSRP_ISONLYSECUR	
		PTWSRP_ISTMPLTSSTR	
		PTWSRP_ISURLTMPROC	
		PTWSRP_ISUSRCTXSTR	
		PTWSRP_ISUSRSPECST	
		PTWSRP_PLTDESCR	
		PTWSRP_PLTDISPNAME	
		PTWSRP_PLTHANDLE	
		PTWSRP_PLTHANDLE1	
		PTWSRP_PLTSHORTITL	
		PTWSRP_PLTTITLE	
		STATUS	
		VERSION	
PSWSRPPLTDEL		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
		VERSION	
PSWSRPPLTGRPID	Remote WSRP Portlet Group-Id	LONGVALUE	
		PORTAL_DUMMY	
		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
PSWSRPPLTKW		LONGVALUE	
		PORTAL_DUMMY	
		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
PSWSRPPLTKWLANG		LANGUAGE_CD	KEY(3)
		LONGVALUE	
		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
PSWSRPPLTLANG		LANGUAGE_CD	KEY(3)
		PTWSRPPORTLETNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
		PTWSRP_PLTDESCR	
		PTWSRP_PLTDISPNAME	
		PTWSRP_PLTSHORTITL	
		PTWSRP_PLTTITLE	
PSWSRPPRDDEFN	Remote WSRP Producer Definitio	CONTNAME	
		CREATEDTTM	
		DESCR254	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MSGNODENAME	
		PTWSRPLASTREFRESH	



		PTWSRPPREGTYPE	
		PTWSRPPRODUCERLBL	
		PTWSRPPRODUCERNAME	KEY(1)
		PTWSRP_COOKIEPROT	
		PTWSRP_ISREGREQRD	
		VERSION	
PSWSRPPRDDEL		PTWSRPPRODUCERNAME	KEY(1)
		VERSION	
PSWSRPPRDLANG		DESCR254	
		LANGUAGE_CD	KEY(2)
		PTWSRPPRODUCERLBL	
		PTWSRPPRODUCERNAME	KEY(1)
PSWSRPPRDPROP		LONGVALUE	
		PROPERTYNAME	KEY(2)
		PTWSRPPRODUCERNAME	KEY(1)
PSWSSERVICE	WSDL Service	CHNLNAME	
		DOC_UID	KEY(1)
		EFFDT	
		MSGNODENAME	
		OPERATION_UID	KEY(2)
		PORTNAME	
		PORTTYPENAME	
		RESPMSGNAME	
		RQSTMSGNAME	
		RQSTMSGVER	
		SERVICENAMEW	
		TRXTYPE	
PSXFERITEM	Popup Menu Item Transfer Defns	ITEMNAME	KEY(2)
		KEYSEARCH	
		MENUNAME	KEY(1)
		XFERACTION	
		XFERMENUNAME	
		XFERMKTNAME	
		XFERNODENAME	
		XFERPNLGRPNAME	
		XFERPNLITEMNAME	
		XFERPORTALNAME	
		XFERTYPE	
PSXLATDEFN	Translate Value	FIELDNAME	KEY(1)
		VERSION	
PSXLATDEFNDEL	Translate Value	FIELDNAME	KEY(1)
		VERSION	KEY(2)
*PSXLATITEM	Translate Value Items	EFFDT	KEY(3)
		EFF_STATUS	
		FIELDNAME	KEY(1)



		FIELDVALUE	KEY(2)
		LASTUPDDTTM	
		LASTUPDOPRID	
		SYNCID	
		XLATLONGNAME	
		XLATSHORTNAME	
PSXLATITEMLANG	Translate Value Item Language	EFFDT	KEY(3)
		FIELDNAME	KEY(1)
		FIELDVALUE	KEY(2)
		LANGUAGE_CD	KEY(4)
		XLATLONGNAME	
		XLATSHORTNAME	
PSXMLSIGNDATA		COMPDATALEN	
		DATASEQNO	KEY(3)
		ENTITY_NAME	KEY(1)
		NRID	KEY(2)
		NRTIMESTAMP	
		UNCOMPDATALEN	
		XMLMESSAGE	
PSXMLSIGNINST		ENTITY_NAME	KEY(1)
		NRID	
PSX_HELPCONTEXT	Help Context Work Table	FIELDNAME	
		HELPCONTEXTNUM	KEY(1)
		HELPTYPE	
		LANGUAGE_CD	
		PNLNAME	
		RECNAME	
PSX_TREEBRANCH	Tree Save Work-Branch	BRANCH_IMAGE	
		BRANCH_LEVEL_NUM	
		EFFDT	
		LEAF_COUNT	
		NODE_COUNT	
		PARENT_BRANCH	
		PARENT_NODE_NUM	
		SETCNTRLVALUE	
		SETID	
		TREE_BRANCH	
		TREE_LEVEL_NUM	
		TREE_NAME	
		TREE_NODE_NUM	
		TREE_NODE_NUM_END	
		VERSION	
PSX_TREDEFNLNG	Foreign Language Tree Defn	DESCR	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(5)



		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_NAME	KEY(3)
PSX_TREELEAF	Tree Save Work-Leaf	DYNAMIC_RANGE	
		EFFDT	
		LEAF_IMAGE	
		OLD_TREE_NODE_NUM	
		RANGE_FROM	
		RANGE_TO	
		SETCNTRLVALUE	
		SETID	
		TREE_BRANCH	
		TREE_NAME	
		TREE_NODE_NUM	
PSX_TREELEVEL	Tree Save Work-Level	ALL_VALUES	
		EFFDT	
		SETCNTRLVALUE	
		SETID	
		TREE_LEVEL	
		TREE_LEVEL_NUM	
		TREE_NAME	
PSX_TREENODE	Tree Save Work-Node	EFFDT	
		NODECOL_IMAGE	
		NODEEXP_IMAGE	
		OLD_TREE_NODE_NUM	
		PARENT_NODE_NAME	
		PARENT_NODE_NUM	
		SETCNTRLVALUE	
		SETID	
		TREE_BRANCH	
		TREE_LEVEL_NUM	
		TREE_NAME	
		TREE_NODE	
		TREE_NODE_NUM	
		TREE_NODE_NUM_END	
		TREE_NODE_TYPE	
PSX_TREENODEGAP	Tree Gapping Record	EFFDT	KEY(4)
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_NAME	KEY(3)
		TREE_NODE_END_NEW	
		TREE_NODE_NUM_NEW	
		TREE_NODE_NUM_OLD	KEY(5)
		TREE_NODE_PAR_NEW	
PSX_TREENODENUM	Tree Gapping Record	EFFDT	





		HIGH_NODE_NUM	
		LOW_NODE_NUM	
		SETCNTRLVALUE	
		SETID	
		TREE_NAME	
PSX_TREENODEUPD	Tree Save Work-Node	EFFDT	KEY(4)
		NODECOL_IMAGE	
		NODEEXP_IMAGE	
		OLD_TREE_NODE_NUM	
		PARENT_NODE_NAME	
		PARENT_NODE_NUM	
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_BRANCH	KEY(5)
		TREE_LEVEL_NUM	
		TREE_NAME	KEY(3)
		TREE_NODE	
		TREE_NODE_NUM	
		TREE_NODE_NUM_END	
		TREE_NODE_NUM_OLD	KEY(6)
		TREE_NODE_TYPE	
PSX_TREE_SAVE	Tree Save Work	EFFDT	KEY(4)
		OPRID	
		SETCNTRLVALUE	KEY(2)
		SETID	KEY(1)
		TREE_NAME	KEY(3)
		TREE_SAVE_DTTM	
PSX_VALUES	SimpleGraph	PS_X_CHAR	
PSY_VALUES	SimpleGraph	PS_X_NUMBER	
		PS_BAR_ANCHOR	
		PS_COLORS	
		PS_LEGEND_LBL	
		PS_Y_VALUES	
PTACEDIMGRIDREC		ACEDIMNAME	
		PTACEMEMBER	
PTGRANTTBL		TABLENAME	KEY(2)
		TYPE	KEY(1)
PTLT_ASSGN_FEAT	Product to Feature Mapping	OBJECTOWNERID	
		PTLT_FEATURE_CODE	KEY(2)
		PTLT_PRODUCT_CODE	KEY(1)
		PTLT_REQUIRED	
PTLT_ASSGN_PRFT	BP to Product Feature Join	OBJECTOWNERID	
		PTLT_BP_DTL_NAME	KEY(2)
		PTLT_BP_NAME	KEY(1)
		PTLT_FEATURE_CODE	KEY(4)



PTLT_ASSGN_PROD	Product Suite - Product Rel	PTLT_PRODUCT_CODE	KEY(3)
		OBJECTOWNERID	
PTLT_ASSGN_TASK	Feature to Task Mapping	PTLT_PRODUCT_CODE	KEY(2)
		PTLT_PROD_SUITE_CD	KEY(1)
		MENUNAME	
		OBJECTOWNERID	
		PORTAL_NAME	
		PTLT_FEATURE_CODE	KEY(1)
PTLT_BP_SELECT	Selections by Business Process	PTLT_TASK_CODE	KEY(2)
		PTLT_TASK_CODE2	
		PTLT_BP_DTL_NAME	KEY(5)
		PTLT_BP_NAME	KEY(4)
		PTLT_FEATURE_CODE	KEY(3)
PTLT_BUSPRC	Business Process Definitions	PTLT_PRODUCT_CODE	KEY(2)
		PTLT_PROJ_NAME	KEY(1)
		DESCR254_MIXED	
		OBJECTOWNERID	
		PTLT_BP_ID	
		PTLT_BP_NAME	KEY(1)
PTLT_BUSPRC_DTL	Business Process - Detail	PTLT_BP_NAME_EXT	
		PTLT_BP_VERSION	KEY(2)
		DESCR254_MIXED	
		OBJECTOWNERID	
		PTLT_BP_DTL_NAME	KEY(2)
PTLT_COMP_NAV	Define Setup Components	PTLT_BP_ID	
		PTLT_BP_NAME	KEY(1)
		PTLT_BP_NAME_EXT	
		PTLT_BP_VERSION	KEY(3)
		NAVIGATION	
		PTLT_FEATURES_LIST	
PTLT_COMP_R_STG		PTLT_PROD_CD_LIST	
		PTLT_TASK_CODE	KEY(1)
		ACTIONS	
		ADDSRCHRECNAME	
		OCCURSLEVEL	KEY(6)
		PNLNAME	KEY(3)
		PROCESS_INSTANCE	KEY(1)
		PTLT_TASK_CODE	KEY(2)
		RECNAME	KEY(4)
		RECTYPE	
PTLT_EXCI_LIST		SEARCHRECNAME	
		SUBPNLNAME	KEY(5)
		BCNAME	
PTLT_EXCI_RUN		PROCESS_INSTANCE	KEY(1)
		FILE_DIRECTORY	



		LANGUAGE_CD	
		MACHINENAME	
		MSGNODENAME	
		OPRID	KEY(1)
		PASSWORD_MIXED	
		PORTAL_NAME	
		PORT_NUM	
		PROCESS_INSTANCE	
		PTLT_CI_LIST	
		PTLT_CI_PROTOCOL	
		PTLT_PROTOCOL	
		PTLT_PSSITE	
		PTLT_TEMPLATE	
		RUN_CNTL_ID	KEY(2)
		SERVERNAME	
		USERID	
PTLT_EXCI_STG		DESCR254_MIXED	
		ERROR_FLG1	
		IN_PROCESS_FLG	
		PROCESS_INSTANCE	KEY(1)
PTLT_FEATURE	Define Features	DESCR254_MIXED	
		OBJECTOWNERID	
		PTLT_FEATURE	
		PTLT_FEATURE_CODE	KEY(1)
PTLT_FEAT_LANG	Define Features	DESCR254_MIXED	
		LANGUAGE_CD	KEY(2)
		PTLT_FEATURE	
		PTLT_FEATURE_CODE	KEY(1)
PTLT_FILE_ATT		FILE_ATTDET_SBR	
PTLT_INSTALL	Setup Manager - Installation	OBJECTOWNERID	
		PTLT_BP_VERSION	
		PTLT_PACKAGE_FLG	
		PTLT_PK_ACTIVITY	
		PTLT_TASKSEQ_ID	
		RELEASELABEL	
PTLT_NAV_STG1		DESCR254	
		MARKET	
		MENUNAME	
		NAVIGATION	
		PNLGRPNAME	
		PORTAL_NAME	
		PORTAL_PRNTOBJNAME	
		PROCESS_INSTANCE	KEY(1)
		PTLT_FEATURE_CODE	KEY(2)
		PTLT_LOAD_METHOD	



		PTLT_TASK_CODE	KEY(3)
		PTLT_TASK_CODE2	
		PTLT_TASK_NAME	
		PTLT_TASK_TYPE	
PTLT_NAV_STG2		DESCR254	
		MARKET	
		MENUNAME	
		NAVIGATION	
		PNLGRPNAME	
		PORTAL_NAME	
		PORTAL_PRNTOBJNAME	
		PROCESS_INSTANCE	KEY(1)
		PTLT_FEATURE_CODE	KEY(2)
		PTLT_LOAD_METHOD	
		PTLT_TASK_CODE	KEY(3)
		PTLT_TASK_CODE2	
		PTLT_TASK_NAME	
		PTLT_TASK_TYPE	
PTLT_PF_SELECT	Selections by Solution	PTLT_FEATURE_CODE	KEY(3)
		PTLT_PRODUCT_CODE	KEY(2)
		PTLT_PROD_SUITE_CD	KEY(4)
		PTLT_PROJ_NAME	KEY(1)
PTLT_PORTAL_STG	Portal URL Text convert	LASTUPDDTTM	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		PTLT_PORTAL_URLTXT	
PTLT_PORTAL_TMP	Portal URL Text convert	LASTUPDDTTM	
		PORTAL_NAME	KEY(1)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_REFTYPE	KEY(2)
		PTLT_PORTAL_URLTXT	
PTLT_PRODUCT	Product Definition	OBJECTOWNERID	
		PTLT_INSTALL_FLD	
		PTLT_PRODUCT	
		PTLT_PRODUCT_CODE	KEY(1)
PTLT_PROD_LANG	Product Definition	LANGUAGE_CD	KEY(2)
		PTLT_PRODUCT	
		PTLT_PRODUCT_CODE	KEY(1)
PTLT_PROD_SUITE	Product Suite Definition	DESCR254_MIXED	
		OBJECTOWNERID	
		PTLT_PRODSUITE	
		PTLT_PROD_SUITE_CD	KEY(1)
PTLT_PROJ_DEFN	Implementation Project Defn.	DESCR50	
		IN_PROCESS_FLG	



		LASTUPDDTTM	
		PTLT_GENERATEDDTM	
		PTLT_PROJ_NAME	KEY(1)
		PTLT_PROJ_STATUS	
PTLT_PROJ_RECS	Implementation Records	PTLT_PROJ_NAME	KEY(1)
		PTLT_TASK_CODE	KEY(2)
		RECNAME	KEY(3)
PTLT_PROJ_RUN	Generate Task - Run Control	OPRID	KEY(1)
		PROCESSINSTANCE	
		PTLT_PROJ_NAME	KEY(3)
		RUN_CNTL_ID	KEY(2)
PTLT_PROJ_TASK	Project Task List	DESCR254_MIXED	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MENUNAME	
		NAVIGATION	
		PORTAL_NAME	
		PTLT_ASSIGNED_TO	
		PTLT_DISCUSSION	
		PTLT_END_DATE	
		PTLT_LOAD_METHOD	
		PTLT_PCT_COMPLETE	
		PTLT_PROD_CD_LIST	
		PTLT_PROJ_NAME	KEY(1)
		PTLT_START_DATE	
		PTLT_TASK_CODE	
		PTLT_TASK_CODE2	
		PTLT_TASK_NAME	
		PTLT_TASK_SEQNO	KEY(2)
PTLT_PROJ_UPG	Project Task List	DESCR254_MIXED	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MENUNAME	KEY(3)
		NAVIGATION	
		PTLT_ASSIGNED_TO	
		PTLT_DISCUSSION	
		PTLT_END_DATE	
		PTLT_LOAD_METHOD	
		PTLT_PCT_COMPLETE	
		PTLT_PROD_CD_LIST	
		PTLT_PROJ_NAME	KEY(1)
		PTLT_SEC_SEQNO	
		PTLT_SEQNO	
		PTLT_START_DATE	
		PTLT_TASK_CODE	KEY(2)



PTLT_PSUIT_LANG	Product Suite Definition	PTLT_TASK_NAME	
		PTLT_TASK_SEQNOF	
PTLT_SEQ_STG		DESCR254_MIXED	
		LANGUAGE_CD	KEY(2)
PTLT_TASK		PTLT_PRODSUITE	
		PTLT_PROD_SUITE_CD	KEY(1)
		DESCR254	
		MENUNAME	
		NAVIGATION	
		PORTAL_NAME	
		PROCESS_INSTANCE	KEY(1)
		PTLT_FEATURE_CODE	
		PTLT_FEATURE_CODE2	KEY(3)
		PTLT_LOAD_METHOD	
PTLT_TASK_LANG		PTLT_SEC_SEQNO	
		PTLT_SEQNO	
		PTLT_TASKSEQ_ID	KEY(2)
		PTLT_TASK_CODE	
		PTLT_TASK_CODE2	
		PTLT_TASK_NAME	
		PTLT_TASK_SEQNO	
		DESCR254_MIXED	
		NAVIGATION	
		OBJECTOWNERID	
PTLT_TASK_LOAD		PTLT_CROSSDB_FLAG	
		PTLT_LOAD_METHOD	
		PTLT_NODMS_FLAG	
		PTLT_TASK_CODE	KEY(1)
		PTLT_TASK_NAME	
		PTLT_TASK_TYPE	
		DESCR254_MIXED	
		LANGUAGE_CD	KEY(2)
		NAVIGATION	
		PTLT_TASK_CODE	KEY(1)
PTLT_TASK_LOAD		PTLT_TASK_NAME	
		MENUNAME	
		OBJECTOWNERID	
		PORTAL_NAME	
		PTLT_CI_NAME	
		PTLT_DISCUSSION	
		PTLT_LOAD_METHOD	KEY(2)
		PTLT_METHOD_NAME	
		PTLT_SEQNO	
		PTLT_TASK_CODE	KEY(1)
PTLT_TASK_CODE2			



PTLT_TASK_SEQ		SELECT_FLAG	
		DESCR254_MIXED	
		OBJECTOWNERID	
		PTLT_CIRC_REF	
		PTLT_FEATURE_CODE	
		PTLT_SEC_SEQNO	
		PTLT_SEQNO	
		PTLT_TASKSEQ_ID	KEY(1)
		PTLT_TASK_CODE	
PTLT_TASK_SEQ_U	Task Sequence Upgrade Table	DESCR254_MIXED	
		OBJECTOWNERID	
		PTLT_CIRC_REF	
		PTLT_FEATURE_CODE	
		PTLT_SEC_SEQNO	
		PTLT_SEQNO	
		PTLT_TASKSEQ_ID	KEY(1)
		PTLT_TASK_CODE	
PTLT_TASK_STG		MENUNAME	
		PORTAL_NAME	
		PROCESS_INSTANCE	KEY(1)
		PTLT_FEATURE_CODE	KEY(3)
		PTLT_LOAD_METHOD	
		PTLT_PRODUCT_CODE	KEY(2)
		PTLT_TASK_CODE	KEY(4)
		PTLT_TASK_CODE2	
		PTLT_TASK_TYPE	
PTLT_TLOAD_LANG		LANGUAGE_CD	KEY(2)
		MENUNAME	
		PORTAL_NAME	
		PTLT_CI_NAME	
		PTLT_DISCUSSION	
		PTLT_LOAD_METHOD	KEY(3)
		PTLT_METHOD_NAME	
		PTLT_TASK_CODE	KEY(1)
		PTLT_TASK_CODE2	
PTLT_TSEQ_LANG		DESCR254_MIXED	
		LANGUAGE_CD	KEY(2)
		PTLT_TASKSEQ_ID	KEY(1)
PTLT_VIEW_STG	View STG record	PROCESS_INSTANCE	KEY(1)
		RECNAME	KEY(2)
		RECNAME_BASE	KEY(3)
PTPPB_DATADISP		PTPPB_DATATYPE_ID	KEY(1)
		PTPPB_DISPFRMT_ID	KEY(2)
PTPPB_DATATYPE		ACTIVE_FLAG	
		APPCLASSID	



	DESCR	
	DESCRLONG	
	PACKAGEID	
	PAGE_NAME	
	PTPPB_DATATYPE_ID	KEY(1)
	QUALIFYPATH	
PTPPB_DFMT_LANG	PTPP_AUDIT_SBR	
	DESCR	
	DESCR254	
	LANGUAGE_CD	KEY(2)
	PTPPB_DISPFRMT_ID	KEY(1)
PTPPB_DISP_FRMT	ACTIVE_FLAG	
	APPCLASSID	
	DESCR	
	DESCR254	
	IMAGE_NAME	
	ORDERNO	
	PACKAGEID	
	PAGE_NAME	
	PTPPB_DISPFRMT_ID	KEY(1)
	PTPPB_IS_CUSTOM	
	PTPPB_TRANSFRM_TYP	
	QUALIFYPATH	
	PTPP_AUDIT_SBR	
PTPPB_DISP_PRMS	FIELDNAME	KEY(2)
	HTMLAREA	
	PTPPB_PAGELET_ID	KEY(1)
PTPPB_DISP_VALS	PORTAL_NAME	
	PORTAL_OBJNAME	
	PTPPB_FIELDNAME	KEY(2)
	PTPPB_LINK_BEHAV	
	PTPPB_LINK_SUFFIX	
	PTPPB_LINK_TYPE	
	PTPPB_PAGELET_ID	KEY(1)
	PTPPB_VALUE	
	PTPPB_VALUE_LONG	
	URL	
PTPPB_DS_SETTGS	ORDERNO	
	PTPPB_FIELDNAME	KEY(2)
	PTPPB_PAGELET_ID	KEY(1)
	PTPPB_VALUE	
PTPPB_DTYP_LANG	DESCR	
	DESCRLONG	
	LANGUAGE_CD	KEY(2)
	PTPPB_DATATYPE_ID	KEY(1)





Table Name	Field Name	Field Type
PTPPB_FOOTER	Pagelet Wizard Footer	
	ACTIVE_FLAG	
	DESCR	
	DESCR254	
	HTMLAREA	
	MSGNUM	
	MSGSET	
	PTPPB_CONTENT_SRC	
	PTPPB_FOOTER_ID	KEY(1)
	PTPPB_IMGALIGN	
	PTPPB_IMGALT	
	PTPPB_IMGHEIGHT	
	PTPPB_IMGSRG	
	PTPPB_IMGWIDTH	
PTPPB_TEXT_TYPE		
PTPPB_FTR_LANG	PTPP_AUDIT_SBR	
	DESCR	
	DESCR254	
	HTMLAREA	
	LANGUAGE_CD	KEY(2)
	PTPPB_FOOTER_ID	KEY(1)
PTPPB_HDR_LANG	PTPPB_IMGALT	
	DESCR	
	DESCR254	
	HTMLAREA	
	LANGUAGE_CD	KEY(2)
	PTPPB_HEADER_ID	KEY(1)
PTPPB_HEADER	PTPPB_IMGALT	
	ACTIVE_FLAG	
	DESCR	
	DESCR254	
	HTMLAREA	
	MSGNUM	
	MSGSET	
	PTPPB_CONTENT_SRC	
	PTPPB_HEADER_ID	KEY(1)
	PTPPB_IMGALIGN	
	PTPPB_IMGALT	
	PTPPB_IMGHEIGHT	
	PTPPB_IMGSRG	
	PTPPB_IMGWIDTH	
PTPPB_TEXT_TYPE		
PTPPB_HTML_LANG	PTPP_AUDIT_SBR	
	PTPP_AUDIT_SBR	
	DESCR	
	HTMLAREA	



		LANGUAGE_CD	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
PTPPB_LINKPARMS	Pagelet Wizard Link Parameters	NAME	KEY(3)
		ORDERNO	
		PTPPB_FIELDNAME	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
		PTPPB_VALUE	
PTPPB_LINKPATHS	Pagelet Wizard Link Paths	ORDERNO	
		PTPPB_FIELDNAME	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
		PTPPB_VALUE	KEY(3)
PTPPB_PAGELET	Pagelet Wizard Definition	DESCR	
		DESCR254	
		OBJECTOWNERID	
		PTPPB_AUTH_ACCESS	
		PTPPB_CLOSEMSGNBR	
		PTPPB_CLOSEMSGSET	
		PTPPB_CLOSETXT	
		PTPPB_CLOSETXTTYPE	
		PTPPB_CUSTOM_FLAG	
		PTPPB_DATATYPE_ID	
		PTPPB_DATA_SOURCE	
		PTPPB_DISPFRMT_ID	
		PTPPB_EMBEDDABLE	
		PTPPB_FOOTER_ID	
		PTPPB_HEADER_ID	
		PTPPB_KEY_BEHAV	
		PTPPB_OPENMSGNBR	
		PTPPB_OPENMSGSET	
		PTPPB_OPENTXT	
		PTPPB_OPENTXTTYPE	
		PTPPB_ORIG_DISP_ID	
		PTPPB_PAGELET_ID	KEY(1)
		PTPPB_PGLT_CATG_ID	
		PTPPB_REQ_PERS	
		PTPPB_SEC_TYPE	
		PTPPB_VIEW_SOURCE	
		STYLESHEETNAME	
		PTPP_AUDIT_SBR	
PTPPB_PARM_VALS		DESCR	
		ORDERNO	
		PTPPB_FIELDNAME	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
		PTPPB_VALUE	KEY(3)
PTPPB_PGLT_CATG	Pagelet Wizard Category	ACTIVE_FLAG	



		DESCR	
		DESCR254	
		PTPPB_PGLT_CATG_ID	KEY(1)
		PTPP_AUDIT_SBR	
PTPPB_PGLT_CLNG	Pagelet Wizard Category Lng	DESCR	
		DESCR254	
		LANGUAGE_CD	KEY(2)
		PTPPB_PGLT_CATG_ID	KEY(1)
PTPPB_PGLT_HTML		DESCR	
		HTMLAREA	
		PTPPB_PAGELET_ID	KEY(1)
		PTPP_AUDIT_SBR	
PTPPB_PGLT_LANG		DESCR	
		DESCR254	
		LANGUAGE_CD	KEY(2)
		PTPPB_CLOSETXT	
		PTPPB_OPENTXT	
		PTPPB_PAGELET_ID	KEY(1)
PTPPB_PGLT_PRMS		DESCR	
		ORDERNO	
		PTPPB_FIELDNAME	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
		PTPPB_USAGE_TYPE	
		PTPPB_VALUE	
		REQUIRED_FLG	
PTPPB_PRMS_LANG		DESCR	
		LANGUAGE_CD	KEY(3)
		PTPPB_FIELDNAME	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
PTPPB_PVAL_LANG		DESCR	
		LANGUAGE_CD	KEY(4)
		PTPPB_FIELDNAME	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
		PTPPB_VALUE	KEY(3)
PTPPB_SECURITY		PTPPB_AUTH_NAME	KEY(3)
		PTPPB_AUTH_TYPE	KEY(2)
		PTPPB_PAGELET_ID	KEY(1)
PTPPB_SYSVAR		PTPPB_VALUE	KEY(1)
PTPPB_TXFM_LANG		DESCR	
		DESCR254	
		LANGUAGE_CD	KEY(2)
		PTPPB_TRANSFRM_TYP	KEY(1)
PTPPB_TXFRMTYPE		APPCLASSID	
		DESCR	
		DESCR254	



	PACKAGEID	
	PTPPB_TRANSFRM_TYP	KEY(1)
	QUALIFYPATH	
PTPPB_USER_PRMS	OPRID	KEY(3)
	PTPPB_FIELDNAME	KEY(2)
	PTPPB_PAGELET_ID	KEY(1)
	PTPPB_VALUE	
PTPPB_XSLT_PROT	ACTIVE_FLAG	
	DESCR	
	DESCR254	
	HTMLAREA	
	PTPPB_DATATYPE_ID	
	PTPPB_XSL_PROT	KEY(1)
	PTPP_AUDIT_SBR	
PTPPB_XSL_LANG	DESCR	
	DESCR254	
	HTMLAREA	
	LANGUAGE_CD	KEY(2)
	PTPPB_XSL_PROT	KEY(1)
PTPP_CPPRJ_RUN2	OPRID	KEY(1)
	PORTAL_OBJNAME	KEY(3)
	RUN_CNTL_ID	KEY(2)
PTPP_CPPRJ_RUN3	OPRID	KEY(1)
	PORTAL_OBJNAME	KEY(3)
	RUN_CNTL_ID	KEY(2)
PTPP_CPPRJ_RUN4	OPRID	KEY(1)
	PORTAL_OBJNAME	KEY(3)
	RUN_CNTL_ID	KEY(2)
PTPP_CPPRJ_RUN5	OPRID	KEY(1)
	PORTAL_OBJNAME	KEY(3)
	RUN_CNTL_ID	KEY(2)
PTPP_CPPROJ_AET	MSGNODENAME	
	OBJECTOWNERID	
	OPRID	
	PORTAL_NAME	
	PROCESS_INSTANCE	KEY(1)
	PROJECTNAME	
	PTPP_CPINCL_DEFN	
	PTPP_CPINCL_FLDR	
	PTPP_CPINCL_PAGE	
	PTPP_CPINCL_PGLT	
	PTPP_CPSLCT_DEFN	
	PTPP_CPSLCT_FLDR	
	PTPP_CPSLCT_PAGE	
	PTPP_CPSLCT_PGLT	



		PTPP_CPSLCT_TYPE	
		PTPP_REG_PREFIX	
		PTPP_TEMP_FIELD	
		RUN_CNTL_ID	
PTPP_CPPROJ_RUN		MSGNODENAME	
		OPRID	KEY(1)
		PORTAL_NAME	
		PROJECTNAME	
		PTPP_CPINCL_DEFN	
		PTPP_CPINCL_FLDR	
		PTPP_CPINCL_PAGE	
		PTPP_CPINCL_PGLT	
		PTPP_CPSLCT_DEFN	
		PTPP_CPSLCT_FLDR	
		PTPP_CPSLCT_PAGE	
		PTPP_CPSLCT_PGLT	
		PTPP_CPSLCT_TYPE	
		RUN_CNTL_ID	KEY(2)
PTPP_FD_DELETE	AE Folders to Delete - Temp	PORTAL_NAME	KEY(2)
		PORTAL_OBJNAME	KEY(3)
		PORTAL_PRNTOBJNAME	
		PROCESS_INSTANCE	KEY(1)
PTPP_FD_KEEP	AE Folder CleanupTemp Data	PORTAL_NAME	KEY(2)
		PORTAL_OBJNAME	KEY(3)
		PROCESS_INSTANCE	KEY(1)
PTPP_FD_RUN	Run Control ID Folder Delete	OPRID	KEY(1)
		PORTAL_NAME	
		RUN_CNTL_ID	KEY(2)
PTPP_OPTIONS	Installation Options	MSGNODENAME	KEY(1)
		OBJECTOWNERID	
		PTPP_REG_PREFIX	
		PTPP_SCCOLLNAME	
		PTPP_SCLGCNTICN	
		PTPP_SCLGCOLLICN	
		PTPP_SCLGFLDICN	
		PTPP_SCMAXCOLS	
		PTPP_SCMAXLINKS	
		PTPP_SCSHOWBC	
		PTPP_SCSHOWICN	
		PTPP_SCSHOWROOTBC	
		PTPP_SCSMCNTICN	
		PTPP_SCSMCOLLICN	
		PTPP_SCSMFLDICN	
		PTPP_STYLESHEET	
		PT_PORTAL_PROFILE	



PTPP_PUB_OPT	Publication Types	PTPP_ATTRNAME	KEY(2)
		PTPP_ATTRVAL	
		PTPP_PUB_TYPE	KEY(1)
PTPP_SCSYNCCOLL	Portal Structure Permission	PORTAL_NAME	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		PTPP_PROC_STATUS	
		PTPP_SCCOLLNAME	KEY(3)
		PTPP_SCHP_OBJNAME	
		PTPP_SCNAVPGLT_OBJ	
		PTPP_SCPGLT_OBJNAM	
PTPP_SCSYNCOBJ	Portal Structure Permission	PORTAL_NAME	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		PTPP_SCCOLLNAME	
		PTPP_SCOBJNAME	KEY(4)
		PTPP_SCREFTYPE	KEY(3)
		PTPP_SCTRGT_OBJECT	
		PTPP_SCTRGT_PORTAL	
PTPP_SCSYNCPERM	Portal Structure Permission	PORTAL_NAME	KEY(2)
		PORTAL_PERMNAME	KEY(4)
		PORTAL_PERMTYPE	KEY(5)
		PROCESS_INSTANCE	KEY(1)
		PTPP_SCCOLLNAME	KEY(3)
PTPP_SCSYNC_AET	State Rec Collection Sync	OPRID	
		PORTAL_NAME	
		PORTAL_OBJNAME	
		PROCESS_INSTANCE	KEY(1)
		PTPP_NBR_COUNT	
		PTPP_PROC_COUNT	
		PTPP_SCCOLLNAME	
		PTPP_TEMP_FIELD	
		RUN_CNTL_ID	
PTPP_SCSYNC_RUN	Run Control Collection Sync	OPRID	KEY(1)
		PORTAL_NAME	
		PORTAL_OBJNAME	
		RUN_CNTL_ID	KEY(2)
PTPP_SCUPG	Portal Structure Permission	PORTAL_NAME	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		PTPP_SCOBJNAME	KEY(4)
		PTPP_SCREFTYPE	KEY(3)
		PTPP_SCTRGT_OBJECT	
		PTPP_SCTRGT_PORTAL	
PTPP_SCUPG_AET	State Rec Collection Sync	OPRID	
		PROCESS_INSTANCE	KEY(1)
		PTPP_NBR_COUNT	
		PTPP_TEMP_FIELD	



PTPP_SITE_OPT	Site Options	RUN_CNTL_ID MSGNODENAME PORTAL_NAME KEY(1) PTPP_SCCOLLNAME PTPP_SCLGCNTICN PTPP_SCLGCOLLICN PTPP_SCLGFLDICN PTPP_SCMAXCOLS PTPP_SCMAXLINKS PTPP_SCSHOWBC PTPP_SCSHOWICN PTPP_SCSHOWROOTBC PTPP_SCSMCNTICN PTPP_SCSMCOLLICN PTPP_SCSMFLDICN PTPP_STYLESHEET
PTP_CHART_DUMRE	PTP_CHART_DUMRE	PSPING_BUTTON PSPING_CHART_FIELD PSPING_CHART_START PSPING_CHART_WIDTH PSPING_DELETE PSPING_REDRAW PTP_ENDTIME PTP_STARTTIME
PTP_TABLE1	Performance Test Page Table 1	DESCR PTP_CHAR01 PTP_CHAR02 PTP_CHAR03 PTP_CHAR04 PTP_CHAR05 PTP_CHAR06 PTP_CHAR07 PTP_CHAR08 PTP_CHAR09 PTP_CHAR10 PTP_CHAR11 PTP_CHAR12 PTP_CHAR13 PTP_CHAR14 PTP_CHAR15 PTP_CHAR16 PTP_CHAR17 PTP_CHAR18 PTP_CHAR19 PTP_CHAR20



			PTP_CHAR21	
			PTP_CHAR22	
			PTP_CHAR23	
			PTP_INT01	
			PTP_INT02	
			PTP_INT03	
			PTP_INT04	
			PTP_INT05	
			PTP_INT06	
			PTP_INT07	
			PTP_INT08	
			PTP_INT09	
			PTP_INT10	
			PTP_INT11	
			PTP_INT12	
			PTP_INT13	
			PTP_INT14	
			PTP_INT15	
			PTP_INT16	
			PTP_INT17	
			PTP_INT18	
			PTP_INT19	
			PTP_INT20	
			PTP_INT21	
			PTP_INT22	
			PTP_INT23	
			PTP_INT24	
			PTP_SEQ_CHAR	
			PTP_SEQ_NBR	KEY(1)
PTP_TABLE2	Performance Test Page Table 2		PTP_CHAR01	
			PTP_CHAR02	
			PTP_CHAR03	
			PTP_CHAR04	
			PTP_CHAR05	
			PTP_CHAR06	
			PTP_CHAR07	
			PTP_CHAR08	
			PTP_CHAR09	
			PTP_CHAR10	
			PTP_CHAR11	
			PTP_CHAR12	
			PTP_CHAR13	
			PTP_CHAR14	
			PTP_CHAR15	
			PTP_CHAR16	





		PTP_CHAR17	
		PTP_CHAR18	
		PTP_CHAR19	
		PTP_CHAR20	
		PTP_CHAR21	
		PTP_CHAR22	
		PTP_CHAR23	
		PTP_CHAR24	
		PTP_INT01	
		PTP_INT02	
		PTP_INT03	
		PTP_INT04	
		PTP_INT05	
		PTP_INT06	
		PTP_INT07	
		PTP_INT08	
		PTP_INT09	
		PTP_INT10	
		PTP_INT11	
		PTP_INT12	
		PTP_INT13	
		PTP_INT14	
		PTP_INT15	
		PTP_INT16	
		PTP_INT17	
		PTP_INT18	
		PTP_INT19	
		PTP_INT20	
		PTP_INT21	
		PTP_INT22	
		PTP_INT23	
		PTP_INT24	
		PTP_LINE	KEY(2)
		PTP_SEQ_NBR	KEY(1)
PTP_TST_CASES	PTP Test Case Identifier	PTP_AS_TIME	
		PTP_DTTM_A1	KEY(2)
		PTP_DTTM_A2	
		PTP_DTTM_B1	
		PTP_DTTM_B2	
		PTP_DTTM_C1	
		PTP_DTTM_C2	
		PTP_TEST_CASE_ID	KEY(1)
		PTP_TIME_D	
		PTP_TOTAL_TIME	
		PTP_WS_TIME	



PTUPGCONVERT	Upgrade AE Driver Sections	ACTIVE_FLAG	
		AE_APPLID	
		AE_SECTION	
		PTUPG_GROUP_SEQNUM	KEY(2)
		PTUPG_PATH	KEY(1)
		SEQ_NUM	KEY(3)
PTUPG_RUN_AEC	Conversion Documentation	OPRID	KEY(1)
		PTUPG_GROUP_SEQNUM	
		PTUPG_PATH	
		RUN_CNTL_ID	KEY(2)
PTUPG_STATE_AET	Upgrade driver state record	ACTIVE_FLAG	
		AE_APPLID	
		AE_SECTION	
		AE_SQLROWS	
		AE_STEP	
		FLAG	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		PTUPG_DTTMSTAMP	
		PTUPG_GROUP_SEQNUM	
		PTUPG_PATH	
		RUN_CNTL_ID	
		SEQ_NUM	
PT_AMM_DUMMY	App Msg Workflow Dummy Table	CHNLNAME	KEY(2)
		MSGNAME	KEY(6)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBCHANNEL	KEY(5)
		SUBNAME	KEY(7)
		SUBNODE	KEY(4)
		URL	
PT_CTI_AGENT		EFFDT	KEY(2)
		OPRID	KEY(1)
		PT_CTI_AGENTID	
		PT_CTI_APPUSERNAME	
		PT_CTI_APPUSERPSWD	
		PT_CTI_CLIENTSIG	
		PT_CTI_CONFIGID	
		PT_CTI_PASSWORD	
		PT_CTI_QUEUE	
		PT_CTI_TRACELEVEL	
PT_CTI_AGENTGUI		OPRID	KEY(1)
		PT_CTI_FLOATCONS_L	
		PT_CTI_FLOATCONS_T	



---

	PT_CTI_POPMODE	
	PT_CTI_POPWIND_H	
	PT_CTI_POPWIND_L	
	PT_CTI_POPWIND_T	
	PT_CTI_POPWIND_W	
PT_CTI_CONFIG	PT_CTI_AGENTSTATE	
	PT_CTI_APPNAME	
	PT_CTI_APPPASSWORD	
	PT_CTI_CALLCONTROL	
	PT_CTI_CALLPROG	
	PT_CTI_CALLVAR	
	PT_CTI_CONFIGID	KEY(1)
	PT_CTI_CONFIGNAME	
	PT_CTI_EXTNUM	
	PT_CTI_EXTNUMONCON	
	PT_CTI_HEARTBEAT	
	PT_CTI_HOST	
	PT_CTI_HOSTB	
	PT_CTI_ISCME	
	PT_CTI_LINENUM	
	PT_CTI_OTHERFM	
	PT_CTI_PERIPHERAL	
	PT_CTI_PORT	
	PT_CTI_PORTB	
	PT_CTI_PROTOCOL	
	PT_CTI_SERVICEREQ	
	PT_CTI_SWITCHNAME	
	PT_CTI_TCSM	
	PT_CTI_TSATYPE	
PT_CTI_PBKAGENT	PT_CTI_VENDER	
	OPRID	KEY(1)
	PT_CTI_PHONENUMBER	KEY(2)
	PT_CTI_PNDES	
	PT_CTI_PNTYPE	
PT_CTI_PBKCTI	PT_CTI_CONFIGID	KEY(1)
	PT_CTI_PHONENUMBER	KEY(2)
	PT_CTI_PNDES	
	PT_CTI_PNTYPE	
PT_CTI_QUEUE	PT_CTI_QUEUE	KEY(1)
	PT_CTI_QUEUEDES	
PT_CTI_SWITCH	PT_CTI_SWITCHCD	KEY(2)
	PT_CTI_SWITCHDESCR	
	PT_CTI_VENDER	KEY(1)
PT_CTI_SYSCONF	PT_CTI_DPURL	
	PT_CTI_ISDPURL	



PT_EIP_MSG_ERR		PT_CTI_RBURL	
		CHNLNAME	KEY(2)
		MSGNAME	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBCHANNEL	
PT_EIP_MSG_TAO2		CHNLNAME	KEY(2)
		MSGNAME	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBCHANNEL	
PT_EIP_MSG_TAO3		CHNLNAME	KEY(2)
		MSGNAME	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBCHANNEL	
PT_EIP_MSG_WL	App Msg Error Worklist	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		CHNLNAME	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		MSGNAME	
		PUBID	KEY(9)
		PUBNODE	KEY(7)
		STATUSSTRING	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
PT_EIP_PUB_ERR		CHNLNAME	KEY(2)
		MSGNAME	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBCHANNEL	
		SUBNODE	KEY(4)
PT_EIP_PUB_TAO2		CHNLNAME	KEY(2)
		MSGNAME	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBCHANNEL	
		SUBNODE	KEY(4)
PT_EIP_PUB_TAO3		CHNLNAME	KEY(2)



		MSGNAME	
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBCHANNEL	
		SUBNODE	KEY(4)
PT_EIP_PUB_WL	App Msg Error Worklist	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		CHNLNAME	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		MSGNAME	
		PUBID	KEY(9)
		PUBNODE	KEY(7)
		STATUSSTRING	
		SUBCHANNEL	
		SUBNODE	KEY(10)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
PT_EIP_SUB_ERR	App Msg Errors Record (WF)	CHNLNAME	KEY(2)
		MSGNAME	KEY(4)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBNAME	KEY(5)
PT_EIP_SUB_TAO2	App Msg Err Tmp Tbl2 for WF AE	CHNLNAME	KEY(2)
		MSGNAME	KEY(4)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBNAME	KEY(5)
PT_EIP_SUB_TAO3	App Msg Err Tmp Tbl3 for WF AE	CHNLNAME	KEY(2)
		MSGNAME	KEY(4)
		PUBID	KEY(3)
		PUBNODE	KEY(1)
		STATUSSTRING	
		SUBNAME	KEY(5)
PT_EIP_SUB_WL	App Msg Error Worklist	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		CHNLNAME	KEY(8)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		MSGNAME	KEY(10)
		PUBID	KEY(9)
		PUBNODE	KEY(7)



Table Name	Description	Field Name	Field Type
PT_ERR_RUNCNTL	Inbound Data Error RunControl	STATUSSTRING	
		SUBNAME	KEY(11)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		DESCR	
		DTTM_STAMP_SEC	
		OPRID	KEY(1)
		PROCESS_FREQUENCY	
		PROCESS_INSTANCE	
		PROCESS_ORIG	
		PROCESS_STATUS	
		REQUEST_ID	
		REQUEST_NBR	
		RUN_CNTL_ID	KEY(2)
PT_OPT_SYNC_AET		URL	
		PROBINST	
		PROBTYPE	
PT_WEB_BROW_TAO	Web Profile Browsers	PROCESS_INSTANCE	KEY(1)
		PROCESS_INSTANCE	
PT_WEB_COOK_TAO		PSWEBPROBROW_SB	
		PSWEBPROCOOK_SB	
PT_WEB_PROF_AET		PROCESS_INSTANCE	KEY(1)
		AE_DO_WHEN	
PT_WEB_PROF_TAO		AE_ROW_COUNT	
		AE_SQL_SELECT	
		LONGVALUE	
		PROCESS_INSTANCE	KEY(1)
		PROPERTYNAME	
		PT_PROPVALUE	
		VALIDATIONTYPE	
		WEBPROFILENAME_SRC	
		WEBPROFILENAME_TRG	
		PROCESS_INSTANCE	KEY(1)
PT_WEB_PROP_TAO	Web Profile Custom Properties	PROPERTYNAME	KEY(3)
		PT_PROPVALUE	
PT_WEB_PROP_TAO		WEBPROFILENAME	KEY(2)
		PROCESS_INSTANCE	KEY(1)
PT_WF_GUIDLOG	RIM response log record.	PSWEBPROPROP_SB	
		EMAIL_FROM	
		EMAIL_PROCDTTM	
		EMAIL_SENDER	
		EMAIL_TEXTLONG	
		NOTIFY_GUID	KEY(1)
		SEQNO	KEY(2)
		UIDL	



		WL_PROCESS_FLAG	
		WL_RESPONSE	
		WL_SUBJECT	
PT_WF_NOTFYGUID		NOTIFY_GUID	KEY(1)
		WL_PROCESS_FLAG	
PT_WF_NOTFY_TBL	Workflow Notifications	COMPONENT_ID	
		CREATEDTTM	KEY(2)
		CREATEOPRID	KEY(1)
		EMAIL_SENDER	
		EMAIL_TEXTLONG	
		LANGUAGE_CD	KEY(3)
		MARKET	
		NOTIFY_GUID	
		WL_SUBJECT	
		WL_TEMPLATE_ID	
*PT_WF_NOTFY_USR	Workflow Notification Address	EMAILID	
		EMAIL_TO	
		EMAIL_USER_SW	
		LANGUAGE_CD	
		OPRALIASTYPE	
		OPRID	
		WF_RECIPIENT_TYPE	
		WORKLIST_USER_SW	
PT_WF_NOTIFY_WL	Generic Message Worklist	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		CREATEDTTM	KEY(8)
		CREATEOPRID	KEY(7)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		LANGUAGE_CD	KEY(9)
		TRANSACTIONID	KEY(6)
		WL_SUBJECT	
		WORKLISTNAME	KEY(4)
		WORKLIST_DESCR	
PT_WF_NOT_DSCFG		DSCNCTDN	
		DSDIRID	
		DSEENTRYLIMIT	
		DSGROUPOC	
		DSMEMBERATTR	
		DSPLYATTR	
		DSSRCHSCOPE	
		EMAILATTRIB	
		LDAPSRCHBASE	
		MAPNAME	KEY(1)
		SEL_YN	



		STATUS
		USERIDATTRIB
		USE_SSL
PT_WF_NOT_USRD	Workflow Notification Address	EMAILID
		EMAIL_TO
		EMAIL_USER_SW
		LANGUAGE_CD
		OPRALIASTYPE
		OPRID
		WF_RECIPIENT_TYPE
		WORKLIST_USER_SW
PT_WF_NOT_USRL	Workflow Notification Address	EMAILID
		EMAIL_TO
		EMAIL_USER_SW
		LANGUAGE_CD
		OPRALIASTYPE
		OPRID
		WF_RECIPIENT_TYPE
		WORKLIST_USER_SW
PT_WF_NOT_USRO1	Workflow Notification Address	EMAILID
		EMAIL_TO
		EMAIL_USER_SW
		LANGUAGE_CD
		OPRALIASTYPE
		OPRID
		WF_RECIPIENT_TYPE
		WORKLIST_USER_SW
PT_WF_NOT_USRO2	Workflow Notification Address	EMAILID
		EMAIL_TO
		EMAIL_USER_SW
		LANGUAGE_CD
		OPRALIASTYPE
		OPRID
		WF_RECIPIENT_TYPE
		WORKLIST_USER_SW
*PT_WF_NOT_USRU	Workflow Notification Address	EMAILID
		EMAIL_TO
		EMAIL_USER_SW
		LANGUAGE_CD
		OPRALIASTYPE
		OPRID
		WF_RECIPIENT_TYPE
		WORKLIST_USER_SW
PUBLICATIONS	Publications	AUTHOR_TYPE
		DATE_FORMAT





		EG_PUBLISHER	
		EMPLID	KEY(1)
		ISSUE	
		NOTES	
		PAGE_NBR	
		PUBLICATION_DT	
		PUBLICATION_NAME	
		PUBLICATION_NBR	KEY(2)
		PUBLICATION_TITLE	
		PUBLICATION_TYPE	
		PUBL_DT	
		VOLUME	
PURGE_ROLEDEFN	User Profile Purge History	DESCR	
		DESCR100	
		LASTUPDDTTM	
		LASTUPDOPRID	
		ROLEDEFN_PURG_STAT	
		ROLENAM	KEY(1)
PYAP_CONVRT_AET	PY to AP Conversion State Rec	AP_VNDR_ID	
		BOND_INIT_FLG	
		CNTCT_SEQ_NUM	
		COMPANY	
		CONTACT_NAME	
		CONTACT_NBR	
		CORPORATE_VENDOR	
		DEDN_INIT_DT	
		DEDN_INIT_FLG	
		DESCR	
		GARN_INIT_DT	
		GARN_INIT_FLG	
		MAX_SEQ	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		SETID	
		SETID_AP	
		TEMP_FLD	
		VENDOR_ID	
		VENDOR_SETID	
PYAP_HDR_TAO		AUDIT_ACTN	
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		DEFAULT_LOC	
		DESCR254_MIXED	
		EXTRACT_TYPE_HDR	



		FEDERAL_EIN	
		INVOICE_DT	
		INVOICE_ID	KEY(3)
		PAYMENT_DT	
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEND_TO_AP	
		SETID	KEY(1)
		STATE_LOCAL_EIN	
		VENDOR_ID	KEY(2)
PYAP_LINE_TAO	Voucher Post Temporary Table	AMOUNT	
		AUDIT_ACTN	
		BENEFIT_PLAN	
		BENEFIT_RCD_NBR	
		BOND_ID	
		BOND_LOG_SEQ	
		BOND_OTH_REG_ID	
		BOND_OTH_REG_TYPE	
		BOND_OWNER_ID	
		COMPANY	
		DEDCD	
		DED_CLASS	
		DED_SLSTX_CLASS	
		EMPLID	
		EMPL_RCD	
		EXTRACT_TYPE_LINE	
		GARNID	
		GARN_PRIORITY	
		INVOICE_ID	KEY(3)
		LINE_NUM	
		LOCALITY	
		OFF_CYCLE	
		PAGE_NUM	
		PAYGROUP	
		PAY_END_DT	
		PAY_MODE	
		PLAN_TYPE	
		PROCESS_INSTANCE	
		PROVINCE	
		SEND_TO_AP	
		SEPARATE_AP_PAYMNT	
		SEPCHK	
		SEQNO	KEY(5)



		SEQUENCENO	KEY(4)
		SETID	KEY(1)
		STATE	
		TAX_CLASS	
		TAX_CLASS_CAN	
		TAX_GRP_TYPE	
		TAX_TYPE_CAN	
		VENDOR_ID	KEY(2)
		VOUCHER_LINE_NUM	
		CHARTFLD_SBR	
PYAP_POST_AET	State Table - AP Voucher Post	INVOICE_ID	
		OPRID	
		PAYMENT_DT	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		SEQNO	
		SEQUENCENO	
		SETID	
		TEMP_FLD	
		TRAN_TYPE	
		VENDOR_ID	
		VOUCHER_LINE_NUM	
PYAP_UNXTRC_TAO	Voucher Post Temporary Table	AMOUNT	
		AUDIT_ACTN	
		BENEFIT_PLAN	
		BENEFIT_RCD_NBR	
		BOND_ID	
		BOND_LOG_SEQ	
		BOND_OTH_REG_ID	
		BOND_OTH_REG_TYPE	
		BOND_OWNER_ID	
		COMPANY	
		DEDCD	
		DED_CLASS	
		DED_SLSTX_CLASS	
		EMPLID	
		EMPL_RCD	
		EXTRACT_TYPE_LINE	
		GARNID	
		GARN_PRIORITY	
		INVOICE_ID	KEY(3)
		LINE_NUM	
		LOCALITY	
		OFF_CYCLE	
		PAGE_NUM	



		PAYGROUP	
		PAY_END_DT	
		PAY_MODE	
		PLAN_TYPE	
		PROCESS_INSTANCE	
		PROVINCE	
		SEND_TO_AP	
		SEPARATE_AP_PAYMNT	
		SEPCHK	
		SEQNO	KEY(5)
		SEQUENCENO	KEY(4)
		SETID	KEY(1)
		STATE	
		TAX_CLASS	
		TAX_CLASS_CAN	
		TAX_GRP_TYPE	
		TAX_TYPE_CAN	
		VENDOR_ID	KEY(2)
		CHARTFLD_SBR	
PYAP_XBOND_TAO	Non Tax Extrct Temporary Table	ACCOUNT	
		AMOUNT	
		BOND_ID	KEY(3)
		BOND_LOG_SEQ	KEY(7)
		BOND_OTH_REG_ID	KEY(6)
		BOND_OTH_REG_TYPE	KEY(5)
		BOND_OWNER_ID	KEY(4)
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		DEFAULT_LOC	
		DEPTID	
		EMPLID	KEY(2)
		EMPL_RCD	
		EXTRACT_TYPE_LINE	
		INVOICE_DT	
		PAYMENT_DT	
		PAY_MODE	
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	KEY(1)
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEPARATE_AP_PAYMNT	
		SETID	KEY(8)
		VENDOR_ID	
PYAP_XCTAX1_TAO	Cdn Extract Temporary Table	AMOUNT	
		BUSINESS_UNIT_AP	



		BUSINESS_UNIT_GL	
		COMPANY	KEY(2)
		DEFAULT_LOC	
		EMPLID	
		EMPL_RCD	
		INVOICE_DT	
		LINE_NUM	KEY(7)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAYMENT_DT	
		PAY_END_DT	KEY(4)
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	KEY(1)
		PROVINCE	KEY(9)
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEPCHK	KEY(8)
		SEQNO	KEY(11)
		SETID	
		STATE_LOCAL_EIN	
		TAX_CLASS_CAN	KEY(10)
		TAX_TYPE_CAN	
		VENDOR_ID	
		CHARTFLD_SBR	
PYAP_XCTAX2_TAO	Cdn Extract Temporary Table	CHARTFLD_SBR	
		AMOUNT	
		BENEFIT_PLAN	KEY(11)
		BENEFIT_RCD_NBR	KEY(9)
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		COMPANY	KEY(2)
		DEDCD	KEY(12)
		DED_CLASS	KEY(13)
		DED_SLSTX_CLASS	KEY(14)
		DEFAULT_LOC	
		EMPLID	
		EMPL_RCD	
		INVOICE_DT	
		LINE_NUM	KEY(7)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAYMENT_DT	
		PAY_END_DT	KEY(4)



Table Name	Description	Field Name	Key
PYAP_XCTAX3_TAO	Cdn Extract Temporary Table	PLAN_TYPE	KEY(10)
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	KEY(1)
		PROVINCE	
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEPCHK	KEY(8)
		SEQNO	KEY(15)
		SETID	
		STATE_LOCAL_EIN	
		TAX_TYPE_CAN	
		VENDOR_ID	
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		INVOICE_DT	
PAYMENT_DT			
PROCESS_INSTANCE			
SETID			
STATE_LOCAL_EIN			
VENDOR_ID			
PYAP_XCTAX_AET	State Table - Can Tax Extract	AP_INVNO_LAST	
		AP_INVNO_PREFIX	
		BENEFIT_PLAN	
		BENEFIT_RCD_NBR	
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		COMPANY	
		COUNTER	
		DEDCD	
		DED_CLASS	
		DED_SLSTX_CLASS	
		INVOICE_DT	
		INVOICE_ID	
		LINE_NUM	
		OFF_CYCLE	
		PAGE_NUM	
		PAYGROUP	
		PAYMENT_DT	
		PAY_END_DT	
		PLAN_TYPE	
		PROCESS_INSTANCE	KEY(1)
		PROVINCE	
		REC_GROUP_ID	
SEPCHK			
SEQNO			



		SEQUENCENO	
		SETID	
		STATE_LOCAL_EIN	
		TAX_CLASS_CAN	
		VENDOR_ID	
PYAP_XDEDN1_TAO	Non Tax Extrct Temporary Table	ACCOUNT	
		AMOUNT	
		BENEFIT_PLAN	KEY(11)
		BENEFIT_RCD_NBR	KEY(9)
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		COMPANY	KEY(2)
		DEDCD	KEY(12)
		DED_CLASS	KEY(13)
		DED_SLSTX_CLASS	KEY(14)
		DEFAULT_LOC	
		DEPTID	
		EMPLID	
		EMPL_RCD	
		EXTRACT_TYPE_LINE	
		INVOICE_DT	
		LINE_NUM	KEY(7)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAYMENT_DT	
		PAY_END_DT	KEY(4)
		PAY_MODE	
		PLAN_TYPE	KEY(10)
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	KEY(1)
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEPARATE_AP_PAYMNT	
		SEPCHK	KEY(8)
		SETID	
		VENDOR_ID	
PYAP_XDEDN2_TAO	Non Tax Extrct Temporary Table	ACCOUNT	
		AMOUNT	
		BENEFIT_PLAN	KEY(11)
		BENEFIT_RCD_NBR	KEY(9)
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		COMPANY	KEY(2)
		DEDCD	KEY(12)



		DED_CLASS	KEY(13)
		DED_SLSTX_CLASS	KEY(14)
		DEFAULT_LOC	
		DEPTID	
		EMPLID	
		EMPL_RCD	
		EXTRACT_TYPE_LINE	
		INVOICE_DT	
		LINE_NUM	KEY(7)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAYMENT_DT	
		PAY_END_DT	KEY(4)
		PAY_MODE	
		PLAN_TYPE	KEY(10)
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	KEY(1)
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEPARATE_AP_PAYMNT	
		SEPCHK	KEY(8)
		SETID	
		VENDOR_ID	
PYAP_XDEDN3_TAO	Non Tax Extrct Temporary Table	BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		INVOICE_DT	
		PAYMENT_DT	
		PROCESS_INSTANCE	
		SETID	
		VENDOR_ID	
PYAP_XDEDN4_TAO	Non Tax Extrct Temporary Table	AMOUNT	
		BENEFIT_PLAN	KEY(11)
		BENEFIT_RCD_NBR	KEY(9)
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		COMPANY	KEY(2)
		DEDCD	KEY(12)
		DED_CLASS	KEY(13)
		DED_SLSTX_CLASS	KEY(14)
		DEFAULT_LOC	
		EMPLID	
		EMPL_RCD	
		EXTRACT_TYPE_LINE	
		INVOICE_DT	





		LINE_NUM	KEY(7)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAYMENT_DT	
		PAY_END_DT	KEY(4)
		PAY_MODE	
		PLAN_TYPE	KEY(10)
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	KEY(1)
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEPARATE_AP_PAYMNT	
		SEPCHK	KEY(8)
		SEQNO	KEY(15)
		SETID	
		VENDOR_ID	
		CHARTFLD_SBR	
PYAP_XDEDN_AET	State Table - Non-Tax Extract	AP_INVNO_LAST	
		AP_INVNO_PREFIX	
		BENEFIT_PLAN	
		BENEFIT_RCD_NBR	
		BOND_ID	
		BOND_LOG_SEQ	
		BOND_OTH_REG_ID	
		BOND_OTH_REG_TYPE	
		BOND_OWNER_ID	
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		COMPANY	
		COUNTER	
		DEDCD	
		DED_CLASS	
		DED_SLSTX_CLASS	
		EMPLID	
		GARNID	
		GARN_PRIORITY	
		INVOICE_DT	
		INVOICE_ID	
		LINE_NUM	
		OFF_CYCLE	
		PAGE_NUM	
		PAYGROUP	
		PAYMENT_DT	
		PAY_ALL	



		PAY_END_DT	
		PAY_MODES	
		PLAN_TYPE	
		PROCESS_INSTANCE	KEY(1)
		REC_GROUP_ID	
		RUN_ID	
		SEPCHK	
		SEQNO	
		SEQUENCENO	
		SETID	
		SPECIFIED_DT	
		TEMP_FLD	
		VENDOR_ID	
PYAP_XGARN_TAO	Non Tax Extrct Temporary Table	ACCOUNT	
		AMOUNT	
		BENEFIT_PLAN	KEY(10)
		BUSINESS_UNIT_AP	
		BUSINESS_UNIT_GL	
		COMPANY	KEY(2)
		DEDCD	KEY(11)
		DED_CLASS	KEY(12)
		DEFAULT_LOC	
		DEPTID	
		EMPLID	
		EMPL_RCD	
		EXTRACT_TYPE_LINE	
		GARNID	KEY(14)
		GARN_PRIORITY	KEY(13)
		INVOICE_DT	
		LINE_NUM	KEY(7)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAYMENT_DT	
		PAY_END_DT	KEY(4)
		PAY_MODE	
		PLAN_TYPE	KEY(9)
		PRIM_ADDR_SEQ_NUM	
		PROCESS_INSTANCE	KEY(1)
		REMIT_ADDR_SEQ_NUM	
		REMIT_LOC	
		SEPARATE_AP_PAYMNT	
		SEPCHK	KEY(8)
		SETID	
		VENDOR_ID	



PYAP_XTAX1_TAO	US Tax Extract Temporary Table	AMOUNT BUSINESS_UNIT_AP BUSINESS_UNIT_GL COMPANY KEY(2) DEFAULT_LOC EMPLID EMPL_RCD FEDERAL_EIN INVOICE_DT LINE_NUM KEY(7) LOCALITY KEY(10) OFF_CYCLE KEY(5) PAGE_NUM KEY(6) PAYGROUP KEY(3) PAYMENT_DT PAY_END_DT KEY(4) PRIM_ADDR_SEQ_NUM PROCESS_INSTANCE KEY(1) REMIT_ADDR_SEQ_NUM REMIT_LOC SEPCHK KEY(8) SEQNO KEY(12) SETID SETID_HR STATE KEY(9) STATE_LOCAL_EIN TAX_CLASS KEY(11) TAX_GRP_TYPE VENDOR_ID
PYAP_XTAX2_TAO	US Tax Extract Temporary Table	CHARTFLD_SBR BUSINESS_UNIT_AP BUSINESS_UNIT_GL FEDERAL_EIN INVOICE_DT PAYMENT_DT PROCESS_INSTANCE SETID STATE_LOCAL_EIN VENDOR_ID
PYAP_XTAX_AET	State Table - US Tax Extract	ACCOUNT ACTIVITY AP_INVNO_LAST AP_INVNO_PREFIX BEGIN_POSITION BUSINESS_UNIT_AP




---

		BUSINESS_UNIT_GL	
		CHART_KEY	
		COMPANY	
		COUNTER	
		DEPTID	
		FEDERAL_EIN	
		FIELDNAME	
		INCLUDE_FEDERAL_TX	
		INCLUDE_LOCAL_TX	
		INCLUDE_STATE_TX	
		INVOICE_DT	
		INVOICE_ID	
		LENGTH	
		LINE_NUM	
		LOCALITY	
		LOCALITY_ALL	
		OFF_CYCLE	
		PAGE_NUM	
		PAYGROUP	
		PAYMENT_DT	
		PAY_END_DT	
		PERIOD_END_DT	
		PROCESS_INSTANCE	KEY(1)
		REC_GROUP_ID	
		SEPCHK	
		SEQNO	
		SEQUENCE	
		SEQUENCENO	
		SETID	
		SETID_HR	
		STATE	
		STATE_ALL	
		STATE_LOCAL_EIN	
		TAX_CLASS	
		TEMP_FLD	
		VENDOR_ID	
PYER_ACKNOWLEDG	Payment Ack Message	ACCEPTANCE_STATUS	
		APPLID	KEY(3)
		AWARD_DATE	KEY(5)
		COMPANY	
		CURRENCY_CD	
		DATE_ACKNOWLEDGE	
		DEPTID	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)



		ERNCD	
		EX_LINE_NBR	KEY(4)
		GROSSUP	
		MONETARY_AMOUNT	
		PAYGROUP	
		REJECTED_REASON	
		SEPCHK_FLAG	
PYER_ACK_PUB	Staging Tbl for paymet ack	ACCEPTANCE_STATUS	
		APPLID	KEY(3)
		AUDIT_ACTN	
		AWARD_DATE	KEY(5)
		CURRENCY_CD	
		DATE_ACKNOWLEDGE	
		DEPTID	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		EX_LINE_NBR	KEY(4)
		GROSSUP	
		MONETARY_AMOUNT	
		PROCESS_INSTANCE	
		REJECTED_REASON	
		SEPCHK_FLAG	
PYER_ISSUED	Payment Issued Message	APPLID	KEY(3)
		AWARD_DATE	KEY(5)
		CHECK_DT	
		CURRENCY_CD	
		DEPTID	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		EX_LINE_NBR	KEY(4)
		GROSSUP	
		MONETARY_AMOUNT	
		PAYCHECK_NBR	
		PAYCHECK_STATUS	
		SEPCHK_FLAG	
PYER_ISS_PUB	Staging Tbl for issued payments	APPLID	KEY(3)
		AUDIT_ACTN	
		AWARD_DATE	KEY(5)
		CHECK_DT	
		CURRENCY_CD	
		DEPTID	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)



		ERNCD	
		EX_LINE_NBR	KEY(4)
		GROSSUP	
		MONETARY_AMOUNT	
		PAYCHECK_NBR	
		PAYCHECK_STATUS	
		PROCESS_INSTANCE	
		SEPCHK_FLAG	
PYER_REQUEST	Payment Request Message	APPLID	KEY(4)
		AWARD_DATE	KEY(6)
		CURRENCY_CD	
		DEPTID	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		ERNCD	
		EX_LINE_NBR	KEY(5)
		GROSSUP	
		MONETARY_AMOUNT	
		PROCESS_INSTANCE	KEY(1)
		SEPCHK_FLAG	
PYER_RQT_SUB	Staging Tbl for paymen request	APPLID	KEY(3)
		AUDIT_ACTN	
		AWARD_DATE	KEY(5)
		CURRENCY_CD	
		DEPTID	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		EX_LINE_NBR	KEY(4)
		GROSSUP	
		MONETARY_AMOUNT	
		PROCESS_INSTANCE	
		SEPCHK_FLAG	
		SEQNO	
PYE_BANKACCT	Payee Bank Account	ACCOUNT_ID	KEY(2)
		ACCOUNT_NAME_AC	
		ACCOUNT_TYPE_PYE	
		EFF_STATUS	
		EMPLID	KEY(1)
		BANKACCT_SBR	
PYMNT_METHOD_TB	Payment Method Table	DESCRLONG	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		PYMNT_METHOD	KEY(1)



PYMNT_MTHD_LNG	Payment Method Table RLG	DESCRLONG			
		DESCRSHORT			
		EFFDT	KEY(2)		
		LANGUAGE_CD	KEY(3)		
		PYMNT_METHOD	KEY(1)		
		PYRE_DETAIL	Rapid Paysheets Employee Rcd	COMPANY	
				EARNs_AMT	
				EARNs_AMT2	
				EARNs_AMT3	
				EARNs_AMT4	
EARNs_BEGIN_DT	KEY(6)				
EARNs_END_DT	KEY(7)				
EARNs_HRS					
EARNs_HRS2					
EARNs_HRS3					
EARNs_HRS4					
EMPLID	KEY(8)				
EMPL_RCD	KEY(9)				
ERNCD					
ERNCD2					
ERNCD3					
ERNCD4					
GB_GROUP_ID					
GROSSUP					
OFF_CYCLE	KEY(4)				
OPRID	KEY(5)				
PAYGROUP					
PYRE_ERNTYP					
PYRE_ERNTYP2					
PYRE_ERNTYP3					
PYRE_ERNTYP4					
PYRE_PASSED					
PYRE_TMPLT_ID	KEY(2)				
PYRE_TMPLT_TYPE	KEY(1)				
RUN_ID	KEY(3)				
SEPCHK					
SEQNO	KEY(10)				
PYRE_HEADER	Rapid Paysheets Header Record	OFF_CYCLE	KEY(4)		
		OPRID	KEY(5)		
		PYRE_PB_VALID			
		PYRE_TMPLT_ID	KEY(2)		
		PYRE_TMPLT_TYPE	KEY(1)		
PYRE_INVALID	Rapid Paysheets Invalid Data	RUN_ID	KEY(3)		
		EARNs_BEGIN_DT	KEY(6)		
		EARNs_END_DT	KEY(7)		



		EMPLID	KEY(8)
		EMPL_RCD	KEY(9)
		ERNCD	
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		MESSAGE_TEXT	
		OFF_CYCLE	KEY(4)
		OPRID	KEY(5)
		PYRE_TMPLT_ID	KEY(2)
		PYRE_TMPLT_TYPE	KEY(1)
		RUN_ID	KEY(3)
		SEQNO	KEY(10)
PYRE_PRELD_AET	Rapid Paysheets Pre-Load	EARN_AMT	
		EARN_AMT2	
		EARN_AMT3	
		EARN_BEGIN_DT	
		EARN_END_DT	
		EARN_HRS	
		EARN_HRS2	
		EARN_HRS3	
		EARN_HRS4	
		EMPLID	
		EMPL_RCD	
		ERNCD	
		ERNCD2	
		ERNCD3	
		ERNCD4	
		GB_GROUP_ID	
		GROSSUP	
		OFF_CYCLE	
		OPRID	
		PROCESS_INSTANCE	
		PROCESS_ON_OFF	
		PU_RESET	
		PU_SOURCE	
		RUN_CNTL_ID	
		RUN_ID	
		SEPCHK	
		SEQNO	
		SEQ_NUM5	
PYRE_RUNID_HDR	Rapid Paysheets Run ID Record	EARN_BEGIN_DT	KEY(6)
		EARN_END_DT	KEY(7)
		GB_GROUP_ID	
		OFF_CYCLE	KEY(4)
		OPRID	KEY(5)





		PU_SOURCE	
		PYRE_TMPLT_ID	KEY(2)
		PYRE_TMPLT_TYPE	KEY(1)
		RUN_ID	KEY(3)
PYRE_TEMPLATE	Rapid Paysheets Template	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		ERNCD	
		ERNCD2	
		ERNCD3	
		PYRE_ERNTYP	
		PYRE_ERNTYP2	
		PYRE_ERNTYP3	
		PYRE_TMPLT_ID	KEY(2)
		PYRE_TMPLT_TYPE	KEY(1)
PYRE_TMPLT_LNG	LNG: Rapid Paysheets Template	DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		PYRE_TMPLT_ID	KEY(2)
		PYRE_TMPLT_TYPE	KEY(1)
PYRE_VALID_AET	PYRE_VALID state record	COUNTER	
		EARN_BEGIN_DT	
		EARN_END_DT	
		OFF_CYCLE	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		PYRE_TMPLT_ID	
		PYRE_TMPLT_TYPE	
		RUN_ID	
PYTL1_STG_SUB	Updated information on sent	DISTRIB_PCT	
		MAPPING_ACTION	
		PAYROLL_REQ_NUM	KEY(4)
		PAY_SYSTEM	KEY(3)
		PRCSINSTANCE	KEY(2)
		PUBNODE	KEY(1)
		REPL_XREF_NUM	
		SEQ_NBR	KEY(5)
		XREF_NUM	KEY(6)
PYTL2_STG_SUB	Payroll Cost information	CURRENCY_CD	
		DIST_ACTION_TYPE	KEY(5)
		PAY_SYSTEM	KEY(4)
		PRCSINSTANCE	KEY(2)
		PUBNODE	KEY(1)
		RATE	



		RATE_COST_FLAG	
		STATUS_FLAG	
		XREF_COST	
PYTL_STG_SUB		XREF_NUM	KEY(3)
		EMPLID	KEY(7)
		EMPL_RCD	KEY(8)
		FROM_DATE	
		NO_OFFSETS	
		PAYROLL_REQ_NUM	KEY(4)
		PAY_SYSTEM	KEY(3)
		PRCSINSTANCE	KEY(2)
		PUBNODE	KEY(1)
		REPEAT_REQ_CD	
		REPEAT_REQ_FROM_DT	
		REPEAT_REQ_NUM	
		REPEAT_REQ_TO_DT	
		REQ_VALUE_1	KEY(5)
		REQ_VALUE_2	KEY(6)
		TL_ERNCNCD	
		TO_DATE	KEY(9)
PYVC_ACK_PUB	PY Acknowledge Staging Table	AUDIT_ACTN	
		CURRENCY_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		GB_GROUP_ID	KEY(5)
		GROSSUP	
		PROCESS_INSTANCE	
		REJECTED_REASON	
		SEPCHK_FLAG	
		VC_AWARD_DT	
		VC_AWARD_STATUS	KEY(6)
		VC_AWARD_VALUE	
		VC_PAYOUT_PRD_ID	KEY(4)
		VC_PLAN_ID	KEY(3)
PYVC_RQT_SUB	PY Request Staging Table	CURRENCY_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ERNCD	
		GB_GROUP_ID	KEY(5)
		GROSSUP	
		PROCESS_INSTANCE	
		SEPCHK_FLAG	
		VC_AWARD_DT	
		VC_AWARD_VALUE	



Table Name	Description	Field Name	Key
PY_IC_DD_AUDIT	Direct Dep Distributn Detail	VC_PAYOUT_PRD_ID	KEY(4)
		VC_PLAN_ID	KEY(3)
		ACCOUNT_NUM	
		ACCOUNT_TYPE	
		AMOUNT_PCT	
		AUDIT_ACTN	KEY(3)
		AUDIT_FLAG	KEY(4)
		AUDIT_OPRID	KEY(1)
		AUDIT_STAMP	KEY(2)
		BANK_CD	
		BRANCH_EC_CD	
		DEPOSIT_AMT	
		DEPOSIT_TYPE	
		EFFDT	KEY(6)
		EMPLID	KEY(5)
		LAST_ACTION	
		LAST_UPDATE_DATE	
		PRENOTE_DATE	
		PRENOTE_REQD	
		PRENOTE_STATUS	
PY_IC_DD_WRK	WEB - Payroll - DDP Data Work	PRIORITY	KEY(7)
		ACCOUNT_NUM	
		ACCOUNT_TYPE	
		AMOUNT_PCT	
		BANK_CD	
		BRANCH_EC_CD	
		DEPOSIT_AMT	
		DEPOSIT_TYPE	
		EFFDT	KEY(2)
		EMPLID	KEY(1)
		LAST_ACTION	
		LAST_UPDATE_DATE	
		PRENOTE_DATE	
PRENOTE_REQD			
PRENOTE_STATUS			
PY_IC_DED_AUDIT	Self Service Genl Deds Audit	PRIORITY	KEY(3)
		AUDIT_ACTN	KEY(3)
		AUDIT_FLAG	KEY(4)
		AUDIT_OPRID	KEY(1)
		AUDIT_STAMP	KEY(2)
		BAS_TAXABLE_BEN	
		COMPANY	KEY(6)
		DEDCD	KEY(7)
		DEDUCTION_END_DT	
		DED_ADDL_AMT	



		DED_CALC	
		DED_RATE_PCT	
		DED_STOPPED	
		EFFDT	KEY(8)
		EMPLID	KEY(5)
		GOAL_AMT	
		GOAL_BAL	
		GVT_DED_DIST_CD	
		LAST_ACTION	
		LAST_UPDATE_DATE	
		LOAN_INT_PCT	
		PROCESS_DEDN	
		DEDADDR_FED_SBR	
PY_IC_PI_AT_DED	WEB-PayChk Rvw Deductions	PAY_WEB_AMT	
		PAY_WEB_CODE	KEY(1)
		PAY_WEB_DESCR	
		PAY_WEB_SORT	
		PAY_WEB_YTD_AMT	
PY_IC_PI_AT_MX	WEB-PayChk Rvw Deductions	PAY_WEB_AMT	
		PAY_WEB_CODE	KEY(2)
		PAY_WEB_DESCR	
		PAY_WEB_SORT	
		PAY_WEB_YTD_AMT	
		SEQNO	KEY(1)
PY_IC_PI_BT_DED	WEB-PayChk Rvw Deductions	PAY_WEB_AMT	
		PAY_WEB_CODE	KEY(1)
		PAY_WEB_DESCR	
		PAY_WEB_SORT	
		PAY_WEB_YTD_AMT	
PY_IC_PI_BT_MX	WEB-PayChk Rvw Deductions	PAY_WEB_AMT	
		PAY_WEB_CODE	KEY(2)
		PAY_WEB_DESCR	
		PAY_WEB_SORT	
		PAY_WEB_YTD_AMT	
		SEQNO	KEY(1)
PY_IC_PI_DEDN	WEB-PayChk Rvw Deductions	PAY_WEB_AMT	
		PAY_WEB_CODE	KEY(1)
		PAY_WEB_DESCR	
		PAY_WEB_SORT	
		PAY_WEB_YTD_AMT	
PY_IC_PI_DISTRB	WEB - Paychk Rvw -Distribution	ACCOUNT_NUM	
		ACCOUNT_TYPE	
		DEPOSIT_AMOUNT	
		EMP_PAYMENT_TYPE	KEY(1)
		PAYCHECK_NBR	KEY(2)



PY_IC_PI_ERN	WEB-PayChk Rvw Earnings	PRIORITY PAY_WEB_AMT PAY_WEB_CODE KEY(1) PAY_WEB_COMPRATECD PAY_WEB_DESCR PAY_WEB_HRS PAY_WEB_RATE PAY_WEB_YTD_AMT PAY_WEB_YTD_HRS
PY_IC_PI_ERN_MX	WEB-PayChk Rvw Earnings	PAY_WEB_AMT PAY_WEB_CODE KEY(2) PAY_WEB_COMPRATECD PAY_WEB_DESCR PAY_WEB_HRS PAY_WEB_RATE PAY_WEB_YTD_AMT PAY_WEB_YTD_HRS
PY_IC_PI_ER_DED	WEB-PayChk Rvw Deductions	SEQNO KEY(1) PAY_WEB_AMT PAY_WEB_CODE KEY(1) PAY_WEB_DESCR PAY_WEB_SORT PAY_WEB_YTD_AMT
PY_IC_PI_ER_MX	WEB-PayChk Rvw Deductions	PAY_WEB_AMT PAY_WEB_CODE KEY(2) PAY_WEB_DESCR PAY_WEB_SORT PAY_WEB_YTD_AMT SEQNO KEY(1)
PY_IC_PI_LVE_M	Leave Balance view	PAY_WEB_DESCR PAY_WEB_YTD_AMT
PY_IC_PI_TAX	WEB-PayChk Rvw Taxes	PAY_WEB_AMT PAY_WEB_CODE KEY(1) PAY_WEB_DESCR PAY_WEB_SORT PAY_WEB_TXGRS_CUR PAY_WEB_TXGRS_YTD PAY_WEB_YTD_AMT
PY_IC_PI_TAX_MX	WEB-PayChk Rvw Taxes	PAY_WEB_AMT PAY_WEB_CODE KEY(2) PAY_WEB_DESCR PAY_WEB_SORT PAY_WEB_TXGRS_CUR PAY_WEB_TXGRS_YTD PAY_WEB_YTD_AMT



PY_IC_W2_AUDIT	EE U.S. Federal Tax Data	SEQNO	KEY(1)
		AUDIT_ACTN	KEY(3)
		AUDIT_FLAG	KEY(4)
		AUDIT_OPRID	KEY(1)
		AUDIT_STAMP	KEY(2)
		EMPLID	KEY(5)
		NATIONAL_ID	
		W2_MAIL_ADDRESS	
		W2_YEAR	
		PY_IC_W2_WL	WEB - Payroll W2 Request WL
BUSPROCNAME	KEY(1)		
EMPLID	KEY(7)		
EVENTNAME	KEY(3)		
INSTANCEID	KEY(5)		
NAME			
TEXT_W2_REQUEST			
TRANSACTIONID	KEY(6)		
W2_MAIL_ADDRESS			
W2_YEAR	KEY(8)		
PY_IC_W4_AUDIT	EE U.S. Federal Tax Data	WORKLISTNAME	KEY(4)
		AUDIT_ACTN	KEY(3)
		AUDIT_FLAG	KEY(4)
		AUDIT_OPRID	KEY(1)
		AUDIT_STAMP	KEY(2)
		COMPANY	KEY(6)
		COUNTRY	
		DATE_OF_ENTRY	
		DECEASED	
		DEFERRED_COMP	
		EFFDT	KEY(7)
		EIC_STATUS	
		EMPLID	KEY(5)
		FORM_1001_EXP_DT	
		FORM_1001_REC'D	
		FORM_1001_SUBMT_DT	
		FORM_1078_REC'D	
		FORM_1078_SUBMT_DT	
		FORM_8233_EXP_DT	
		FORM_8233_REC'D	
FORM_8233_SUBMT_DT			
FUT_EXEMPT			
FWT_ADDL_AMT			
FWT_ADDL_PCT			
FWT_ALLOWANCES			
FWT_MAR_STATUS			



		LAST_ACTION	
		LAST_UPDATE_DATE	
		LEGAL_REP	
		LOCK_IN_LIMIT	
		LOCK_IN_RECVD	
		PENSION_PLAN	
		SPECIAL_FWT_STATUS	
		STATUTORY_EE	
		TAXPAYER_ID_NO	
		THIRDPARTY_SICKPAY	
		TREATY_EXP_DT	
		TREATY_ID	
		USE_TOTAL_WAGE	
		W4_PRCSS	
		W5_PRCSS	
*PY_LDTLCD_RC	Load Time & Labor Earnings Cod	ERNCD	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
PY_LDTLCD_TBL		ERNCD	KEY(3)
		PAYROLL_REQ_NUM	KEY(2)
		PAY_SYSTEM	KEY(1)
*PY_LDTLEMP_RC	Load Time & Labor Employees	COMPANY	KEY(5)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		OPRID	KEY(1)
		PAYGROUP	KEY(6)
		RUN_CNTL_ID	KEY(2)
PY_LDTLEMP_TBL		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		PAYROLL_REQ_NUM	KEY(2)
		PAY_SYSTEM	KEY(1)
PY_LDTLEMP_WRK1	Load Time & Labor Employees	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		PROCESS_INSTANCE	KEY(1)
PY_LDTLEMP_WRK2	Load Time & Labor Employees	EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		PROCESS_INSTANCE	KEY(1)
*PY_LDTL_RC		DESCR	
		OK_TO_PAY	
		OPRID	KEY(1)
		PPA_IND	
		PROCESS_ON_OFF	
		REPEAT_REQ_CD	
		REQ_SRC	
		RUN_CNTL_ID	KEY(2)



PY_LDTL_TBL		RUN_ID	
		DESCR	
		OK_TO_PAY	
		PAYROLL_REQ_NUM	KEY(2)
		PAY_SYSTEM	KEY(1)
		PPA_IND	
		PROCESS_ON_OFF	
		PY_LDTL_DATETIME	
		REPEAT_REQ_CD	
		REQ_SRC	
		RUN_ID	
PY_LDTL_WRK	Work record used Load Paysheet	PRCSINSTANCE	KEY(1)
PY_PAYGRP_TASK	Paygroups	COMPANY	KEY(1)
		EFFDT	KEY(3)
		PAYGROUP	KEY(2)
		PY_LDTL_TASK_FLD	KEY(4)
PY_PULL_CST_AET		COMPANY	
		CURRENCY_CD	
		CYCLE_SELECT	
		EXIST	
		LD_TL_INTFC_RUN	
		OFF_CYCLE	
		OFF_CYCLE_CRITERIA	
		OPRID	
		PAGE_NUM	
		PAGE_NUM_THRU	
		PAYGROUP	
		PAY_CONFIRM_RUN	
		PAY_END_DT	
		PAY_OFF_CYCLE_CAL	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		RUN_ID	
		SWITCH1	
PY_PYBL_TM_WRK	Payable Time Record	EFFDT	
		PROCESS_INSTANCE	KEY(1)
		SEND_TO_PAYROLL	
		TL_ERNC	
		TRC_TYPE	
		TL_PYBL_TM_SBR	
PY_PYER_AET	Cache record for PY/ER	ACCEPTANCE_STATUS	
		AE_APPL_ID	
		AE_PRODUCT	
		AE_SECTION	
		AE_STEP	





Table Name	Description	Field Name	Key		
PY_VNDR_MAPPING	AP/PY Mapping Record	APPLID			
		AUDIT_ACTN			
		AWARD_DATE			
		COMPANY			
		CURRENCY_CD			
		DATE_ACKNOWLEDGE			
		DEPTID			
		EMPLID			
		EMPL_RCD			
		ERNCD			
		EX_LINE_NBR			
		GROSSUP			
		MONETARY_AMOUNT			
		PAYGROUP			
PROCESS_INSTANCE	KEY(1)				
REJECTED_REASON					
SEPCHK_FLAG					
PY_W4_EE_AET	Payroll W4 State Rec	AP_VNDR_ID			
		NAME1			
		SETID	KEY(1)		
		SETID_AP			
		VENDOR_ID	KEY(2)		
		COMPANY			
		COMPANY_ALT			
		EFFDT	KEY(2)		
		EMPLID			
		OPRID			
		PROCESS_INSTANCE	KEY(1)		
		STATUS			
		THRUDATE			
		W4_PRCSS			
PY_W5_EE_AET	Payroll W4 State Rec	COMPANY			
		COMPANY_ALT			
		EFFDT	KEY(2)		
		EMPLID			
		OPRID			
		PROCESS_INSTANCE	KEY(1)		
		STATUS			
		THRUDATE			
		W5_PRCSS			
		PY_XREF_WRK	Work Record for T&L Update	PROCESS_INSTANCE	KEY(1)
				XREF_NUM	KEY(2)
		P_EXAM_RESULT	EE Physical Exams	EMPLID	KEY(1)
				EMPL_RCD	KEY(4)
EXAM_DT	KEY(2)				



		EXAM_RESULTS	
		EXAM_TYPE_CD	KEY(3)
QRY_DUP_HD_AET		PROCESS_INSTANCE	KEY(1)
		OPRID	KEY(2)
		QRYNAME	KEY(3)
		BNDNAME	KEY(4)
		AE_SECTION	
		HEADING	
		DESCR	
		AE_APPLID	
QUA_PCT_TBL_JPN	Quartile Percent Table	BELOW_MINIMUM	
		QUARTILE4	
		QUARTILE1	
		QUARTILE3	
		QUARTILE2	
		SETID	KEY(1)
		SALARY_MATRIX_CD	KEY(2)
		EFFDT	KEY(3)
		REVIEW_RATING	KEY(4)
QUERY_RUN_CNTRL	Scheduled Query Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		DESCR	
		QRYNAME	
		PRIVATE_QUERY_FLAG	
		QRYTYPE	
		ASIAN_FONT_SETTING	
QUERY_RUN_PARM	Scheduled Query Run Parameters	BNDVALUE	
		FIELDNAME	
		BNDNAME	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		BNDNUM	KEY(3)
RATECD_CLS_LNG	Rel Lang Record - Ratecd Cls	DESCR15	
		DESCR50	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		RATE_CODE_CLASS	KEY(1)
RATECD_CLS_TBL	Rate Code Class Table	DESCR15	
		DESCR50	
		EFFDT	KEY(2)
		EFF_STATUS	
		RATE_CODE_CLASS	KEY(1)
RATING_MDL_LANG	Rating Model for Reviews	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)



		LANGUAGE_CD	KEY(2)
		RATING_MODEL	KEY(1)
*RATING_MDL_TBL	Rating Model for Reviews	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		GVT_OPM_PATTERN	
		RATING_MODEL	KEY(1)
		REVIEW_BAND_SW	
		SETID	KEY(2)
RC_AFI_CMP_ESP	Temporary Company Data for AFI	AFI_ACT_CL_ESP	
		AFI_ACT_CS_ESP	
		AFI_ACT_CT_ESP	
		AFI_ACT_CU_ESP	
		COMPANY	KEY(4)
		FILE_NAME_AFI_ESP	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SSN_EMPLOYER	KEY(5)
RC_AFI_EMP_ESP	Temporary Employee Data f/AFI	ACTION	
		ACTION_DATE	
		ACTION_REASON	
		AFI_SS_ACTION_ESP	KEY(4)
		EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SSN_EMPLOYER	
RC_AFI_ESP	Run Control for AFI Process	AFI_ACT_CD_ESP	
		AFI_ACT_CE_ESP	
		AFI_ACT_CH_ESP	
		AFI_ACT_CL_ESP	
		AFI_ACT_CP_ESP	
		AFI_ACT_CS_ESP	
		AFI_ACT_CT_ESP	
		AFI_ACT_CU_ESP	
		AFI_ACT_MA_ESP	
		AFI_ACT_MB_ESP	
		AFI_ACT_MC_ESP	
		AFI_ACT_MD_ESP	
		AFI_ACT_ME_ESP	
		AFI_ACT_MG_ESP	
		AFI_ACT_MT_ESP	
		COMPANY	KEY(4)
		DATE_FROM	
		DATE_TO	



		FILE_NAME_AFI_ESP	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TEST_SS_ESP	
*RC_AP_POST	Acct Payable Interface RunCont	OPRID	KEY(1)
		PAYMENT_DT	
		RUN_CNTL_ID	KEY(2)
		TRAN_TYPE	
RC_BUD011	BUD011 SQR Run Control	ASOFDATE	
		DEPTID	
		EMPLID	
		EMPL_RCD	
		FISCAL_YEAR	
		FUND_SUM_RPT_OPT	
		FUND_SUM_RPT_TYPE	
		OPRID	KEY(1)
		POSITION_NBR	
		RUN_CNTL_ID	KEY(2)
		SETID	
RC_CAN_YE	Canadian YrEnd SQR Run Control	AMOUNT_TD1_CHANGE	
		AMT_TD1_CHANGE_QC	
		AUDIT_IND	
		AUDIT_SORT_IND	
		CALENDAR_YEAR	
		COMPANY	
		DISKETTE_TYPE	
		EFFDT	
		EMPL_DETAIL_FLAG	
		INQUIRY_MONTH	
		INQUIRY_TYPE	
		OPEN_CLOSE_FLAG	
		OPRID	KEY(1)
		PAYGROUP	
		PCT_TD1_CHANGE_QC	
		PENS_ADJ_CAL_YEAR	
		PENS_ADJ_PAY_PDS	
		PERCENT_TD1_CHANGE	
		PRIMARY_SORT	
		REPORTING_MEDIUM	
		REPORT_FORM	
		RESET_CPP_MONTHS	
		RESET_CROSS_PROV	
		RESET_LETTER	
		RESET_LETTER_QC	
		RESET_MR19CV	




---

		RESET_TD1X	
		RESET_TO_VALUE	
		RESET_UI_YEARLY	
		RL1_FILE_PROC_TYPE	
		RL1_FINAL_PRINT	
		RL1_PROCESSING_FLG	
		RL2_FILE_PROC_TYPE	
		RL2_FINAL_PRINT	
		RL2_PROCESSING_FLG	
		RPT_TYPE	
		RUN_CNTL_ID	KEY(2)
		RV1_FORM_TYPE	
		RV1_PRIMARY_SORT	
		RV1_SEC_SORT	
		RV1_THIRD_SORT	
		RV2_FORM_TYPE	
		RV2_PRIMARY_SORT	
		RV2_SEC_SORT	
		RV2_THIRD_SORT	
		RV_RPT_MEDIUM	
		SECONDARY_SORT	
		SELECT_RELOAD_OPT	
		SLIP_TYPE	
		SORT_INDICATOR	
		SUMMARY_OR_SGMT	
		SUPP_FORM	
		T4A_COPY_TYPE	
		T4A_FINAL_PRINT	
		T4A_FORM_TYPE	
		T4A_PRIMARY_SORT	
		T4A_PROCESSING_FLG	
		T4A_SEC_SORT	
		T4A_SUMM_OR_SGMT	
		T4A_THIRD_SORT	
		T4_COPY_TYPE	
		T4_FINAL_PRINT	
		T4_FORM_TYPE	
		T4_PRIMARY_SORT	
		T4_PROCESSING_FLG	
		T4_SEC_SORT	
		T4_SUMM_OR_SGMT	
		T4_THIRD_SORT	
		THIRD_SORT	
RC_CAN_YE_PROV	Run control child for TAX103CN	AMOUNT_TD1_CHANGE	
		OPRID	KEY(1)



		PERCENT_TD1_CHANGE	
		PROVINCE	KEY(3)
		RUN_CNTL_ID	KEY(2)
RC_CTX910AP	Run Control for T4A Slip	EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_CTX910RP	Run Control for RL-1 Slip	EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_CTX910TP	Run Control for T4 Slip	EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_CTX910VP	Run Control for RL-2 Slip	EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RC_DDP001	Rpt Parameters - DDP001	BANK_CD	KEY(3)
		COMPANY	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_ENCD_TX810WY	RC Tax810WY	COMPANY	KEY(3)
		ERNCD	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RC_PAY	Payroll Report Parameters	ALIGN_COUNT	
		ASOFDATE	
		BALANCE_ID	
		BALANCE_PERIOD	
		BALANCE_QTR	
		BALANCE_YEAR	
		CLONE_DED_FLAG	
		CLONE_EARNS_FLAG	
		CLONE_LVE_ACCR_FLG	
		COMPANY	
		CPS_REF_ID	
		CRFN_NBR	
		CSB_SERIES_CD	
		CUR_TERM_PGM_EFFDT	
		EE_CNT_STATE	
		EMPLID	
		FROMDATE	
		MIN_OT_HRS	
		NEW_TERM_PGM_EFFDT	
		NEW_TERM_PGM_ID	
		OPRID	KEY(1)
		ORDER_OPTION	



		PAYGROUP	
		PAY_END_DT	
		REPORTING_MEDIUM	
		REPORT_OPTION	
		ROE_DELETE	
		ROE_FINAL_PRINT	
		ROE_FORM_LANG	
		ROE_NO_START	
		ROE_SORT	
		ROE_STAT_SELECT	
		RPT_EXMPT_ALLOWANC	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		TAX_MONTH	
		TAX_QTR	
		TAX_YEAR	
		TERM_PGM_ID	
		TERM_PROC_STATUS	
		THRUDATE	
		VARIATION_REASON	
		W4_UPD_TYPE	
		WHICH_DATE	
*RC_PAY013_1	Rpt Parameters - PAY013	ASOFDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RC_PAY013_2	Rpt Parameters - PAY013	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SEARCH_KEY	KEY(3)
RC_PAY018CN	Run control for PAY018CN	OPRID	KEY(1)
		PRINT_MTD_TOT	
		PRINT_PERIOD_TOT	
		PRINT_QTD_TOT	
		PRINT_YTD_TOT	
		RUN_CNTL_ID	KEY(2)
RC_PAY102CN	Run control for PAY102CN	FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		THRUDATE	
		WCB_PROV_OPT	
RC_PAY104CN	Run control for PAY104CN	BPS_COMMENT	
		COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RC_PAYINIT	Payroll Parameters for PAYINIT	ACCTG_DEF_NAME	



		CHKADV_NO_START	
		CHKADV_NO_THRU	
		COMPANY	
		CYCLE_SELECT	
		DEL_RUNCTL	
		DIST_PRORATE_OPTN	
		HP_USE_HOL_SCHD	
		MESSAGE_TEXT	
		OFF_CYCLE	
		OPRID	KEY(1)
		PAGE_NUM	
		PAGE_NUM_THRU	
		PAYGROUP	
		PAY_END_DT	
		PRENOTE_DT	
		RENEWAL_DAYS_OUT	
		RPT_DETAIL_LEVEL	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		SEPCHK_FLAG	
		TEXT15	
		TEXT20	
RC_PAY_UNSHY	Payroll Un-sheet Run Control	COMPANY	
		CYCLE_SELECT	
		OFF_CYCLE	
		OPRID	KEY(1)
		PAGE_NUM	
		PAGE_NUM_THRU	
		PAYGROUP	
		PAY_END_DT	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
*RC_PI_RUNCTL	Payroll Interface Run Control Table	CHANGED_FLDS	
		CHANGED_RECS	
		COMPANY	
		EMPLID	
		OPRID	KEY(1)
		PAYGROUP	
		PI_CONFIG_ID	
		PI_CONVERT_FLE_TYP	
		PI_RUN_NUM	
		PI_SYSTEM_ID	
		RUN_CNTL_ID	KEY(2)
*RC_PKG	Salary Packaging Run Control Parameters	APPLID	





		ASOFDATE	
		COMPANY	
		DEPARTMENT	
		EMPLID	
		EMPLID_OLD	
		EMPL_RCD	
		EXP_DEL_FLAG	
		FROM_DT	
		GP_PAYGROUP	
		OPRID	KEY(1)
		PAYGROUP	
		PKG_PROCESSTP_GP	
		PKG_PROCESSTYPE	
		PKG_STATUS	
		RUN_CNTL_ID	KEY(2)
		SETID	
		THRU_DT	
		YEARCD	
RC_PYAP_DEDINIT	PYAP Initialize Dedns Run Cntl	BOND_INIT_FLG	
		DEDN_INIT_DT	
		DEDN_INIT_FLG	
		GARN_INIT_DT	
		GARN_INIT_FLG	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_PYAP_TAXINIT	RC - PYAP InitializeTax Dedns	COMPANY	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_PYAP_TXINICN	RC for Init Canadian Tax Type	INITIALIZE_DT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TAX_TYPE_CAN	KEY(3)
RC_PYAP_TXINIFT	RC for Init Federal Tax Type	INITIALIZE_DT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TAX_GRP_TYPE	KEY(3)
RC_PYAP_TXINILT	RC for Init Local Tax Type	INITIALIZE_DT	
		LOCALITY	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
		TAX_GRP_TYPE	KEY(5)
RC_PYAP_TXINIST	RC for Init State Tax Type	INITIALIZE_DT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)



		STATE	KEY(3)
		TAX_GRP_TYPE	KEY(4)
RC_PYAP_TXINI_L	PYAP Initialize Local Tax Dedn	LOCALITY	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
RC_PYAP_TXINI_S	PYAP Initialize State Tax Dedn	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
RC_QTR_UI	Run Control for Tax Reporting	CANADA_FORM_TYPE	
		CONTACT_FAX	
		CONTACT_NAME_SSA	
		CONTACT_PERSON	
		CONTACT_PHONE	
		CONTACT_PHONE_EXT	
		CONTACT_SIG_TITLE	
		CURRENT_ONLY	
		DISKETTE_TYPE	
		MAXIMUM_WEEKS	
		NJ_STATE_MINIMUM	
		OPRID	KEY(1)
		PHONE	
		PHONE_EXTN	
		PROGRAM_MODE	
		PROVIDERID	
		REIMBURSABLE_ER	
		REMITTER_NUMBER	
		REPORTING_MEDIUM	
		REPORT_COUNTRY	
		REPORT_DUE_DATE	
		REPORT_PROBATNARY	
		RETURN_CITY	
		RETURN_NAME	
		RETURN_STATE	
		RETURN_STREET	
		RETURN_ZIP	
		RPT_TOTALS_ONLY	
		RUN_CNTL_ID	KEY(2)
		TAPE_AUTH_NUMBER	
		TAXFORM_OPT	
		TEC_SUFFIX	
		TELEPHONE_NBR	
		WAGE_RPT_CHECK_AMT	
RC_SEL_COMPANY	TAX910ER.SQR Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)



RC_SIC_UI	Run Control for Tax Reporting	SELECTED_COMPANY	KEY(3)
		COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STD_INDUSTRY_CD	
RC_SLC_UI	Run Control for Tax Reporting	COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE_LOCATION_CD	
RC_TAX002ME	TAX810ME SQR Run Control	ME_941_C1	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX010PA	Payroll Report Parameters	BALANCE_ID	
		BALANCE_PERIOD	
		BALANCE_QTR	
		BALANCE_YEAR	
		EE_DETAIL_FLAG	
		OPRID	KEY(1)
		PRINT_SSN	
		RUN_CNTL_ID	KEY(2)
		SORT_OPTION	
RC_TAX1042	Tax 1042 Processing Rpt Parm	ALIGN_COUNT	
		ALIGN_ONLY	
		COMPANY	
		DISKETTE_TYPE	
		EMPLID	
		FROMDATE	
		HP_1042S_FORM_ID	
		HP_1042_FINAL_RUN	
		HP_1042_TEST_RUN	
		MEDIA_1042	
		MODE_FOR_1042S	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		TAX_YEAR	
		THRUDATE	
		TRANSMITTER	
		TRANSMIT_CNTRL_COD	
RC_TAX504	TAX504.SQR Run Control	DEDCD	KEY(4)
		OPRID	KEY(1)
		PLAN_TYPE	KEY(3)
		RUN_CNTL_ID	KEY(2)
RC_TAX504_ERN		ERNCD	KEY(3)
		OPRID	KEY(1)



RC_TAX710	Run control for TAX710	RUN_CNTL_ID	KEY(2)		
		OPRID	KEY(1)		
		RUN_CNTL_ID	KEY(2)		
RC_TAX810CA	TAX810CA SQR Run Control	TAXFORM_ID	KEY(3)		
		CA_FINAL_RPT			
		CA_MONTH1_COUNT			
		CA_MONTH2_COUNT			
		CA_MONTH3_COUNT			
		CA_NO_PAYROLL			
		COMPANY	KEY(3)		
		OPRID	KEY(1)		
		RUN_CNTL_ID	KEY(2)		
		SEP_TAX_RPT			
RC_TAX810CT		COMPANY	KEY(3)		
		MONTH1_COUNT			
		MONTH2_COUNT			
		MONTH3_COUNT			
		OPRID	KEY(1)		
		REMITT_AMT			
		RUN_CNTL_ID	KEY(2)		
RC_TAX810IL	TAX810IL.SQR Run Control	COMPANY	KEY(3)		
		ILLINOIS_DCN			
		IL_INTEREST_DUE			
		IL_MONTH1_COUNT			
		IL_MONTH2_COUNT			
		IL_MONTH3_COUNT			
		IL_PENALTY_DUE			
		IL_PREVIOUS_CREDIT			
		IL_PREV_QTR_UNDRPY			
		IL_TAXES_DUE			
		IL_TAX_TYPE			
		IL_TOTAL_PAYMENT			
		OPRID	KEY(1)		
		RUN_CNTL_ID	KEY(2)		
		COMPANY	KEY(3)		
		RC_TAX810KY	RC Tax810 KY	KY_MONTH1_COUNT	
				KY_MONTH2_COUNT	
KY_MONTH3_COUNT					
OPRID	KEY(1)				
RUN_CNTL_ID	KEY(2)				
COMPANY	KEY(3)				
RC_TAX810ME	TAX810ME SQR Run Control	RUN_CNTL_ID	KEY(2)		
		COMPANY	KEY(3)		
		EFT_PAYMENT			
		OPRID	KEY(1)		
RC_TAX810MN	TAX810MN SQR Run Control	RUN_CNTL_ID	KEY(2)		
		ERNCD	KEY(3)		



		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX810MT	TAX810MT.SQR Run Control	COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE_DOC_CNTL_NBR	
		UI_INTEREST_DUE	
		UI_MONTH1_COUNT	
		UI_MONTH2_COUNT	
		UI_MONTH3_COUNT	
		UI_PENALTY_DUE	
		UI_PREVIOUS_CREDIT	
		UI_PREV_QTR_UNDRPY	
		UI_TAXES_DUE	
		UI_TOTAL_PAYMENT	
RC_TAX810ND	TAX810CA SQR Run Control	COMPANY	KEY(3)
		ND_MONTH1_COUNT	
		ND_MONTH2_COUNT	
		ND_MONTH3_COUNT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX810NV		ERNCD	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX810NY		ERNCD	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX810OH	TAX810MT.SQR Run Control	COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE_DOC_CNTL_NBR	
		UI_INTEREST_DUE	
		UI_MONTH1_COUNT	
		UI_MONTH2_COUNT	
		UI_MONTH3_COUNT	
		UI_PENALTY_DUE	
		UI_PREVIOUS_CREDIT	
		UI_PREV_QTR_UNDRPY	
		UI_TAXES_DUE	
		UI_TOTAL_PAYMENT	
RC_TAX810OR	TAX810OR SQR Run Control	ERNCD	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX810VT	TAX810VT SQR Run Control	ERNCD	KEY(3)
		OPRID	KEY(1)



RC_TAX810WA	TAX810WA SQR Run Control	RUN_CNTL_ID	KEY(2)
		ERNCD	KEY(3)
		OPRID	KEY(1)
RC_TAX810WY	RC Tax810 WY	RUN_CNTL_ID	KEY(2)
		COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		UI_WC_IND	
		WRK_AVG_COMP_WAGE	
		WRK_CMP_ACCT_NBR	
RC_TAX860FL	TAX860FL Run Control	COMPANY	KEY(3)
		MONTH1_COUNT7	
		MONTH2_COUNT7	
		MONTH3_COUNT7	
		OPRID	KEY(1)
		REMITT_AMT	
RC_TAX905CN	TAX905CN.SQR Run Control	RUN_CNTL_ID	KEY(2)
		COMPANY	KEY(3)
		OPRID	KEY(1)
		PR_TAX_REGIST_NBR	
RC_TAX910AU2	TAX910AU.SQR Run Control	RUN_CNTL_ID	KEY(2)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX910AU_CO	TAX910AU.SQR Run Control	SELECTED_EE	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX910ER	TAX910ER.SQR Run Control	SELECTED_COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX910LD	TAX910LD.SQR Run Control	SELECTED_EE	KEY(3)
		NY_FEDWAGE_FLAG	
		OPRID	KEY(1)
		REG_SELECT_PROC	
RC_TAX910LD_CO	TAX910LD.SQR Run Control	RUN_CNTL_ID	KEY(2)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX910LD_EE	TAX910LD.SQR Run Control	W2_REPORTING_CO	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX910PR	TAX910PR.SQR Run Control	SELECTED_EE	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SELECTED_EE	KEY(3)
RC_TAX918AU2	TAX918AU.SQR Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)



RC_TAX918ER	TAX918ER.SQR Run Control	SELECTED_EE	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX918PR	TAX918PR.SQR Run Control	SELECTED_EE	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX920	Process W-2c	SELECTED_EE	KEY(3)
		ALIGN_COUNT	
		EMPLOYEES_PER_PAGE	
		FORM_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX920AU	Audit W-2c Batch	W2C_REG_REPRINT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		W2C_BATCH_NBR	
RC_TAX920EE	Reprint W-2c employee list	W2C_RECENT_BATCH	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		W2C_ADD_EMPLID	KEY(3)
		W2C_BATCH_NBR	
		W2C_RECENT_BATCH	
RC_TAX920PR	Process W-2c	ALIGN_COUNT	
		EMPLOYEES_PER_PAGE	
		FORM_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TELEPHONE_NBR	
		W2C_REG_REPRINT	
RC_TAX920PREE	Reprint W-2c employee list	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		W2C_ADD_EMPLID	KEY(3)
		W2C_BATCH_NBR	
		W2C_RECENT_BATCH	
RC_TAX920UST	Process W-2c	ALIGN_COUNT	
		EMPLOYEES_PER_PAGE	
		FORM_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		W2C_REG_REPRINT	
RC_TAX920USTEE	Reprint W-2c employee list	W2C_TAXFORM_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		W2C_ADD_EMPLID	KEY(4)
		W2C_BATCH_NBR	



RC_TAX921PR	Audit W-2c Batch	W2C_RECENT_BATCH	
		W2C_TAXFORM_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX921US	Audit W-2c Batch	W2C_BATCH_NBR	
		W2C_RECENT_BATCH	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_TAX930	Tax93xxx SQR Run Control	W2C_BATCH_NBR	
		W2C_RECENT_BATCH	
		W2C_TAXFORM_ID	
		OPRID	KEY(1)
RC_TAX930AU	Tax93xxx SQR Run Control	RUN_CNTL_ID	KEY(2)
		SELECTED_EE	KEY(3)
		ERNCD	KEY(3)
RC_TAX930PM	Tax93xxx SQR Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		ERNCD	KEY(3)
RC_TAX935	Tax935 SQR Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		ERNCD	KEY(3)
RC_TAX960	MMREF Process Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		CONTACT_FAX	
		CONTACT_NAME_SSA	
		DISKETTE_TYPE	
		EMAIL_ADDR_MMREF	
		EMPLR_PIN	
		NOTIFY_METHOD	
		OPRID	KEY(1)
		PHONE_EXTN	
		REPORTING_MEDIUM	
		RESUB_INDICATOR	
		RESUB_TLCN	
		RUN_CNTL_ID	KEY(2)
TELEPHONE_NBR			
RC_TAX960KY	Kentucky report	KEDFA_CD	KEY(2)
		LOCALITY	KEY(3)
		STATE	KEY(1)
RC_TAX960MA	TAX960ST.SQR - MA	DEDCD	KEY(4)
		DED_CLASS	KEY(5)
		OPRID	KEY(1)
		PLAN_TYPE	KEY(3)
		RUN_CNTL_ID	KEY(2)
RC_TAX960PD	TAX960PD Run Control	ACCESS_CODE	





RC_TAX960PR	TAX910PR.SQR Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SELECTED_EE	KEY(3)
RC_TAX960PRN	TAX918ER.SQR Run Control	CONTROL_NUM_BEG	
		CONTROL_NUM_END	
		CONTROL_PREFIX_BEG	
		CONTROL_PREFIX_END	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		RUN_RPT	
		W2_REPORTING_CO	KEY(3)
RC_TAX960ST	TAX960 run control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
RC_TAX960US	TAX918ER.SQR Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SELECTED_EE	KEY(3)
RC_THIRD_PARTY	Third Party SQR Run Control	COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		THIRD_PARTY_TAX	
RC_US_YE	US YrEnd SQR Run Control	ASOFDATE	
		COMB_FEDST_FILER	
		COMPANY	
		DISKETTE_TYPE	
		DISK_TYPE3	
		DISTRIB_CODE	
		FILING_STATUS_1099	
		LAST_FILING_FLAG	
		LAYOUT_STYLE	
		LINES_PER_INCH	
		LOCTX_EEDT_FLAG	
		MARK_VOIDS_FLAG	
		MEDIA	
		NY_FEDWAGE_FLAG	
		OPEN_CLOSE_FLAG	
		OPRID	KEY(1)
		PAYER_EMAIL_ADDR	
		PAYER_NAME	
		PAYER_NAME_CNTRL	
		PAYER_PHONE	
		PAYGROUP	
		QTR1_AMT	
		QTR2_AMT	
		QTR3_AMT	



		QTR4_AMT	
		REG_SELECT_COMP	
		REG_SELECT_PROC	
		REPLACE_ALPHA	
		REPRINT_DESCR	
		REPRINT_PROMPT	
		RESUB_INDICATOR	
		RUN_CNTL_ID	KEY(2)
		SORT_CODE1	
		SORT_CODE3	
		TAX_NUMBER	
		TELEPHONE_NBR	
		TEST_IND_FLAG	
		TOTALS_ONLY	
		TOTAL_DISTRIB_FLAG	
		TRANS_CNTL_CODE	
		XMIT_MEDIA_NBR	
RC_VC_CALWRD	Calc Award Run Control	GB_GROUP_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VC_PAYOUT_PRD_ID	KEY(4)
		VC_PLAN_ID	KEY(3)
RC_VC_CALWRD_WG	Calc Award Run Control	GB_GROUP_ID	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VC_PAYOUT_PRD_ID	KEY(4)
		VC_PLAN_ID	KEY(3)
RC_VC_ELIG_PRO	VC Elig/Pro Run Control	AS_OF_DATE	
		CURRENCY_CD	
		FROMDATE	
		OPRID	KEY(1)
		PRD_BGN_DT	
		PRD_END_DT	
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
		TREE_NAME	
		VC_GOAL_TYPE	
		VC_GRP_PLAN_WEIGHT	
		VC_IND_PLAN_WEIGHT	
		VC_ORG_PLAN_WEIGHT	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
		VC_PLAN_MEM_CRIT	
		VC_PRORATION_FREQ	
		VC_PRORATION_IND	



		VC_PRT_RULE_ID	
		VC_TREE_DT	
RC_VC_REPORTS	VC Reports Run Control	VC_WRK_DY_RULE_ID	
		EMPLID	
		FROMDATE	
		OPRID	KEY(1)
		PNLGRPNAME	
		PRD_END_DT	
		RUN_CNTL_ID	KEY(2)
		SCORE	
		THRUDATE	
		TREE_NAME	
		VC_GOAL_TYPE	
		VC_GRP_PLAN_WEIGHT	
		VC_IND_PLAN_WEIGHT	
		VC_ORG_PLAN_WEIGHT	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
		VC_PLAN_MEM_CRIT	
		VC_REPORT_TYPE	
		VC_TREE_DT	
RC_VC_REP_CHLD	VC Reports Run Control	EMPLID	KEY(3)
		FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
*RC_VNDR_REPORT	HRMS Vendor Report	ASOFDATE	
		HRMS_CLASS	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RC_WP_AGRT_RPT	WP: Run Control	EMPLID	
		OPRID	KEY(1)
		PERIOD_ID	KEY(4)
		RUN_CNTL_ID	KEY(2)
		WP_AGREEMENT_ID	KEY(3)
		WP_FUND_STATUS	
RC_WP_ELIG	WP: Run Control	OPRID	KEY(1)
		PERIOD_ID	KEY(4)
		RUN_CNTL_ID	KEY(2)
		WP_AGREEMENT_ID	KEY(3)
		WP_REINIT_FLG	
RC_WP_IND_RPT	WP: Run Control	EMPLID	KEY(5)
		OPRID	KEY(1)
		PERIOD_ID	KEY(4)
		RUN_CNTL_ID	KEY(2)



RC_WP_PAYMT	WP: Run Control	WP_AGREEMENT_ID	KEY(3)
		CAL_ID	
		GP_PAYGROUP	KEY(3)
		OPRID	KEY(1)
*RC_XTAX_CAN	Run Control for Tax Dedn Extract (CAN)	RUN_CNTL_ID	KEY(2)
		COMPANY	
		OPRID	KEY(1)
*RC_XTAX_TYP_CAN	Run Control for Tax Dedn Extract (CAN)	RUN_CNTL_ID	KEY(2)
		OPRID	KEY(1)
		PAYMENT_DT	
		PERIOD_END_DT	
		RUN_CNTL_ID	KEY(2)
		TAX_TYPE_CAN	KEY(3)
*RC_X_DEDS	Process Run Control Template	OPRID	KEY(1)
		PAYMENT_DT	
		PAY_ALL	
		PAY_MODES	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		SPECIFIED_DT	
*RC_X_DEDS_VNDR	Process Run Control Template	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	KEY(3)
		VENDOR_ID	KEY(4)
*RC_X_TAX	Run Control for Tax Dedn Extract	COMPANY	
		INCLUDE_FEDERAL_TX	
		INCLUDE_LOCAL_TX	
		INCLUDE_STATE_TX	
		LOCALITY_ALL	
		OPRID	KEY(1)
		PAYMENT_DT	
		PERIOD_END_DT	
		RUN_CNTL_ID	KEY(2)
		STATE_ALL	
*RC_X_TAX_LOCALS	Run Control for Tax Dedn Extract	LOCALITY	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
*RC_X_TAX_STATES	Run Control for Tax Dedn Extract	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
*RC_X_TAX_TYPE_F	Run Control for Tax Dedn Extract	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)



*RC_X_TAX_TYPE_L	Run Control for Tax Dedn Extract	TAX_GRP_TYPE	KEY(3)
		LOCALITY	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
*RC_X_TAX_TYPE_S	Run Control for Tax Dedn Extract	TAX_GRP_TYPE	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STATE	KEY(3)
RDEDEXTR_RUNCTL	Retro Ded Extract Run Control	TAX_GRP_TYPE	KEY(4)
		BATCH_RUN_ID	
		EMPLID	
		INDIVIDUAL_ALL	
		MASS_ALL	
		MASS_RETRO_RQST_ID	
		OPRID	KEY(1)
		PROCESS_INDIVIDUAL	
		PROCESS_MASS	
RDEDMASS_RUNCTL	Retro Ded Mass Run Control	RUN_CNTL_ID	KEY(2)
		BATCH_RUN_ID	
		MASS_RETRO_RQST_ID	
		OPRID	KEY(1)
		PAY_CAL_VALIDATION	
RDEDPST_RUNCTL	Retro Ded Paysheet Run Control	RUN_CNTL_ID	KEY(2)
		BATCH_RUN_ID	
		COMPANY	
		OFF_CYCLE	
		OPRID	KEY(1)
		PAYGROUP	
		PAY_END_DT	
		PROCESS_TERMINATED	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
RDEDSQR_RUNCTL	RetroDed Request Rpt Run Cntl	OPRID	KEY(1)
		RDEDSQR_SORT	
		RETRODED_RQST_TYPE	
		RETRO_PAY_END_DT	
		RUN_CNTL_ID	KEY(2)
REACTV_TERM_AET	State Table - Reactv/Term Updt	ASOFDATE	
		COMPANY	
		EFFDT	
		EFFSEQ	
		EMPLID	
		EMPL_RCD	
		EMPL_RCD_SUSP	



		EXPECTED_END_DATE	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
RECIPIENT	Receiver Account Table	ADDRESS_SBR	
		BANKACCT_SBR	
		DESCR	
		EFF_STATUS	
		GP_PMT_INFO_SBR	
		PAYMENT_MTHD	
		RECIPIENT_CATEGORY	
		RECIPIENT_ID	KEY(1)
REC_GROUP_REC	Record Group Records	RECNAME	KEY(2)
		REC_GROUP_ID	KEY(1)
REC_GROUP_TBL	Record Groups	DESCR	
		DESCRSHORT	
		FORCE_DEFAULT	
		PARTIAL_SHARING	
		REC_GROUP_ID	KEY(1)
REC_STATDEC_TBL	WC Recruitment Status	DATA_TYPE_CD	
		EFFDT	KEY(2)
		STATUS_AREA	KEY(1)
		STATUS_CODE	
		STATUS_REASON	
		WC_DECISIONGRP_ID	KEY(3)
		WC_DECISION_ID	KEY(4)
REC_STATUS_TBL	WC Recruitment Status	EFFDT	KEY(3)
		STATUS_AREA	KEY(1)
		WC_DECISIONGRP_ID	KEY(2)
REDUCT_BEL_LANG	Reduced Charges Table	DESCR	
		DESCRLONG	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		RED_CHRG_CAT_BEL	KEY(1)
REDUCT_TBL_BEL	Reduced Charges Table	DESCR	
		DESCRLONG	
		EFFDT	KEY(2)
		EFF_STATUS	
		PERIOD_BEL	
		RED_CHRG_CAT_BEL	KEY(1)
REG002_TMP	Personal Register Temp Table	BIRTHDATE	
		COUNTRY_DESCR1	
		DESCR100	
		DESCR25	
		EFFDT	KEY(3)



		EMPLID	
		EMPL_RCD	
		ENTRY_DT	
		HIRE_DT	
		JOBCODE_DESCR	
		LEAVE_DT	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		SEQ_NUM8	KEY(2)
		SEX	
REG_REGION_LANG	Regulatory Region	DESCR50	
		LANGUAGE_CD	KEY(2)
		REG_REGION	KEY(1)
*REG_REGION_TBL	Regulatory Region	COUNTRY	
		DEFAULT_SETID	
		DESCR50	
		REG_AVAIL	
		REG_REGION	KEY(1)
		REG_REGION_DUP	
REG_TRX_LANG	Regulatory Transaction Def	DESCRLONG	
		LANGUAGE_CD	KEY(2)
		REG_TRX	KEY(1)
*REG_TRX_REGION	Reg Regions for Transactions	REG_REGION	KEY(2)
		REG_TRX	KEY(1)
*REG_TRX_TBL	Regulatory Transaction Def	DESCRLONG	
		REG_TRX	KEY(1)
RELIGION_LANG	Religion Tbl Asia Pac-Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		RELIGION_CD	KEY(2)
		SETID	KEY(1)
RELIGION_TBL	Religion Table for Asia Pac	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		FA_TYPE	
		RELIGION_CD	KEY(2)
		SETID	KEY(1)
REQUIS_SECTIONS	Resume Sections	HR_DEV_REQ_SECTOR	
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		PNLNAME	KEY(1)
		REQUIS_SECTION_SEQ	
		SELECTED	



*REQ_JOBOARD_LOG	Job BoardTransaction Log	ACTIONDTM	KEY(3)
		ASSOCIATED_COST	
		JOB_REQ_NBR	KEY(2)
		MERCHANTID	KEY(1)
		TRANSACTION_CD	KEY(4)
RESIDENCE_HOME	EE Assgnmt-Home Residnce Cntrl	BEGIN_DT	KEY(2)
		DESCR	
		EMPLID	KEY(1)
		RESIDENCE_NBR	KEY(3)
RESIDENCE_HOST	EE Assgnmt-Host Residnce Cntrl	ADDRESS_SBR	
		BEGIN_DT	KEY(2)
		DESCR	
		EMPLID	KEY(1)
		RESIDENCE_NBR	KEY(3)
RESID_HOME_DTL	EE Assignment-Home Residences	BEGIN_DT	KEY(2)
		COMMENTS	
		EFFDT	KEY(4)
		EMPLID	KEY(1)
		HOME_FURNITURE	
		HOME_RESID_BEFORE	
		HOME_RESID_DURING	
		PROPERTY_MGMT	
		RESIDENCE_NBR	KEY(3)
RESID_HOST_DTL	EE Assignment-Host Residences	BEGIN_DT	KEY(2)
		COMMENTS	
		EFFDT	KEY(4)
		EMPLID	KEY(1)
		HOST_FURNITURE	
		HOST_RESID_STATUS	
		RESIDENCE_NBR	KEY(3)
RESLTN_TYPE_LNG	Resolution Type Tbl - Rellang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		RESOLUTION_TYPE	KEY(1)
*RESLTN_TYPE_TBL	Resolution Type Tbl	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		RESOLUTION_TYPE	KEY(1)
RESPIRATORY_EXM	EE Respiratory Exams	ADDRESS_SBR	
		BASELINE	
		BUSINESS_UNIT	
		COMMENTS	
		CONTAMINANT_AGENT	





		DESCR	
		EMPLID	KEY(1)
		EXAM_DT	KEY(2)
		EXAM_FED_SBR	
		EXAM_TYPE_CD	KEY(3)
		EXPOSURE_DT	
		EXPOSURE_TYPE	
		LOCATION	
		LOCATION_NAME	
		NEXT_EXAM_DT	
		PHONE_SBR	
		PHYSICIAN_ID	
		PHYSICIAN_NAME	
		REFERRAL	
RESPIR_EXAM_LNG	Rellang EE Respiratory Exams	COMMENTS	
		DESCR	
		EMPLID	KEY(1)
		EXAM_DT	KEY(2)
		EXAM_TYPE_CD	KEY(3)
		LANGUAGE_CD	KEY(4)
		LOCATION_NAME	
		PHYSICIAN_NAME	
RESUME_OPTIONS	Resume Options	BIRTHDATE_FLG	
		MARITAL_STATUS_FLG	
		RESUME_TMPL	KEY(1)
		SEX_FLG	
RESUME_SECTIONS	Resume Sections	MESSAGE_NBR	
		MESSAGE_SET_NBR	
		PNLNAME	KEY(1)
		RESUME_SECTION_SEQ	
		SELECTED	
RES_HM_DTL_LNG	EE Assignment-Home Residences	BEGIN_DT	KEY(2)
		COMMENTS	
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		LANGUAGE_CD	KEY(4)
		RESIDENCE_NBR	KEY(3)
RES_HOME_LANG	Rellang EE Asgn-Home Res Cntrl	BEGIN_DT	KEY(2)
		DESCR	
		EMPLID	KEY(1)
		LANGUAGE_CD	KEY(4)
		RESIDENCE_NBR	KEY(3)
RES_HOST_LANG	Rellang EE Asgn-Host Res Cntrl	BEGIN_DT	KEY(2)
		DESCR	
		EMPLID	KEY(1)



		LANGUAGE_CD	KEY(4)
		RESIDENCE_NBR	KEY(3)
RES_HST_DTL_LNG	EE Assignment-Host Residences	BEGIN_DT	KEY(2)
		COMMENTS	
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		LANGUAGE_CD	KEY(4)
		RESIDENCE_NBR	KEY(3)
RETRODEDMAS_DEF	Retro Deduction Mass Rqst Def	BUSINESS_UNIT	
		COMPANY	
		DEPTID	
		EMPL_CLASS	
		EMPL_STATUS	
		EMPL_TYPE	
		FULL_PART_TIME	
		JOBCODE	
		JOBCODE_ELIG_DAYS	
		LOCATION	
		LOCATION_ELIG_DAYS	
		MASS_PRCES_FLAG	
		MASS_RETRO_RQST_ID	KEY(1)
		MASS_RETRO_SEQ_NO	KEY(2)
		PAYGROUP	
		REG_TEMP	
		UNION_CD	
		UNION_CD_ELIG_DAYS	
RETRODEDMAS_TBL	Retro Deduction Mass Rqst Tbl	DELETE_REQUEST	
		DESCR	
		DESCRLONG	
		END_DT	
		HIRE_DT	
		MASS_PRCES_FLAG	
		MASS_RETRO_RQST_ID	KEY(1)
		PRCS_END_DT	
		RETRODED_EFFDT	
		RETRODED_PGM_ID	
		SERVICE_DT	
		START_DT	
RETRODEDPGM_DEF	Retro Deduction Program Def	BASE_FLAG	
		BENEFIT_PLAN	KEY(6)
		BENEFIT_PROGRAM	KEY(3)
		COMPANY	KEY(4)
		COVRG_CD	KEY(7)
		DEDCD	KEY(8)
		DED_CLASS	KEY(9)



		EFFDT	KEY(2)
		END_DATE_OVRD	
		JOB_FLAG	
		PLAN_TYPE	KEY(5)
		RETRODED_PGM_ID	KEY(1)
		START_DATE_OVRD	
RETRODEDPGM_TBL	Retro Deduction Program Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		OFF_CYCLE	
		RETRODED_PGM_ID	KEY(1)
		RETRODED_PGM_TYPE	
RETRODED_CALC	Retro Deduction Temp Table	SEPCHK_FLAG	
		BENEFITS_BASE	
		BENEFIT_NBR	
		BENEFIT_PLAN	KEY(10)
		BENEFIT_PROGRAM	
		COMPANY	KEY(2)
		COVRG_CD	
		DEDCD	KEY(11)
		DED_ADDL_AMT	
		DED_CALC	
		DED_CLASS	KEY(12)
		EFFDT	
		EMPLID	
		EMPL_CONTRBUTN_AMT	
		EMPL_RCD	
		FACTOR_XSALARY	
		FLAT_AMOUNT	
		LIFE_ADD_COVRG	
		LINE_NUM	KEY(7)
		MED_PREM_PRETAX	
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAY_END_DT	KEY(4)
		PLAN_TYPE	KEY(9)
		RETRODED_PRCES_FLAG	
		RETRODED_SEQ_NO	KEY(1)
		SEPCHK	KEY(8)
		VACN_BUY_FLAT_AMT	
		VACN_SELL_FLAT_AMT	
RETRODED_DEDS	Retro Deduction Ded Table	BENEFIT_PLAN	KEY(10)
		BENEFIT_PROGRAM	



		COMPANY	KEY(2)
		COVRG_CD	
		DEDCD	KEY(11)
		DEDUCT_AMT	
		DEDUCT_AMT_OVRD	
		DED_CLASS	KEY(12)
		EMPLID	
		EMPL_RCD	
		EXCEPTION_FLAG	
		JOB_PAY	
		LINE_NUM	KEY(7)
		NEW_DEDUCT_AMT	
		OFF_CYCLE	KEY(5)
		OK_TO_PROCESS	
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAY_END_DT	KEY(4)
		PLAN_TYPE	KEY(9)
		RETRODED_DED_AMT	
		RETRODED_DED_TYPE	
		RETRODED_EFFDT	
		RETRODED_PRCES_FLAG	
		RETRODED_SEQ_NO	KEY(1)
		RETRO_SEPCHK	
		SEPCHK	KEY(8)
		TERM_EMPL_PRCES	
RETRODED_MSG	Retro Deduction Error Messages	COMPANY	KEY(2)
		LINE_NUM	KEY(7)
		MSGDATA1	
		MSGDATA2	
		MSGDATA3	
		MSGID	KEY(9)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAY_END_DT	KEY(4)
		RETRODED_SEQ_NO	KEY(1)
		SEPCHK	KEY(8)
RETRODED_RQST	Retro Deduction Request Table	BASE_FLAG	
		BENEFIT_PLAN	
		COMPANY	
		DEDCD	
		DUPLICATE_FLAG	
		EMPLID	
		EMPL_RCD	



Table Name	Description	Field Name	Key
RETROPAYPGM_DEF	Retro Pay Program Definition	JOB_FLAG	
		MASS_RETRO_RQST_ID	
		PLAN_TYPE	
		PRCS_END_DT	
		RETRODED_EFFDT	
		RETRODED_PGM_ID	
		RETRODED_PRCES_FLAG	
		RETRODED_RQST_TYPE	
		RETRODED_SEQ_NO	KEY(1)
		RETRO_COMPANY	
		RETRO_LINE_NO	
		RETRO_OFF_CYCLE	
		RETRO_PAGE_NO	
		RETRO_PAYGROUP	
RETRO_PAY_END_DT			
RETROPAYPGM_TBL	Retro Pay Program Table	EFFDT	KEY(2)
		END_DATE_OVRD	
		ERNCD_FOR_RETROPAY	KEY(3)
		RETROPAY_ERNCD	
		RETROPAY_PGM_ID	KEY(1)
		START_DATE_OVRD	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
RETROPAYPG_LANG	Related Lang - RETROPAYPGM_TBL	EXCEPTION_FLAG	
		NEGPAY_OFFSET_ERNCD	
		OFF_CYCLE	
		RETROPAY_PGM_ID	KEY(1)
		SEPCHK_FLAG	
		TAX_METHOD	
		TAX_PERIODS	
		TIME_AND_LABOR	
		DESCR	
		DESCRSHORT	
RETROPAY_ACCT	Retropay earnings Account Info	EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		RETROPAY_PGM_ID	KEY(1)
		ACCT_CD	
		ADDL_NBR	KEY(8)
		BUSINESS_UNIT	
		COMPANY	KEY(2)
		DEPTID	
		EARNIS_TYPE	KEY(9)
		ERNCD	KEY(10)



Table Name	Field Name	Key
RETROPAY_EARNS	GL_PAY_TYPE	
	JOBCODE	
	LINE_NUM	KEY(7)
	LOCATION	
	OFF_CYCLE	KEY(5)
	PAGE_NUM	KEY(6)
	PAYGROUP	KEY(3)
	PAY_END_DT	KEY(4)
	POSITION_NBR	
	RETROPAY_SEQ_NO	KEY(1)
	SEQ_NO	KEY(11)
	ADDL_NBR	KEY(8)
	ADDL_SEQ	
	AMOUNT_DIFF	
	COMPANY	KEY(2)
	COMPRATE_USED	
	COMP_RATECD	
	EARNS_AMT	
	EARNS_AMT_ENTERED	
	EARNS_AMT_OVRD	
	EARNS_BEGIN_DT	
	EARNS_END_DT	
	EARNS_HRS	
	EARNS_TYPE	KEY(9)
	EMPLID	
	EMPL_RCD	
	ERNCD	KEY(10)
	EXCEPTION_FLAG	
	FLSA_REQUIRED	
	FLSA_RT	
	FLSA_STATUS	
	HOURLY_RT	
JOB_PAY		
LINE_NUM	KEY(7)	
NEW_COMPRATE_USED		
NEW_EARNS_AMT		
NEW_HOURLY_RT		
OFF_CYCLE	KEY(5)	
OK_TO_PAY		
PAGE_NUM	KEY(6)	
PAYGROUP	KEY(3)	
PAY_END_DT	KEY(4)	
RATE_USED		
RECORD_CHANGED		
RETROPAY_EFFDT		



		RETROPAY_ERNCD	
		RETROPAY_LOAD_SW	
		RETROPAY_PRCs_FLAG	
		RETROPAY_SEQ_NO	KEY(1)
		RETRO_ADDL_NO	
		RETRO_SEPCHK	
		SEPCHK	
		SEQ_NO	KEY(11)
		SHIFT	
		SHIFT_RT	
		STATE	
		TERM_EMPL_PRCs	
RETROPAY_MSG	Retropay Error Messages	COMPANY	KEY(2)
		LINE_NUM	KEY(7)
		MSGDATA1	KEY(10)
		MSGDATA2	KEY(11)
		MSGDATA3	KEY(12)
		MSGID	KEY(9)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAYGROUP	KEY(3)
		PAY_END_DT	KEY(4)
		RETROPAY_SEQ_NO	KEY(1)
		SEPCHK	KEY(8)
RETROPAY_RQST	Retro Pay Request	DUPLICATE_FLAG	
		ELIG_FOR_INTEREST	
		EMPLID	KEY(2)
		EMPL_RCD	
		MASS_RETRO_RQST_ID	
		PRCS_END_DT	
		PRIOR_SHIFT	
		PROC_DTTMSTAMP	
		RETROPAY_EFFDT	KEY(3)
		RETROPAY_PGM_ID	
		RETROPAY_PRCs_FLAG	
		RETROPAY_RQST_TYPE	
		RETROPAY_SEQ_NO	KEY(1)
		RETRO_COMPANY	
		RETRO_LINE_NO	
		RETRO_OFF_CYCLE	
		RETRO_PAGE_NO	
		RETRO_PAYGROUP	
		RETRO_PAY_END_DT	
*REVIEW_BAND_TBL	Review Band Table (Obsolete)	DESCR50	
		DESCRSHORT	



		EFFDT	KEY(2)
		EFF_STATUS	
*REVIEW_COMMENTS	Review Comments (Obsolete)	REVIEW_BAND_CD	KEY(1)
		COMMENTS	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EVALUATION_TYPE	KEY(4)
		REVIEWER_ID	
REVIEW_GOALS	EE Perf Rvw Goals (Obsolete)	ACT_COMPLETION_DT	
		CAREER_GOAL	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		GOAL_NBR	KEY(4)
		GOAL_STATUS	
REVIEW_REVIEWER	Rvw Participants (Obsolete)	COMMENTS	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EVALUATION_TYPE	KEY(4)
		FACTOR_WEIGHT	
		FINAL_RVW_BAND_CD	
		REVIEWER_ID	KEY(5)
		TOTAL_EE_POINTS	
REVIEW_FACTOR_TBL	Perf Review Factors (Obsolete)	COMPETENCY	KEY(3)
		EFFDT	KEY(2)
		FACTOR_WEIGHT	
		RATING_SCALE	KEY(1)
		SEQ_NUM	KEY(4)
REVIEW_FCT_PT_TBL	Rvw Factor Points (Obsolete)	COMPETENCY	KEY(3)
		EFFDT	KEY(2)
		RATING_SCALE	KEY(1)
		REVIEW_POINTS	
		REVIEW_RATING	KEY(5)
		SEQ_NUM	KEY(4)
REVIEW_RATING_LNG	Related Lang - Review Ratings	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(4)
		RATING_MODEL	KEY(1)
		REVIEW_RATING	KEY(3)
*REVIEW_RATING_TBL	Performance Review Ratings	CAREER_STRDVL	
		DESCR	
		DESCRSHORT	





		EFFDT	KEY(3)
		ELIGIBILITY_POINTS	
		EP_RATING	
		FROM_POINTS	
		GVT_REV_SBR	
		RATING_MODEL	KEY(1)
		REVIEW_POINTS	
		REVIEW_RATING	KEY(4)
		SETID	KEY(2)
		TO_POINTS	
RE VW _REVWER_CMP	Perf Review Factors (Obsolete)	COMMENTS	
		COMPETENCY	KEY(7)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EMP_REVW_FP_SBR	
		EVALUATION_TYPE	KEY(4)
		FACTOR_WEIGHT	
		REVIEWER_ID	KEY(5)
		REVIEW_RATING	
		SEQ_NUM	KEY(6)
		TOTAL_EE_POINTS	
RE VW _SCALE_LANG	Rvw Rating Scale (Obsolete)	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
		RATING_SCALE	KEY(1)
*RE VW _SCALE_TBL	Perf Rvw Rtg Scale (Obsolete)	AMOUNT_PCT	
		AMOUNT_PER_POINT	
		COMP_FREQUENCY	
		COMP_RATECD	
		CURRENCY_CD	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		MERIT_SCALE	
		PCT_PER_POINT	
		POINT_PCT	
		RATE_CODE_GROUP	
		RATING_MODEL	
		RATING_SCALE	KEY(1)
		RE VW _SCALE_TYPE	
		SAL_PTS_PER_POINT	
RE VW _COM_LNG	Perf Rvw Comments (Obsolete)	COMMENTS	



		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EVALUATION_TYPE	KEY(4)
		LANGUAGE_CD	KEY(5)
REV_DEF_JPN_LNG	Related Lang-Review Def Japan	DESCR	
		DESCR20	
		EP_REVIEW_ID	KEY(2)
		LANGUAGE_CD	KEY(3)
		SETID	KEY(1)
REV_DEF_TBL_JPN	Review Definition Tbl (Japan)	APPL_GRDADV_PRC	
		DESCR	
		DESCR20	
		EP_REVIEW_ID	KEY(2)
		EP_REVIEW_TYPE	
		PERIOD_BEGIN_DT	
		PERIOD_END_DT	
		SETID	KEY(1)
REV_GOALS_LNG	Rvw Goals Rel Lang (Obsolete)	CAREER_GOAL	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		GOAL_NBR	KEY(4)
		LANGUAGE_CD	KEY(5)
RGM_BSE_ESP_LNG	Work Group Rel.Lang. – ESP	CURRENCY_CD	KEY(2)
		DESCR50	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(5)
		SCHEME_ID_ESP	KEY(1)
		SOC_SEC_WRK_GRP_CD	KEY(4)
RGM_BSE_ESP_TBL	Work Group Table – ESP	CURRENCY_CD	KEY(2)
		DESCR50	
		EFFDT	KEY(3)
		HRLY_WRK_GRP_AMNT	
		MAX_WRK_GRP_AMNT	
		MIN_WRK_GRP_AMNT	
		SCHEME_ID_ESP	KEY(1)
		SOC_SEC_WRK_GRP_CD	KEY(4)
		WRK_GRP_FREQ_ESP	
RGM_CTZ_ESP_LNG	Contribution Table Rel.Lang.	CONTRIB_ID_ESP	KEY(4)
		CURRENCY_CD	KEY(2)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(5)



RGM_CTZ_ESP_TBL	Contribution Table – ESP	SCHEME_ID_ESP	KEY(1)
		CONTRIB_ID_ESP	KEY(4)
		CONTRIB_TYPE_ESP	
		CURRENCY_CD	KEY(2)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		SCHEME_ID_ESP	KEY(1)
		SSN_EMPL_TYPE	
		RISK_TBL	RISK_TBL table.
AT_SECTION	KEY(4)		
EFFDT	KEY(2)		
ESTABID	KEY(1)		
REDUCED_RT			
RISKCD	KEY(3)		
STANDARD_RT			
ACTION			
ACTION_REASON			
ROE	CAN Record of Employment		
		COMMENTS	
		COMPANY	KEY(2)
		EMPLID	KEY(1)
		EXPECTED_RETURN_DT	
		FIRST_DATE_WORKED	
		JOBCODE	
		LAST_DATE_WORKED	
		MULTIPLE_JOBS	
		NOT_RETURNING	
		OVRD_HRS	
		PAYGROUP	
		PD_LEAVE_AMT	
		PD_LEAVE_INTERVAL	
		PD_LEAVE_START_DT	
		ROE_CONTACT_ID	
		ROE_DT	
		ROE_ISSUER_ID	
		ROE_NBR	
		ROE_NBR_REPL	
ROE_PROCESS			
ROE_SEQ	KEY(5)		
SETID_JOBCODE			
UI_PAYABLE_DT	KEY(4)		
WAGE_LOSS_PLAN	KEY(3)		
ROE_FUTURE_PAY	CAN ROE Future Pay	COMPANY	KEY(2)
		EMPLID	KEY(1)



		ERNCD	KEY(7)
		FUTURE_PAY_AMT	
		HOLIDAY	KEY(6)
		ROE_SEQ	KEY(5)
		UI_PAYABLE_DT	KEY(4)
		WAGE_LOSS_PLAN	KEY(3)
ROLEMAP		DIRMAPNAME	
ROLEUSER_ARCH	Role User Archive Table	ROLENAME	KEY(1)
		ROLEUSER	KEY(2)
ROLEXLATOPR	Role User Table	DESCR	
		EFFDT_FROM	
		EFFDT_TO	
		EMAILID	
		EMAIL_USER_SW	
		EMPLID	
		FORMID	
		FORMS_USER_SW	
		OPRID	
		ROLEUSER	KEY(1)
		ROLEUSER_ALT	
		ROLEUSER_SUPR	
		WORKLIST_USER_SW	
ROLEXLATOPR_ARC	Role User Archive Table	DESCR	
		EMAILID	
		EMAIL_USER_SW	
		EMPLID	
		FORMID	
		FORMS_USER_SW	
		OPRID	
		ROLEUSER	KEY(1)
		ROLEUSER_ALT	
		ROLEUSER_SUPR	
		WORKLIST_USER_SW	
ROLEXLATOPR_LNG	Related Language Record	DESCR	
		LANGUAGE_CD	KEY(2)
		ROLEUSER	KEY(1)
ROLEXLATOPR_OLD	Old Role User Table	OPRID	
		ROLEUSER	KEY(1)
ROLE_LDAPRULE		LDAPURL	
		ROLENAME	KEY(1)
		SEQNO	
ROLE_PPCRULE		EVENTNAME	
		FIELDNAME	
		FUNCNAME	
		RECNAME	



Table Name	Description	Field Name	Key
RPT_DLVR_ROLE	Report Delivery Roles	ROLENAME	KEY(1)
		SEQNO	
RPT_INST_TBL	Report Instance Value Table	ROLEUSER	
		REPORT_INST_VAL	
RPT_RQST	Report Request Table	RPT_IN_USE_SW	
		FORMID	
		MASS_REPORT_ID	
		MASS_REPORT_SEQ	
		OPRID	
		PRCSNAME	
		PROCESS_INSTANCE	
		RC_RECNAME	
		REPORT_FILENAME	
		REPORT_INSTANCE	KEY(1)
		ROLEUSER	
		RPT_DELIVERY_DTTM	
		RPT_DELIVERY_STAT	
		RPT_PARM1	
		RPT_PARM2	
RPT_PARM3			
RPT_PARM4			
RPT_PARM5			
RPT_RQST_DTTM			
RPT_RQST_TXT	Report Request Email Text	RUN_CNTL_ID	
		EMAIL_TEXTLONG	
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		PRCSNAME	KEY(1)
RPT_RUN_CNTL	Report Run Control Sample	BUSINESS_UNIT	
		DEPTID	
		OPRID	KEY(1)
RP_ACCOMP_UNKWN	Accomplishments – Degrees	RUN_CNTL_ID	KEY(2)
		ACCOMPLISHMENT	KEY(1)
*RP_ACOMP_MAP_TBL	Accomplishment Mapping Table	DESCR	
		DESCRSHORT	
*RP_INSTALLATION	Resume Processing Installation	ACCOMPLISHMENT	KEY(1)
		ACCOMPLISHMENT_TXT	KEY(1)
		AUTOPOP_MOHO_FTP	
		CONF_THRESHOLD	
		MOHO_DEF_LANG_FLG	
		MOHO_LANGUAGE_CD	KEY(1)
		RESPROC_MOHO_FTP	
		RESPROC_ROOT2_DIR	
		RESPROC_ROOT_DIR	
		RESPROC_ROOT_FTP	



RP_QUEUE_APP	Queue table - Applicant Data	ADDRESS1 ADDRESS2 ADDRESS3 ADDRESS4 APP_DT CITY CONFIDENCE_LEVEL COUNTRY EMAIL_ADDR FILE_ATTACH_SBR FIRST_NAME LAST_NAME MOHO_LANGUAGE_CD NAME POSTAL RESUME_NUMBER KEY(1) RESUME_TEXT STATE ACCOMPLISHMENT KEY(2) ACCOMPLISHMENT_TXT COUNTRY_OTHER DT_ISSUED KEY(3) MAJOR MAJOR_CODE KEY(4) RESUME_NUMBER KEY(1) SCHOOL SCHOOL_CODE STATE_OTHER
RP_QUEUE_EDU	Queue table - Education	COUNTRY_CODE PHONE PHONE_TYPE KEY(2) RESUME_NUMBER KEY(1)
RP_QUEUE_PHN	Queue table - Phone Numbers	CITY COUNTRY DESCRLONG EMPLOYER ENDING_TITLE END_DT RESUME_NUMBER KEY(1) SEQUENCE_NBR KEY(3) START_DT KEY(2) STATE
RP_QUEUE_WRKEXP	Queue table - Work Experience	RTE_CNTL_PROFILE KEY(1) RTE_CNTL_TYPE KEY(2) RTE_CNTL_PROFILE KEY(1)
RTE_CNTL_HDR	Routing Control Type	
RTE_CNTL_LN	Route Control Profile Line	



		RTE_CNTL_TYPE	KEY(2)
		RTE_FROM_VALUE	KEY(3)
		RTE_TO_VALUE	KEY(4)
RTE_CNTL_PROF	Route Control Profile	DESCRLONG	
		RTE_CNTL_PROFILE	KEY(1)
RTE_CNTL_RUSER	RoleUser Route Cntl Profiles	ROLENAM	KEY(2)
		ROLEUSER	KEY(1)
		RTE_CNTL_PROFILE	KEY(3)
RTE_CNTL_RU_ARC	RoleUser Rte Cntl Archive	ROLENAM	KEY(3)
		ROLEUSER	KEY(1)
		RTE_CNTL_PROFILE	KEY(2)
RTE_CNTL_TYPE	Route Control Type	RECNAME_EDIT	
		RTE_CNTL_TYPE	KEY(1)
RTRMNT_PLAN	EE Retirement Benefit Enrlment	BENEFIT_NBR	KEY(4)
		BENEFIT_PLAN	
		COVERAGE_ELECT	
		COVERAGE_ELECT_DT	
		DEDUCTION_END_DT	
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		GVT_STAT_CHG_FLAG	
		PLAN_TYPE	KEY(3)
RTRMNT_PLAN_TBL	Retirement Ben Plan Parameters	BENEFIT_PLAN	KEY(2)
		COORDINATE_FICA	
		EFFDT	KEY(3)
		EMPLR_EMPL_PCT	
		EMPLR_PCT	
		EMPL_PCT	
		ERNCD_SPCL	
		PLAN_TYPE	KEY(1)
		RTR_PLN_FED_SBR	
RTROEXTR_RUNCTL	Retro Pay Extract Run Control	EMPLID	
		MASS_ALL	
		MASS_RETRO_RQST_ID	
		OPRID	KEY(1)
		PAY_ALL	
		PROCESS_ADDPAY	
		PROCESS_JOB	
		PROCESS_MASS	
		RUN_CNTL_ID	KEY(2)
RTROPSHT_RUNCTL	Retro Pay Paysheet Run Control	COMPANY	
		OFF_CYCLE	
		OPRID	KEY(1)
		PAYGROUP	



		PAY_END_DT	
		PROCESS_TERMINATED	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
RTROREPT_RUNCTL	Retro Detail Rept Run Control	ADDL_PAY_REQUEST	
		JOB_REQUEST	
		MASS_REQUEST	
		MASS_RETRO_RQST_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RTRORQST_RUNCTL	Retro Request Rept Run Control	ADDL_PAY_REQUEST	
		ALL_REQUEST	
		JOB_REQUEST	
		MASS_REQUEST	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RTROSUMM_RUNCTL	Retro Summary Rept Run Control	ADDL_PAY_REQUEST	
		JOB_REQUEST	
		MASS_REQUEST	
		MASS_RETRO_RQST_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RTROTERM_RUNCTL	Retro Term Rept Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TERM_REQUEST	
RTROUNDO_RUNCTL	Retropay Undo Runcontrol	COMPANY	
		MASS_ALL	
		MASS_RETRO_RQST_ID	
		OFF_CYCLE	
		OPRID	KEY(1)
		PAYGROUP	
		PAY_END_DT	
		PROCESS_MASS	
		RETROPAY_SEQ_NO	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
		UNDO_TO_PROCESS	
RT_INDEX_LANG	Market Rate Indices Rel Lang	DESCR	
		LANGUAGE_CD	KEY(2)
		RT_RATE_INDEX	KEY(1)
RT_INDEX_TBL	Market Rate Indices	DECIMAL_POSITIONS	
		DEFAULT_INDEX	
		DESCR	
		RT_CATEGORY	
		RT_RATE_INDEX	KEY(1)





RT_RATE_DEF_TBL	Market Rate Data Definition	ERROR_TYPE	
		FROM_CUR	KEY(3)
		INT_BASIS	
		MAX_VARIANCE	
		RT_RATE_INDEX	KEY(1)
		TERM	KEY(2)
		TO_CUR	KEY(4)
RT_RATE_DEF_TMP	Market Rate Data Defn Temp	AUDIT_ACTN	
		ERROR_TYPE	
		FROM_CUR	KEY(4)
		INT_BASIS	
		MAX_VARIANCE	
		PROCESS_INSTANCE	KEY(1)
		RT_RATE_INDEX	KEY(2)
		TERM	KEY(3)
		TO_CUR	KEY(5)
RT_RATE_TBL	Market Rate Data Table	EFFDT	KEY(6)
		FROM_CUR	KEY(3)
		LASTUPDDTTM	
		RATE_DIV	
		RATE_MULT	
		RT_RATE_INDEX	KEY(1)
		RT_TYPE	KEY(5)
		SYNCID	
		TERM	KEY(2)
		TO_CUR	KEY(4)
RT_RATE_TMP	Market Rate Data Temp table	AUDIT_ACTN	
		EFFDT	KEY(7)
		FROM_CUR	KEY(4)
		PROCESS_INSTANCE	KEY(1)
		RATE_DIV	
		RATE_MULT	
		RT_RATE_INDEX	KEY(2)
		RT_TYPE	KEY(6)
		TERM	KEY(3)
		TO_CUR	KEY(5)
RT_TYPE_LANG	Market Rate Data Types Rellang	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		RT_TYPE	KEY(1)
RT_TYPE_TBL	Market Rate Data Types	DESCR	
		DESCRSHORT	
		RT_TYPE	KEY(1)
*RUNCNTL_BASICEL	Federal Run Control	AE_APPLID	
		JOB_REQ_NBR1	KEY(3)



		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUNCTL_BIAF_FRA	RunCtl BIAF by EE - FRA	EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUNCTL_CMP007	Run Cntl Auto Step Increase	EP_REVIEW_TYPE	KEY(3)
		OPRID	KEY(1)
		RATING_MODEL	KEY(4)
		REVIEW_POINTS	
		REVIEW_RATING	
		RUN_CNTL_ID	KEY(2)
RUNCTL_EDIOUT	Run Cntl for Employee Extracts	EDI_EE_HR_DATA_SW	
		EDI_EE_PAY_NA_SW	
		EDI_HR_BUS_UNIT_SW	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUNCTL_EP	RunCtl Batch Review Creation	EP_DFLT_TEMPLATE	
		EP_MGR_METHOD	
		EP_REVIEW_TYPE	
		EP_SEND_NOTICE	
		EP_SUBDOC	
		EP_TEMPLATE_ID	
		EP_TEMPLATE_SRC	
		OPRID	KEY(1)
		PERIOD_BEGIN_DT	
		PERIOD_END_DT	
		RUN_CNTL_ID	KEY(2)
		URL	
RUNCTL_EP_GRP	ePerformance Group	EP_GROUP_MGR_ID	
		GB_EFFDT	
		GB_GROUP_ID	KEY(3)
		GB_REFINE_DATE	
		LANGUAGE_CD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VERSIONGBQDM	
RUNCTL_EP_RPT	Perf Mgt Rpt Run Control	DATE_TO_COMPARE	
		EP_REVIEW_TYPE	
		FROM_DATE	
		GB_EFFDT	
		GB_GROUP_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TO_DATE	
		VERSIONGBQDM	



RUNCTL_EP_RPT2	Perf Mgt Rpt Run Control	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUNCTL_GEN_CKEY	Run Control General CKey	ACCOUNT_TYPE	
		ACCT_CD	
		ACTIVITY	
		BEGIN_POSITION	
		BUSINESS_UNIT	
		DEPTID	
		EARN_DEF_ACCT	
		EARN_DEF_DEPT	
		EARN_OPTIONS	
		GENERATE_PB	
		GEN_OPTIONS_PB	
		LENGTH	
		OPRID	KEY(1)
		PAY_ACTIVITY	
		RUN_CNTL_ID	KEY(2)
RUNCTL_MASSUPD1	Mass Update Run Cntl Record	LASTUPDDTTM	
		LASTUPDOPRID	
		MU_EXEC_DONE_FLG	
		MU_LAUNCH_EXEC_FLG	
		MU_MASS_UPDATE_ID	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STEPNO	KEY(3)
RUNCTL_NTFA_JPN	Appointment Notification	ACTION	KEY(3)
		ACTION_REASON	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUNCTL_NTF_JPN	Appointment Notification	ACTION	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		USE_ALL	
RUNCTL_PAY306RT		GVT_YEAR	
		LIMIT_AMT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUNCTL_SENPAY	Run control for Seniority Pay	ASOF_DT	
		OPRID	KEY(1)
		PROCESS_BY	
		RUN_CNTL_ID	KEY(2)
RUNCTL_TLPY_PUB		LD_FLAG	
		OPRID	KEY(1)
		PAYROLL_REQ_NUM	



		PAY_SYSTEM	
		PRCSINSTANCE	
		PUBNODE	
RUN_CMPCLC2_JPN	SalaryIncreaseCalculation Run2	RUN_CNTL_ID	KEY(2)
		GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
RUN_CMPCLC_JPN	SalaryIncrease Calculation Run	RUN_CNTL_ID	KEY(2)
		CALC_NUM	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		PNLGRPNAME	
		RUN_CNTL_ID	KEY(2)
		SAL_INC_ID	
RUN_CMPRPT2_JPN	Run Control Salary Report2	SELECT_ALL	
		GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
RUN_CMPRPT_JPN	Run Control Salary Report	RUN_CNTL_ID	KEY(2)
		ASOFDATE	
		CALC_NUM	
		LANGUAGE_CD	
		OPRID	KEY(1)
		PNLGRPNAME	
		RUN_CNTL_ID	KEY(2)
		SAL_INC_ID	
		SELECT_ALL	
RUN_CNTLAUDTRGS	Run Control for PT Utilities	AE_DECIDE	
		LANGUAGE_CD	
		OPRID	KEY(1)
		PROCESS_INSTANCE	KEY(2)
		RUN_CNTL_ID	KEY(3)
		TRIGGERNAME	
RUN_CNTLLDAP_AET	Run Control for PT Utilities	LANGUAGE_CD	
		LDAPMAPNAME	
		OPRID	KEY(1)
		PROCESS_INSTANCE	KEY(2)
		RUN_CNTL_ID	KEY(3)
RUN_CNTLLDAP	Run Control for PT Utilities	LANGUAGE_CD	
		LDAPMAPNAME	
		OPRID	KEY(1)
		PROCESS_INSTANCE	KEY(2)
		RUN_CNTL_ID	KEY(3)
RUN_CNTLSCHEMA	Run Control for PT Utilities	DSDIRID	
		OPRID	
		PROCESS_INSTANCE	KEY(1)



RUN_CNTL_ABS001	Process Run Control Template	RUN_CNTL_ID	
		ASOFDATE	
		DEPTID	
		FROMDATE	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	
		THRUDATE	
RUN_CNTL_ABS003	Process Run Control Template	ASOFDATE	
		DEPTID	
		FROMDATE	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	
		THRUDATE	
RUN_CNTL_ACTION	HR Run Control - Actions	ACTION	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_AU2_EO	Run Control for EO002.SQR	LANGUAGE_CD	
		OPRID	KEY(1)
		PROC_GRP_ID	
		RECNAME	
		RUN_CNTL_ID	KEY(2)
		RUN_CNTL_ID_EO	
RUN_CNTL_AUD_EO	Run Control for CCU Audit Proc	PROCESS_INSTANCE	KEY(2)
		RUN_CNTL_ID	KEY(1)
		TEOA_RECNAME	KEY(3)
*RUN_CNTL_BDGT	Budget Run Control	ACCT_CD	
		ACCT_CD_DED	
		ACCT_CD_TAX	
		ADD_TO_FILE	
		BUDGET_LEVEL_INDC	
		BUDGET_OPT_DED	
		BUDGET_OPT_TAX	
		BUDGET_PERIOD	
		BUDGET_RUN_TYPE	
		BUSINESS_UNIT	
		COMMIT_LEVEL	
		DEPTID	
		DEPTID_NO_EDIT	
		DEPT_OFFSET_GRP	



		DIST_PRORATE_OPTN	
		FILENAME	
		FISCAL_YEAR	
		FROMDATE	
		GL_RELEASE_NO	
		HP_DED_ACCT	
		HP_ERN_ACCT	
		HP_FRINGE_GROUP	
		HP_REDIRECT_ACCT	
		HP_TAX_ACCT	
		LEDGER	
		LEDGER_GROUP	
		OPRID	KEY(1)
		RUNDATE	
		RUNLOCATION	
		RUN_CNTL_ID	KEY(2)
		RUN_WITH_ERRORS	
		SETID	
		START_SUCC_CHK	
		SUCCESS_PCT	
		THRUDATE	
RUN_CNTL_BEN	Run Control for Benefits	ADDR_ELIG_CHG	
		ASOFDATE	
		AUDIT_TYPE_ME	
		AUDIT_TYPE_SA	
		AUDIT_TYPE_UI	
		BAS_EVENT_CHG	
		BAS_EVT_DISCONNECT	
		BAS_FORM_TYPE	
		BEN500_RUN_OPTION	
		BENEFIT_PROGRAM	
		BENEFIT_RCD_NBR	
		BILL_PER_CD	
		BN_834_ALL_CO_FLG	
		BN_834_ALL_PT_FLG	
		BN_834_ALL_VD_FLG	
		BN_834_MAX_MEMBERS	
		BN EDI_PARTNER_ID	
		CALENDAR_YEAR	
		CHECK_DT	
		CLAIMID	
		COST_FREQUENCY	
		CURR_EFFDT	
		DESCR	
		EFFDT	



---

ELIG_RULES_ID	
EMPLID	
END_DATE	
EVENT_ID	
EVENT_RULES_ID	
FMLA_PLAN_ID	
FMLA_RPTG_WEEKS	
FORM_DATE	
FORM_ID	
FROMDATE	
FSA_ACCT_CLOSURE	
INCLUDE_1X	
INCLUDE_2X	
INCLUDE_4X	
INCLUDE_8X	
INCL_OPTN_DETAIL	
INCL_SUMMARY	
JOB_ELIG_CHG	
MJ_ELIG_CHG	
NDT_REPORT_TYPE	
NDT_TEST_TYPE	
NEW_BENPROGRAM	
NEW_EFFDT	
OPRID	KEY(1)
PAYCHECK_NBR	
PLAN_TYPE	
PRINT_ID	
PROCESS_STATUS_AE	
PROCESS_STATUS_AN	
PROCESS_STATUS_AS	
PROCESS_STATUS_EE	
PROCESS_STATUS_ET	
PROCESS_STATUS_FA	
PROCESS_STATUS_FE	
PROCESS_STATUS_FP	
PROCESS_STATUS_NT	
PROCESS_STATUS_PE	
PROCESS_STATUS_PR	
PROCESS_STATUS_RE	
REPORTING_PERIOD	
REPRINT_PROMPT	
RPT_DETAIL_LEVEL	
RUN_CNTL_ID	KEY(2)
SCHED_ID	
SETID	



TABLE_NAME	TABLE_NAME1	THRUDATE	VENDOR_ID	COMPANY	KEY(3)
RUN_CNTL_BEN_CO	Benefits Run Control Companies				
				OPRID	KEY(1)
				RUN_CNTL_ID	KEY(2)
RUN_CNTL_BEN_PT	Benefits Run Control Plan Type			OPRID	KEY(1)
				PLAN_TYPE	KEY(3)
				RUN_CNTL_ID	KEY(2)
RUN_CNTL_BEN_VD	Benefits Run Control Vendors			OPRID	KEY(1)
				RUN_CNTL_ID	KEY(2)
				SETID	KEY(3)
				VENDOR_ID	KEY(4)
RUN_CNTL_BIAF	Run Control BIAF - FRA			CONTRACT_TYPE	
				FROM_DT	
				GB_GROUP_ID	
				OPRID	KEY(1)
				RUN_CNTL_ID	KEY(2)
				THRU_DT	
				VERSIONGBQDM	
RUN_CNTL_BLOAD	Budget Load Run Control			FISCAL_YEAR	
				FROMDATE	
				HP_ACCT_CD_SUSPNS	
				HP_SUSPENSE_ASSGN	
				OPRID	KEY(1)
				RUN_CNTL_ID	KEY(2)
				SETID	
				THRUDATE	
RUN_CNTL_BN_M	Supplier CI run control			ASOFDATE	
				OPRID	KEY(1)
				RUN_CNTL_ID	KEY(2)
				SCHED_ID	KEY(3)
*RUN_CNTL_BUD020	Run Step Increments			BEGIN_DT	
				CREATION_DT	
				END_DT	
				HP_APPROVER_ID	
				HP_END_CREATE_DT	
				HP_ERROR_STATUS	
				HP_MARKET	
				HP_PROCESS_STATE	
				HP_RUN_CNTL_ID	
				OPRID	KEY(1)
				OPRID_LAST_UPDT	
				RUN_CNTL_ID	KEY(2)





RUN_CNTL_BUDEPT	Budget Load Run Control - Dept	ACCT_CD	
		ACCT_CD_DED	
		ACCT_CD_TAX	
		BUDGET_LEAVE	
		BUD_LEVELS_OPTION	
		DEPTID	KEY(4)
		DEPT_OFFSET_GRP	
		HP_ACCT_CD_SUSPNS	
		HP_DED_ACCT	
		HP_ERN_ACCT	
		HP_FRINGE_GROUP	
		HP_REDIRECT_ACCT	
		HP_TAX_ACCT	
		OPRID	KEY(1)
PERCENT_INCREASE			
POPULATE_BUD_AMT			
RUN_CNTL_ID	KEY(2)		
SETID	KEY(3)		
RUN_CNTL_BUDSPN	Budget Load Run Control - Dept	DEPTID	KEY(4)
		HP_ACCT_CD_SUSPNS	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CAR	Run Control for Cars	SETID	KEY(3)
		EMPLID	
		EMPL_RCD_CHAR	
RUN_CNTL_CBR	COBRA Run Control	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CC1_EO	Currency Conversion Run Cntrl1	TAX_YEAR_END_UK	
		ASOFDATE	
		CBR_SORT_PARM1	
		CBR_SORT_PARM2	
		FROMDATE	
		OPRID	KEY(1)
		PERIOD_BEGIN_DT	
		PERIOD_END_DT	
		PRINT_ID	
		PRINT_OPTION	
		REPRINT_PROMPT	
RUN_CNTL_ID	KEY(2)		
SYSTEM_DATE			
THRUDATE			
RUN_CNTL_CC1_EO	Currency Conversion Run Cntrl1	CHAR_FROM	
		CHAR_TO	
		COMP_DATA_TYPE	
		COMP_INSTNC_NBR	KEY(3)



		DATE_FROM	
		DATE_TO	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SELECT_OPER	
RUN_CNTL_CC2_EO	Currency Conversion Run Cntrl2	CURRENCY_CD	KEY(3)
		OPRID	KEY(1)
		RATE_DIV	
		RATE_MULT	
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CC3_EO	Currency Conversion Run Cntrl	AE_APPLID	KEY(7)
		AE_SECTION	KEY(8)
		AE_STEP	KEY(9)
		COMPLETE_SW	
		EO_AUDIT_FLG	
		FLD_INSTNC_NBR	KEY(6)
		OPRID	KEY(1)
		PROCESS_INSTANCE	
		PROC_GRP_ID	KEY(3)
		PROD_ID	KEY(4)
		RULE_INSTNC_NBR	KEY(5)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CC4_EO	Currency Conversion Run Cntrl	AE_STMT_SW	
		CCR_STATUS_SW	
		LANGUAGE_CD	
		OPRID	KEY(1)
		PROC_GRP_ID	
		PROD_ID	
		RULE_INSTNC_NBR	
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CCI	CI Run Control	BCNAME	KEY(3)
		CI_MODE	
		CI_WRITE_LOG	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CCI1	CI Run Control	BCITEMPARENT	KEY(4)
		BCMETHOD	
		CI_ACTION	
		CI_CARRYFORWARD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SEQNUM	KEY(3)
RUN_CNTL_CCI2	CI Run Control	BCITEMNAME	KEY(6)
		BCITEMPARENT	KEY(5)
		DESCR50	



		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SEQNUM	KEY(3)
		SORT_ORDER	KEY(4)
RUN_CNTL_CCI3	CI Run Control	BCITEMNAME	KEY(5)
		DESCR50	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SEQNUM	KEY(3)
		SORT_ORDER	KEY(4)
RUN_CNTL_CCI4	CI Run Control	BCITEMNAME	KEY(5)
		DESCR50	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SEQNUM	KEY(3)
		SORT_ORDER	KEY(4)
RUN_CNTL_CC_EO	Currency Conversion Run Cntrl	ASOF_DT	
		CURRENCY_CD	
		OPRID	KEY(1)
		PROC_GRP_ID	
		RATE_EFFDT	
		RT_TYPE	
		RUN_ALL_AUDITS	
		RUN_CNTL_ID	KEY(2)
		RUN_STATUS_CD	
RUN_CNTL_CMP015	HR Run Control - Group IDs	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CMP016	Run Control for Dflt Rule Elig	CMP_RULE_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_CMP107	Run Step Increments	EP_REVIEW_TYPE	KEY(3)
		OPRID	KEY(1)
		RATING_MODEL	KEY(4)
		REVIEW_RATING	KEY(5)
		RUN_CNTL_ID	KEY(2)
*RUN_CNTL_COESV1	ESV Run Control Record	FILE_DIRECTORY	
		GB_EFFDT	
		GB_GROUP_ID	
		LANGUAGE_CD	
		MERCHANTID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VERSIONGBQDM	
*RUN_CNTL_COESV2	ESV Run Control Record	OPRID	KEY(1)



		RUN_CNTL_ID	KEY(2)
		RUN_ID	KEY(3)
RUN_CNTL_CPDF	Run Control For Running IDP	GVT_CPDF_CREATE_DY	
		GVT_CPDF_CREATE_ST	
		GVT_CPDF_VAL_DYN	
		GVT_CPDF_VAL_STAT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RUN_CNTL_CTYITA	Process Run Control CITY_UPDT	FILENAME	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_DEDEXT	Extract run control parms	EXTRACT_PROCESS	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_DEDFTP	Recreate Flat file parms	MERCHANTID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SUPP_FILE_ID	
RUN_CNTL_DEDXML	Deduction run control parms	EFFDT	
		FILE_IN_DIR	
		FILE_IN_NAME	
		MERCHANTID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_DELSC	HR RnCtl - Delete Gbl Scenario	BUDGET_PERIOD	
		BUSINESS_UNIT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SCENARIO	KEY(3)
RUN_CNTL_DEPT	HR Run Control - Departments	DEPTID	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	KEY(3)
RUN_CNTL_ECLASS	Run Control for MAtrBook	EMPL_CLASS	KEY(4)
		OPRID	KEY(1)
		REG_REGION	KEY(3)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_EECRS	HR Run Control - EECRS	COMPANY	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_EG	Run Control - EG	ASOFDATE	
		BUSINESS_UNIT	
		DEPTID	
		EG_CALC_NAME	
		EG_CASE_ID	



		EG_CASE_STATUS	
		EG_GROUP	
		EG_PRINT_OPTIONS	
		EG_ROLLUP_FLAG	
		EG_TENURE_HOME	
		EMPLID	
		FISCAL_YEAR	
		FROMDATE	
		FUNCTN_RESULT_NM	
		MAX_AMT	
		MIN_AMT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	
		SORT_A_D	
		TENURE_STATUS	
		THRUDATE	
		TIME_PERIOD_CD	
RUN_CNTL_EMPL	HR Run Control - Employee	EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RUN_CNTL_ER	eRecruit Run Control Record	FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		RUN_ERP_RULES	
		RUN_NA_INTERFACE	
		URL	
		URL_2	
*RUN_CNTL_ER_ERP	eRecruit Run Control ERP List	OPRID	KEY(1)
		REFERRAL_PGM_ID	KEY(3)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_ESPP	ESPP Process Run Control	AS_OF_DATE	
		COMPANY	
		COUNTRY	
		EMPLID	
		ESPP_CONFIRM_RUN	
		ESPP_CONTRIB_DT	
		ESPP_CURR_RUN	
		ESPP_GATHER_RUN	
		ESPP_PARTIC_RUN	
		ESPP_PRICE_RUN	
		ESPP_PURCHASE_RUN	
		ESPP_RUN_MTHD	
		ESPP_UNCONFRM_RUN	
		FROMDATE	



		INITIAL_ISSUANCE	
		ISSUANCE_TYPE	
		ISSUANCE_TYPE_FROM	
		ISSUANCE_TYPE_TO	
		LAST_CONTROL_NO	
		OFFERING_ID	
		OPRID	KEY(1)
		PAYGROUP	
		PERIOD_END_DT	
		PROCESS_GROUP	
		PURCHASE_ID	KEY(3)
		RERUN_FLAG	
		RUN_CNTL_ID	KEY(2)
		STATUS_DT	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
		ST_ACTIVE_EXER	
		ST_ACTIVE_FLAG	
		ST_ALL_EXER	
		ST_BRANCH_ID	
		ST_BRANCH_ID_TO	
		ST_BROKERAGE_ID	
		ST_BROKERAGE_ID_TO	
		ST_CALC_YEAR	
		ST_CANCEL_EXER	
		ST_CANCEL_FLAG	
		ST_EXPIRE_FLAG	
		ST_PENDING_FLAG	
		ST_REPROCESS_RUN	
		ST_REVERSE_EXER	
		ST_SUSPEND_FLAG	
		THRUDATE	
RUN_CNTL_ESTAB	Process Run Control Template	GB_EFFDT	
		GB_GROUP_ID	KEY(3)
		GB_REFINE_DATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VERSIONGBQDM	
RUN_CNTL_FP	Indiv Order Control Panel	ACTION	
		EMPL_RCD	
		FP_EDT_FNL	
		FP_EDT_TMP	
		FP_EMPLID	
		FP_NOTIF_REF	



		FP_ORIG	
		FP_STATUSEE_CD	
		LANGUAGE_CD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_GB	Process Run Control Template	COMPLEX_GROUP_FLG	
		GB_EFFDT	
		GB_GROUP_ID	
		GB_INSTANCE	
		OPRID	KEY(1)
		PNLGRPNAME	
		PRCSINSTANCE	
		RUN_CNTL_ID	KEY(2)
		VERSIONGBQDM	
RUN_CNTL_GB001	Process Run Control Template	GB_EFFDT	
		GB_GROUP_ID	KEY(3)
		GB_REFINE_DATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VERSIONGBQDM	
*RUN_CNTL_HR	HR Run Control	ACCOMPLISHMENT	
		ACTION	
		ACTION_REASON	
		ACTIVE_NEW	
		AD_ANNUALRT	
		AD_CHANGEAMT	
		AD_CHANGEPCT	
		AD_COMPRATE	
		AD_GRADE	
		AD_GRADE_ENTRY_DT	
		AD_HOURLYRT	
		AD_MONTHLYRT	
		AD_SALADMIN_PLN	
		AD_STEP	
		AD_STEP_ENTRY_DT	
		AE_APPL_ID	
		AMOUNTCHG	
		APPLY_SALARY_COST	
		APPROVED_FACTOR	
		APPROVE_PRIORITY	
		APS_REP_TYPE_AUS	
		ASOFDATE	
		ATTENDANCE_IN	
		BASE_CURRENCY	
		BUDGET_BUS_UNIT	



BUDGET\_ID  
BUDGET\_PERIOD  
BUDGET\_START\_DT  
BUSINESS\_UNIT  
CALENDAR\_YEAR  
CAN\_OEE\_AREACD  
CMP\_DONT\_ABSORB  
COMPANY  
COMP\_CHG\_AMT  
COMP\_CHG\_PCT  
COMP\_COMPRATE  
COMP\_RATECD  
COST\_UNIT\_CD  
COURSE  
COURSE\_START\_DT  
CREATE\_GROUP  
CREATION\_DT  
CURRENCY\_CD  
DEC2483\_YEAR  
DEGREE\_SW  
DEMAND\_PRIORITY  
DEPTID  
DETYA\_REP\_TYPE  
EEO\_REPORT\_TYPE  
EE\_REPORT\_YEAR  
EFFDT  
EMPLID  
EMP\_LIST\_CRITERIA  
ESTABID  
FACILITY  
FROMDATE  
FROM\_CLAUSE  
FZN\_BUDGET\_BUSUNIT  
GB\_EFFDT  
GB\_GROUP\_ID  
GB\_REFINE\_DATE  
GRADE  
GROUP\_SHEET\_CD\_FRA  
GROUP\_SHEET\_ID\_FRA  
GVT\_SUB\_AGENCY  
INCIDENT\_NBR  
INCR\_END\_DT  
INCR\_START\_DT  
INDICATR\_SHEET\_FRA  
INDIC\_SHEET\_CD\_FRA





---

IND_DMND_CNTRL_SW	
INSTRUCTOR_ID	
INTERNAL_EXTERNAL	
JOB_CODE	
JOB_EFFDT	
JOB_EFFSEQ	
JOB_REQ_NBR	
LANGUAGE_CD	
LICENSE_CERTIF_SW	
LOCK_FLAG	
MC_DEFN_ID	
MULT_COMP_FLAG	
NEW_SCENARIO	
NO_REVIEW	
OPRCLASS	
OPRID	KEY(1)
OVERRIDE_IND	
PAYGROUP	
PERCENTCHG	
PER_STATUS	
PER_UNIT_COST	
PHONE	
PIN_NUM	
POPULATION	
POSITION_FLAG	
POSITION_NBR	
POS_ACTIVE	
POS_ACTIVE_OPTION	
POS_EXCEPT_OVRIDE	
POS_INACTIVE	
POS_REPORT_LEVEL	
POS_VACANT_REQUEST	
PRCS_MODE_FLG	
PROCESS_BY	
PURGE_BASED_ON	
PURGE_PRCES_OPTION	
RATE_CODE_GROUP	
REG_REGION	
REPORT_CHOICE	
REVIEW_TYPE	
RUNCTLHR_FP_SBR	
RUN_CNTL_ID	KEY(2)
SAL_ADMIN_PLAN	
SCENARIO	
SCENARIO_TYPE	



		SERVICE_YEARS	
		SESSION_NBR	
		SETID	
		SINGLE_CHECK	
		SP_PROCESS_NAME	
		STATE_NUMBER	
		THRUDATE	
		TRAINING_TYPE	
		TRGT_BUDGET_PERIOD	
		TYPE_SHEET_CD_FRA	
		UNAPPROVE_PRIORITY	
		UPD_FUTURE_ROW_SW	
		URL	
		USER_OPRID	
		VERSIONGBQDM	
		WC_COUNCIL_ID	
		WHERE_CLAUSE	
		YEAR_NBR	
		Z_LC_DIST_DATE	
		Z_LC_FROMDEPTID	
		Z_LC_THRUDEPTID	
		Z_OSC_LVL_2	
RUN_CNTL_HRAUD	HRAudit Control Table	DTTM_STAMP	
		HR_AUDIT_SW	
		RUN_CNTL_ID	KEY(1)
RUN_CNTL_HR_BEL	HR Run Control Belgium	ABOVE_SAL_LMT_BEL	
		ACT_INDEX_BEL	
		BASE_TOTAL_BEL	
		COMMISSIONS_BEL	
		COMPRATE	
		COMP_FREQUENCY	
		EMPLID	
		EMPL_RCD	
		END_COMPENS_BEL	
		FACT_AGE_BEL	
		FACT_CORRECT_BEL	
		FACT_SERVT_BEL	
		FACT_YEAR_BASE_BEL	
		NOTIF_PERIOD_BEL	
		NOTIF_START_DT_BEL	
		OPRID	KEY(1)
		PERIOD_UNITY_BEL	
		REVENUE_COMPEN_BEL	
		RUN_CNTL_ID	KEY(2)
		SERV_MONTHS_BEL	



		SOC_PASS_TOTAL_BEL	
		TERM_CORRECT_BEL	
		VALUE_EXTRA_BEL	
RUN_CNTL_HR_CHE	HR Run Control	ASOFDATE	
		BUSINESS_UNIT	
		COMPANY	
		CONTACT_PERSON	
		CONTACT_PHONE	
		CONTACT_PHONE_EXT	
		EMPLID	
		INCIDENT_NBR	
		LANGUAGE_CD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_HR_ESP	HR Run Control for Spain	BUSINESS_UNIT	
		LOCATION	
		MATRICL_BOOK_TYPE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	
RUN_CNTL_HR_FRA	HR Run Control	ASOFDATE	
		CALENDAR_YEAR	
		COMPANY	
		EMPLID_FLAG	
		END_DT	
		ESTABID	
		LANGUAGE_CD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		START_DT	
RUN_CNTL_HR_JPN	HR Run Control	ACTION	
		APPLID	
		ASOFDATE	
		COMPANY	
		DEPTID	
		DESCR	
		DESCR1	
		EFFDT	
		ELIGIBILITY_POINTS	
		FLAG	
		FROM_DATE	
		GRADE	
		LANGUAGE_CD	
		OPRID	KEY(1)
		PNLGRPNAME	




---

		PROCESS_BY	
		PUBLISH_DT	
		REP_NAME	
		REP_NAME1	
		REP_NAME2	
		REP_TITLE	
		REP_TITLE1	
		REP_TITLE2	
		RUN_CNTL_ID	KEY(2)
		SAL_ADMIN_PLAN	
		SETID	
		SORT_BY	
		ST_DATE	
		THRU_DATE	
		TREE_NAME	
		TREE_NODE	
		USE_ALL	
		WORDING	
*RUN_CNTL_HR_NLD	Run Control for Netherlands	ASOFDATE	
		COMPANY	
		DEPTID	
		EMPLID	
		EMPL_RCD	
		FROMDATE	
		NL_CONTACTPERSON	
		NL_CORRECTION	
		NL_FROM_MONTH	
		NL_FROM_YEAR	
		NL_IND_HIERARCHY	
		NL_IND_LV	
		NL_IND_PV	
		NL_IND_ZV	
		NL_INITFILE	
		NL_REASON_ELSE	
		NL_REASON_END	
		NL_REPORT_REASON	
		NL_START_END	
		NL_START_REASON	
		NL_THRU_MONTH	
		NL_THRU_YEAR	
		NL_UPDATEFILE	
		OPRID	KEY(1)
		PANEL_NAME	
		PHONE	
		REPORTING_PERIOD	



		RUN_CNTL_ID	KEY(2)
		SETID	
		THRUDATE	
		VENDOR_ID	
		VENDOR_SETID	
*RUN_CNTL_HR_SEC	HR Run Control	ASOFDATE	
		FILL_FAST_1	
		FILL_FAST_2	
		FILL_FAST_3	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		UPDATE_ROW_LVL_SEC	
RUN_CNTL_HR_SP	HR Run Control Plan Salaries	ACTION	
		ACTION_REASON	
		ASOFDATE	
		BUDGET_ID	
		BUDGET_START_DT	
		CMP_DONT_ABSORB	
		EP_REVIEW_TYPE	
		FROMDATE	
		FROM_DT	
		GB_GROUP_ID	
		OPRID	KEY(1)
		REVIEW_TYPE	
		RUN_CNTL_ID	KEY(2)
		SP_FROM_DATE	
		SP_TO_DATE	
		THRUDATE	
		THRU_DATE	
		UPD_FUTURE_ROW_SW	
RUN_CNTL_JOBCD	HR Run Control - Jobcode	JOBCODE	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	KEY(3)
RUN_CNTL_LOCTN	Run control for Disability Rep	LOCATION	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SETID	
RUN_CNTL_MATRBK	Run Cntl Matr Book. - ITA	ALLOW_RETRO_CALC	
		COMPANY	
		FROMDATE	
		LAST_MATR_CALC_ITA	
		LAST_MATR_NBR_ITA	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)



		THRUDATE	
		UPDATE_FLAG	
RUN_CNTL_MOC	Run Control For Running MOC	DELETE_DATA	
		MOC_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_OHS	HR Run Control	ASOFDATE	
		CALENDAR_YEAR	
		EMPLID	
		EMPL_RCD	
		FROMDATE	
		INCIDENT_NBR	
		LANGUAGE_CD	
		NON_EMPLOYEE_ID	
		OPRID	KEY(1)
		RC_OHSCAN_SBR	
		RC_OHSFRA_SBR	
		RC_OHSGER_SBR	
		REPORT_EMPLID	
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
*RUN_CNTL_ORGCH	Organization Chart Run Control	DEPTID	
		FORMAT_DEFAULT	
		LEVELS	
		OPRID	KEY(2)
		ORG_RPT_TYPE	
		RUN_CNTL_ID	KEY(1)
		SETID	
		TREE_NAME	
		TREE_NODE	
RUN_CNTL_PAR	PAR Run Control	BUSINESS_UNIT	
		DEPTID	
		EMPLID	
		GVT_ACTN_BGN_DT	
		GVT_ACTN_END_DT	
		GVT_FORM_TYPE	
		GVT_NOA_CODE	
		GVT_PAR_COPY1	
		GVT_PAR_COPY2	
		GVT_PAR_COPY3	
		GVT_PAR_COPY4	
		GVT_PAR_CUR_STATUS	
		GVT_PAR_PRT_MTHD	
		GVT_WIP_RECORD	
		GVT_WIP_STATUS	



Table Name	Description	Field Name	Key
RUN_CNTL_PCMP1	Prof Comp Reassignment	JOBCODE	
		JOB_REQ_NBR	
		LANGUAGE_CD	
		LOCATION	
		NAME1	
		OPRID	KEY(1)
		POSITION_NBR	
		RUN_CNTL_ID	KEY(2)
		SSN1	
		OPRID	KEY(1)
RUN_CNTL_PCMP2	Prof Comp Compliance Plan	PCMP_REASS_EMPLID	
		PCMP_REASS_EMPREC	
		PCMP_REASS_OPT	
		PCMP_REASS_SEL	
		PCMP_REG_AUTH	
		PCMP_TARGET_EMPLID	
		RUN_CNTL_ID	KEY(2)
		COMPANY	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
RUN_CNTL_PCMP3	Prof Comp RI Observation	OPRID	KEY(1)
		PCMP_CMP_PLANYR	
		RUN_CNTL_ID	KEY(2)
		EMPLID	
		EMPL_RCD	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		PCMP_OBS_DT	
		PCMP_OBS_MODEL	
RUN_CNTL_PCMP4	Prof Comp Dev Review	PCMP_REG_AUTH	
		PCMP_TYPE	
		RUN_CNTL_ID	KEY(2)
		EMPLID	
		EMPL_RCD	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		PCMP_CREATION_DT	
		PCMP_REG_AUTH	
RUN_CNTL_PCMP5	Prof Comp Run Control record	PCMP_TYPE	
		RUN_CNTL_ID	KEY(2)
		BUSINESS_UNIT	
		OPRID	KEY(1)
		PCMP_MGR_SUPER_ID	



		RUN_CNTL_ID	KEY(2)
		TO_DATE	
RUN_CNTL_PER053	Run Cntl Equal Opportun. - ITA	CITY	
		COMPANY	
		FROMDATE	
		OPRID	KEY(1)
		PER053_TABLE1	
		PER053_TABLE2	
		PER053_TABLE3	
		PER053_TABLE4	
		PER053_TABLE5	
		PER053_TABLE6	
		PER053_TABLE7	
		PER053_TABLE8	
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
RUN_CNTL_PER056	Run Cntl for Contracts - ESP	CONTRACT_NUM	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_PER059	Run Cntl for Unions - ITA	COMPANY	
		FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
		UNION_CD	
RUN_CNTL_PER060	Run Control for Disability Rep	AS_OF_DATE	
		DISABILITY_REPORT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_PER066	Run Cntl Special HirCtg. - ITA	COMPANY	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_PER067	Run Cntl Special HirCtg. - ITA	COMPANY	
		FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
RUN_CNTL_PER501	HR Run Control - Group IDs	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_PORTAL	Portal Run Control	CLASSID	
		DISPLAY_LEVELS	
		FILENAME	
		HC_PORTAL_FLAG	
		HC_PORTAL_NOHIDDEN	





		HC_PORTAL_SHOWMENU	
		HC_PORTAL_SHOWOBJ	
		HC_SECURITY_FLAG	
		OPRID	KEY(1)
		PORTAL_CNTPRV_NAM	
		PORTAL_NAME	
		PORTAL_OBJNAME	
		ROLENAME	
		RUN_CNTL_ID	KEY(2)
		USERID	
*RUN_CNTL_PRT_CE	Cert of Elig Print - Run Cntl	GVT_RQSN_CERT_NBR	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RUN_CNTL_PRT_EC	Eval of Cand Print - Run Cntrl	JOB_REQ_NBR	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RUN_CNTL_REG	US Run Control Regulatory	ASOFDATE	
		CALENDAR_YEAR	
		COMPANY	
		CTL_ESTABID	
		DATE_INDICATOR	
		DEPTID	
		EEO_REPORT_TYPE	
		EMPLID	
		ESTABID	
		FROMDATE	
		INCIDENT_NBR	
		INCLUDE_HEADERS	
		LANGUAGE_CD	
		OPRID	KEY(1)
		OUTPUT_CSV	
		RUN_CNTL_ID	KEY(2)
		RUN_SCOPE	
		TELEPHONE_NBR	
		THRUDATE	
		V100_CURRENT	
		V100_HISTORY_YR	
*RUN_CNTL_REQSN	HR Run Control - Requisitions	JOB_REQ_NBR	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_SENPY2	HR Run Control - Sen Rate Cds	COMP_RATECD	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_SENPY3	HR Run Control - Group IDs	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)



RUN_CNTL_SESSN	HR RnCtl - Session Cost Split	RUN_CNTL_ID	KEY(2)
		COURSE	KEY(3)
		LAST_PROC_DT	
		OPRID	KEY(1)
		OVERRIDE_COST	
		RUN_CNTL_ID	KEY(2)
		SESSION_NBR	KEY(4)
		SPLIT_SW	
*RUN_CNTL_SF182		COURSE	
		COURSE_START_DT	
		COURSE_TITLE	
		EMPLID	
		GVT_TRNG_REQNUM	
		NON_EMPLOYEE_ID	
		OPRID	KEY(1)
		REQ_TYPE	
		RUN_CNTL_ID	KEY(2)
		SESSION_NBR	
*RUN_CNTL_SF182L		COURSE	
		COURSE_START_DT	
		COURSE_TITLE	
		EMPLID	KEY(3)
		GVT_TRNG_REQNUM	KEY(4)
		NON_EMPLOYEE_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SESSION_NBR	
RUN_CNTL_ST	Stock SQR Run Control Record	ASOFDATE	
		BRANCH_CNTL_NBR	
		COMMENTS	
		COMPANY	
		COUNTRY	
		DISPOSITION_NBR	
		DISPOSITION_SRC	
		DISPOSN_RECPT_RC	
		DISPOSN_RECPT_SORT	
		DISPOSN_SRVY_SORT	
		DISPOSN_SRVY_TYPE	
		DISP_RPT_TYPE	
		DISQUAL_DISPOSN	
		EMPLID	
		ESPP_LBL	
		ESPP_RECEIPT_SORT	
		EXCLUDE_BEGIN_DT	
		EXCLUDE_DATE_FLAG	



---

EXCLUDE\_END\_DT  
EXERCISE\_NBR  
EXERCISE\_STATUS  
FROMDATE  
GRANT\_NBR  
GRANT\_STATUS  
INITIAL\_ISSUANCE  
ISSUANCE\_TYPE\_FROM  
ISSUANCE\_TYPE\_TO  
LANGUAGE\_CD  
OFFERING\_ID  
OPRID KEY(1)  
OPTION\_LBL  
OPTION\_TYPE  
PAYGROUP  
PERIOD\_END\_DT  
PROCESS\_GROUP  
PURCHASE\_ID  
RELEASE\_NBR  
RELEASE\_STATUS  
REPORT\_DISPOSN\_SRC  
REPRICE\_ELECT\_DFLT  
REPRICE\_ID  
REPRICE\_PRCM\_MTHD  
REPRICE\_REVERSE  
REPRICE\_SORT\_MTHD  
REPRINT\_PROMPT  
REPURCHASE\_NBR  
REPURCHASE\_STATUS  
RUN\_CNTL\_ID KEY(2)  
SORT\_BY  
STOCK\_ID  
STOCK\_PLAN  
STOCK\_PLAN\_TYPE  
STOCK\_YEAR  
ST\_ACCOUNT\_DISTRIB  
ST\_BRANCH\_ID  
ST\_BRANCH\_ID\_TO  
ST\_BROKERAGE\_ID  
ST\_BROKERAGE\_ID\_TO  
ST\_CANCEL\_REASON  
ST\_CHANGE\_PCT  
ST\_ESPP\_SORT\_CNTL  
ST\_EXPENSE\_TYPE  
ST\_FMV\_DT



		ST_FORFEITURE_RATE	
		ST_FORFEITURE_TYPE	
		ST_FREQUENCY_TYPE	
		ST_GROUP_ID	
		ST_INSIDER_TYPE	
		ST_KEEP_ACCNT_NBR	
		ST_MONTH_END_FLAG	
		ST_OPTION_TYPE	
		ST_PERCENT_EXER	
		ST_PRIOR_ASOFDATE	
		ST_RUN_TYPE	
		ST_SPLIT_ID	
		ST_SUPPR_DTLS	
		ST_TAX_RT	
		ST_VALUATION_ID	
		ST_VALUE_METHOD	
		THRUDATE	
		TRANSFER_CNTL_NBR	
RUN_CNTL_ST_EMP	Employee ESPP Run Control	EMPLID	KEY(4)
		EMPL_RCD	
		OPRID	KEY(1)
		PURCHASE_ID	KEY(3)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_ST_GGR	Process Grants Run Control	AGREEMENT_DT	
		AGREEMENT_ID	
		AGREEMENT_STATUS	
		CURRENCY_CD	
		EXER_BFR_VEST	
		EXPIRE_BASIS_CD	
		GB_GROUP_ID	
		GRANT_DT	
		GRANT_DT_FROM	
		GRANT_DT_TO	
		GRANT_FMV	
		GRANT_NBR_FROM	
		GRANT_NBR_TO	
		GRANT_PRICE	
		GRANT_REASON	
		GRANT_STATUS	
		OPRID	KEY(1)
		OPTION_LIFE_MM	
		REJECT_ALL	
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(4)



		STOCK_PLAN_TYPE	
		ST_CANCEL_DT	
		ST_OPTION_TYPE	
		ST_VEST_BASIS_DT	
		TRANSFER_ALLOW	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
		VEST_BEGINS_CD	
		VEST_SCHED_ID	
RUN_CNTL_ST_RP1		EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_ST_RP2		EMPLID	KEY(3)
		GRANT_NBR	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_SWPBSE		LANGUAGE_CD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_SYSAUD	SysAudit Control Table	AUDIT_SW	
		DESCRLONG	
		DTTM_STAMP	
		RUN_CNTL_ID	KEY(1)
RUN_CNTL_TAU	Run Control for Tbl Access Util	OBJECTOWNERID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TAU_APPNAME	
		TAU_APPTYPE	
		TAU_INCLUDE_TOOLS	
		TAU_SOURCEPATH	
		TAU_TOOLSPATH	
RUN_CNTL_TRN001	Process Run Control Template	COURSE	
		COURSE_AND_DATE	
		FROMDATE	
		FROMDATE_CRSE	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SESSION_NBR	
		THRUDATE	
		THRUDATE_CRSE	
*RUN_CNTL_TRN032	Employee Session Cost run control	COURSE	
		EMPLID	KEY(3)
		LANGUAGE_CD	



		LANGUAGE_OPTION	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SESSION_NBR	
RUN_CNTL_TRN_GP	Run Control for TRN006	CAL_PRD_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_CNTL_UKNI	Run Cntl North Ireland Rpt- UK	ASOFDATE	
		EMPLID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		UKNI_MONITOR_SW	
RUN_CNTL_UNIT		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		UNITA_PROD_CD	KEY(3)
RUN_CNTL_USADTL		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TCD_ID	KEY(3)
RUN_CNTL_USAGE		FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		THRUDATE	
RUN_CNTL_VCP001	Run Cntl VCP001	ASOFDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TREE_NAME	KEY(3)
RUN_CNTL_VCP002	Approve Award Run Control	APPROVE_AWARD_FLG	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VC_PAYOUT_PRD_ID	KEY(4)
		VC_PLAN_ID	KEY(3)
RUN_CNTL_VCP003	Approve Award Run Control	APPROVE_AWARD_FLG	
		GB_GROUP_ID	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		VC_PAYOUT_PRD_ID	KEY(4)
		VC_PLAN_ID	KEY(3)
RUN_CNTL_VCP004	Determine Alloc Run Control	OPRID	KEY(1)
		RT_TYPE	
		RUN_CNTL_ID	KEY(2)
		VC_PAYOUT_PRD_ID	KEY(4)
		VC_PLAN_ID	KEY(3)
		VC_TC_FLAG	
RUN_CNTL_VNDR	Vendor Process Run Control	AS_OF_DATE	
		OPRID	KEY(1)



		RUN_CNTL_ID	KEY(2)
		SETID	
		VENDOR_ID	
		VENDOR_STATUS	
RUN_CNTL_WF	Run Control for Workflow	BUSPROCNAME	
		DTTM_AVAIL_FROM	
		DTTM_AVAIL_TO	
		DTTM_WORKED_FROM	
		DTTM_WORKED_TO	
		MASS_REPORT_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		URL	
		WF_MON_SETUP_ID	
		WORKLISTNAME	
RUN_CNTL_WP	Profit-Sharing Run Control	OPRID	KEY(1)
		PERIOD_ID	
		RUN_CNTL_ID	KEY(2)
		WP_AGREEMENT_ID	
RUN_CTL_ST_EMP2		EMPLID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RUN_DUPAPP_SRCH		ADDRESS1_EXISTS	
		ADDRESS2_EXISTS	
		ADDRESS3_EXISTS	
		ADDRESS4_EXISTS	
		CITY_EXISTS	
		EMAIL_ADDR_EXISTS	
		FIRST_NAME_EXISTS	
		LAST_NAME_EXISTS	
		MIDDLE_NAME_EXISTS	
		OPRID	KEY(1)
		POSTAL_EXISTS	
		RUN_CNTL_ID	KEY(2)
		STATE_EXISTS	
RUN_EO_RT_GEN	EO Generate Rate Request	AS_OF_DATE	
		CUR_RT_TYPE	
		FROM_CURRENCY	
		GENERATE_CROSS_RT	
		GENERATE_RECIP	
		GENERATE_REPORT	
		OPRID	KEY(1)
		OVERRIDE_CUR_RT	
		RATE_TRIANGULATE	
		RT_RATE_INDEX	



		RUN_CNTL_ID	KEY(2)
		TERM	
RUN_EO_RT_GEN_D	EO Generate Rate Details	AS_OF_DATE	
		CUR_RT_TYPE	
		FROM_CUR	KEY(3)
		FROM_CURRENCY	
		OPRID	KEY(1)
		RATE_TRIANGULATE	
		RT_RATE_INDEX	
		RUN_CNTL_ID	KEY(2)
		TERM	
		TO_CUR	KEY(4)
RUN_EXCEP_DTL	T&L SQR run control record	EXCEPTION_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_FGHR022	Run Control For Running IDP	EMPLID	
		IDP_DATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_FGSF75	Run Control to print SF75	ADDRESS1	
		ADDRESS1_OTHER	
		ADDRESS2	
		ADDRESS2_OTHER	
		ADDRESS3	
		ADDRESS3_OTHER	
		CITY	
		CITY_OTHER	
		DESCRLONG	
		EMPLID	
		GVT_INFO_EMPLID	
		GVT_TO_NAME	
		GVT_TO_TITLE	
		JOBTITLE	
		NAME	
		OPRID	KEY(1)
		PHONE	
		POSTAL	
		POSTAL_OTHER	
		REQUEST_DT	
		RUN_CNTL_ID	KEY(2)
		STATE	
		STATE_OTHER	
*RUN_GLRESET	Run GLReset	COMPANY	
		OPRID	KEY(1)
		PAYGROUP	





		PAY_END_DT	
		RUN_CNTL_ID	KEY(2)
		RUN_ID	
*RUN_HPDISRCH	Retro Dist Transaction Creator	BEGIN_DT	
		CALENDAR_ID	
		CREATION_DT	
		DEPTID	
		END_DT	
		FISCAL_YEAR	
		FROM_DATE	KEY(3)
		HP_BEGIN_FISCAL_YR	
		HP_BEG_ACCTNG_PER	
		HP_BUDGET_DATATYPE	KEY(4)
		HP_END_ACCTNG_PER	
		HP_END_FISCAL_YR	
		HP_IGNOREOFFCYCLE	
		HP_MARKET	
		HP_PRIORDAYS	
		HP_TRANSACTION_SRC	
		OPRID	KEY(1)
		PAY_END_DT	
		RUN_CNTL_ID	KEY(2)
		SETID	
		TO_DATE	
*RUN_HPSRCHDATA	Search Criteria Direct Retro	FROM_DATE	KEY(3)
		HP_BUDGET_DATATYPE	KEY(4)
		HP_FIELD_DESCR	KEY(5)
		HP_FIELD_VALUE	
		HP_USE_SPACES	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
*RUN_HPUPDTDATA	Retro Dist Field Updates	FROM_DATE	KEY(3)
		HP_BUDGET_DATATYPE	KEY(4)
		HP_FIELD_DESC	KEY(6)
		HP_FIELD_VALUE	
		HP_USE_SPACES	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SEQNUM	KEY(5)
*RUN_HPUPDTSEQ	Update Sequence Processing	AMOUNT	
		FROM_DATE	KEY(3)
		HP_BUDGET_DATATYPE	KEY(4)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SEQNUM	KEY(5)



*RUN_HP_RETDIST	Retro Distribution Transaction	CREATION_DT	KEY(5)
		HP_MARKET	
		HP_RDIST_ERR_OPT	
		HP_RUN_CNTL_ID	KEY(3)
		HP_SELECTED	
		HP_TRANSACTION_SRC	KEY(7)
		OPRID	KEY(1)
		OPRID_LAST_UPDT	KEY(4)
		PAY_DT	KEY(6)
		RUN_CNTL_ID	KEY(2)
RUN_ILL_HR_NLD	HR Run Control Nettherlands	ASOFDATE	
		BUSINESS_UNIT	
		COMPANY	
		COMPANY_INFO_LBL	
		DEPTID	
		EMPLID	
		EMPLOYEE_INFO_LBL	
		FROMDATE	
		ILL_STATUS_NLD	
		LANGUAGE_CD	
		NL_CONTACTPERSON	
		NL_CORRECTION	
		NL_REASON_ELSE	
		NL_REASON_END	
		NL_REPORT_REASON	
		NL_START_END	
		NL_START_REASON	
		OPRID	KEY(1)
		PANEL_NAME	
		PHONE	
		POPULATION	
		PURGE_PRCES_OPTION	
		REPORT_CHOICE	
		RUN_CNTL_ID	KEY(2)
		SETID	
		THRUDATE	
RUN_LOADCACHE		OPRID	KEY(1)
		OUTPUTDIR	
		RUN_CNTL_ID	KEY(2)
RUN_MREDDLOAD	EIR Load Run Control	DESCR	
		EO_LOAD_TYPE	
		EO_PROD_ID	
		EO_PROD_ID_VER	
		EO_RELOPT	
		LOCAL_FLAG	



		MSGNODENAME	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_QRYACCLIST		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_SALAMT2_JPN	Salary Amount Update Run2	COMP_RATECD	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_SALAMT3_JPN	Salary Amount Update Run3	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_SALAMT_JPN	Salary Amount Update Run	CAL_BASE_DT	
		EP_REVIEW_ID	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		PNLGRPNAME	
		RUN_CNTL_ID	KEY(2)
		SAL_INC_DT	
		SETID	
RUN_SALINC2_JPN	Salary Increase Update Run2	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_SALINC_JPN	Salary Increase Update Run	ASOFDATE	
		CALC_NUM	
		LANGUAGE_CD	
		OPRID	KEY(1)
		PNLGRPNAME	
		RUN_CNTL_ID	KEY(2)
		SAL_INC_ID	
		SELECT_ALL	
RUN_SCHEMA_AET		DSDIRID	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
RUN_STEP2_JPN	Step Increase Update Run2	GB_GROUP_ID	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
RUN_STEP_JPN	Step Increase Update Run	CAL_BASE_DT	
		EP_REVIEW_ID	
		LANGUAGE_CD	
		LANGUAGE_OPTION	
		OPRID	KEY(1)
		PNLGRPNAME	
		RUN_CNTL_ID	KEY(2)



		SAL_INC_DT	
		SETID	
*RUN_STPS1_MEX	STPS Reports Run Control	COURSE	
		ITEMNUM	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		TRAIN_PLAN_OBJ_MEX	
*RUN_STPS2_MEX	STPS Reports Run Control	COURSE	KEY(3)
		COURSE_END_DT	
		COURSE_START_DT	
		DESCR	
		HRS_UNITS	
		INSTRUCTOR_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SESSION_NBR	
*RUN_STPS_MEX	STPS Reports Run Control	ACCUM_HRS	
		APP_TYPE_MEX	
		BEGIN_DT	
		COMPANY	
		COMPANY_PLANS_MEX	
		CONTRACT_TYPE_MEX	
		COURSE_END_DT	
		COURSE_START_DT	
		END_DT	
		ESTABID	
		FROM_EMPLID_MEX	
		GEN_SYSTEM_MEX	
		INSTRUCTOR_ID	KEY(3)
		MIXED_COMM_ID_MEX	
		NAME_MEX	
		OPRID	KEY(1)
		PAYGROUP	
		PLAN_PHASES_MEX	
		PLAN_TYPE_MEX	
		PRINT_ADDRESS_MEX	
		PRINT_DATE	
		RUN_CNTL_ID	KEY(2)
		SPECIFIC_PLANS_MEX	
		TO_EMPLID_MEX	
RUN_TREEMOVER	Tree Definition	TRN_PROGRAM	
		ALL_VALUES	
		DESCR	
		DUPLICATE_LEAF	
		FILENAME	



Table Name	Description	Field Name	Key
RUN_TREE_UTILS	Run Control : Tree Utilities	NODE_COUNT	
		OPRID	KEY(1)
		REPLACE_TREE_FLAG	
		RUN_CNTL_ID	KEY(2)
		SETCNTRLVALUE	
		SETCNTRL_IND	
		SETID	
		TREEMOVER_RUN_MODE	
		TREE_ACC_METHOD	
		TREE_ACC_SELECTOR	
		TREE_ACC_SEL_OPT	
		TREE_CATEGORY	
		TREE_DEFN_FILE_FLG	
		TREE_DEFN_FLAG	
		TREE_EFFDT	
		TREE_KEY_VALUE	
		TREE_LEVEL_FLAG	
		TREE_NAME	
		TREE_NODE_FLAG	
		TREE_SAVE_METHOD	
		TREE_STRCT_FLAG	
		TREE_STRCT_ID	
		TREE_USRLEVEL_FLAG	
		TREE_USRNODE_FLAG	
		USE_LEVELS	
		ALLOW_SKIP_LEVELS	
		ALL_TREES_FLAG	
		ASOFDATE	
		AUDIT_ASOFDATE	
		OPRID	KEY(1)
		REPORT_ONLY_FLAG	
		RUN_CNTL_ID	KEY(2)
		SETCNTRLVALUE	
SETID			
TREE_AUDIT_SBRC			
TREE_AUDIT_SCOPE			
TREE_EFFDT			
TREE_NAME			
TREE_UTILITY_TYPE			
RVW_BAND_TB_LNG	Review Band Tbl (Obsolete)	DESCR50	
		DESCRSHORT	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
*RW_APP_EMP_CPY	Applicant Hire Copy Record	REVIEW_BAND_CD	KEY(1)
		COPY_ROW_IND	



		EFFDT_IND	
		EMPL_RCDN_FLAG	
		RECNAME_1	KEY(1)
		RECNAME_2	KEY(2)
RW_REVIEWER_LNG	Rvw Participants RL (Obsolete)	COMMENTS	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EVALUATION_TYPE	KEY(4)
		LANGUAGE_CD	KEY(6)
		REVIEWER_ID	KEY(5)
RW_REWERCMP_LNG	Rvw Factors Rel Lng (Obsolete)	COMMENTS	
		COMPETENCY	KEY(7)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EVALUATION_TYPE	KEY(4)
		LANGUAGE_CD	KEY(8)
		REVIEWER_ID	KEY(5)
		SEQ_NUM	KEY(6)
R_ACTION_COUNTS	Report Work Area	BEGINS	
		BUSINESS_UNIT	
		DEPARTMENT	
		ENDS	
		HIRES	
		RETIRES	
		TERMINATIONS	
		XFERSIN	
		XFERSOUT	
R_APP001_TMP	Temp Table for APP001 Report	ACTION	
		EE_COUNT	
		ETHNIC_GROUP	
		PROCESS_INSTANCE	
		SEX	
R_APP002_TMP	Temp Table for APP002 Report	ACTION	
		EEO_JOB_GROUP	
		EE_COUNT	
		ETHNIC_GROUP	
		PROCESS_INSTANCE	
		SEX	
R_APP007	Temp Table for SQR APP007	APPLID	
		APP_DT	
		INTERVW_DT	
		JOB_REQ_NBR	
		LETTER_CD	



R_APP008	Temp Table for SQR APP008	OFFER_DT SEQNUM ACCOMPPTS APPLID APP_DT BASISCODE COMPPTS PTS	
R_BEN023	Temporary File for BEN023 SQR	BENEFIT_NBR BENEFIT_PLAN COBRA_EVENT_ID COVERAGE_BEGIN_DT COVERAGE_ELECT DEPENDENT_BENEF EFFDT EMPLID EMPL_RCD PLAN_TYPE	KEY(6)  KEY(4) KEY(8) KEY(9) KEY(3) KEY(7) KEY(1) KEY(2) KEY(5)
R_BEN_BI_HIST	Billing History Work Record	AMT BENEFIT_PLAN BENEFIT_PROGRAM BILLING_REASON BILL_ADJ_ID BILL_CHARGE_ID BILL_PAY_ID COUNTRY COVRG_CD DATE_DUE DED_SLSTX_CLASS DETAIL_TYPE EMPLID PERIOD_BEGIN_DT PLAN_TYPE POSTING_DATE PROVINCE	          KEY(3) KEY(1)    KEY(2)
R_BN_PRIJOB1	Primary Jobs Rebuilding	BENEFIT_RCD_NBR EFFDT EMPLID EMPL_RCD EMPL_STATUS JOB_EFFSEQ JOB_EMPL_RCD PRIMARY_ERN	KEY(1) KEY(2)  KEY(3)       KEY(1) KEY(2)
R_BN_PRIJOB2	Primary Jobs Rebuilding	BENEFIT_RCD_NBR EFFDT	KEY(1) KEY(2)



Table Name	Description	Field Name	Key
R_CONTRIB_PART	Contributions Temp Table	EMPLID	
		EMPL_RCD	KEY(3)
		JOB_EFFSEQ	
		JOB_EMPL_RCD	
		PRIMARY_JOB_IND	
		CARRYOVER_AMT	
		CNVRTED_CARRY_FRWD	
		COMPANY	KEY(9)
		CUR_EXCHNG_RT	
		EMPLID	KEY(2)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_SRC	KEY(11)
		ESPP_STOCK_CONTRIB	
		EXCHANGE_DT	
		FROM_CUR	
		NAME	
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(10)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		RATE_DIV	
RATE_MULT			
REPORT_ID	KEY(1)		
STOCK_ID	KEY(3)		
STOCK_PLAN	KEY(5)		
STOCK_PLAN_TYPE	KEY(4)		
R_CTX915A_SORT	Work Record - CTX915A sort	TO_CUR	
		COMPANY	
		CTX_PLAN_A	
		CTX_PLAN_B	
		CTX_PLAN_C	
		CTX_SORT_CODE	
		CTX_TYPE_CODE	
		REPORTING_ID	
		SAVE_SEGM_NUMBER	
		SEQNO	
		TOT_ANNUITIES	
		TOT_COMMISSIONS	
		TOT_INCOME_TAX	
		TOT_LUMP_SUM	
		TOT_NELRET_ALLOW	
		TOT_OTH_INCOME	
		TOT_PAST_PENS	
		TOT_PATRON_ALLOC	
		TOT_PENS_ADJ	





		TOT_PENS_ANNUT	
		TOT_RESP_ASSTPAY	
		TOT_RESP_INCOME	
		TOT_RETIRE_ALLOW	
		TOT_SUPPLEMENTARY	
		TOT_USA_COUNT	
		WAGE_LOSS_PLAN	
R_CTX915T_SORT	Work Record - CTX915T sort	COMPANY	
		CTX_PLAN_A	
		CTX_PLAN_B	
		CTX_PLAN_C	
		CTX_SORT_CODE	
		CTX_TYPE_CODE	
		REPORTING_ID	
		SAVE_SEGM_NUMBER	
		SEQNO	
		TOT_EECPP_CONTR	
		TOT_EE_EI_PREM	
		TOT_EI_INS_EARNS	
		TOT_ERCPP_CONTR	
		TOT_ER_EI_PREM	
		TOT_INCOME_TAX	
		TOT_PENS_ADJ	
		TOT_REGPP_CONTR	
		TOT_SUPPLEMENTARY	
		TOT_USA_COUNT	
		TTL_INCOME	
		WAGE_LOSS_PLAN	
R_FINAL_RESULTS	Tmp Tbl-NDT Results	CAFETERIA_PLAN	
		CALC_HARBOR_PCT	
		ELIG_HCE_COUNT	
		ELIG_NHCE_COUNT	
		FIFTY5_CALC_PCT	
		MIN_EMPLOYEE_COUNT	
		NHCE_LOOKUP_PCT	
		PASSED	
		PCT_BENEFIT_PAID	
		SAFE_HARBOR_PCT	
		SLOB	
		TEST_ID	KEY(1)
		TTL_BENEFIT_PAID	
		UNSAFE_HARBOR_PCT	
R_GHPER550	Temp Table for SQR GHPER550	CITY	
		EFFDT	KEY(2)
		GVT_CMSA	



		GVT_GEOLOC_CD	KEY(1)
		GVT_LEGACY_CODE	
		GVT_LEOPAY_AREA	
		GVT_LOCALITY_AREA	
		GVT_MSA	
R_GLX001	Temp Table - SQR GLX001	ACCT_CD	
		AMOUNT	
		BUSINESS_UNIT	
		DEPTID	
		ERNCD	
		GL_PAY_TYPE	
		LINE_NUM	
		OFF_CYCLE	
		PAGE_NUM	
		PAYGROUP	
		SEPCHK	
R_GLX002	Temp Table - SQR GLX002	AMOUNT	
		COMPANY	
		DESCR	
		DRCR	
		GL_NBR	
		PAY_END_DT	
R_GVT_BAS_ELIG0	Rqsn/Jobcode Considered For	APPLID	KEY(1)
		APP_DT	KEY(2)
		GVT_APPL_AP_SCORE	
		GVT_APPL_COMP_STS	
		GVT_APPL_PNL_SCORE	
		GVT_APPL_RANK	
		GVT_APPL_VP_SCORE	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	
		GVT_FINAL_SCORE	
		GVT_LETTER_CD	
		GVT_MIN_QUAL_SCORE	
		GVT_PRIO_PLCMNT_CD	
		GVT_PRIO_WEIGHT	
		GVT_QUALS_DETERM	
		GVT_QUALS_DET_DATE	
		GVT_RANK_CATEGORY	
		GVT_RANK_STATUS	
		GVT_RQSN_CERT_NBR	
		GVT_VET_RECR_CODE	
		JOBCODE	KEY(4)
		JOB_REQ_NBR	KEY(3)
		POSITION_NBR	KEY(5)



R_GVT_BAS_ELIG1	Rqsn/Jobcode Considered For	STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
		APPLID	KEY(1)
		APP_DT	KEY(2)
		GVT_APPL_AP_SCORE	
		GVT_APPL_COMP_STS	
		GVT_APPL_PNL_SCORE	
		GVT_APPL_RANK	
		GVT_APPL_VP_SCORE	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	
		GVT_FINAL_SCORE	
		GVT_LETTER_CD	
		GVT_MIN_QUAL_SCORE	
		GVT_PRIO_PLCMNT_CD	
		GVT_PRIO_WEIGHT	
		GVT_QUALS_DETERM	
		GVT_QUALS_DET_DATE	
		GVT_RANK_CATEGORY	
		GVT_RANK_STATUS	
		GVT_RQSN_CERT_NBR	
		GVT_VET_RECR_CODE	
		JOBCODE	KEY(4)
		JOB_REQ_NBR	KEY(3)
		POSITION_NBR	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
R_GVT_BAS_ELIG2	Rqsn/Jobcode Considered For	APPLID	KEY(1)
		APP_DT	KEY(2)
		GVT_APPL_AP_SCORE	
		GVT_APPL_COMP_STS	
		GVT_APPL_PNL_SCORE	
		GVT_APPL_RANK	
		GVT_APPL_VP_SCORE	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	
		GVT_FINAL_SCORE	
		GVT_LETTER_CD	
		GVT_MIN_QUAL_SCORE	
		GVT_PRIO_PLCMNT_CD	
		GVT_PRIO_WEIGHT	
		GVT_QUALS_DETERM	
		GVT_QUALS_DET_DATE	



		GVT_RANK_CATEGORY	
		GVT_RANK_STATUS	
		GVT_RQSN_CERT_NBR	
		GVT_VET_RECR_CODE	
		JOB_CODE	KEY(4)
		JOB_REQ_NBR	KEY(3)
		POSITION_NBR	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
R_GVT_BAS_ELIG3	Rqsn/Jobcode Considered For	APPLID	KEY(1)
		APP_DT	KEY(2)
		GVT_APPL_AP_SCORE	
		GVT_APPL_COMP_STS	
		GVT_APPL_PNL_SCORE	
		GVT_APPL_RANK	
		GVT_APPL_VP_SCORE	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	
		GVT_FINAL_SCORE	
		GVT_LETTER_CD	
		GVT_MIN_QUAL_SCORE	
		GVT_PRIO_PLCMNT_CD	
		GVT_PRIO_WEIGHT	
		GVT_QUALS_DETERM	
		GVT_QUALS_DET_DATE	
		GVT_RANK_CATEGORY	
		GVT_RANK_STATUS	
		GVT_RQSN_CERT_NBR	
		GVT_VET_RECR_CODE	
		JOB_CODE	KEY(4)
		JOB_REQ_NBR	KEY(3)
		POSITION_NBR	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
R_GVT_BAS_ELIG4	Rqsn/Jobcode Considered For	APPLID	KEY(1)
		APP_DT	KEY(2)
		GVT_APPL_AP_SCORE	
		GVT_APPL_COMP_STS	
		GVT_APPL_PNL_SCORE	
		GVT_APPL_RANK	
		GVT_APPL_VP_SCORE	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	



		GVT_FINAL_SCORE	
		GVT_LETTER_CD	
		GVT_MIN_QUAL_SCORE	
		GVT_PRIO_PLCMNT_CD	
		GVT_PRIO_WEIGHT	
		GVT_QUALS_DETERM	
		GVT_QUALS_DET_DATE	
		GVT_RANK_CATEGORY	
		GVT_RANK_STATUS	
		GVT_RQSN_CERT_NBR	
		GVT_SORT_ORDER	
		GVT_VET_RECR_CODE	
		JOBCODE	KEY(4)
		JOB_REQ_NBR	KEY(3)
		MET_FINAL_QUALS	
		MET_PRE_QUALS	
		OK_TO_INTERVIEW	
		OK_TO_OFFER	
		OK_TO_ROUTE	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
R_GVT_BA_ELIG0A	Rqsn/Jobcode Considered For	APPLID	KEY(1)
		APP_DT	KEY(2)
		GVT_APPL_AP_SCORE	
		GVT_APPL_COMP_STS	
		GVT_APPL_PNL_SCORE	
		GVT_APPL_RANK	
		GVT_APPL_VP_SCORE	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	
		GVT_FINAL_SCORE	
		GVT_LETTER_CD	
		GVT_MIN_QUAL_SCORE	
		GVT_PRIO_PLCMNT_CD	
		GVT_PRIO_WEIGHT	
		GVT_QUALS_DETERM	
		GVT_QUALS_DET_DATE	
		GVT_RANK_CATEGORY	
		GVT_RANK_STATUS	
		GVT_RQSN_CERT_NBR	
		GVT_VET_RECR_CODE	
		JOBCODE	KEY(4)
		JOB_REQ_NBR	KEY(3)
		POSITION_NBR	KEY(5)



Table Name	Description	Field Name	Key
R_GVT_BOND_ISS	GVT Bond Issue Table	STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
		ADDRESS1	
		ADDRESS2	
		ADDRESS3	
		BOND_ID	
		CITY	
		GVT_BOND_ADDR_IND	
		GVT_BOND_DENOM_CD	
		GVT_BOND_ISSUE_MM	
		GVT_BOND_ISSUE_YY	
		GVT_BOND_MAIL_DES	
		GVT_BOND_SERIES	
		GVT_COOWN_BENEF_CD	
		NAME	
		NAME1	
POSTAL			
SSN			
SSN1			
STATE			
R_GVT_EFT_SORT		ACCOUNT_NUM	
		ACCOUNT_TYPE	
		BANK_CD	KEY(1)
		GVT_DESCR80	
		GVT_EFT_SORT_AMT	
R_GVT_PAR_PRT		GVT_LINE_CODE	
		GVT_PAYEE_ID_NO	KEY(2)
		GVT_PAYEE_NAME	
		DEPTID	
		EFFDT	KEY(6)
		EFFSEQ	KEY(7)
		EMPLID	KEY(4)
		EMPL_RCD	KEY(5)
		GVT_DATE_WRK	
		GVT_PAR_CUR_STATUS	
GVT_WIP_RECORD	KEY(3)		
GVT_WIP_STATUS			
JOBCODE			
LOCATION			
NAME			
OPRID	KEY(1)		
POSITION_NBR			
RUN_CNTL_ID	KEY(2)		
SSN			



R\_GVT\_PRIPL\_AG1

APPLID  
APP\_DT  
GRADE  
GVT\_OCC\_SERIES  
GVT\_PAY\_PLAN  
GVT\_PRIO\_PLCMNT\_CD  
GVT\_PRIO\_WEIGHT  
GVT\_RQSN\_SEL\_CRITE  
GVT\_RQSN\_TYPE  
JOBCODE  
JOB\_REQ\_NBR

R\_GVT\_PRIPL\_AG2

APPLID  
APP\_DT  
GRADE  
GVT\_OCC\_SERIES  
GVT\_PAY\_PLAN  
GVT\_PRIO\_PLCMNT\_CD  
GVT\_PRIO\_WEIGHT  
GVT\_RQSN\_SEL\_CRITE  
GVT\_RQSN\_TYPE  
JOBCODE  
JOB\_REQ\_NBR

R\_GVT\_PRIPL\_AG3

Applicant-Posns Applied For

APPLID KEY(1)  
APP\_DT KEY(2)  
CONTRACT\_NUM  
ENTRY\_DATE  
ENTRY\_SOURCE  
ESTABID  
GVT\_DATE\_APPL\_REC  
GVT\_DISP\_RSN\_SAVE  
GVT\_DISP\_SAVE  
GVT\_DT\_INFO\_REC  
GVT\_DT\_INFO\_REQ  
GVT\_DT\_RECON\_REC  
GVT\_PRIO\_PLCMNT\_CD  
GVT\_PSN\_APPL\_FLAG  
GVT\_RQSN\_SEL\_CRITE  
JOBCODE KEY(5)  
JOB\_REQ\_NBR KEY(3)  
KEYWORD\_MATCH  
LETTER\_CD  
LETTER\_PRINTED\_DT  
MET\_FINAL\_QUALS  
MET\_PRE\_QUALS  
OFF\_REFSRC\_CAT



		OFF_REFSRC_SUB	
		OK_TO_INTERVIEW	
		OK_TO_OFFER	
		OK_TO_ROUTE	
		POSITION_NBR	KEY(4)
		REQST_ADDTNL_INFO	
		SETID	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
R_GVT_PRIPL_AG4	Applicant-Posns Applied For	APPLID	KEY(1)
		APP_DT	KEY(2)
		CONTRACT_NUM	
		ENTRY_DATE	
		ENTRY_SOURCE	
		ESTABID	
		GVT_DATE_APPL_REC'D	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	
		GVT_DT_INFO_REC'D	
		GVT_DT_INFO_REQ	
		GVT_DT_RECON_REC'D	
		GVT_PRIO_PLCMNT_CD	
		GVT_PSN_APPL_FLAG	
		GVT_RQSN_SEL_CRITE	
		JOB_CODE	KEY(5)
		JOB_REQ_NBR	KEY(3)
		KEYWORD_MATCH	
		LETTER_CD	
		LETTER_PRINTED_DT	
		MET_FINAL_QUALS	
		MET_PRE_QUALS	
		OFF_REFSRC_CAT	
		OFF_REFSRC_SUB	
		OK_TO_INTERVIEW	
		OK_TO_OFFER	
		OK_TO_ROUTE	
		POSITION_NBR	KEY(4)
		REQST_ADDTNL_INFO	
		SETID	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
R_GVT_PRIPL_AG5	Applicant-Posns Applied For	APPLID	KEY(1)
		APP_DT	KEY(2)





		CONTRACT_NUM	
		ENTRY_DATE	
		ENTRY_SOURCE	
		ESTABID	
		GVT_DATE_APPL_REC'D	
		GVT_DISP_RSN_SAVE	
		GVT_DISP_SAVE	
		GVT_DT_INFO_REC'D	
		GVT_DT_INFO_REQ	
		GVT_DT_RECON_REC'D	
		GVT_PRIO_PLCMNT_CD	
		GVT_PSN_APPL_FLAG	
		GVT_RQSN_SEL_CRITE	
		JOB_CODE	KEY(5)
		JOB_REQ_NBR	KEY(3)
		KEYWORD_MATCH	
		LETTER_CD	
		LETTER_PRINTED_DT	
		MET_FINAL_QUALS	
		MET_PRE_QUALS	
		OFF_REFSRC_CAT	
		OFF_REFSRC_SUB	
		OK_TO_INTERVIEW	
		OK_TO_OFFER	
		OK_TO_ROUTE	
		POSITION_NBR	KEY(4)
		REQST_ADDTNL_INFO	
		SETID	
		STATUS_CODE	
		STATUS_DT	
		STATUS_REASON	
R_GVT_TSP_SORT	Work Tble for Sorting TSP Ext	GVT_TSP_DATA	
		GVT_TSP_SORT_DATA	
R_HR_ACCRUAL	Temp Table for PayGL	ACCOUNT	
		AMOUNT	
		APPL_JRNL_ID	
		BUSINESS_UNIT	
		BUSINESS_UNIT_GL	
		COMPANY	
		CURRENCY_CD	
		DEPTID	
		DRCR	
		FUND_CODE	
		JRNL_LN_REF	
		LINE_DESCR	



		PAYGROUP	
		PAY_END_DT	
		SETID_HR	
R_NDT_CONTROL	Tmp Tbl-NDT Run Control	BALANCE_ID	
		BALANCE_PERIOD	
		BALANCE_YEAR	
		ERNCD	
		SIGNVALUE	
		YEAR_CD	
R_NDT_EMPL_ADP	Tmp Tbl-NDT Actual Defer %	ADP_HCE_ACTUAL	
		ADP_MODE	
		DED_YTD	
		EMPLID	
		GRS_YTD	
		HCE_TYPE	
		YTD_401_K_M	
R_NDT_EMPL_YTD	Tmp Tbl-NDT EE Elig Earnings	DED_YTD	
		EMPLID	
		GRS_YTD	
		HCE_TYPE	
		YEAR_CD	
		YTD_401_K_M	
R_PATXUPD	PATXUPD	COUNTY	
		EFFDT	
		EFF_STATUS	
		LOCALITY	
		LOCALITY_NAME	
		LOC_JURISDCTN	
		LOC_TAX_TYPE	
		MAINT_RESPONSBLTY	
		NONRESIDENT_TAX_RT	
		OTH_LOCALITY	
		OTH_LOCALITY_NAME	
		PARTIAL_IND	
		RESIDENT_TAX_RT	
		STATE	
		TAX_CLASS	
		WITHHOLD_WRK_ONLY	
R_PAY009	Temp Table - SQR PAY009	PRINT_EMPLTYPE	
R_PAY015	Temp Table - SQR PAY015	ACCOUNT_NUM	KEY(2)
		CHECK_DT	KEY(6)
		FORM_ID	KEY(5)
		NET_PAY	
		PAYCHECK_NBR	KEY(4)
		PAY_SHEET_SRC	



		SORT_FLD	KEY(3)
		TRANSIT_NUM	KEY(1)
R_PAY034		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
R_PAY101CN	CAN ROE Print Exceptions	COMPANY	KEY(3)
		EMPLID	KEY(4)
		OPRID	KEY(1)
		REASON	KEY(8)
		ROE_SEQ	KEY(7)
		RUN_CNTL_ID	KEY(2)
		UI_PAYABLE_DT	KEY(6)
		WAGE_LOSS_PLAN	KEY(5)
R_PAY102CN	PAY102CN Work Table	CAN_WCB_CU	KEY(4)
		CAN_WCB_RATE_GROUP	KEY(3)
		COMPANY	KEY(1)
		EMPLID	KEY(5)
		PROVINCE	KEY(2)
		WCB_ASSESSABLE	
		WCB_OVER_EARNS	
		WCB_YTD_ASSESSABLE	
		WCB_YTD_OVER_EARNS	
R_PAYGL1	Temp Table - SQR PAYGL01	ACCT_CD	
		AMOUNT	
		APPL_JRNL_ID	
		BUSINESS_UNIT	
		BUSINESS_UNIT_GL	
		CHECK_DT	
		CURRENCY_CD	
		DEPTID	
		EMPLID	
		EMPL_RCD	
		ERNCD	
		EX_DOC_ID	
		EX_DOC_TYPE	
		EX_LINE_NBR	
		FORM_ID	
		GL_PAY_TYPE	
		GROSSUP	
		LINE_NUM	
		OFF_CYCLE	
		PAGE_NUM	
		PAYCHECK_NBR	
		PAYCHECK_STATUS	
		PAYGROUP	



R_PAY_ACCRUAL	Temp Table - Pay Accrual Calcs	SEPCHK SETID_HR AMOUNT COMPANY DESCR DRCR GL_NBR PAYGROUP PAY_END_DT	
R_PER001	Temp Table for SQR PER001	BUSINESS_UNIT DEPARTMENT EMPLNAME EMPLNAME_AC NOTICEDATE RPTID SPECIALFIELD1	
R_PER002	Temp Table for SQR PER002	DAY_OF_MONTH DEPTNAME JOBTITLE MONTHCD NAME NAME_AC	
R_PER003	Temp Table for SQR PER003	SEX BUSINESS_UNIT DEPTID EMPLID EMPL_RCD HIRE_DT JOBCODE NAME SERVICE_MONTHS SERVICE_YEARS SETID_JOBCODE	KEY(1) KEY(2)
R_PER016	Table to hold PER16 totals.	TERMINATION_DT CTL_ESTABID EEO1BK_TOT EEO1B_TOT EEO1C_TOT EEO1D_TOT EEO1E_TOT EEO1F_TOT EEO1G_TOT EEO1H_TOT EEO1I_TOT EEO1J_TOT	KEY(3)



		EEO1K_TOT	
		EEO_RPT_TYPE	
		ESTABID	
		FROMDATE	
		REPORT_RUN_DATE	
		THRUDATE	
R_PER016X	Temp table used for PER016.SQR	ADDRESS_SBR	
		MAJOR_ACTIVITY	
		NUM_OF_EMPLOYEES	
R_PER031	Temp Table for SQR PER031	OFFICE_NAME	
		DEPTID	
		EEOCOL	
		EFFDT	
		FPT	
		JOBCODE	
		SALARY_LEVEL	
		SETID_DEPT	
		SETID_JOBCODE	
R_PER053	Table for Report PER053	ACTION	
		ACTION_ITA	
		ACTION_REASON_ITA	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_CTG	
		EMPL_CTG_L1	
		LABOR_AGREEMENT	
		SETID_LBR_AGRMNT	
		SEX	KEY(2)
		UNITA_PROD_CD	KEY(4)
R_PER053_ALL	Table for Report PER053	ACTION	
		ACTION_ITA	
		ACTION_REASON_ITA	
		COMPRATE	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_CTG	
		EMPL_CTG_L1	
		FLAG	KEY(5)
		LABOR_AGREEMENT	
		SETID_LBR_AGRMNT	
		SEX	KEY(2)
		UNITA_PROD_CD	KEY(4)
R_PER053_MAX	Table for Report PER053	COMPRATE	
		EFFDT	KEY(3)
		EMPLID	KEY(1)



		EMPL_CTG	
		EMPL_CTG_L1	
		LABOR_AGREEMENT	
		SETID_LBR_AGRMNT	
		SEX	KEY(2)
R_PER053_MIN	Table for Report PER053	UNITA_PROD_CD	KEY(4)
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_CTG	
		EMPL_CTG_L1	
		LABOR_AGREEMENT	
		SETID_LBR_AGRMNT	
		SEX	KEY(2)
R_PER060	Worktable - Disability report	UNITA_PROD_CD	KEY(4)
		BIRTHDATE	
		DISABILITY_ITA	
		DISABILITY_PERCTG	
		EMPLID	
		EMPL_CTG	
		FULL_PART_TIME	
		LABOR_AGREEMENT	
		LOCATION	
		NAME	
		SETID	
		SETID_LBR_AGRMNT	
		SEX	
R_PER061	Temp Table for SQR PER061	DESCR	
		DESCR2	
		DESCRLONG	
		DISCIPLINARY_TYPE	
		EMPLID	
		FINAL_RESOLUTION	
		GRIEVANCE_ID	
		LETTER_CD	
		RESLTN_COMM	
		TRANS_DT	
R_PER505	Temp Table for SQR PER505	SETID	KEY(1)
		TREE_EFFDT	
R_PER507	Temp tbl for PER507	ACCIDENT_INS	
		ACCOUNTING_OWNER	
		BUDGET_DEPTID	
		BUDGET_LVL	
		BUDGET_YR_END_DT	
		CAN_IND_SECTOR	
		COMPANY	



---

COUNTRY_GRP	
DEPTID	KEY(2)
DEPT_TBLAUS_SBR	
DEPT_TLBLBEL_SBR	
DEPT_TBLNZL_SBR	
DEPT_TENURE_FLG	
DESCR	
DESCRSHORT	
EEO4_FUNCTION	
EFFDT	KEY(3)
EFF_STATUS	
ESTABID	
FTE_EDIT_INDC	
GL_EXPENSE	
GVT_DESCR40	
GVT_PAR_DESCR2	
GVT_PAR_DESCR3	
GVT_PAR_DESCR4	
GVT_PAR_DESCR5	
GVT_PAR_LINE2	
GVT_PAR_LINE3	
GVT_PAR_LINE4	
GVT_PAR_LINE5	
GVT_SUB_AGENCY	
HAZARD	
HP_STATS_DEPT_CD	
HP_STATS_FACULTY	
LOCATION	
MANAGER_ID	
MANAGER_NAME	
MANAGER_POSN	
ORGCODE	
ORGCODE_FLAG	
PARENT_NODE_NUM	
REPORTS_TO_DEPT	
RISKCD	
SETID	KEY(1)
SETID_LOCATION	
SETID_RPDEPT	
SI_ACCIDENT_NUM	
TAX_LOCATION_CD	
TL_DISTRIB_INFO	
TREE_EFFDT	
TREE_LEVEL_NUM	
TREE_NODE_NUM	



Table Name	Description	Field Name	Key
R_PRC5_GRP_DTL	Process Group Detail	TREE_NODE_NUM_END	
		USE_BUDGETS	
		USE_DISTRIBUTION	
		USE_ENCUMBRANCES	
		COMPANY	KEY(3)
R_SAFE_RATIO	Tmp Tbl-NDT Safe/UnSafe Harbor	PAYGROUP	KEY(4)
		PROCESS_GROUP	KEY(2)
		REPORT_ID	KEY(1)
		NHCE_CONCNTR_PCT	KEY(1)
R_TAX002CA	Temp Table - SQR Tax002CA	SAFE_HARBOR_PCT	
		UNSAFE_HARBOR_PCT	
		COMPANY	
		EMPLID	
		EMPLOYER_ID	
		LOCALITY	
		NLGRS_QTD	
		STATE	
		TAX_CLASS	
		TAX_QTD	
R_TAX002MI	Temp Table - SQR Tax002MI	TXGRS_QTD	
		COMPANY	
		EMPLID	
		EMPLOYER_ID	
		EMPLOYER_ID_EXT	
		FIRST_NAME	
		LAST_NAME	
		LOCALITY	
		MIDDLE_NAME	
		NATIONAL_ID	
R_TAX002MN	Temp Table - SQR Tax002MN	NLGRS_QTD	
		STATE	
		TAX_CLASS	
		TXGRS_QTD	
		COMPANY	
		EMPLID	
		EMPLOYER_ID	
		EMPLOYER_ID_EXT	
		FIRST_NAME	
		LAST_NAME	
LOCALITY			
		MIDDLE_NAME	
		NAME	
		NATIONAL_ID	
		NLGRS_QTD	
		STATE	





Table Name	Description	Fields	Key(s)
R_TAX002NY	Temp Table - SQR TAX002NY	TAX_CLASS TXGRS_QTD COMPANY EMPLID FIRST_NAME GRS_QTD LAST_NAME MIDDLE_NAME SSN TAX_CLASS_NY TAX_CLASS_NY2 TAX_YTD TXGRS_YTD	KEY(1)        KEY(2)
R_TAX004	Temp Table - SQR TAX004	COMPANY LOCATION_STATE OUT_OF_STATE_LOC QTRLY_WAGES SUT_STATE TAX_LOCATION_CD WORKERS_MONTH1 WORKERS_MONTH2 WORKERS_MONTH3	KEY(1) KEY(3)   KEY(2) KEY(4)
R_TAX004ST	Temp Table - SQR TAX004ST	COMPANY EMPLID F_WORKERS_MONTH1 F_WORKERS_MONTH2 F_WORKERS_MONTH3 M_WORKERS_MONTH1 M_WORKERS_MONTH2 M_WORKERS_MONTH3	KEY(1) KEY(2)
R_TAX810	Temp Table - SQR TAX810	COMPANY EMPLID FEDERAL_EIN LOCATION NAME NLGRS_QTD SSN TXGRS_QTD	
R_TAX810CA	Temp Table - SQR Tax810CA	UI_RPT_CODE COMPANY EMPLID EMPLOYER_ID LOCALITY NLGRS_QTD STATE	



R_TAX810MI	Temp Table - SQR Tax810MI	TAX_CLASS TAX_QTD TXGRS_QTD COMPANY EMPLID EMPLOYER_ID FIRST_NAME LAST_NAME LOCALITY MIDDLE_NAME NATIONAL_ID NLGRS_QTD STATE TAX_CLASS TXGRS_QTD	
R_TAX810MN	Temp Table - SQR Tax810MN	COMPANY EMPLID EMPLOYER_ID LOCALITY NAME NATIONAL_ID NLGRS_QTD STATE TAX_CLASS TXGRS_QTD	
R_TAX909NY	Temp Table - SQR TAX909NY	AMT1 COMPANY EMPLID LOCALITY LOCALITY_NAME STATE TAXES W2_MAG_CODE WAGES	KEY(2) KEY(1) KEY(2)
R_TAX910XX	Temporary W2 Tax Table	LOCALITY LOCALITY_NAME STATE TAXES W2_MAG_CODE WAGES	KEY(1) KEY(1)
R_TAX960XX	Temporary W2 Tax Table	LOCALITY LOCALITY_NAME STATE TAXES W2_MAG_CODE WAGES	KEY(2) KEY(1)
R_TEMPDATE SALO1_JPN_TMP	Report Work Area	TEMPDATE AJSTD_SAL_AMT CALC_NUM COMP_EFFSEQ COMP_FREQUENCY	KEY(4)



	COMP_RATECD	KEY(5)
	CURRENCY_CD	
	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	GB_GROUP_ID	
	GRADE	
	NAME	
	PROCESS_INSTANCE	KEY(1)
	SAL_ADMIN_PLAN	
	SAL_INC_ID	
	SETID_SALARY	
SAL02_JPN_TMP	AJSTD_SAL_AMT	
	CALC_NUM	
	COMP_EFFSEQ	KEY(4)
	COMP_FREQUENCY	
	COMP_RATECD	KEY(5)
	CURRENCY_CD	
	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	GB_GROUP_ID	
	GRADE	
	NAME	
	PROCESS_INSTANCE	KEY(1)
	SAL_ADMIN_PLAN	
	SAL_INC_ID	
	SETID_SALARY	
SAL03_JPN_TMP	AJSTD_SAL_AMT	
	CALC_NUM	
	COMP_EFFSEQ	KEY(4)
	COMP_FREQUENCY	
	COMP_RATECD	KEY(5)
	CURRENCY_CD	
	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	GB_GROUP_ID	
	GRADE	
	NAME	
	PROCESS_INSTANCE	KEY(1)
	SAL_ADMIN_PLAN	
	SAL_INC_ID	
	SETID_SALARY	
SAL04_JPN_TMP	AJSTD_SAL_AMT	
	CALC_NUM	
	COMP_EFFSEQ	KEY(4)
	COMP_FREQUENCY	



		COMP_RATECD	KEY(5)
		CURRENCY_CD	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		GB_GROUP_ID	
		GRADE	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		SAL_ADMIN_PLAN	
		SAL_INC_ID	
SALARY_PLAN	EE Proposed Salary Increase	SETID_SALARY	
		ACTION	
		ACTION_REASON	
		AMOUNT_IND	
		ANNUAL_INCREASE	
		ANNUAL_RT	
		BUDGET_ID	
		BUDGET_START_DT	
		BUSINESS_UNIT	
		CHANGE_AMT	
		CHANGE_PCT	
		COMPRATE	
		COMP_FREQUENCY	
		CURRENCY_CD	
		DEPTID	
		EFFDT	KEY(3)
		EFFSEQ	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		GB_GROUP_ID	
		GRADE	
		HIRE_DT	
		HOURLY_RT	
		JOB_CODE	
		JOB_BASED	
		JOB_EFFDT	
		JOB_EFFSEQ	
		LOADED_TO_JOB	
		MONTHS_LAST_INCR	
		POSITION_NBR	
		RANK	
		REFRESH_SW	
		REHIRE_DT	
		SALARY_PLAN_STATUS	
		SALRYPLN_FEDSBR	



		SAL_ADMIN_PLAN	
		STD_HOURS	
		STD_HRS_FREQUENCY	
SALARY_RATE_TBL	Percent of Salary Rate Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		PCT_OF_SALARY	
		PCT_OF_SAL_EMPL	
		PCT_OF_SAL_EMPLR	
		RATE_LIMIT_SBR	
		SALARY_RATE_ID	KEY(1)
SALARY_RTE_LANG	Percent of Salary Rate Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		SALARY_RATE_ID	KEY(1)
SALER_JPN_TMP	Temp table for HR_CMP053	CALC_NUM	
		COMP_EFFSEQ	KEY(5)
		COMP_FREQUENCY	
		COMP_RATECD	KEY(6)
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GB_GROUP_ID	
		MESSAGE_TEXT	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		SAL_INC_ID	
		SEQ_NBR	KEY(2)
SALINC_SIML_JPN	Salary Increase Simulation	AJSTD_SALINC_PCT	
		AJSTD_SAL_AMT	
		BEF_SALINC_AMOUNT	
		BUSINESS_UNIT	
		CALC_NUM	KEY(2)
		COMPANY	
		COMP_EFFSEQ	KEY(5)
		COMP_FREQUENCY	
		COMP_RATECD	KEY(6)
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GB_GROUP_ID	
		GP_PAYGROUP	
		GRADE	
		JOBCODE	



Table Name	Description	Field Name	Key
SAL_AMT_TBL_JPN	Salary Increase Amount Table	NAME	
		NEW_SAL_AMOUNT	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PAYGROUP	
		PAY_SYSTEM_FLG	
		RATING_MODEL	
		REG_REGION	
		REVIEW_RATING	
		SALARY_MATRIX_CD	
		SALINC_ADJUST	
		SALINC_AMOUNT	
		SALINC_PCT	
		SAL_ADMIN_PLAN	
		SAL_INC_ID	KEY(1)
		SETID_JOBCODE	
		SETID_SALARY	
STD_HOURS			
STD_HRS_FREQUENCY			
SAL_GRADE_LANG	Related Lang-Salary Grade Tbl	COMP_RATECD	KEY(1)
		EFFDT	KEY(2)
		EFF_STATUS	
		RATING_MODEL	KEY(3)
		REVIEW_RATING	KEY(4)
SAL_GRADE_PUB	Salary Grade Table	SALINC_AMOUNT	
		CAP_GRD_JP2_SBR	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		GRADE	KEY(3)
		LANGUAGE_CD	KEY(5)
		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
		AUDIT_ACTN	
CURRENCY_CD			
DESCR			
DESCRSHORT			
EFFDT	KEY(4)		
EFF_STATUS			
EMPL_CTG			
EMPL_CTG_L1			
EMPL_CTG_L2			
GRADE	KEY(3)		
LABOR_AGREEMENT			
MAX_RT_ANNUAL			



		MAX_RT_DAILY	
		MAX_RT_HOURLY	
		MAX_RT_MONTHLY	
		MID_RT_ANNUAL	
		MID_RT_DAILY	
		MID_RT_HOURLY	
		MID_RT_MONTHLY	
		MIN_RT_ANNUAL	
		MIN_RT_DAILY	
		MIN_RT_HOURLY	
		MIN_RT_MONTHLY	
		PROCESS_INSTANCE	
		SALARY_MATRIX_CD	
		SALGRD_FED_SBR	
		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
		STEP_INCREM_ACCUM	
		STEP_INCREM_TYPE	
*SAL_GRADE_TBL	Salary Grade Table	CAP_GRD_JPN_SBR	
		CURRENCY_CD	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		EFF_STATUS	
		EMPL_CTG	
		EMPL_CTG_L1	
		EMPL_CTG_L2	
		GRADE	KEY(3)
		JOB_PROFILE_ID	
		LABOR_AGREEMENT	
		MAX_RT_ANNUAL	
		MAX_RT_DAILY	
		MAX_RT_HOURLY	
		MAX_RT_MONTHLY	
		MID_RT_ANNUAL	
		MID_RT_DAILY	
		MID_RT_HOURLY	
		MID_RT_MONTHLY	
		MIN_RT_ANNUAL	
		MIN_RT_DAILY	
		MIN_RT_HOURLY	
		MIN_RT_MONTHLY	
		REG_REGION	
		SALARY_MATRIX_CD	
		SALGRD_FED_SBR	



		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
		STEP_INCREM_ACCUM	
		STEP_INCREM_TYPE	
SAL_GRD_JPN_LNG	Related Lang-Salary Grade JPN	EFFDT	KEY(5)
		GRADE	KEY(3)
		LANGUAGE_CD	KEY(4)
		NOTES_JPN	
		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
SAL_GRD_REV_JPN	Salary Grade Review Table	EFFDT	KEY(4)
		GRADE	KEY(3)
		REVIEW_SEQUENCE	KEY(5)
		REVIEW_WEIGHT	
		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
*SAL_GRD_TBL_JPN	Salary Grade Table JPN	EFFDT	KEY(4)
		GRADE	KEY(3)
		NOTES_JPN	
		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
SAL_GRP_RES_JPN	Salary Increase Group Result	GB_GRP_RES_SBR	
SAL_ID2_TBL_JPN	Salary Increase ID Descr Table	GB_GROUP_ID	KEY(2)
		SAL_INC_ID	KEY(1)
SAL_ID_JPN_LNG	Salary Increase ID Language	DESCR	
		LANGUAGE_CD	KEY(2)
		SAL_INC_ID	KEY(1)
SAL_ID_TBL_JPN	Salary Increase ID Table	CAL_BASE_DT	
		COMP_RATECD	
		DESCR	
		EFF_DIGIT	
		EP_REVIEW_ID	
		ROUNDING_RULEJ	
		SAL_INC_DT	
		SAL_INC_ID	KEY(1)
		SETID	
SAL_MATRIX_LANG	Related Lang-Sal Incr Matrix	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(4)
		SALARY_MATRIX_CD	KEY(2)
		SETID	KEY(1)
SAL_MATRIX_PCT	Salary Matrix Percent Table	BELOW_MINIMUM_MAX	
		BELOW_MINIMUM_MIN	
		EFFDT	KEY(3)





		QUARTILE1_MAX	
		QUARTILE1_MIN	
		QUARTILE2_MAX	
		QUARTILE2_MIN	
		QUARTILE3_MAX	
		QUARTILE3_MIN	
		QUARTILE4_MAX	
		QUARTILE4_MIN	
		REVIEW_RATING	KEY(4)
		SALARY_MATRIX_CD	KEY(2)
		SETID	KEY(1)
*SAL_MATRIX_TBL	Salary Increase Matrix Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		RATING_MODEL	
		SALARY_MATRIX_CD	KEY(2)
		SETID	KEY(1)
SAL_PLANMC_TMP2	Sal Plan by Grp AE Calculation	COMPRATE	
		COMP_EFFSEQ	KEY(8)
		COMP_PCT	
		COMP_RATECD	KEY(7)
		CURRENCY_CD	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FREQUENCY_ID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
SAL_PLAN_CONTRL	Salary Plan Control - Company	ANNIVERSARY_SW	
		BUDGET_END_DT	
		BUDGET_START_DT	
		COMPANY	KEY(1)
		CURRENCY_CD	
		EXCHNG_TO_RT_TYPE	
		NEW_HIRE_ELIG_DT	
		SAL_PLAN_EFFDT	
		SAL_PLAN_START_DT	
SAL_PLAN_LANG	Related Lang-Sal Admin Plan	DESCR	
		DESCR254	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(4)
		SAL_ADMIN_PLAN	KEY(2)



Table Name	Description	Field Name	Key Information		
SAL_PLAN_MC	EE Proposed Inc. Components	SETID	KEY(1)		
		CHANGE_AMT			
		CHANGE_PCT			
		CHANGE_PTS			
		CMP_SRC_IND			
		COMPRATE			
		COMP_EFFSEQ	KEY(6)		
		COMP_FREQUENCY			
		COMP_PCT			
		COMP_RATECD	KEY(5)		
		COMP_RATE_POINTS			
		CONVERT_COMPRT			
		CURRENCY_CD			
		EFFDT	KEY(3)		
		EFFSEQ	KEY(4)		
		EMPLID	KEY(1)		
		EMPL_RCD	KEY(2)		
		FTE_INDICATOR			
		JOB_EFFDT			
		JOB_EFFSEQ			
		MANUAL_SW			
		NEW_COMPRATE			
		NEW_COMP_FREQUENCY			
		NEW_COMP_PCT			
		NEW_COMP_RATE_PTS			
		NEW_CURRENCY_CD			
		NEW_RATE_CODE_GRP			
		RATE_CODE_GROUP			
		SAL_PLAN_PUB	Salary Administration Plan Tbl	AUDIT_ACTN	
				COMPANY	
				CURRENCY_CD	
				DESCR	
				DESCRSHORT	
EFFDT	KEY(3)				
EFF_STATUS					
FREQ_ID_DAILY					
FREQ_ID_HOURLY					
FREQ_ID_MONTHLY					
PROCESS_INSTANCE					
SALARY_MATRIX_CD					
SALPLAN_GER_SBR					
SALPLN_FED_SBR					
SAL_ADMIN_PLAN	KEY(2)				
SETID	KEY(1)				
STD_HOURS					





Table Name	Description	Field Name	Key		
*SAL_RATECD_TBL	Salary Grade Table	DESCRSHORT			
		EFFDT	KEY(4)		
		GRADE	KEY(3)		
		LANGUAGE_CD	KEY(8)		
		SAL_ADMIN_PLAN	KEY(2)		
		SETID	KEY(1)		
		STEP	KEY(5)		
		ANNUAL_RT			
		COMPRATE			
		COMP_EFFSEQ	KEY(6)		
		COMP_FREQUENCY			
		COMP_PCT			
		COMP_RATECD	KEY(7)		
		COMP_RATE_POINTS			
		CURRENCY_CD			
		DAILY_RT			
		EFFDT	KEY(4)		
		GRADE	KEY(3)		
		HOURLY_RT			
		MONTHLY_RT			
RATE_CODE_GROUP					
SAL_ADMIN_PLAN	KEY(2)				
SETID	KEY(1)				
STEP	KEY(5)				
SAL_STEP_PUB	Salary Step Table	ANNUAL_RT			
		AUDIT_ACTN			
		CURRENCY_CD			
		DAILY_RT			
		EFFDT	KEY(4)		
		GRADE	KEY(3)		
		HOURLY_RT			
		INCREM_HOURS			
		INCREM_MONTHS			
		MONTHLY_RT			
		PROCESS_INSTANCE			
		SALSTP_FED_SBR			
		SAL_ADMIN_PLAN	KEY(2)		
		SETID	KEY(1)		
		STEP	KEY(5)		
		*SAL_STEP_TBL	Salary Step Table	ANNUAL_RT	
				CURRENCY_CD	
DAILY_RT					
EFFDT	KEY(4)				
GRADE	KEY(3)				
HOURLY_RT					



		INCREM_HOURS	
		INCREM_MONTHS	
		MONTHLY_RT	
		SALSTP_AUS_SBR	
		SALSTP_FED_SBR	
		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
		STEP	KEY(5)
		STEP_DESCR	
SAL_STP_TBL_LNG	Salary Step Table	EFFDT	KEY(4)
		GRADE	KEY(3)
		LANGUAGE_CD	KEY(6)
		SAL_ADMIN_PLAN	KEY(2)
		SETID	KEY(1)
		STEP	KEY(5)
		STEP_DESCR	
SAMEN_CNTRY_NLD	SAMEN Country Table	COUNTRY	KEY(1)
		SAMEN_IDENT_NLD	
SAVINGS_403B_EE	EE Svgs 403b (Obsolete)	ALT_402G_ELECTION	
		ALT_ELECTION	
		CALENDAR_YEAR	KEY(3)
		COMPANY	KEY(2)
		DED_ADJ	
		DED_ADJ_ER	
		DED_ADJ_NON_ELECT	
		DED_ADJ_PA	
		DED_LTD	
		DED_LTD_ER	
		DED_LTD_NON_ELECT	
		DED_YTD	
		DED_YTD_ER	
		DED_YTD_NON_ELECT	
		ELECTION_DT	
		ELECT_457_CATCH_UP	
		EMPLID	KEY(1)
		GRS_YTD	
		GRS_YTD_ADJ	
		HARDSHIP_WTHD_DT	
		LAST_UPDATE_DATE	
		LIMIT_REDUCTN_402G	
		LTD_402G_CAP_USED	
		LTD_402G_DED	
		LTD_SERVICE_YEARS	
		OPRID	
		PROJ_402G_CAP_EXT	



		PROJ_DED	
		PROJ_DED_ALTA	
		PROJ_DED_ALTB	
		PROJ_DED_ALTC	
		PROJ_DED_ER_LMT	
		SAVINGS_PLAN_TYPE	KEY(4)
		SERVICE_YRS_OVRD	
		TERMINATION_DT	
		UNDERUTIL_457_LMTS	
		YTD_402G_CAP_USED	
		YTD_402G_DED	
		YTD_415_DED	
		YTD_SERVICE_YEARS	
SAVINGS_BENEFIC	EE Savings Plan Beneficiaries	BENEFIT_NBR	KEY(4)
		BENEF_PCT	
		DEPENDENT_BENEF	KEY(6)
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PLAN_TYPE	KEY(3)
SAVINGS_INVEST	EE Savings Investments Choices	BENEFIT_NBR	KEY(4)
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		INVESTMENT_OPT	KEY(6)
		INVESTMENT_PCT	
		PLAN_TYPE	KEY(3)
SAVINGS_INV_TBL	Savings Pln Investment Options	BENEFIT_PLAN	KEY(2)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		INVESTMENT_OPT	KEY(4)
		PLAN_TYPE	KEY(1)
SAVINGS_MGT_EE	EE Savings Management Balances	CALENDAR_YEAR	KEY(3)
		COMPANY	KEY(2)
		DED_ADJ	
		DED_ADJ_ER	
		DED_ADJ_NON_ELECT	
		DED_ADJ_PA	
		DED_LTD	
		DED_LTD_ER	
		DED_LTD_NON_ELECT	
		DED_YTD	
		DED_YTD_ER	
		DED_YTD_NON_ELECT	



		EMPLID	KEY(1)
		EXT_AMOUNT	
		EXT_ELECTION	
		GRS_YTD	
		HARDSHIP_WTHD_DT	
		LAST_UPDATE_DATE	
		LIMIT_EXT_TYPE	KEY(5)
		LIMIT_REDUCTN_402G	
		LIMIT_TYPE	KEY(4)
		LMT_AMT_OVRD	
		LTD_402G_CAP_USED	
		LTD_402G_DED	
		LTD_SERVICE_YEARS	
		OPRID	
		SERVICE_YRS_OVRD	
		TERMINATION_DT	
		YTD_402G_CAP_USED	
		YTD_402G_DED	
		YTD_415_DED	
SAVINGS_PLAN	EE Savings Plan Enrollments	YTD_SERVICE_YEARS	
		ANN_EX_CREDITS	
		BENEFIT_NBR	KEY(4)
		BENEFIT_PLAN	
		BENEFIT_PLAN_RA	
		BENEFIT_PLAN_RB	
		COVERAGE_BEGIN_DT	
		COVERAGE_ELECT	
		COVERAGE_ELECT_DT	
		COVERAGE_END_DT	
		DEDCD_RA	
		DEDCD_RB	
		DEDUCTION_END_DT	
		DED_CLASS_RA	
		DED_CLASS_RB	
		EFFDT	KEY(5)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		FLAT_DED_AMT	
		FLAT_DED_AMT_ATAX	
		PCT_GROSS	
		PCT_GROSS_ATAX	
		PLAN_TYPE	KEY(3)
		PLAN_TYPE_RA	
		PLAN_TYPE_RB	
		SAVINGS_COVRG	



Table Name	Description	Field Name	Key
SAVINGS_PLN_TBL	Savings Benefit Plan Parametrs	SAVINGS_COVRG_ATAX	
		SAV_PLN_FED_SBR	
		BENEFIT_PLAN	KEY(2)
		BENEFIT_PLAN_RA	
		BENEFIT_PLAN_RB	
		CALC_DED	
		DEDCD_RA	
		DEDCD_RB	
		DED_CLASS_RA	
		DED_CLASS_RB	
		EE_LMT_OVR_ATAX	
		EE_LMT_OVR_BTAX	
		EE_LMT_OVR_PCT	
		EE_LMT_UND_ATAX	
		EE_LMT_UND_BTAX	
		EE_LMT_UND_PCT	
		EFFDT	KEY(3)
		EMPLR_INVEST_MATCH	
		EMPLR_LIMIT_PCT	
		ERNCD_SPCL	
		ER_INV_MATCH_ATAX	
		ER_LIMIT_AMT	
		ER_LMT_PCT_ATAX	
		ER_LMT_PCT_BTAX	
		FLAT_DED_AMT	
		FLAT_DED_AMT_ATAX	
		HCE_LIMIT_PCT	
		HCE_PCT_ATAX	
		HCE_PCT_BTAX	
		HCE_RED_ATAX	
		HCE_RED_BTAX	
		PCT_EE_INV_AB_TH	
		PCT_EE_INV_AT_AB_T	
PCT_EMPL_INVESTMNT			
PCT_EMPL_INV_ATAX			
PLAN_CONTRIBUTION			
PLAN_TYPE	KEY(1)		
PLAN_TYPE_RA			
PLAN_TYPE_RB			
ROLLOVER_ALLOWED			
ROLLOVER_OPT			
SAVINGS_ERN_THRESH			
SVC_STEP_TBL_ID			
SAVNGS_INV_LANG	Related Lang-Savings Investmnt	BENEFIT_PLAN	KEY(2)
		DESCR	





		DESCRSHORT	
		EFFDT	KEY(3)
		INVESTMENT_OPT	KEY(4)
		LANGUAGE_CD	KEY(5)
		PLAN_TYPE	KEY(1)
SBFCLTY_JPN_LNG	SubFaculty Japan Language	DESCRSHORT	
		FACULTY_CODE	KEY(1)
		LANGUAGE_CD	KEY(3)
		SUBFACULTY_CODE	KEY(2)
		SUBFACULTY_NAME	
SBFCLTY_TBL_JPN	SubFaculty Table Japan	DESCRSHORT	
		FACULTY_CODE	KEY(1)
		SUBFACULTY_CODE	KEY(2)
		SUBFACULTY_NAME	
SCHDLDEFN	Schedule Definition	DESCR	
		JOBNAMESRC	KEY(2)
		LASTUPDDTTM	
		LASTUPDOPRID	
		OPRID	
		OPSYS	
		PRIMARYSRVRNAME	
		RECURNAME	
		RUN_CNTL_ID	
		SCHDLPRIORITY	
		SCHEDULENAME	KEY(1)
		SCHEDULESTATUS	
		SRVRRUNOPTION	
		STARTDATETIME	
		TIMEZONE	
		VERSION	
SCHDLDEFNINFO	Schedule Definition	CURRENTJOBINSTANCE	
		JOBNAMESRC	KEY(2)
		NEXTSTARTDTTM	
		RECURDTTM	
		SCHEDULENAME	KEY(1)
SCHDLDEFNLANG		DESCR	
		JOBNAMESRC	KEY(2)
		LANGUAGE_CD	KEY(3)
		SCHEDULENAME	KEY(1)
SCHDLITEM	Schedule Job Items	EMAIL_LOG_FLAG	
		EMAIL_WEB_RPT	
		ESTCPUTIME	
		GENPRCSTYPE	
		ITEM_NODE	KEY(3)
		JOBNAMESRC	KEY(2)



Table Name	Description	Field Name	Key
SCHDLMESSAGE	Schedule Message	OPSYS	
		OUTDEST	
		OUTDESTFORMAT	
		OUTDESTTYPE	
		PARENTJOBNAME	
		PARENTJOBSEQNO	
		PARENT_ITEM_NODE	KEY(4)
		PRCSFILENAME	
		PRCSITEMLEVEL	
		PRCSJOBSEQ	
		PRCSNAME	
		PRCSTYPE	
		PSRF_FOLDER_NAME	
		RUNSCHEDULEOPTION	
		RUNSERVERNAME	
		RUNSERVEROPTION	
		RUNTIME	
		RUNTIMEOPTION	
		RUN_CNTL_ID	
		SCHEDULENAME	KEY(1)
		ITEM_NODE	KEY(3)
		JOBNAMESRC	KEY(2)
		MESSAGE_NBR	
MESSAGE_SET_NBR			
PARENT_ITEM_NODE	KEY(4)		
PRCSEVENTTYPE	KEY(5)		
SCHDLMSGTYPE			
SCHEDULENAME	KEY(1)		
TEXT254			
SCHDLNODEPARM	Schedule Node Parameters	ITEM_NODE	KEY(3)
		JOBNAMESRC	KEY(2)
		PARENT_ITEM_NODE	KEY(4)
		PARMKEY	KEY(5)
		PARMVALUE	
SCHDLNOTIFY	Schedule Notify	SCHEDULENAME	KEY(1)
		DISTID	KEY(5)
		DISTIDTYPE	KEY(6)
		ITEM_NODE	KEY(3)
		JOBNAMESRC	KEY(2)
		NOTIFYDISABLED	
		NOTIFYONERROR	
		NOTIFYONSUCCESS	
		NOTIFYONWARNING	
		PARENT_ITEM_NODE	KEY(4)
SCHEDULENAME	KEY(1)		



SCHDLRPTDIST	Schedule Report Distribution	DISTID	KEY(5)
		DISTIDTYPE	
		ITEM_NODE	KEY(3)
		JOBNAMESRC	KEY(2)
		PARENT_ITEM_NODE	KEY(4)
		SCHEDULENAME	KEY(1)
SCHDLTEXT	Schedule Text	ITEM_NODE	KEY(3)
		JOBNAMESRC	KEY(2)
		PARENT_ITEM_NODE	KEY(4)
		RQSTTEXTTYPE	KEY(5)
		RQST_TEXT	
		SCHEDULENAME	KEY(1)
SCHL_EDUC_LANG	School Education	DATE_ACQUIRED	KEY(2)
		EMPLID	KEY(1)
		LANGUAGE_CD	KEY(3)
		SCHOOL	
		SCHOOL_CODE	
SCHL_TYPE_LANG	Rellang School Type	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(3)
		SCHOOL_TYPE_CODE	KEY(2)
		SETID	KEY(1)
SCHOOL_EDUCAT	School Education	AVERAGE_GRADE	
		COMPLETED	
		COUNTRY	
		DATE_ACQUIRED	KEY(2)
		EDUCATION_LVL_ACHV	
		EMPLID	KEY(1)
		SCHOOL	
		SCHOOL_CODE	
		SCHOOL_TYPE	
		STATE	
*SCHOOL_TBL	Schools/Universities	COUNTRY	KEY(1)
		DESCR	
		DESCRSHORT	
		GVT_MINORITY_INST	
		PUBLIC_PRIVATE	
		SCHL_AUSHE_SBR	
		SCHOOL_CODE	KEY(2)
		STATE	
SCHOOL_TBL_LANG	Related Lang-School Tbl	COUNTRY	KEY(1)
		DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(3)
		SCHOOL_CODE	KEY(2)



SCHOOL_TYPE_TBL	School Type	DESCR	
		DESCRSHORT	
		SCHOOL_TYPE_CODE	KEY(2)
		SETID	KEY(1)
SCH_ADHOC_DTL	Schedule Ad Hoc Detail	DELETE_IND	
		DUR	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		OFFDAY_IND	
		PUNCH_DTTM	KEY(3)
		PUNCH_TYPE	
		RULE_ELEMENT_1	
		RULE_ELEMENT_2	
		RULE_ELEMENT_3	
		RULE_ELEMENT_4	
		RULE_ELEMENT_5	
		SCHED_SOURCE	
		SEQNUM	KEY(4)
		SHIFT_ID	
		TL_TASK_SBR	
		TL_TR_SBR	
		WRKDAY_ID	
SCH_ADHOC_RPT	Scheduled Hours Report Record	DUR	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		END_TIME	
		FLEX_END_TIME	
		FLEX_START_TIME	
		OFFDAY_IND	
		PROCESS_INSTANCE	KEY(1)
		PUNCH_DTTM	KEY(4)
		PUNCH_TYPE	
		SCHED_HRS	
		SCH_TYPE	
		SEQNUM	KEY(5)
		SHIFT_ID	
		START_TIME	
		TL_QUANTITY	
		WRKDAY_ID	
SCH_ASSIGN	Schedule Calendar Assignments	ALT_WRK_SCHED_ID	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		SCHEDULE_ID	
		USE_ALT_DFLT_WS	



SCH_CAL_AET		USE_DFLT_WS END_DATE LAST_OUT_DTTM OPRID OVRD_SCHED_FLAG PROCESS_INSTANCE KEY(1) RUN_CNTL_ID SCHD_TMPLT_ID SCHEDULE_ID START_DATE START_DT TARGET_DT TIMES_APPLIED WRK_SHF_CHG_FLAG
SCH_CLND_TBL	Schedule Calendar Table	DUR KEY(2) DUR_OUT_DTTM LASTUPDDTTM SCHEDULE_ID KEY(1) SYNCID WRKDAY_ID
SCH_CLND_WRK	Schedule Calendar Build WrkTb	DUR KEY(2) DUR_OUT_DTTM SCHEDULE_ID KEY(1) WRKDAY_ID
SCH_DEFN_DTL	Schedule Definition Detail	SCHEDULE_ID KEY(1) SCHD_TMPLT_ID SEQNUM KEY(2) TIMES_APPLIED
SCH_DEFN_LANG	Related Lang Sched Definition	DESCR DESCRSHORT LANGUAGE_CD KEY(2) SCHEDULE_ID KEY(1)
SCH_DEFN_TBL	Schedule Definition Table	DESCR DESCRSHORT SCHEDULE_ID KEY(1)
SCH_GRP_AET	Group Schedule Assgn State Rec	SCH_TYPE EFFDT EMPLID EMPL_RCD IMAGE_NUM OPRID PROCESS_INSTANCE KEY(1) RUN_CNTL_ID SCHEDULE_ID SCH_TYPE



TABLE_NAME			
SCH_GRP_RNCTRL	Run Control Rec for Sch Assign	EFFDT	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SCHEDULE_ID	
		SCH_TYPE	
SCH_MNG_SCH_TBL	Workday Overrides Records	CHNG_ALT	
		CHNG_ALT_WRKDAY	
		CHNG_PRIMARY	
		DUR	KEY(3)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		NEW_PRM_WRKDAY	
SCH_RUNCTRL_DTL	Schedule Run Control Detail	DUR_OUT_DTTM	
		OPRID	KEY(1)
		OVRD_SCHED_FLAG	
		RUN_CNTL_ID	KEY(2)
		SCHEDULE_ID	KEY(3)
		START_DT	
		TARGET_DT	
		WRK_SHF_CHG_FLAG	
SCH_RUNCTRL_TBL	Schedule Calnd Run Ctrl Tbl	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
SCH_SHIFT_DTL	Schedule Shift Detail	DUR_OFFSET	
		EFFDT	KEY(2)
		LASTUPDDTTM	
		PUNCH_TIME	
		PUNCH_TYPE	
		SCH_CONFIG_IND1	
		SCH_CONFIG_IND2	
		SCH_CONFIG_IND3	
		SCH_CONFIG_IND4	
		SEQNUM	KEY(3)
		SHIFT_ID	KEY(1)
		STRT_STOP_DIFF	
		SYNCID	
SCH_SHIFT_LANG	Related Lang - SCH_SHIFT_TBL	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		SHIFT_ID	KEY(1)
SCH_SHIFT_TBL	Schedule Shift Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		END_TIME	



		FLEX_END_TIME	
		FLEX_START_TIME	
		FLEX_WK_HRS	
		LASTUPDDTTM	
		OFFDAY_IND	
		SCHED_HRS	
		SCH_CONFIG1	
		SCH_CONFIG2	
		SCH_CONFIG3	
		SCH_CONFIG4	
		SCH_TYPE	
		SHIFT_ID	KEY(1)
		START_TIME	
		SYNCID	
SCH_TMPLT_DTL	Schedule Template Detail	SCHED_TMPLT_ID	KEY(1)
		SEQNUM	KEY(2)
		WRKDAY_ID	
SCH_TMPLT_LANG	Related Lang Schedule Template	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		SCHED_TMPLT_ID	KEY(1)
SCH_TMPLT_TBL	Schedule Template Definition	DESCR	
		DESCRSHORT	
		SCHED_TMPLT_ID	KEY(1)
		SCH_TYPE	
SCH_VW_SCH_TBL		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		SHIFT_ID	
SCH_WRKDAY_DTL	Schedule Work Day Detail	EFFDT	KEY(2)
		SEQNUM	KEY(3)
		SHIFT_ID	
		WRKDAY_ID	KEY(1)
SCH_WRKDAY_LANG	Related Lang -Schedule Workday	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		WRKDAY_ID	KEY(1)
SCH_WRKDAY_TBL	Schedule Workday Definition	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		OFFDAY_IND	
		SCH_TYPE	
		WRKDAY_ID	KEY(1)
SCH_WRK_SHF_CHG	Wrkd day & Shft Changes	EFFDT	
		SCHEDULE_ID	



SCRTY_ACC_GRP	Access Group Security	ACCESSIBLE	
		ACCESS_GROUP	KEY(2)
		CLASSID	KEY(3)
		TREE_NAME	KEY(1)
SCRTY_QUERY	PS/Query Profile	CLASSID	KEY(1)
		QRY_ADM_AUTOPRIV	
		QRY_ADM_AUTOPUBLIC	
		QRY_ADM_LIMUNAPPRV	
		QRY_ADM_UNAPP_ROWS	
		QRY_ADV_ANY_JOIN	
		QRY_ADV_DISTINCT	
		QRY_ADV_EXPR	
		QRY_ADV_SUBQUERY	
		QRY_ADV_UNION	
		QRY_CREATE_PUBLIC	
		QRY_CREATE_WFLOW	
		QRY_MAX_FETCH	
		QRY_MAX_IN_TREE	
		QRY_MAX_JOINS	
		QRY_MAX_RUN	
		QRY_OUT_CRYSTAL	
		QRY_OUT_LISTBOX	
		QRY_OUT_NVISION	
		QRY_RUN_ONLY	
		VERSION	
SCRTY_SEC_GBL	OprID Access to Localizations	COUNTRY	KEY(2)
		OPRCLASS	KEY(1)
		PNLGRPNAME	KEY(3)
*SCRTY_TBL_APP	OprID Access to Localizations	ACCESS_TO_ALL_BUS	
		ACCESS_TO_ALL_COMP	
		ACCESS_TO_OPEN_APP	
		ROWSECCLASS	KEY(1)
*SCRTY_TBL_BUS	OprID Access to Localizations	ACCESS_TO_ALL_LOC	
		BUSINESS_UNIT	KEY(2)
		ROWSECCLASS	KEY(1)
*SCRTY_TBL_COMP	OprID Access to Localizations	COMPANY	KEY(2)
		ROWSECCLASS	KEY(1)
*SCRTY_TBL_DEPT	OprID Access to Departments	ACCESS_CD	
		DEPTID	KEY(3)
		OPRID	KEY(1)
		SETID	KEY(2)
		TREE_EFFDT	
		TREE_NODE_NUM	
		TREE_NODE_NUM_END	
*SCRTY_TBL_GBL	OprID Access to Localizations	COUNTRY	KEY(2)





*SCRTY_TBL_LOC	OprID Access to Localizations	OPRCLASS	KEY(1)
		BUSINESS_UNIT	KEY(2)
		LOCATION	KEY(3)
		ROWSECCLASS	KEY(1)
SDK_AMORT_PREF	SDK Amortization Pagelet Pref	OPRID	KEY(1)
		SDK_AMORT_CALC	
		SDK_AMORT_FREQUENCY	
		SDK_AMORT_INTEREST	
		SDK_AMORT_PAYMENT	
		SDK_AMORT_PRINCIPL	
		SDK_AMORT_SCHEDULE	
		SDK_AMORT_YEARS	
SDK_BUS_EXP_DTL	SDK Business Expense Details	SDK_BUS_PURPOSE	
		SDK_CHARGE_DT	KEY(3)
		SDK_CURRENCY_CD	
		SDK_DEPTID	
		SDK_EMPLID	KEY(1)
		SDK_EXPENSE_AMT	
		SDK_EXPENSE_CD	
		SDK_EXP_PER_DT	KEY(2)
		SDK_SYNCTIMESTAMP	
		SYNCID	
SDK_BUS_EXP_PER	SDK Business Expense Periods	SDK_APPR_INSTANCE	
		SDK_APPR_STATUS	
		SDK_COMMENTS	
		SDK_DESCR	
		SDK_EMPLID	KEY(1)
		SDK_EXP_PER_DT	KEY(2)
		SDK_INTL_FLG	
		SDK_SUBMIT_FLG	
		SDK_SYNCTIMESTAMP	
		SYNCID	
SDK_COMPANY_TBL	SDK Company Codes	SDK_COMPANY	KEY(1)
		SDK_DESCR	
		SDK_DESCRSHORT	
		SDK_EFFDT	KEY(2)
		SDK_EFF_STATUS	
SDK_COUNTRY_TBL	SDK Countries	SDK_COUNTRY	KEY(1)
		SDK_DESCR	
		SDK_DESCRSHORT	
SDK_CURR_CD_TBL	SDK Currency Codes	SDK_CURRENCY_CD	KEY(1)
		SDK_DESCR	
		SDK_DESCRSHORT	
		SDK_EFFDT	
		SDK_EFF_STATUS	



SDK_DEPT_TBL	SDK Departments	SDK_BUDGET_LVL			
		SDK_COMPANY			
		SDK_DEPTID	KEY(1)		
		SDK_DEP_TBL_SBR			
		SDK_DESCR			
		SDK_DESCRSHORT			
		SDK_EFFDT	KEY(2)		
		SDK_EFF_STATUS			
		SDK_LOCATION			
		SDK_MANAGER_ID			
		SDK_MANAGER_POSN			
		SDK_EM_MAILST	SDK Email List	SDK_EM_DATE	
				SDK_EM_MSGID	
SDK_EM_SENDER					
SDK_EM_RCVMSG	SDK Email Receive	SDK_EM_SUBJECT			
		SDK_EM_BODY			
		SDK_EM_DELMSG_PBTN			
		SDK_EM_EADDRESS			
		SDK_EM_LIST_PBTN			
		SDK_EM_MSGID			
		SDK_EM_RCV_PBTN			
		SDK_EM_RMSG			
		SDK_EM_RSTATUS			
		SDK_EM_SNDEMAIL	SDK Email Send	SDK_EM_BODY	
SDK_EM_CC					
SDK_EM_RMSG					
SDK_EM_RSTATUS					
SDK_EM_SEND_PBTN					
SDK_EM_SUBJECT					
SDK_EM_TO					
SDK_FILEUTL_AET	SDK File Utility Work Record			OPRID	
				PROCESS_INSTANCE	KEY(1)
				RUN_CNTL_ID	
		SDK_EMPLID			
		SDK_FILEACTION			
		SDK_FILENAME			
		SDK_FILEPATHTYPE			
SDK_INSTALL	SDK Install Record	SDK_COUNTRY			
		SDK_EXCHNG_RT_TYPE			
		SDK_EXCHNG_TO_CURR			
		SDK_GER			
		SDK_POSITION_MGMT			
SDK_INTL_FLG_CD	SDK International Flag Codes	SDK_DESCR			
		SDK_DESCRSHORT			
		SDK_EFFDT	KEY(2)		



		SDK_EFF_STATUS	
SDK_JOB	SDK Job History	SDK_INTL_FLG	KEY(1)
		SDK_DEPTID	
		SDK_EFFDT	KEY(3)
		SDK_EFFSEQ	KEY(4)
		SDK_EMPLID	KEY(1)
SDK_LOCH_TBL	SDK Company Site Locations	SDK_EMPL_RCD	KEY(2)
		SDK_DESCR	
		SDK_DESCRSHORT	
		SDK_EFFDT	KEY(2)
		SDK_EFF_STATUS	
SDK_PERS_DATA	SDK Personal Data	SDK_LOCATION	KEY(1)
		SDK_BAS_DATA_CHG	
		SDK_BIRTHDATE	
		SDK_EMPLID	KEY(1)
		SDK_FIRST_NAME_SRC	
		SDK_LAST_NAME_SRCH	
		SDK_NAME	
		SDK_NATIONAL_ID	
		SDK_NAT_INS_CD	
		SDK_ORIG_HIRE_DT	
		SDK_PER_STATUS	
		SDK_PER_TYPE	
		SDK_SEX	
		SDK_SIN	
		SDK_SIN_GER	
		SDK_SSN	
		SDK_SSN_FRA	
		SDK_SYNCTIMESTAMP	
		SYNCID	
SDK_POS_DATA	SDK Position Data	SDK_DEPTID	
		SDK_DESCR	
		SDK_DESCRSHORT	
		SDK_EFFDT	KEY(2)
		SDK_EFF_STATUS	
SDK_PSTREENODE	SDK Tree Node	SDK_POSITION_NBR	KEY(1)
		SDK_EFFDT	KEY(3)
		SDK_SETID	KEY(1)
		SDK_TREE_NAME	KEY(2)
		SDK_TREE_NODE	KEY(5)
		SDK_TREE_NODE_END	
SDK_RP_INPUT	SDK Red Pepper Input	SDK_TREE_NODE_NUM	KEY(4)
		SDK_RP_ORDEREDATE	
		SDK_RP_ORDQUANTITY	
		SDK_RP_PARTNAME	



		SDK_RP_PROMISEDATE
		SDK_RP_QUERY
		SDK_RP_RSERVERNAME
		SDK_RP_RSERVERPORT
		SDK_RP_SERVERNAME
		SDK_RP_SITENAME
SDK_RP_PO	SDK Red Pepper PO	SDK_RP_PODATE
		SDK_RP_PO_NUMBER
		SDK_RP_SITENAME
		SDK_RP_VENDORNAME
SDK_RP_POLINE	SDK Red Pepper PO Line	SDK_RP_LINENUM
		SDK_RP_PARTNAME
		SDK_RP_PARTSITE
		SDK_RP_PO_NUMBER
		SDK_RP_QUANTITIES
		SDK_RP_SITENAME
		SDK_RP_UNIT_PRICE
SDK_RP_QUERYWRK	SDK Red Pepper Work Record	SDK_RP_ORDERDATE
		SDK_RP_ORDERNUMBER
		SDK_RP_SITENAME
		SDK_RP_SOLINENUM
		SDK_RP_SOLINEQTY
		SDK_RP_SOSULINENUM
		SDK_RP_SOSULINEQTY
SDK_RP_RESULT	SDK Red Pepper Result	SDK_RP_COSTS
		SDK_RP_LINENUM
		SDK_RP_PARTNAME
		SDK_RP_QUANTITIES
		SDK_RP_RCPTDATE
		SDK_RP_SHIPDATE
		SDK_RP_SHIPSET
		SDK_RP_SONAMES
		SDK_RP_SONUM
		SDK_RP_UNITCOST
SDK_RP_SALORDER	SDK Red Pepper Sales Order	SDK_RP_CUSTOMER
		SDK_RP_ORDERDT
		SDK_RP_SITENAME
		SDK_RP_SONAME
SDK_RP_SITE	SDK Red Pepper Site	SDK_DESCRLONG
		SDK_RP_SITENAME
SDK_RP_SOQRY1	SDK Red Pepper Sales Order	SDK_RP_CUSTOMER
		SDK_RP_ORDERDT
		SDK_RP_SITENAME
		SDK_RP_SONAME
SDK_RP_SOQRY2	SDK Red Pepper Sales Order	SDK_RP_CUSTOMER



		SDK_RP_ORDERDT	
		SDK_RP_SITENAME	
		SDK_RP_SONAME	
SDK_RT_TYPE_TBL	SDK Market Rate Data Types	SDK_DESCR	
		SDK_DESCRSHORT	
		SDK_RT_TYPE	KEY(1)
SDK_RUNCNTL	SDK Run Control Record	OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SDK_EMPLID	
		SDK_FILEACTION	
		SDK_FILENAME	
		SDK_FILEPATHTYPE	
SDK_SCRTY_DEPT	SDK User Access to Departments	SDK_ACCESS_CD	
		SDK_DEPTID	KEY(2)
		SDK_OPRID	KEY(1)
		SDK_TREE_EFFDT	
		SDK_TREE_NODE_END	
		SDK_TREE_NODE_NUM	
SDK_SM	SDK Strings	SDK_SM_CONCATKEY	
		SDK_SM_CONCAT_PBTN	
		SDK_SM_RESULTSTR	
SDK_SM_CONCATE	SDK String Concatenation	SDK_SM_ADD	
		SDK_SM_STRING1	
		SDK_SM_STRING2	
SDK_SRCHSPREF	SDK My Tasks Personalization	OPRID	KEY(1)
		SDK_ROWS_DISPLAYED	
SDK_SRCH_SAVE	SDK Saved Searches Master	OPRID	KEY(1)
		SDK_DESCR	
		SDK_SRCHSV_ID	KEY(2)
		SDK_SRCHSV_QUERY	
		SDK_SRCHSV_TITLE	
SDK_STOCK	SDK Company Stock Table	SDK_ASK_PRICE	
		SDK_BID_PRICE	
		SDK_BID_X_ASK_SIZE	
		SDK_CLOSING_TRADE	
		SDK_DESCR	
		SDK_DIVIDEND_AMT	
		SDK_DIVIDEND_DT	
		SDK_EARNINGS_SHARE	
		SDK_EX_DIVIDEND_DT	
		SDK_HIGH_TRADE	
		SDK_LASTUPDDTTM	
		SDK_LAST_TRADE	
		SDK_LAST_TRADE_DT	
		SDK_LAST_TRADE_SIZ	



		SDK_LAST_TRADE_TME	
		SDK_LOW_TRADE	
		SDK_MKT_CAPITAL	
		SDK_OPENING_TRADE	
		SDK_PE_RATIO	
		SDK_SHARE_OUTSTAND	
		SDK_STK_DIVID_FREQ	
		SDK_STOCKCOMP_NAME	
		SDK_STOCK_EXCHANGE	KEY(2)
		SDK_STOCK_NET_CHG	
		SDK_STOCK_TICKER	KEY(1)
		SDK_TOTAL_SHARES	
		SDK_VOLATILITY	
		SDK_YEAR_HIGH	
		SDK_YEAR_LOW	
		SDK_YIELD	
SDK_STOCKXCHG	SDK Stock Exchanges	SDK_COUNTRY	KEY(2)
		SDK_DESCR	
		SDK_STOCK_EXCHANGE	KEY(1)
SDK_STOCK_PRF	SDK Stock Quote Preference	SDK_CURRENCY_CD	
		SDK_OPRID	KEY(1)
		SDK_PORTFOLIO_NAME	
		SDK_TICKER_SYMBOLS	
SDK_UPS_COST	SDK UPS Cost	SDK_ADDRESS_TYPE	
		SDK_COUNTRY_DEST	
		SDK_DROP_PICKUP	
		SDK_FROM_POST_CODE	
		SDK_ORIGIN_CNTRY	
		SDK_TO_POST_CODE	
		SDK_UPS_HEIGHT	
		SDK_UPS_LENGTH	
		SDK_UPS_PACKAGING	
		SDK_UPS_TRACK_BTN	
		SDK_UPS_WEIGHT	
		SDK_UPS_WIDTH	
SDK_UPS_CST_RES	SDK UPS Rates	SDK_UPS_GUAR_BY	
		SDK_UPS_RATE	
		SDK_UPS_SVC_TYPE	
SDK_UPS_TIME	SDK UPS Time	SDK_DESCRLONG	
		SDK_FROM_ZIP	
		SDK_TO_ZIP	
		SDK_UPS_TIME_BTN	
SEC_QUERY_WRK		URL_1	
		URL_2	
		URL_3	



		URL_4	
		URL_5	
SENIORITY_BEL	Seniority - Belgium	EFFDT	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		END_DT	
		INCLUDED_BEL	
		MONTHS_BEL	
		REMARK_BEL	
		SENIORITY_TYPE_BEL	KEY(3)
SENO_NOTIF_ITA	Anzianita - Notification Table	DAY_TYPE_ITA	
		EFFDT	KEY(4)
		EMPL_CTG	KEY(3)
		EMPL_CTG_L1	KEY(5)
		EMPL_CTG_L2	KEY(6)
		FROM_SENIORITY_ITA	KEY(7)
		LABOR_AGREEMENT	KEY(2)
		NOTIF_DAYS_ITA	
		SETID	KEY(1)
		TO_SENIORITY_ITA	
SEN_GRP_RES_TBL	Group Build - Std Result Table	GB_GRP_RES_SBR	
SEN_PAY_COMPRT	Seniority Pay Compensation	COMPRATE	
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(1)
		COMP_RATE_POINTS	
		CURRENCY_CD	
		EFFDT	KEY(2)
		LEVEL_NBR	KEY(3)
		MIN_SEN_MONTHS	
		MIN_SEN_YEARS	
SEN_PAY_GROUP	Seniority Pay Group	COMP_RATECD	KEY(1)
		EFFDT	KEY(2)
		GB_GROUP_ID	KEY(3)
SERVERACTVTY		LASTUPDDTTM	
		SERVERACTIVITYTYPE	KEY(2)
		SERVERNAME	KEY(1)
		SERVERSTATE	
SERVERCATEGORY		MAXCONCURRENT	
		PRCSCATEGORY	KEY(2)
		PRCSPRIORITY	
		SERVERNAME	KEY(1)
SERVERCLASS	Server Defn - Process Types	MAXCONCURRENT	
		OPSYS	KEY(2)
		PRCSPRIORITY	



		PRCSTYPE	KEY(3)
		SERVERNAME	KEY(1)
SERVERDEFN	Server Defn	DAEMONCYCLECNT	
		DAEMONENABLED	
		DAEMONGROUP	
		DAEMONPRCSINST	
		DAEMONSLEEPTIME	
		DESCR	
		DISTNODENAME	
		HEARTBEAT	
		LASTUPDDTTM	
		LASTUPDOPRID	
		MAXAPIAWARE	
		MAXAPIUNAWARE	
		MAXCPU	
		MINMEM	
		OPSYS	
		PRCSNOTIFYFREQ	
		REDISTWRKOPTION	
		SERVERNAME	KEY(1)
		SLEEPTIME	
		SRVRLOADBALOPTN	
		TRANSFERINTERVAL	
		TRANSFERLOGFILES	
		TRANSFERMAXRETRY	
		VERSION	
SERVERDEFN_LNG	Server Defn	DESCR	
		LANGUAGE_CD	KEY(2)
		SERVERNAME	KEY(1)
SERVERINFO		LASTUPDDTTM	
		SERVERNAME	KEY(1)
		SERVERTYPE	
		SESSIONIDNUM	KEY(3)
		SRVRHOSTNAME	KEY(2)
SERVERMESSAGE		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		SCHDLMSGTYPE	
		SERVEREVENTTYPE	KEY(2)
		SERVERNAME	KEY(1)
		TEXT254	
SERVERMONITOR		ITEMCOUNT	
		OBJNAME	KEY(3)
		OBJTYPE	KEY(2)
		PMN_BLOCKED_CNT	
		PMN_PENDING_CNT	





		PMN_QUEUED_CNT	
SERVERNOTIFY	Server Notification	SERVERNAME	KEY(1)
		DISTID	KEY(2)
		DISTIDTYPE	KEY(3)
		NOTIFYDISABLED	
		NOTIFYSERVERERROR	
		NOTIFYWHENDOWN	
SERVEROPRTN		NOTIFYWHENSTARTD	
		NOTIFYWHENSUSP	
		SERVERNAME	KEY(1)
		DAYOFWEEK	KEY(2)
		ENDTIME	
		SERVERNAME	KEY(1)
SERVERPURGLIST	Server Purge List	STARTTIME	KEY(3)
		DESCR	
		RUNSTATUS	KEY(2)
		SERVERNAME	KEY(1)
SETID_LANG	TableSet IDs	DESCR	
		DESCRLONG	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		SETID	KEY(1)
SETID_MAP	TableSet Partial Sharing Map	SETID	KEY(1)
		SETID_MAP	KEY(2)
		DESCR	
*SETID_TBL	TableSet IDs	DESCRLONG	
		DESCRSHORT	
		PARTIAL_SHARING	
		SETID	KEY(1)
		OPRID	KEY(1)
		REC_GROUP_ID	KEY(3)
SET_CNTRL_GP_TMP	TableSet Record Groups	SETCNTRLVALUE	KEY(2)
		SETID	
		OPRID	KEY(1)
		RECNAME	KEY(4)
SET_CNTRL_RC_TMP	TableSet Record Detail	REC_GROUP_ID	KEY(3)
		SETCNTRLVALUE	KEY(2)
		SETID	
		REC_GROUP_ID	KEY(3)
SET_CNTRL_GROUP	TableSet Record Groups	SETCNTRLVALUE	KEY(2)
		SETID	
		REC_GROUP_ID	KEY(2)
SET_CNTRL_REC	TableSet Record Detail	SETCNTRLVALUE	KEY(1)
		SETID	
		RECNAME	KEY(3)
		REC_GROUP_ID	KEY(2)
		SETCNTRLVALUE	KEY(1)
		SETID	



SET_CNTRL_TBL	TableSet Controls	SETCNTRLVALUE SETID VERSION	KEY(1)
SET_CNTRL_TREE	TableSet Tree Controls	SETCNTRLVALUE SETID	KEY(1)
SET_CNTRL_TR_WK	TableSet Tree Work Area	TREE_NAME FIELDNAME SETCNTRLVALUE SETID	KEY(2)
SET_CTL_GRP_TMP	TableSet Record Groups Temp	TREE_NAME REC_GROUP_ID SETCNTRLVALUE SETID	KEY(2) KEY(1)
SET_CTL_REC_TMP	TableSet Record Detail Temp	RECNAME REC_GROUP_ID SETCNTRLVALUE SETID	KEY(3) KEY(2) KEY(1)
SFMAINT_RUNCNTL	Run Control Rec - Sample	OPRID OUTDEST RUN_CNTL_ID	KEY(1) KEY(2)
SHEET_FRA_TAO	Application Engine Temp Table	BILAN_STAT_CD_FRA EMPLID_CNT NVALUE_SHEET_FRA	
SHIFT_LANG	Related Lang for SHIFT_TBL	DESCR DESCRSHORT EFFDT LANGUAGE_CD SETID SHIFT	KEY(4) KEY(3) KEY(1) KEY(2)
SHIFT_TBL	Shift Codes	DESCR DESCRSHORT EFFDT EFF_STATUS EMPL_SHIFT_DIFF SETID SHIFT SHIFT_FACTOR SHIFT_RT TIME_IN_HR TIME_IN_MIN TIME_OUT_HR TIME_OUT_MIN	KEY(3) KEY(1) KEY(2)
SHRT_TERM_GOALS	Short-Term Career/Perfrm Goals	ACT_COMPLETION_DT CAREER_GOAL EFFDT	KEY(2)



Table Name	Description	Field Name	Key
SHS_EE_RUN_CTL	SHS Run Control	EMPLID	KEY(1)
		EST_COMPLETION_DT	KEY(3)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		HIRE_TIME_FRA	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
SHS_EMPLINFO_WL	DUE Worklist	SHS_FIRST_HIRE_FLG	
		SHS_PARTTIME_FLG	
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(7)
		EMPL_RCD	
		EVENTNAME	KEY(3)
SHS_EMPL_TAO	SHS Temp Table	INSTANCEID	KEY(5)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		ADDRESS_SBR	
		BIRTHCOUNTRY	
		BIRTHDATE	
		BIRTHPLACE	
		BIRTHSTATE	
		COUNTRY_DESCR1	
		DATA_VAL1	
		DATA_VAL2	
		DATA_VAL3	
		DATA_VAL4	
		DATA_VAL5	
		DATA_VAL6	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
HIRE_DT			
HIRE_TIME_FRA			
NAMEGBL_SBR			
NATIONAL_ID			
OPRID	KEY(1)		
PROBATION_DT			
REHIRE_DT			
RUN_CNTL_ID	KEY(2)		
SEX			
SSN_KEY_FRA			
SHS_ESTAB_TAO	SHS Temp Table	ADDRESS_SBR	
		APE_INDUSTRY_CD_FRA	
		COMPANY	
		DESCR	



Table Name	Description	Field Name	Key
SHS_EXEMPT_TAO	SHS Temp Table	DESCR_AC	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FAX	
		NIC_CODE_FRA	
		OPRID	KEY(1)
		PHONE	
		RUN_CNTL_ID	KEY(2)
		SIREN_CD_FRA	
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		MONTHLY_RT	
		NAMEGBL_SBR	
SHS_FRA_RUN_CTL	SHS Run Control	OPRID	KEY(1)
		PHONE	
		RUN_CNTL_ID	KEY(2)
		SHS_FIRST_HIRE_FLG	
		SHS_LAY_OFF_FLG	
		SHS_PARTTIME_FLG	
		WRK_EXP_FRA_CD	
		END_DT	
		GB_GROUP_ID	
		LASTUPDDTTM	
		LASTUPDOPRID	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SHS_RPT_FRA_SW	
SHS_HIS_RUN_CTL	SHS Run Control	START_DT	
		END_DT	
		OPRID	KEY(1)
		RUNDATE	KEY(3)
		RUN_CNTL_ID	KEY(2)
SHS_OTHER_TAO	SHS Temp Table	START_DT	
		ADDRESS_SBR	
		CONTRACT_TYPE	
		CONTRCT_EXP_END_DT	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		ESTAB_ACTIVITY_FRA	
		INT_MED_ORGFRA_FLG	
		JOB_CTG_FRA_CD	
		MEDICAL_FAC_NAME	
		MEDICAL_ORG_FRA_CD	
		OPRID	KEY(1)



		RUN_CNTL_ID	KEY(2)
		SHS_COMP_EE_CNT	
		SHS_ESTAB_EE_CNT	
		SHS_FIRST_EEFR_FLG	
		SHS_PROBATION_DAYS	
		STD_HOURS	
		STD_HRS_FREQUENCY	
SHS_RUNCTL_WL	DUE Worklist	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	KEY(9)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		OPRID	KEY(7)
		RUN_CNTL_ID	KEY(8)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
		WORKLIST_URL	
SHS_SSN_NBR_TAO	SHS Temp Table	EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		FP_TRNE_SVT_CD	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
SIM01_JPN_TMP		BUSINESS_UNIT	
		COMPANY	
		COMPRATE	
		COMP_EFFSEQ	KEY(5)
		COMP_FREQUENCY	
		COMP_RATECD	KEY(6)
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GB_GROUP_ID	
		GP_PAYGROUP	
		GRADE	
		JOB_CODE	
		JOB_EFFDT	
		JOB_EFFSEQ	
		NAME	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PAYGROUP	
		PAY_SYSTEM_FLG	
		PROCESS_INSTANCE	KEY(1)
		RATING_MODEL	
		REG_REGION	



		REVIEW_RATING	
		SALARY_MATRIX_CD	
		SAL_ADMIN_PLAN	
		SAL_INC_ID	KEY(2)
		SETID_JOBCODE	
		SETID_SALARY	
		STD_HOURS	
		STD_HRS_FREQUENCY	
SIM02_JPN_TMP		BUSINESS_UNIT	
		COMPANY	
		COMPRATE	
		COMP_EFFSEQ	KEY(5)
		COMP_FREQUENCY	
		COMP_RATECD	KEY(6)
		CURRENCY_CD	
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GB_GROUP_ID	
		GP_PAYGROUP	
		GRADE	
		JOBCODE	
		JOB_EFFDT	
		JOB_EFFSEQ	
		NAME	
		NAME52	
		PAID_HOURS	
		PAID_HRS_FREQUENCY	
		PAYGROUP	
		PAY_SYSTEM_FLG	
		PROCESS_INSTANCE	KEY(1)
		RATING_MODEL	
		REG_REGION	
		REVIEW_RATING	
		SALARY_MATRIX_CD	
		SAL_ADMIN_PLAN	
		SAL_INC_ID	KEY(2)
		SETID_JOBCODE	
		SETID_SALARY	
		STD_HOURS	
		STD_HRS_FREQUENCY	
SIMER_JPN_TMP	Temp table for HR_CMP052	COMP_EFFSEQ	KEY(5)
		COMP_FREQUENCY	
		COMP_RATECD	KEY(6)
		CURRENCY_CD	
		EMPLID	KEY(3)



		EMPL_RCD	KEY(4)
		GB_GROUP_ID	
		JOB_EFFDT	
		JOB_EFFSEQ	
		MESSAGE_TEXT	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		RATING_MODEL	
		REVIEW_RATING	
		SAL_INC_ID	
*SI_SUP_INFO		SEQ_NBR	KEY(2)
		EFFDT	KEY(3)
		EFF_STATUS	
		MERCHANTID	KEY(1)
		SI_CLASSID	
		SI_PKGPATH	
		SI_PKGROOT	
		TRANSACTION_CD	KEY(2)
SI_TL_RSLTS_TMP	SI TL - Lookup Results Temp	SI_MATCH_VALUE1	
		SI_MATCH_VALUE10	
		SI_MATCH_VALUE2	
		SI_MATCH_VALUE3	
		SI_MATCH_VALUE4	
		SI_MATCH_VALUE5	
		SI_MATCH_VALUE6	
		SI_MATCH_VALUE7	
		SI_MATCH_VALUE8	
		SI_MATCH_VALUE9	
SI_TL_SRCH_TMP	SI Translation - Search Temp	SI_MATCH_VALUE1	KEY(1)
SI_TRANSF_LNG	SI Transf Defn - Rel Lang Tbl	EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		SI_SUPPLIER_ID	KEY(2)
		SI_TRANSACTION	KEY(1)
		SI_TRANSF_DESCR20	
		SI_TRANSF_DESCR50	
SI_TRANSF_PARAM	SI Transformation Parameters	EFFDT	KEY(3)
		SI_PARAM_SEQ	KEY(5)
		SI_PARAM_TYPE	
		SI_STEP	KEY(4)
		SI_SUPPLIER_ID	KEY(2)
		SI_TAGNAME	
		SI_TAGXPATH	
		SI_TRANSACTION	KEY(1)
SI_TRANSF_SETUP	SI Transformation Definition	EFFDT	KEY(3)
		EFF_STATUS	



		SI_SOURCE_SCHEMA	
		SI_SOURCE_TYPE	
		SI_SUPPLIER_ID	KEY(2)
		SI_TARGET_SCHEMA	
		SI_TARGET_TYPE	
		SI_TRANSACTION	KEY(1)
		SI_TRANSF_DESCR20	
		SI_TRANSF_DESCR50	
SI_TRANSF_STEP	SI Transformation Step	EFFDT	KEY(3)
		SI_CLASSID	
		SI_METHODNAME	
		SI_PKGPATH	
		SI_PKGROOT	
		SI_STEP	KEY(4)
		SI_STEP_ERR_FLG	
		SI_SUPPLIER_ID	KEY(2)
		SI_TAGNAME	
		SI_TAGNAME2	
		SI_TAGXPATH	
		SI_TAGXPATH2	
		SI_TRANSACTION	KEY(1)
		SI_TRANSFORM_TYPE	
SI_TRANSLDF_LNG	SI Translation Defn - Rel Lang	EFFDT	KEY(5)
		LANGUAGE_CD	KEY(4)
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
		SI_TRANSL_DESCR20	
		SI_TRANSL_DESCR50	
SI_TRANSL_DAT_A	SI - Translation Data Node A	EDITTABLE	
		EFFDT	KEY(4)
		FIELDNAME	
		RECNAME	
		SI_FIELD_SEQ	KEY(6)
		SI_ITEM_NUM_A	KEY(5)
		SI_MATCH_NAME	
		SI_MATCH_VALUE	
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
SI_TRANSL_DAT_B	SI - Translation Data Node B	EDITTABLE	
		EFFDT	KEY(4)
		FIELDNAME	
		RECNAME	
		SI_FIELD_SEQ	KEY(6)





		SI_ITEM_NUM_B	KEY(5)
		SI_MATCH_NAME	
		SI_MATCH_VALUE	
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
SI_TRANSL_DEFN	SI Translation Definition	EFFDT	KEY(4)
		EFF_STATUS	
		SI_LOCK_TL_FLDS	
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
		SI_TRANSL_DESCR20	
		SI_TRANSL_DESCR50	
SI_TRANSL_FLD_A	SI - Translation Fields Node A	EDITTABLE	
		EFFDT	KEY(4)
		FIELDNAME	
		RECNAME	
		SI_FIELD_SEQ	KEY(5)
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
SI_TRANSL_FLD_B	SI - Translation Fields Node B	EDITTABLE	
		EFFDT	KEY(4)
		FIELDNAME	
		RECNAME	
		SI_FIELD_SEQ	KEY(5)
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
SI_TRANSL_MAP	SI - Translation Mapping	EFFDT	KEY(4)
		SI_ITEM_NUM_A	KEY(5)
		SI_ITEM_NUM_B	KEY(6)
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
SI_TRANSL_SET_A	SI - Translation Set of Node A	EFFDT	KEY(4)
		SI_ITEM_NUM_A	KEY(5)
		SI_NODE_A	KEY(2)
		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
		SI_TRANSL_VAL_COMB	
SI_TRANSL_SET_B	SI - Translation Set of Node B	EFFDT	KEY(4)
		SI_ITEM_NUM_B	KEY(5)
		SI_NODE_A	KEY(2)



		SI_NODE_B	KEY(3)
		SI_TRANSLATION	KEY(1)
SI_UNIT_GER	SI Units Table - GER	SI_TRANSL_VAL_COMB	
		BTNR	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
SI_UNIT_GER_LNG	SI Units GER - Rel Lang Tbl	SI_UNIT	KEY(1)
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
SOCIAL_ASSR_NLD	Social Assurances - NLD	SI_UNIT	KEY(1)
		EFFDT	KEY(3)
		EFF_STATUS	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		NL_SA_WAO	
		NL_SA_WW	
		NL_SA_ZFW	
		NL_SA_ZW	
		NL_WBA	
		REGISTR_NUM	
		SETID	
		VENDOR_ID	
SOCS_CNTRY_ESP	Rpt.Generation SS Country Tbl	COUNTRY	KEY(1)
SOCS_SETHD_ESP	Social Security Header Setup	SOCS_CNTRY_CD_ESP	
		COMPANY	KEY(1)
		CONTACT_NAME	
		EFFDT	KEY(2)
		EMPLID	
		FISCAL_ID_CD	
		GPES_CONTACT_FAX	
		GPES_CONTACT_PHONE	
		GPES HOLDER_NAME	
		SOCS_AUTH_KEY_ESP	
		SOCS_CNTRY_CD_ESP	
		SOCS_ER_CODE_ESP	
		SOCS_ER_TYPE_ESP	
		SOCS_PROCS_CD_ESP	
		SOCS_SILCON_ESP	
		SRC_BANK_ID	
SOC_SEC_RGM_LNG	Soc.Sec.Scheme Rel.Lang. Tbl	CURRENCY_CD	KEY(2)
		DESCR50	



		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		SCHEME_ID_ESP	KEY(1)
SOC_SEC_RGM_TBL	Soc.Sec.Scheme Table - ESP	CURRENCY_CD	KEY(2)
		DESCR50	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		MAX_CEIL_ESP	
		MIN_CEIL_ESP	
		MIN_HRLY_RT_ESP	
		SCHEME_ID_ESP	KEY(1)
SOC_SEC_RSK_LNG	Social Security Risk Table	DESCR50	
		EFFDT	KEY(3)
		EFF_STATUS	
		LANGUAGE_CD	KEY(2)
		SOC_SEC_RISK_CODE	KEY(1)
SOC_SEC_RSK_TBL	Social Security Risk Table	DESCR50	
		EFFDT	KEY(2)
		EFF_STATUS	
		IMS_RISK_RATE	
		IT_RISK_RATE	
		SOC_SEC_RISK_CODE	KEY(1)
SPCL_EARNS_LANG	Related Lang - SPCL_EARNS_TBL	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		ERNCD_SPCL	KEY(1)
		LANGUAGE_CD	KEY(2)
*SPCL_EARNS_TBL	Special Accumulator Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		ERNCD_SPCL	KEY(1)
SPECL_PROJECT	EE Special Projects	DESCRLONG	
		DT_COMPLETED	KEY(2)
		EMPLID	KEY(1)
		EMPLOYER	
SPECL_PROJ_LNG	EE Special Projects	DESCRLONG	
		DT_COMPLETED	KEY(2)
		EMPLID	KEY(1)
		EMPLOYER	
		LANGUAGE_CD	KEY(3)
SPK_COMM_GER	GER - Speakers Committee	DESCR50	
		DESCRSHORT	



		EFFDT	KEY(2)
		EFF_STATUS	
SPK_COMM_G_LNG	GER - Speakers Committee	SPK_COMM_ID_GER	KEY(1)
		DESCR50	
		DESCRSHORT	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
SP_MER_APPR_TMP	Group Review Result Temp Table	SPK_COMM_ID_GER	KEY(1)
		EP_APPRAISAL_ID	
		EP_APPROVAL_STATUS	
		EP_RATING	
		EP_REVIEW_STATUS	
		EP_REVIEW_TYPE	KEY(3)
		GB_GRP_RES_SBR	
		PERIOD_BEGIN_DT	KEY(1)
		PERIOD_END_DT	KEY(2)
		RATING_MODEL	
		REVIEW_POINTS	
		REVIEW_RATING	
SP_MER_INCR_EE	Employee Merit Increases Table	AMOUNT_PCT	
		AMOUNT_PER_POINT	
		APPROVER_ID	
		APPRVL_DT	
		COMP_FREQUENCY	
		COMP_RATECD	
		CURRENCY_CD	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		EP_REVIEW_STATUS	
		EP_REVIEW_TYPE	KEY(5)
		GB_GROUP_ID	
		PCT_PER_POINT	
		PERIOD_BEGIN_DT	KEY(3)
		PERIOD_END_DT	KEY(4)
		POINT_PCT	
		RATE_CODE_GROUP	
		REVIEW_POINTS	
		SAL_PTS_FREQUENCY	
		SAL_PTS_PER_POINT	
		SP_FROM_DATE	
		SP_MER_INCR_MANUAL	
		SP_MER_INCR_STATUS	
		SP_TO_DATE	
SP_MER_INCR_LNG	Merit Increase Rel Lang Table	EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)



		SP_MER_INCR_ID	KEY(1)
		SP_MER_INC_DESCR20	
		SP_MER_INC_DESCR50	
SP_MER_INCR_RNG	Merit Increase Ranges	AMOUNT_PCT	
		AMOUNT_PER_POINT	
		COMP_FREQUENCY	
		COMP_RATECD	
		CURRENCY_CD	
		EFFDT	KEY(2)
		FROM_POINTS	
		PCT_PER_POINT	
		POINT_PCT	
		RATE_CODE_GROUP	
		SAL_PTS_FREQUENCY	
		SAL_PTS_PER_POINT	
		SP_MER_INCR_ID	KEY(1)
		SP_MER_INCR_RNG	KEY(3)
		TO_POINTS	
SP_MER_INCR_TBL	Merit Increase Table	AMOUNT_PCT	
		AMOUNT_PER_POINT	
		COMP_FREQUENCY	
		COMP_RATECD	
		CURRENCY_CD	
		EFFDT	KEY(2)
		EFF_STATUS	
		PCT_PER_POINT	
		POINT_PCT	
		RATE_CODE_GROUP	
		SAL_PTS_FREQUENCY	
		SAL_PTS_PER_POINT	
		SP_MER_INCR_ID	KEY(1)
		SP_MER_INCR_TYPE	
		SP_MER_INC_DESCR20	
		SP_MER_INC_DESCR50	
SP_MER_INC_ELIG	Merit Increase Eligibility	EP_REVIEW_TYPE	KEY(4)
		GB_GROUP_ID	KEY(1)
		SP_FROM_DATE	KEY(2)
		SP_MER_INCR_ID	
		SP_TO_DATE	KEY(3)
SP_UPDCOMP_TMP	Plan Sal Mass Update	CHANGE_AMT	
		CHANGE_PCT	
		CHANGE_PTS	
		CMP_SRC_IND	
		COMPRATE	
		COMP_EFFSEQ	KEY(8)



		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(7)
		COMP_RATE_POINTS	
		COMP_RATE_TYPE	
		CONVERT_COMPRT	
		CURRENCY_CD	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		MANUAL_SW	
		OPRID	KEY(1)
		RATE_CODE_GROUP	
		RUN_CNTL_ID	KEY(2)
		SP_PROCESS_NAME	KEY(9)
SP_UPDJOB_TMP	Plan Sal Mass Update	ACTION	
		ACTION_REASON	
		AE_STEP	
		EFFDT	KEY(5)
		EFFSEQ	KEY(6)
		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GRADE	
		JOBCODE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		SAL_ADMIN_PLAN	
		SP_PROCESS_NAME	KEY(7)
		STEP	
		STEP_ENTRY_DT	
SQLSTMT_TBL	Stored SQL Statements	PGM_NAME	KEY(1)
		STMT_NAME	KEY(3)
		STMT_TEXT	
		STMT_TYPE	KEY(2)
SRC_BANK	Source Bank Account Table	ACCOUNT_NAME_AC	
		BANKACCT_SBR	
		BANKACCT_SBR_NA	
		BANK_TRANSFER_ID	
		DESCR	
		EFF_STATUS	
		EFT_NAME_DOMESTIC	
		EFT_NAME_INTL	
		SRC_BANK_ID	KEY(1)
SS_ADM_RULESTP	SS Framework Admin Step	ADMIN_STEP_FLAG	



		APPR_PATH	KEY(6)
		APPR_RULE_SET	KEY(3)
		APPR_STEP	KEY(5)
		EFFDT	KEY(4)
		SS_CONFIG_OPTION	KEY(2)
		SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
SS_BIND_GRP	SS Framework Page Text	BIND_ID	KEY(3)
		FIELDNAME	
		IS_RELATED_REC_FLG	
		LEVELNUM	
		MESSAGE_NBR	KEY(2)
		MESSAGE_SET_NBR	KEY(1)
		RECNAME	
		RELATED_FIELDNAME	
		RELATED_RECNAME	
		SYSTEM_DATA_FLG	
SS_BP_COMPS	SS Framework Bus Prc Component	ACCESS_MODE	
		BARNAME	
		ITEMNAME	
		MARKET	
		MENUNAME	
		PNLGRPNAME	
		PNLNAME	
		SS_COMP_USE	KEY(3)
		SS_USER_TYPE	KEY(2)
		SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
SS_COMMONADM_WL	SS Framework AdminWL	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		DESCR	KEY(7)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		NAME	
		SS_COMP_USE	
		SS_GRP_ID	KEY(8)
		SS_TRANS_ID	KEY(9)
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
SS_COMMON_WL	SS Framework User WL	ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		DESCR	KEY(7)
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		SS_COMP_USE	



		SS_GRP_ID	KEY(8)
		SS_USER_TYPE	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
SS_DTL_EPM		EP_APPRAISAL_ID	KEY(5)
		SS_GRP_ID	KEY(2)
		SS_PROCESS_CYCLE	KEY(4)
		SS_TRANS_ID	KEY(3)
		TRANSACTION_NAME	KEY(1)
SS_DTL_JOB	Self Service Job Temp Table	GRADE	
		JOBCODE	
		SAL_ADMIN_PLAN	
		SS_GRP_ID	KEY(2)
		SS_PROCESS_CYCLE	KEY(4)
		SS_TRANS_ID	KEY(3)
		STEP	
		TRANSACTION_NAME	KEY(1)
SS_DTL_SALCHANG	Salary Change Detail	CHANGE_AMT	
		CHANGE_PCT	
		CHANGE_PTS	
		CMP_SRC_IND	
		COMPRATE	
		COMP_EFFSEQ	KEY(6)
		COMP_FREQUENCY	
		COMP_PCT	
		COMP_RATECD	KEY(7)
		COMP_RATE_POINTS	
		CONVERT_COMPRT	
		CURRENCY_CD	
		EFFDT	KEY(5)
		FTE_INDICATOR	
		MANUAL_SW	
		RATE_CODE_GROUP	
		SS_GRP_ID	KEY(2)
		SS_PROCESS_CYCLE	KEY(4)
		SS_TRANS_ID	KEY(3)
		TRANSACTION_NAME	KEY(1)
SS_DTL_TRAINING	Detail SS Adm Training Request	ATTENDANCE	
		COURSE	KEY(5)
		SESSION_NBR	KEY(6)
		SS_GRP_ID	KEY(2)
		SS_PROCESS_CYCLE	KEY(4)
		SS_TRANS_ID	KEY(3)
		TRANSACTION_NAME	KEY(1)
		WAITLIST	





SS_EMAIL_TEXT	SS Framework Page Text	CURRENT_COMP_USE	KEY(4)
		EMAIL_PART	KEY(7)
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		NOTIFY_COMP_USE	KEY(6)
		SS_CONFIG_OPTION	KEY(2)
		SS_ROLETYPE	KEY(5)
		SS_STAT_INDICATOR	KEY(3)
		SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
SS_ERR_WRN	WF Staged Errors and Warnings	CI_EXCEPT_SBR	
		SS_GRP_ID	KEY(1)
		SS_TRANS_ID	KEY(2)
		TRANSACTION_NAME	KEY(3)
SS_HDR	SS Framework Parent Trans Rec	TRANSACTION_NBR	KEY(4)
		SS_GRP_ID	KEY(2)
SS_KEYFIELDS	SS Framework Core Key Fields	TRANSACTION_NAME	KEY(1)
		KEYNAME	KEY(2)
		SS_BUFFER_USE	
SS_KEYS	SS Framework Unique Key Rec	SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
		EMPLID	
		EMPL_RCD	
		SS_GRP_ID	KEY(2)
SS_KEYS_APPR	SS Framework Approve Tmp Rec	SS_PROC_SBR	
		SS_TRANS_ID	KEY(3)
		TRANSACTION_NAME	KEY(1)
		EMPLID	
		EMPL_RCD	
		SS_GRP_ID	KEY(2)
SS_KEYS_DENY	SS Framework Deny Tmp Rec	SS_PROC_SBR	
		SS_TRANS_ID	KEY(3)
		TRANSACTION_NAME	KEY(1)
		EMPLID	
		EMPL_RCD	
SS_LINK_TBL	Direct Reports Setup	SS_GRP_ID	KEY(2)
		SS_PROC_SBR	
		SS_TRANS_ID	KEY(3)
		TRANSACTION_NAME	KEY(1)
		ACCESS_MODE	
		ACCESS_TYPE	
		BARNAME	
		HR_TRANS_NAME	
ITEMNAME			
MARKET	KEY(2)		



		MENUNAME	
		MESSAGE_CONTINUE	
		MESSAGE_PAGE_TITLE	
		MESSAGE_PG_INST	
		MSG_SET_CONTINUE	
		MSG_SET_PAGE_TITLE	
		MSG_SET_PG_INST	
		MULTIPLE_SELECT	
		PNLGRPNAME	KEY(1)
		PNLNAME	
		RECNAME	
		SYSTEM_DATA_FLG	
		UPDATE_OWN_INFO	
SS_PAGE_BUFFER	SS Framework Page Buffer Recs	RECNAME	
		SS_BUFFER_USE	KEY(3)
		SS_COMP_USE	KEY(2)
		SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
SS_PAGE_TEXT	SS Framework Page Text	FIELDNAME	KEY(8)
		LEVELNUM	
		MESSAGE_NBR	
		MESSAGE_SET_NBR	
		RECNAME	KEY(7)
		SS_COMP_PROCESS	KEY(5)
		SS_COMP_USE	KEY(4)
		SS_CONFIG_OPTION	KEY(2)
		SS_PAGE_AREA	KEY(6)
		SS_STAT_INDICATOR	KEY(3)
		SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
SS_PROCESS_DTL	SS Framework Process Detail	COMMENTS	
		CURRENT_STEP	
		IS_ALTERNATE	
		PROCESS_ACTION	
		PROCESS_ACTION_DT	
		PROCESS_PATH	KEY(5)
		PROCESS_STEP	KEY(6)
		ROLENAME	
		ROLEUSER	KEY(7)
		ROLEUSER_EMPLID	
		SAVE_FOR_LATER	
		SS_GRP_ID	KEY(2)
		SS_PROCESS_CYCLE	KEY(4)
		SS_ROLETYPE	
		SS_TRANS_ID	KEY(3)



SS_PROC_CMNTS	SS Framework Process Detail	TRANSACTION_NAME	KEY(1)
		COMMENTS	
		CURRENT_STEP	
		IS_ALTERNATE	
		PROCESS_ACTION	
		PROCESS_ACTION_DT	
		PROCESS_PATH	KEY(5)
		PROCESS_STEP	KEY(6)
		ROLENAME	
		ROLEUSER	KEY(7)
		ROLEUSER_EMPLID	
		SAVE_FOR_LATER	
		SS_GRP_ID	KEY(2)
		SS_PROCESS_CYCLE	KEY(4)
SS_ROLETYPE	KEY(8)		
SS_TRANS_ID	KEY(3)		
SS_PROC_FOLKS	SS Framework Process Detail	TRANSACTION_NAME	KEY(1)
		COMMENTS	
		CURRENT_STEP	
		IS_ALTERNATE	
		PROCESS_ACTION	
		PROCESS_ACTION_DT	
		PROCESS_PATH	KEY(5)
		PROCESS_STEP	KEY(6)
		ROLENAME	
		ROLEUSER	KEY(7)
		ROLEUSER_EMPLID	
		SAVE_FOR_LATER	
		SS_GRP_ID	KEY(2)
		SS_PROCESS_CYCLE	KEY(4)
SS_ROLETYPE			
SS_TRANS_ID	KEY(3)		
SS_PROC_RULES	SS Framework Process Rules	TRANSACTION_NAME	KEY(1)
		APPR_RULE_SET	KEY(3)
		SS_CONFIG_OPTION	KEY(2)
		SYSTEM_DATA_FLG	
SS_SECTION_VSBL	SS Framework Section Visible	TRANSACTION_NAME	KEY(1)
		FIELDNAME	KEY(8)
		LEVELNUM	
		RECNAME	KEY(7)
		SS_COMP_PROCESS	KEY(5)
		SS_COMP_USE	KEY(4)
		SS_CONFIG_OPTION	KEY(2)
		SS_PAGE_AREA	KEY(6)
		SS_STAT_INDICATOR	KEY(3)



		SYSTEM_DATA_FLG	
		TRANSACTION_NAME	KEY(1)
		VISIBLE_PROPERTY	
		WHICH_ROW_OR_ROWS	
SS_TRANS_CI_DTL	HR SS Configuration Record	BCITEMNAME	
		BCNAME	
		SEQNO	KEY(2)
		TABLE_NAME	
		TABLE_NAME_EXCEPTN	
		TRANSACTION_NAME	KEY(1)
SS_TRANS_NBR	Transaction Number Counter	TRANSACTION_NAME	KEY(1)
		TRANSACTION_NBR	
STANDRDLTR_LANG	Related Lang-Standard Letters	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(2)
		LETTER_CD	KEY(1)
*STANDRD_LTR_TBL	Standard Letter Codes	DESCR	
		DESCRSHORT	
		LETTER_CD	KEY(1)
		SET_LETTER_CD	
STATE_TAXRT_TBL	State/Federal Tax Rate Table	CREDIT_AMOUNT	
		EFFDT	KEY(2)
		LOW_GROSS	KEY(4)
		LOW_TAX	
		STATE	KEY(1)
		TAX_RT	
		TAX_STATUS	KEY(3)
*STATE_TAX_DATA	Employee U.S. State Tax Data	ADDL_AMT_ADJ	
		ANNL_EXEMPTION_AMT	
		COMPANY	KEY(2)
		EFFDT	KEY(3)
		EIC_STATUS_ST	
		EMPLID	KEY(1)
		LOCK_IN_LIMIT	
		LOCK_IN_RECVD	
		NON_RES_DECLARED	
		PERCENT_OF_FWT	
		RESIDENT	
		RETIREMENT_PLAN	
		SDI_STATUS	
		SPECIAL_SWT_STATUS	
		STATE	KEY(4)
		SUT_EXEMPT	
		SWT_ADDL_ALLOWNCES	
		SWT_ADDL_AMT	



		SWT_ADDL_PCT	
		SWT_ALLOWANCES	
		SWT_MAR_STATUS	
		UI_JURISDICTION	
		WAGE_PLAN_CD	
STATE_TAX_LANG	Related Lang for STATE_TAX_TBL	EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		SPECIAL_DESCR_1	
		SPECIAL_DESCR_2	
		SPECIAL_DESCR_3	
		SPECIAL_DESCR_4	
		SPECIAL_DESCR_5	
*STATE_TAX_TBL	State/Federal Tax Table	STATE	KEY(1)
		ALLOWANCE_AMT	
		ALLOW_WH_REDUCE	
		COMMON_PAY_IND	
		EE_DTL_REQUIRED	
		EFFDT	KEY(2)
		EFF_STATUS	
		FICA_CREDIT	
		FWT_CREDIT	
		MARRIED_STD_DED	
		MINIMUM_WAGE	
		NON_RES_DECLR_REQ	
		RPT_NEG_WAGES	
		SINGLE_STD_DED	
		SPECIAL_AMT_1	
		SPECIAL_AMT_2	
		SPECIAL_AMT_3	
		SPECIAL_AMT_4	
		SPECIAL_AMT_5	
		SPECIAL_DESCR_1	
		SPECIAL_DESCR_2	
		SPECIAL_DESCR_3	
		SPECIAL_DESCR_4	
		SPECIAL_DESCR_5	
		STATE	KEY(1)
		ST_TAX_TYPE	
		SUPL_WAGE_RT	
		SUPPL_CON_METHOD	
		SUPPL_SEP_METHOD	
		TAX_RPT_INTERVAL	
		TIPS_DELAY_WTHLD	
		TIPS_MTD_THRESHOLD	
*STATE_TBL	State Codes/Names w/in Country	COUNTRY	KEY(1)



Table Name	Description	Field Name	Key Type
STATE_TBL_LANG	State Names Related Language	DESCR	
		DESCR_AC	
		NUMERIC_CD	
		STATE	KEY(2)
STATE_TBL_LANG	State Names Related Language	COUNTRY	KEY(1)
		DESCR	
		DESCR_AC	
		LANGUAGE_CD	KEY(3)
STATUTE_BEL_LNG	Statute Table - Belgium	STATE	KEY(2)
		DESCR	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
STATUTE_BEL_LNG	Statute Table - Belgium	STATUTE_BEL	KEY(1)
		CONTRACT_TYPE	
		DESCR	
		EFFDT	KEY(2)
STATUTE_TBL_BEL	Statute Table - Belgium	EFF_STATUS	
		REG_REGION	
		STATUTE_BEL	KEY(1)
		DESCR	
STAT_TBL	Statistics Codes	DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		SETID	KEY(1)
STAT_TBL	Statistics Codes	STATISTICS_CODE	KEY(2)
		UNIT_OF_MEASURE	
		UPDATE_METHOD	
		EFFDT	KEY(2)
STAT_TX_CLS_TBL	State Tax Class Table	STATE	KEY(1)
		TAX_CLASS	KEY(4)
		TAX_GRP_TYPE	KEY(3)
		EFFDT	KEY(2)
STAT_TX_TYP_EFF	State Tax Type Table	STATE	KEY(1)
		EFFDT	KEY(2)
		SETID	
		STATE	KEY(1)
STAT_TX_TYP_TBL	State Tax Type Table	TAX_GRP_TYPE	KEY(3)
		VENDOR_ID	
		EFFDT	KEY(1)
		EFF_STATUS	
STEPINC_TBL_JPN	Salary Step Increase Table	RATING_MODEL	KEY(2)
		REVIEW_RATING	KEY(3)
		SALSTEP_INC	
		ACTION	
STEP_INCR_AET	AE Cache Table for Step Incr	ACTION_REASON	



Table Name	Description	Field Name	Key
STOCK_ACTN_TBL	Stock Action Definition	BAL_ID_FOR_CAL_YR	
		BUSINESS_UNIT	
		DATE_TO	
		EFFDT	
		EFFSEQ	
		EMPLID	
		EMPL_RCD	
		FROMDATE	
		IF_FLAG	
		INCREM_MONTHS	
		JOB_EFFDT	
		NEW_EFFDT	
		NO_REVIEW	
		OPRID	
PROCESS_INSTANCE	KEY(1)		
RUN_CNTL_ID			
SAL_ADMIN_PLAN			
STEP_ENTRY_DT			
DESCR			
DESCRSHORT			
EFFDT	KEY(2)		
EFF_STATUS			
STOCK_ACTION	KEY(1)		
STOCK_ACTION_TYPE			
STOCK_AGENT	Setup for Stock Agent	LAST_CONTROL_NBR	
STOCK_AGENT_DTL	Setup Stock Agent Details	STOCK_ID	KEY(1)
		ST_AGENCY_ID	KEY(2)
STOCK_AGREEMENT	Stock Agreement	AGENCY_TYPE	
		EFFDT	KEY(3)
		EFF_STATUS	
		STOCK_ID	KEY(1)
		ST_AGENCY_ID	KEY(2)
		AGREEMENT_ID	KEY(2)
		AGREEMENT_TYPE	
		COMMENTS	
DESCR			
DESCRSHORT			
EFFDT	KEY(3)		
EFF_STATUS			
STOCK_ID	KEY(1)		
STOCK_BRANCH	Setup for Stock Branch	LAST_CONTROL_NBR	
STOCK_BRNCH_DTL	Stock Branch Details	STOCK_ID	KEY(1)
		ST_BRANCH_ID	KEY(3)
		ST_BROKERAGE_ID	KEY(2)
		BROKERAGE_CMSN_IND	



		BROKERAGE_FEES_IND	
		CAPTIVE_ESPP	
		CAPTIVE_OPTIONS	
		CONTROL_NBR_PREFIX	
		EFFDT	KEY(4)
		EFF_STATUS	
		SEC_FEES_IND	
		STOCK_ID	KEY(1)
		ST_BRANCH_ID	KEY(3)
		ST_BROKERAGE_ID	KEY(2)
STOCK_CLASS_TBL	Stock Class	APPRVL_DT	
		DESCR	
		DESCRSHORT	
		STOCK_CLASS	KEY(3)
		STOCK_CLASS_TYPE	KEY(2)
		STOCK_ID	KEY(1)
STOCK_DTL	Stock Detail	AGREEMENT_ACCEPT	
		CAPTIVE_ESPP	
		CAPTIVE_OPTIONS	
		CONTACT_SBR	
		DEC_PLACES	
		DEC_PLACES2	
		EFFDT	KEY(2)
		EFF_STATUS	
		ERNCD_ESPP_DD_INC	
		ERNCD_ESPP_QD_INC	
		ERNCD_ISO_DD_INC	
		ERNCD_NET_TAX	
		ERNCD_NQ_CALC_TAX	
		ERNCD_NQ_EXER_INC	
		ERNCD_NQ_REL_INC	
		ERNCD_RSA_EXER_INC	
		ERNCD_RSA_REL_INC	
		ESCROW_AGENCY_ID	
		FMV_HOLIDAY_RULE	
		FMV_METHOD	
		FMV_WEEKEND_RULE	
		GRANT_LIMIT_RULE	
		GRANT_SHARES_LIM	
		GRANT_YEAR_RULE	
		ISO_LIM_REPRC_RULE	
		ISO_LIM_VEST_RULE	
		NAME_UPDATE_ALLOW	
		PUBLIC_PRIVATE	
		PURCHASE_LIM_RULE	





		PURCHASE_VALUE_LIM	
		STOCK_ID	KEY(1)
		ST_GOVERN_CD	
		ST_REGISTERED	
		ST_ROUNDING_RULE	
		ST_ROUNDING_RULE2	
		TRANSFER_AGENCY_ID	
STOCK_EXCHANGE	Stock Exchange	ADDRESS_SBR	
		COMMENTS	
		CONTACT_SBR	
		CURRENCY_CD	
		EFFDT	KEY(2)
		EFF_STATUS	
		EXCHANGE_ID	
		PRICE_SOURCE	
		STOCK_ID	KEY(1)
STOCK_EXCH_LANG	Stock Exchange	ST_TICKER_SYMBL	
		COMMENTS	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		STOCK_ID	KEY(1)
STOCK_FISCAL_YR	Stock Fiscal Year table	FISCAL_BEGIN_DT	
		FISCAL_END_DT	
		FISCAL_YEAR	KEY(2)
		STOCK_ID	KEY(1)
STOCK_LEGEND	Stock Legend	COMMENTS	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		LEGEND_ID	KEY(2)
		STOCK_ID	KEY(1)
STOCK_PLAN_LANG	Stock Plan	DESCR	
		LANGUAGE_CD	KEY(4)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
STOCK_PLAN_TBL	Stock Plan	APPRVL_DT	
		DESCR	
		DESCRSHORT	
		EXPIRATN_DT	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
STOCK_TBL	Stock Table	CHECK_NBR_LAST	



		COMPANY	
		CUSIP_NBR	
		DAILY_PRICES_DAYS	
		DESCR	
		DESCRSHORT	
		DISPOSN_NBR_LAST	
		ESPP_DISP_NBR_LAST	
		EXERCISE_NBR_LAST	
		GRANT_NBR_LAST	
		RELEASE_NBR_LAST	
		REPURCHASE_NBR_LST	
		STOCK_ID	KEY(1)
		ST_ACCOUNT_STD	
		ST_FAS_ADOPT_DT	
		ST_FAS_DISCLOSE_DT	
		ST_PAR_VALUE	
STOCK_TBL_LANG	Stock Table	DESCR	
		LANGUAGE_CD	KEY(2)
		STOCK_ID	KEY(1)
STOCK_TREASURY	Stock Treasury	APPRVL_DT	
		COMMENTS	
		DESCR	
		DESCRSHORT	
		EXPIRATN_DT	
		STOCK_ID	KEY(1)
		ST_TREASURY_ID	KEY(2)
STOCK_TRSR_LANG	Stock Treasury	COMMENTS	
		DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(3)
		STOCK_ID	KEY(1)
		ST_TREASURY_ID	KEY(2)
STP01_JPN_TMP		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		GRADE	
		JOBCODE	
		JOB_EFFDT	
		JOB_EFFSEQ	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		SAL_ADMIN_PLAN	
		SETID_SALARY	
		STEP	
STP02_JPN_TMP		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)



	GRADE	
	JOB_EFFDT	
	JOB_EFFSEQ	
	NAME	
	PROCESS_INSTANCE	KEY(1)
	SAL_ADMIN_PLAN	
	SETID_SALARY	
	STEP	
STP03_JPN_TMP	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	GRADE	
	JOB_EFFDT	
	JOB_EFFSEQ	
	NAME	
	PROCESS_INSTANCE	KEY(1)
	RATING_MODEL	
	REVIEW_RATING	
	SAL_ADMIN_PLAN	
	SETID_SALARY	
	STEP	
STP04_JPN_TMP	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	GRADE	
	JOB_EFFDT	
	JOB_EFFSEQ	
	NAME	
	PROCESS_INSTANCE	KEY(1)
	SALSTEP_INC	
	SAL_ADMIN_PLAN	
	SETID_SALARY	
	STEP	
STP05_JPN_TMP	EMPLID	KEY(2)
	EMPL_RCD	KEY(3)
	GRADE	
	JOB_EFFDT	
	JOB_EFFSEQ	
	NAME	
	PROCESS_INSTANCE	KEY(1)
	SAL_ADMIN_PLAN	
	SETID_SALARY	
	STEP	
STP06_JPN_TMP	ANNUAL_RT	
	COMPRATE	
	COMP_EFFSEQ	KEY(4)
	COMP_FREQUENCY	



		COMP_PCT	
		COMP_RATECD	KEY(5)
		COMP_RATE_POINTS	
		CURRENCY_CD	
		DAILY_RT	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		GRADE	
		HOURLY_RT	
		JOB_EFFDT	
		JOB_EFFSEQ	
		MONTHLY_RT	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		RATE_CODE_GROUP	
		SAL_ADMIN_PLAN	
		SETID_SALARY	
		STEP	
STP4N_JPN_TMP		EMPLID	KEY(2)
		EMPL_RCD	KEY(3)
		GRADE	
		JOB_EFFDT	
		JOB_EFFSEQ	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		SALSTEP_INC	
		SAL_ADMIN_PLAN	
		SETID_SALARY	
		STEP	
STPER_JPN_TMP	Temp table for HR_CMP050	EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		GRADE	
		JOB_EFFDT	
		JOB_EFFSEQ	
		MESSAGE_TEXT	
		NAME	
		PROCESS_INSTANCE	KEY(1)
		SAL_ADMIN_PLAN	
		SEQ_NBR	KEY(2)
		SETID_SALARY	
		STEP	
		STEP_NEW	
STRINGS_LNG_TBL	Strings Table Related Lang	COL_WIDTH	
		DEFAULT_LABEL	
		LABEL_ID	



		LANGUAGE_CD	KEY(3)
		PROGRAM_ID	KEY(1)
		STRING_ID	KEY(2)
		STRING_TEXT	
		STR_LBLTYPE	
STRINGS_TBL	Strings Table	COL_WIDTH	
		DEFAULT_LABEL	
		LABEL_ID	
		PROGRAM_ID	KEY(1)
		STRING_ID	KEY(2)
		STRING_TEXT	
		STR_LBLTYPE	
STTAX_RECIP_TBL	State Reciprocity Rules	EFFDT	KEY(3)
		EFF_STATUS	
		RECIPROCITY_RULE	
		STATE_RESIDENCE	KEY(1)
		STATE_WORK	KEY(2)
		SUT_CREDIT	
STUDY_BANK_AUS	Study Bank - Australia	COURSE	KEY(3)
		COURSE_START_DT	KEY(2)
		COURSE_TITLE	KEY(5)
		EFFDT_FROM	KEY(6)
		EFFDT_TO	KEY(7)
		EMPLID	KEY(1)
		SESSION_NBR	KEY(4)
		STDY_HRS_WKLY_AUS	
		TRVL_HRS_WKLY_AUS	
STUP_SALCMP_JPN	Salary Component Setup Table	EDCLVL_DAY	
		EDCLVL_MONTH	
		SAL_CHECK	
ST_ACTN_PRC_AET	Stock Action Process AE Record	ACTION	
		ACTION_REASON	
		ACTIVITYNAME	
		BUSPROCNAME	
		DAYS_DIFF	
		DELETE_FLAG	
		DONE_FLAG	
		EMPLID	
		EVENTNAME	
		EXER_SUSPEND_PD_DD	
		EXER_SUSPEND_PD_MM	
		EXER_SUSPEND_TYPE	
		EXER_SUSPND_BGN_DT	
		EXER_SUSPND_END_DT	
		EXPIRATN_DT	



---

EXPIRE\_GRACE\_PD\_DD  
EXPIRE\_GRACE\_PD\_MM  
GRANT\_DT  
GRANT\_NBR  
IF\_FLAG  
INSTANCEID  
ISO\_EXER\_AS\_NQ\_DT  
ISO\_GRACE\_PD\_TYPE  
LAST\_EMPLID  
MESSAGE\_TEXT  
MESSAGE\_TEXT40  
OK\_TO\_PROCESS  
PRIOR\_STCK\_ACTN\_DT  
PRIOR\_STOCK\_ACTION  
PROCESS\_FLAG  
PROCESS\_INSTANCE           KEY(1)  
REVERSALS  
SEQ\_NUM  
SHARES\_REPURCHABLE  
SHARES\_VESTED  
STOCK\_ACTION  
STOCK\_ACTION\_DT  
STOCK\_ACTION\_TYPE  
STOCK\_ID  
STOCK\_PLAN  
ST\_LOA\_TER\_SW  
ST\_OPTION\_TYPE  
ST\_PROCESS\_ORIGIN  
TEMPDATE  
TERM\_EXPIRATN\_DT  
TRANSACTIONID  
UPDATE\_FLAG  
UPDATE\_SW  
VEST\_DEFER\_DT  
VEST\_DEFER\_SVC\_DD  
VEST\_DEFER\_SVC\_MM  
VEST\_DEFR\_GRACE\_DD  
VEST\_DEFR\_GRACE\_MM  
VEST\_DT  
VEST\_EFFDT  
VEST\_IMMEDIATE  
VEST\_REASON  
VEST\_SCHED\_ID  
VEST\_SUSPEND  
VEST\_SUSPEND\_DT



ST_ACTN_PRC_HDR	Stock Action Work List Search	WORKLISTNAME	
		EMPLID	KEY(1)
		STOCK_ACTION	KEY(2)
		STOCK_ACTION_DT	KEY(3)
		STOCK_ACTION_TYPE	KEY(4)
ST_ACTN_PRC_MSG	Stock Action Process Messages	EMPLID	KEY(1)
		GRANT_NBR	KEY(5)
		MESSAGE_TEXT	
		MESSAGE_TEXT40	
		PROCESS_FLAG	
		REVERSALS	
		SEQ_NUM	KEY(7)
		SHARES_REPURCHABLE	
		STOCK_ACTION	KEY(3)
		STOCK_ACTION_DT	KEY(4)
		STOCK_ID	KEY(2)
		ST_OPTION_TYPE	
		ST_PROCESS_ORIGIN	
		VEST_EFFDT	KEY(6)
ST_ACTN_PRC_TBL	Stock Action Process Table	ACTION	
		ACTION_REASON	
		EMPLID	KEY(1)
		GRANT_NBR	KEY(7)
		STOCK_ACTION	KEY(2)
		STOCK_ACTION_DT	KEY(3)
		STOCK_ACTION_TYPE	KEY(4)
		STOCK_ID	KEY(5)
		ST_OPTION_TYPE	KEY(6)
ST_ACTN_PRC_WL	Stock Action Process Work List	ACTION	
		ACTION_REASON	
		ACTIVITYNAME	KEY(2)
		BUSPROCNAME	KEY(1)
		EMPLID	
		EMPL_RCD	
		EVENTNAME	KEY(3)
		INSTANCEID	KEY(5)
		NAME	KEY(7)
		STOCK_ACTION_DT	
		TRANSACTIONID	KEY(6)
		WORKLISTNAME	KEY(4)
ST_ACTN_RSN_TBL	Stock Action / Reason Setup	ACTION	KEY(1)
		ACTION_REASON	KEY(2)
		EFFDT	KEY(3)
		EFF_STATUS	
		STOCK_ACTION	



ST_ACTN_RULE	Stock Action Rules Record	EFFDT	KEY(4)
		EXER_SUSPEND_PD_DD	
		EXER_SUSPEND_PD_MM	
		EXER_SUSPEND_TYPE	
		EXPIRE_GRACE_PD_DD	
		EXPIRE_GRACE_PD_MM	
		ISO_GRACE_PD_TYPE	
		STOCK_ACTION	KEY(5)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
		VEST_DEFER_SVC_DD	
		VEST_DEFER_SVC_MM	
		VEST_DEFR_GRACE_DD	
		VEST_DEFR_GRACE_MM	
		VEST_IMMEDIATE	
		VEST_SUSPEND	
ST_AE_CLASS_BAL	Stock Balance - AE Process Rcd	AS_OF_DATE	
		SHARES_ALLOC_CLASS	
		SHARES_EXERCISED	
		SHARES_EXER_SAR	
		SHARES_EXER_SWAP	
		SHARES_OUTSTANDING	
		SHARES_PURCHASED	
		SHARES_REL_SWAP	
		SHARES_REPURCHASED	
		SHARES_SWAPPED	
		STOCK_CLASS	KEY(3)
		STOCK_CLASS_TYPE	KEY(2)
		STOCK_ID	KEY(1)
ST_AE_ESPP_BAL	Stock Balance - AE Process Rcd	AS_OF_DATE	
		SHARES_ALLOC_PLAN	
		SHARES_AVAIL_ISSUE	
		SHARES_PURCHASED	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_AE_OPTN_BAL	Stock Balance - AE Process Rcd	AS_OF_DATE	
		OPTION_OUTSTANDING	
		SHARES_ALLOC_EXPIR	
		SHARES_ALLOC_PLAN	
		SHARES_AUTHORIZED	
		SHARES_AVAIL_ISSUE	
		SHARES_CANCELLED	
		SHARES_CANCEL_PLAN	





		SHARES_EXERCISED	
		SHARES_EXER_SAR	
		SHARES_EXPIRED	
		SHARES_EXPIRE_PLAN	
		SHARES_GRANTED	
		SHARES_RELEASED	
		SHARES_REPURCHASED	
		SHARES_SWAPPED	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_AE_TRSR_BAL	Stock Balance - AE Process Rcd	AS_OF_DATE	
		SHARES_ALLOC_CLASS	
		SHARES_ALLOC_PLAN	
		SHARES_ALLOC_TRSR	
		SHARES_AVAIL_ISSUE	
		SHARES_CANCELLED	
		SHARES_EXER_SAR	
		SHARES_EXPIRED	
		SHARES_REPURCHASED	
		SHARES_SWAPPED	
		STOCK_ID	KEY(1)
		ST_TREASURY_ID	KEY(2)
ST_AGENT_CNTCT	Stock Agent Contact Record	ADDRESS_SBR	
		COMMENTS	
		CONTACT_SBR	
		EFFDT	KEY(3)
		STOCK_ID	KEY(1)
		ST_AGENCY_ID	KEY(2)
		ST_CONTACT_TYPE	KEY(4)
ST_AGENT_DTL	Stock Agent Detail Record	ADDRESS_SBR	
		AGENCY_TYPE	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		PHONE_SBR	
		ST_AGENCY_ID	KEY(1)
ST_AGENT_TBL	Setup for Stock Agency	DTC_ACCOUNT_NBR	
		ST_AGENCY_ID	KEY(1)
ST_AGNT_CT_LANG	Language Rcd for Agent Contact	COMMENTS	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(5)
		STOCK_ID	KEY(1)
		ST_AGENCY_ID	KEY(2)



ST_BLACKOUT_LST	Stock Blackout List	ST_CONTACT_TYPE	KEY(4)
		BLACKOUT_BEGIN_DT	KEY(2)
		BLACKOUT_END_DT	KEY(3)
		EMPLID	KEY(4)
		STOCK_ID	KEY(1)
ST_BLACKOUT_TBL	Stock Blackout	BLACKOUT_ALL	
		BLACKOUT_BEGIN_DT	KEY(2)
		BLACKOUT_END_DT	KEY(3)
		COMPANY_INSIDER	
		DESCR	
		REPORTING_PERSON	
		STOCK_ID	KEY(1)
		ST_BEN_OWNER	
		ST_DIRECTOR	
		ST_OFFICER	
ST_BLKOUT_LANG	Stock Blackout	BLACKOUT_BEGIN_DT	KEY(2)
		BLACKOUT_END_DT	KEY(3)
		DESCR	
		LANGUAGE_CD	KEY(4)
		STOCK_ID	KEY(1)
ST_BRANCH_CNTCT	Broker Branch Contact Info.	ADDRESS_SBR	
		COMMENTS	
		CONTACT_SBR	
		EFFDT	KEY(4)
		STOCK_ID	KEY(1)
		ST_BRANCH_ID	KEY(3)
		ST_BROKERAGE_ID	KEY(2)
		ST_CONTACT_TYPE	KEY(5)
ST_BRANCH_LANG	Brokerage Branch	DESCR	
		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		ST_BRANCH_ID	KEY(2)
		ST_BROKERAGE_ID	KEY(1)
ST_BRKR_BRANCH	Language Rcrd Brokerage Brnch	ADDRESS_SBR	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		PHONE_SBR	
		ST_BRANCH_ID	KEY(2)
		ST_BROKERAGE_ID	KEY(1)
ST_BRNC_CT_LANG	Language Rcrd for Broker Brnch	COMMENTS	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(6)



		STOCK_ID	KEY(1)
		ST_BRANCH_ID	KEY(3)
		ST_BROKERAGE_ID	KEY(2)
		ST_CONTACT_TYPE	KEY(5)
ST_BROKER_DTL	Brokerage Detail	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		ST_BROKERAGE_ID	KEY(1)
ST_BROKER_TBL	Brokerage Information	DTC_ACCOUNT_NBR	
		ST_BROKERAGE_ID	KEY(1)
ST_CANCEL_TMP	Grant Cancellation Temp Table	EMPLID	KEY(1)
		GRANT_DT	
		GRANT_NBR	KEY(3)
		STOCK_ID	KEY(2)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
ST_CLASS_AET	Stock Balance - AE Process Rcd	AS_OF_DATE	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		SHARES_ALLOC_CLASS	
		SHARES_EXERCISED	
		SHARES_EXER_SAR	
		SHARES_EXER_SWAP	
		SHARES_OUTSTANDING	
		SHARES_PURCHASED	
		SHARES_REL_SWAP	
		SHARES_REPURCHASED	
		SHARES_SWAPPED	
		STOCK_CLASS	
		STOCK_CLASS_TYPE	
		STOCK_ID	
ST_CLASS_ALLOC	Stock Class Allocation	ALLOCATION_DT	KEY(4)
		APPRVL_DT	
		COMMENTS	
		DESCR	
		LASTUPDDTTM	
		LASTUPDOPRID	
		SEQ_NUM	KEY(5)
		SHARES_ALLOCATED	
		STOCK_CLASS	KEY(3)
		STOCK_CLASS_TYPE	KEY(2)
		STOCK_ID	KEY(1)
		ST_ALLOCATION_TYPE	



ST_CLASS_TAO1	Stock Balance Temp - Exercises	ST_TREASURY_ID	
		EMPLID	KEY(1)
		EXERCISE_DT	
		EXERCISE_METHOD	
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_SWAPPED	
		SHARES_TRADED	
		ST_CNT_RFND_TAO	Refunds Temporary Table
EMPLID	KEY(1)		
EMPL_RCD	KEY(2)		
ESPP_RESIDUAL_AMT			
OFFERING_ID	KEY(6)		
PAYGROUP	KEY(10)		
PERIOD_END_DT	KEY(7)		
PROCESS_GROUP	KEY(8)		
SEQNO			
STOCK_ID	KEY(3)		
STOCK_PLAN	KEY(5)		
STOCK_PLAN_TYPE	KEY(4)		
ST_SEND_SRC			
TO_CUR			
ST_COMBINED_TMP		EMPLID	KEY(1)
		EXERCISE_DT	
		EXERCISE_NBR	KEY(4)
		GRANT_DT	
		GRANT_NBR	KEY(3)
		OFFERING_ID	KEY(8)
		PERIOD_END_DT	KEY(9)
		PROCESS_GROUP	KEY(10)
		PURCHASE_DT	
		PURCHASE_PRICE	
		RELEASE_DT	
		RELEASE_NBR	KEY(5)
		SHARES_EXERCISED	
		SHARES_PURCHASED	
		SHARES_RELEASED	
		SHARE_SOURCE	
		STOCK_ID	KEY(2)
STOCK_PLAN	KEY(7)		
STOCK_PLAN_TYPE	KEY(6)		
ST_CONTRIB_MANL	Manual Contributions	COMPANY	KEY(8)
		DESCR	
		EMPLID	KEY(1)



		EMPL_RCD	KEY(2)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_DT	KEY(10)
		ESPP_CONTRIB_STS	
		ESPP_MANUAL_SOURCE	
		ESPP_REFUND_STS	
		FROM_CUR	
		LAST_UPDT_DTTM	
		LAST_UPDT_OPRID	
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(9)
		PERIOD_END_DT	KEY(7)
		SEQNUM	KEY(11)
		STATUS_DT	
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		ST_IMPORT_DT	
		ST_IMPORT_NBR	
ST_CONTRIB_PART	Participant Contributions	COMPANY	KEY(10)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_DT	KEY(12)
		ESPP_CONTRIB_SRC	KEY(9)
		ESPP_CONTRIB_STS	
		ESPP_STOCK_CONTRIB	
		EXCHANGE_DT	
		FROM_CUR	
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(11)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		RATE_DIV	
		RATE_MULT	
		SEQNUM	KEY(13)
		STATUS_DT	
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		TO_CUR	
ST_CONTRIB_RFND	Refunded Contributions	COMPANY	KEY(11)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_CONTRIB_AMT	



		ESPP_CONTRIB_DT	KEY(13)
		ESPP_CONTRIB_SRC	KEY(10)
		ESPP_REFUND	
		ESPP_REFUND_SRC	KEY(9)
		ESPP_RESIDUAL_AMT	
		FROM_CUR	
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(12)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		SEQNUM	KEY(14)
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		TO_CUR	
ST_CONTRIB_RSDL	Residual Contributions	COMPANY	KEY(9)
		CONFIRMED	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_STS	
		ESPP_REFUND_STS	
		ESPP_RESIDUAL_AMT	
		ESPP_RESIDUAL_TYPE	
		EXCHANGE_DT	
		FROM_CUR	
		OFFERING_ID	KEY(6)
		OFFERING_NEXT_ID	
		PAYGROUP	KEY(10)
		PERIOD_END_DATE	
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		RATE_DIV	
		RATE_MULT	
		RT_RATE_INDEX	
		RT_TYPE	
		SEQNUM	KEY(11)
		STATUS_DT	
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		ST_OVRD_MARKET_RT	
		ST_PR_DT	
		ST_SEND_SRC	
		TO_CUR	



ST_COUNTRY_TAX		COUNTRY	KEY(1)
		EFFDT	KEY(3)
		MAX_GROSS	
		ST_DEFAULT_PERCENT	
ST_DAILY_PRICES	Daily Prices Table	ST_STOCK_TAX_TYPE	KEY(2)
		ASK_PRICE	
		BID_PRICE	
		CLOSE_PRICE	
		HIGH_PRICE	
		LOW_PRICE	
		OPEN_PRICE	
		PRIVATE_PRICE	
		STOCK_ID	KEY(1)
		STOCK_VOLUME	
		ST_DAY_TYPE	
		ST_FMV_DT	KEY(2)
		ST_TRADING_DAY	
ST_DISPOSN_CNT	Stock Purchase Dispositions	EMPLID	KEY(1)
		OFFERING_ID	KEY(5)
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		SHARES_DISPOSED	
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
ST_DISPSS_TAO	Process Group Detail	COMPANY	
		EFFDT	
		PAYGROUP	
		PROCESS_GROUP	
ST_DISP_ALL_TMP		DISPOSITION_DT	
		DISPOSITION_NBR	KEY(11)
		DISPOSITION_PRICE	
		DISPOSITION_SRC	
		DISPOSITION_STATUS	
		DISPOSITION_TYPE	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		OFFERING_ID	KEY(8)
		PERIOD_END_DT	KEY(9)
		PROCESS_GROUP	KEY(10)
		RELEASE_NBR	KEY(5)
		SHARES_DISPOSED	
		SHARE_SOURCE	
		STOCK_ID	KEY(2)



		STOCK_PLAN	KEY(7)
		STOCK_PLAN_TYPE	KEY(6)
ST_ESPPMAIN_AET	State Record for ST_ESPP_MAIN	ESPP_CONFIRM_RUN	
		ESPP_CURR_RUN	
		ESPP_GATHER_RUN	
		ESPP_PARTIC_RUN	
		ESPP_PRICE_RUN	
		ESPP_PURCHASE_RUN	
		ESPP_UNCONFRM_RUN	
		EXCHANGE_ID	
		IF_FLAG	
		OFFERING_ID	
		OPRID	
		PERIOD_BEGIN_DT	
		PERIOD_END_DT	
		PROCESS_INSTANCE	KEY(1)
		PURCHASE_ID	
		RUN_CNTL_ID	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
ST_ESPP_BAL_AET	Stock Balance - AE Process Rcd	AS_OF_DATE	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		SHARES_ALLOC_PLAN	
		SHARES_AVAIL_ISSUE	
		SHARES_PURCHASED	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
ST_ESPP_CNF_AET	State Record for ESPP_CONFIRM	BENEFIT_PLAN	
		DEDCD	
		EMPLID	
		ESPP_RUN_MTHD	
		IF_FLAG	
		OFFERING_ID	
		OPRID	
		PERIOD_END_DT	
		PLAN_TYPE	
		PROCESS_GROUP	
		PROCESS_INSTANCE	KEY(1)
		PURCHASE_ID	
		RUN_CNTL_ID	
		SQL_ID	





ST_ESPP_CVT_AET	Currency Conversion State Rec.	STOCK_ID STOCK_PLAN STOCK_PLAN_TYPE COMPANY DECIMAL_POSITIONS EMPLID EMPL_RCD ESPP_CONTRIB_SRC ESPP_RUN_MTHD EXCHANGE_DT FROM_CUR IF_FLAG OFFERING_ID OPRID PAYGROUP PERIOD_END_DT PROCESS_GROUP PROCESS_INSTANCE PURCHASE_ID RATE_DIV RATE_MULT RT_RATE RT_TYPE RUN_CNTL_ID SEQNUM STOCK_ID STOCK_PLAN STOCK_PLAN_TYPE TO_CUR	KEY(1)
ST_ESPP_DISPOSN	Stock Purchase Dispositions	DISPOSITION_DT DISPOSITION_NBR DISPOSITION_PRICE DISPOSITION_SRC DISPOSITION_STATUS DISPOSITION_TYPE DISPOSN_RECEIPT_DT DISPOSN_SURVEY_DT DISQUAL_DISPOSN EMPLID GRANT_DT LASTUPDDTTM LASTUPDOPRID OFFERING_ID PAYCHECK_NBR PERIOD_END_DT	KEY(8)
			KEY(1)
			KEY(5)
			KEY(6)



		PROCESS_GROUP	KEY(7)
		PROCESS_GRP2	
		REVERSAL_DT	
		SHARES_DISPOSED	
		STATUS_DT	
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
		ST_ORD_INCOME	
		ST_PR_DT	
		ST_SEND_SRC	
ST_ESPP_MESSAGE	Stock Purchase Messages	EMPLID	KEY(4)
		ESPP_PROCESS_TYPE	KEY(3)
		GRANT_DT	KEY(5)
		MSGDATA1	KEY(7)
		MSGDATA2	
		MSGDATA3	
		MSGDATA4	
		MSGID	KEY(6)
		PRCSINSTANCE	
		PROCESS_GROUP	KEY(2)
		PURCHASE_ID	KEY(1)
ST_ESPP_MSG_LNG	Msg Table - Related Lang	DESCR50	
		DESCRLONG	
		LANGUAGE_CD	KEY(2)
		MSGID	KEY(1)
ST_ESPP_MSG_TBL	Stock Purchase Message Table	DESCR50	
		DESCRLONG	
		MSGID	KEY(1)
ST_ESPP_PARTIC	Stock Purchase Participation	EFFDT	KEY(6)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_GATHER_RUN	
		GRANT_DT	
		OFFERING_ID	
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		ST_PARTIC_OVERRIDE	
ST_ESPP_PAR_TAO	Plan Participation Temp table	BENEFIT_PLAN	KEY(4)
		COVERAGE_ELECT	
		EFFDT	KEY(7)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		GRANT_DT	



		OFFERING_ID	KEY(5)
		PERIOD_END_DT	KEY(6)
		PLAN_TYPE	KEY(3)
ST_ESPP_PLAN	Stock Purchase Plan Definition	BENEFIT_PLAN	
		COMMENTS	
		DAILY_FMV_MTHD	
		DEC_PLACES	
		DEC_PLACES2	
		EFFDT	KEY(4)
		ESPP_BALANCE_RULE	
		ESPP_BAL_THRESHOLD	
		ESPP_HOLD_PERIOD	
		ESPP_INTEREST_PAID	
		ESPP_MAN_CONTRIB	
		ESPP_NAP_CONTRIB	
		ESPP_PARTIC_RULE	
		ESPP_QUICK_SALES	
		FMV_HOLIDAY_RULE	
		FMV_WEEKEND_RULE	
		GRANT_FMV_MTHD	
		OFFERING_CONC	
		OFFERING_PERIOD	
		OFFERING_SHARE_LIM	
		OFFERING_TYPE	
		OFFER_BGN_FMV_MTHD	
		OFFER_CONTRIB_LIM	
		OFFER_GRNT_VAL_LIM	
		OFFER_SHARE_LIM_EE	
		PLAN_TYPE	
		PURCHASE_DISCOUNT	
		PURCHASE_FMV_MTHD	
		PURCHASE_PERIOD	
		PURCHASE_PRC_RULE	
		PURCHASE_PRORATE	
		PURCHASE_SHARE_LIM	
		PURCH_CONTRIB_LIM	
		PURCH_GRNT_VAL_LIM	
		PURCH_SHARE_LIM_EE	
		RT_RATE_INDEX	
		RT_TYPE	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
		ST_FAS_COMP_PLAN	
		ST_GOVERN_CD	



ST\_ESPP\_PRC\_AET

State Table For ESPP\_PRICE

ST\_ROUNDING\_RULE  
ST\_ROUNDING\_RULE2  
ST\_VALUE\_PLAN\_TYPE  
AASSIGN\_CMPNT1  
AE\_INT\_1  
AE\_RETURN  
CONTINUE\_AE\_FLAG  
COUNTER\_GLOB  
CURRENT\_PRIOR\_DAY  
DAILY\_FMV\_MTHD  
DATE\_WRK  
ESPP\_PURCH\_RULE  
EXCHANGE\_ID  
FMV\_AVERAGE\_DAYS  
FMV\_HOLIDAY\_RULE  
FMV\_WEEKEND\_RULE  
GRANT\_DT  
GRANT\_FMV  
GRANT\_FMV\_HOLD  
GRANT\_FMV\_MTHD  
HOLIDAY\_SCHEDULE  
IF\_FLAG  
LOGICAL\_OPERATOR  
NUM\_OF\_SETS  
NUM\_PRD  
OFFERING\_ID  
ONVALUE  
OPRID  
PERIOD\_BEGIN\_DT  
PERIOD\_END\_DT  
PROCESS\_INSTANCE KEY(1)  
PURCHASE\_DISCOUNT  
PURCHASE\_FMV  
PURCHASE\_FMV\_MTHD  
PURCHASE\_ID  
PURCHASE\_PRC\_CALC  
PURCHASE\_PRC\_RULE  
PURCHASE\_PRICE  
PURCH\_PRC\_NO\_DISC  
REG\_REGION  
RUN\_CNTL\_ID  
STOCK\_ID  
STOCK\_PLAN  
STOCK\_PLAN\_TYPE  
ST\_PRICE\_TYPE



ST_ESPP_PURCH	Stock Plan Purchases	TEMPDATE UPDATE_SW WHERE_CLAUSE ADDRESS_SBR ADDRESS_TYPE BRANCH_CNTL_NBR BRANCH_ISSUE_DT CONFIRMED CURRENCY_CD EMPLID KEY(1) ESPP_CARRY_FWD_AMT ESPP_DISCOUNT_AMT ESPP_PURCHASE_AMT ESPP_QUICK_SALES ESPP_RESIDUAL_AMT ESPP_RESIDUAL_TYPE ESPP_STOCK_CONTRIB ESPP_TICK_IRS_AMT GRANT_DT GRANT_FMV ISSUANCE_TYPE LEGEND_ID OFFERING_ID KEY(5) PERIOD_END_DT KEY(6) PROCESS_GROUP KEY(7) PURCHASE_FMV PURCHASE_PRICE PURCH_RECEIPT_DT REGISTRATION_NAME SHARES_PURCHASED STOCK_ID KEY(2) STOCK_PLAN KEY(4) STOCK_PLAN_TYPE KEY(3) ST_ACCOUNT_NBR ST_BRANCH_ID ST_BROKERAGE_ID ST_ORD_INCOME ST_SALE_HOLD_DT TRANSFER_CNTL_NBR TRANSFER_ISSUE_DT
ST_ESPP_PUR_AET	State Record for ESPP_PURCH	AE_INT_1 AE_INT_2 AE_RETURN ANTI_DILUTION_PRC BEGIN_DT



---

CONFIRMED  
CONTINUE\_AE\_FLAG  
CURRENCY\_CD  
CURRENCY\_CD1  
DATE\_WRK  
DECIMAL\_POS  
DECIMAL\_POSITIONS  
DECIMAL\_VALUE  
DEC\_PLACES  
DEC\_PLACES2  
EMPLID  
END\_DT  
ESPP\_BALANCE\_RULE  
ESPP\_BAL\_THRESHOLD  
ESPP\_CONFIRM\_RUN  
ESPP\_HOLD\_PERIOD  
ESPP\_PRICE\_AMT  
ESPP\_RESIDUAL\_TYPE  
ESPP\_RUN\_MTHD  
EXCHANGE\_ID  
FMV\_WEEKEND\_RULE  
GRANT\_DT  
GRANT\_FMV  
GRANT\_SHARES\_LIM  
IF\_FLAG  
OFFERING\_ID  
OFFERING\_SHARE\_LIM  
OFFERING\_VALUE\_MAX  
OFFER\_CONTRIB\_LIM  
OFFER\_GRNT\_VAL\_LIM  
OFFER\_SHARE\_LIM\_EE  
OPRID  
PERIOD\_BEGIN\_DT  
PERIOD\_END\_DT  
PERIOD\_START\_DATE  
PERIOD\_STOP\_DATE  
PROCESS\_GROUP  
PROCESS\_INSTANCE                   KEY(1)  
PRORATE\_FACTOR  
PURCHASE\_DISCOUNT  
PURCHASE\_FMV  
PURCHASE\_ID  
PURCHASE\_LIM\_RULE  
PURCHASE\_PRC\_CALC  
PURCHASE\_PRICE



		PURCHASE_SHARE_LIM	
		PURCHASE_TYPE	
		PURCHASE_VALUE_LIM	
		PURCH_CONTRIB_LIM	
		PURCH_GRNT_VAL_LIM	
		PURCH_SHARE_LIM_EE	
		RT_RATE_INDEX	
		RT_TYPE	
		RUN_CNTL_ID	
		SQL_ID	
		SQL_ID2	
		SQL_ID3	
		SQL_ID4	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
		ST_GOVERN_CD	
		ST_PRICE_TYPE	
		ST_ROUNDING_RULE	
		ST_ROUNDING_RULE2	
		ST_SALE_HOLD_DT	
		UPDATE_SW	
		WHERE_CLAUSE	
ST_ESPP_RFH_AET	Currency Refresh	EFFDT	
		FROM_CUR	
		PERIOD_END_DT	
		PROCESS_GROUP	
		PROCESS_INSTANCE	KEY(1)
		PURCHASE_ID	
		RATE_DIV	
		RATE_MULT	
		RT_RATE	
		RT_RATE_INDEX	
		RT_TYPE	
		ST_OVRD_MARKET_RT	
		TO_CUR	
ST_ESPP_SAV_TAO	Temp table for Savings Plan	BENEFIT_PLAN	
		COVERAGE_BEGIN_DT	
		COVERAGE_ELECT	
		EFFDT	KEY(4)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		PLAN_TYPE	KEY(3)
ST_ESPP_UNC_AET	State Record for ESPP_UNCNFRM	BENEFIT_PLAN	
		DEDCD	



		EMPLID	
		ESPP_RUN_MTHD	
		IF_FLAG	
		OFFERING_ID	
		OPRID	
		PERIOD_END_DT	
		PLAN_TYPE	
		PROCESS_GROUP	
		PROCESS_INSTANCE	KEY(1)
		PURCHASE_ID	
		RUN_CNTL_ID	
		SQL_ID	
		SQL_ID2	
		SQL_ID3	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
ST_ESTIMATE_DTL	Estimate Detail	SEQ_NUM	KEY(3)
		STOCK_ID	KEY(1)
		ST_DIVIDEND_RATE	
		ST_ESTIMATE_ID	KEY(2)
		ST_INTEREST_RATE	
		ST_INTEREST_TYPE	
		ST_VOLATILITY_HIGH	
		ST_VOLATILITY_LOW	
		ST_VOLATILITY_MEAN	
ST_ESTIMATE_TBL	Estimate Table	STOCK_ID	KEY(1)
		ST_ESTIMATE_ID	KEY(2)
		ST_EST_DESCR	
		ST_EST_DESCR10	
ST_EXCHANGE_TBL	Exchange Information	ADDRESS_SBR	
		CURRENCY_CD	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		EXCHANGE_ID	KEY(1)
		HOLIDAY_SCHEDULE	
		PHONE_SBR	
ST_EXCH_LANG	Exchange Information	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EXCHANGE_ID	KEY(1)
		LANGUAGE_CD	KEY(2)
ST_EXER_DISPOSN	Stock Exercise Disposition tbl	DISPOSITION_DT	





Table Name	Description	Field Name	Key
ST_EXER_ISSUE	Stock Exercise Issuance table	DISPOSITION_NBR	KEY(5)
		DISPOSITION_PRICE	
		DISPOSITION_SRC	
		DISPOSITION_STATUS	
		DISPOSITION_TYPE	
		DISPOSN_RECEIPT_DT	
		DISPOSN_SURVEY_DT	
		DISQUAL_DISPOSN	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		LASTUPDDTTM	
		LASTUPDOPRID	
		PAYCHECK_NBR	
		PROCESS_GROUP	
		REVERSAL_DT	
		SHARES_DISPOSED	
		STATUS_DT	
		STOCK_ID	KEY(2)
		ST_ORD_INCOME	
		ST_PR_DT	
		ST_SEND_SRC	
		ADDRESS_SBR	
BRANCH_CNTL_NBR			
BRANCH_ISSUE_DT			
EMPLID	KEY(1)		
EXERCISE_NBR	KEY(4)		
GRANT_NBR	KEY(3)		
ISSUANCE_NBR	KEY(5)		
ISSUANCE_TYPE			
REGISTRATION_NAME			
SHARES_ISSUED			
STOCK_ID	KEY(2)		
ST_ACCOUNT_NBR			
ST_BRANCH_ID			
ST_BROKERAGE_ID			
ST_TAX_ID			
ST_EXER_LEGEND	Stock Release Issuance table	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		ISSUANCE_NBR	KEY(5)
		LEGEND_ID	KEY(6)
ST_EXER_PAYMENT	Stock Exercise Payment table	STOCK_ID	KEY(2)
		COMMENTS	
		EMPLID	KEY(1)



		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		PAYMENT_AMOUNT	
		PAYMENT_DT	KEY(5)
		SEQ_NUM	KEY(6)
		STOCK_ID	KEY(2)
		ST_PAYMENT_TYPE	
ST_EXER_RELEASE	Stock Exercise Release table	BROKERAGE_CMSN	
		BROKERAGE_FEES	
		COMMENTS	
		DISPOSITION_NBR	
		EMPLID	KEY(1)
		ESCROW_CNTL_NBR	
		EST_GROSS_PROCEEDS	
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		LASTUPDDTTM	
		LASTUPDOPRID	
		PAYCHECK_NBR	
		PROCESS_GROUP	
		RELEASE_DT	
		RELEASE_FMV	
		RELEASE_METHOD	
		RELEASE_NBR	KEY(5)
		RELEASE_RECEIPT_DT	
		RELEASE_STATUS	
		RELEASE_VALUE	
		REPLACE_REL_NBR	
		REVERSAL_DT	
		SEC_FEES	
		SHARES_RELEASED	
		SHARES_TRADED	
		STATUS_DT	
		STOCK_ID	KEY(2)
		ST_AMT_INCOME	
		ST_CALC_SRC	
		ST_COST_SALE_PRICE	
		ST_COST_SHARE_SOLD	
		ST_ORD_INCOME	
		ST_PR_DT	
		ST_SEND_SRC	
		SWAP_FMV	
		TRADE_VALUE	
		TRANSFER_CNTL_NBR	
		TRANSFER_ISSUE_DT	



ST_EXER_SWAP	Stock Exercise Swap table	DATE_ACQUIRED	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		SEQ_NUM	KEY(5)
		SHARES_SWAPPED	
		STOCK_CERTIFICATE	
		STOCK_ID	KEY(2)
		SWAP_SOURCE	
		ST_EXER_TAXES	Stock Exercise Tax table
EMPLID	KEY(1)		
EXERCISE_NBR	KEY(4)		
GRANT_NBR	KEY(3)		
LOCALITY	KEY(8)		
STATE	KEY(7)		
STOCK_ID	KEY(2)		
ST_DEFAULT_PERCENT			
ST_STOCK_TAX_TYPE	KEY(6)		
ST_TAX_OVERRIDE			
TAX_CLASS			
TAX_CUR			
TAX_YTD			
TXGRS_CUR			
ST_FMV_MTHD_TBL	Fair Market Value Methods	CURRENT_PRIOR_DAY	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		FMV_AVERAGE_DAYS	
		FMV_METHOD	KEY(1)
		ST_PRICE_TYPE	
ST_GOVBODY_LANG	Governing Body	COMMENTS	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		ST_GOVERN_CD	KEY(1)
ST_GOVERN_BODY	Governing Body	COMMENTS	
		DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		ESPP_HOLD_PD_GRANT	
		ESPP_HOLD_PD_PURCH	
		ESPP_MAJOR_SHR_PCT	
		ISO_10PCT_FMV_RULE	
		ISO_10PCT_OPTN_LIF	



---

		ISO_ANNL_EXER_LIM	
		ISO_GRACE_PD_DIS	
		ISO_GRACE_PD_TERM	
		ISO_HOLD_PD_EXER	
		ISO_HOLD_PD_GRANT	
		ISO_OPTN_LIFE_LIM	
		OFFERING_PD_MAX	
		PURCHASE_VALUE_LIM	
		PURCH_DISCOUNT_LIM	
		SECTION_83B_PERIOD	
ST_GRANT	Stock Grants	ST_GOVERN_CD	KEY(1)
		AGREEMENT_DT	
		AGREEMENT_ID	
		AGREEMENT_STATUS	
		COMMENTS	
		EMPLID	KEY(1)
		EMPL_RCD	
		EXERCISE_HOLD_DT	
		EXER_BFR_VEST	
		EXER_SUSPND_BGN_DT	
		EXER_SUSPND_END_DT	
		GB_GROUP_ID	
		GRANT_DT	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		GRANT_REASON	
		GRANT_STATUS	
		ISO_EXER_AS_NQ_DT	
		ISO_LIM_GRANT_NBR	
		LASTUPDDTTM	
		LASTUPDOPRID	
		REPRICE_GRANT_NBR	
		SHARES_GRANTED	
		STATUS_DT	
		STOCK_ACTION	
		STOCK_ACTION_DT	
		STOCK_ID	KEY(2)
		STOCK_PLAN	
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		ST_OPTION_TYPE	
		TRANSFER_ALLOW	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
		VEST_DEFER_DT	



---

ST_GRANT_EXER	Stock Options Exercise table	VEST_SUSPEND_DT	
		BROKERAGE_CMSN	
		BROKERAGE_FEES	
		COMMENTS	
		DISPOSITION_NBR	
		ELECTION_83B	
		ELECTION_83B_DT	
		EMPLID	KEY(1)
		ESCROW_CNTL_NBR	
		EST_GROSS_PROCEEDS	
		EXERCISE_COST	
		EXERCISE_DT	
		EXERCISE_FMV	
		EXERCISE_METHOD	
		EXERCISE_NBR	KEY(4)
		EXERCISE_STATUS	
		EXERCISE_VALUE	
		EXER_RECEIPT_DT	
		GRANT_NBR	KEY(3)
		LASTUPDDTTM	
		LASTUPDOPRID	
		PAYCHECK_NBR	
		PROCESS_GROUP	
		REPLACE_EXER_NBR	
		RESTRICTD_EXERCISE	
		REVERSAL_DT	
		SEC_FEES	
		SHARES_EXERCISED	
		SHARES_SWAPPED	
		SHARES_TRADED	
		STATUS_DT	
		STOCK_ID	KEY(2)
		STOCK_PLAN	
		ST_AMT_INCOME	
		ST_CALC_SRC	
		ST_COST_SALE_PRICE	
		ST_COST_SHARE_SOLD	
		ST_ORD_INCOME	
		ST_PR_DT	
		ST_SEND_SRC	
		SWAP_FMV	
		SWAP_VALUE	
		TRADE_FOR_TAXES	
		TRADE_VALUE	
		TRANSFER_CNTL_NBR	



ST_GRANT_VALUE	Grant Valuation Table	TRANSFER_ISSUE_DT	
		COMMENTS	
		EMPLID	KEY(1)
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		LASTUPDDTTM	
		LASTUPDOPRID	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_DIVIDEND_RATE	
		ST_EXPECTED_LIFE	
		ST_INTEREST_RATE	
		ST_VALUATION_ID	
ST_VALUE_EFFDT	KEY(4)		
ST_VALUE_PER_SHARE			
ST_VALUE_REASON			
ST_VOLATILITY			
ST_GRANT_VEST	Grant Vesting Schedule	EMPLID	KEY(1)
		GRANT_NBR	KEY(3)
		LASTUPDDTTM	
		LASTUPDOPRID	
		SEQ_NUM	KEY(5)
		STOCK_ID	KEY(2)
		VEST_EFFDT	KEY(4)
		VEST_REASON	
VEST_SCHED_ID			
ST_GRNT_MESSAGE	Stock Grant Message Table	DTTM_STAMP	
		EMPLID	KEY(2)
		EMPL_RCD	KEY(5)
		GB_GROUP_ID	KEY(8)
		GRANT_NBR	KEY(4)
		MESSAGE_NBR	KEY(10)
		MESSAGE_SET_NBR	KEY(9)
		MSGDATA1	
		MSGDATA2	
		MSGDATA3	
PROCESS_NAME	KEY(1)		
STOCK_ID	KEY(3)		
VC_PAYOUT_PRD_ID	KEY(7)		
VC_PLAN_ID	KEY(6)		
ST_GRNT_MOD_TAO	Employee Grant Temp Table	AGREEMENT_DT	
		AGREEMENT_ID	
		AGREEMENT_STATUS	
		EMPLID	KEY(3)



		EMPL_RCD	
		EXERCISE_HOLD_DT	
		EXER_BFR_VEST	
		GB_GROUP_ID	
		GRANT_DT	
		GRANT_FMV	
		GRANT_NBR	KEY(4)
		GRANT_PRICE	
		GRANT_REASON	
		GRANT_STATUS	
		GRANT_VALUE	
		ISO_10PCT_FMV_RULE	
		ISO_10PCT_OPTN_LIF	
		ISO_LIM_GRANT_NBR	
		SHARES_GRANTED	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(2)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		ST_OPTION_TYPE	
		ST_VEST_BASIS_DT	
		TRANSFER_ALLOW	
		UPDATE_FLAG	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
		VEST_EFFDT	
		VEST_SCHED_ID	
ST_GRNT_REPURCH	Stock Grant Repurchase	COMMENTS	
		EMPLID	KEY(1)
		ESCROW_CNTL_NBR	
		GRANT_NBR	KEY(3)
		LASTUPDDTTM	
		LASTUPDOPRID	
		LEGEND_ID	
		REPURCHASE_DT	
		REPURCHASE_NBR	KEY(4)
		REPURCHASE_PRICE	
		REPURCHASE_REASON	
		REPURCHASE_STATUS	
		REPURCHASE_VALUE	
		REPURCH_RECEIPT_DT	
		SHARES_REPURCHASED	
		STATUS_DT	
		STOCK_ID	KEY(2)
		TRANSFER_CNTL_NBR	



ST_GRNT_RSN_TBL	ESPP GrantPurchase Reason Tbl	TRANSFER_ISSUE_DT DESCR DESCRSHORT EFFDT KEY(2) EFF_STATUS GRANT_REASON KEY(1) AUDIT_ACTN CURRENCY_CD EMPLID KEY(1) EMPL_RCD KEY(2) GB_GROUP_ID KEY(5) GRANT_NBR PROCESS_INSTANCE VC_ACTUAL_AWD_UNIT VC_AWARD_DT VC_AWARD_STATUS VC_AWARD_VALUE VC_PAYOUT_PRD_ID KEY(4) VC_PLAN_ID KEY(3) EMPLID KEY(1) GRANT_NBR KEY(3) SHARES_VALUED STOCK_ID KEY(2) ST_DIVIDEND_RATE ST_EXPECTED_LIFE ST_INTEREST_RATE ST_VALUATION_DT KEY(5) ST_VALUE_EFFDT KEY(4) ST_VALUE_PER_SHARE ST_VOLATILITY
ST_GRNT_STG_TMP	Grant Staging Table for VC	EMPLID KEY(1) EMPL_RCD KEY(2) GB_GROUP_ID KEY(5) GRANT_NBR PROCESS_INSTANCE VC_ACTUAL_AWD_UNIT VC_AWARD_DT VC_AWARD_STATUS VC_AWARD_VALUE VC_PAYOUT_PRD_ID KEY(4) VC_PLAN_ID KEY(3) EMPLID KEY(1) GRANT_NBR KEY(3) SHARES_VALUED STOCK_ID KEY(2) ST_DIVIDEND_RATE ST_EXPECTED_LIFE ST_INTEREST_RATE ST_VALUATION_DT KEY(5) ST_VALUE_EFFDT KEY(4) ST_VALUE_PER_SHARE ST_VOLATILITY
ST_GRNT_VAL_DTL	Grant Valuation Detail	EMPLID KEY(1) GRANT_NBR KEY(3) SHARES_VALUED STOCK_ID KEY(2) ST_DIVIDEND_RATE ST_EXPECTED_LIFE ST_INTEREST_RATE ST_VALUATION_DT KEY(5) ST_VALUE_EFFDT KEY(4) ST_VALUE_PER_SHARE ST_VOLATILITY
ST_GRNT_VST_DTL	Grant Vesting Schedule	EMPLID KEY(1) EXPIRATN_DT GRANT_NBR KEY(3) SEQ_NUM KEY(5) SHARES_VESTED STOCK_ID KEY(2) TERM_EXPIRATN_DT VEST_DT KEY(6) VEST_EFFDT KEY(4) STOCK_ID KEY(1)
ST_GROUP_TBL	Group Table	ST_GROUP_DESCR ST_GROUP_DESCR10 ST_GROUP_ID KEY(2) ST_GRP_WHERE_CLS
ST_GRP_FLD_SEC	Group Field Security Record	ACCESSIBLE





		FIELDNAME	KEY(3)
		RECNAME	KEY(2)
		ROWSECCLASS	KEY(1)
ST_GRP_GRNT_AET	Stock - Group Grant State Rec	AGREEMENT_DT	
		AGREEMENT_ID	
		AGREEMENT_STATUS	
		BEGIN_DT	
		CURRENCY_CD	
		DEC_PLACES	
		DTTM_STAMP	
		EFFDT	KEY(2)
		EMPLID	
		END_DT	
		EXER_BFR_VEST	
		FMV_HOLIDAY_RULE	
		FMV_WEEKEND_RULE	
		GB_GROUP_ID	
		GRANT_DT	
		GRANT_DT_FROM	
		GRANT_DT_TO	
		GRANT_FMV	
		GRANT_FMV_HOLD	
		GRANT_FMV_MTHD	
		GRANT_LIMIT_RULE	
		GRANT_NBR	
		GRANT_NBR_FROM	
		GRANT_NBR_LAST	
		GRANT_NBR_TO	
		GRANT_PRICE	
		GRANT_REASON	
		GRANT_SHARES_LIM	
		GRANT_STATUS	
		GRANT_YEAR_RULE	
		IF_FLAG	
		ISO_10PCT_FMV_RULE	
		ISO_10PCT_OPTN_LIF	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		PROCESS_NAME	
		REJECT_ALL	
		RUN_CNTL_ID	
		SQL_ID	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	



Table Name	Description	Field Name	Key
ST_GRP_PARM_TBL	Stock Group Parameters Table	STOCK_YEAR	
		ST_CANCEL_DT	
		ST_GOVERN_CD	
		ST_OPTION_TYPE	
		ST_VEST_BASIS_DT	
		TRANSFER_ALLOW	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
		VEST_BEGINS_CD	
		VEST_SCHED_ID	
		FIELDNAME	
		GROUP_BOOLEAN	
		GROUP_LEFT_PAREN	
		GROUP_OPERATOR	
GROUP_RIGHT_PAREN			
GROUP_VALUE			
RECNAME			
SEQNUM		KEY(3)	
SETID			
STOCK_ID		KEY(1)	
ST_GROUP_ID		KEY(2)	
ST_GRP_REC_SEC	Group Field Security Record	RECNAME	KEY(2)
		ROWSECCLASS	KEY(1)
ST_HOLD_RSN_TBL	ESPP Hold Purchase Reason Tbl	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		ESPP_HOLD_REASON	KEY(1)
ST_INSIDER_TBL	Insider Trading Table	BUSINESS_TITLE	
		COMPANY_INSIDER	
		EFFDT	KEY(3)
		EMPLID	KEY(1)
		PROXY_REPORT	
		REPORTING_PERSON	
		STOCK_ID	KEY(2)
		ST_BEN_OWNER	
		ST_DIRECTOR	
		ST_OFFICER	
ST_OWN_PERCENT			
ST_ISO_LIM_AET	ISO Limit State Record	EMPLID	
		FMV_HOLIDAY_RULE	
		FMV_WEEKEND_RULE	
		GRANT_DT	
		GRANT_FMV	
		GRANT_FMV_MTHD	



Table Name	Description	Field Name	Key
ST_ISSUANCE	Issuance Instruction Table	GRANT_NBR	
		GRANT_NBR_LAST	
		GRANT_PRICE	
		IF_FLAG	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		STOCK_ID	
		STOCK_PLAN	
		ADDRESS_TYPE	
		EFFDT	KEY(4)
		EMPLID	KEY(1)
		ESPP_QUICK_SALES	
		ISSUANCE_TYPE	
		LEGEND_ID	
		REGISTRATION_NAME	
		STOCK_ID	KEY(2)
STOCK_PLAN_TYPE	KEY(3)		
ST_ACCOUNT_NBR			
ST_BRANCH_ID			
ST_BROKERAGE_ID			
ST_MASS_ISSUANCE			
ST_ISSUUPD_AET	State Table For ESPP_ISUUPD	ADDRESS_TYPE	
		ASOFDATE	
		BENEFIT_PLAN	
		COMPANY	
		COUNTRY	
		DESCR	
		EFFDT	
		EMPLID	
		ESPP_QUICK_SALES	
		FIRST_NAME	
		IF_FLAG	
		INITIAL_ISSUANCE	
		ISSUANCE_TYPE_FROM	
		ISSUANCE_TYPE_TO	
		LAST_NAME	
		LEGEND_ID	
		MIDDLE_NAME	
		NAME_SUFFIX	
		OFFERING_ID	
		OPRID	
		PAYGROUP	
		PLAN_TYPE	
		PROCESS_INSTANCE	KEY(1)



Table Name	Description	Field Name	Key
ST_ISSUUPD_TAO	Mass Issuance Instruction	REGISTRATION_NAME	
		RUN_CNTL_ID	
		SQL_ID	
		SQL_ID1	
		SQL_ID2	
		SQL_ID3	
		SQL_ID4	
		SQL_ID5	
		SQL_ID6	
		SQL_ID7	
		SQL_ID8	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
		ST_ACCOUNT_NBR	
		ST_BRANCH_ID	
		ST_BRANCH_ID_TO	
		ST_BROKERAGE_ID	
		ST_BROKERAGE_ID_TO	
		ST_KEEP_ACCNT_NBR	
		ADDRESS_TYPE	
		EFFDT	
		EMPLID	KEY(3)
		ESPP_QUICK_SALES	
		ISSUANCE_TYPE	
		LEGEND_ID	
		OPRID	KEY(2)
REGISTRATION_NAME			
RUNCNTLID	KEY(1)		
STOCK_ID			
STOCK_PLAN_TYPE			
ST_ACCOUNT_NBR			
ST_BRANCH_ID			
ST_BROKERAGE_ID			
ST_MASS_ISSUANCE			
ST_ISSU_MESSAGE	Mass Issuance Message Table	EMPLID	KEY(2)
		ISSUANCE_TYPE	
		MESSAGE_NBR	KEY(6)
		MESSAGE_SET_NBR	KEY(5)
		MSGDATA1	
		MSGDATA2	
		MSGDATA3	
		PROCESS_INSTANCE	KEY(1)
		STOCK_ID	KEY(3)
		STOCK_PLAN_TYPE	KEY(4)



ST_LOCAL_TAX		COUNTRY	KEY(1)
		EFFDT	KEY(5)
		LOCALITY	KEY(4)
		MAX_GROSS	
		STATE	KEY(3)
		ST_DEFAULT_PERCENT	
ST_MANL_ALL_TAO	ESPP Participant Contributions	ST_STOCK_TAX_TYPE	KEY(2)
		COMPANY	KEY(8)
		EMPLID	KEY(1)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_DT	KEY(10)
		FROM_CUR	
		OFFERING_ID	KEY(5)
		PAYGROUP	KEY(9)
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
ST_MANL_SUM_TAO	ESPP Participant Contributions	COMPANY	KEY(8)
		EMPLID	KEY(1)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_DT	KEY(10)
		FROM_CUR	
		OFFERING_ID	KEY(5)
		PAYGROUP	KEY(9)
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
ST_OFFERING_PD	ESPP Offering Period Table	COMMENTS	
		DESCR	
		DESCRSHORT	
		OFFERING_ID	KEY(4)
		OFFERING_ID_PREV	
		OFFERING_STATUS	
		PERIOD_BEGIN_DT	
		PERIOD_END_DT	
		STATUS_DT	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_OFFER_EST	ESPP Offering Valuation	GRANT_DT	KEY(6)
		OFFERING_ID	KEY(4)



		PERIOD_END_DT	KEY(5)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_OFFER_GRANT	Stock Offering Grant Dates	ST_EST_CONTRIB	
		ESPP_PARTIC_RUN	
		GRANT_DT	KEY(5)
		OFFERING_ID	KEY(4)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_OFFER_VALUE	ESPP Offering Valuation	COMMENTS	
		OFFERING_ID	KEY(4)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_OFFR_VAL_DTL	ESPP Offering Valuation	ST_VALUATION_ID	
		GRANT_FMV	
		GRANT_PRICE	
		OFFERING_ID	KEY(4)
		PERIOD_BEGIN_DT	KEY(6)
		PERIOD_END_DT	KEY(5)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
		ST_DIVIDEND_RATE	
		ST_EXPECTED_LIFE	
		ST_INTEREST_RATE	
		ST_VALUE_PER_SHARE	
		ST_VOLATILITY	
ST_OPTION_PARMS	Stock Option Type Record	AGREEMENT_ID	
		DESCR100	
		DFLT_OPTION_PARMS	
		EFFDT	KEY(4)
		EXPIRE_BASIS_CD	
		OPTION_LIFE_MM	
		OPTION_PARMS_ID	KEY(5)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
		ST_OPTION_TYPE	
		VEST_SCHED_ID	
ST_OPTION_PLAN	Stock Option Plan	CANCEL_SHARES_MTHD	
		COMMENTS	
		DEC_PLACES	



		EFFDT	KEY(4)
		EXERCISE_FMV_MTHD	
		EXERCISE_MTHD_CASH	
		EXERCISE_MTHD_LOAN	
		EXERCISE_MTHD_SAR	
		EXERCISE_MTHD_SDS	
		EXERCISE_MTHD_STC	
		EXERCISE_MTHD_SWAP	
		EXER_BFR_VEST	
		EXPIRED_SHARE_MTHD	
		FMV_HOLIDAY_RULE	
		FMV_WEEKEND_RULE	
		GRANT_FMV_MTHD	
		GRANT_SHARES_LIM	
		ISO_DD_INC_MTHD	
		NQ_ORD_INC_MTHD	
		RELEASE_FMV_MTHD	
		RELEASE_MTHD_CASH	
		RELEASE_MTHD_LOAN	
		RELEASE_MTHD_SDS	
		RELEASE_MTHD_STC	
		RELEASE_MTHD_TRADE	
		REPURCHASE_DAYS	
		REPURCH_COST_MTHD	
		REPURCH_FMV_MTHD	
		REPURCH_SHARE_MTHD	
		RSA_INC_MTHD	
		SAR_EXERCISE_MTHD	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
		ST_GOVERN_CD	
		ST_OPTION_ISAR	
		ST_OPTION_ISO	
		ST_OPTION_NQ	
		ST_OPTION_NSAR	
		ST_OPTION_RSA	
		ST_ROUNDING_RULE	
		ST_TREASURY_ID	
		SWAP_FMV_MTHD	
		SWAP_ROUNDING_RULE	
		SWAP_SHARES_MTHD	
		TRADE_FOR_TAXES	
		TRANSFER_ALLOW	
ST_OPTN_AET	Stock Balance - AE Process Rcd	AS_OF_DATE	



		OPRID	
		OPTION_OUTSTANDING	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		SHARES_ALLOC_EXPIR	
		SHARES_ALLOC_PLAN	
		SHARES_AUTHORIZED	
		SHARES_AVAIL_ISSUE	
		SHARES_CANCELLED	
		SHARES_CANCEL_PLAN	
		SHARES_CANCEL_RPRC	
		SHARES_CAN_PLAN_RP	
		SHARES_EXERCISED	
		SHARES_EXER_SAR	
		SHARES_EXER_SWAP	
		SHARES_EXPIRED	
		SHARES_EXPIRE_PLAN	
		SHARES_EXPIRE_RPRC	
		SHARES_EXP_PLAN_RP	
		SHARES_GRANTED	
		SHARES_RELEASED	
		SHARES_REL_SWAP	
		SHARES_REPURCHASED	
		SHARES_SWAPPED	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
ST_OPTN_TAO1	Stock Balance Temp - Plans	CANCEL_SHARES_MTHD	
		EFFDT	KEY(1)
		EXPIRED_SHARE_MTHD	
		REPURCH_SHARE_MTHD	
		SAR_EXERCISE_MTHD	
		ST_TREASURY_ID	
		SWAP_SHARES_MTHD	
ST_OPTN_TAO2	Stock Balance Temp - Grants	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SHARES_GRANTED	
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
ST_OPTN_TAO3A	Stock Balance Temp - Grants	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_REMAINDER	
		SHARES_VESTED	





ST_OPTN_TAO3B	Stock Balance Temp - Grants	TERM_EXPIRATN_DT	
		VEST_DT	KEY(3)
		EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_REMAINDER	
ST_OPTN_TAO4	Stock Balance Temp - Exercises	SHARES_VESTED	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(3)
		EMPLID	KEY(1)
		EXERCISE_DT	
		EXERCISE_METHOD	
		EXERCISE_NBR	KEY(3)
ST_OTH_TAX_TBL	State Special Tax Rate Table	GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_SWAPPED	
		SHARES_TRADED	
		EE_ER_TAX_TYPE	
		EFFDT	KEY(2)
		MAXIMUM_TAX	
ST_PARTIC_AET	State Record for ESPP_PARTIC	MAX_GROSS	
		PERIOD_MAX	
		SELF_ADJ	
		STATE	KEY(1)
		TAXGR_BASE	
		TAX_CLASS	KEY(3)
		TAX_RT	
ST_PARTIC_AET	State Record for ESPP_PARTIC	TAX_TYPE	
		TIPS_DELAY_WTHLD	
		BEGIN_DT	
		BENEFIT_PLAN	
		CONFIRMED	
		ESPP_PARTIC_RULE	
		ESPP_RUN_MTHD	
		GRANT_DT	
		IF_FLAG	
		OFFERING_ID	
		OFFERING_ID_PREV	
		OPRID	
		PERIOD_BEGIN_DT	
PERIOD_END_DT			
PLAN_TYPE			
PROCESS_GROUP			
PROCESS_INSTANCE			



		PURCHASE_ID	
		RUN_CNTL_ID	
		SQL_ID	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
ST_PARTIC_TMP		ADDRESS_SBR	
		EMPLID	KEY(1)
		STOCK_ID	KEY(2)
ST_PENDING_CNT	Stock Purchase Dispositions	EMPLID	KEY(1)
		OFFERING_ID	KEY(5)
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		SHARES_PENDING	
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
ST_PE_OPTN_PREF		OPRID	KEY(1)
		STOCK_ID	
		ST_PE_MAX_ROWS	
		ST_PE_SORT_BY	
		ST_SHOW_EXERCISE	
		ST_SHOW_GRANTED	
		ST_SHOW_GRANT_DT	
		ST_SHOW_GRANT_NBR	
		ST_SHOW_GRANT_PRC	
		ST_SHOW_LAST_VEST	
		ST_SHOW_OPTN_TYPE	
ST_PLANALC_LANG	Stock Plan Allocation	ALLOCATION_DT	KEY(4)
		COMMENTS	
		DESCR	
		LANGUAGE_CD	KEY(6)
		SEQ_NUM	KEY(5)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_PLAN_ALLOC	Stock Plan Allocation	ALLOCATION_DT	KEY(4)
		APPRVL_DT	
		COMMENTS	
		DESCR	
		LASTUPDDTTM	
		LASTUPDOPRID	
		SEQ_NUM	KEY(5)
		SHARES_ALLOCATED	
		STOCK_ID	KEY(1)



		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
		ST_ALLOCATION_TYPE	
ST_PRCSGRP_AET	State Record for ST_ESPP_MAIN	ST_TREASURY_ID	
		COMPANY	
		IF_FLAG	
		OPRID	
		PAYGROUP	
		PERIOD_END_DT	
		PROCESS_GROUP	
		PROCESS_INSTANCE	KEY(1)
		PURCHASE_ID	
ST_PRCES_GRP_DTL	Process Group Detail	RUN_CNTL_ID	
		COMPANY	KEY(3)
		EFFDT	KEY(2)
		PAYGROUP	KEY(4)
		PROCESS_GROUP	KEY(1)
ST_PRCES_GRP_TAO	Process Group Temp Table	COMPANY	KEY(2)
		CURRENCY_CD	
		PAYGROUP	KEY(3)
		PROCESS_GROUP	KEY(1)
ST_PRDISP_AET	State Record for ST_ESPP_MAIN	DISPOSITION_DT	
		DISPOSITION_NBR	
		DISQUAL_DISPOSN	
		EMPLID	
		EXERCISE_NBR	
		FLAG	
		GRANT_NBR	
		OFFERING_ID	
		OPRID	
		PAYCHECK_NBR	
		PERIOD_END_DT	
		PROCESS_GROUP	
		PROCESS_GRP2	
		PROCESS_INSTANCE	KEY(1)
		RELEASE_NBR	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
		ST_ORD_INCOME	
		UPDATE_FLAG	
ST_PROCESS_GRP	Process Group	CONTACT_EMPLID	
		CURRENCY_CD	
		DESCR	
		DESCRSHORT	



ST_PSHUP_AET	Payroll Update State Record	Field Name	Key
		EFFDT	KEY(2)
		PHONE_SBR	
		PROCESS_GROUP	KEY(1)
		ACCT_CD	
		ADDLPAY_REASON	
		ADDL_NBR	
		ADDL_PAY_SHIFT	
		ADDL_SEQ	
		AMT	
		APPLID	
		AWARD_DATE	
		BENEFIT_PLAN	
		BUSINESS_UNIT	
		COMPANY	
		COMP_RATECD	
		COUNTRY	
		CREATION_DT	
		CTX_CLASS	
		CURRENCY_CD	
		DEDCD	
		DED_CALC	
		DED_CLASS	
		DED_RATE_PCT	
		DED_SLSTX_CLASS	
		DED_SUBSET_GENL	
		DED_SUBSET_ID	
		DED_TAKEN	
		DED_TAKEN_GENL	
		DEPTID	
		DISABLE_DIR_DEP	
		EARN_BEGIN_DT	
		EARN_END_DT	
		EMPLID	
		EMPL_RCD	
		ERNCD	
		EXERCISE_NBR	
		EX_DOC_ID	
		EX_DOC_TYPE	
		EX_LINE_NBR	
		GB_GROUP_ID	
		GL_PAY_TYPE	
		GRANT_NBR	
		GROSSUP	
		HOURLY_RT	
		JOB_CODE	



		LINE_NUM	
		LOCALITY	
		MANUAL_CHECK	
		OFF_CYCLE	
		OK_TO_PAY	
		ONE_TIME_CD	
		OTH_HRS	
		OVERRIDE_ONLY	
		PAGE_NUM	
		PAYCHECK_NBR	
		PAYGROUP	
		PAY_END_DT	
		PLAN_TYPE	
		POSITION_NBR	
		PROCESS_INSTANCE	KEY(1)
		PU_DISTRIBUTE	
		PU_SOURCE	
		PU_TXN_STATUS	
		PU_TXN_TYPE	
		RELEASE_NBR	
		SEPCHK	
		SEQNO	
		SQL_ID	
		STATE	
		STOCK_ID	
		ST_DEFAULT_PERCENT	
		ST_TAX_OVERRIDE	
		TAX_CLASS	
		TAX_METHOD	
		TAX_PERIODS	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
ST_PSHUP_CNT		COMPANY	KEY(3)
		CREATION_DT	KEY(2)
		EMPLID	KEY(6)
		EMPL_RCD	KEY(7)
		OFF_CYCLE	KEY(5)
		PAYGROUP	KEY(4)
		PU_SOURCE	KEY(1)
		SEQNO	
ST_PSHUP_TAO	Stock PSHUP Count	EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		SEQNO	
ST_PURCHASES	Stock Plan Purchases	ADDRESS_SBR	
		ADDRESS_TYPE	



		BRANCH_CNTL_NBR	
		BRANCH_ISSUE_DT	
		CONFIRMED	
		CURRENCY_CD	
		EMPLID	KEY(1)
		ESPP_CARRY_FWD_AMT	
		ESPP_DISCOUNT_AMT	
		ESPP_PURCHASE_AMT	
		ESPP_QUICK_SALES	
		ESPP_RESIDUAL_AMT	
		ESPP_RESIDUAL_TYPE	
		ESPP_STOCK_CONTRIB	
		ESPP_TICK_IRS_AMT	
		GRANT_DT	
		GRANT_FMV	
		ISSUANCE_TYPE	
		LEGEND_ID	
		OFFERING_ID	KEY(5)
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		PURCHASE_FMV	
		PURCHASE_PRICE	
		PURCH_RECEIPT_DT	
		REGISTRATION_NAME	
		SHARES_AVAILABLE	
		SHARES_DISPOSED	
		SHARES_PENDING	
		SHARES_PURCHASED	
		SHARES_SELF_SRVC	
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
		ST_ACCOUNT_NBR	
		ST_BRANCH_ID	
		ST_BROKERAGE_ID	
		ST_ORD_INCOME	
		ST_SALE_HOLD_DT	
		TRANSFER_CNTL_NBR	
		TRANSFER_ISSUE_DT	
ST_PURCHASE_CUR	Purchase ID Currency Table	EFFDT	KEY(6)
		FROM_CUR	KEY(3)
		PURCHASE_ID	KEY(1)
		RATE_DIV	
		RATE_MULT	
		RT_RATE	



		RT_RATE_INDEX	KEY(2)
		RT_TYPE	KEY(5)
		ST_OVRD_MARKET_RT	
		TO_CUR	KEY(4)
ST_PURCHASE_PD	ESPP Purchase Period Table	ESPP_PARTIC_RUN	
		OFFERING_ID	KEY(4)
		PERIOD_BEGIN_DT	
		PERIOD_END_DT	KEY(5)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_PURCHASE_PRC	ESPP Purchase Price Table	ANTI_DILUTION_PRC	
		GRANT_DT	KEY(6)
		GRANT_FMV	
		OFFERING_ID	KEY(4)
		PERIOD_END_DT	KEY(5)
		PURCHASE_FMV	
		PURCHASE_PRC_CALC	
		PURCHASE_PRICE	
		PURCH_PRC_NO_DISC	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_PURCHASE_TAO	TAO used in ESPP_PUR	EMPLID	KEY(1)
		ESPP_CARRY_FWD_AMT	
		ESPP_PURCHASE_AMT	
		ESPP_RESIDUAL_AMT	
		ESPP_TOTAL_CONTRIB	
		GRANT_DT	
		GRANT_FMV	
		GRNT_VALUE_PARTIC	
		OFFERING_ID	KEY(5)
		OFFER_GRANT_VALUE	
		OFFER_PREV_CONTRIB	
		OFFER_PREV_SHARES	
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		PURCHASE_FMV	
		PURCHASE_PRICE	
		PURCH_GRANT_VALUE	
		PURCH_PRC_NO_DISC	
		PURCH_PREV_CONTRIB	
		PURCH_PREV_SHARES	
		SHARES_PURCHASED	
		SHARES_UNROUNDED	



Table Name	Description	Field Name	Key
ST_PURCHASE_TBL	Purchase ID Table	STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
		COMMENTS	
		CONFIRMED	
		ESPP_DATE_TYPE	
		ESPP_PARTIC_DTTM	
		ESPP_PARTIC_RUN	
		ESPP_PRICE_DTTM	
		ESPP_PRICE_RUN	
		OFFERING_ID	
		PERIOD_END_DT	
		PRORATE_FACTOR	
		PURCHASE_ID	KEY(1)
		PURCHASE_TYPE	
ST_PURCH_CALNDR	Purchase Calendar Overrides	STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
		COMPANY	KEY(2)
		OFF_CYCLE	KEY(5)
		PAGE_NUM	KEY(6)
		PAGE_NUM_THRU	
		PAYGROUP	KEY(3)
		PAY_END_DT	KEY(4)
		PURCHASE_ID	KEY(1)
ST_PURCH_PARTIC	Purchase Period Participation	ST_INCLUDE_EXCLUDE	
		CONFIRMED	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_CURR_RUN	
		ESPP_GATHER_RUN	
		ESPP_HOLD_PURCHASE	
		ESPP_HOLD_REASON	
		ESPP_PURCHASE_RUN	
		GRANT_DT	
		OFFERING_ID	KEY(6)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
STOCK_PLAN_TYPE	KEY(4)		
ST_PUR_CNTR_TAO		ST_PARTIC_OVERRIDE	
		EMPLID	KEY(1)
		ESPP_CARRY_FWD_AMT	
		ESPP_STOCK_CONTRIB	





		ESPP_TOTAL_CONTRIB	
		GRANT_DT	
		GRNT_VALUE_PARTIC	
		OFFERING_ID	KEY(5)
		OFFER_GRANT_VALUE	
		OFFER_PREV_CONTRIB	
		OFFER_PREV_SHARES	
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		PURCH_GRANT_VALUE	
		PURCH_PREV_CONTRIB	
		PURCH_PREV_SHARES	
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
		TO_CUR	
ST_PUR_CUR_TAO	Purchase Currency Temp Table	EFFDT	KEY(6)
		FROM_CUR	KEY(3)
		PURCHASE_ID	KEY(1)
		RATE_DIV	
		RATE_MULT	
		RT_RATE	
		RT_RATE_INDEX	KEY(2)
		RT_TYPE	KEY(5)
		TO_CUR	KEY(4)
ST_PUR_GRP_TAO		COMPANY	KEY(3)
		CURRENCY_CD	
		PAYGROUP	KEY(4)
		PROCESS_GROUP	KEY(2)
		PURCHASE_ID	KEY(1)
ST_PUR_PRCG_GRP	Purchase Period Group	CONFIRMED	
		ESPP_CONFIRM_DTTM	
		ESPP_CONFIRM_RUN	
		ESPP_CURR_DTTM	
		ESPP_CURR_RUN	
		ESPP_GATHER_DTTM	
		ESPP_GATHER_RUN	
		ESPP_PURCHASE_DTTM	
		ESPP_PURCHASE_RUN	
		ESPP_UNCONFRM_DTTM	
		ESPP_UNCONFRM_RUN	
		PROCESS_GROUP	KEY(2)
		PURCHASE_ID	KEY(1)
ST_REFUND_CNT	Refunds - Detail	COMPANY	KEY(9)
		EMPLID	KEY(1)



		EMPL_RCD	KEY(2)
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(10)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		SEQNO	
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
ST_REFUND_DTL	Refunds - Detail	COMPANY	KEY(9)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_DT	KEY(14)
		ESPP_CONTRIB_SRC	KEY(13)
		ESPP_REFUND_SRC	KEY(12)
		ESPP_RESIDUAL_AMT	
		FROM_CUR	
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(10)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		SEQNO	KEY(11)
		SEQNUM	KEY(15)
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		TO_CUR	
ST_REFUND_ESPP	Refunds - Detail	COMPANY	KEY(9)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_REFUND_STS	
		ESPP_RESIDUAL_AMT	
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(10)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		REVERSAL_DT	
		SEQNO	KEY(11)
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		ST_PR_DT	
		ST_REFUND_SRC	
		ST_SEND_SRC	



ST_REFUND_TAO	Refunds Temporary Table	TO_CUR	
		COMPANY	KEY(9)
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_RESIDUAL_AMT	
		OFFERING_ID	KEY(6)
		PAYGROUP	KEY(10)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		SEQNO	KEY(11)
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
		ST_SEND_SRC	
		TO_CUR	
ST_REL_DISPOSN	Stock Exercise Disposition tbl	DISPOSITION_DT	
		DISPOSITION_NBR	KEY(6)
		DISPOSITION_PRICE	
		DISPOSITION_SRC	
		DISPOSITION_STATUS	
		DISPOSITION_TYPE	
		DISPOSN_RECEIPT_DT	
		DISPOSN_SURVEY_DT	
		DISQUAL_DISPOSN	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		LASTUPDDTTM	
		LASTUPDOPRID	
		PAYCHECK_NBR	
		PROCESS_GROUP	
		RELEASE_NBR	KEY(5)
		REVERSAL_DT	
		SHARES_DISPOSED	
		STATUS_DT	
		STOCK_ID	KEY(2)
		ST_ORD_INCOME	
		ST_PR_DT	
ST_SEND_SRC			
ST_REL_ISSUE	Stock Release Issuance table	ADDRESS_SBR	
		BRANCH_CNTL_NBR	
		BRANCH_ISSUE_DT	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)



Table Name	Description	Field Name	Key
ST_REL_LEGEND	Stock Release Issuance table	ISSUANCE_NBR	KEY(6)
		ISSUANCE_TYPE	
		REGISTRATION_NAME	
		RELEASE_NBR	KEY(5)
		SHARES_ISSUED	
		STOCK_ID	KEY(2)
		ST_ACCOUNT_NBR	
		ST_BRANCH_ID	
		ST_BROKERAGE_ID	
		ST_TAX_ID	
ST_REL_PAYMENT	Stock Release Payment table	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		ISSUANCE_NBR	KEY(6)
		LEGEND_ID	KEY(7)
		RELEASE_NBR	KEY(5)
		STOCK_ID	KEY(2)
		COMMENTS	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
GRANT_NBR	KEY(3)		
PAYMENT_AMOUNT			
PAYMENT_DT	KEY(6)		
RELEASE_NBR	KEY(5)		
SEQ_NUM	KEY(7)		
STOCK_ID	KEY(2)		
ST_REL_SWAP	Stock Release Swap table	ST_PAYMENT_TYPE	
		DATE_ACQUIRED	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		RELEASE_NBR	KEY(5)
		SEQ_NUM	KEY(6)
		SHARES_SWAPPED	
		STOCK_CERTIFICATE	
		STOCK_ID	KEY(2)
ST_REL_TAXES	Stock Release Taxes table	SWAP_SOURCE	
		COUNTRY	KEY(6)
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		LOCALITY	KEY(9)
		RELEASE_NBR	KEY(5)
		STATE	KEY(8)
		STOCK_ID	KEY(2)



		ST_DEFAULT_PERCENT	
		ST_STOCK_TAX_TYPE	KEY(7)
		ST_TAX_OVERRIDE	
		TAX_CLASS	
		TAX_CUR	
		TAX_YTD	
		TXGRS_CUR	
ST_REPRC1A_TAO	Reprice Eligibility Temp 1A	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		ST_CANCEL_DT	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(3)
ST_REPRC1B_TAO	Reprice Eligibility Temp 1B	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		ST_CANCEL_DT	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(3)
ST_REPRC1C_TAO	Reprice Eligibility Temp 1C	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		VEST_DT	KEY(3)
ST_REPRC2A_TAO	Reprice Process Temp 2A	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_EXERCISED	
		SHARES_VESTED	
		ST_CANCEL_DT	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(5)
		VEST_EFFDT	KEY(3)
ST_REPRC2B_TAO	Reprice Process Temp 2B	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_EXERCISED	
		SHARES_VESTED	
		ST_CANCEL_DT	
		TERM_EXPIRATN_DT	



		VEST_DT	KEY(5)
		VEST_EFFDT	KEY(3)
ST_REPRC2C_TAO	Reprice Process Temp 2C	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_EXERCISED	
		VEST_DT	KEY(5)
		VEST_EFFDT	KEY(3)
ST_REPRC2D_TAO	ST_REPRC_PRC temp table	EMPLID	KEY(1)
		REPRICE_GRANT_NBR	KEY(2)
		SHARES_GRANTED	
ST_REPRC_AET	Stock Reprice AE record	AGREEMENT_ID	
		BREAK_PRICE	
		COMPANY_INSIDER	
		DTTM_STAMP	
		EXERCISE_HOLD_DT	
		EXER_BFR_VEST	
		EXPIRE_BASIS_CD	
		GRANT_DT	
		GRANT_NBR_LAST	
		GRANT_REASON	
		OPRID	
		OPTION_LIFE_MM	
		PROCESS_INSTANCE	KEY(1)
		PROCESS_NAME	
		RECORD_DT	
		REPORTING_PERSON	
		REPRICE_ELECT_DFLT	
		REPRICE_EXER_RULE	
		REPRICE_ID	
		REPRICE_PLAN_RULE	
		REPRICE_PRCM_MTHD	
		REPRICE_REVERSE	
		REPRICE_VEST_RULE	
		REPRICE_XFER_RULE	
		RUN_CNTL_ID	
		STOCK_ID	
		STOCK_PLAN	
		ST_BEN_OWNER	
		ST_DIRECTOR	
		ST_OFFICER	
		ST_OPTN_CNV_ISAR	
		ST_OPTN_CNV_ISO	
		ST_OPTN_CNV_NQ	
		ST_OPTN_CNV_NSAR	



		TRANSFER_ALLOW	
		VEST_DEFER_DD	
		VEST_DEFER_MM	
		VEST_SCHED_ID	
ST_REPRC_CNTRY	Stock Reprice Country	COUNTRY	KEY(3)
		REPRICE_ID	KEY(2)
ST_REPRC_CO	Stock Reprice Company	STOCK_ID	KEY(1)
		COMPANY	KEY(3)
		REPRICE_ID	KEY(2)
ST_REPRC_EMPL	Stock Reprice Employee	STOCK_ID	KEY(1)
		EMPLID	KEY(3)
		REPRICE_ID	KEY(2)
ST_REPRC_PARTIC	Stock Reprice Eligibility	STOCK_ID	KEY(1)
		EMPLID	KEY(3)
		GRANT_NBR	KEY(4)
		REPRC_PART_STATUS	
		REPRICE_ELECT	
		REPRICE_ID	KEY(2)
		STATUS_DT	
ST_REPRC_PLAN	Stock Reprice Plan	STOCK_ID	KEY(1)
		REPRICE_ID	KEY(2)
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(4)
ST_REPRC_PR_MSG	Stock Grant Message Table	STOCK_PLAN_TYPE	KEY(3)
		DTTM_STAMP	
		EMPLID	KEY(4)
		GRANT_NBR	KEY(5)
		MESSAGE_NBR	KEY(7)
		MESSAGE_SET_NBR	KEY(6)
		MSG_DATA1	
		MSG_DATA2	
		MSG_DATA3	
		PROCESS_NAME	KEY(1)
		REPRICE_ID	KEY(3)
		STOCK_ID	KEY(2)
ST_REPRC_R1_TAO	Reprice Temp Record	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		REPRICE_GRANT_NBR	
ST_REPRC_TAO	Defines the stock grants.	AGREEMENT_ID	
		EMPLID	KEY(1)
		EMPL_RCD	
		EXERCISE_HOLD_DT	
		EXER_BFR_VEST	
		GB_GROUP_ID	
		GRANT_NBR	



---

		GRANT_PRICE	
		GRANT_REASON	
		ISO_EXER_AS_NQ_DT	
		ISO_LIM_GRANT_NBR	
		REPRICE_GRANT_NBR	KEY(2)
		SHARES_GRANTED	
		STOCK_ACTION	
		STOCK_PLAN	
		ST_CANCEL_DT	
		ST_OPTION_TYPE	
		TRANSFER_ALLOW	
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
ST_REPRC_TBL	Stock Reprice	AGREEMENT_ID	
		BREAK_PRICE	
		COMPANY_INSIDER	
		DESCR	
		DESCRSHORT	
		EXERCISE_HOLD_DT	
		EXER_BFR_VEST	
		EXPIRE_BASIS_CD	
		GRANT_DT	
		GRANT_REASON	
		OPTION_LIFE_MM	
		RECORD_DT	
		REPORTING_PERSON	
		REPRICE_EXER_RULE	
		REPRICE_ID	KEY(2)
		REPRICE_PLAN_RULE	
		REPRICE_STATUS	
		REPRICE_VEST_RULE	
		REPRICE_XFER_RULE	
		STATUS_DT	
		STOCK_ID	KEY(1)
		STOCK_PLAN	
		ST_BEN_OWNER	
		ST_DIRECTOR	
		ST_OFFICER	
		ST_OPTN_CNV_ISAR	
		ST_OPTN_CNV_ISO	
		ST_OPTN_CNV_NQ	
		ST_OPTN_CNV_NSAR	
		TRANSFER_ALLOW	
		VEST_DEFER_DD	
		VEST_DEFER_MM	





ST_REPRICE_LANG	Stock Reprice	VEST_SCHED_ID	
		DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(3)
		REPRICE_ID	KEY(2)
		STOCK_ID	KEY(1)
ST_RPRC_JOB_TAO	Reprice Eligibility Temp	COMPANY	
		EFFDT	KEY(2)
		EMPLID	KEY(1)
		TAX_LOCATION_CD	
ST_RUNCTL_UNVAL	Unconfirm Grant Valuation	FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	
		ST_GROUP_ID	
		THRUDATE	
ST_RUNCTL_VALUE	Grant Valuation Run Control	FROMDATE	
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	
		ST_EXPECTED_LIFE	
		ST_GROUP_ID	
		ST_VALUATION_ID	
		ST_VALUE_RUN_TYPE	
		THRUDATE	
ST_R_EXER_TAXES	Stock Exercise Tax table	COUNTRY	KEY(5)
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		LOCALITY	KEY(8)
		STATE	KEY(7)
		STOCK_ID	KEY(2)
		ST_DEFAULT_PERCENT	
		ST_STOCK_TAX_TYPE	KEY(6)
		ST_TAX_OVERRIDE	
		TAX_CLASS	
		TAX_CUR	
		TAX_YTD	
		TXGRS_CUR	
ST_R_REL_TAXES	Stock Release Taxes table	COUNTRY	KEY(6)
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(4)
		GRANT_NBR	KEY(3)
		LOCALITY	KEY(9)
		RELEASE_NBR	KEY(5)



		STATE	KEY(8)
		STOCK_ID	KEY(2)
		ST_DEFAULT_PERCENT	
		ST_STOCK_TAX_TYPE	KEY(7)
		ST_TAX_OVERRIDE	
		TAX_CLASS	
		TAX_CUR	
		TAX_YTD	
		TXGRS_CUR	
ST_SELF_SRV_CNT	Stock Purchase Dispositions	EMPLID	KEY(1)
		OFFERING_ID	KEY(5)
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		SHARES_SELF_SRVC	
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
ST_SPLIT10A_TAO	Split ESPP DispositionTemp	DISPOSITION_NBR	KEY(7)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		GRANT_DT	KEY(6)
		OFFERING_ID	KEY(4)
		PERIOD_END_DT	KEY(5)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_SPLIT10B_TAO	Split ESPP DispositionTemp	DISPOSITION_NBR	KEY(7)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		GRANT_DT	KEY(6)
		OFFERING_ID	KEY(4)
		PERIOD_END_DT	KEY(5)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_SPLIT10C_TAO	Stock Purchase Dispositions	DISPOSITION_DT	
		DISPOSITION_NBR	KEY(6)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		GRANT_DT	
		OFFERING_ID	KEY(4)



		PERIOD_END_DT	KEY(5)
		SHARES_DISPOSED	
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_SPLIT10_TAO	Split ESPP DispositionTemp	DISPOSITION_NBR	KEY(7)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		GRANT_DT	KEY(6)
		OFFERING_ID	KEY(4)
		PERIOD_END_DT	KEY(5)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_SPLIT11A_TAO	Split Release Disposition Temp	DISPOSITION_NBR	KEY(5)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT11B_TAO	Split Release Disposition Temp	DISPOSITION_NBR	KEY(5)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT11C_TAO	Stock Exercise Disposition tbl	DISPOSITION_DT	
		DISPOSITION_NBR	KEY(5)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		SHARES_DISPOSED	
ST_SPLIT11_TAO	Split Release Disposition Temp	DISPOSITION_NBR	KEY(5)
		DISPOSITION_STATUS	
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)



		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT12A_TAO	Split Grant Valuation Temp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		ST_VALUATION_DT	KEY(4)
		ST_VALUE_EFFDT	KEY(3)
ST_SPLIT12B_TAO	Split Grant Valuation Temp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		ST_VALUATION_DT	KEY(4)
		ST_VALUE_EFFDT	KEY(3)
ST_SPLIT12_TAO	Split Grant Valuation Temp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		ST_VALUATION_DT	KEY(4)
		ST_VALUE_EFFDT	KEY(3)
ST_SPLIT1A_TAO	Split Grant Vesting Temp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		VEST_DT	KEY(5)
		VEST_EFFDT	KEY(3)
ST_SPLIT1B_TAO	Split Grant Vesting Temp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		VEST_DT	KEY(5)
		VEST_EFFDT	KEY(3)
ST_SPLIT1_TAO	Split Grant Vesting Temp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)



		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
		VEST_DT	KEY(5)
		VEST_EFFDT	KEY(3)
ST_SPLIT2A_TAO	Split Exercise Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		EXERCISE_STATUS	
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT2B_TAO	Split Exercise Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		EXERCISE_STATUS	
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT2C_TAO	Stock Options Exercise table	EMPLID	KEY(1)
		EXERCISE_DT	
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
ST_SPLIT2_TAO	Split Exercise Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		EXERCISE_STATUS	
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT3A_TAO	Split Exercise Swap Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT3B_TAO	Split Exercise Swap Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	



ST_SPLIT3_TAO	Split Exercise Swap Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SEQ_NUM	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT4A_TAO	Split Exercise Issue Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		ISSUANCE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT4B_TAO	Split Exercise Issue Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		ISSUANCE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT4_TAO	Split Exercise Issue Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		ISSUANCE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT5A_TAO	Split Exer Disposition Temp	DISPOSITION_NBR	KEY(4)
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT5B_TAO	Split Exer Disposition Temp	DISPOSITION_NBR	KEY(4)
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT5C_TAO	Stock Exercise Disposition tbl	DISPOSITION_DT	
		DISPOSITION_NBR	KEY(4)
		EMPLID	KEY(1)



		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
ST_SPLIT5_TAO	Split Exer Disposition Temp	SHARES_DISPOSED	
		DISPOSITION_NBR	KEY(4)
		EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT6A_TAO	Split Exer Release Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		RELEASE_STATUS	
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT6B_TAO	Split Exer Release Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		RELEASE_STATUS	
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT6C_TAO	Stock Exercise Release table	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_DT	
		RELEASE_NBR	KEY(4)
		RELEASE_STATUS	
		SHARES_RELEASED	
ST_SPLIT6_TAO	Split Exer Release Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		RELEASE_STATUS	
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT7A_TAO	Split Release Swap Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)



		SEQ_NUM	KEY(5)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT7B_TAO	Split Release Swap Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		SEQ_NUM	KEY(5)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT7_TAO	Split Release Swap Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		RELEASE_NBR	KEY(4)
		SEQ_NUM	KEY(5)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT8A_TAO	Split Release Issuance Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		ISSUANCE_NBR	KEY(5)
		RELEASE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT8B_TAO	Split Release Issuance Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		ISSUANCE_NBR	KEY(5)
		RELEASE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT8_TAO	Split Release Issuance Temp	EMPLID	KEY(1)
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		ISSUANCE_NBR	KEY(5)
		RELEASE_NBR	KEY(4)
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT9A_TAO	Split RepurchaseTemp	EMPLID	KEY(1)





		GRANT_NBR	KEY(2)
		REPURCHASE_NBR	KEY(3)
		REPURCHASE_STATUS	
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT9B_TAO	Split RepurchaseTemp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		REPURCHASE_NBR	KEY(3)
		REPURCHASE_STATUS	
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT9C_TAO	Stock Grant Repurchase	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		REPURCHASE_DT	
		REPURCHASE_NBR	KEY(3)
		REPURCHASE_STATUS	
		SHARES_REPURCHASED	
ST_SPLIT9_TAO	Split RepurchaseTemp	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		REPURCHASE_NBR	KEY(3)
		REPURCHASE_STATUS	
		SHARES_REMAINDER	
		SHARES_ROUNDED	
		SHARES_UNROUNDED	
ST_SPLIT_AET	Stock Split AE State Record	DECIMAL_VALUE	
		DECIMAL_VALUE2	
		DEC_PLACES	
		DEC_PLACES2	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RECORD_DT	
		RUN_CNTL_ID	KEY(3)
		STOCK_ID	
		ST_ROUNDING_RULE	
		ST_ROUNDING_RULE2	
		ST_SPLIT_ID	
		ST_SPLIT_SHARE_NEW	
		ST_SPLIT_SHARE_OLD	
ST_SPLIT_LANG	Stock Split	DESCR	
		DESCRSHORT	
		LANGUAGE_CD	KEY(3)
		STOCK_ID	KEY(1)
		ST_SPLIT_ID	KEY(2)



ST_SPLIT_TBL	Stock Split	DEC_PLACES	
		DEC_PLACES2	
		DESCR	
		DESCRSHORT	
		PAYABLE_DT	
		RECORD_DT	
		STATUS_DT	
		STOCK_ID	KEY(1)
		ST_ROUNDING_RULE	
		ST_SPLIT_ID	KEY(2)
		ST_SPLIT_SHARE_NEW	
		ST_SPLIT_SHARE_OLD	
		ST_SPLIT_STATUS	
ST_SSDISP_AET	State Record for ST_ESPP_MAIN	EMPLID	
		FROMDATE	
		OPRID	
		PROCESS_GROUP	
		PROCESS_INSTANCE	KEY(1)
		REPORT_DISPOSN_SRC	
		REPRINT_PROMPT	
		RUN_CNTL_ID	
		SQL_ID	
		SQL_ID1	
		SQL_ID2	
		SQL_ID3	
		SQL_ID4	
		SQL_ID5	
		STOCK_ID	
		STOCK_PLAN	
		STOCK_PLAN_TYPE	
		ST_RUN_TYPE	
		THRUDATE	
ST_STATE_TAX		COUNTRY	KEY(1)
		EFFDT	KEY(4)
		MAX_GROSS	
		STATE	KEY(3)
		ST_DEFAULT_PERCENT	
		ST_STOCK_TAX_TYPE	KEY(2)
ST_STES005_TAO		COMPANY	KEY(2)
		PAYGROUP	KEY(3)
		PROCESS_GROUP	KEY(1)
ST_STES005_TBL		COMPANY	KEY(6)
		DESCR	
		EMPLID	KEY(2)
		ESPP_CONTRIB_AMT	



		ESPP_HOLD_REASON	
		ESPP_RESIDUAL_AMT	
		FROM_CUR	KEY(4)
		GRANT_DT	KEY(3)
		GRANT_FMV	
		PAYGROUP	KEY(7)
		PROCESS_GROUP	KEY(1)
		TO_CUR	KEY(5)
ST_STFS001_TAO	Expected Life - Run Control	EMPLID	KEY(3)
		GRANT_NBR	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(4)
		ST_OPTION_TYPE	
ST_STFS007_TAO	Options Expense - Run Control	EMPLID	KEY(3)
		GRANT_NBR	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(4)
		ST_OPTION_TYPE	
ST_STFS009_TAO	APB 25 Expense - Run Control	EMPLID	KEY(3)
		GRANT_NBR	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(4)
		ST_OPTION_TYPE	
ST_STFS010_TAO	SAR Accounting - Run Control	EMPLID	KEY(3)
		GRANT_NBR	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(4)
		ST_OPTION_TYPE	
ST_STFS010_TBL	Temp Table for SQR STFS010	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	



ST_STFS014A_TBL	Temp Table for SQR STFS014	VEST_DT	KEY(7)
		DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXERCISE_HOLD_DT	
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
TERM_EXPIRATN_DT			
ST_STFS014_TBL	Temp Table for SQR STFS014	VEST_DT	KEY(7)
		VEST_SUSPEND_DT	
		DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXERCISE_HOLD_DT	
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
ST_CANCEL_REASON			
TERM_EXPIRATN_DT			
ST_STFS015A_TBL	Temp Table for SQR STFS015	VEST_DT	KEY(7)
		VEST_SUSPEND_DT	
		DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXERCISE_HOLD_DT	
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	



Table Name	Description	Field Name	Key
ST_STFS015_TBL	Temp Table for SQR STFS015	ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
		VEST_SUSPEND_DT	
		DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXERCISE_HOLD_DT	
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
STOCK_PLAN	KEY(5)		
ST_STFS015_TMP	Disclosure Summry- Run Control	ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
		VEST_SUSPEND_DT	
		HIGH_PRICE	KEY(4)
		LOW_PRICE	KEY(3)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
PROCESSINSTANCE	KEY(2)		
SHARES_EXERCISED			
SHARES_VESTED			
STOCK_ID	KEY(4)		
STOCK_PLAN	KEY(5)		
ST_STOK001_TBL	Temp Table for SQR STOP001	ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
		DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
ST_STOK002A_TBL	Temp Table for SQR STOK002	ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
		DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXERCISE_HOLD_DT	
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
STOCK_PLAN	KEY(5)		



		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
		VEST_SUSPEND_DT	
ST_STOK002_TBL	Temp Table for SQR STOK002	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXERCISE_HOLD_DT	
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
		VEST_SUSPEND_DT	
ST_STOP001_TBL	Temp Table for SQR STOP001	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
ST_STOP005_TBL	Temp Table for SQR STOP005	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)



		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
ST_STOP008_TBL	Temp Table for SQR STOP008	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXERCISE_HOLD_DT	
		EXPIRATN_DT	
		GRANT_NBR	KEY(6)
		GRANT_PRICE	
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		STOCK_ID	KEY(4)
		STOCK_PLAN	KEY(5)
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(7)
		VEST_SUSPEND_DT	
ST_STOP035_TAO	Temp Table for SQR STOP001	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXPIRATN_DT	
		GRANT_NBR	KEY(4)
		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(5)
ST_STRR001_TAO	Potential Diluted- Run Control	EMPLID	KEY(3)
		GRANT_NBR	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(4)
		ST_OPTION_TYPE	
ST_STRR001_TBL	Temp Table for SQR STRR001	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		EXPIRATN_DT	
		GRANT_NBR	KEY(4)



		PROCESSINSTANCE	KEY(2)
		SHARES_EXERCISED	
		SHARES_VESTED	
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(5)
ST_STRR005_TAO	Temp Table for SQR STRR005	DATETIME_STAMP	KEY(1)
		EMPLID	KEY(3)
		GRANT_NBR	KEY(4)
		PROCESSINSTANCE	KEY(2)
		SHARES_VESTED	
		VEST_DT	KEY(5)
ST_TAX_TYPE_TBL		COUNTRY	KEY(1)
		DESCR	
		DESCRSHORT	
		ST_STOCK_TAX_TYPE	KEY(2)
		ST_TAX_LEVEL	
		TAX_CLASS	
ST_TRSRALC_LANG	Stock Treasury Allocation	ALLOCATION_DT	KEY(3)
		COMMENTS	
		DESCR	
		LANGUAGE_CD	KEY(5)
		SEQ_NUM	KEY(4)
		STOCK_ID	KEY(1)
		ST_TREASURY_ID	KEY(2)
ST_TRSR_AET	Stock Balance - AE Process Rcd	AS_OF_DATE	
		OPRID	
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	
		SHARES_ALLOC_CLASS	
		SHARES_ALLOC_PLAN	
		SHARES_ALLOC_TRSR	
		SHARES_AVAIL_ISSUE	
		SHARES_CANCELLED	
		SHARES_CANCEL_RPRC	
		SHARES_EXER_SAR	
		SHARES_EXER_SWAP	
		SHARES_EXPIRED	
		SHARES_EXPIRE_RPRC	
		SHARES_REL_SWAP	
		SHARES_REPURCHASED	
		SHARES_SWAPPED	
		STOCK_ID	
		ST_TREASURY_ID	





ST_TRSR_ALLOC	Stock Treasury Allocation	ALLOCATION_DT	KEY(3)
		APPRVL_DT	
		COMMENTS	
		DESCR	
		LASTUPDDTTM	
		LASTUPDOPRID	
		SEQ_NUM	KEY(4)
		SHARES_ALLOCATED	
		STOCK_ID	KEY(1)
		ST_ALLOCATION_TYPE	
		ST_TREASURY_ID	KEY(2)
ST_TRSR_TAO1	Stock Balance Temp - Plans	CANCEL_SHARES_MTHD	
		EFFDT	KEY(2)
		EXPIRED_SHARE_MTHD	
		REPURCH_SHARE_MTHD	
		SAR_EXERCISE_MTHD	
		STOCK_PLAN	KEY(1)
		ST_TREASURY_ID	
		SWAP_SHARES_MTHD	
ST_TRSR_TAO2	Stock Balance Temp - Grants	EMPLID	KEY(1)
		GRANT_NBR	KEY(2)
		SHARES_GRANTED	
		STOCK_PLAN	
		ST_CANCEL_DT	
		ST_CANCEL_REASON	
ST_TRSR_TAO3A	Stock Balance Temp - Grants	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_REMAINDER	
		SHARES_VESTED	
		STOCK_PLAN	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(3)
ST_TRSR_TAO3B	Stock Balance Temp - Grants	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_REMAINDER	
		SHARES_VESTED	
		STOCK_PLAN	
		TERM_EXPIRATN_DT	
		VEST_DT	KEY(3)
ST_TRSR_TAO4	Stock Balance Temp - Exercises	EMPLID	KEY(1)
		EXERCISE_DT	



		EXERCISE_METHOD	
		EXERCISE_NBR	KEY(3)
		GRANT_NBR	KEY(2)
		SHARES_EXERCISED	
		SHARES_SWAPPED	
		SHARES_TRADED	
		STOCK_PLAN	
ST_UNVALUE_AET	UnValue AE State Record	OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
ST_UNVALUE_TAO	Unconfirm Value Temp 1	RUN_CNTL_ID	KEY(3)
		EMPLID	KEY(3)
		GRANT_NBR	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(4)
		ST_OPTION_TYPE	
ST_UNVALUE_TAO2	Unconfirm Value Temp 2	EMPLID	KEY(1)
		GRANT_NBR	KEY(3)
		STOCK_ID	KEY(2)
		ST_VALUE_REASON	
ST_USALL_TAO	ESPP Participant Contributions	BENEFIT_RCD_NBR	
		COMPANY	KEY(9)
		DEDCD	
		DED_CLASS	
		DED_SLSTX_CLASS	
		EMPLID	KEY(1)
		EMPL_RCD	KEY(2)
		ESPP_CONTRIB_AMT	
		ESPP_CONTRIB_DT	
		FROM_CUR	
		LINE_NUM	KEY(14)
		OFFERING_ID	KEY(6)
		OFF_CYCLE	KEY(12)
		PAGE_NUM	KEY(13)
		PAYGROUP	KEY(10)
		PAY_END_DT	KEY(11)
		PERIOD_END_DT	KEY(7)
		PROCESS_GROUP	KEY(8)
		SEPCHK	KEY(15)
		STOCK_ID	KEY(3)
		STOCK_PLAN	KEY(5)
		STOCK_PLAN_TYPE	KEY(4)
ST_USSUM_TAO	ESPP Participant Contributions	COMPANY	KEY(8)
		EMPLID	KEY(1)
		ESPP_CONTRIB_AMT	



Table Name	Description	Field Name	Key
ST_VALUE_AET	Grant Value AE State Record	ESPP_CONTRIB_DT	KEY(10)
		FROM_CUR	
		OFFERING_ID	KEY(5)
		PAYGROUP	KEY(9)
		PERIOD_END_DT	KEY(6)
		PROCESS_GROUP	KEY(7)
		STOCK_ID	KEY(2)
		STOCK_PLAN	KEY(4)
		STOCK_PLAN_TYPE	KEY(3)
		FMV_HOLIDAY_RULE	
		FMV_WEEKEND_RULE	
		GRANT_DT	
		GRANT_FMV	
		GRANT_FMV_MTHD	
		GRANT_PRICE	
		IF_FLAG	
		OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		RUN_CNTL_ID	KEY(3)
		STOCK_ID	
ST_ESTIMATE_ID			
ST_EXPECTED_LIFE			
ST_INTEREST_RATE			
ST_VALUATION_ID			
ST_VALUE_METHOD			
ST_VALUE_PER_SHARE			
ST_VALUE_RUN_TYPE			
ST_VOLATILITY			
ST_VOLATILITY_TYPE			
ST_VALUE_TAO	Grant Valuation Temp Table 1	EMPLID	KEY(3)
		GRANT_NBR	KEY(5)
		OPRID	KEY(1)
		RUN_CNTL_ID	KEY(2)
		STOCK_ID	KEY(4)
ST_VALUE_TAO10	Grant Valuation Temp Table 10	ST_OPTION_TYPE	
		EMPLID	KEY(1)
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_DIVIDEND_RATE	
		ST_EXPECTED_LIFE	
		ST_INTEREST_RATE	
ST_VALUATION_DT	KEY(4)		



		ST_VALUATION_ID	
		ST_VALUE_PER_SHARE	
		ST_VOLATILITY	
ST_VALUE_TAO2	Grant Valuation Temp Table 2	EMPLID	KEY(1)
		GRANT_DT	
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		STOCK_PLAN	
		ST_EXPECTED_LIFE	
ST_VALUE_TAO3	Grant Valuation Temp Table 3	EMPLID	KEY(1)
		EXPIRATN_DT	
		GRANT_DT	
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_EXPECTED_LIFE	
		ST_VALUATION_DT	KEY(4)
ST_VALUE_TAO4	Grant Valuation Temp Table 4	EMPLID	KEY(1)
		GRANT_DT	
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_ASSET_PRICE	
		ST_DIVIDEND_RATE	
		ST_EXPECTED_LIFE	
		ST_INTEREST_RATE	
		ST_INTEREST_TYPE	
		ST_VALUATION_DT	KEY(4)
		ST_VALUE_PER_SHARE	
		ST_VOLATILITY	
		ST_VOLATILITY_HIGH	
		ST_VOLATILITY_LOW	
		ST_VOLATILITY_MEAN	
ST_VALUE_TAO5	Grant Valuation Temp Table 5	EMPLID	KEY(1)
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	



		STOCK_ID	KEY(2)
		ST_DIVIDEND_RATE	
		ST_EXPECTED_LIFE	
		ST_INTEREST_RATE	
		ST_VALUATION_DT	KEY(4)
		ST_VALUE_PER_SHARE	
		ST_VOLATILITY	
ST_VALUE_TAO6	Grant Valuation Temp Table 6	EMPLID	KEY(1)
		GRANT_DT	
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_ESTIMATE_ID	
		ST_EXPECTED_LIFE	
		ST_VALUATION_DT	
		ST_VALUATION_ID	
		ST_VOLATILITY_TYPE	
ST_VALUE_TAO7	Grant Valuation Temp Table 7	EMPLID	KEY(1)
		GRANT_DT	
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_ASSET_PRICE	
		ST_DIVIDEND_RATE	
		ST_EXPECTED_LIFE	
		ST_INTEREST_RATE	
		ST_INTEREST_TYPE	
		ST_VALUATION_ID	
		ST_VALUE_PER_SHARE	
		ST_VOLATILITY	
		ST_VOLATILITY_HIGH	
		ST_VOLATILITY_LOW	
		ST_VOLATILITY_MEAN	
		ST_VOLATILITY_TYPE	
ST_VALUE_TAO8	Grant Valuation Temp Table 8	EMPLID	KEY(1)
		GRANT_DT	
		GRANT_NBR	KEY(3)
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_EXPECTED_LIFE	
		ST_VALUATION_DT	KEY(4)



ST_VALUE_TAO9	Grant Valuation Temp Table 9	EMPLID	KEY(1)
		GRANT_DT	
		GRANT_FMV	
		GRANT_NBR	KEY(3)
		GRANT_PRICE	
		SHARES_VALUED	
		STOCK_ID	KEY(2)
		ST_ASSET_PRICE	
		ST_DIVIDEND_RATE	
		ST_EXPECTED_LIFE	
		ST_INTEREST_RATE	
		ST_INTEREST_TYPE	
		ST_VALUATION_DT	KEY(4)
		ST_VALUATION_ID	
		ST_VALUE_PER_SHARE	
		ST_VOLATILITY	
		ST_VOLATILITY_HIGH	
		ST_VOLATILITY_LOW	
		ST_VOLATILITY_MEAN	
		ST_VOLATILITY_TYPE	
ST_VALUE_TBL	Valuation Table	COMMENTS	
		STOCK_ID	KEY(1)
		ST_ESTIMATE_ID	
		ST_VALUATION_ID	KEY(2)
		ST_VALUE_DESCR	
		ST_VALUE_DESCR10	
		ST_VALUE_METHOD	
		ST_VOLATILITY_TYPE	
ST_VC_ALLOC	Stock/Var Comp Allocation	ALLOCATION_DT	KEY(4)
		APPRVL_DT	
		COMMENTS	
		DESCR	
		LASTUPDDTTM	
		LASTUPDOPRID	
		SEQ_NUM	KEY(5)
		SHARES_ALLOCATED	
		STOCK_ID	KEY(1)
		STOCK_PLAN	KEY(3)
		STOCK_PLAN_TYPE	KEY(2)
ST_VC_EXP_AET	Stock/VC Expiration State Rec	OPRID	KEY(2)
		PROCESS_INSTANCE	KEY(1)
		VC_FUND_UNITS	
		VC_PLAN_ID	
ST_VC_GRP_AET	Stock/VC Groups State Record	EMPL_RCD	
		GB_GROUP_ID	



		PROCESS_INSTANCE	KEY(1)
		VC_PAYOUT_PRD_ID	
		VC_PLAN_ID	
ST_VEST_AET	Vest Process State Record	EMPLID	
		EXPIRE_BASIS_CD	
		GRANT_DT	
		IF_FLAG	
		OPRID	
		OPTION_LIFE_MM	
		PROCESS_INSTANCE	
		RUN_CNTL_ID	
		SEQ_NUM	
		SQL_ID	
		SQL_ID2	
		STOCK_ID	
		STOCK_PLAN	
		ST_VEST_BASIS_DT	
		ST_VEST_PERIOD_CNT	
		UNEVEN_SHARE_RULE	
		VEST_EFFDT	
		VEST_REASON	
		VEST_SCHED_ID	
ST_VEST_DEFN	Vesting Schedule Defn	SEQ_NUM	KEY(2)
		VEST_FREQUENCY	
		VEST_MONTHS	
		VEST_PERCENT	
		VEST_SCHED_ID	KEY(1)
ST_VEST_DFN_AET	Vest Definition State Record	MONTH_FACTOR	
		PROCESS_INSTANCE	KEY(1)
		SEQ_NUM	
		ST_VEST_PERIOD_CNT	
		VEST_FREQUENCY	
		VEST_INTERVAL	
		VEST_MONTHS	
		VEST_PERCENT	
ST_VEST_SCHED	Vesting Schedule Table	DESCR	
		DESCRSHORT	
		UNEVEN_SHARE_RULE	
		VEST_BEGINS_CD	
		VEST_SCHED_ID	KEY(1)
SUBSTAT_TBL_BEL	Substatute Table - Belgium	EFFDT	KEY(2)
		STATUTE_BEL	KEY(1)
		SUBSTATUTE_BEL	KEY(3)
*SUCCESSION_PLAN	Succession Plan	BLOCKED	
		EFFDT	KEY(2)



		EMPLID	KEY(3)
		EMPL_RCD	KEY(4)
		POSITION_NBR	KEY(1)
		RANK	
		READINESS	
		TARGETED_READY_DT	
*SUCC_PLAN_POSN	Succession Plan Header by Posn	AVAILABILITY_DT	
		EFFDT	KEY(2)
		NEXT_SUCCESSPLN_DT	
		POSITION_NBR	KEY(1)
		POSN_STATUS	
*SUPPORT_DOC_TBL	Visa Supporting Documents	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		EFF_STATUS	
		SUPPORT_DOC_ID	KEY(1)
SUPPRT_DOC_LANG	Related Lang-Visa Support Docs	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		LANGUAGE_CD	KEY(3)
		SUPPORT_DOC_ID	KEY(1)
SUPVSR_LVL_LANG	Supervisor Level Table Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(4)
		SETID	KEY(1)
		SUPV_LVL_ID	KEY(2)
*SUPVSR_LVL_TBL	Supervisor Level Table	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		SETID	KEY(1)
		SUPV_LVL_ID	KEY(2)
SV403B_RUNCTL	SV403 Run Control	CALENDAR_YEAR	
		CHKPT_INTERVAL	
		COMPANY	
		EMPLID	
		EMPLID_RESTART	
		OPRID	KEY(1)
		PROCESS_YEAR	
		PROCESS_YR_RESTART	
		RUN_CNTL_ID	KEY(2)
SV403_MESSAGE	SV403 Message	COMPANY	KEY(1)
		EMPLID	KEY(2)
		MSGDATA1	KEY(4)





		MSGDATA2	KEY(5)
		MSGDATA3	KEY(6)
		MSGID	KEY(3)
		PRCSINSTANCE	
		RUN_ID	
SVC_COVG_TBL	Service Step Rate Per Interval	EFFDT	KEY(2)
		EMPLR_RATE	
		EMPL_RATE	
		SERVICE_INTERVALS	KEY(3)
		SVC_RATE_TBL_ID	KEY(1)
		TOTAL_RATE	
SVC_RATE_LANG	Service Rate Schedule Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		SVC_RATE_TBL_ID	KEY(1)
SVC_RATE_TBL	Service Rate Schedule IDs	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		PAY_FREQUENCY	
		RATE_LIMIT_SBR	
		RATE_UNIT	
		SVC_RATE_TBL_ID	KEY(1)
SVC_STEP_COVG	Service Rate Schedule Step	EFFDT	KEY(2)
		SERVICE_INTERVALS	KEY(3)
		SVC_STEP_TBL_ID	KEY(1)
SVC_STEP_LANG	Service Step IDs Lang	DESCR	
		DESCRSHORT	
		EFFDT	KEY(3)
		LANGUAGE_CD	KEY(2)
		SVC_STEP_TBL_ID	KEY(1)
SVC_STEP_PCT	Svc Stp-Ded Class % / Interval	DED_CLASS	KEY(4)
		EFFDT	KEY(2)
		PCT_EMPL_CONTRIBUTN	KEY(5)
		PCT_EMPL_INVESTMNT	
		SERVICE_INTERVALS	KEY(3)
		SVC_STEP_TBL_ID	KEY(1)
SVC_STEP_TBL	Service Step IDs	DESCR	
		DESCRSHORT	
		EFFDT	KEY(2)
		SVC_STEP_TBL_ID	KEY(1)
SWAP_FIELD		FIELDNAME	KEY(2)
		RECNAME	KEY(1)
SWAP_REC	Swap Base Record Table	RECNAME	KEY(1)
		RELANGRECNAME	KEY(2)



---

*SWT_MARSTAT_TBL	State/Fed Marital Status Table	DESCRLONG	
		DESCRSHORT	
		EFFDT	KEY(3)
		EFF_STATUS	
		STATE	KEY(1)
		SWT_MAR_STATUS	KEY(2)
SWT_MARSTA_LANG	Related Lang - SWT_MARSTAT_TBL	DESCRLONG	
		DESCRSHORT	
		EFFDT	KEY(4)
		LANGUAGE_CD	KEY(3)
		STATE	KEY(1)
		SWT_MAR_STATUS	KEY(2)









































































































































































































































































































































































































































































































































































































































































































































































