



SECTION 3.3 - FIELDS FOR ALPHABETS H-S

This section includes the field name, default label on page, length, type, format, record reference, translate values, legacy system, and legacy name. Note: The default label name identifies the most commonly defined use of the fields as they appear on a page. The default label information was used as documentation although a field can have more than one label. Also, some of the default label descriptions are blank or misspelled. The goal was to document the default label descriptions as closely as possible to what is currently in the system.

H17_2483_AMOUNT

Default Label	Indicator 17
Length	19
Type	Number
Format	Uppercase

Record Reference(s)	DEC2483_FRA_AET TRN_2483_PARM
---------------------	----------------------------------

H18_2483_AMOUNT

Default Label	Indicator 18
Length	19
Type	Number
Format	Uppercase

Record Reference(s)	DEC2483_FRA_AET TRN_2483_PARM
---------------------	----------------------------------

HANDBOOK_URL_ID

Default Label	Handbook URL ID
Length	30
Type	Character
Format	Uppercase

Record Reference(s)	BEN_DEFN_PGM BEN_DEFN_PLAN
---------------------	-------------------------------



HANDICAP_PCNT_ESP

Default Label Handicap Percent
Length 3
Type Number
Format Uppercase

Record Reference(s) APP_DISABL_ESP
 DISABILITY_ESP
 GPES_PAYEE_DATA
 GPES_PAYEE_DEPN

HANDICAP_PERCENT

Default Label Handicap Percent
Length 3
Type Number
Format Uppercase

Record Reference(s) APP_DISABL_CHE
 APP_DISABL_GER
 DISABILITY_CHE
 DISABILITY_GER

HARDSHIP_WTHD_DT

Default Label Hardship Withdrawal Date

Length 10
Type Date
Format Uppercase

Record Reference(s) SAVINGS_403B_EE
 SAVINGS_MGT_EE



HASH_SIGNATURE

Default Label Hash Signature
Length 28
Type Character
Format Uppercase

Record Reference(s) PSBATCHAUTH

HAVECRTCOUNT

Default Label Having Criteria Count
Length 3
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYSELECT

HAZARD

Default Label Hazard
Length 4
Type Character
Format Uppercase

Record Reference(s) ACCDT_INS_HAZ
ACCDT_INS_HAZ_L
COOP_SOC_GER
DEPT_TBL
GPDE_SI_COOP_D
GPDE_SI_EE
OHS001GER_TMP2
R_PER507



INC_ACTION_LNG
 JOBCODE_HAZ_TBL
 LOCATN_HAZ_TBL
 OHS001GER_TMP2
 WCB_ERCA_EC
 WCB_ERCA_WD

HAZARD_TYPE

Default Label Hazard Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HAZ_CON_MAT_TBL
 C Condition
 M Material

HCE_COMP_METHOD

Default Label Compensation Method to be Used
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) NDT_HCE_TBL
 1 Compensation Only
 2 Compensation in Top Percent

HCE_LIMIT_PCT

Default Label Employee Investment Limit Pct
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL



HCE_PCT_ATAX
Default Label High Comp Empl After-Tax Limit
Length 7
Type Number
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL

HCE_PCT_BTAX
Default Label High Cmp Empl Before-Tax Limit
Length 7
Type Number
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL

HCE_RED_ATAX
Default Label High Comp Empl A-Tax Reduction
Length 7
Type Number
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL

HCE_RED_BTAX
Default Label High Comp Empl B-Tax Reduction
Length 7
Type Number
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL



HCE_TYPE

Default Label Highly/Lowly Compensated
Length 1
Type Character
Format Uppercase

Record Reference(s) R_NDT_EMPL_ADP
R_NDT_EMPL_YTD

H Highly Compensated
L Non Highly Compensated

HC_PORTAL_FLAG

Default Label Process Result
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PORTAL

1 Portal Navigation Hardcopy
2 Portal/Menu Path

HC_PORTAL_NOHIDDEN

Default Label Suppress Hidden Objects
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PORTAL

HC_PORTAL_SHOWMENU

Default Label Show Menu.Component.Market
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PORTAL



HC_PORTAL_SHOWOBJ

Default Label	Show Object Names
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RUN_CNTL_PORTAL

HC_SECURITY_FLAG

Default Label	Apply Security Based On
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RUN_CNTL_PORTAL

- P Permission List
- R Role
- U UserId

HDGTYPE

Default Label	Heading Type
Length	1
Type	Number
Format	Uppercase

Record Reference(s) PSQRYBIND
PSQRYFIELD

HEADCOUNT

Default Label	Headcount
Length	6
Type	Number
Format	Uppercase



HEIGHT

Default Label	Height
Length	2
Type	Number
Format	Uppercase

Record Reference(s)	PSSTYLECLASS PSSTYLECLSLANG
---------------------	--------------------------------

HEIGHTLEN

Default Label	Height Len
Length	10
Type	Number
Format	7

Record Reference(s)	PSSTYLECLASS PSSTYLECLSLANG
---------------------	--------------------------------

HEIGHTUNITS

Default Label	Height Units
Length	2
Type	Number
Format	Uppercase

Record Reference(s)	PSSTYLECLASS PSSTYLECLSLANG
---------------------	--------------------------------

HEIGHT_IN_LINES

Default Label	Height In Lines
Length	3
Type	Number
Format	Uppercase

Record Reference(s)	PSMPCONTDEV
---------------------	-------------



HELPCONTEXTNUM

Default Label	Help Context Number
Length	10
Type	Number
Format	7

Record Reference(s) PSACTIVITYDEFN
PSBUSPROCDEFN
PSPNLDEFN
PST_PNLFIELDS
PSX_HELPCONTEXT

HELPTYPE

Default Label	Help Index Type
Length	2
Type	Number
Format	Uppercase

Record Reference(s) PSX_HELPCONTEXT

HELP_CONTEXT_LAST

Default Label	Last Help Context # Used
Length	10
Type	Number
Format	7

Record Reference(s) PSOPTIONS

HELP_GO_WRK_ESP_SW

Default Label	Help to Go to Work
Length	1
Type	Character
Format	Uppercase

Record Reference(s) DISABILITY_ESP
GPES_PAYEE_DEPN



HIDDEN

Default Label Hidden panel; not in menu
Length 2
Type Number
Format Uppercase

Record Reference(s) PSPNLGROUP

HIERARCHY_KEY

Default Label Dimension Key
Length 10
Type Number
Format Uppercase

Record Reference(s) HIER_MAP_TBL

HIER_SEQNO

Default Label Cred Alloc. Hierarchy Seq. No
Length 2
Type Number
Format Uppercase

Record Reference(s) CAN_BA_HIER_DTL

HIGHEST_EDUC_LVL

Default Label Highest Education Level
Length 2
Type Character
Format Uppercase

Record Reference(s) APPLICANT_DATA
EDLVLG_TBL_JPN
FPAPEREFFDT_HIS
GPCH_RP_LSECF
GVT_PERS_DATA
GVT_PERS_TEMP



JOB_REQ_EDUC_EX
 PERSONNEL_RPT
 PERSONNEL_TAO
 PERS_DATA_EFFDT

- A A-Not Indicated
- B B-Less Than HS Graduate
- C C-HS Graduate or Equivalent
- D D-Some College
- E E-Technical School
- F F-2-Year College Degree
- G G-Bachelor's Level Degree

- H H-Some Graduate School
- I I-Master's Level Degree
- J J-Doctorate (Academic)
- K K-Doctorate (Professional)
- L L-Post-Doctorate

HIGHLY_COMP_EMPL_C

Default Label Highly Compensated Employee
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) FPAPERSON_HIST

GVT_PERS_DATA
 GVT_PERS_TEMP
 PERSON
 PERSONNEL_RPT
 PERSONNEL_TAO
 WRK_IMP_EMPL

- E Eligible non-Officer, non 5%
- H Highly Compensated Employee
- N Not Eligible for the Plan
- O Eligible Officer, not HCE

HIGHLY_COMP_EMPL_P

Default Label Highly Compensated Last Year
 Length 1



Type Character
 Format Uppercase

Record Reference(s) FPAPERSON_HIST
 GVT_PERS_DATA
 GVT_PERS_TEMP
 PERSON
 PERSONNEL_RPT
 PERSONNEL_TAO

E Eligible non-Officer, non 5%
 H Highly Compensated Employee
 N Not Eligible for the Plan
 O Eligible Officer, not HCE

HIGH_AGE
 Default Label Highest Age
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PA_SS_DROP_TBL

HIGH_AMT
 Default Label Indexed Amount Used in PIA clc
 Length 14
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_SOC_AY

HIGH_NODE_NUM
 Default Label Tree Gap High Node
 Length 10
 Type Number
 Format Uppercase



Record Reference(s) PSX_TREENODENUM

HIGH_PERIODS

Default Label Find the Highest
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_AVGEARN

HIGH_PRICE

Default Label High Price
Length 16
Type Number
Format Uppercase

Record Reference(s) ST_DAILY_PRICES
ST_STFS015_TMP

HIGH_RISK_SW

Default Label High Insurance Risk
Length 1
Type Character
Format Uppercase

Record Reference(s) CAR_MODEL

HIGH_YR

Default Label Highest Year
Length 4
Type Number
Format Uppercase

Record Reference(s) PA_DLAY_CRD_PCT
UPG_E3XW_TAO



HINT_ACTIVE

Default Label Active
Length 1
Type Character
Format Uppercase

Record Reference(s) PPSWDHINT

HINT_ID

Default Label Password Hint ID
Length 3
Type Character
Format Uppercase

Record Reference(s) PPSWDHINT
PPSWDHINT_LANG

HINT_QUESTION

Default Label Question
Length 50
Type Character
Format Mixedcase

Record Reference(s) PPSWDHINT
PPSWDHINT_LANG
PSUSERATTR

HINT_RESPONSE

Default Label Response
Length 30
Type Character
Format Uppercase



Record Reference(s) PSUSERATTR

HIPAA_DEP_RPT_DT

Default Label HIPAA Report Date (Dep)
Length 10
Type Date
Format Uppercase

Record Reference(s) HEALTH_BENEFIT

HIPAA_PLAN

Default Label HIPAA Plan
Length 1
Type Character
Format Uppercase

Record Reference(s) BEN_DEFN_PLAN

HIPAA_REPORT_DT

Default Label HIPAA Report Date (Emp)

Length 10
Type Date
Format Uppercase

Record Reference(s) HEALTH_BENEFIT

HIRES

Default Label HIRES
Length 3
Type Number
Format Uppercase

Record Reference(s) R_ACTION_COUNTS



HIRE_CATG_CD
Default Label Hire/Rehire Category Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SVC_STAT
PA_DFN_SVC_STAT

HIRE_COST
Default Label Contract Hire Cost
Length 19
Type Number
Format Uppercase

Record Reference(s) CAR_MODEL

HIRE_CTR_CD_ESP
Default Label Hiring Center Code
Length 3
Type Character
Format Uppercase

Record Reference(s) HIRING_CTR_ESP
UPG_ER_AET
UPG_HR75CNT_AET

HIRE_DATE_MAND
Default Label Hire Date Mandatory
Length 1
Type Character
Format Uppercase

Record Reference(s) JOB_RQMT_TBL



HIRE_DT

Default Label	Hire Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) AE_FGPY005_AET

- CO_DPK_ELIG_DET
- CO_DPK_ELIG_NEW
- CO_DPK_ELIG_OLD
- CO_DPK_ELIG_TRN
- CO_DPK_EMP_TAO
- CO_ESV_INIT_DET
- CO_ESV_PER_TAO
- CO_ESV_YTD_DET
- EMPLOYMENT
- EMPL_MATR_ITA
- ER_REFERRAL
- FGHR003B_EMPLOY
- GPCH_RP_0001
- GPCH_RP_FK02
- GPCH_RP_SI03
- GPDE_BV_EE
- GPDE_RP_0001
- GPFR_ASS_PAYEE
- GPFR_AT_ADMIN
- GPFR_ILL_AET
- GPGB_EE_RSLT
- GPGB_REPLIB_AET
- GPHK_I56_TMP4
- GPIT_CUD_RP_P1
- GPIT_FCUD_T2
- GPIT_RP_0001
- GPMX_XMAS_WA
- GPSG_IR21_HDR
- GPSG_IR8A_FORM
- GRP_ANNIV2_TBL
- GRP_ANNIV_TBL
- GVT_EMPLOYMENT
- GVT_EMPL_TEMP



HR_DIM_BEL_AET
 HR_DIM_RSLT_BEL
 HR_DIM_SEG9_BEL
 HR_DIM_SG12_BEL
 HR_GRPANNIV_AET
 HR_NSZ_AET
 HR_SHS_FRA_AET
 HR_VIAPRIS_AET
 MASS_RETRO_RQST
 MATRBK_ITA_AET
 NSZ_MSV_NLD
 PER062_TMP_JPN
 REG002_TMP
 RETRODEDMAS_TBL
 R_PER003
 SALARY_PLAN
 SHS_EMPL_TAO
 TL_EMPL_DTA_MSG
 TL_EMPL_TAO
 TL_RPT_EMPL
 Z_CHKLST_ALL

 Z_CHKLST_WL
 Z_NON_EMP_DATA
 Z_TABLE102

HIRE_DT_DAY

Default Label Day
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) HR_GRPANNIV_AET

HIRE_DT_MONTH

Default Label Month
 Length 2
 Type Number
 Format Uppercase



Record Reference(s) HR_GRPANNIV_AET

HIRE_DT_YEAR
Default Label Year
Length 4
Type Number
Format Uppercase

Record Reference(s) HR_GRPANNIV_AET

HIRE_RULE_ID
Default Label Hire Date Rule ID
Length 12
Type Character
Format Uppercase

Record Reference(s) ER_ERP_ELIG_AET

HIRE_TIME_FRA
Default Label Estimates Hire Time
Length 15
Type Time
Format Uppercase

Record Reference(s) SHS_EE_RUN_CTL
SHS_EMPL_TAO

HISTORY_ONLY
Default Label History Only
Length 1
Type Character
Format Uppercase



HOLD_PRINT

Default Label Hold Statements
Length 1
Type Character
Format Uppercase

Record Reference(s) BEN_BI_EMP_PARM

HOLIDAY

Default Label Holiday
Length 10
Type Date
Format Uppercase

Record Reference(s) HOLIDAY_DATE
 HOLIDAY_DTE_LNG
 ROE_FUTURE_PAY
 UPG_PY_AET

HOLIDAYNAME

Default Label Holiday Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSHOLIDAYDEFN
 PSHOLIDAYDEL

HOLIDAY_CALENDR_ID

Default Label Holiday Calendar
Length 2
Type Character
Format Uppercase



Record Reference(s) BUS_UNIT_TBL_PF

HOLIDAY_HRS

Default Label Holiday Hours
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) GP_RSLT_ABS
 HOLIDAY_DATE

HOLIDAY_LIST_ID

Default Label Holiday List ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL

HOLIDAY_PAY_ADJ

Default Label If Payment Dt Falls on Holiday
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_AUTO_CAL
 GP_AUTO_CAL_AET

- 1 No Adjustment
- 2 Pay 1 day Earlier
- 3 Pay 1 Day Later

HOLIDAY_PAY_RT_WCB

Default Label Holiday Pay Rate WCB
 Length 3
 Type Number



Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

HOLIDAY_PR_STS_FRA

Default Label Holiday Premium
Length 1
Type Character

Format Uppercase

Record Reference(s) DEP_BENEF_FRA

HOLIDAY_SCHEDULE

Default Label Holiday Schedule
Length 6
Type Character
Format Uppercase

Record Reference(s) ABSW_SCHEDULE

- BP_JOB
- FPAEPOST_HIST
- FPAEPOST_TBL
- FPA_CI_JOB
- GP_AUTO_CAL_AET
- GP_PYGRP_DTL
- GVT_JOB
- GVT_JOB_TEMP
- HOLIDAY_DATE
- HOLIDAY_DTE_LNG
- HOLIDAY_LANG
- HOLIDAY_TBL
- HP_CNTPAY04_AET
- JOB
- JOBCOMP_TMP_MC
- JOB_TEMP
- JOB_TMP_MC
- LOCATION_TBL



Default Label Home page enabled
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSBUSPROCDEFN

HOMEPAGEATTRIB

Default Label Home Page Attribute
 Length 56
 Type Character
 Format Mixedcase

Record Reference(s) DIRECTORYATTRIB
 DSUSRPRFLMAP

HOMEPAGECB

Default Label Navigator HomePage
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DIRECTORYATTRIB
 DSUSRPRFLMAP

N Home Page Check Box
 Y Home Page Check Box

HOME_AMT

Default Label Home Amount
 Length 13
 Type Number
 Format Uppercase

Record Reference(s) ASGN_DEDUCTIONS
 ASGN_EARNINGS



HOME_FURNITURE

Default Label Home Furniture
Length 1
Type Character
Format Uppercase

Record Reference(s) RESID_HOME_DTL

M Moved
N Not Applicable
S Sold
T Stored

HOME_HOST

Default Label Home or Host
Length 1
Type Character
Format Uppercase

Record Reference(s) ASGN_CMP_HOMHST

ASGN_DEDUCTIONS
ASGN_EARNINGS

ASGN_HOME_HOST

0 Home
1 Host 1
2 Host 2

HOME_HOST_CLASS

Default Label Home/Host Classification
Length 1
Type Character
Format Uppercase

Record Reference(s) EMPLOYMENT

FGHR003B_EMPLOY
GVT_EMPLOYMENT
GVT_EMPL_TEMP



M Home
S Host

HOME_HOST_EMPL_RCD

Default Label Home/Host Employment Record #
Length 3
Type Character
Format Uppercase

Record Reference(s) ASGN_HOME_HOST

HOME_LEAVE

Default Label Home Leave
Length 1
Type Character
Format Uppercase

Record Reference(s) TRAVEL_TYPE_TBL

HOME_PHONE

Default Label Home Phone #
Length 24
Type Character
Format 14

Record Reference(s) BEN_PER_DATA
BN_834_MEMBER
BN_SNAP_PER

HOME_RESID_BEFORE

Default Label Home Status Before Assignment
Length 1
Type Character
Format Uppercase



Record Reference(s) RESID_HOME_DTL

- C Cohabitate
- O Own
- R Rent

HOME_RESID_DURING

Default Label Home Status During Assignment
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RESID_HOME_DTL

- B Sublet
- N Not Applicable
- R Rented
- S Sold
- V Vacant

HOME_VEH_STATUS

Default Label Home Vehicle Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VEH_HOME_DTL

- M Moved
- N Not Applicable
- S Sold
- T Stored

HORIZONTAL

Default Label Horizontal
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PSMPCONTDEV

HOSPITAL

Default Label Hospital Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) ILL_CARE_GER

ILL_CARE_LNG
 INJURY_ILL_ADDR
 INJ_ILLADDR_LNG
 OHS001GER_TMP1
 OSHA_301_REPORT
 WCB_WOIN_EC
 WCB_WOIN_WD

HOSPITAL_24_SW_UK

Default Label Hospitalised for over 24 hours
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) OHS501UK_TMP2

HOSPITAL_IN_PT

Default Label Patient Hospitalized Overnight
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) OSHA_301_REPORT

HOSPITAL_SW



Default Label Patient Taken To Hospital
Length 1
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL
OHS501UK_TMP2

HOST

Default Label Host
Length 50
Type Character
Format Uppercase

Record Reference(s) PSREN

HOSTNAME

Default Label Host
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSQRYTRANS

HOST_AMT

Default Label Host Amount
Length 13
Type Number
Format Uppercase

Record Reference(s) ASGN_DEDUCTIONS
ASGN_EARNINGS

HOST_FURNITURE



Default Label Host Furniture
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RESID_HOST_DTL

N Not Applicable
 O Own
 R Rental

HOST_RESID_STATUS

Default Label Host Residence Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RESID_HOST_DTL

C Cohabitate
 H Hotel
 M Agency Owned
 O Own
 R Rental

HOST_VEH_STATUS

Default Label Host Vehicle Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VEH_HOST_DTL

M Agency Owned
 N None
 O Own
 R Rental

HOTJOB_ID

Default Label Hot Job ID



Length 12
 Type Character
 Format Uppercase

Record Reference(s) ER_EE_REF_AWD

HOT_JOB

Default Label Hot Job
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_REQUISITION

HOURLY_FACTOR_FLAG

Default Label Hourly Factor Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_FGPY005_AET

HOURLY_RT

Default Label Hourly Rate
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) ADDL_PAY_DATA
 ADD_PAY_DTA_NLD
 AE_FGPY005_AET
 BP_JOB
 CO_DPK_JOB_TAO
 FPAEESALARY
 FPAEESALARYBIS
 FPAEESALAR_HIST



FPMSYSTEM_TBL
 HOURS_FRA_LANG
 HOURS_TYPE_FRA
 JOBCOMP_TMP_MC
 JOB_TMP_MC

HOURS_CREDIT_FRA

Default Label Hours Credited
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) MANDATES_FRA

HOURS_DIVISOR

Default Label Hours Divisor
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

HOURS_DIV_TYPE

Default Label Hours Divisor Field Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

N Numeric Constant
 V Variable by Employee

HOURS_EARNED

Default Label Hours Earned
 Length 12



Type Signed Number
Format Uppercase

Record Reference(s) GVT_ACCR_ADJ
GVT_ACCR_LDGR
GVT_ACC_ADL_TBL
GVT_ACC_RT_TBL
LEAVE_ADDL_TBL
LEAVE_RATE_TBL
LEAVE_SRVYR_TBL

HOURS_PER_YEAR

Default Label Hours per Year
Length 7
Type Number
Format Uppercase

Record Reference(s) GVT_IRR_FIN_DTA

HOUR_MULTIPLIER

Default Label Hour Multiplier for Dtrm Subtr
Length 16
Type Number
Format Uppercase

Record Reference(s) WF_RPT_DTTM_CVT

HOUSE_TYPE

Default Label House Type
Length 2
Type Character
Format Uppercase

Record Reference(s) EO_ADDR_VALIDAT
GPNL_ZFW_TT_TMP
GVT_PAR_PSH_AET



HR_DIM_BEL_AET
 HR_NSZ_AET
 HR_VIAPRIS_AET
 UPG_HR75RWF_AET
 UPG_HR75TRN_AET

AB House Boat Reference
 WW House Trailer Reference

HOVERPSEUDOCCLASS

Default Label Hover Pseudo Class
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSSTYLECLASS

HOW_FIELD_SPECIFY

Default Label How Specified
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) NVS_SCOPE_FIELD

- 1 All Detail Values
- 2 Selected Detail Values
- 3 Detail - Selected Parents
- 4 Selected Tree Nodes
- 5 Children at a Level
- 6 All Nodes at Selected Levels
- 7 Selected Summary ChrtFld Nodes
- 9 Value Mask
- A Account Type
- R Range of Values

HOW_SPECIFY

Default Label How Specified Option



Length 1
 Type Character
 Format Uppercase

Record Reference(s) JRNLGEN_APPL_ID

- A Summarize to Account Level
- C Summarize to ChartField Level
- D Retain Detail
- S Summarize by Selected CF's

HOW_VERIFIED

Default Label Verified By
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) APP_COMPS

COMPETENCIES
 UPG_COMPETN_TAO
 UPG_HR75_AET

- E Employee Claim
- J On the Job Training
- N Not Verified
- O Employer Observation
- T By Test
- V NVQ Authority

HO_CAPITAL_COST

Default Label Capital Cost
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HO_EXPIRY_DT

Default Label Lease Expiry Date



Length 10
Type Date
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HO_GOODS_DESC

Default Label Description of Goods
Length 40
Type Character
Format Mixedcase

Record Reference(s) PKG_MDL_BSE_CMP

HO_LEASE_TERM

Default Label Lease Term (Months)
Length 3
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HO_RESIDUAL_AMT

Default Label Lease Residual Amount
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HO_RESIDUAL_PCT

Default Label Lease Residual Percent
Length 6
Type Number



Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HO_START_DT

Default Label Lease Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HP_1042S_FORM_ID

Default Label Form ID
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_TAX1042

- I IMP01
- L LSR01
- P LSR03UP

HP_1042_FINAL_RUN

Default Label Final Run
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_TAX1042

HP_1042_TEST_RUN

Default Label Test Run
Length 1



Type Character
Format Uppercase

Record Reference(s) RC_TAX1042

HP_900_PROC_DT

Default Label HPH900CN Process Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_901_PROC_DT

Default Label HPH901CN Process Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_902_PROC_DT

Default Label HPH902CN Process Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_903_PROC_DT

Default Label HPH903CN Process Date
Length 10
Type Date
Format Uppercase



Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_ADMINSTIP_FLAG

Default Label Administrative Stipend Flag

Length 1

Type Character

Format Uppercase

Record Reference(s) EARNINGS_TBL

HP_ADMIN_STIPENDS

Default Label Administrative Stipends

Length 9

Type Number

Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_ALL_COMPPYG

Default Label All Companies & Paygroups

Length 1

Type Character

Format Uppercase

Record Reference(s) HP_GRSFRG_CNTL
HP_RC_GRSFR

HP_ALL_DEPT

Default Label All Department

Length 1

Type Character

Format Uppercase



Record Reference(s) HP_RC_GRSFR

HP_ALL_FUNDSRC

Default Label All Funding Sources
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RC_GRSFR

HP_ALL_PROJECTS

Default Label All Projects
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RC_GRSFR

HP_ANNUAL_SALARY

Default Label Annual Salary
Length 9
Type Number
Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_APPROVER_ID

Default Label Approval User Id
Length 30

Type Character
Format Uppercase

Record Reference(s) HP_RDIST_TRANS



RUN_CNTL_BUD020

HP_APPTMNT_STATUS

Default Label Appointment Status
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_PT_APPNTMNT

- 1 FT Appointment < 12 Months
- 2 Part Time Appointment
- 3 Overload Apptmnt < 12 Months

HP_APPT_TO_RANK_YR

Default Label Year of Appointment to Rank
Length 4
Type Number
Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_AUDIT_LEVEL

Default Label Pre-Distribution Audit Level
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RC_PDAUDIT

- G General Audit
- S Specific Audit

HP_AUDIT_PROJECT

Default Label Audit Project/Grant
Length 1
Type Character



Format Uppercase

Record Reference(s) HP_RC_PDAUDIT

HP_BARGAIN_AGENT

Default Label Bargaining Agent
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_PT_SURVEY

- 1 Reported Job w/ Union
- 2 Reported Job w/o Union

HP_BEGIN_FISCAL_YR

Default Label Beginning Fiscal Year
Length 4
Type Character
Format Uppercase

Record Reference(s) RUN_HPDISRCH

HP_BEG_ACCTNG_PER

Default Label Beginning Accounting Period
Length 3
Type Number
Format Uppercase

Record Reference(s) RUN_HPDISRCH

HP_BUDGET_DATATYPE

Default Label Specified Budget Data Type
Length 2
Type Character



Format Uppercase

Record Reference(s) HP_DISTBDGT_AET
HP_DISTSRCH_AET
HP_DIST_FLDS
HP_RDIST_MSGTBL
RUN_HPDISRSRCH
RUN_HPSRCHDATA
RUN_HPUPDTDATA
RUN_HPUPDTSEQ

A All
D Deductions
DT Deductions and Taxes
E Earnings
ED Earnings and Deductions
ET Earnings and Taxes
T Tax

HP_COLLAPSE_INDC

Default Label Collapse Into FT Job Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_EMPLT_TEACH

HP_COLUMN_ID

Default Label Column ID
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_COL_DEFN_COL
HP_COL_DEFN_DTL

A Column A
B Column B
C Column C



D Column D
 E Column E
 F Column F

HP_COL_HEADING1

Default Label Column Heading 1
 Length 13
 Type Character
 Format Mixedcase

Record Reference(s) HP_COL_DEFN_COL

HP_COL_HEADING2

Default Label Column Heading 2
 Length 13
 Type Character
 Format Mixedcase

Record Reference(s) HP_COL_DEFN_COL

HP_CONTACT_NM_1042

Default Label Contact Name
 Length 40
 Type Character
 Format Uppercase

Record Reference(s) HP_1042S_PARAM

HP_CONTRACT_START

Default Label Actual Start Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CONTRACT



HP_CORRECTED_DT

Default Label Corrected Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PAY_CHECK
WRK_CHECK

HP_CORRECT_STATUS

Default Label Cheque Corrected Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_CHECK
WRK_CHECK

HP_CTX_ACCT

Default Label Use Acct Defined for Can Tax
Length 1
Type Character
Format Uppercase

Record Reference(s) DEPT_BUDGET_DT

HP_DED_ACCT

Default Label Use Acct Defined for Dedns
Length 1
Type Character
Format Uppercase

Record Reference(s) DEPT_BUDGET_DT
RUN_CNTL_BDGT



RUN_CNTL_BUDEPT

HP_DEPTID

Default Label Department
Length 10
Type Character
Format Uppercase

Record Reference(s) HP_DISTBDGT_AET
HP_GRSFRG_DATA

HP_DISTRIB_OVRRIDE

Default Label Distribution Overridden
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_CTXDIST_WRK

HP_DEDDIST_WRK
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_ERNDIST_WRK
HP_RDIST_CTXDAT
HP_RDIST_DEDDAT

HP_RDIST_ERNDAT
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK
PAY_CTX_DIST
PAY_DED_DIST
PAY_ERN_DIST
PAY_TAX_DIST
UPG_HP_AET
WRK_CTX_DIST
WRK_DED_DIST
WRK_ERN_DIST
WRK_TAX_DIST



HP_DIST_CHARTFLD

Default Label Chartfield
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_DIST_FLDS

HP_DTL_SORT_CD

Default Label Detail Report Sort Sequence
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RC_GRSFR

- C Pay Check No
- I Employee ID
- N Employee Name

HP_EARNED_TO_DT

Default Label Earned to Date
Length 18
Type Signed Number
Format Uppercase

Record Reference(s) CONTRACT

HP_END_ACCTNG_PER

Default Label End Accounting Period
Length 3
Type Number
Format Uppercase

Record Reference(s) RUN_HPDISRCH



HP_END_CREATE_DT

Default Label Create Date Range

Length 10
Type Date
Format Uppercase

Record Reference(s) RUN_CNTL_BUD020

HP_END_FISCAL_YR

Default Label End Fiscal Year

Length 4
Type Character
Format Uppercase

Record Reference(s) RUN_HPDISRCH

HP_ERN_ACCT

Default Label Use Acct Defined for Earnings

Length 1
Type Character
Format Uppercase

Record Reference(s) DEPT_BUDGET_DT
RUN_CNTL_BDGT
RUN_CNTL_BUDEPT

HP_ERROR_FLAG

Default Label Error Flag

Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RETDIST_AET



HP_ERROR_STATUS

Default Label Error Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_RDIST_CTXDAT
 HP_RDIST_DEDDAT
 HP_RDIST_ERNDAT
 HP_RDIST_TAXDAT
 HP_RETDIST_AET
 RUN_CNTL_BUD020

0 OK
 R Rejected during Process
 T Rejected during Creation

HP_EXCESS

Default Label Overspend Budget Allowed
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DEPT_BUDGET_CTX
 DEPT_BUDGET_DED
 DEPT_BUDGET_ERN
 DEPT_BUDGET_TAX

N No
 Y Yes

HP_EXIST

Default Label Row Exist
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_DISTBDGT_AET



HP_DISTSRCH_AET
 HP_RETDIST_AET

HP_FAC_ACTV_TYPE
 Default Label Faculty Activity Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) EG_ACTIVITIES
 ORG Original Research
 SCH Scholarly Research

HP_FIELD_DESC
 Default Label Field Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) HP_DISTSRCH_AET
 RUN_HPUPDTDATA

HP_FIELD_DESCR
 Default Label Field Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) HP_DIST_FLDS
 RUN_HPSRCHDATA

HP_FIELD_LENGTH
 Default Label Field Length
 Length 3



Length 5
Type Character
Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_FISCAL_YEAR

Default Label Fiscal Year
Length 4
Type Number
Format Uppercase

Record Reference(s) HP_DISTBDGT_AET

HP_FLDESCR

Default Label Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) HP_DED_ACC_RULE
HP_ERN_ACC_RULE

HP_FLDNAME

Default Label Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) HP_DED_ACC_RULE
HP_ERN_ACC_RULE

HP_FLDPRIORITY

Default Label Priority



Length 2
Type Number
Format Uppercase

Record Reference(s) HP_DED_ACC_RULE
HP_ERN_ACC_RULE

HP_FLDREQ

Default Label Required?
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_DED_ACC_RULE
HP_ERN_ACC_RULE

HP_FLDUSED

Default Label Used?
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_DED_ACC_RULE
HP_ERN_ACC_RULE

HP_FRINGE_GROUP

Default Label Fringe Group
Length 5
Type Character
Format Uppercase

Record Reference(s) DEPT_BUDGET_DT
DEPT_BUDGET_ERN
HP_FRINGE_CTX
HP_FRINGE_DED
HP_FRINGE_GROUP



HP_FRINGE_TAX
 RUN_CNTL_BDGT
 RUN_CNTL_BUDEPT

HP_FTTE
 Default Label Full-Time Teaching Equivalent
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) HP_EMPLT_TEACH
 HP_PT_APPNTMNT

HP_FT_APPTMNT_TYPE
 Default Label Type of Appointment
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_FT_SURVEY

- 1 Non-Vstng Tchg Mbr Tenured
- 2 Non-Vstng Tchg Mbr Non-Tenured
- 3 Non-Vstng Tchg Mbr Contract
- 4 Visiting Academic Teaching Mbr
- 5 Other

HP_FT_FILENAME
 Default Label FT Survey Output Filename
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_FT_TO_DATE



Default Label Stats-Can FT Survey End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_FUND_LIMIT_AMT

Default Label Funding Limit Amount
 Length 10
 Type Signed Number

 Format Uppercase

Record Reference(s) HP_RC_PDAUDIT

HP_GROSS

Default Label Gross or Fringe
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_COL_DEFN_COL
 HP_GRSFRG_DATA

 E Gross
 F Fringe

HP_HIGHEST_DEG_YR

Default Label Year of Highest Degree
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) HP_FT_SURVEY
 HP_PT_SURVEY



HP_HIGH_DEG_PROV

Default Label	Province of Highest Degree
Length	5
Type	Character
Format	Uppercase

Record Reference(s)	HP_FT_SURVEY
---------------------	--------------

HP_IGNOREOFFCYCLE

Default Label	Ignore Off Cycle
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	HPDBRETDIST_AET RUN_HPDISRCH
---------------------	---------------------------------

HP_IMMIGRTN_STATUS

Default Label	Stats Can Immigration Status
Length	1
Type	Character
Format	Numbers Only

Record Reference(s)	HP_FT_SURVEY
---------------------	--------------

- | | |
|---|---------------------------|
| 1 | Permanent Resident |
| 2 | Resident At Time of Offer |
| 3 | Employment VISA |
| 5 | Not Applicable |
| 9 | Unknown |

HP_INCL_RETRO

Default Label	Include Retro Distribution
Length	1
Type	Character
Format	Uppercase



Record Reference(s) HP_RC_GRSFR

HP_LAST_DT_CHNGD

Default Label Last Date Changed
Length 10
Type Date
Format Uppercase

Record Reference(s) HP_FT_SURVEY
HP_PT_SURVEY

HP_LAST_DT_RPRTD

Default Label Last Date Reported
Length 10
Type Date
Format Uppercase

Record Reference(s) HP_FT_SURVEY
HP_PT_SURVEY

HP_LAST_LOAD_DT

Default Label Last Load Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HP_FT_SURVEY
HP_PT_SURVEY

HP_MARKET

Default Label Market
Length 3
Type Character
Format Uppercase



Record Reference(s) HP_DISTBDGT_AET
 HP_DISTSRCH_AET
 HP_RETDIST_AET
 RUN_CNTL_BUD020
 RUN_HPDISRCH
 RUN_HP_RETDIST

ARG	Argentina
AUS	Australia
BEL	Belgium
BRA	Brazil
CAN	Canada
CHE	Switzerland
DEU	Germany
ESP	Spain
FIN	Financial Services
FRA	France
GBL	Global
GBR	Great Britain
HC	Health Care
HED	Higher Education
IDN	Indonesia
ITA	Italy
JPN	Japan
LCL	Local
MYS	Malaysia
NA	North America
NLD	Netherlands
NZL	New Zealand
PS	Public Sector
RTL	Retail
SGP	Singapore
USA	United States
USF	U.S. Federal Govt

HP_MAX_NBR	
Default Label	Maximum Row
Length	5
Type	Number
Format	Uppercase



Default Label Number of Months on Oth Pd Lve
Length 2
Type Number
Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_MM_ON_SABBATICL

Default Label Number of Months on Sabbatical
Length 2
Type Number
Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_MM_ON_UNPAID_LV

Default Label Number of Months on Unpaid Lve
Length 2
Type Number
Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_NEW_ACCOUNT

Default Label New Account
Length 10
Type Character
Format Uppercase

Record Reference(s) HP_RDIST_CTXDAT
 HP_RDIST_DEDDAT
 HP_RDIST_ERNDAT
 HP_RDIST_TAXDAT
 HP_RETDIST_AET



HP_NEW_ACCT_CD

Default Label New Account Code
Length 25

Type Character
Format Uppercase

Record Reference(s) HP_RDIST_CTXDAT
 HP_RDIST_DEDDAT
 HP_RDIST_ERNDAT
 HP_RDIST_TAXDAT
 HP_RETDIST_AET

HP_NEW_ACCT_PERIOD

Default Label New Accounting Period
Length 3
Type Number
Format Uppercase

Record Reference(s) HP_RDIST_CTXDAT
 HP_RDIST_DEDDAT
 HP_RDIST_ERNDAT
 HP_RDIST_TAXDAT
 HP_RETDIST_AET

HP_NEW_DED_CUR

Default Label New Current Deduction
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) HP_RDIST_DEDDAT
 HP_RETDIST_AET

HP_NEW_FISCAL_YEAR

Default Label New Fiscal Year
Length 4



Type Signed Number
 Format Uppercase

Record Reference(s) HP_RDIST_CTXDAT
 HP_RDIST_TAXDAT
 HP_RETDIST_AET

HP_NEXT_EFFDT

Default Label Next Effective Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) HPDBRETDIST_AET
 HP_BDGT_CTXCHG
 HP_BDGT_DEDCHG
 HP_BDGT_ERNCHG
 HP_BDGT_TAXCHG
 HP_DISTBDGT_AET

HP_ONT_FINAL_SALRY

Default Label Ontario Final Rate of Salary
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_ONT_SALARY_SRCE

Default Label Ontario Salary Source
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) HP_FT_SURVEY



HP_OTHERPAID_CAT

Default Label Other Paid Leave HR/Act Catgry
Length 10
Type Character
Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_PAID_TO_DT

Default Label Paid to Date
Length 18
Type Signed Number
Format Uppercase

Record Reference(s) CONTRACT

HP_PREVRDIST_SUB_X

Default Label Secondary Transaction Number
Length 5
Type Number
Format Uppercase

Record Reference(s) HPDBRETDIST_AET

HP_PREVRDIST_TRANS

Default Label Transaction Number
Length 10
Type Number
Format Uppercase

Record Reference(s) HPDBRETDIST_AET

HP_PREV_EFFDT



Default Label Previous Effective Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HPDBRETDIST_AET
HP_BDGT_CTXCHG
HP_BDGT_DEDCHG
HP_BDGT_ERNCHG
HP_BDGT_TAXCHG
HP_DISTBDGT_AET

HP_PREV_EFFSEQ

Default Label Previous Effective Sequence
Length 3

Type Number
Format Uppercase

Record Reference(s) HPDBRETDIST_AET
HP_BDGT_CTXCHG
HP_BDGT_DEDCHG
HP_BDGT_ERNCHG
HP_BDGT_TAXCHG
HP_DISTBDGT_AET

HP_PREV_EMPLT_LOC

Default Label Previous Employment Location
Length 5
Type Character
Format Numbers Only

Record Reference(s) HP_FT_SURVEY

HP_PREV_EMPLYMNT

Default Label Previous Employment Code
Length 2



Type Character
 Format Numbers Only

Record Reference(s) HP_FT_SURVEY
 HP_STATS_FT_MBR

- 01 Teaching
- 02 Non-Teaching
- 03 Teaching At Other Institution
- 04 Non-Teaching At Other Institn
- 05 Student
- 06 In Health Care Institution
- 07 Military
- 08 Government Dept or Agency
- 09 Industry or Commerce
- 10 Self-Employed
- 11 Other
- 99 Unknown

HP_PRIORDAYS

Default Label Days Prior Pay End Date
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) HPDBRETDIST_AET
 RUN_HPDISRSRCH

HP_PRIOR_ACCT_CD

Default Label Account Code
 Length 25
 Type Character
 Format Uppercase

Record Reference(s) HPDBRETDIST_AET
 HP_BDGT_CTXCHG
 HP_BDGT_DEDCHG
 HP_BDGT_ERNCHG
 HP_BDGT_TAXCHG



HP_DISTBDGT_AET

HP_PROCESS_STATE

Default Label Process State
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_RDIST_TRANS
 RUN_CNTL_BUD020

C Complete
 D Delete
 E Editing
 I Initiated

HP_PROC_STATUS

Default Label Process Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_GRSFRG_CNTL

L Loading Data
 N None
 R Generate Report

HP_PROGRAM_NAME

Default Label Application Program Name
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) HP_RDIST_MSGTBL

HP_PT_APPTMNT_TYPE



Default Label Type of Appointment
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_PT_APPNTMNT

- 1 Tenured
- 2 Non-Tenure on Track
- 3 Duties Code = 10
- 4 Duties Code <> 10

HP_PT_FILENAME

Default Label PT Survey Output Filename
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_PT_SALARY_PAID

Default Label Salary Paid
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) HP_PT_APPNTMNT

HP_PT_TO_DATE

Default Label Stats-Can PT Survey End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD



HP_RDIST_REV_SEQ

Default Label Retro Dist Replacement Seq Set
Length 5
Type Number
Format Uppercase

Record Reference(s) HP_CTXDIST_WRK

HP_DEDDIST_WRK
HP_ERNDIST_WRK
HP_TAXDIST_WRK
PAY_CTX_DIST
PAY_DED_DIST
PAY_ERN_DIST
PAY_TAX_DIST
WRK_CTX_DIST
WRK_DED_DIST
WRK_ERN_DIST
WRK_TAX_DIST

HP_RDIST_SUB_TRANS

Default Label Secondary Transaction Number
Length 5
Type Number
Format Uppercase

Record Reference(s) HPDBRETDIST_AET

HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_RDIST_CTXDAT
HP_RDIST_DEDDAT
HP_RDIST_ERNDAT
HP_RDIST_MSGTBL
HP_RDIST_TAXDAT
HP_RETDIST_AET

HP_RDIST_TRANS_NO



Default Label Transaction Number
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) HPDBRETDIST_AET
 HP_DISTBDGT_AET
 HP_DISTSRCH_AET
 HP_RDIST_CTXDAT
 HP_RDIST_DEDDAT
 HP_RDIST_ERNDAT
 HP_RDIST_MSGTBL
 HP_RDIST_TAXDAT
 HP_RETDIST_AET

HP_REDIRECT_ACCT
 Default Label Redirect Account Code
 Length 25
 Type Character
 Format Uppercase

Record Reference(s) DEPT_BUDGET_ERN
 RUN_CNTL_BDGT
 RUN_CNTL_BUDEPT

HP_REDUCED_LOAD
 Default Label Percentage of Load Reduction
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_REMAINDER_AMT
 Default Label Left over
 Length 20



Type Signed Number
 Format Uppercase

Record Reference(s) HP_DISTSRCH_AET

HP_RESIDENT_STATUS

Default Label Resident Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_STATS_FT_MBR

HP_RETDIST_PAY_DT

Default Label Retro Dist Pay End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) HPDBRETDIST_AET

- HP_CTXDIST_WRK
- HP_DEDDIST_WRK
- HP_ERNDIST_WRK
- HP_GRSFRG_DATA
- HP_PAYGLO2_RCHK
- HP_PAYGLO2_RETD
- HP_RDIST_CTXDAT
- HP_RDIST_DEDDAT
- HP_RDIST_ERNDAT
- HP_RDIST_TAXDAT
- HP_RETDIST_AET
- HP_TAXDIST_WRK
- PAY_CTX_DIST
- PAY_DED_DIST
- PAY_ERN_DIST
- PAY_TAX_DIST
- WRK_CTX_DIST
- WRK_DED_DIST



WRK_ERN_DIST
WRK_TAX_DIST

HP_RETDIST_SEQ_NO

Default Label Created by Retro Dist Process
Length 5
Type Number
Format Uppercase

Record Reference(s) HPDBRETDIST_AET

HP_CTXDIST_WRK
HP_DEDDIST_WRK
HP_ERNDIST_WRK
HP_RETDIST_AET
HP_TAXDIST_WRK
PAY_CTX_DIST
PAY_DED_DIST
PAY_ERN_DIST
PAY_TAX_DIST
UPG_HP_AET
WRK_CTX_DIST
WRK_DED_DIST
WRK_ERN_DIST
WRK_TAX_DIST

HP_RETDIST_STATUS

Default Label Distribution Status
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_CTXDIST_WRK

HP_DEDDIST_WRK
HP_ERNDIST_WRK
HP_GRSFRG_DATA
HP_TAXDIST_WRK
PAY_CTX_DIST
PAY_DED_DIST
PAY_ERN_DIST



PAY_TAX_DIST
WRK_CTX_DIST

WRK_DED_DIST
WRK_ERN_DIST
WRK_TAX_DIST

0 Not changed
D Reversing Entry
R Redistributed

HP_RETRODIST_CHG

Default Label Retroactive Distribution Chg
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_GRSFRG_DATA

HP_RPT_COLDEFN_CD

Default Label Column Definition Code
Length 5
Type Character
Format Uppercase

Record Reference(s) HP_COL_DEFN_COL
HP_COL_DEFN_DTL
HP_COL_DEFN_TBL
HP_RC_GRSFR

HP_RPT_ON_FUND_LMT

Default Label Report On Fundiing Limits
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RC_PDAUDIT



HP_RUN_CNTL_ID

Default Label Run Control ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) HP_RDIST_CTX
HP_RDIST_CTXDAT
HP_RDIST_DED
HP_RDIST_DEDDAT
HP_RDIST_ERN
HP_RDIST_ERNDAT
HP_RDIST_MSGTBL
HP_RDIST_TAX
HP_RDIST_TAXDAT
HP_RDIST_TRANS
HP_RETDIST_AET
RUN_CNTL_BUD020
RUN_HP_RETDIST

HP_SABBATICAL_CAT

Default Label Sabbatical HR/Action Category
Length 10
Type Character
Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_SALARY_STATUS

Default Label Stats-Can Salary Status
Length 1
Type Character
Format Numbers Only

Record Reference(s) HP_FT_SURVEY
HP_STATS_FT_MBR



- 1 Regular Salary Scales
- 2 Military/Religious Reduced

HP_SELECTED

Default Label Transaction Selected
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_RDIST_CTX
 HP_RDIST_DED
 HP_RDIST_ERN
 HP_RDIST_TAX
 RUN_HP_RETDIST

HP_SEQ_NBR

Default Label Sequence Number
 Length 15
 Type Number
 Format Uppercase

Record Reference(s) HP_RETDIST_AET

HP_SORT_CD

Default Label Secondary Sort Sequence
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_RC_GRSFR

- F Funding Source
- N None
- P Position

- R Project



HP_SORT_DEPT

Default Label by Department
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_RC_GRSFR

HP_SORT_FYACTPD

Default Label by Fiscal Year & Acct Period
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_RC_GRSFR

HP_STATS_CAN_YR

Default Label Stats-Can Reporting Year
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) HP_FT_SURVEY
 HP_PT_APPNTMNT
 HP_PT_SURVEY
 HP_STATS_FT_MBR

HP_STATS_DEG_LVL

Default Label Stats-Can Degree Level
 Length 2
 Type Character
 Format Numbers Only

Record Reference(s) ACCOMP_TBL
 HP_FT_SURVEY
 HP_PT_SURVEY



- 01 Doctoral
- 02 Professional Para-Medical
- 03 Masters & Equivalent License
- 04 Graduate License
- 05 Bachelor
- 06 Professional Designation
- 07 Undergraduate Diploma
- 08 No Degree/Diploma/Prof.Desgntn
- 99 Unknown

HP_STATS_DEPT_CD

Default Label Stats-Can Dept Code
 Length 3
 Type Character

Format Uppercase

Record Reference(s) DEPT_TBL
 HP_FT_SURVEY
 R_PER507

HP_STATS_DUTIES

Default Label Stats-Can Duties
 Length 2
 Type Character
 Format Numbers Only

Record Reference(s) HP_EMPLT_TEACH
 JOBCODE_TBL

- 10 Teaching Only
- 20 Teaching & Othr Responsibility
- 30 Research

HP_STATS_FACULTY

Default Label Stats-Can Faculty Code
 Length 5
 Type Character



Default Label Stats Can Province Code
 Length 5
 Type Character
 Format Numbers Only

Record Reference(s) CAN_TAX_PROV

HP_STATS_PT_DATE

Default Label Stats-Can PT Survey Start Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_STATS_RANK_CD

Default Label Stats-Can Rank Code
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) EG_RANK_TBL
 HP_FT_SURVEY

- 1 Full Professor
- 2 Associate Professor
- 3 Assistant Professor
- 4 Below Assistant Professor
- 5 Next Below Assistant Professor
- 6 Other

HP_STATS_RESP_CD

Default Label Stats-Can Responsibility Code
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) EG_ADM_POST_TBL



HP_FT_SURVEY

- 0 Teaching - No other adm duties
- 1 Dean
- 2 Dean - Assit., Assoc. or Vice
- 3 Dir. w/ Resp./Salry = Dean
- 4 Director/Dept Head/Coordinator
- 5 Chairperson
- 6 Visitor - Teaching
- 7 Researcher - Non-Visitor
- 8 Researcher - Visitor
- 9 Asst/Assoc Dir,DptHd,Coord,Oth

HP_STATS_RPT_FLAG

Default Label Stats-Can Report Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_EMPLT_TEACH
 JOBCODE_TBL

- B Both Surveys
- F Full-Time Survey
- N Not Applicable
- P Part-Time Survey

HP_STATS_SUBJ_CD

Default Label Principal Subject Taught
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) HP_EMPLT_TEACH
 HP_FT_SURVEY
 HP_PT_APPNTMNT
 HP_STATS_SUBJ
 HP_SUBJ_TBL_LNG



HP_SUMMARY_RPT

Default Label Summary Report
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RC_GRSFR

D Detail Report
S Summary Report

HP_SUSPENSE_ASSGN

Default Label Suspense Acct Assignment
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_BLOAD

HP_TAX_ACCT

Default Label Use Acct Defined for US Tax
Length 1
Type Character
Format Uppercase

Record Reference(s) DEPT_BUDGET_DT

RUN_CNTL_BDGT
RUN_CNTL_BUDEPT

HP_TEACHING_LOAD

Default Label Stats-Can Teaching Load
Length 4
Type Number
Format Uppercase

Record Reference(s) HP_EMPLT_TEACH



HP_PT_APPNTMNT

HP_TL_RECS_ADJ

Default Label TIME LABOR RECORDS ADJUSTED
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RETDIST_AET

HP_TOTAL_APPNTMNTS

Default Label Number of Appointments
Length 2
Type Number
Format Uppercase

Record Reference(s) HP_PT_SURVEY

HP_TRACK_ACTUALS

Default Label Track Actual Earnings
Length 1
Type Character
Format Uppercase

Record Reference(s) CONTRACT
HP_CNTPAY04_AET

HP_TRANSACTION_SRC

Default Label Transaction Source
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_DISTBDGT_AET
HP_DISTSRCH_AET



HP_RDIST_CTX
 HP_RDIST_CTXDAT
 HP_RDIST_DED
 HP_RDIST_DEDDAT
 HP_RDIST_ERN
 HP_RDIST_ERNDAT

HP_RDIST_MSGTBL
 HP_RDIST_TAX
 HP_RDIST_TAXDAT
 HP_RDIST_TRANS
 HP_RDIST_TRIGGR
 HP_RETDIST_AET
 RUN_HPDISRCH
 RUN_HP_RETDIST

B Budget Changes
 R Direct Access Changes

HP_UNPAID_CAT

Default Label Unpaid Leave HR/Act Catgry
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_USED_DISTRIBUTN

Default Label Used by Distribution Process
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DEPT_BUDGET_CTX
 DEPT_BUDGET_DED
 DEPT_BUDGET_ERN
 DEPT_BUDGET_TAX

N Used only by Payroll
 Y Used By Distribution



HP_USE_HOL_SCHD

Default Label Use Holiday Schedule
Length 1
Type Character
Format Uppercase

Record Reference(s) CONTRACT
HP_CNTPAY04_AET
RC_PAYINIT

HP_USE_SPACES

Default Label Update and Search Spaces
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_DISTSRCH_AET
HP_DIST_FLDS
RUN_HPSRCHDATA
RUN_HPUPDTDATA

HP_VIEWED

Default Label Viewed Transaction
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RDIST_CTX
HP_RDIST_DED
HP_RDIST_ERN
HP_RDIST_TAX

HP_VISITING_FLAG

Default Label Visiting Faculty



Length 1
Type Character
Format Uppercase

Record Reference(s) HP_STATS_FT_MBR

HP_WARNING_PRODUCE

Default Label Warning Produced
Length 1
Type Character
Format Uppercase

Record Reference(s) HP_RETDIST_AET

HP_WORKDAYS

Default Label Work Days in Contract
Length 3
Type Number
Format Uppercase

Record Reference(s) CONTRACT
HP_CNTPAY04_AET

HP_WORKED_TO_DT

Default Label Days Worked to Date
Length 3
Type Number
Format Uppercase

Record Reference(s) CONTRACT

HP_WORKLOAD_CAT

Default Label Wrkload Reductn HR/Act Catgry
Length 10
Type Character



Format Uppercase

Record Reference(s) HP_RPTNG_PERIOD

HP_YEAR_OF_APPTMNT

Default Label Year of Appointment
Length 4
Type Number
Format Uppercase

Record Reference(s) HP_FT_SURVEY

HP_YEAR_OF_BIRTH

Default Label Year of Birth
Length 4
Type Number
Format Uppercase

Record Reference(s) HP_FT_SURVEY
 HP_PT_SURVEY

HQUNIT

Default Label Headquarters Unit
Length 1
Type Character
Format Uppercase

Record Reference(s) ESTAB_TBL

HR

Default Label Human Resources
Length 1
Type Character
Format Uppercase



Record Reference(s) INSTALLATION

HRLY_RT_MAXIMUM

Default Label Maximum Hourly Rate
Length 19
Type Number
Format Uppercase

Record Reference(s) EARNINGS_TBL

HRLY_RT_NOLOC_NEW

Default Label Hourly Rate No Location New
Length 19
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

HRLY_WRK_GRP_AMNT

Default Label Min Hourly (Part Time)
Length 9
Type Number
Format Uppercase

Record Reference(s) RGM_BSE_ESP_TBL

HRMS_CLASS

Default Label Classification
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_VNDR_REPORT



VENDOR
VENDOR_TMP

C	Credit Card Supplier
D	General Deduction
G	Garnishment Payee
H	National Health Service Prov.
I	Industrial Ins. Board Provider
M	Imp Partner Provider
N	Not Applicable
P	General Provider
T	Tax Collector

HRS_ADJ

Default Label	Hours Adjustment
Length	8
Type	Signed Number
Format	Uppercase

Record Reference(s)	BAL_ADJ_CN_ERN
	BAL_ADJ_ERN
	GVT_ACCR_ADJ
	GVT_ACCR_LDGR

HRS_ADJUST_UNPROC

Default Label	Hours Adjusted Unprocessed
Length	9
Type	Signed Number
Format	Uppercase

Record Reference(s)	GVT_ACCR_NONPAY
	LEAVE_ACCRUAL

HRS_ADJUST_YTD

Default Label	Hours Adjusted Year-to-Date
Length	9
Type	Signed Number



Format Uppercase

Record Reference(s) GVT_ACCR_SUMM
GVT_ACR_SUM_WRK
LEAVE_ACCRUAL

HRS_ASSMP_AMT

Default Label Hours Amount
Length 4
Type Number
Format Uppercase

Record Reference(s) PA_CALCULATION
PA_I_ESTIMATE
PA_SSV_DEFAULTS
UPG_PA_CALC_MAP
UPG_PA_CALC_TMP

HRS_ASSMP_LIMIT

Default Label Maximum Hours Amount
Length 4
Type Number
Format Uppercase

Record Reference(s) PA_SSV_DEFAULTS

HRS_BASIS

Default Label Hours Based On
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CONS_HRS

- E Pension Consolidated Earnings
- H Payroll Hours
- S Payroll Special Accumulator



T Earnings Balance Table
W Payroll W2

HRS_BOUGHT_UNPROC

Default Label Hours Bought Unprocessed
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LEAVE_ACCRUAL

HRS_BOUGHT_YTD

Default Label Hours Bought Year-to-Date
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) GVT_ACCR_SUMM
GVT_ACR_SUM_WRK
LEAVE_ACCRUAL

HRS_CARRYOVER

Default Label Hours Carried Over-Prev Year
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) GVT_ACCR_SUMM
GVT_ACR_SUM_WRK
LEAVE_ACCRUAL

HRS_CNV_TYPE

Default Label Hours Conversion Rule Type
Length 1
Type Character



Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

- R Ratio
- S Schedule
- U User Code
- Z Zero or One

HRS_CONSOLIDATION

Default Label Hours Consolidation Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_SVC

HRS_CONSTANT

Default Label Hours Constant
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_CONS_HRS

HRS_CONSTANT_ALIAS

Default Label Hours Constant Alias Name
 Length 10
 Type Character

 Format Uppercase

Record Reference(s) PA_CONS_HRS

HRS_CONSTANT_TYPE

Default Label Hours Constant Field Type



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CONS_HRS

A Alias Name
 N Numeric Constant

HRS_CONST_ALIAST

Default Label
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_CONS_HRS

HRS_DIST_SW

Default Label Hours Distribution
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EARNINGS_TBL

OTH_EARNS_TAO
 PAY_OTH_EARNS
 UPG_ERN_TAO
 WRK_OTH_EARNS

HRS_DIV_ALS_NM

Default Label Hours Divisor Alias Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV



HRS_DIV_ALS_TYP

Default Label Hours Divisor Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

HRS_EARNED_YTD

Default Label Hours Earned Year-to-Date
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) GVT_ACCR_SUMM
GVT_ACR_SUM_WRK
LEAVE_ACCRUAL

HRS_FOR_PRD

Default Label Hours for Period
Length 5
Type Number
Format Uppercase

Record Reference(s) PA_CLC_SVC_AY
PA_SVC_HIST

HRS_FUNCTN_RESULT

Default Label Cons Hours Functn Result
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_RUN_CNTL



HRS_GO_NEGATIVE

Default Label Accrued Balance Go Negative
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_ERN_ACR_CLS
LEAVE_PLAN_TBL
TL_COMPTIME_AET
TL_COMP_TIME
TL_IPTCTVAL_AET
TL_PT_CTVAL_AET
TL_TA000900_AET
TL_TR_CTVAL_AET

HRS_GO_POSITIVE

Default Label Limit Positive Comp Hours
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_COMPTIME_AET
TL_COMP_TIME
TL_IPTCTVAL_AET
TL_PT_CTVAL_AET

TL_TA000900_AET
TL_TR_CTVAL_AET

HRS_MTD

Default Label Hours Mtd
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CN_ERN
BAL_ADJ_ERN



CAN_ERN_BALANCE
EARNINGS_BAL
PA_HST_EARN_BAL
PI_EARN_BAL

HRS_MTD_ADJ

Default Label Hours MTD Adjusted
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CN_ERN
BAL_ADJ_ERN

HRS_ONLY

Default Label Hours Only
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

HRS_OVRD_LIMIT

Default Label Hours Override Limit
Length 7
Type Number
Format Uppercase

Record Reference(s) TERM_PGM_DEFLVE

HRS_PER_DAY

Default Label Hours Per Day
Length 4
Type Number
Format Uppercase



Default Label Hours Represent Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_TRC_TBL
 UPG_TL_AET

A Actual Hours
 C Compensation Only Hours

HRS_RQRMT_AMT

Default Label Hrs/Time - Hrs Requirement Amt
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_SVC

HRS_SOLD_UNPROC

Default Label Hours Sold Unprocessed
 Length 9
 Type Signed Number
 Format Uppercase

Record Reference(s) LEAVE_ACCRUAL

HRS_SOLD_YTD

Default Label Hours Sold Year-to-Date
 Length 9
 Type Signed Number
 Format Uppercase

Record Reference(s) GVT_ACCR_SUMM
 GVT_ACR_SUM_WRK
 LEAVE_ACCRUAL



HRS_TAKEN

Default Label Hours Taken
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) GVT_ACCR_ADJ
GVT_ACCR_LDGR

HRS_TAKEN_ADD

Default Label Add to Hours Taken
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_ACCRL
GVT_ACC_ERNCD

HRS_TAKEN_UNPROC

Default Label Hours Taken Unprocessed
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LEAVE_ACCRUAL

HRS_TAKEN_YTD

Default Label Hours Taken Year-to-Date
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) GVT_ACCR_SUMM
GVT_ACR_SUM_WRK
LEAVE_ACCRUAL



Record Reference(s) BAL_ADJ_CN_ERN
 BAL_ADJ_ERN
 CAN_ERN_BALANCE
 EARNINGS_BAL
 PI_EARN_BAL
 PI_EARN_DETAIL

HRS_YTD_ADJ
 Default Label Hours YTD Adjusted
 Length 8
 Type Signed Number
 Format Uppercase

Record Reference(s) BAL_ADJ_CN_ERN
 BAL_ADJ_ERN

HR_ACTION_CATEGORY
 Default Label HR Action/Reason Category
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_CONS_EARNEXC
 PA_CONS_EARNHIR
 PA_CONS_EARNST1
 PA_CONS_EARNTER
 PA_CONS_HOUREXC
 PA_CONS_HOURHIR
 PA_CONS_HOURTER
 PA_CONS_HRS
 PA_CONS_HRSTAT3

HR_ALL_PATHS
 Default Label All Paths Complete
 Length 1
 Type Character



Length 250
Type Character
Format Mixedcase

Record Reference(s) GPFR_TERM
GPFR_TERM_AET

HR_NEXT_STATUS

Default Label Next Status
Length 30
Type Character
Format Mixedcase

Record Reference(s) HR_WF_STATUS

HR_POS_CONTROL

Default Label HR Department
Length 10
Type Character
Format Mixedcase

Record Reference(s) BP_JOB_EXP
BP_POSITION_EXP

HR_REPCHNG_REASON

Default Label Action / Reason
Length 3
Type Character
Format Uppercase

Record Reference(s) HR_MGR_REP_DAT

DTA Reporting Change

HR_SSTEXT_CACHE_SW

Default Label Allow Cache



Length 1
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY1

Default Label Key 1
Length 30
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_LANG
HR_SSTEXT_TEXT

HR_SSTEXT_KEY1_FLD

Default Label Key 1 Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY1_REC

Default Label Key 1 Prompt Table
Length 15
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY2

Default Label Key 2
Length 30



Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_LANG
HR_SSTEXT_TEXT

HR_SSTEXT_KEY2_FLD

Default Label Key 2 Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY2_REC

Default Label Key 2 Prompt Table
Length 15
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY3

Default Label Key 3
Length 30
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_LANG
HR_SSTEXT_TEXT

HR_SSTEXT_KEY3_FLD

Default Label Key 3 Field Name
Length 18



Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY3_REC

Default Label Key 3 Prompt Table
Length 15
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY4

Default Label Key 4
Length 30
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_LANG
HR_SSTEXT_TEXT

HR_SSTEXT_KEY4_FLD

Default Label Key 4 Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_KEY4_REC

Default Label Key 4 Prompt table
Length 15
Type Character
Format Uppercase



Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_SHOW_ID

Default Label Display Text Id
 Length 1
 Type Character

 Format Uppercase

Record Reference(s) HR_SSTEXT_CFG

HR_SSTEXT_TEXT

Default Label Text
 Length 8095
 Type Long Character
 Format Uppercase

Record Reference(s) HR_SSTEXT_LANG
 HR_SSTEXT_TEXT

HR_SSTEXT_USAGE

Default Label Usage
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) HR_SSTEXT_MSGID

EBOD	Email Body
ERRW	Error/Warning
ESUB	Email Subject
FLBL	Field Label
GRPB	Groupbox Title
GSH	Grid/Scroll Heading
LINK	Hyperlink/Button
PI	Page Instructions



Type Character
 Format Mixedcase

Record Reference(s) HR_ENROLL_DAT
 HR_OFFER_DAT
 HR_SALCHANG_DAT
 HR_SALCHBGT_DAT
 HR_SALCHGRP_DAT
 UPG_CO_AET
 UPG_CO_SS_AET

HR_WL_EVENT
 Default Label Worklist Event
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) HR_WF_STATUS

HST_PCT
 Default Label Harmonized Sales Tax
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_PROV

HS_ACCOM_TYPE
 Default Label Accommodation Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

H Hotel, Motel, Hostel etc.
 O Other Accommodation



HS_ACTION_DATE_IND

Default Label Date of Action

Length 10
Type Date
Format Uppercase

Record Reference(s) INJURY_ILL_IND

HS_ALCOHOL_IND

Default Label Alcohol/Substance Taken

Length 1
Type Character
Format Uppercase

Record Reference(s) INC_DATA_IND

HS_ANN_CONTRIB

Default Label Employee Contribution (Annual)

Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HS_APPROVALBY_IND

Default Label Approval By

Length 1
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL_IND

- 1 Employee ID
- 2 Physician ID



HS_AWAY_TYPE

Default Label Absence or Restriction Type
Length 1
Type Character
Format Uppercase

Record Reference(s) INJURY_ABSENCES

- 1 Away From Work Due to Injury
- 2 Restricted Activity
- 3 Temp. Transfer Due to Injury

HS_CERTIFY_DT_IND

Default Label Date of Certification
Length 10
Type Date
Format Uppercase

Record Reference(s) INJ_CLMMGT_IND

HS_CLAIM_DT_IND

Default Label Claim Filed Date
Length 10
Type Date
Format Uppercase

Record Reference(s) INJ_CLMMGT_IND

HS_CLMRECVD_DT_IND

Default Label Claim Received Date
Length 10
Type Date
Format Uppercase

Record Reference(s) INJ_CLMMGT_IND



HS_CLM_AMT_IND

Default Label Claimed Amount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) INJ_CLMMGT_IND

HS_CNTCT_NAME

Default Label H&&S Contact Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) WCB_ERLC_EC
WCB_ERLC_WD

HS_CONTACT_PHONE

Default Label H&&S Contact Phone
Length 24
Type Character
Format Phone Number International

Record Reference(s) WCB_ERLC_EC
WCB_ERLC_WD

HS_DISABL_CD_IND

Default Label Disablement Code
Length 3
Type Character
Format Uppercase

Record Reference(s) HS_DISABL_IND



HS_DISABL_LNG
INJURY_ILL_IND

HS_DISABL_TYPE_IND

Default Label Type of Disablement
Length 1
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL_IND

- 1 Permanent Partial Disablement
- 2 Permanent Total Disablement
- 3 Occupational Disease/Illness
- 4 Other

HS_EMPLID_APPR_IND

Default Label Emplid
Length 11
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL_IND

HS_INC_SUB_IND

Default Label Incident Subtype
Length 1
Type Character
Format Uppercase

Record Reference(s) INC_DATA_IND

- 1 Work
- 2 Journey
- 3 Occupational Disease/Illness
- 4 Other



HS_INJURY_TYPE_IND

Default Label Injury Type
Length 1
Type Character
Format Uppercase

Record Reference(s) HS_DISABL_IND
HS_DISABL_LNG
INJURY_ILL_IND
1 Partial
2 Total

HS_INSUR_DATE_IND

Default Label Insurance Date
Length 10
Type Date
Format Uppercase

Record Reference(s) INJURY_ILL_IND

HS_INSUR_NBR_IND

Default Label Insurance Number
Length 30
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL_IND

HS_JOB_TYPE_IND

Default Label Job Type
Length 1
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL_IND



- 1 Alternate Job
- 2 Light Work

HS_LEAVE_TYPE_IND

Default Label Leave Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INJURY_ILL_IND

- 1 Accident Leave
- 2 Special Leave

HS_MARKET_VALUE

Default Label Market Rental Value (Annual)
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

HS_OFFCR_RESP_IND

Default Label Officer Responsible
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) INJURY_ILL_IND

HS_PAYMNT_TYPE_IND

Default Label Claim Payment Type
 Length 1
 Type Character
 Format Uppercase



Record Reference(s)	INJ_CLMCHG_IND	
	INJ_CLMCST_IND	
	1	Advance Payment
	2	Claim Payment
	3	Claim Deposit
	4	Provisional Payment

HS_PCT_LOSS_IND	
Default Label	Pct Loss of Earnings
Length	3
Type	Number
Format	Uppercase

Record Reference(s)	HS_DISABL_IND
---------------------	---------------

HS_RECD_AMT_IND	
Default Label	Received Amount
Length	20
Type	Signed Number
Format	Uppercase

Record Reference(s)	INJ_CLMMGT_IND
---------------------	----------------

HS_RECIP_TYPE_IND	
Default Label	Recipient Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	INJ_CLMCST_IND	
	1	Employee
	2	Non-Employee
	3	Dependent

HS_REPORTED_BY_IND



PTPPB_HTML_LANG
PTPPB_PGLT_HTML
PTPPB_XSLT_PROT
PTPPB_XSL_LANG

HTMLAREAINLINE

Default Label Display HTML Area Inline
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

HUBNODENAME

Default Label Hub Node
Length 30
Type Character
Format Uppercase

Record Reference(s) PSMMSGNODEDEFN

HUB_ZONE

Default Label HUB Zone
Length 1
Type Character
Format Uppercase

Record Reference(s) VENDOR
VENDOR_TMP

HYPERLINK

Default Label Hyper Link
Length 1
Type Character



Record Reference(s) APPMSGARCH_AET

IBPASSWORD

Default Label Password
Length 88
Type Character
Format Mixedcase

Record Reference(s) PSMSGNODEDEFN
PSRELATCONTACT

IBPROFILETIMESTAMP

Default Label IB Profile Timestamp
Length 26
Type Datetime
Format 13

Record Reference(s) PSIBPROFILEASYN
PSIBPROFILEBRK
PSIBPROFILEPUB
PSIBPROFILESUB
PSIBPROFILESYNC

IB_ARCH_MSGAGE

Default Label Older Than
Length 3
Type Number
Format Uppercase

Record Reference(s) APPMSGARCH_AET
IB_ARCH_RUNCNTL

IB_ARCH_MSGDATE

Default Label Date



Length 10
 Type Date
 Format Uppercase

Record Reference(s) APPMSGARCH_AET
 IB_ARCH_RUNCNTL

IB_ARCH_PURGEALL

Default Label Archive All Messages
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) APPMSGARCH_AET
 IB_ARCH_RUNCNTL

- A Archive All Messages
- S Archive Specific Messages

IB_AVG_TIME_1

Default Label Time (Milliseconds)
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_10

Default Label Time (Milliseconds)
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_11



Default Label Time (Milliseconds)
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_12

Default Label Time (Milliseconds)
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_2

Default Label Time (Milliseconds)
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_3

Default Label Time (Milliseconds)
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_4

Default Label Time (Milliseconds)
 Length 7



Type Number
Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_5

Default Label Time (Milliseconds)
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_6

Default Label Time (Milliseconds)
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_7

Default Label Time (Milliseconds)

Length 7
Type Number
Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_8

Default Label Time (Milliseconds)
Length 7
Type Number
Format Uppercase



Record Reference(s) PSIB_CHART_AVG

IB_AVG_TIME_9

Default Label Time (Milliseconds)
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIB_CHART_AVG

IB_CHUNKCOUNT

Default Label IB Chunk Count
Length 4
Type Number
Format Uppercase

Record Reference(s) PSAPMSGCHUNKTBL

IB_CREATE_HDR_FLG

Default Label Create Message Header
Length 1
Type Character
Format Uppercase

Record Reference(s) PSIBINFILERULE
PSIB_INFILE_AET

IB_CREATE_TRL_FLG

Default Label Create Message Trailer
Length 1
Type Character
Format Uppercase

Record Reference(s) PSIBINFILERULE



PSIB_INFILE_AET

IB_DESTNODENAME

Default Label	Destination Node Name
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PSTRANSFRM_TST

IB_DISPATCH_COUNT

Default Label	Queue Status Handler Count
Length	5
Type	Number
Format	Uppercase

Record Reference(s) PSAPMSGQUEUESET

IB_END_TRANS_FLG

Default Label	End of Transaction Flag
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PSIB_INFILE_AET

IB_FAILOVER_FLAG

Default Label	IB Failover Enabled Flag
Length	1
Type	Number
Format	Uppercase

Record Reference(s) PSIBFAILOVER



IB_FAILOVER_LOCK

Default Label Lock
Length 1
Type Number
Format Uppercase

Record Reference(s) PSIBFOLOCK

IB_FAILOVER_NAME

Default Label Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSIBFOLOCK

IB_FAILOVER_TIME

Default Label IB Failover Time (minutes)

Length 7
Type Number
Format Uppercase

Record Reference(s) PSIBFAILOVER

IB_FILETYPE

Default Label File Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PSIBINFILERULE
PSIB_INFILE_AET

1 Data File



2 Index File

IB_FILE_ID

Default Label File Identifier
Length 30
Type Character
Format Uppercase

Record Reference(s) PSIBFILERUNCNTL
PSIBFLOMSGMAP
PSIBINFILERULE
PSIB_INFILE_AET
PSIB_MSGFLOPROC

IB_FILE_INBOUND

Default Label Inbound File
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSIBINFILERULE
PSIB_INFILE_AET
PSIB_MSGFLOPROC

IB_FILE_LAYOUT_ID

Default Label File Layout ID
Length 10
Type Character
Format Mixedcase

Record Reference(s) PSIBINFILERULE
PSIB_INFILE_AET

IB_FO_CHK_DAY

Default Label Days
Length 2



Type Character
 Format Uppercase

Record Reference(s) IB_FO_RUNCNTL

1 1
 2 2

IB_FO_CHK_HOUR

Default Label Hours
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) IB_FO_RUNCNTL

01 01
 02 02
 03 03
 04 04
 05 05
 06 06
 07 07
 08 08
 09 09
 10 10
 11 11
 12 12
 13 13
 14 14
 15 15
 16 16
 17 17
 18 18
 19 19
 20 20
 21 21
 22 22
 23 23



IB_FO_CHK_MINUTE

Default Label Minutes
 Length 2
 Type Character
 Format Uppercase

Record Reference(s)	IB_FO_RUNCNTL
	15 15
	20 20
	25 25
	30 30
	35 35
	40 40
	45 45
	55 55

IB_FO_CHK_TIME

Default Label Checking time
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s)	IB_FAILOVER_AET PSIBFODOMTSTAMP
---------------------	------------------------------------

IB_FO_COUNT

Default Label Domain Count
 Length 2
 Type Number
 Format Uppercase

Record Reference(s)	IB_FAILOVER_AET
---------------------	-----------------

IB_FO_INTERVAL

Default Label Minimum Checking Interval
 Length 4



Record Reference(s) APPMSGARCH_AET

IB_SEGBYDATABASE

Default Label Segments by Database
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSIBSEGRSTR_AET

IB_SEGMENTAWARE

Default Label Segment Aware
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSMMSGNODEDEFN

IB_SEGMENTINDEX

Default Label IB Segment Index
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PSAPMSGARCHPC

- PSAPMSGARCHPT
- PSAPMSGARCHSC
- PSAPMSGPCONDATA
- PSAPMSGPUBCERR
- PSAPMSGPUBCERRP
- PSAPMSGPUBCON
- PSAPMSGSUBCERR
- PSAPMSGSUBCERRP
- PSAPMSGSUBCON
- PSIBPUBSLAVE
- PSIBSEGRSTR_AET



PSIBSUBSLAVE

IB_SEGSIZE

Default Label Segment Size
Length 5
Type Number
Format Uppercase

Record Reference(s) PSIBINFILERULE
PSIB_INFILE_AET

IB_SENDPUBID

Default Label IB Send Publication ID
Length 11
Type Signed Number
Format 7

Record Reference(s) PSAPMSGARCHPC
PSAPMSGPUBCON

IB_SLAVEMODE

Default Label Integration Broker Slave Mode
Length 1
Type Number
Format Uppercase

Record Reference(s) PSAPMSGDOMSTAT
PSAPMSGDSPSTAT
PSIBFAILOVER

IB_SLAVEQUEUED

Default Label IB Slave Queued
Length 1
Type Number



Format Uppercase

Record Reference(s) PSAPMSGARCHPC
PSAPMSGARCHPH
PSAPMSGARCHSC
PSAPMSGPUBCON
PSAPMSGPUBHDR
PSAPMSGSUBCON

IB_SRCNODENAME

Default Label Source Node Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTRANSFRM_TST

IB_STATUS_CANCEL

Default Label Cancel
Length 1
Type Character
Format Uppercase

Record Reference(s) APPMSGARCH_AET
IB_ARCH_RUNCNTL

IB_STATUS_DONE

Default Label Done
Length 1
Type Character
Format Uppercase

Record Reference(s) APPMSGARCH_AET
IB_ARCH_RUNCNTL



IB_TCA_TIME

Default Label Target Connector Adapter
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIBPROFILEPUB
PSIBPROFILESYNC

IB_TEMP_FLD

Default Label Temporary Field for App Engine
Length 1
Type Character
Format Uppercase

Record Reference(s) PSIB_INFILE_AET

ICENABLED

Default Label Internet Client Enabled
Length 2
Type Number
Format Uppercase

Record Reference(s) PSACTIVITYDEFN

ICEURL

Default Label URL to ICE
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSOPTIONS

ICLIENTURL



Default Label IA Server URL
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSOPTIONS

IClient_SERVERFLAG

Default Label PeopleSoft Internet App Server
Length 1
Type Character
Format Uppercase

Record Reference(s) PSURLDEFN

ICONV_DELETEFRAMES

Default Label Delete All Frames
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DFLT_SHEET

Default Label Apply Default Style Sheet
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOBTN_SCROLL

Default Label Convert iClient Button Scrolls
Length 1



Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOLEVEL1

Default Label Convert Level 1 Scrolls
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOLEVEL2

Default Label Convert Level 2 Scrolls
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOLEVEL3

Default Label Convert Level 3 Scrolls
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOPANELSIZE

Default Label Apply Specific Panel Size
Length 1
Type Character
Format Uppercase



Record Reference(s) ICONV_RUNCNTL

ICONV_DOPNLGROUPS

Default Label Apply Panel Group Defaults
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOPNL_LEVEL1

Default Label Panels with Level 1 Scrolls
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOPNL_LEVEL2

Default Label Panels with Level 2 Scrolls
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOPNL_LEVEL3

Default Label Panels with Level 3 Scrolls
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL



ICONV_DOSROLLS

Default Label Convert Scrolls to Scroll Area
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_DOSTYLES

Default Label Apply Frame/Horz/GrpBox Styles
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_FRAMETOHORIZ

Default Label Convert Frames to Horizontal
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_GRIDLINESOFF

Default Label Turn Off 'Show Grid Lines'
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL



ICONV_GRIDODDEVEN

Default Label Turn on grid 'Odd/Even Style'
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_PANELSIZE

Default Label Panel Size
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

- A 800x600 page without portal
- B 800x600 page inside portal
- C 1024x768 page without portal

ICONV_SCROLLLIMIT

Default Label Max # Scrolls
Length 2
Type Number
Format Uppercase

Record Reference(s) ICONV_RUNCNTL

ICONV_SHOWPROMPT

Default Label Turn On 'Show Prompt Button'
Length 1
Type Character
Format Uppercase

Record Reference(s) ICONV_RUNCNTL



IDENTITY_COL_USED

Default Label	Use of Identity Column
Length	1
Type	Character
Format	Uppercase

Record Reference(s) TL_INSTALLATION

IDNT_PGM_OPTN

Default Label	Identify Program Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_RUNCTL

A	All
S	Select

IDP_DATE

Default Label	IDP Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_FGHR022

IDTYPEATTRIB

Default Label	ID Type Attribute
Length	56
Type	Character
Format	Mixedcase

Record Reference(s) DIRECTORYATTRIB
DSUSRPRFLMAP



IDXCOMMENTS

Default Label INDEX COMMENTS
Length 254
Type Character
Format Uppercase

Record Reference(s) PSINDEXDEFN

IDXD_AMT

Default Label Indexed Amount
Length 14
Type Number
Format Uppercase

Record Reference(s) PA_CLC_SOC_AY

IDX_URL

Default Label Index URL
Length 1000
Type Long Character
Format Uppercase

Record Reference(s) PSSGWSTARTOPT

IF_FLAG

Default Label If flag
Length 1
Type Character
Format Uppercase

Record Reference(s) AFI_AET
CMP007_AET
CMP008_AET
CMP010_AET



ER_CRJOBREQ_AET
FPA_TENURE_AET
GPCH_OT_AET
GPCH_STX_AET
GPDE_DV_CVT_AET
GPDE_DV_DAY_AET
GPDE_DV_MLD_AET
GPDE_DV_MON_AET
GPDE_DV_REP_AET
GPFR_ASS_AET
GPFR_DUCS_AET
GPFR_TERM_AET
GPNL_REP_AET
HR_AET
HR_CMP013_AET
HR_CMP014_AET
HR_CMP015_AET
HR_HRSALCHG_AET
HR_HRWF0006_AET
HR_PER501_AET
HR_SP_MERIT_AET
PSHUP_TXN_AET
STEP_INCR_AET
ST_ACTN_PRC_AET
ST_ESPPMAIN_AET
ST_ESPP_CNF_AET
ST_ESPP_CVT_AET
ST_ESPP_PRC_AET
ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_GRP_GRNT_AET
ST_ISO_LIM_AET
ST_ISSUUPD_AET
ST_PARTIC_AET
ST_PRCGRP_AET
ST_VALUE_AET
ST_VEST_AET

TC_AET
TC_PAYEXT_AET
VC_ALLOC_AET
WP_ELIG_AET
WP_FORMULA_AET



WP_GBLFND_AET
WP_PAYMT_AET
WP_PSHARING_AET

IGNORE_DEPBEN_EDIT

Default Label Ignore Dep/Ben Edits
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_EVENT_CLASS

IGNORE_ERRORS

Default Label Ignore Errors
Length 1
Type Character
Format Uppercase

Record Reference(s) PSNVSBOOK

IGNORE_INVEST_EDIT

Default Label Ignore Investment Edits
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_EVENT_CLASS

IGNORE_PLAN

Default Label Ignore Plan
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_EVENT_CLASS



BAS_PARTIC_PLAN

C	Excess Credit Only
N	No
Y	Yes

ILLINOIS_DCN

Default Label	Document Control Number
Length	10
Type	Number
Format	Uppercase

Record Reference(s) RC_TAX810IL

ILLNESS_NBR_GER

Default Label	Illness Number
Length	8
Type	Character
Format	Uppercase

Record Reference(s) ILLNESS_GER

- ILLNESS_GER_LNG
- ILL_ACTION_GER
- ILL_CARE_GER
- ILL_CARE_LNG
- ILL_CAUSE_GER
- ILL_DIAG_GER

ILLNESS_RESULT

Default Label	Illness Resulted In
Length	1
Type	Character
Format	Uppercase

Record Reference(s) ILLNESS_GER

INJURY_ILL



N Not Applicable
 T Termination
 X Transfer

ILLNESS_TYPE

Default Label Illness Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ILLNESS_GER

- 1 Occupational Skin Disease
- 2 Dust Disease of the Lungs
- 3 Toxic Agent Respiratory Cond.
- 4 Toxic Poisoning
- 5 Physical Agents Disorder
- 6 Repeated Trauma Disorder
- 7 Other Occupational Illness
- 8 Not Applicable

ILL_AVDDAYS_ELI_NLD

Default Label Available days Excl LI
 Length 14
 Type Number
 Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_AVDDAYS_ILI_NLD

Default Label Available days Incl LI
 Length 14
 Type Number
 Format Uppercase

Record Reference(s) ABS_STAT_NLD



ILL_DAYEPI_ELI_NLD

Default Label Days III Excl PI Excl LI
Length 14
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_DAYEPI_ILI_NLD

Default Label Days III Excl PI Incl LI
Length 14
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_DAYIPI_ELI_NLD

Default Label Days III Incl PI Excl LI
Length 14
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_DAYIPI_ILI_NLD

Default Label Days III Incl PI Excl LI
Length 14
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_ENDEPI_ELI_NLD

Default Label Ind III In Ended Excl PI Excl LI



Length 1
 Type Character
 Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_ENDEPI_ILI_NLD

Default Label Ind Illn Ended Excl PI Incl LI
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_ENDIPI_ELI_NLD

Default Label Ind Illn Ended Incl PI Excl LI
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_ENDIPI_ILI_NLD

Default Label Ind Illn Ended Incl PI Incl LI
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_END_DT_GER

Default Label Illness End Date
 Length 10
 Type Date



Format Uppercase

Record Reference(s) ILLNESS_GER

ILL_LENEPI_ELI_NLD

Default Label Ill Leng Excl PI Excl LI
Length 14
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_LENEPI_ILI_NLD

Default Label Ill Leng Excl PI Incl LI
Length 14
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_LENIPi_ELI_NLD

Default Label Ill Leng Incl PI Excl LI
Length 14
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_LENIPi_ILI_NLD

Default Label Ill Leng Incl PI Incl LI
Length 14
Type Number
Format Uppercase



Record Reference(s) ABS_STAT_NLD

ILL_NBR_LAST_GER

Default Label Last Illness # Assigned
Length 8
Type Number
Format Uppercase

Record Reference(s) INSTALLATION

ILL_NBR_LAST_NLD

Default Label Last Illness Report # Assigned
Length 5
Type Number
Format Uppercase

Record Reference(s) INSTALLATION

ILL_PERCENT_NLD

Default Label Percentage Ill
Length 3
Type Number
Format Uppercase

Record Reference(s) GPNL_ABS_CMTS

HR_NSZ_AET
HR_VIAPRIS_AET

ILL_START_DT_GER

Default Label Illness Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) ILLNESS_GER



ILL_START_FULL_NLD

Default Label Illness Started Fulltime
Length 1
Type Character
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_START_GER

Default Label Illness Start date Formatted
Length 15
Type Character
Format Uppercase

Record Reference(s) OHS004GER_TMP2

ILL_START_PART_NLD

Default Label Illness Start Partial
Length 1
Type Character
Format Uppercase

Record Reference(s) ABS_STAT_NLD

ILL_STATUS_NLD

Default Label Notification Status
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
HR_VIAPRIS_AET
RUN_ILL_HR_NLD



- 4 Illness Report Change
- 5 Illness Report Replace
- 9 Illness Report Original

IL_INTEREST_DUE

Default Label Interest Due
 Length 13
 Type Signed Number
 Format Uppercase

Record Reference(s) RC_TAX810IL

IL_MONTH1_COUNT

Default Label Month 1 Employee Count
 Length 8
 Type Signed Number
 Format Uppercase

Record Reference(s) RC_TAX810IL

IL_MONTH2_COUNT

Default Label Month 2 Employee Count
 Length 8
 Type Signed Number
 Format Uppercase

Record Reference(s) RC_TAX810IL

IL_MONTH3_COUNT

Default Label Month 3 Employee Count
 Length 8
 Type Signed Number
 Format Uppercase



Record Reference(s) RC_TAX810IL

IL_PENALTY_DUE

Default Label Penalty Due
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810IL

IL_PREVIOUS_CREDIT

Default Label Previous Credit
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810IL

IL_PREV_QTR_UNDRPY

Default Label Previous Quarter Underpay
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810IL

IL_TAXES_DUE

Default Label Taxes Due
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810IL



IL_TAX_TYPE

Default Label Tax Type Code
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_TAX810IL

R Reimbursable Employer
T Taxable Employer

IL_TOTAL_PAYMENT

Default Label Total Payment Due
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810IL

IMAGE_FIELD

Default Label Image Icon
Length 30
Type Image Reference
Format Uppercase

Record Reference(s) PSUSEROPTNDEFN

IMAGE_FMT

Default Label Image Format
Length 2
Type Number
Format Uppercase

Record Reference(s) EO_DBFIELD_CUR
PSDBFIELD
PST_PNLFIELDS



IMAGE_ID

Default Label Image ID
Length 8
Type Character
Format Uppercase

Record Reference(s) TRN_IMAGE_LINK
TRN_IMAGE_LNK2

IMAGE_NAME

Default Label Image Name
Length 30

Type Character
Format Uppercase

Record Reference(s) ABS_TYPE_TBL
CO_DPK_CAT_TBL
CO_PAGE_DESCR
EOCM_LEGEND
EOCM_START_PAGE
PSMSGNODEDEFN
PSUSEROPTNDEFN
PTPPB_DISP_FRMT

IMAGE_NUM

Default Label Image Number
Length 2
Type Number
Format Uppercase

Record Reference(s) SCH_GRP_AET
TL_PAYREQ_AET
TL_TA_MAIN_AET



IMEMODE

Default Label Input Method Editor Mode
Length 3
Type Number
Format Uppercase

Record Reference(s) EO_DBFIELD_CUR
PSDBFIELD

IMGFMT

Default Label Image Format
Length 2
Type Number
Format Uppercase

Record Reference(s) PSBUSPITEMIMG
PSTOOLBARITEM
PSVAITEMIMG

IMGRESID

Default Label Image Resource ID
Length 5
Type Number
Format 7

Record Reference(s) PSTOOLBARITEM

IMGSEG

Default Label Image Segment

Length 32000
Type Image
Format Uppercase

Record Reference(s) PSACTIVIMG
PSACTIVIMGLANG



PSBUSPRIMG
 PSBUSPRIMGLANG

IMMEDIATE_ELIG

Default Label Immediate Participation
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PARTIC

IMMEDIATE_VESTING

Default Label Immediate Vesting
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_VEST

IMMED_ANNUIITY_RATE

Default Label Immediate Annuity Rate (%)
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) PA_TL_INT_LKUP
 PA_TL_PBGC_TBL

IMMUN_CODE

Default Label Immunization Code
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) EE_IMMUN_DTL



EE_IMMUN_LANG
 HS_IMMUN_LANG
 HS_IMMUN_TBL

IMPDEFAULT

Default Label Import Default
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) PSIMPFIELD

IMPNAME

Default Label Import Definition Name
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) PSIMPDEFN
 PSIMPDEL
 PSIMPFIELD
 PSIMPXLAT

IMPORTANCE

Default Label Importance
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOBCD_TASK_DEFN

E Essential
 M Marginal

IMPORT_OPTION



Default Label Import Options
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PM_PS_DMO_REC
 PM_PS_REC
 PM_PS_TST_REC

I Import With Ignor Dups
 N Import No Dups Allowed
 O No Upgrade Data to Load
 R Replace Data

IMPUTE_MODE

Default Label Impute Calc/Update/Both
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_IMP_RUNCTL

B Both Calc and Update
 C Calculate Impute Adjust Only
 U Update Paysheets Only

IMP_PROD_ID

Default Label Impacted Product
 Length 2

 Type Character
 Format Uppercase

Record Reference(s) EO_CCR_IMP_PROD

IMS_PRN_FORM_MEX

Default Label IMSS Print Form
 Length 4
 Type Character



Format Numbers Only

Record Reference(s) GPMX_SDI_WA

- 0010 Employee Register
- 0020 Employee Termination
- 0030 Salary Change
- 0040 N/A

IMS_RISK_RATE

Default Label IMS Risk Rate
Length 6
Type Number
Format Uppercase

Record Reference(s) SOC_SEC_RSK_TBL

INACTIVE_EXTRACT

Default Label Inactive Valuation Extract
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_PEN_VAL_MTX

INACTIVITY_TYP_ESP

Default Label Inactivity Type
Length 1
Type Character
Format Uppercase

Record Reference(s) JOB_WORK_ESP

- 1 Inactivity Period
- 2 Total Strike
- 3 Partial Strike
- 4 Trienniums Public Workers



INAIL_CODE

Default Label INAIL Code
Length 11
Type Character
Format Uppercase

Record Reference(s) EMPL_INAIL_ITA
GPIT_RP_0001
INAIL_COMP_ITA
INAIL_ITA_LANG
INAIL_TBL_ITA

INAIL_PERCENT_ITA

Default Label INAIL Percentage
Length 6
Type Number
Format Uppercase

Record Reference(s) INAIL_COMP_ITA
INAIL_TBL_ITA

INAIL_POS_CD_ITA

Default Label INAIL Position code
Length 4
Type Character
Format Uppercase

Record Reference(s) INAIL_COMP_ITA
INAIL_TBL_ITA

INCDNT_OP_LOCN_SW

Default Label Incident At Operating Locn
Length 1
Type Character
Format Uppercase



INCIDENT_DT_C

Default Label Incident Date Masked
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_EERE_EC
WCB_EERE_WD

INCIDENT_ID

Default Label Incident ID
Length 18
Type Character
Format Mixedcase

Record Reference(s) PSCHGCTLHIST
PSCHGCTLLOCK

INCIDENT_NBR

Default Label Incident Number
Length 8
Type Character
Format Numbers Only

Record Reference(s) ABSENCE_HIST
GPGB_ABS_EVT_JR
GVT_RUN_CNTL
HS_RPT_HIST_CAN
ILLNESS_GER
INCDNT_ACTN_TYP
INCDNT_VEH_EMPL
INCIDENT_ACTION
INCIDENT_CAUSE
INCIDENT_DATA
INCIDENT_PEOPLE
INCIDENT_REPORT
INCIDENT_DTA_LNG



INCIDENT_VEHICLE
INC_ACTION_LNG

INC_ANIMAL_DATA
INC_CONTFAC_CAN
INC_DATA_IND
INC_DISAB_CAN
INC_DISAB_LNG
INC_INITCON_FRA
INC_PEOPLE_LNG
INC_REPORT_LNG
INC_TRAVEL_DATA
INC_TRAVRPT_GER
INC_TRV_DAT_LNG
INJURY_ABSENCES
INJURY_CLM_MGMT
INJURY_ILL
INJURY_ILL_ACC
INJURY_ILL_ACT
INJURY_ILL_ADDR
INJURY_ILL_AID
INJURY_ILL_BP
INJURY_ILL_DESC
INJURY_ILL_DESG
INJURY_ILL_DIAG
INJURY_ILL_IND
INJURY_ILL_LNG
INJURY_ILL_NOI
INJURY_ILL_SOI
INJ_ILLADDR_LNG
INJ_ILLCAN_LNG
INJ_ILLWI_LNG
INJ_ILL_AID_FRA
INJ_ILL_BPI_CAN
INJ_ILL_EMPSTMT
INJ_ILL_EMP_LNG
INJ_ILL_NBD_CAN
INJ_ILL_NBD_LNG
INJ_ILL_NRD_CAN
INJ_ILL_NRD_LNG
INJ_ILL_OBJSTMT
INJ_ILL_OBJ_LNG
INJ_ILL_PDS_CAN



INJ_ILL_PDS_LNG
INJ_ILL_PHC_CAN
INJ_ILL_PHC_LNG
INJ_ILL_PRT_FRA
INJ_ILL_STMT
INJ_ILL_STM_LNG
INJ_ILL_WA_CAN
INJ_ILL_WA_LNG
INJ_ILL_WI_CAN
INJ_PEOPLE_CAN
INJ_REHAB_ACTN
INJ_REHAB_LNG
LONG_EARNS_CAN
MODIFIED_WORK
OHS501UK_TMP1
OHS501UK_TMP2
OSHA_301_REPORT
RUN_CNTL_HR
RUN_CNTL_HR_CHE
RUN_CNTL_OHS
RUN_CNTL_REG

WCB_CCAD_EC
WCB_EDSR_EC
WCB_EDSR_WD
WCB_EERE_EC
WCB_EERE_WD
WCB_EMDE_EC
WCB_EMDE_WD
WCB_ERCA_EC
WCB_ERCA_WD
WCB_ERCF_EC
WCB_ERCF_WD
WCB_ERET_EC
WCB_ERET_WD
WCB_ERFA_EC
WCB_ERFA_WD
WCB_ERLC_EC
WCB_ERLC_WD
WCB_ERLO_EC
WCB_ERPA_EC
WCB_ERPA_WD
WCB_ERPT_EC



WCB_FATR_EC
WCB_FATR_WD
WCB_FATT_EC
WCB_FATT_WD
WCB_INWO_EC
WCB_IWAW_EC
WCB_IWAW_WD
WCB_IWJA_EC
WCB_IWJA_WD
WCB_IWJO_EC
WCB_IWJO_WD
WCB_IWLE_EC
WCB_IWLE_WD
WCB_IWWA_EC
WCB_IWWA_WD
WCB_IWWD_EC
WCB_IWWD_WD
WCB_IWWI_EC
WCB_IWWI_WD
WCB_WICO_EC
WCB_WICO_WD
WCB_WODI_EC
WCB_WODI_WD
WCB_WODT_EC
WCB_WODT_WD
WCB_WOES_EC
WCB_WOES_WD
WCB_WOFA_EC
WCB_WOFA_WD
WCB_WOIN_EC
WCB_WOIN_WD
WCB_WOSO_EC
WCB_WOSO_WD
WCB_WOWS_EC
WCB_WOWS_WD
WORK_RESTRICTN
Z_LC_RUNCTL

INCIDENT_NBR_LAST

Default Label

Last Incident # Assignend



Length 8
 Type Number
 Format Uppercase

Record Reference(s) INSTALLATION

INCIDENT_ROLE

Default Label Incident Role
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) INCIDENT_PEOPLE
 INC_PEOPLE_LNG

- BP Bystander/Pedestrian
- DO Driver/Operator Of Vehicle
- EW Eyewitness
- IN Investigator
- IW Witness
- OP Other Party
- PA Passenger In Vehicle
- PO Property Owner
- PW Pet Owner
- VO Vehicle Owner

INCIDENT_TIME

Default Label Incident Time
 Length 15
 Type Time
 Format Uppercase

Record Reference(s) INCIDENT_DATA
 OSHA_301_REPORT

INCIDENT_TIME4

Default Label Incident Time 4
 Length 5



Type Character
 Format Numbers Only

Record Reference(s) WCB_EERE_EC
 WCB_EERE_WD

INCIDENT_TMP2_GER

Default Label Incident Time Formatted
 Length 15
 Type Character
 Format Mixedcase

Record Reference(s) OHS001GER_TMP1

INCIDENT_TMP_GER

Default Label Incident date Formatted
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) OHS001GER_TMP1

INCIDENT_TM_CHAR

Default Label Incident Time
 Length 8
 Type Character
 Format Mixedcase

Record Reference(s) OHS501UK_TMP1

INCIDENT_TYPE

Default Label Incident Type
 Length 1
 Type Character



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_PS_RECORD

INCLD_EXCLD_IND

Default Label Include Exclude Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_INSTANCE_TBL

E Exclude Values
 I Include Values

INCLNAVIGATION

Default Label Include in Navigation
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSPNLGRPDEFN

INCLS_AMOUNT

Default Label Wage Inclusions Amount
 Length 12
 Type Number
 Format Uppercase

Record Reference(s) INJ_ILL_WI_CAN
 WCB_IWWI_EC
 WCB_IWWI_WD

INCLUDED_BEL



Default Label Included
Length 1
Type Character
Format Uppercase

Record Reference(s) SENIORITY_BEL

INCLUDED_FEE_ADJ

Default Label Adjusted Due To Included Fee?

Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_GARNISH
WRK_GARNISH

INCLUDE_1X

Default Label Health
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG
RUN_CNTL_BEN

INCLUDE_2X

Default Label Life
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG
RUN_CNTL_BEN



Default Label Pension
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG
RUN_CNTL_BEN

INCLUDE_9X

Default Label Vacation Buy/Sell
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG

INCLUDE_BREAK

Default Label Include BREAK Punch
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_TMPLT_RULE

INCLUDE_CALC

Default Label Calculate Life/Disability Covg
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG

INCLUDE_CD

Default Label Service Include Code
Length 1



Type Character
Format Uppercase

Record Reference(s) EG_DFN_SVC_STAT
PA_DFN_SVC_STAT

INCLUDE_DED

Default Label Include Payroll Deduction Info
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG

INCLUDE_ELAPSED

Default Label Include Elapsed Time
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_TMPLT_RULE

INCLUDE_FEDERAL_TX

Default Label Include Federal Taxes
Length 1
Type Character
Format Uppercase

Record Reference(s) PYAP_XTAX_AET
RC_X_TAX

INCLUDE_HEADERS

Default Label Include Column Headers
Length 1



Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_REG

INCLUDE_IN

Default Label Include IN Punch
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_TMPLT_RULE

INCLUDE_IN_NDT

Default Label Include in Nondiscrimination
Length 1
Type Character
Format Uppercase

Record Reference(s) BENEF_PLAN_TBL

INCLUDE_LOCAL_TX

Default Label Include Local Taxes
Length 1
Type Character
Format Uppercase

Record Reference(s) PYAP_XTAX_AET
RC_X_TAX

INCLUDE_MEAL

Default Label Include MEAL Punch
Length 1
Type Character



Format Uppercase

Record Reference(s) TL_TMPLT_RULE

INCLUDE_ORIG

Default Label Include Original Enrollment Dt
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG

INCLUDE_OUT

Default Label Include OUT Punch
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_TMPLT_RULE

INCLUDE_SALPLN_FLG

Default Label Include Salary Plan/Grade
Length 1
Type Character
Format Uppercase

Record Reference(s) POSITION_DATA

INCLUDE_STATE_TX

Default Label Include State Taxes
Length 1
Type Character
Format Uppercase

Record Reference(s) PYAP_XTAX_AET



RC_X_TAX

INCLUDE_TAX

Default Label Bill Includes Tax if Applied
Length 1
Type Character
Format Uppercase

Record Reference(s) CC_CARD_TBL_EX

INCLUDE_TERMS

Default Label Include Implied Terminations
Length 1
Type Character
Format Uppercase

Record Reference(s) BN_SNAP_CONFIG

INCLUDE_XFER

Default Label Include XFER Punch
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_TMPLT_RULE

INCLUD_EXCLUDE_IND

Default Label Include/Exclude Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GARN_DE_EARN
TL_RUN_CTRL_GRP



+ Include
- Exclude

INCL_ABS_HIST_IND

Default Label Include Absence History?
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_DURATION

INCL_ALT_COVRG

Default Label Include Alternative Coverage
Length 1
Type Character
Format Uppercase

Record Reference(s) CBR_EVENT_RULES

INCL_DED_HIR

Default Label Include for Deductions (HIR)
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_MJ_OPTIONS

N Exclude this Job
Y Include this Job

INCL_DED_TER

Default Label Include for Deductions (TER)
Length 1
Type Character
Format Uppercase



Record Reference(s) BAS_MJ_OPTIONS

N	Exclude this Job
Y	Include this Job

INCL_DUR_LIMIT_IND
Default Label Include Duration Limits?
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_DURATION

INCL_ELIG_HIR
Default Label Include for Eligibility
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_MJ_OPTIONS

N	Exclude this Job
Y	Include this Job

INCL_ELIG_TER
Default Label Include for Eligibility (TER)
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_MJ_OPTIONS

N	Exclude this Job
Y	Include this Job

INCL_HEADER_IND



Default Label Include Header
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_DEFFL_TAO
 PI_DEFN_FILE
 PI_SYSTEM_TBL

INCL_OPTN_DETAIL

Default Label Include Option Detail
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_BEN

INCL_PYBL_TM

Default Label Include T&&L Payable Time
Length 1
Type Character
Format Uppercase

Record Reference(s) TERM_PGM_TBL
 TERM_RQST

INCL_SUMMARY

Default Label Include Summary
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_BEN



INCREASE_FACT2

Default Label Post SSRA Increase Factor 2
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_415_LIMIT

INCREM_HOURS

Default Label Hours to Next Step Increment
Length 8
Type Number
Format Uppercase

Record Reference(s) SAL_STEP_PUB
SAL_STEP_TBL
Z_SAL_STEP_TBL

INCREM_MONTHS

Default Label Months to Next Step Increment
Length 3
Type Number
Format Uppercase

Record Reference(s) CMP007_AET
SAL_STEP_PUB
SAL_STEP_TBL

STEP_INCR_AET
Z_SAL_STEP_TBL

INCRMNT_FLDNAME

Default Label Increment Field Name
Length 18



Type Character
 Format Uppercase

Record Reference(s) EO_CURRCNV_RULE

INCR_END_DT

Default Label End Date for Step Increments
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) BP_RNCTL_BPINFC
 GVT_RUN_CNTL
 RUN_CNTL_HR
 Z_LC_RUNCTL

INCR_START_DT

Default Label Start Date for Step Increments
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) BP_RNCTL_BPINFC
 GVT_RUN_CNTL
 RUN_CNTL_HR
 Z_LC_RUNCTL

INCUMBENT

Default Label Number of Incumbents
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) ELECT_GROUP



INCUMBENT_ELECTED

Default Label Elected
Length 1
Type Character
Format Uppercase

Record Reference(s) ELECT_RESULT

INCUMBENT_INDICATO

Default Label Incumbent Indicator
Length 10
Type Number
Format Uppercase

Record Reference(s) ELECT_ROLL

INCUMBENT_RESULT

Default Label Incumbent Result
Length 3
Type Number
Format Uppercase

Record Reference(s) ELECT_GROUP
ELECT_ROLL

INCUMBENT_SEATS

Default Label Incumbent Seats
Length 3
Type Number
Format Uppercase

Record Reference(s) ELECT_ROLL

INCUMBENT_VOTES



Default Label Incumbent Votes
Length 7
Type Number
Format Uppercase

Record Reference(s) ELECT_RESULT

INCVWNAME

Default Label Update View Name
Length 15
Type Character
Format Uppercase

Record Reference(s) PSRGWIDX

INC_ANIMALS_SW

Default Label Animals Involved
Length 1
Type Character
Format Uppercase

Record Reference(s) INC_TRAVEL_DATA

INC_COURSE_CD

Default Label Incremental Course Code
Length 6
Type Number
Format Uppercase

Record Reference(s) TRN_ALL_COURSE

INC_FINAL_ORDER

Default Label Final Order
Length 3



Record Reference(s) ESTAB_TBL_BRA

INDEXCOUNT

Default Label Index Count
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) EO_RECDEFN_CUR
 PSRECDEFN

INDEXID

Default Label Index Identifier
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_UPG8IDX_AET
 PSIDXDDLPRM
 PSINDEXDEFN
 PSKEYDEFN

INDEXNAME

Default Label Name of Index for Collection
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSAUDITWRK
 PSRGWFLDOPT
 PSRGWIDX
 PSRUN_SEARCH
 PSRUN_SRCH_AET
 PSSGWIDX
 PSSGWSTARTOPT
 PSSIDXDEFN



PSSIDXLANGUAGE
PSSIDXSCHEM

INDEXTYPE

Default Label Index Type
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

INDEX_ACTION

Default Label Index Action
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_APP_INDX_CTL
ER_APP_INDX_TMP

D Delete
U Insert/Update

INDEX_FILE_FLG

Default Label Index Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_FILEPUB_AET
EO_FLOINDEFN

INDICATOR_2483_FRA

Default Label 2483 Indicator
Length 5



Type Character
Format Uppercase

Record Reference(s) DEC2483_FRA_AET

EDIT_2483G_FRA
EDIT_2483_FRA
INDIC_2483_FRA
INDIC_2483_LANG

INDICATR_SHEET_FRA

Default Label Indicator
Length 5
Type Character
Format Mixedcase

Record Reference(s) RUN_CNTL_HR

INDIC_PARAM_CD_FRA

Default Label Indicator Parameter
Length 5
Type Character
Format Uppercase

Record Reference(s) EDIT_SHEET_AET

INDIC_SHEET_CD_FRA

Default Label Indicator
Length 5
Type Character
Format Uppercase

Record Reference(s) EDIT_SHEET_AET

EDIT_SHEET_FRA
INDIC_SHEET_FRA
INDIC_SHT_LANG
INDI_SHEET_LANG
RUN_CNTL_HR



INDIC_SHT_DESC_FRA

Default Label Indicator Description
Length 30
Type Character
Format Uppercase

Record Reference(s) INDI_SHEET_LANG

INDIC_WHERE_CLAUSE

Default Label Indicator Where Clause
Length 150
Type Character
Format Uppercase

Record Reference(s) EDIT_SHEET_AET

INDIVIDUAL_ALL

Default Label All Individual
Length 1
Type Character
Format Uppercase

Record Reference(s) RDEDEXTR_RUNCTL

INDIV_FUNCTION_FRA

Default Label Individual Position (Reserve)
Length 40
Type Character
Format Mixedcase

Record Reference(s) MILIT_SITN_FRA



INDIV_NOTIF_DT_FRA

Default Label Date of Indiv. Notification
Length 10
Type Date
Format Uppercase

Record Reference(s) MILIT_SITN_FRA

INDSTRY_CD_ESP

Default Label Industry Activity Code
Length 4
Type Character
Format Uppercase

Record Reference(s) ESTAB_SSEC_ESP
INDSTRY_ACT_ESP

INDUSTRIAL_INJURY

Default Label Work Injury Related
Length 1
Type Character
Format Uppercase

Record Reference(s) ABSENCE_HIST
GPGB_ABS_EVT_JR

INDUSTRY

Default Label Industry
Length 4
Type Character
Format Uppercase

Record Reference(s) COMPANY_TBL
OPR_DEF_HR_TAO
OPR_DEF_TBL_HR



PAYGROUP_TBL
UPG_CONV_HR75

CORE	Core
EDUC	Education
FNSV	Financial Services
GOVT	Government
HLTH	Health Care
RETL	Retail
TRAN	Transportation
UTIL	Utilities

INDUSTRY_SECTOR

Default Label	Industry Sector
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	COMPANY_TBL
	OPR_DEF_HR_TAO
	OPR_DEF_TBL_HR
	PAYGROUP_TBL
	UPG_CONV_HR75

CORE	Core
PBSC	Public Sector
USFG	US Federal Government

INDUSTRY_STANDARD

Default Label	Industry Standard
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	EO_EIP_EDNP_TBL
---------------------	-----------------

INDUSTRY_STANDARD2

Default Label	Industry Standard
---------------	-------------------



Length 30
 Type Character
 Format Mixedcase

Record Reference(s) EO_EIP_EDNP_TBL

INDUST_INSP_ID_GER

Default Label Industrial Inspection ID
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) INDUST_INSP_GER
 INDUST_INSP_LNG
 OHS001GER_TMP1
 OHS004GER_TMP1

IND_COMMITTEE_BEL

Default Label Industrial Committee
 Length 3
 Type Character
 Format Mixedcase

Record Reference(s) BUS_UNIT_OPT_HR
 HR_DIM_BEL_AET

IND_DMND_CNTRL_SW

Default Label Individual Demand Control
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_HR
 TRAINING_AET

A Approve
 D Unapprove



N All Demands

IND_START_DT_CANC

Default Label Ind St Dt Can C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

INFORMIXSERVERNAME

Default Label Informix Server Name
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSREMOTEDBDEFN

INFO_RCVD_DT

Default Label Date Received
Length 10
Type Date
Format Uppercase

Record Reference(s) APP_CITIZENSHIP
APP_DISABILITY
APP_DIVERSITY

INF_ER_ID_MEX

Default Label INFONAVIT ID
Length 12
Type Character
Format Uppercase



Record Reference(s) COMPANY_TBL_MEX

INITIALIZE_DT

Default Label Initialize Date
Length 10
Type Date
Format Uppercase

Record Reference(s) RC_PYAP_TXINICN

RC_PYAP_TXINIFT
RC_PYAP_TXINILT
RC_PYAP_TXINIST
UPG_PI_AET
UPG_PY_AET

INITIAL_ISSUANCE

Default Label Initial Issuance
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

RUN_CNTL_ST
ST_ISSUUPD_AET

INITIATEDNEXT

Default Label Initiated Next Process

Length 1
Type Number
Format Uppercase

Record Reference(s) PSPRCSQUE

PSPRCSRQST



INITIATEWHEN

Default Label Initiate When
Length 1
Type Number
Format Uppercase

Record Reference(s) PRCSRECUR

INIT_BENEFIT_PGM

Default Label Initial Benefit Program
Length 3
Type Character
Format Uppercase

Record Reference(s) CBR_PARTIC_PLAN

INIT_COMP_ANNIVYR

Default Label First Period is Anniv Year
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_SVC

INJURIES

Default Label Nature Of Injuries
Length 100
Type Character
Format Mixedcase

Record Reference(s) OHS501UK_TMP2

INJURY_CHARGE_AMT

Default Label Charge Amount
Length 20



Type Signed Number
 Format Uppercase

Record Reference(s) INJURY_CLM_COST

INJURY_CHARGE_TYPE

Default Label Type of Charge

Length 2
 Type Character
 Format Uppercase

Record Reference(s) INJURY_CLM_CHRG
 INJURY_CLM_COST

MD Medical Costs
 OT Other Costs
 WG Wage Loss

INJURY_ILLNESS

Default Label Primarily Injury/Illness
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INJURY_ILL

D Death
 L Illness
 N Injury

INJURY_ILL_DESCR

Default Label Injury / Illness Descriptions
 Length 0
 Type Long Character
 Format Uppercase

Record Reference(s) INJURY_ILL_DESC



INJURY_TREATMENT

Default Label	Injury Treatment
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	INJURY_ILL
	1 Medical Treatment
	2 First Aid
	3 Not Required
	4 Hospitalized

INJURY_WITNESS

Default Label	Witnesses to the Injury
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	WCB_WOIN_EC
	WCB_WOIN_WD

INPDAI_CODE_ITA

Default Label	INPDAI Code for Company/Estab
Length	16
Type	Character
Format	Uppercase

Record Reference(s)	EMPL_INPDAI_ITA
	GPIT_GV93_P_AGG
	GPIT_GV93_TMP
	GPIT_GV93_TMP_A
	GPIT_GV93_TMP_B
	GPIT_GV93_TMP_C
	GPIT_GV93_TMP_D
	GPIT_GV93_TMP_P
	GPIT_RP_0001
	INPDAI_COMP_ITA
	INPDAI_ITA_LANG



INPDAI_TBL_ITA

INPDAI_POS_CD_ITA

Default Label INPDAI Position Code
Length 4
Type Character
Format Uppercase

Record Reference(s) INPDAI_TBL_ITA

INPS_ACTIVITY_ITA

Default Label INPS Activity Desc
Length 30
Type Character
Format Uppercase

Record Reference(s) INPS_TBL_ITA

INPS_AUTHORIZ_ITA

Default Label Authorization Number
Length 16
Type Character
Format Uppercase

Record Reference(s) GPIT_DM10E_TMP2
GPIT_DM10E_TMP5
INPS_TBL_ITA

INPS_CODE_ITA

Default Label INPS Code for Company/ Establ
Length 12
Type Character
Format Uppercase



Record Reference(s) EMPL_INPS_ITA

GPIT_CUD_RP_P1
 GPIT_CUD_RP_P3
 GPIT_DM10E_TMPA
 GPIT_DM10E_TMPB
 GPIT_DM10E_TMPC
 GPIT_DM10E_TMPD
 GPIT_DM10E_TMPE
 GPIT_PCUD_I1
 GPIT_PCUD_I2
 GPIT_PCUD_I3
 GPIT_PCUD_T1
 GPIT_PCUD_T2
 GPIT_PCUD_T3
 GPIT_PCUD_T4
 GPIT_RP_0001
 INPS_COMP_ITA
 INPS_ITA_LANG
 INPS_TBL_ITA
 MATR_BK_ITA_TAO
 MATR_BOOK_ITA

INPS_FC_ITA
 Default Label INPS Fiscal Code
 Length 16
 Type Character
 Format Uppercase

Record Reference(s) GPIT_DM10E_TMP2

GPIT_DM10E_TMP5
 INPS_TBL_ITA

INPS_POS_CD_ITA
 Default Label INPS Position Code
 Length 4
 Type Character
 Format Uppercase



Record Reference(s) GPIT_DM10_AET
GPIT_DM10_WA
INPS_TBL_ITA

INPS_SITE_ITA
Default Label INPS Site
Length 20
Type Character
Format Uppercase

Record Reference(s) INPS_TBL_ITA

INPS_STAT_CD_ITA
Default Label INPS Statistical Contr Code
Length 5
Type Character
Format Uppercase

Record Reference(s) GPIT_DM10E_TMP2
GPIT_DM10E_TMP5
INPS_TBL_ITA

INPUTNAME
Default Label Input Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSMSGAGTDEFN

INPUT_DT
Default Label Input Date
Length 10
Type Date



Format Uppercase

Record Reference(s) TIPS_EMPL_INPUT

INQUIRY_MONTH

Default Label Pre Load Edit Inquiry Month
Length 2
Type Number
Format Uppercase

Record Reference(s) RC_CAN_YE

INQUIRY_TYPE

Default Label Pre Load Inquiry Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

- M Month Totals Only
- T YTD Totals Only
- Y YTD Totals to Inquiry Month

INSEE_CD_FRA

Default Label INSEE Code
Length 4
Type Character
Format Uppercase

Record Reference(s) FPA_EMPLOYEES

- GPFR_DA41_AET
- INSEE_FRA_LANG
- INSEE_TBL_FRA

INSEE_CNTRY_NM_FRA



Default Label INSEE Country Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) COUNTRY_TBL_FRA

INSERT_PRE_FILLED

Default Label Insert Pre-filled Tax Location
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TAX_DIST_EFFDT

INSERT_SRC_IND

Default Label Insert Source Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_ACTIONS

- 0 From Another Table
- 1 From A List of Values

INSERT_VALUE_SRC

Default Label Insert Value Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_SQL_INSERT

- 0 Constant
- 1 State Variable
- 2 MetaSQL



3 Expression
4 Template

INSPECTOR_DATE

Default Label Inspection Date
Length 10
Type Date
Format Uppercase

Record Reference(s) INJURY_ILL_IND

INSPECTOR_JOBTITLE

Default Label Inspector Title
Length 30
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL_IND

INSPECTOR_NAME

Default Label Inspector Name
Length 30
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL_IND

INSPECTOR_TIME

Default Label Inspection Time
Length 15

Type Time
Format Uppercase

Record Reference(s) INJURY_ILL_IND



INSTALLED

Default Label Enabled
Length 1
Type Number
Format Uppercase

Record Reference(s) PSLANGUAGES
PSMENUDEFN

INSTALLED_GP_ARG

Default Label ARG - Argentina
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_AUS

Default Label AUS - Australia
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_BRA

Default Label BRA - Brazil
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION



Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION
WP_PAYMT_AET

INSTALLED_GP_HKG

Default Label HKG - Hong Kong
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_IND

Default Label IND - India
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_IRL

Default Label IRL - Ireland
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_ITA

Default Label ITA - Italy
Length 1



Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_JPN

Default Label JPN - Japan
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_MEX

Default Label MEX - Mexico
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_MYS

Default Label MYS - Malaysia
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_NLD

Default Label NLD - Netherlands
Length 1
Type Character
Format Uppercase



Record Reference(s) INSTALLATION

INSTALLED_GP_NZL

Default Label NZL - New Zealand
Length 1
Type Character

Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_SGP

Default Label SGP - Singapore
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_TWN

Default Label TWN - Taiwan
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_GP_UK

Default Label GBR - United Kingdom
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION



INSTALLED_GP_USA

Default Label USA - United States
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

INSTALLED_PAY_GBL

Default Label Global Payroll Core
Length 1
Type Character
Format Uppercase

Record Reference(s) DEC2483_FRA_AET
INSTALLATION
UPG_TL_AET

INSTALLED_PAY_INT

Default Label Payroll Interface
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION
UPG_CONV_PI75

INSTALLED_PAY_NA

Default Label Payroll for North America
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION



UPG_TL_AET

INSTALLED_SW

Default Label	Installed?
Length	1
Type	Character
Format	Uppercase

Record Reference(s) EO_PS_PRODUCT

INSTALL_DT

Default Label	Installation date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) CAR_EXTRA
 TL_TCD_TBL

INSTANCE

Default Label	Instance Number
Length	3
Type	Number
Format	Uppercase

Record Reference(s) GPAU_EFT_CMX_DB
 GPAU_EFT_CMX_TR
 GPAU_EFT_CX_AET
 GPBR_BATCH_AET
 GPBR_PAYMENT
 GPBR_PMT_AET
 GPCH_OT_PRC_ST
 GPDE_AL_ERN_DED
 GPDE_BL
 GPDE_RP_AL01
 GPDE_RP_AL04
 GPDE_RP_AL05



GPDE_RP_TX03
GPES_PAYMENT
GPES_PMT_AET

GPES_PSLIP_TMP2
GPES_PSLIP_TMP4
GPFR_ILL_AET
GPFR_PAYMENT
GPFR_PMT_AET
GPFR_PS_ERN_TMP
GPGB_EEMDTL_LNG
GPGB_EE_EXCEP
GPGB_EE_M_DTL
GPGB_PAYMENT
GPGB_PGRPMDTLLG
GPGB_PGRP_M_DTL
GPGB_PSLIPPFTLG
GPGB_PSLIP_ED_W
GPGB_PSLIP_P_ED
GPGB_PSLIP_P_FT
GPIT_FCUD_T1
GPIT_RP_AL01
GPIT_RP_TX01
GPIT_RP_TX02
GPMX_BATCH_AET
GPMX_PAYMENT
GPMX_PMT_AET
GPNL_PAYMENT
GPNL_PMT_AET
GPNL_PS_ERN_TMP
GPNL_SOC2_TMP
GP_GL_AMT1_TMP
GP_GL_AMT2_TMP
GP_NET_DIST_DTL
GP_NET_DST1_TMP
GP_NET_DST2_TMP
GP_NET_PAY3_TMP
GP_PAYMENT
GP_PAYMENT2_TMP
GP_PAYMENT_TMP
GP_PI_MNL_DATA
GP_PI_MNL_SOVR
GP_PMT_PREP_AET



GVT_EE_DATA_WL
GVT_EXCP_TC_WL
GVT_MAN_WGI_WL
GVT_PROB_REV_WL
GVT_PT_COMP_WL
GVT_RET_WGI_WL
GVT_TC_COMP_WL
GVT_TEN_REV_WL
GVT_TREQ_WL
GVT_TREQ_WL_LNG
GVT_WGICERT_LNG
GVT_WGI_CERT_WL
GVT_WGI_COMP_WL
GVT_WGI_REV_WL
HR_CM_EVAL_WL
HR_DEV_REQ_WL
HR_FULL_PART_WL
HR_HONOR_WL
HR_JOB_REQ_WL
HR_LIC_CERT_WL
HR_LOCATION_WL
HR_MARSTATUS_WL
HR_OFFER_SUB_WL
HR_PROMT_SUB_WL
HR_REPORTING_WL
HR_RETIRE_WL
HR_SALBG_SUB_WL
HR_SALCHANGE_WL
HR_SALCH_SUB_WL
HR_TERMINATE_WL
HR_TRAIN_SUB_WL
HR_TRANS_SUB_WL
HR_WL_FP
JOB_RQST_WC
JOB_RQST_WL
PCMP_HIRE_WL
PCMP_TERM_WL
PERS_SRCH_WL
PLAN_SAL_WL
PLN_SL_WL_LNG
PSWORKLIST

PT_EIP_MSG_WL



PT_EIP_PUB_WL
PT_EIP_SUB_WL
PT_WF_NOTIFY_WL
PY_IC_W2_WL
SHS_EMPLINFO_WL
SHS_RUNCTL_WL
SS_COMMONADM_WL
SS_COMMON_WL
ST_ACTN_PRC_AET
ST_ACTN_PRC_WL
TERM_RQST_WL
TL_OT_SUB_WL
UPG_HR75_AET
UPG_HR_AET
VC_AWDALCG_WL
VC_AWDALC_WL
VC_GRP_ALLOC_WL
VC_PLAN_TBL_WL
W3EB_BRTHADT_WL
W4NOTIFY_WL
W5NOTIFY_WL
WC_JCR_WL
WF_FP_CA1_WL
WF_FP_CA2_WL
WF_FP_CA3_WL
WF_FULLPART_WL
WF_HOME_MAIL_WL
WF_LOC_CHG_WL
WF_MAR_STAT_WL
WF_MON_WL
WF_NAME_WL
WF_PROMOTE_WL
WF_RETIRE_WL
WF_RPT_CHG_WL
WF_SS_ADMIN_WL
WF_TERMINATE_WL
WF_TO_WL
WF_TRANSFER_WL
WP_TERM_WL
Z_AWD_APPLD_WL
Z_CHKLST_WL
Z_CLC_REQ_FA_WL
Z_DHS_PAR_WL



Z_EXT_INTVW_WL
Z_FLEX_WL
Z_HR_CHKST_WL
Z_HR_REQ_CLS_WL
Z_JOB_REQ_WL
Z_LC_15_ABV_WL
Z_LC_GVT_EE_WL
Z_LC_JOB_CD_WL
Z_LC_POSN_WL
Z_PI_ADDRESS_WL
Z_PI_FUTURE_WL
Z_PI_NFCAUTO_WL
Z_PP_PLAN_WL
Z_PRESENT_030_WL
Z_PRESENT_083_WL
Z_PRESENT_089_WL
Z_PRESENT_095_WL

Z_PRESENT_120_WL
Z_PRESENT_127_WL
Z_PRESENT_140_WL
Z_PRESENT_150_WL
Z_PRESENT_151_WL
Z_PRESENT_170_WL
Z_PRESENT_SINQ_WL
Z_RG_NTE_WL
Z_SIMS_CERT_WL
Z_SIMS_JOB_WL
Z_SS_AWD_WL
Z_SS_EXIT_WL
Z_SS_NTE_EXT_WL
Z_SS_PAR_WL
Z_WF_PERF_PL_WL
Z_WF_PMSO_J_WL
Z_WF_PMSO_P_WL
Z_WF_SINQ_WL
Z_WF_VACANCY_WL

INSTANCE_NUM	
Default Label	Instance Number
Length	4



Type Number
 Format Uppercase

Record Reference(s) GP_AUDIT_TBL

INSTATUSDESCR

Default Label Worklist Instance Status
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) WF_INSTSTATUS
 WF_INSTSTATUSLG
 Z_LC_WORKLIST

INSTAVAILABLETTM

Default Label Instance Available Date/Time
 Length 26
 Type Datetime
 Format 12

Record Reference(s) PSWORKLIST
 Z_LC_WORKLIST

INSTMAX

Default Label Instance Maximum
 Length 10
 Type Number
 Format 7

Record Reference(s) PSWLINSTMAX

INSTRUCTOR_ID

Default Label Instructor ID



Length 11
Type Character
Format Uppercase

Record Reference(s) CRSE_SESS_INSTR
RUN_CNTL_HR
RUN_STPS2_MEX
RUN_STPS_MEX
TRAINING013_AET
TRN_EEINST_COST
TRN_INSTRCT_CRS
TRN_INSTRCT_LNG
TRN_INSTRCT_TBL
TRN_INSTRC_COST
UPG_HR75TRN_AET

INSTR_CMPS_ACP_SW

Default Label Instructor Comps/Accomps Req
Length 1
Type Character
Format Uppercase

Record Reference(s) COURSE_TBL

INSTSELECTEDDTM

Default Label Instance Selected Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) PSWORKLIST
Z_LC_WORKLIST

INSTSTATUS

Default Label Instance Status
Length 5
Type Number



Format 7

Record Reference(s) PSWORKLIST
WF_INSTSTATUS
WF_INSTSTATUSLG
WF_MON_SETUP

INSTTIMEOUTDTM

Default Label Instance Time Out Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) PSWORKLIST

INSTWORKEDDTM

Default Label Instance Worked Date/Time
Length 26
Type Datetime
Format 13

Record Reference(s) PSWORKLIST

INST_TYPE_AUS

Default Label Institute Type
Length 1
Type Character
Format Uppercase

Record Reference(s) DETYA_PRCs_TMP

- 0 Non-Academic
- 1 This Institute
- 2 Other Institute
- 3 Overseas Institute



INSUR_COMP_CD_ESP

Default Label Insurance Company Code
Length 5
Type Character
Format Uppercase

Record Reference(s) GPES_SSTC_TC1
INSUR_COMP_ESP

INSUR_COMP_CD_FRA

Default Label Insurance Company Code
Length 5
Type Character
Format Uppercase

Record Reference(s) INSUR_COMP_FRA
INSUR_FRA_LANG

INS_EARNS_AMENDED

Default Label Insurable Earnings Amended
Length 1
Type Character
Format Uppercase

Record Reference(s) INS_EARNS_BAL

A Amended
N Not Applicable
R Amended and Reported

INTCP_COMPANY2

Default Label External Company
Length 3
Type Character
Format Uppercase



Record Reference(s) PROJ_ACTIVITY

INTEGRATION_TYPE

Default Label Integration Type

Length 3

Type Character

Format Uppercase

Record Reference(s) TL_TCDDEF_TBL

FLT Flat File Integration

XML XML Integration

INTERCHNG_SPEC_VER

Default Label Interchange Spec Version

Length 8

Type Character

Format Uppercase

Record Reference(s) WCB_EDSR_EC

WCB_EDSR_WD

INTERCTR_WRKS_CNCL

Default Label InterCtr.Works Cnil Function

Length 1

Type Character

Format Uppercase

Record Reference(s) JOBCOMP_TMP_MC

JOB_TMP_MC

UPG_758_JJL_TAO

1 Member 1

2 Member 2

3 Member 3



INTEREST_ADJ_AMT

Default Label Interest Adjustment
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) PA_CBAL_TRANS
PA_EACCT_TRANS

INTEREST_AGE

Default Label Deferred to Age
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

INTEREST_AGE_ALIAS

Default Label Deferred to Age
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

INTEREST_AGE_TYPE

Default Label Deferred to Age Field Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

A Alias Name
N Numeric Constant



INTEREST_AG_ALIAST

Default Label Interest Age Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

INTEREST_BASIS

Default Label Interest Basis
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

- C Use Custom Table Lookup
- F Use Flat Rate of
- P Use PBGC Grading Structure
- U User Code

INTEREST_CUST_TBL

Default Label Custom Table Lookup ID
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

INTEREST_FACTOR

Default Label Interest Calculation Factor
Length 4
Type Signed Number
Format Uppercase

Record Reference(s) PROJECT_STATUS



INTEREST_LEVEL

Default Label Interest Level
Length 1
Type Character
Format Uppercase

Record Reference(s) APP_COMPS
COMPETENCIES
UPG_COMPETN_TAO
UPG_HR75_AET

INTEREST_ONLY

Default Label Interest Only (No Credits)
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

INTEREST_PCT

Default Label Interest Flat Rate Percent
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FACTOR
PA_TL_SVC_CRED

INTEREST_RATE

Default Label Interest Rate
Length 16
Type Number
Format Uppercase



Record Reference(s) GVT_RETRO_INT
GVT_SVCTR_N_TBL
PA_TL_120AFR_TB
WP_AGRT_DT_VST
WP_PAYMT_AET

INTEREST_SCALE

Default Label Scaled by
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

INTEREST_USE_NAME

Default Label Interest Parameter Set Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_INTEREST

INTERNAL_EXTERNAL

Default Label Internal/External
Length 1
Type Character
Format Uppercase

Record Reference(s) APP_TRAINING
CAREER_TRAINING
COURSE_TBL
EG_ACTIVITIES
INTL_SCHPGM_TBL
RUN_CNTL_HR
TRAINING



TRN_INSTRCT_TBL
 WP_AGRT_EE_VST
 WP_AGRT_INVEST
 WP_PAYMT_AET

E External
 I Internal

INTERNATIONAL

Default Label Take International Assignment
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CAREERPLAN

INTERPOLATE_METHOD

Default Label Interpolation Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_BRACKET
 PA_TBL_LOOKUP

H Use Next Higher
 I Linear
 L Use Next Lower
 N Use Nearest

INTERPOLATE_VST

Default Label Interpolate Vesting
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_VESTSCHD



Record Reference(s) INTERVW_ID_LANG
 INTERVW_ID_TBL
 INTERVW_SCHED
 INTERVW_SCH_TBL

INTERVIEW_TYPE

Default Label Interview Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) APP_IV_SCHED
 INTERVW_SCH_TBL
 INTERVW_TIMES

BRK	Breakfast
EVL	Evaluation Session
INT	Interview
LUN	Lunch
STU	Start Up
WRU	Wrap Up

INTERVW_DT

Default Label Interview Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) APP_IV_SCHED
 ER_INTVW_EVAL
 ER_INTVW_EVL_WL
 ER_INTVW_SCHED
 ER_INTVW_TAO
 ER_INT_EVAL_AET
 ER_WORKFLOW
 INTERVWER_AVAIL
 INTERVW_SCHED
 INTERVW_TIMES



IV_AVAIL_DATES
 IV_AVAIL_TIMES
 IV_SCHED_TIMES
 R_APP007
 UPG_ER_AET

INTFC_ID

Default Label Trans Load ID
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) MC_DEFN_PC

INTFC_STATUS

Default Label Interface Status
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) MC_DEFN_PC

CON Consolidated
 DON Mass Changes Generated
 ERR Error
 NEW Mass Changes Not Generated
 REP Replaced by Other Records (AP)
 UNI Unitized

INTRFC_PERF_MEAS

Default Label Interface with PS/EPM
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_INSTALLATION
 UPG_TL1_AET



INTRFC_PROJ_COST

Default Label	Interface with PS/Projects
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_INSTALLATION
	UPG_TL1_AET

INTRL_MNT_LNG_CAN

Default Label	Internal Svc to Montreal
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PERS_OFFLNG_CAN
	0 Not Applicable
	1 English and French
	2 English Only
	3 French Only
	8 All Other Situations

INTRL_NB_LNG_CAN

Default Label	Internal Svc to New Brunswick
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PERS_OFFLNG_CAN
	0 Not Applicable
	1 English and French
	2 English Only
	3 French Only
	8 All Other Situations



INTRL_NCR_LNG_CAN

Default Label Internal Svc to NCR
Length 1
Type Character
Format Uppercase

Record Reference(s)

PERS_OFFLNG_CAN

- 0 Not Applicable
- 1 English and French
- 2 English Only
- 3 French Only
- 8 All Other Situations

INTRL_ON_LNG_CAN

Default Label Internal Svc to Ontario
Length 1
Type Character
Format Uppercase

Record Reference(s)

PERS_OFFLNG_CAN

- 0 Not Applicable
- 1 English and French
- 2 English Only
- 3 French Only
- 8 All Other Situations

INTRL_QC_LNG_CAN

Default Label Internal Svc to Quebec
Length 1
Type Character
Format Uppercase

Record Reference(s)

PERS_OFFLNG_CAN

- 0 Not Applicable
- 1 English and French
- 2 English Only



3 French Only
8 All Other Situations

INTVW_CATEGORY

Default Label Interview Category
Length 2
Type Number
Format Uppercase

Record Reference(s) ER_INT_EVLCT_LG
ER_INT_EVL_CATG

INTVW_CMTS_OVER

Default Label Overall Comments
Length 0
Type Long Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_1

Default Label Comments 1
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_10

Default Label Comments 10
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL



INTVW_COMMENTS_2

Default Label Comments 2
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_3

Default Label Comments 3
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_4

Default Label Comments 4
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_5

Default Label Comments 5
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL



INTVW_COMMENTS_6

Default Label Comments 6
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_7

Default Label Comments 7
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_8

Default Label Comments 8
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_COMMENTS_9

Default Label Comments 9
Length 100
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_EVAL_ID

Default Label Evaluation ID



Length 6
Type Character
Format Uppercase

Record Reference(s) ER_INT_EVLCT_LG
ER_INT_EVLRT_LG
ER_INT_EVL_CATG
ER_INT_EVL_DEFN
ER_INT_EVL_LNG
ER_INT_EVL_RCMD
ER_INT_EVL_RSNS
ER_INT_EVL_RTG

INTVW_EVAL_TMPL

Default Label Interview Evaluation Template
Length 15
Type Character
Format Uppercase

Record Reference(s) ER_RCRT_TMPL

INTVW_LOCATION

Default Label Location
Length 10
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_SCHED

INTVW_RATING

Default Label Interview Rating
Length 2
Type Number
Format Uppercase

Record Reference(s) ER_INT_EVL_RTG



INTVW_RATING_1

Default Label Rating 1
Length 2
Type Number
Format Uppercase

Record Reference(s)	ER_INTVW_EVAL
1	Low
2	Below Average
3	Average
4	Above Average
5	High

INTVW_RATING_10

Default Label Rating 10
Length 2
Type Number
Format Uppercase

Record Reference(s)	ER_INTVW_EVAL
1	Low
2	Below Average
3	Average
4	Above Average
5	High

INTVW_RATING_2

Default Label Rating 2
Length 2
Type Number
Format Uppercase

Record Reference(s)	ER_INTVW_EVAL
1	Low
2	Below Average



- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_3

Default Label Rating 3
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) ER_INTVW_EVAL

- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_4

Default Label Rating 4
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) ER_INTVW_EVAL

- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_5

Default Label Rating 5
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) ER_INTVW_EVAL



- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_6

Default Label Rating 6
 Length 2
 Type Number
 Format Uppercase

Record Reference(s)

ER_INTVW_EVAL

- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_7

Default Label Rating 7
 Length 2
 Type Number
 Format Uppercase

Record Reference(s)

ER_INTVW_EVAL

- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_8

Default Label Rating 8
 Length 2
 Type Number



Format Uppercase

Record Reference(s) ER_INTVW_EVAL

- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_9

Default Label Rating 9
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) ER_INTVW_EVAL

- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RATING_OVER

Default Label Overall Rating
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) ER_INTVW_EVAL

- 1 Low
- 2 Below Average
- 3 Average
- 4 Above Average
- 5 High

INTVW_RCMD_RSN_1



Default Label Reason 1
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_10

Default Label Reason 10
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_2

Default Label Reason 2
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_3

Default Label Reason 3
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_4

Default Label Reason 4
Length 1
Type Character



Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_5

Default Label Reason 5
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_6

Default Label Reason 6
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_7

Default Label Reason 7
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_8

Default Label Reason 8
Length 1
Type Character
Format Uppercase



Record Reference(s) ER_INTVW_EVAL

INTVW_RCMD_RSN_9

Default Label Reason 9
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ER_INTVW_EVAL

INT_BASIS

Default Label Day Count Basis
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) RT_RATE_DEF_TBL
 RT_RATE_DEF_TMP

30	30/360
3E	30E/360
A0	Actual/360
A5	Actual/365
AA	Actual/Actual

INT_ENTITYCD

Default Label Internal Entity Code
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL

INT_FP_DENOM

Default Label Interest Full Pd Fraction Deno



Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

INT_FP_NUMER

Default Label Interest Full Pd Frac Numerato
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

INT_LR_CONST

Default Label Level Interest Constant Rate
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

INT_LR_FP_P_TYPE

Default Label Intertest Full Pd Fraction Typ
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

C Compound Interest
 S Simple Interest

INT_LR_FP_TYPE

Default Label Interest Full Period Method
 Length 1



Type Character
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

- F Full Period Interest
- N No Interest
- P Fractional Interest For Period
- U User Code

INT_LR_PD_TYPE

Default Label Level Rate Period Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

- A Annual
- M Monthly

INT_LR_STMT_NAME

Default Label Level Int Rate Custom Stmt Nam
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

INT_LR_TATBL_NAME

Default Label Level Rate Time Aware Table Nm
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST



INT_LR_TATBL_OPT

Default Label Level Rate TA Table Options
Length 3
Type Character
Format Uppercase

Record Reference(s) PA_DFN_INTEREST

FPD First Day of Period
FYC First Day of Calendar Year
FYP First Day of Plan Year
LPD Last Day of Period

INT_LR_TBL_NAME

Default Label Level Int Rate Table Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_INTEREST

INT_MED_ORGFRA_FLG

Default Label Internal Medical Organisation
Length 1
Type Character

Format Uppercase

Record Reference(s) SHS_OTHER_TAO

INT_PP_P_TYPE

Default Label Interest Partial Pd Frac Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_INTEREST



C Compound Interest
 S Simple Interest

INT_PP_TYPE

Default Label Interest Partial Period Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_INTEREST

N No Interest
 P Partial Interest, Using
 S Same as Full Period Technique
 U User Code

INV

Default Label Inventory
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION

INVALID_VOTES

Default Label Invalid Votes
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) ELECT_GROUP

INVESTIGATED

Default Label Investigated
 Length 1
 Type Character



Format Uppercase

Record Reference(s) GVT_EMPLOYMENT
INCIDENT_DATA
INJURY_CLM_MGMT

Z_NON_EMP_DATA

INVESTMENT_CNT

Default Label Investment Count
Length 2
Type Number
Format Uppercase

Record Reference(s) W3EB_BENEF_SMRY

INVESTMENT_OPT

Default Label Investment Option
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC_INVT
GVT_PAY_TSP
GVT_TSP_INV_DTA
GVT_TSP_VCH_DET
SAVINGS_INVEST
SAVINGS_INV_TBL
SAVINGS_INV_LANG
W3EB_SAVFND_WRK

- C Common Stock - C Fund
- F Thrift Savings Plan - F Fund
- G Thrift Savings Plan - G Fund
- I Thrift Savings Plan - I Fund
- S Thrift Savings Plan - S Fund

INVESTMENT_PCT



Default Label Investment Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) BAS_PARTIC_INVT
GVT_PAY_TSP
GVT_TSP_INV_DTA
SAVINGS_INVEST
W3EB_SAVFND_WRK

INVISIBLE

Default Label Invisible
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

INVOICE_DT

Default Label Invoice Date
Length 10
Type Date
Format Uppercase

Record Reference(s) AP_EXTRACT_HDR
PYAP_HDR_TAO
PYAP_XBOND_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX3_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN3_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO



PYAP_XTAX1_TAO
 PYAP_XTAX2_TAO
 PYAP_XTAX_AET
 VOUCHER
 VOUCHER_STG

INVOICE_ID

Default Label Invoice Number
 Length 22
 Type Character
 Format Mixedcase

Record Reference(s) AP_EXTRACT_HDR

AP_EXTRACT_LINE
 PYAP_HDR_TAO
 PYAP_LINE_TAO
 PYAP_POST_AET
 PYAP_UNXTRC_TAO
 PYAP_XCTAX_AET
 PYAP_XDEDN_AET
 PYAP_XTAX_AET
 VOUCHER
 VOUCHER_STG

INVOICE_NBR

Default Label Invoice Number
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) CO_DED_FTPH_TAO

CO_DED_HDRM
 CO_DED_HDRM_PUB
 CO_DED_HDRM_SUB
 CO_DED_INBND
 CO_DED_OUTH_TAO



INVOLVED_INCIDENT

Default Label Involved in H&&S Incident
Length 1
Type Character
Format Uppercase

Record Reference(s) NE_PERSONAL_DTA

INVSTG_LAB_REP

Default Label Investigator Labour Rep
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_ERPT_EC

INVSTG_MGMT_REP

Default Label Investigator A Management Rep
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_ERPT_EC

INV_ITEM_ID

Default Label Item ID
Length 18
Type Character
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

INV_RECPT_DT



Default Label Invoice Receipt Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

IN_CITY_LIMIT

Default Label In City Limit
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_PAR_PSH_AET
 HR_DIM_BEL_AET
 HR_NSZ_AET
 HR_VIAPRIS_AET
 UPG_HR75RWF_AET
 UPG_HR75TRN_AET

IN_OUT

Default Label In/Out
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_QDRO_COM
 I In
 O Out

IN_PERIOD

Default Label In Current Attendance Period
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) TL_ATTEND_HIST

IN_PROCESS_FLG

Default Label In Process
Length 1
Type Character
Format Uppercase

Record Reference(s) CO_DED_DTL_PUB

CO_DED_HDRM_PUB
CO_DPK_ELIG_TRN
EOEI_LOAD_MSG
EO_DSPRIOR_VAL
EO_EFFDELAY
HR_ACCTG_LINE
HR_ACCTG_LN_STG
KK_BUDGET_HDR
KK_BUDGET_LN
MU_AET
MU_MASS_UPD_TBL
PTLT_EXCI_STG
PTLT_PROJ_DEFN
TL_CDVAL_TAO
TL_CD_VALS_MSG
TL_EMPL_DTA_MSG
TL_EMPL_TAO
TL_RESPF_TAO
TL_RESTRICT_MSG
TL_RI_RUN
TL_RPTEL_TAO
TL_RPTG_ELE_MSG
TL_RPT_CDVAL
TL_RPT_EMPL
TL_RPT_SCHED
TL_RPT_SUPVR

TL_RPT_TKPRF
TL_RPT_TKTMP
TL_RPT_TMPDL
TL_RPT_TRC



TL_RPT_TTHRS
 TL_SCHEDULE_MSG
 TL_SCHED_TAO
 TL_SUPVR_TAO
 TL_TCDSUPRV_MSG
 TL_TEMP_DTL_MSG
 TL_TKPRF_TAO
 TL_TKTMP_TAO
 TL_TMPDL_TAO
 TL_TOT_HRS_MSG
 TL_TRC_MSG
 TL_TRC_TAO
 TL_TSK_PROF_MSG
 TL_TSK_TEMP_MSG
 TL_TTHRS_TAO
 VENDOR
 VENDOR_TMP
 VOUCHER
 VOUCHER_STG

IN_SCHOOL_SW_GER

Default Label In School
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HS_FAMILY_CHILD

IN_USE_FLAG

Default Label Row in use flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PROJ_ACTIVITY

IN_USE_SW



Default Label Table in use switch
Length 1
Type Character
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_PC
PROJECT
TEMP_TBL_ASGNM

IOCOMMENTS

Default Label COMMENT
Length 254

Type Character
Format Mixedcase

Record Reference(s) EO_IODEFN_CUR
PSIODEFN

IODATATYPE

Default Label Interface Object Data Type
Length 254
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_BII_TBL
EO_EIP_BIO_TBL
EO_IOINPUTS_CUR
EO_IOOUTPUT_CUR
EO_IOSETTIN_CUR
PSIOCFGDEFAULT
PSIOINPUTS
PSIOOUTPUTS
PSIOSETTINGS

IODESCR

Default Label Interface Object Description



Length 30
Type Character
Format Mixedcase

Record Reference(s) EO_IODEFN_CUR
PSIODEFN
PSIODEFNLANG

IODISPNAME

Default Label DispalyName
Length 32
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_BII_TBL
EO_EIP_BIO_TBL
EO_IOINPUTS_CUR
EO_IOOUTPUT_CUR
PSIOINPUTS
PSIOOUTPUTS

IOINPUTCOUNT

Default Label Interface Object Input Count
Length 3
Type Number
Format Uppercase

Record Reference(s) EO_IODEFN_CUR
PSIODEFN

IOINPUTNAME

Default Label Interface Object Input Name
Length 254
Type Character
Format Mixedcase



Type Character
 Format Mixedcase

Record Reference(s) EO_IOSETTIN_CUR

PSIOCFGDEFAULT
 PSIOSETTINGS
 PSMERCHBIPARMS

IOSTATUS

Default Label Status
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSIONRHDR

IOTYPE

Default Label Interface Object Type
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) EO_IODEFN_CUR

PSIODEFN

IOVALUE

Default Label Interface Object Value
 Length 128
 Type Character
 Format Mixedcase

Record Reference(s) EO_IOINPUTS_CUR

EO_IOSETTIN_CUR
 PSIOCFGDEFAULT
 PSIOINPUTS
 PSIOSETTINGS



PSMERCHBIPARMS

IPE_STEP_STATUS

Default Label Step Status
Length 2
Type Character
Format Uppercase

Record Reference(s) EE_IPE_STEPS

A Attending
C Completed
LA Logbook Available
LC Logbook Checked
P Planned

IPE_SW

Default Label Intern. Professional Education
Length 1
Type Character
Format Uppercase

Record Reference(s) UPG_HR75_AET

IP_EMPLID_CAN

Default Label EmplID
Length 11
Type Character
Format Uppercase

Record Reference(s) INJ_PEOPLE_CAN

IP_NON_EMPLID_CAN

Default Label Non-Employee ID
Length 11



Type Character
Format Numbers Only

Record Reference(s) INJ_PEOPLE_CAN

ISBLOBATTACH

Default Label Field has attachment data
Length 1
Type Character
Format Uppercase

Record Reference(s) PSRGWFLDOPT

ISBN

Default Label ISBN Number
Length 13
Type Character
Format Uppercase

Record Reference(s) TRN_EQUIP_TBL

ISCOMPLETED

Default Label IS Completed
Length 1
Type Number
Format Uppercase

Record Reference(s) PSMSFSEQ
PSMSF_AET

ISDOMRESTRICTED

Default Label Index only in this domain
Length 1
Type Character



Format Uppercase

Record Reference(s) PSSGWSTARTOPT

ISE_FIL_PCT_BRA

Default Label Philanthropy Exempt Percentage
Length 6
Type Number
Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

ISHOSTRESTRICTED

Default Label Index only in this hostname
Length 1
Type Character
Format Uppercase

Record Reference(s) PSSGWSTARTOPT

ISHTMLAREA

Default Label Is this rendered as HTML Area
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

ISO_10PCT_FMV_RULE

Default Label 10% Shareholder FMV Rule
Length 6
Type Number
Format Uppercase

Record Reference(s) ST_GOVERN_BODY



ST_GRNT_MOD_TAO
ST_GRP_GRNT_AET

ISO_10PCT_OPTN_LIF

Default Label 10% Shareholder Optn Life Yrs
Length 3
Type Number
Format Uppercase

Record Reference(s) ST_GOVERN_BODY
ST_GRNT_MOD_TAO
ST_GRP_GRNT_AET

ISO_ANNL_EXER_LIM

Default Label Annual Exercisable Value Limit
Length 12
Type Number
Format Uppercase

Record Reference(s) ST_GOVERN_BODY

ISO_DD_INC_MTHD

Default Label ISO Sale - DD Income Mthd
Length 4
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

FMV Fair Market Value
LOW Lower of FMV or Sale Price
SP Sale Price

ISO_EXER_AS_NQ_DT

Default Label ISO As NQ Date



Length 10
 Type Date
 Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET
 ST_GRANT
 ST_REPRC_TAO

ISO_GRACE_PD_DIS

Default Label ISO Grace Period - Disability
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) ST_GOVERN_BODY

ISO_GRACE_PD_TERM

Default Label ISO Grace Period - Termination
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) ST_GOVERN_BODY

ISO_GRACE_PD_TYPE

Default Label ISO Grace Period Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET

ST_ACTN_RULE

D Disability
 N None
 T Termination



ISO_HOLD_PD_EXER

Default Label Years From Exercise Date
Length 3
Type Number
Format Uppercase

Record Reference(s) ST_GOVERN_BODY

ISO_HOLD_PD_GRANT

Default Label Years From Grant Date
Length 3
Type Number
Format Uppercase

Record Reference(s) ST_GOVERN_BODY

ISO_LIM_GRANT_NBR

Default Label ISO Limit Grant Number
Length 10
Type Character
Format Uppercase

Record Reference(s) ST_GRANT
ST_GRNT_MOD_TAO
ST_REPRC_TAO

ISO_LIM_REPRC_RULE

Default Label ISO Limit Repricing Rule
Length 1
Type Character
Format Uppercase

Record Reference(s) STOCK_DTL

A First Exercisable All Years



F First Exercisable asof Reprice

ISO_LIM_VEST_RULE

Default Label ISO Limit Vesting Rule
Length 1
Type Character
Format Uppercase

Record Reference(s) STOCK_DTL

E Even Distribution of ISO
M Maximum ISO limit each year

ISO_LOCALE

Default Label ISO Locale
Length 5
Type Character
Format Mixedcase

Record Reference(s) PSLANGUAGES
PSLOCALEORDER

ISO_LOCALE_CHILD

Default Label ISO Locale
Length 5
Type Character
Format Mixedcase

Record Reference(s) PSLOCALEORDER

ISO_OPTN_LIFE_LIM

Default Label Option Life Limit Years
Length 2
Type Number
Format Uppercase



Record Reference(s) ST_GOVERN_BODY

ISPHONENUMBER

Default Label Is this field a phone number
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMPCONTDEV

ISPUSHBUTTON

Default Label Push Button
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMPCONTDEV

ISSUANCE_NBR

Default Label Issuance Number
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) ST_EXER_ISSUE
 ST_EXER_LEGEND
 ST_REL_ISSUE
 ST_REL_LEGEND
 ST_SPLIT4A_TAO
 ST_SPLIT4B_TAO
 ST_SPLIT4_TAO
 ST_SPLIT8A_TAO
 ST_SPLIT8B_TAO
 ST_SPLIT8_TAO



ISSUANCE_TYPE

Default Label Issuance Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
ST_ESPP_PURCH
ST_EXER_ISSUE
ST_ISSUANCE
ST_ISSUUPD_TAO
ST_ISSU_MESSAGE
ST_PURCHASES
ST_REL_ISSUE

B Broker
C Certificate
E Escrow

ISSUANCE_TYPE_FROM

Default Label Issuance Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
RUN_CNTL_ST
ST_ISSUUPD_AET

B Broker
C Certificate

ISSUANCE_TYPE_TO

Default Label Issuance Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
RUN_CNTL_ST



ST_ISSUUPD_AET

B Broker
C Certificate

ISSUE

Default Label Publication Issue

Length 10
Type Character
Format Mixedcase

Record Reference(s) PUBLICATIONS

ISSUED_BY

Default Label Issued By
Length 30
Type Character
Format Mixedcase

Record Reference(s) ACCOMPLISH_LANG
APP_ACCOMP_LANG
UPG_HR75_AET

ISSUE_DATE

Default Label Operator ID Creation DateTime
Length 26
Type Datetime
Format 12

Record Reference(s) Z_PSWD_CERT_LOG

ISSUING_AUTHORITY

Default Label Issuing Authority
Length 50
Type Character



Format Uppercase

Record Reference(s) APP_CITIZN_PSPT
APP_CIT_PSP_LNG
APP_VSA_PMT_DTA
APP_VSA_PMT_LNG
CITIZEN_PSSPRT
CIT_PSSPRT_LANG
UPG_ER_AET
VISA_PMT_DATA
VISA_PMT_DA_LNG

ISTAT_CODE_ITA

Default Label Istat Code
Length 10
Type Character
Format Uppercase

Record Reference(s) INPS_TBL_ITA

IST_TXN_FLG

Default Label Intrastat Transaction Flag
Length 1

Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

ISVFIELD

Default Label Use field for comparisons
Length 1
Type Character
Format Uppercase

Record Reference(s) PSRGWFLDOPT



ISWORDIDX

Default Label Field values into word index
Length 1
Type Character
Format Uppercase

Record Reference(s) PSRGWFLDOPT

IS_ALTERNATE

Default Label Is Alternate Flag
Length 1
Type Number
Format Uppercase

Record Reference(s) SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS

IS_RELATED_REC_FLG

Default Label Is Related Record Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) SS_BIND_GRP

ITA

Default Label ITA - Italy
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION



ITEMACTIONTYPE

Default Label Action Type
Length 2
Type Number
Format Uppercase

Record Reference(s) PSTOOLBARITEM

ITEMCOUNT

Default Label Item Count
Length 4
Type Number
Format Uppercase

Record Reference(s) EO_BCDEFN_CUR
PSBCDEFN
PSFMTDEFN
PSTOOLBARDEFN
SERVERMONITOR
TL_DIST_DIL_AET

ITEMIMAGE

Default Label Button Image
Length 0
Type Long Character
Format 7

Record Reference(s) PSTOOLBARITEM

ITEMLABEL

Default Label Menu Item Label
Length 30
Type Character
Format Mixedcase



Record Reference(s) PSMENUITEM
PSMENUITEMLANG
PSPNLGROUP
PSPNLGROUPLANG

ITEMMENUBARNAME

Default Label Bar Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSTOOLBARITEM

ITEMMENUAME

Default Label Menu Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSTOOLBARITEM

ITEMNAME

Default Label Item Name
Length 30
Type Character
Format Uppercase

Record Reference(s) CO_DFLTRTN_TBL

DL_LINK_TBL
EOCM_START_PAGE
EO_CHUNKRULE
EO_EIP_CTL_SET
OPPROWS_TMP
PSMENUITEM
PSMENUITEMLANG



PSMSGAGTDEFN
PSPERMLISTOTHER
PSPNLGROUP
PSROLEOTHER
PSSTEPDEFN
PSUSEROTHER
PSUSERSELFOTHER
PSXFERITEM
SS_BP_COMPS
SS_LINK_TBL
TL_APP_ITEM
Z_SS_LAUNCH_TBL

ITEMNAME_STRING

Default Label Itemname String
Length 50
Type Character
Format Mixedcase

Record Reference(s) TL_APPSTEDTLLNG
 TL_APP_ITEM
 TL_APP_ITEM_LNG
 TL_APP_SUITEDTL

ITEMNUM

Default Label Item Number
Length 4
Type Number
Format Uppercase

Record Reference(s) PRCSDEFNXFER
 PSMENUITEM
 PSTBARITEMLANG
 PSTOOLBARITEM
 RUN_STPS1_MEX



ITEMPANELGROUPNAME

Default Label Item Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSTOOLBARITEM

ITEMPANELNAME

Default Label Panel Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSTOOLBARITEM

ITEMTYPE

Default Label Item Type
Length 2
Type Number
Format Uppercase

Record Reference(s) PSMENUITEM
 PSTOOLBARITEM

ITEM_APPROVALS

Default Label Item Approval Required
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION_FS

ITEM_APPROV_OPT

Default Label Approval Method



Length 3
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION_FS
 1 Manual
 2 WorkFlow

ITEM_IMAGE

Default Label Button Image
 Length 0
 Type Long Character
 Format 7

Record Reference(s) PSBUSPITEMIMG
 PSVAITEMIMG

ITEM_NODE

Default Label Item Node
 Length 36
 Type Character
 Format Mixedcase

Record Reference(s) SCHDLITEM
 SCHDLMESSAGE
 SCHDLNODEPARM
 SCHDLNOTIFY
 SCHDLRPTDIST
 SCHDLTEXT

ITER_TRGR_SRC

Default Label Iterative Trigger Source
 Length 1
 Type Character
 Format Uppercase



Record Reference(s)	GP_ITER_TRGR
	B Batch
	O Online
	S Mass Trigger
	U Uncancel
	V Unsuspend
	W Time & Labor
	Z Time & Labor Feed

ITER_TRGR_STATUS

Default Label	Iterative Trigger Status
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GP_ITER_TRGR
	C Cancelled
	I InProcess
	P Processed
	U UnProcessed

ITM_SETID

Default Label	Item SetID
Length	5
Type	Character
Format	Uppercase

Record Reference(s)	VOUCHER_LINE
	VOUCHER_LN_STG

IT_RISK_RATE

Default Label	IT Risk Rate
Length	6
Type	Number
Format	Uppercase



Record Reference(s) SOC_SEC_RSK_TBL

J20_2483_AMOUNT

Default Label Indicator 20
Length 19
Type Number
Format Uppercase

Record Reference(s) DEC2483_FRA_AET
TRN_2483_PARM

J22_2483_AMOUNT

Default Label Indicator 22
Length 19
Type Number
Format Uppercase

Record Reference(s) DEC2483_FRA_AET
TRN_2483_PARM

JOBCODE

Default Label Job Code
Length 6
Type Character
Format Uppercase
Legacy field name MASTER-RECORD-NUMBER
Legacy system name PMSO
Legacy field name MASER-RECORD-NUMBER
Legacy system name PINE

Record Reference(s) AA_JC_JPN_AET
AA_SETUP_JPN
ACCOM_JOB_TASK
ADDL_PAY_DATA
AE_BAS_ELIG_AET
AMT01_JPN_TMP
BDGT_EXPORT_WRK
BD_JOBCODES



BD_JOB_TBL
BP_IMPT_HR_AET
BP_JOB
BP_JOB_ERN_DIST
BP_JOB_EXP
BP_POSITION_EXP
BUDGET_ACTUALS
CAN_JOBCODE_CU
CAREERMOVE_TBL
CAREERPATH
CAREERPATH_TBL
CBO_CD_BRA_AET
CMP006_TMP
CMP006_TMP2
CMP010_AET
CMP010_TMP
CM_ROLE
CM_ROLE_ACCOMPS
CM_ROLE_ACP_TAO
CM_ROLE_COMPS
CM_ROLE_CPS_TAO

CM_ROLE_MT_TMP
CM_ROLE_MT_TMP2
CM_ROLE_TAO
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_JOB_TAO
CO_ESV_JOBA_TAO
CO_ESV_JOB_TAO
DEPT_BUDGET
DEPT_BUDGET_CTX
DEPT_BUDGET_DED
DEPT_BUDGET_ERN
DEPT_BUDGET_TAX
ENCUMB_DEFN_DED
ENCUMB_DEFN_TAX
ENCUMB_DEFN_TBL
ENCUMB_DIST_DED
ENCUMB_DIST_ERN
ENCUMB_DIST_TAX
ENCUMB_MSG
ENCUMB_TRIGGER



ER_AGNT_JBS_TAO
ER_LAUNCH_TMP
ER_PRF_JOBCODE
FPAEECAREHIST
FPAEEFLAT_TBL
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
FPMJB_RATECODE
FPMRANK_TBL
GPBR_MIXED_PARM
GPCH_RP_0001
GPCH_RP_PK01
GPES_RC_FNQ1
GPFR_ASS_AET
GPFR_ASS_PAYEE
GPFR_AT_ADMIN
GPFR_ILL_ADMIN
GPFR_ILL_AET
GPFR_WC_POS
GPGB_EE_RSLT
GPMX_OVR_DAILY
GPMX_XMAS_WA
GVT_APPL_CONSID
GVT_APPL_EVAL
GVT_CR_PLN_ACMP
GVT_CR_PLN_COMP
GVT_CR_PLN_PROF
GVT_EMPL_ACCOMP
GVT_EMPL_COMP
GVT_JCOD_FCT
GVT_JOB
GVT_JOBDIST
GVT_JOBDIST_TMP
GVT_JOB_TEMP
GVT_MASSORGJAET
GVT_MASSORGAET
GVT_OFFER
GVT_OFFER_ERNS
GVT_PAR_PRT

GVT_PSN_APPLFOR
GVT_RQSN_CERTIF



GVT_RQSN_JOB
GVT_RQSN_POSN
GVT_RUN_CNTL
HPDBRETDIST_AET
HP_BDGT_CTXCHG
HP_BDGT_DEDCHG
HP_BDGT_ERNCHG
HP_BDGT_TAXCHG
HP_BGTACTUAL_WK
HP_CTXDIST_WRK
HP_DEDDIST_WRK
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_ERNDIST_WRK
HP_ERN_ACCT_MAP
HP_GRSFRG_DATA
HP_PAYCHKERN_WK
HP_RDIST_CTXDAT
HP_RDIST_DEDDAT
HP_RDIST_ERNDAT
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK
HR_CMP052J2_AET
HR_PROMOTE_DAT
HR_SAL_CHG_EE
HR_SPLIB_AET
HR_TRANSFER_DAT
ILLNESS_GER
INTERVW_SCHED
INTERVW_TIMES
JOB
JOB_CD_COMP_RATE
JOB_CD_SURVEY
JOB_CD_SURVEY_LN
JOB_CD_TASK_DEFN
JOB_CD_TASK_TBL
JOB_CD_TRN_PROG
JOB_CODE_HAZ_TBL
JOB_CODE_LANG
JOB_CODE_TBL
JOB_CODE_TBL_BRA
JOB_COMP_TMP_MC



JOB_APPROVALS
JOB_EARNS_DIST
JOB_ERN_DST_TMP
JOB_REQUISITION
JOB_REQUIS_TAO
JOB_TEMP
JOB_TMP_MC
MASS_RETRO_DEF
MATR_BK_ITA_TAO
MATR_BOOK_ITA
OFFER
OFFER_HIST_TAO
OFFER_TAO
OHS001GER_TMP2
OHS004GER_TMP2
PAY_CHECK_EARNS

PAY_CTX_DIST
PAY_DED_DIST
PAY_EARNINGS
PAY_ERN_DIST
PAY_TAX_DIST
PCMP_TYPE_JOB_CD
PKG_MDL_TBL
POSITION_DATA
POSN_BUDGET
POSN_EARNS_DIST
PSHUP_TXN
RETROEDMAS_DEF
RETROPAY_ACCT
ROE
RUN_CNTL_HR
RUN_CNTL_JOB_CD
RUN_CNTL_PAR
R_GVT_BAS_ELIG0
R_GVT_BAS_ELIG1
R_GVT_BAS_ELIG2
R_GVT_BAS_ELIG3
R_GVT_BAS_ELIG4
R_GVT_BA_ELIG0A
R_GVT_PAR_PRT
R_GVT_PRIPL_AG1
R_GVT_PRIPL_AG2



R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5
R_PER003
R_PER031
SALARY_PLAN
SALINC_SIML_JPN
SIM01_JPN_TMP
SIM02_JPN_TMP
SP_UPDJOB_TMP
SS_DTL_JOB
STP01_JPN_TMP
ST_PSHUP_AET
TC_EE_DETAIL
TC_EMPL_LST_TAO
TC_POPULATION
TC_TEMP_JOB_TAO
TC_TMP_DTL_TAO
TRAINING013_AET
TRAINING_AET
TRN_CRIT_JOB_E
TRN_CRIT_JOB_I
TRN_DMND_JOB_CD
TRN_JOB_SL_COST
TRN_PROF_JOB_E
TRN_PROF_JOB_I
TRN_PROF_JOB_S
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_CM_ACMP_TAO
UPG_CM_COMP_TAO
UPG_CM_ROLE_TAO
UPG_CONV_HR75
UPG_EARNS_DIST
UPG_ER_AET

UPG_GPBR880_AET
UPG_HP_01_TAO
UPG_HP_02_TAO
UPG_HP_AET
UPG_HR75RWF_AET
UPG_HR75_AET
UPG_JOB_CDTRN



UPG_OFF_HIS_AET
UPG_PY_JOB_TAO
UPG_TL_TIME
UPG_TL_TIME1
WA_MKT_RATE_TBL
WC_JOB_CHG_REQ
WRK_CHECK_EARNS
WRK_CTX_DIST
WRK_DED_DIST
WRK_EARNINGS
WRK_ERN_DIST
WRK_TAX_DIST
ZBD_JOBCODE_TBL
Z_ABOLISH_AET
Z_HCUP_AUDIT
Z_HR_NFC102_REC
Z_JBCD_SYNC_TMP
Z_JOBCODE_TRK
Z_JOB_REQ
Z_JOB_REQ_WL
Z_LC_APPLCONDIS
Z_LC_GVT_EE_WL
Z_LC_JOB_CD_NTBF
Z_LC_JOB_CD_RMK
Z_LC_JOB_CD_WL
Z_LC_JOB_LNGREQ
Z_LC_NFC_EMPL
Z_LC_POSN_WL
Z_LC_POS_RPTTO
Z_LC_RQSN_PANL
Z_LC_RUNCTL
Z_LC_STAT_JOB_CD
Z_MPOS_RUN_CTRL
Z_NFC_U6708_TBL
Z_NF_XDISC_OCC
Z_TABLE_102
Z_WF_PMSO_J_WL
Z_WF_PMSO_P_WL

JOBCODE_DESCR

Default Label

Job Code Description



Length 30
Type Character
Format Mixedcase

Record Reference(s) REG002_TMP

JOBCODE_ELIG_DAYS

Default Label Job Eligibility Days
Length 4
Type Number
Format Uppercase

Record Reference(s) MASS_RETRO_DEF
RETRODEDMAS_DEF

JOBCODE_FLAG

Default Label Jobcode
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_RPDTME_TMPLT
TL_TSKPRF_TMPLT

JOBCODE_PRIOR

Default Label Prior Jobcode Value
Length 6
Type Character
Format Uppercase

Record Reference(s) UPG_HP_AET

JOBID



Default Label Job ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) MESSAGE_LOG

JOBINSTANCE

Default Label Job Instance
 Length 10
 Type Number
 Format 7

Record Reference(s) AE_GB_AET

- EO_BATLIB_AET
- EO_MSGBATPRM
- GPFR_DUCS_AET
- GPFR_PS_ACU_TMP
- GPFR_PS_ERN_TMP
- GPFR_PS_GUI_TMP
- GPFR_PS_PIN_TMP
- GPFR_PS_SCH_TMP
- GPFR_PS_SEC_TMP
- GPFR_PS_SEG_TMP
- GPFR_PYSL_AET
- GPFR_P_SLIP_TMP
- GPIN_PR_AET
- GPIN_PR_TMP

- GPIN_PR_TMP2
- GPIN_PR_TMP3
- GPJP_BA01_AET
- GPJP_BA_HEADER
- GPJP_BA_TRAILER
- GPJP_BA_TRANS
- GPJP_IT_WH_REG
- GPJP_IT_WH_REG2
- GPJP_IT_WH_REG3
- GPJP_IT_WH_TAO
- GPJP_LA02_AET
- GPJP_LA02_EI



GPJP_LA02_WC
GPJP_PP_DATA
GPJP_PP_DATA2
GPJP_SC_BNS_RPT
GPMY_159_AET
GPMY_8A_PR_AET
GPMY_CP21_AET
GPMY_CP22A_AET
GPMY_PR_AET
GPMY_PR_TMP
GPMY_PR_TMP2
GPMY_PR_TMP3
GPNL_5PCT_TMP
GPNL_EE_TMP
GPNL_EMPL1_TMP
GPNL_EMPL2_TMP
GPNL_MSV_RPT_DT
GPNL_MSV_RPT_HD
GPNL_PERS1_TMP
GPNL_PERS2_TMP
GPNL_PSLIP_AET
GPNL_PSLIP_TMP
GPNL_PS_ACU_TMP
GPNL_PS_ERN_TMP
GPNL_PS_GUI_TMP
GPNL_PS_PIN_TMP
GPNL_PS_SEC_TMP
GPNL_PS_SEG_TMP
GPNL_RC_SOC_AET
GPNL_REC_19_TMP
GPNL_REC_37_TMP
GPNL_REC_56_TMP
GPNL_REC_SP_TMP
GPNL_RED1_TMP
GPNL_REP_AET
GPNL_SOC2_TMP
GPNL_SYEE_TMP
GPNL_YEE1_TMP
GPNL_YEE2_TMP
GPNL_YER1_TMP
GPNL_ZFW_ED_TMP
GPNL_ZFW_TMP
GPNL_ZFW_TT_TMP



GP_GENRPT_AET
 GP_GENRPT_TMP
 GP_GENRPT_TMP2
 PER064JP_DATA
 PER066JP_DATA
 PRCSRQSTNOTIFY

PSPRCSJOBSTATUS
 PSPRCSQUE
 PSPRCSRQST
 PSPRCSRQSTARCH
 TL_OUTTCD_AET

JOBNAMESRC

Default Label Job Name
 Length 8
 Type Character
 Format Mixedcase

Record Reference(s) SCHDLDEFN
 SCHDLDEFNINFO
 SCHDLDEFNLANG
 SCHDLITEM
 SCHDLMESSAGE
 SCHDLNODEPARM
 SCHDLNOTIFY
 SCHDLRPTDIST
 SCHDLTEXT

JOBPRIORITY

Default Label Job Priority
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) PRCSJOBDEFN
 1 Low
 5 Medium



9 High

JOBRUNMODE

Default Label Run parallel or serially
Length 1
Type Character
Format Numbers Only

Record Reference(s) PRCSJOBDEFN

0 Run Serially
1 Run Parallel

JOBTITLE

Default Label Job Title
Length 30
Type Character
Format Mixedcase

Record Reference(s) CO_DPK_ELIG_DET

- CO_DPK_ELIG_NEW
- CO_DPK_ELIG_OLD
- CO_DPK_ELIG_TRN
- CO_DPK_JOB_TAO
- CO_ESV_INIT_DET
- CO_ESV_JOBA_TAO
- CO_ESV_JOB_TAO
- CO_ESV_YTD_DET
- GPMY_EPFTBL_LNG
- GPMY_SOCTBL_LNG
- GPMY_TAXTBL_LNG
- OHS501UK_TMP2
- RUN_FGSF75
- R_PER002

JOB_ACCNTAB_PCT

Default Label Accountability-Percent
Length 5



JOB_CTG_FRA_TBL
SHS_OTHER_TAO

JOB_CURRENCY

Default Label Currency Code
Length 3
Type Character
Format Uppercase

Record Reference(s) VC_ALLOC_AET
VC_AWD_VAL_TAO
VC_AWD_VAL_TBO

JOB_DATA

Default Label Job Data
Length 1

Type Character
Format Uppercase

Record Reference(s) PI_PS_RECORD

JOB_DATA_SRC_CD

Default Label Job Source Code
Length 3
Type Character
Format Uppercase

Record Reference(s) BP_JOB
JOB
UPG_758_JIL_TAO
UPG_758_JOB_TAO
UPG_PY_JOB_TAO

000 User Generated
001 Batch Generated
002 Staff Movement Generated



JOB_DESCR

Default Label Job Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) GPSG_IR21_HDR

JOB_DESCR_EXT_GER

Default Label External Person Job Descr
Length 50
Type Character
Format Mixedcase

Record Reference(s) ILLNESS_GER
ILLNESS_GER_LNG

JOB_DESCR_GER

Default Label Current Job Description
Length 50
Type Character
Format Mixedcase

Record Reference(s) ILLNESS_GER
ILLNESS_GER_LNG
OHS004GER_TMP2

JOB_DESCR_SS

Default Label Job Title
Length 30
Type Character
Format Mixedcase

Record Reference(s) HR_LOC_TRANS



HR_REPORT_TRANS
OPRROWS_REP_VW

JOB_DUTIES_DESCR

Default Label Job Duties Description
Length 250
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

JOB_EFFDT

Default Label Job Effective Date
Length 10
Type Date
Format Uppercase

Record Reference(s) AMT01_JPN_TMP
AMT02_JPN_TMP
AMT03_JPN_TMP
AMT04_JPN_TMP
AMT05_JPN_TMP
AMTER_JPN_TMP
BAS_PARTIC
BN_SNAP_JOB
BP_RNCTL_BPINFC
CMP007_AET
CO_DPK_ELIG_NEW
CO_DPK_EMP_TAO
CO_DPK_JOB_TAO
EP_CR_APPR_AET
FMLA_LV_REQUEST
GPDE_DV_FLT_ABS
GRP_ANNIV2_TBL
GRP_ANNIV_TBL
GVT_RUN_CNTL
HR_CMP014_1_TAO
HR_CMP014_2_TAO



HR_CMP014_3_TAO
HR_CMP015_AFT_C
HR_CMP015_AFT_J
HR_CMP015_BEF_C
HR_CMP015_BEF_J
HR_CMP015_TAO1
HR_CMP015_TAO2
HR_CMP052J2_AET
HR_NSZ_AET
HR_PER501_AFT_C
HR_PER501_AFT_J
HR_PER501_BEF_C
HR_PER501_BEF_J
HR_PER501_TAO1
HR_PER501_TAO2

HR_SEN_PAY1_TAO
HR_SEN_PAY2_TAO
HR_VIAPRIS_AET
JOBCOMP_TMP_MC
JOB_APPROVALS
JOB_RQST_WC
JOB_RQST_WL
JOB_TMP_MC
LMS_AET
LMS_POPULATION
LMS_SENIOR_AET
RUN_CNTL_HR
SALARY_PLAN
SAL_PLAN_MC
SIM01_JPN_TMP
SIM02_JPN_TMP
SIMER_JPN_TMP
STEP_INCR_AET
STP01_JPN_TMP
STP02_JPN_TMP
STP03_JPN_TMP
STP04_JPN_TMP
STP05_JPN_TMP
STP06_JPN_TMP
STP4N_JPN_TMP
STPER_JPN_TMP
TC_AET



TC_EXCEL_CNTL
TC_POPULATION
UPG_JOBCTR
UPG_SP_MC_TAO
Z_LC_RUNCTL

JOB_EFFDT_MATCH

Default Label New Job Effdt Date Match
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET

JOB_EFFSEQ

Default Label Job Effective Sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) AMT01_JPN_TMP

AMT02_JPN_TMP
AMT03_JPN_TMP
AMT04_JPN_TMP
AMT05_JPN_TMP
AMTER_JPN_TMP
BAS_PARTIC
BN_SNAP_JOB
CMP006_TMP
CMP006_TMP2

CMP007_TMP
CMP007_TMP2
EP_CR_APPR_AET
GRP_ANNIV2_TBL
GRP_ANNIV_TBL
HR_CMP014_1_TAO
HR_CMP014_2_TAO
HR_CMP014_3_TAO



HR_CMP015_AFT_C
HR_CMP015_AFT_J
HR_CMP015_BEF_C
HR_CMP015_BEF_J
HR_CMP015_TAO1
HR_CMP015_TAO2
HR_CMP052J2_AET
HR_PER501_AFT_C
HR_PER501_AFT_J
HR_PER501_BEF_C
HR_PER501_BEF_J
HR_PER501_TAO1
HR_PER501_TAO2
HR_SEN_PAY1_TAO
HR_SEN_PAY2_TAO
JOBCOMP_TMP_MC
JOB_TMP_MC
LMS_AET
LMS_POPULATION
LMS_SENIOR_AET
PRIMARY_JOBS
RUN_CNTL_HR
R_BN_PRIJOB1
R_BN_PRIJOB2
SALARY_PLAN
SAL_PLAN_MC
SIM01_JPN_TMP
SIM02_JPN_TMP
SIMER_JPN_TMP
STP01_JPN_TMP
STP02_JPN_TMP
STP03_JPN_TMP
STP04_JPN_TMP
STP05_JPN_TMP
STP06_JPN_TMP
STP4N_JPN_TMP
STPER_JPN_TMP
TC_AET
TC_EXCEL_CNTL
TC_POPULATION
UPG_BN_PJTMP1
UPG_BN_PJTMP2
UPG_SP_MC_TAO



JOB_ELIG_CHG

Default Label Job Eligibility Changed
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC

GVT_RUN_CNTL
RUN_CNTL_BEN

JOB_ELIG_CHG_DT

Default Label Job Elig Changed Date
Length 10
Type Date
Format Uppercase

Record Reference(s) BAS_PARTIC

JOB_EMPL_RCD

Default Label EmplID Record Number Job
Length 3
Type Number
Format Uppercase

Record Reference(s) PRIMARY_JOBS

R_BN_PRIJOB1
R_BN_PRIJOB2
UPG_BN_PJTMP1
UPG_BN_PJTMP2

JOB_END_DT_IND

Default Label Job End Date
Length 10



Type Date
 Format Uppercase

Record Reference(s) INJURY_ILL_IND

JOB_END_GER

Default Label Job End
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) OHS004GER_TMP2

JOB_ENTRY_DT

Default Label Job Entry Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) BP_JOB

- FPAEEPOST_HIST
- FPAEEPOST_TBL
- FPA_CI_JOB
- GPCH_RP_0001
- GPDE_RP_0001

- GPIT_RP_0001
- GVT_JOB
- GVT_JOB_TEMP
- JOB
- JOBCOMP_TMP_MC
- JOB_TEMP
- JOB_TMP_MC
- UPG_758_JIL_TAO
- UPG_758_JOB_TAO
- UPG_PY_JOB_TAO



JOB_ENTRY_DT_C

Default Label Job Entry Dt C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

JOB_EXIT_DT_C

Default Label Job Exit Dt C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

JOB_FAMILY

Default Label Job Family
Length 6
Type Character
Format Uppercase

Record Reference(s) CM_ROLE
CM_ROLE_ACCOMPS
CM_ROLE_ACP_TAO
CM_ROLE_COMPS
CM_ROLE_CPS_TAO
CM_ROLE_MT_TMP
CM_ROLE_MT_TMP2
CM_ROLE_TAO
ER_PRF_JOBCODE
JOBCODE_TBL
JOB_FAMILY_LNG
JOB_FAMILY_TBL
UPG_CM_ACMP_TAO
UPG_CM_COMP_TAO
UPG_CM_ROLE_TAO



JOB_FLAG

Default Label Retro on Change in Rate of Pay

Length 1

Type Character

Format Uppercase

Record Reference(s) RETRODEDPGM_DEF
RETRODED_RQST

JOB_FUNCTION

Default Label Job Function Code

Length 3

Type Character

Format Uppercase

Record Reference(s) APPLICANT_DATA
FPA_EMPLOYEES
GPCH_AB_ENTTLDE
GPDE_AB_ENTTLDE
JOBCODE_TBL
JOBFUNCTION_LNG
JOBFUNCTION_TBL

JOB_INDICATOR

Default Label Job Indicator

Length 1

Type Character

Format Uppercase

Record Reference(s) BP_JOB
FPAAEELEGALSTAT
FPAAEELEGAL_HIST
FPA_CI_JOB
GVT_JOB
GVT_JOB_TEMP



JOB
 JOBCOMP_TMP_MC
 JOB_TEMP
 JOB_TMP_MC
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_CONV_HR75
 UPG_HR75_AET
 UPG_PY_JOB_TAO

N Not Applicable
 P Primary Job
 S Secondary Job

JOB_KNOWHOW_PCT

Default Label Knowhow-Percent
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) JOBCODE_TBL

JOB_KNOWHOW_POINTS

Default Label Knowhow-Points
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) JOBCODE_TBL

JOB_OPTION_NBR

Default Label Option Number
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) CAREERPATH



CAREERPATH_TBL

JOB_PAY

Default Label Job Pay
Length 1
Type Character
Format Uppercase

Record Reference(s) OTH_EARNS_TAO

PAY_EARNINGS
PAY_OTH_EARNS
RETRODED_DEDS
RETROPAY_EARNS
UPG_ERN_TAO
WRK_EARNINGS
WRK_OTH_EARNS

JOB_POINTS_TOTAL

Default Label Total Points
Length 5
Type Number
Format Uppercase

Record Reference(s) JOBCODE_TBL

JOB_POSTING_ID

Default Label Job Posting ID
Length 6
Type Character
Format Uppercase

Record Reference(s) JOB_REQUISITION

JOB_REQUIS_TAO
UPG_HR75RWF_AET



JOB_PROBSLV_PCT

Default Label	Problem-Solving-Percent
Length	5
Type	Number
Format	Uppercase

Record Reference(s) JOBCODE_TBL

JOB_PROBSLV_POINTS

Default Label	Problem-Solving-Points
Length	5
Type	Number
Format	Uppercase

Record Reference(s) JOBCODE_TBL

JOB_PROFILE_ID

Default Label	Job Profile ID
Length	8
Type	Character
Format	Uppercase

Record Reference(s) JOBCODE_TBL

- JOB_FAMILY_TBL
- JOB_PROFILE_TBL
- JOB_PROF_COMP
- JOB_PROF_LANG
- JOB_PROF_RESP
- JOB_PROF_REVV
- JOB_PROF_SUB
- POSITION_DATA
- SAL_GRADE_TBL
- Z_SAL_GRADE_TBL

JOB_PROF_DESCR

Default Label	Job Profile Description
---------------	-------------------------



Length 30
Type Character
Format Mixedcase

Record Reference(s) JOB_PROFILE_TBL
JOB_PROF_LANG

JOB_PROF_DESCRSHRT

Default Label Short Description
Length 10
Type Character
Format Mixedcase

Record Reference(s) JOB_PROFILE_TBL
JOB_PROF_LANG

JOB_REPORTING

Default Label Job Reporting Required
Length 1
Type Character
Format Uppercase

Record Reference(s) EMPLOYMENT
FGHR003B_EMPLOY
GVT_EMPLOYMENT
GVT_EMPL_TEMP

JOB_REQN_TMPL

Default Label Requisition Template ID
Length 15
Type Character
Format Uppercase

Record Reference(s) ER_RCRT_TMPL
ER_REQ_TMPL_LNG
ER_REQ_TMPL_PGS



ER_REQ_TMPL_TBL

JOB_REQUEST

Default Label Job Request
Length 1
Type Character
Format Uppercase

Record Reference(s) RTROREPT_RUNCTL
RTRORQST_RUNCTL
RTROSUMM_RUNCTL

JOB_REQUIS_DT_TYP

Default Label Job Requisition Posting Type
Length 1
Type Character
Format Mixedcase

Record Reference(s) JOB_REQUIS_TYP
UPG_REQ_PST_TAO

- C Contingent Workforce
- E External Posting
- I Internal Posting
- L Labor Office
- R Recruitment

JOB_REQ_NBR

Default Label Job Requisition
Length 6
Type Character
Format Uppercase

Record Reference(s) AE_BAS_ELIG_AET
AE_GVTAPCNS_AET
APPLICANT_DATA
APPLICATN_ROUTE



APPSTATUSDT_WL
APP_EXPENSES
APP_IV_SCHED
APP_WC_DECISION
ENCUMB_TRIGGER
ER_AGNT_JBS_TAO
ER_AGNT_RESULTS
ER_AM_REQ_TBL
ER_APP_ANSWERS
ER_APP_QUESTNS
ER_APP_RES_TAO
ER_AUTOMTCH_AET
ER_AUTOMTCH_RES
ER_AUTOMTCH_TAO
ER_INTERVIEW
ER_INTVW_EVAL
ER_INTVW_EVL_WL
ER_INTVW_SCHED
ER_INTVW_STATUS
ER_INTVW_TAO
ER_INT_EVAL_AET
ER_JOB_REQ_EXP
ER_LAUNCH_TMP
ER_POSN_STATUS
ER_REF_JOB_REQ
ER_REQ_ANSWERS
ER_REQ_INTVW_TM
ER_REQ_POST_RPL
ER_REQ_QUESTNS
ER_REQ_STATUS
ER_ROUTE_STATUS
ER_RULE_JOB_REQ
ER_SCR_RESULTS
ER_SRCH_RES_TAO
ER_SRCH_RSLTREQ
ER_WORKFLOW
GVT_APPL_CONSID
GVT_APPL_EVAL
GVT_CR_PLN_ACOMP
GVT_CR_PLN_COMP
GVT_CR_PLN_PROF
GVT_EMPL_ACCOMP
GVT_EMPL_COMP



GVT_FULL_VAC
GVT_JOB_POSTING
GVT_OFFER
GVT_OFFER_COND
GVT_OFFER_ERNS
GVT_PSN_APPLFOR
GVT_RQSN_CERTIF
GVT_RQSN_DLIST
GVT_RQSN_JOB_CD
GVT_RQSN_NAMES
GVT_RQSN_OPNGS
GVT_RQSN_POSN
GVT_RQSN_PRI_PL
GVT_RQSN_TESTS

GVT_RUN_CNTL
GVT_VAC_TRACKNG
GVT_VA_FEED_INP
GVT_VA_TRACKING
HR_DEV_REQ_STA
HR_DEV_REQ_WL
HR_JOB_REQ_WL
HR_OFFER_DAT
HR_OFFER_STA
HR_OFFER_SUB_WL
HR_WC_APPR_AET
INTERVW_SCHED
INTERVW_TIMES
IV_SCHED_TIMES
JOB_BASKET_TMP
JOB_REQUISITION
JOB_REQUIS_LANG
JOB_REQUIS_TAO
JOB_REQUIS_TYP
JOB_REQ_DESCRS
JOB_REQ_EDUC_EX
JOB_REQ_HJ_HIST
JOB_REQ_LANG
JOB_REQ_LNG
JOB_RQMT_ACCOMP
JOB_RQMT_COMP
JOB_RQMT_TBL
OFFER



OFFER_COMM
OFFER_DTL
OFFER_HIST_TAO
OFFER_STATUS
OFFER_TAO
POSN_APPLD_TAO
POSN_APPLIEDFOR
REQ_JOBOARD_LOG
RUN_CNTL_HR
RUN_CNTL_PAR
RUN_CNTL_PRT_EC
RUN_CNTL_REQSN
R_APP007
R_GVT_BAS_ELIG0
R_GVT_BAS_ELIG1
R_GVT_BAS_ELIG2
R_GVT_BAS_ELIG3
R_GVT_BAS_ELIG4
R_GVT_BA_ELIG0A
R_GVT_PRIPL_AG1
R_GVT_PRIPL_AG2
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5
UPG_APP_RTE_TAO
UPG_CONV_HR75
UPG_ER_ADDR_AET
UPG_ER_AET
UPG_FG_AET
UPG_HR75RWF_AET
UPG_JOB_CMP_TAO
UPG_OFF_HIS_AET
UPG_REQ_PST_TAO

Z_CHANGE_REASON
Z_JOB_REQ
Z_JOB_REQ_APPR
Z_JOB_REQ_WL
Z_LC_APPLCONDIS
Z_LC_JOB_REQ_ST
Z_LC_RQSN_PANL
Z_LC_RUNCTL
Z_WF_VACANCY_WL



JOB_REQ_NBR1

Default Label Job Requisition #
Length 6
Type Character
Format Uppercase

Record Reference(s) AE_BAS_ELIG_AET
RUNCNTL_BASICEL

JOB_REQ_NBR_HIRED

Default Label Job Req Hired Into
Length 6
Type Character
Format Uppercase

Record Reference(s) ER_REFERRAL

JOB_REQ_NBR_LAST

Default Label Last Job Requisition # Used
Length 6
Type Number
Format Uppercase

Record Reference(s) ER_INSTALLATION
UPG_ER_AET

JOB_REQ_NBR_NEW

Default Label Job Requisition# New
Length 6
Type Number
Format Uppercase

Record Reference(s) UPG_HR75RWF_AET



JOB_REQ_NBR_OTH

Default Label Job Requisition #
Length 6
Type Character
Format Uppercase

Record Reference(s) UPG_CONV_HR75

JOB_REQ_STATUS

Default Label Job Requisition Status
Length 3
Type Character
Format Uppercase

Record Reference(s) JOB_REQUISITION
UPG_ER_STATUS
UPG_HR75RWF_AET
Z_WF_VACANCY_WL

C Closed
F Filled
H Hold
N Cancelled
O Open
R Re-Opened

JOB_RQST_STATUS

Default Label Job Action Request Status
Length 1
Type Character
Format Uppercase

Record Reference(s) JOB_APPROVALS

A Approved
D Denied
I Initiated



P Processed
R Requested

JOB_RQST_STATUS_DT

Default Label Status Date
Length 10
Type Date
Format Uppercase

Record Reference(s) JOB_APPROVALS

JOB_SHARE

Default Label Job Sharing Permitted
Length 1
Type Character
Format Uppercase

Record Reference(s) POSITION_DATA

JOB_START_DT_IND

Default Label Job Start Date
Length 10
Type Date

Format Uppercase

Record Reference(s) INJURY_ILL_IND

JOB_START_GER

Default Label Job Start
Length 15
Type Character
Format Uppercase

Record Reference(s) OHS004GER_TMP2



JOB_TASK

Default Label Job Task
Length 6
Type Character
Format Uppercase

Record Reference(s) ACCOM_JOB_TASK

CM_ROLE
CM_ROLE_ACCOMPS
CM_ROLE_ACP_TAO
CM_ROLE_COMPS
CM_ROLE_CPS_TAO
CM_ROLE_MT_TMP
CM_ROLE_MT_TMP2
CM_ROLE_TAO
JOB_CD_TASK_DEFN
JOB_TASK_LANG
JOB_TASK_TBL
UPG_CM_ACMP_TAO
UPG_CM_COMP_TAO
UPG_CM_ROLE_TAO

JOINFLDNUM

Default Label Join Field Number
Length 3
Type Number
Format Uppercase

Record Reference(s) PSQRYRECORD

JOINRCDNUM

Default Label Join Record Number
Length 2
Type Number
Format Uppercase

Record Reference(s) PSQRYRECORD



JOINTYPE

Default Label Join Type
Length 1
Type Number
Format Uppercase

Record Reference(s) PSQRYRECORD

JOINT_AGE_DIFF_ALS

Default Label Age Difference Duration
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

JOINT_REGISTRANT

Default Label CSB Joint Registrant
Length 50
Type Character
Format Name

Record Reference(s) CSB_REGISTRANT

JOIN_INSTNC_NBR

Default Label Join Instance Number
Length 3
Type Number
Format Uppercase

Record Reference(s) EO_RECON_JOIN



JOIN_OPERATOR

Default Label	Join Operator
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	TL_SQL_JOINFLDS
---------------------	-----------------

<	<
<=	<=
=	=
>	>
>=	>=
IN	In
NTIN	Not In

JOIN_TYPE

Default Label	Join Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_SQL_JOIN
---------------------	-------------

1	Common Key Fields
2	Common Fields

JOURNAL_DATE

Default Label	Journal Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	GP_ACC_LINE
	GP_ACC_LINE_STG
	HR_ACCTG_LINE
	HR_ACCTG_LN_STG
	JRN LGEN_APPL_ID
	JRN L_CN TL_TBL



KK_BUDGET_HDR
KK_BUDGET_LN
UPG_HP_AET

JOURNAL_ID

Default Label GL Journal ID
Length 10
Type Character
Format Uppercase

Record Reference(s) GP_ACC_LINE
GP_ACC_LINE_STG
HR_ACCTG_LINE
HR_ACCTG_LN_STG
JRNL_CNTL_TBL
KK_BUDGET_HDR
KK_BUDGET_LN
UPG_HP_AET

JOURNAL_ID_MASK

Default Label Journal ID Mask
Length 6
Type Character
Format Uppercase

Record Reference(s) JRNLGEN_APPL_ID

JOURNAL_LINE

Default Label GL Journal Line Number
Length 9
Type Number
Format Uppercase

Record Reference(s) GPAU_QDTL_TMP
GP_ACC_LINE
GP_ACC_LINE_STG



HR_ACCTG_LINE
HR_ACCTG_LN_STG
KK_BUDGET_LN
UPG_HP_AET

JOURNAL_LINE_DATE

Default Label Journal Line Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HR_ACCTG_LINE
HR_ACCTG_LN_STG
UPG_HP_AET

JOURNAL_NUM_ASSIGN

Default Label Journal Number - Auto Assigned
Length 10
Type Number
Format Uppercase

Record Reference(s) INSTALLATION_FS

JPN

Default Label JPN - Japan
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

JRNL_AMT_ERR_OPTN

Default Label Journal Amount Errors Option
Length 1
Type Character



Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL

JRNL_APPRVL_OPTN

Default Label Journal Approval Option
Length 1
Type Character
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL

- D Default to Higher Level
- P Pre-Approved
- S Specify Approval Rule

JRNL_BALANCE_OPTN

Default Label Journal Balance Option
Length 1
Type Character
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL

- D Default to Higher Level Value
- K Reject Out of Balance Journals
- R Recycle Out of Bal. Journals
- S Suspend Out of Bal. Journals
- W Accept With Warning Message

JRNL_DESCR

Default Label Journal Header Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) JRNLGEN_APPL_ID



JRNL_DT_ALT_OPTN

Default Label Alt. Journal Date
Length 2
Type Character
Format Uppercase

Record Reference(s)

JRNLGEN_APPL_ID

BF Begin Date - From Period
BT Begin Date - To Period
EF End Date - From Period
ET End Date - To Period
RD Retain Primary Journal Date

JRNL_DT_OPTN

Default Label Journal Date
Length 2
Type Character
Format Uppercase

Record Reference(s)

JRNLGEN_APPL_ID

A Accounting Date on Transaction
BF Begin Date - From Period
BT Begin Date - To Period
C Current Date
EF End Date - From Period
ET End Date - To Period
P Period End - Transaction Date
PR Process Date
PT Period End - Accounting Date
S Specify Date

JRNL_EDIT_ERR_OPTN

Default Label Journal Edit Errors Option
Length 1
Type Character
Format Uppercase



Record Reference(s) BUS_UNIT_TBL_GL

D Default to Higher Level Value
 K Reject Journals w/ Edit Errors
 R Recycle JrnlS With Edit Errors
 S Suspend Errors/Accept Others

JRNL_FOREIGN_OPTN

Default Label Foreign Currencies per Journal
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL

D Default to Higher Level Value
 M Multiple Foreign Currencies
 N No Foreign Currencies
 O Only One Foreign Currency

JRNL_LINE_SOURCE

Default Label Journal Line Source
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) KK_BUDGET_LN

ALO PS/GL Allocations
 CON PS/GL Consolidations
 EQT PS/GL Equitization
 EXT External (non-PS) System
 EXV External System with VAT
 GAM PS/FS JrnlGen - Asset Mgmt.
 GAP PS/FS JrnlGen - Accts. Payable
 GAR PS/FS JrnlGen - Accts Rcvble.
 GBI PS/FS JrnlGen - Billing
 GEX PS/FS JrnlGen - Expenses
 GHR PS/FS JrnlGen - HRMS
 GIN PS/FS JrnlGen - Inventory



GOT	PS/FS JrnlGen - Other
GPC	PS/FS JrnlGen - Proj. Costing
GPO	PS/FS JrnlGen - Purchasing
GTR	PS/FS JrnlGen - Treasury
NVS	PS/nVision
OTH	Other Source
PNL	Journal Entry Panel
REV	PS/FS Currency Revaluation
SBR	System - Bal Suspense Reversal
SBS	System - Balancing Suspense
SCE	Suspense Correction Entry
SCR	System - Currency Round Adj.
SER	System - Err Suspense Reversal
SES	System - Error Suspense
SIU	System - InterUnit From/To
SJE	PS/GL Online SJE Creation
SVT	System - VAT Accounts
TRN	PS/FS Currency Translation
TWL	PS/FS Curr Trans Within Ledger
UKN	Unknown

JRNL_LINE_STATUS

Default Label	Journal Line Status
Length	1
Type	Character
Format	Numbers Only

Record Reference(s)	HR_ACCTG_LINE
	HR_ACCTG_LN_STG
	UPG_HP_AET

0	OK - No Errors
1	Uncorrected Error(s)

JRNL_LN_REF

Default Label	Journal Line Reference
Length	10
Type	Character
Format	Uppercase



Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG
 GM_TEC_LN
 HR_ACCTG_LINE
 HR_ACCTG_LN_STG
 JRNLGEN_APPL_ID
 R_HR_ACCRUAL
 UPG_HP_AET

JRNL_PROCESS_REQST

Default Label Journal Processing Request
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) KK_BUDGET_HDR

D Default
 E Denied
 G Pending Approval
 N None
 O Override Budget Checking
 P Approved to Post
 U Pending Request to Unpost

JRNL_TOTAL_DEBITS

Default Label Journal Total Debits
 Length 17
 Type Signed Number

 Format Uppercase

Record Reference(s) KK_BUDGET_HDR

JRNL_TOTAL_LINES

Default Label Journal Total Lines
 Length 6
 Type Number



Format Uppercase

Record Reference(s) KK_BUDGET_HDR

JRNL_TOT_CREDITS

Default Label Journal Total Credits
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) KK_BUDGET_HDR

JS_FACTOR

Default Label JS Factor
Length 8
Type Number
Format Uppercase

Record Reference(s) PA_TL_JS100_TBL

JULIAN_DATE

Default Label Julian Date
Length 9
Type Number
Format Uppercase

Record Reference(s) TL_DATES_TBL

JURISDICTION

Default Label Jurisdiction
Length 5
Type Character
Format Uppercase

Record Reference(s) LOCATION_TBL



JURISDICTION_TYPE

Default Label	Jurisdiction Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TAXFORM_TAX
	F Federal
	L Local
	S State

JUSTIFICATION

Default Label	Field Justification
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PI_FIELD_TBL
	PI_PIFLD_TAO
	L Left
	R Right

K25_2483_AMOUNT

Default Label	Indicator 25
Length	19
Type	Number
Format	Uppercase

Record Reference(s)	DEC2483_FRA_AET
	TRN_2483_PARM

K26_2483_AMOUNT



Default Label Indicator 26
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) DEC2483_FRA_AET
 TRN_2483_PARM

KBLAYOUT

Default Label Keyboard Layout
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) EO_DBFIELD_CUR
 PSDBFIELD

KEDFA_CD

Default Label KEDFA Code
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_TAX960KY

1	KREDA
2	KJDA
3	KIRA
4	KIDA

KEEPTGT

Default Label Keep Target Audits Indicator
 Length 5
 Type Number
 Format 7

Record Reference(s) PSPROJECTDEFN



KEEP_GOING

Default Label Keep Going?
Length 1
Type Character

Format Uppercase

Record Reference(s) ER_ERP_MAIN_AET
 GVT_MASSCHG_AET
 TL_ATTEND_AET
 TL_STLOAD_AET
 TL_ST_PARMS_AET
 TL_TA000900_AET
 TL_TA_MAIN_AET

KEY1

Default Label First Key
Length 65
Type Character
Format Uppercase

Record Reference(s) BN_M_EBX_CODES
 KEYVALUEMP
 PSAUDIT

KEY10

Default Label Tenth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY10_FLDNAME

Default Label Key 10 Field Name



Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY10_FLD_VAL

Default Label Key 10 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY11

Default Label Eleventh Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY11_FLDNAME

Default Label Key 11 Field Name
Length 18
Type Character
Format Mixedcase



Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY11_FLD_VAL

Default Label Key 11 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY12

Default Label Twelfth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY12_FLDNAME

Default Label Key 12 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL



KEY12_FLD_VAL

Default Label Key 12 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY13

Default Label Thirteenth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY13_FLDNAME

Default Label Key 13 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY13_FLD_VAL



Default Label Key 13 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY14

Default Label Fourteenth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY14_FLDNAME

Default Label Key 14 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY14_FLD_VAL

Default Label Key 14 Field Value
Length 50
Type Character
Format Mixedcase



CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY16_FLDNAME

Default Label Key 16 Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY16_FLD_VAL

Default Label Key 16 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY1_FLDNAME

Default Label Key 1 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA



EO_CURRENCY_DTL

KEY1_FLD_VAL

Default Label Key 1 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY2

Default Label Second Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY2_FLDNAME

Default Label Key 2 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL



Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY4

Default Label Fourth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY4_FLDNAME

Default Label Key 4 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY4_FLD_VAL

Default Label Key 4 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA



CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY5

Default Label Fifth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY5_FLDNAME

Default Label Key 5 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY5_FLD_VAL

Default Label Key 5 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL



KEY6

Default Label Sixth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY6_FLDNAME

Default Label Key 6 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY6_FLD_VAL

Default Label Key 6 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY7

Default Label Seventh Key
Length 65



Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY7_FLDNAME

Default Label Key 7 Field Name
Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA

CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY7_FLD_VAL

Default Label Key 7 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA

CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY8

Default Label Eighth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT



KEY8_FLDNAME

Default Label Key 8 Field Name
Length 18

Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY8_FLD_VAL

Default Label Key 8 Field Value
Length 50

Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CURRENCY_DTL

KEY9

Default Label Ninth Key
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

KEY9_FLDNAME

Default Label Key 9 Field Name



Length 18
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEY9_FLD_VAL

Default Label Key 9 Field Value
Length 50
Type Character
Format Mixedcase

Record Reference(s) CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
EO_CURRENCY_DTL

KEYCOUNT

Default Label Number of Keys
Length 3
Type Number
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY
PSINDEXDEFN

KEYLIST

Default Label KeyList
Length 254
Type Character



Type Character
Format Mixedcase

Record Reference(s) PSDIAGQRY1
PSDIAGQRY2
PSPRCRQSTXFER

KEYWORD

Default Label Keyword
Length 8
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2
PA_CUSTOM3

KEYWORD_MATCH

Default Label Keywords Matched
Length 1
Type Character
Format Uppercase

Record Reference(s) POSN_APPLD_TAO
POSN_APPLIEDFOR
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5

KEY_CHAR_30_01

Default Label Key Char(30) 01
Length 30
Type Character
Format Uppercase

Record Reference(s) ECQUEUEAPPERROR



KEY_CHAR_30_02

Default Label Key Char(30) 02
Length 30
Type Character
Format Uppercase

Record Reference(s) ECQUEUEAPPERROR

KEY_CHAR_30_03

Default Label Key Char(30) 03
Length 30
Type Character
Format Uppercase

Record Reference(s) ECQUEUEAPPERROR

KEY_CHAR_40_01

Default Label Key Char 40/01
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_CHAR_40_02

Default Label Key Char 40/02
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY



KEY_CHAR_40_03

Default Label Key Char 40/03
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_CHAR_40_04

Default Label Key Char 40/04
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_CHAR_40_05

Default Label Key Char 40/05
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_CHAR_40_06

Default Label Key_Char 40/06
Length 40

Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL



EO_EFFDELAY

KEY_CHAR_40_07

Default Label Key Char 40/07
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_CHAR_40_08

Default Label Key Char 40/08
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_CHAR_40_09

Default Label Key Char 40/09
Length 40
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_CHAR_40_10

Default Label Key Char 40/10
Length 40
Type Character
Format Uppercase



Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_FIELD_NAME_02

Default Label Key Field Name 02
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_FIELD_NAME_03

Default Label Key Field Name 03
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_FIELD_NAME_04

Default Label Key Field Name 04
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_FIELD_NAME_05

Default Label Key Field Name 05
Length 18
Type Character



Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
 EO_EFFDELAY

KEY_FIELD_NAME_06

Default Label Key Field Name 06
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
 EO_EFFDELAY

KEY_FIELD_NAME_07

Default Label Key Field Name 07
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
 EO_EFFDELAY

KEY_FIELD_NAME_08

Default Label Key Field Name 08
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
 EO_EFFDELAY

KEY_FIELD_NAME_09

Default Label Key Field Name 09
Length 18



Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_FIELD_NAME_10

Default Label Key Field Name 10
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_DSPRIOR_VAL
EO_EFFDELAY

KEY_FLG

Default Label Key Field
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_ERD_TBL

KEY_NUM_01

Default Label Key Number 01
Length 5
Type Number
Format Uppercase

Record Reference(s) ECQUEUEAPPERROR

KEY_NUM_02

Default Label Key Number 02
Length 5



Type Number
 Format Uppercase

Record Reference(s) ECQUEUEAPPERROR

KEY_NUM_03

Default Label Key Number 03
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) ECQUEUEAPPERROR

KEY_POSITION

Default Label Key Position
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) POSITION_DATA

KILLEDREASON

Default Label Killed Reason
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSQRYEXECLOG

KIT_ADMIN_PCT_BRA

Default Label Kitchen Administration Percent
 Length 6
 Type Number
 Format Uppercase



Default Label Override Oper
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) VOUCHER
 VOUCHER_STG

KW_IMPORTANCE

Default Label Keyword Screening Importance
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_RQMT_TBL

1	Low
2	Below Average
3	Average
4	Above Average
5	High

KW_INCLUDE

Default Label Use Keyword Match
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_RQMT_TBL

KW_MANDATORY

Default Label Keywords Mandatory - Screening
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_RQMT_TBL



KY_MONTH1_COUNT

Default Label Month 1 Employee Count
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810KY

KY_MONTH2_COUNT

Default Label Month 2 Employee Count
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810KY

KY_MONTH3_COUNT

Default Label Month 3 Employee Count
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810KY

L415_DEFINITION

Default Label 415 Limit Definition
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CLC_415_AY
PA_CLC_OFRM_AY



L415_PMT_AMT1

Default Label Amount 1 after 415
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

L415_PMT_AMT1_NOTX

Default Label L415 Amt 1 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

L415_PMT_AMT2

Default Label Amount 2 after 415
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

L415_PMT_AMT2_NOTX

Default Label L415 Amt 2 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

L415_PMT_AMT3



Default Label Amount 3 after 415
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

L415_PMT_AMT3_NOTX

Default Label L415 Amt 3 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

L415_PMT_AMT4

Default Label Amount 4 after 415
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

L415_PMT_AMT4_NOTX

Default Label L415 Amt 4 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

LABEL1

Default Label User Field 1-Label
Length 15



Type Character
 Format Mixedcase

Record Reference(s) GPJP_YEA_AET

GP_ABS_SS
 GP_ABS_SS_LANG
 GP_GENRPT_ROW
 GP_RPTROW_LNG

LABEL2

Default Label User Field 2-Label
 Length 15
 Type Character
 Format Mixedcase

Record Reference(s) GP_ABS_SS

GP_ABS_SS_LANG
 GP_GENRPT_ROW
 GP_RPTROW_LNG

LABEL3

Default Label User Field 3-Label
 Length 15
 Type Character
 Format Mixedcase

Record Reference(s) GP_ABS_SS

GP_ABS_SS_LANG

LABEL4

Default Label User Field 4-Label
 Length 15
 Type Character
 Format Mixedcase

Record Reference(s) GP_ABS_SS



Type Character
 Format Mixedcase

Record Reference(s) LOCATION_TBL

LABEL_FORMAT_ID3

Default Label Ship Container Label Format ID
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) LOCATION_TBL

LABEL_ID

Default Label Field Label ID
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) EO_DBFLDLBL_CUR

- EO_RECFIELD_CUR
- PSDBFLDLABL
- PSDBFLDLABLLANG
- PSMPCONTDEV
- PSMPCONTDEVLANG
- PSPNLFIELD
- PSPNLFIELDLANG
- PSRECFIELD
- PSRECFIELDDDB
- STRINGS_LNG_TBL
- STRINGS_TBL
- WL_DISTR_GRP
- WL_TEMPL_CMPVAR

LABEL_NAME

Default Label Label Name



Length 30
 Type Character
 Format Uppercase

Record Reference(s) EO_CHUNKRULE

LABOR_AGREEMENT

Default Label Labor Agreement
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) AE_GB_AET

- CMP_RULE_VALUES
- EMPL_CTG
- EMPL_CTG_ESP
- EMPL_CTG_IND
- EMPL_CTG_L1
- EMPL_CTG_L1_LNG
- EMPL_CTG_L2
- EMPL_CTG_L2_LNG

- EMPL_CTG_L3
- EMPL_CTG_L3_LNG
- EMPL_CTG_LNG
- EMPL_CTG_MG_IND
- FPA_EMPLOYEES
- GB_VALUES_TBL
- GPES_LBR_AGRMNT
- GPES_LBR_BNF_AT
- GPES_LBR_BNF_IT
- GPES_LBR_BNF_MT
- GPES_LBR_BNF_RE
- GPES_LBR_SEN
- GPES_LBR_XTRLNG
- GPES_LBR_XTRPER
- GPES_LBR_XTR_PD
- GPES_SEN_BSE_ER
- GPIT_RC_PAYROLL
- GPIT_RP_0001
- GPIT_S503_HD_WA



GPIT_S503_RCTL
JOBCOMP_TMP_MC
JOB_TMP_MC
JOB_WORK_ESP
MATR_BK_ITA_TAO
MATR_BOOK_ITA
R_PER053
R_PER053_ALL
R_PER053_MAX
R_PER053_MIN
R_PER060
SAL_GRADE_PUB
SAL_GRADE_TBL
SENIOR_NOTIF_ITA
TC_EE_DETAIL
TC_POPULATION
UPG_LBRXER_GPES
Z_SAL_GRADE_TBL

LABOR_AGREEMENT_B

Default Label Labor Agreement
Length 6
Type Character
Format Uppercase

Record Reference(s) JOB_WORK_ESP

LABOR_DIST_FLAG

Default Label Labor Distribution Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
UPG_TL_AET



LABOR_RLTNSHIP_ESP

Default Label Special Labor Relationship
 Length 4
 Type Character
 Format Uppercase

Record Reference(s)

JOB_WORK_ESP

- 0100 Management
- 0301 Convicts.Training
- 0302 Convicts.Labor Activity
- 0303 Convicts.Comunity benefits
- 0304 Convicts In Penitentiary Minor
- 0401 Profesional Soccer Player
- 0402 Profesional Basketball Player
- 0403 Profesional Handball Player
- 0404 Profesional Cyclist
- 0405 Profesional Technicals
- 0501 ONCE Lottery Sellers
- 0600 Disabled EE.Spec.employ.Center
- 0700 Stevedore
- 0800 Artist in public shows

LABOR_TYPE_GER

Default Label Labor Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s)

JOBCOMP_TMP_MC

JOB_TMP_MC

- M Management
- N Non-Management

LAG_PCT

Default Label Lag Year Regression Flat Pct
 Length 7
 Type Number
 Format Uppercase



Record Reference(s) PA_DFN_PIA

LAG_PCT_ALIAS

Default Label Lag Year Regression Flat Pct
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

LAG_PCT_ALIAST

Default Label Alias Type for Lag Pct
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

LAG_PCT_TYPE

Default Label Lag Year Regression Flat Pct
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

A Alias Name
 N Numeric Constant

LAG_REGRESSION

Default Label Lag Year Regression Method
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PA_DFN_PIA

A Use Alternative II Assumptions
F Use a Flat Percentage

LANGUAGECDATTRIB

Default Label LangCD Attribute
Length 56
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYATTRIB
DSUSRPRFLMAP

LANGUAGE_CD

Default Label Language Code
Length 3
Type Character
Format Uppercase

Record Reference(s) AAP_TBL_LNG

- AA_JC_JPN_AET
- ABSHCOMUK_LNG
- ABSW_S_TBL_LANG
- ABSW_T_DET_LANG
- ABSW_T_TBL_LANG
- ABS_CD_TBL_LANG
- ABS_CL_TBL_LANG
- ABS_HIST_LANG
- ABS_H_DET_LANG
- ABS_TY_TBL_LANG
- ACCDNT_TYPE_LNG
- ACCDT_INS_HAZ_L
- ACCDT_INS_LANG

- ACCESS_GRP_LANG
- ACCOMPLISH_LANG
- ACCOMP_TBL_LANG
- ACCOM_OP_LNG
- ACCOM_TYPE_LANG



ACCT_CD_TBL_LNG
ACTN_RSN_LANG
ACT_FML_TL_LNG
ADDRESS_TYP_LNG
AE_GB_AET
AE_PTTSRPLC_AET
AE_PTTSUNDO_AET
AGE_RATE_LANG
ALT_CHAR_TBL
ANALYSIS_DB
ANIMAL_TBL_LANG
ANL_DB_LANG
APE_FRA_LANG
APPR_HDR_LNG
APP_ACCOMP_LANG
APP_ACM_OPT_LNG
APP_CHECK_LANG
APP_CIT_PSP_LNG
APP_CM_EVAL_LNG
APP_PRWK_EX_LNG
APP_REFRNCE_LNG
APP_SCHEDUC_LNG
APP_VSA_PMT_LNG
ASSGNMT_LNG
ASSGN_TYPE_LANG
AUDIOMETRIC_LNG
AUDIO_TST_LANG
BALANCE_ID_LANG
BAL_ID_DEF_LANG
BAL_ID_QTR_LANG
BAS_ETCLASS_LNG
BATRUNCNTL
BA_CD_TBL_LANG
BDGT_BENEF_LANG
BENEF_PGM_LANG
BENEF_PLAN_LANG
BNK_EST_FRA_LNG
BODY_PART_LANG
BOND_TBL_LANG
BP_RNCTL_BPINFC
BSE_SCH_FRA_LNG
BUDGET_PER_LANG
BUS_UNIT_HR_LNG



BUS_UNIT_LANG
CALC_RULES_LANG
CAN_NOC_LANG
CAREER_DVLP_LNG
CAREER_MNTR_LNG
CAREER_RANK_LNG
CAR_DATA_LNG
CAR_DVL_LNG_TAO
CAR_MAINT_LNG
CAR_MEN_LNG_TAO
CAR_MGLOC_LNG
CAR_MODEL_LNG
CAR_RNK_LNG_TAO

CC_CARD_TBL_LNG
CDM_FILEEXT_LAN
CHART_KEYS_LANG
CHECKLIST_LANG
CHKLST_ITM_LANG
CIA_ITA_LANG
CITIZEN_STS_LNG
CIT_PSSPRT_LANG
CMP_DFLT_OPT_LN
CMP_OPT_REQFLDL
CMP_RULE_DEFN_L
CM_CLUSTER_LANG
CM_CRITERIA_LNG
CM_ELEMENT_LNG
CM_ELEM_DTL_LNG
CM_EVALUAT_LNG
CM_RATDESCR_LNG
CM_TYPE_LANG
CNTRCT_TBL_LANG
CNTRCT_TYPE_LNG
CNT_CLAUSE_LANG
CNT_END_BEL_LNG
CNT_RSN_BEL_LNG
CNT_TEMPL_LANG
COMPETENCY_LANG
COMPNY_TBL_LANG
COMPRT_GRP_LANG
COMP_PROP_LANG
COMP_RATCD_LANG



COMP_TBLJPN_LNG
CONFAC_CAN_LNG
CONTRCT_CLS_LNG
CONTROL_TBL_LNG
CORRECT_CD_LNG
COST_UNIT_LANG
COUNTRYTBL_LANG
COUNTRY_LNG
COURSE_TBL_LANG
COVRG_CD_LANG
CO_DPK_CAT_TBLL
CO_PAGE_DESCR_L
CPAM_TBL_LNG
CRAM_TBL_LNG
CRSE_DESCR_LANG
CRS_SESSDTS_LNG
CSB_SERIES_LANG
CTC_KND_FRA_LNG
CTG_STS_FRA_LNG
CURRCD_TBL_LANG
CVD_POP_FRA_LNG
DANGER_OCC_LANG
DAY_OFWEEK_LNG
DEDUCTION_LANG
DED_SUBSET_LANG
DEPEND_BEN_LNG
DEPT_TBL_LANG
DEP_SCHED_LNG
DIAGNOSIS_LANG
DIMENSION_LANG
DIRECTORYATTRIB
DISAB_NZL_LANG

DISCIP_ACT_LNG
DISCIP_STEP_LNG
DISCIP_STP_LANG
DISCIP_TYP_LANG
DIS_CLASS_LNG
DPT_ACTVTY_LANG
DPT_OFFSET_LANG
DRIVER_LIS_LANG
DRIVE_TBL_LNG
DSCONTDEFN_LNG



DSUSRPRFLMAP
EARNINGS_LANG
EDLVL_ACHV_LNG
EE_ALLERGY_LANG
EE_DISEASE_LANG
EE_IMMUN_LANG
EE_MEDCATN_LANG
EFT_NAME_LNG
ELECTION_GR_LNG
ELECTION_RL_LNG
EMPLEES_LNG_TAO
EMPLOYEES_LNG
EMPLOYMENT_LNG
EMPLOYMENT_LNG2
EMPLOYMENT_LNG3
EMPLOY_TEAM_LNG
EMPL_CHECK_LANG
EMPL_CL_TBL_LNG
EMPL_CTG_L1_LNG
EMPL_CTG_L2_LNG
EMPL_CTG_L3_LNG
EMPL_CTG_LNG
ENCUMB_MSG_LNG
ENG_TYPE_UK_LNG
EOEC_CCI_TP_LNG
EOEC_DATASET_LNG
EOEC_MP_RULE_LNG
EOEW_ARCFLST_LNG
EOEW_ARC_DFN_LNG
EOEW_CODEITM_LNG
EOEW_CODE_T_LNG
EOEW_ETL_MAP_LNG
EOEW_ETL_STP_LNG
EOEW_EXE_MAP_LNG
EOEW_EXE_STP_LNG
EOEW_EXFCDFN_LNG
EOEW_GRP_DFN_LNG
EOEW_LU_DFN_LNG
EOEW_MAP_DFN_LNG
EOEW_OBJOWNR_LNG
EOEW_SRCDO_LNG
EOEW_SRCFLD_LNG
EOEW_SRCFLTRLNG



EOEW_SRCTABLLNG
EOEW_SRCTBL_LNG
EOEW_SRCTFLDLNG
EOEW_TRN_DFNLNG
EOTP_GROUP_LANG
EOTP_RECRT_LANG
EOTP_SVC_LANG
EO_ADDRFMT_LANG

EO_BATLIB_AET
EO_CCMP_LANG
EO_CC_EXCP_LANG
EO_CHUNKRULLANG
EO_CRCNVRL_LANG
EO_DSATTMAP_LNG
EO_DSDNMAP_LNG
EO_DSMAP_LNG
EO_DSOPATTMPLNG
EO_DSPRIOR_VAL
EO_DSRQATTMPLNG
EO_DSSECRLS_LNG
EO_DSSRCHINQLNG
EO_EFFDELAY
EO_MSGLANGUAGE
EO_PG_COMP_LANG
EO_PROCGRP_LANG
EO_PS_PROD_LANG
EO_TRANS_LNG
EO_TRAN_CAT_LNG
EO_XLATTBL_CUR
EP_CHK_SUG_LANG
EP_CHK_WRD_LANG
EP_COMPWRT_LANG
EP_CONTENT_LANG
EP_CR_APPR_AET
EP_DES_DIST_LNG
EP_DEV_TIP_LANG
EP_GOAL_LANG
EP_GRP_RES_TBL
EP_INIT_LANG
EP_MISSION_LANG
EP_RESP_LANG
EP_REVWTYP_LANG



EP_SECTION_LANG
EP_SUBCOMP_LANG
EP_SUBPROF_LANG
EP_SUBWRT_LANG
EP_TMPLDEF_LANG
EP_TMPLITM_LANG
EP_TMPLSUB_LANG
ERN_PROGRAM_LNG
ER_ANSWER_LNG
ER_INT_EVLTCT_LG
ER_INT_EVLRRT_LG
ER_INT_EVL_LNG
ER_QSTN_SET_LNG
ER_QUESTION_LNG
ER_RCRTTMPL_LNG
ER_REFSBCAT_LNG
ER_REF_PGM_LANG
ER_REQ_D_TP_LNG
ER_REQ_TMPL_LNG
ER_RES_TMPL_LNG
ER_RP_LANG_MAP
ER_RULE_AWD_LNG
ER_RULE_LANG
ER_STATUS_LANG
ER_STSFSCR_LANG
ER_STSPSCR_LANG
ER_STS_RSN_LANG

ESTAB_BRA_LNG
ESTAB_TBL_LANG
ETHNIC_GRP_LANG
EXT_SCHM_LNG
EYE_EXAM_LANG
FACULTY_JPN_LNG
FA_CALC_RL_LANG
FA_PAY_HDR_LANG
FGHR003B_LNG
FILE_HANDLE_LNG
FLAT_RATE_LANG
FLSA_PERTYP_LNG
FMV_METHOD_LANG
FONGECIF_FRALNG
FPABUD_HYPO_LNG



FPAEELEGHST_LNG
FPAEELEGSTA_LNG
FPMACTION_LNG
FPMACTNGRP_LNG
FPMACTN_RSN_LNG
FPMAPPLAREA_LNG
FPMBON_ITM_LNG
FPMBUSINESS_LNG
FPMCENR_EMP_LNG
FPMCORPSTBL_LNG
FPMDOCTYP_LNG
FPMDOCWORD_LNG
FPMINDBTORG_LNG
FPMLEGALSTA_LNG
FPMMATXTYP_LNG
FPMORGTYP_LNG
FPMORG_TBL_LNG
FPMPOINTYP_LNG
FPMRANKGRP_LNG
FPMRANK_TBL_LNG
FPMALMATRX_LNG
FPMSCALE_LNG
FPMSTATUSEE_LNG
FPMSUBJECTS_LNG
FPM_CA_CTG_LNG
FPM_CA_FLAW_LNG
FPM_CA_MVT1_LNG
FPM_CA_MVT2_LNG
FREQ_TBL_LANG
FS_ACTIVITY_LNG
FUNCTION_CD_LAN
FUND_FRA_LANG
GARN_DE_DEF_LNG
GARN_RULE_LANG
GB_BINDVAL_TBL
GB_CRITERIA_LNG
GB_GROUPTBL_LNG
GB_MERGEVAL_TBL
GB_PLN_WL_LNG
GB_WHERECRT_LNG
GENL_CMNT_LNG
GEOG_LOCN_LANG
GL_ACCOUNT_LANG



GPAU_ADVTYP_LNG
GPAU_GRPENT_LNG
GPAU_PSLP_LNG

GPAU_PSLP_LNG
GPAU_PS_ABS_LNG
GPAU_PS_ACM_LNG
GPAU_PS_ED_LNG
GPAU_RC_RCPT_FL
GPAU_TXSCL_LNG
GPBR_AVG_V_LNG
GPBR_PYSFRM_LNG
GPBR_RC_MAS_LNG
GPBR_SORTID_LNG
GPBR_STAKER_LNG
GPBR_TERM_V_LNG
GPCH_ABS_B_LNG
GPCH_ABS_E_LNG
GPCH_AB_ENT_LNG
GPCH_AL_01_LNG
GPCH_OT_ENT_LNG
GPCH_RC_PAYROLL
GPCH_RC_TX4_LNG
GPCH_RP_PK01
GPCH_SI_COM_LNG
GPCH_SI_MI_LNG
GPCH_SI_PRV_LNG
GPCH_SI_SCD_LNG
GPCH_SI_SCT_LNG
GPCH_TX_VIL_LNG
GPCH_TX_VIL_TMP
GPDE_AB_ENT_LNG
GPDE_AL_AC_LNG
GPDE_AL_REN_PLN
GPDE_AZ_IMD_LNG
GPDE_AZ_MDL_LNG
GPDE_AZ_MOD_LNG
GPDE_AZ_MO_LNG
GPDE_DV_EVD_LNG
GPDE_ER_TRF_LNG
GPDE_GR_EE1_LNG
GPDE_RC_PAYROLL
GPDE_RC_SI10



GPDE_RC_TX4_LNG
GPDE_SI_EE_LNG
GPDE_SI_PRO_LNG
GPDE_SI_RCD_LNG
GPDE_SI_RFD_LNG
GPDE_SI_RTE_LNG
GPDE_SI_STA_LNG
GPDE_TX_FOF_LNG
GPDE_TX_UNIT_LN
GPES_ADLOAN_LNG
GPES_LBR_XTRLNG
GPES_PSLPAP_LNG
GPES_PSLPIR_LNG
GPES_PSLPLN_LNG
GPES_PSLPTL_LNG
GPES_RC_FNQ1
GPES_SS_BNF_LNG
GPES_TAX_LOCLNG
GPFR_ASS_AET
GPFR_ASS_CP_LNG
GPFR_ASS_PY_LNG
GPFR_ASS_RU_LNG

GPFR_ASS_W1_LNG
GPFR_DA_AET
GPFR_DA_COD_LNG
GPFR_DA_EST_LNG
GPFR_DA_RCP_LNG
GPFR_DA_RCT_LNG
GPFR_DA_REC_LNG
GPFR_DA_SND_LNG
GPFR_DA_ST_LNG
GPFR_DA_TYP_LNG
GPFR_DUCSCO_LNG
GPFR_DUCSCR_LNG
GPFR_DUCSDF_LNG
GPFR_DUCSF_CTL
GPFR_DUCSPO_LNG
GPFR_DUCSP2_LNG
GPFR_DUCSP3_LNG
GPFR_DUCSP4_LNG
GPFR_DUCSP5_LNG
GPFR_DUCS_AET



GPFR_DUCS_LNG
GPFR_DUCS_RUN_1
GPFR_ILL_AETLNG
GPFR_ONPGRP_LNG
GPFR_PS1_LNG
GPFR_PS2_LNG
GPFR_PSH_LNG
GPFR_RATPNL_LNG
GPFR_URS_LNG
GPGB_ABSTYP_LNG
GPGB_ABS_CD_LNG
GPGB_CO_EW_LNG
GPGB_CO_NI_LNG
GPGB_CO_SC_LNG
GPGB_EEMDTL_LNG
GPGB_PGRPMDTLLG
GPGB_PSLIPPFTLG
GPGB_RCTL_TAXUP
GPHK_EFT_RUNCTL
GPHK_MPF_RUNCTL
GPHK_PAYRPT_LNG
GPHK_PSLP_LANG
GPHK_P_ABS_LNG
GPHK_P_ACUM_LNG
GPHK_P_ED_LNG
GPHK_P_SECT_LNG
GPHK_TAXREF_LNG
GPIN_PR_BRK_LNG
GPIN_PR_FLD_LNG
GPIN_PR_RC
GPIN_PR_SET_LNG
GPIN_PSLP_LANG
GPIN_PS_ABS_LNG
GPIN_PS_ACM_LNG
GPIN_PS_ED_LNG
GPIT_AL_01_LANG
GPIT_CODES_LNG
GPIT_CUDNOT_LNG
GPIT_CUD_RUNCTL
GPIT_DM10_AET
GPIT_DM10_RUNCL

GPIT_F24_CD_LNG



GPIT_F24_GR_LNG
GPIT_F24_QD_LNG
GPIT_F24_RUNCL
GPIT_FPCCOD_LNG
GPIT_FPCREG_LNG
GPIT_FPCTYP_LNG
GPIT_GROUP_LNG
GPIT_GV93_B_LNG
GPIT_GV93_I_LNG
GPIT_GV93_RUNCL
GPIT_GV93_S_LNG
GPIT_INPSCA_LNG
GPIT_INPSCC_LNG
GPIT_INSPR_LNG
GPIT_INPSSG_LNG
GPIT_RC_PAYROLL
GPIT_REA_CH_LNG
GPIT_S503_RCTL
GPIT_SC_R1_LANG
GPJP_CM_PYE_LNG
GPJP_FLHNDL_LNG
GPJP_IH_MUNLNG
GPJP_MTHRMN_LNG
GPJP_PP_T_LANG
GPJP_TAXEST_LNG
GPJP_YEA_AET
GPMX_PYSFRM_LNG
GPMX_RC_ANNLADJ
GPMX_RC_PTU
GPMX_SORTID_LNG
GPMX_TERM_V_LNG
GPMY_EPFORG_LNG
GPMY_EPFTBL_LNG
GPMY_PR_BRK_LNG
GPMY_PR_FLD_LNG
GPMY_PR_PG_LNG
GPMY_PR_RC
GPMY_PR_RP_LNG
GPMY_PR_SB_LNG
GPMY_PR_SET_LNG
GPMY_PSLP_LANG
GPMY_PS_ABS_LNG
GPMY_PS_ACM_LNG



GPMY_PS_ED_LNG
GPMY_RC_RCPT_FL
GPMY_SCALE_LNG
GPMY_SOCORG_LNG
GPMY_SOCTBL_LNG
GPMY_STREG_LANG
GPMY_TAXORG_LNG
GPMY_TAXTBL_LNG
GPNL_ABSCMT_LNG
GPNL_INS_CD_LNG
GPNL_INS_GR_LNG
GPNL_INS_PM_LNG
GPNL_PSLPAC_LNG
GPNL_PSLPHD_LNG
GPNL_PSLPLN_LNG
GPNL_PSLPMS_LNG
GPNL_RC_RED

GPNL_RC_YEE
GPNL_TXR_DT_LNG
GPNZ_ADVTYP_LNG
GPNZ_PSLP_LANG
GPNZ_PS_ABS_LNG
GPNZ_PS_ACM_LNG
GPNZ_PS_ED_LNG
GPNZ_RC_RCPT_FL
GPSG_PSLP_LANG
GPSG_PS_ABS_LNG
GPSG_PS_ACM_LNG
GPSG_PS_ED_LNG
GPSG_RC_RCPT_FL
GP_ABS_RSN_LANG
GP_ABS_SS_LANG
GP_ABS_TP_LANG
GP_CAL_PRD_LANG
GP_ELIG_GRP_LNG
GP_ENT_TYP_LANG
GP_E_PRMP1_LNG
GP_GCTL_FRQ_LNG
GP_GENRPT_BKLNG
GP_GENRPT_LNG
GP_GENRPT_RC
GP_PIN_CAT_LANG



GP_PIN_IDS_LANG
GP_PIN_LANG
GP_PIN_TYP_LANG
GP_PKG_COPY_AET
GP_PKG_CR_AET
GP_PKG_DFN
GP_PKG_RUNCTL
GP_PYGRP_LANG
GP_RPTPIN_LNG
GP_RPTROW_LNG
GP_RTO_EVT_LNG
GP_RTO_EVT_WRK
GP_RUNCTL
GP_RUN_TYP_LANG
GP_SEG_EVT_LNG
GP_SEG_EVT_WRK
GP_SS_BNKCFLNG
GP_TXN_LANG
GP_VC_RUNCTL
GRIEV_LNG
GRIEV_STEP_LANG
GRIEV_STEP_LNG
GRIEV_TYPE_LANG
GROUP_2483_LANG
GROUP_SHT_LANG
GRP_INC_BUD_LNG
GRP_SHEET_LANG
GVT_ACR_ADJ_LNG
GVT_ACR_LDG_LNG
GVT_AWD_T_LANG
GVT_BARG_U_LANG
GVT_BU_UN_LANG
GVT_CLS_STD_LNG
GVT_DED_DIS_LNG
GVT_DESIG_A_LNG
GVT_DISP_E_LANG

GVT_DIS_E_LANG
GVT_DRUG_T_LANG
GVT_ECS_CTL_LNG
GVT_ECS_REM_LNG
GVT_EMPLOY_LANG
GVT_EMPL_P_LANG



GVT_ERN_ACR_LNG
GVT_FEGLI_LANG
GVT_FIN_RUNCTL
GVT_GEOLOC_LANG
GVT_HANDICP_LNG
GVT_INTRFC_LANG
GVT_IRR_RK_LANG
GVT_IRR_RUNCTL
GVT_LEGAL_LANG
GVT_LEOAREA_LNG
GVT_LOCAREA_LNG
GVT_MOC_DTA_LNG
GVT_MSG_LANG
GVT_NOAC_LANG
GVT_OCCSUFY_LNG
GVT_OCCUP_LANG
GVT_ORG_PSN_LNG
GVT_PAY_PLN_LNG
GVT_PERF_P_LANG
GVT_PERS_LANG
GVT_POI_LANG
GVT_PRIO_LANG
GVT_PRI_P_LANG
GVT_PSN_TTL_LNG
GVT_RECR_DE_LNG
GVT_RECR_D_LANG
GVT_RECR_O_LANG
GVT_RECR_S_LANG
GVT_ROST_RUNCTL
GVT_RUNCTL_1514
GVT_RUNCTL_LVE
GVT_RUN_CNTL
GVT_SF182_LANG
GVT_SF50_RK_LNG
GVT_STAT_C_LANG
GVT_SUBAGCY_LNG
GVT_SVCDEP_LANG
GVT_SVCTR_N_LANG
GVT_TAX_RT_LANG
GVT_TREQ_WL_LNG
GVT_TSP_01_LANG
GVT_VADYLOC_LNG
GVT_VA_OPTS_LNG



GVT_VA_RMK_LNG
GVT_VETPREF_LNG
GVT_WGICERT_LNG
GVT_WIPACTN_LNG
GVT_WIPACTV_LNG
GVT_WIP_REC_LNG
GVT_WIP_STA_LNG
HAZ_CON_MAT_LNG
HIER_CTRL_TBL
HOLIDAY_DTE_LNG
HOLIDAY_LANG
HOURS_FRA_LANG

HP_SUBJ_TBL_LNG
HR_AET
HR_CMP050JP_AET
HR_CMP051JP_AET
HR_CMP052JP_AET
HR_CMP053JP_AET
HR_DIM_BEL_AET
HR_DIM_RUN_BEL
HR_NSZ_AET
HR_SSTEXT_LANG
HR_SSTEXT_MLNG
HR_VIAPRIS_AET
HS_ALLERGY_LANG
HS_CLASS_LNG
HS_DISABL_LNG
HS_EMPL_REL_LNG
HS_EMPL_SUB_LNG
HS_IMMUN_LANG
HS_MEDCATN_LANG
ICONV_RUNCNTL
IC_ELIG_RL_LANG
ILLNESS_GER_LNG
ILL_CARE_LNG
ILL_FRA_LANG
INAIL_ITA_LANG
INCIDNT_DTA_LNG
INC_ACTION_LNG
INC_DISAB_LNG
INC_PEOPLE_LNG
INC_REPORT_LNG



INC_TRV_DAT_LNG
INDIC_2483_LANG
INDIC_SHT_LANG
INDI_SHEET_LANG
INDUST_INSP_LNG
INJURY_ILL_LNG
INJURY_NATR_LNG
INJURY_SRCE_LNG
INJ_CLMADD_LNG
INJ_CLM_MGM_LNG
INJ_ILLADDR_LNG
INJ_ILLCAN_LNG
INJ_ILLWI_LNG
INJ_ILL_EMP_LNG
INJ_ILL_NBD_LNG
INJ_ILL_NRD_LNG
INJ_ILL_OBJ_LNG
INJ_ILL_PDS_LNG
INJ_ILL_PHC_LNG
INJ_ILL_STM_LNG
INJ_ILL_WA_LNG
INJ_REHAB_LNG
INPDAI_ITA_LANG
INPS_ITA_LANG
INSEE_FRA_LANG
INSUR_FRA_LANG
INTCPX_CPY_JPNL
INTCPX_DPT_JPNL
INTCPX_SPV_JPNL
INTERVW_ID_LANG
INTL_CNTCT_LNG

INTL_SCHPM_LANG
INT_CTCT_TL_LNG
IPE_PLANTBL_LNG
IPE_STEP_LANG
JOB_CD_SURVEY_LN
JOB_CODE_LANG
JOB_FUNCTION_LNG
JOB_CTG_FRA_LNG
JOB_FAMILY_LNG
JOB_PROF_LANG
JOB_REQUIS_LANG



JOB_REQ_LANG
JOB_REQ_LNG
JOB_TASK_LANG
LEGAL_TYPE_LNG
LIMIT_LANG
LMS_CAT_TBL_LNG
LMS_CMP_RUN_CTL
LMS_EVENT_LNG
LMS_PERIOD_LNG
LMS_RUN_CNTL
LMS_SCENAR_LNG
LMS_SCEVHST_LNG
LMS_SCHST_LNG
LMS_WRKPД_LNG
LOCATION_LANG
MAJOR_TBL_LANG
MASS_RETRO_LANG
MASS_RPT_HR_LN
MCFAGENTLANG
MCFAGNTMSG_LANG
MCFAGNTPRS_LANG
MCFCTIEVENTLOG
MCFSYSMSG_LANG
MCFUQEVENTLOG
MCFUQTIMEOUT
MCFUQWORKSET
MC_DEFN_LANG
MC_TEM_LANG
MC_TYPE_LANG
MEDICAL_FAC_LNG
MED_ORG_FRA_LNG
MERCH_ACCT_LANG
MERIT_SCALE_LNG
MESSAGE_SET_CPY
MIX_COM_MEX_LNG
MIX_COM_OBJ_LNG
MODIFIED_WRK_LNG
MU_MASSUPD_RLNG
MU_MASS_UPD_LNG
NAME_PREFIX_LNG
NAME_SUFFIX_LNG
NAME_TYPE_LNG
NATIONS_DU_LNG



NEE_PROVIDR_LNG
NE_PERSDATA_LNG
NID_TYPE_LANG
NM_ROYPREF_LNG
NM_ROYSUFF_LNG
NON_COURSE_LANG
NVQ_AWARD_LNG

NVQ_EMPLER_LNG
NVQ_REVIEW_LNG
NVQ_UNITSPR_LNG
NVSDRILL_LANG
OCCUPAT_CAN_LNG
OCC_ILLNESS_LNG
OFFER_CMPNT_LAN
OFFER_TYPE_LANG
PAYGROUP_LANG
PAYROLL_DAT_LNG
PAY_FORM_LANG
PAY_MESSAGE_LNG
PAY_RUN_LANG
PCMP_CHKTYP_LNG
PCMP_CLASS_LANG
PCMP_CLSSCOMLNG
PCMP_CMPPLANLNG
PCMP_CMPPLNALNG
PCMP_COMPL_LANG
PCMP_DEVACT_LNG
PCMP_DEVPLANLNG
PCMP_OBMODC_LNG
PCMP_OBMODECLNG
PCMP_OBSELEMLNG
PCMP_OBSMOD_LNG
PCMP_PRODTYPLNG
PCMP_PROD_LNG
PCMP_RGAUTHCLNG
PCMP_RGAUTH_LNG
PCMP_RICHCOMLNG
PCMP_RICOMPCLNG
PCMP_RIDEVACLNG
PCMP_RIDEVA_LNG
PCMP_RIDEVRCLNG
PCMP_RIKPIRCLNG



PCMP_RIOBSC_LNG
PCMP_RIOBSECLNG
PCMP_TYPE_LANG
PCMP_TYP_COMLNG
PERS_CNTTYP_LNG
PHYS_EXAM_LANG
PI_CONFIG_LANG
PI_DEFN_F_LANG
PI_DEFN_R_LANG
PI_DEFRL_TAO
PI_DFLG_TAO
PI_FIELD_LANG
PI_GROUP_LANG
PI_INSTANC_LANG
PI_PIFLG_TAO
PI_PROC_TB_LANG
PI_PROC_VA_LANG
PI_PS_REC_LANG
PI_SYSTEM_LANG
PKG_ADD_LANG
PKG_BSE_LANG
PKG_FBT_IN_LANG
PKG_FBT_LANG
PKG_FBT_VH_LANG
PKG_RULE_LANG
PKG_TAX_LANG

PKG_TMP_LANG
PLN_SL_WL_LNG
POOL_TBL_LANG
POP_CTG_FRA_LNG
POSN_DATA_LANG
POSTAL_ALT_CHE
POSTAL_CD_CHE
POST_TBLJPN_LNG
PRCSDEFNLANG
PRCSDEFNURL_LNG
PRCSJOBDEFNLANG
PRCSREURLANG
PRCSRUNCNTL
PRCSTYPEDEFNLNG
PRCS_CAT_LG_TBL
PRCS_GROUPS_LNG



PREVENT_ACT_LNG
PREVENT_GER_LNG
PREV_ITA_LANG
PRF_STS_FRA_LNG
PRIORWRK_EX_LNG
PROJECT_LANG
PROJECT_TBL_LNG
PROJ_ACTIVITY_LG
PROJ_CATG_LANG
PROJ_CAT_SUB_LG
PROJ_RES_TYP_LG
PROJ_STATUS_LNG
PROJ_SUBCAT_LNG
PROJ_TYPE_LANG
PROJ_TYP_CAT_LG
PSACEMDLDEFNLNG
PSACTIVIMGLANG
PSACTIVITYLANG
PSAEAPPLLANG
PSARCHOBJLANG
PSARCHTEMLANG
PSBATREPPROFLNG
PSBCDEFNLANG
PSBCITEMLANG
PSBUSPITEMLANG
PSBUSPRIMGLANG
PSBUSPROCLANG
PSCDSETVALDE_LG
PSCHNLDEFNLANG
PSCIREFLANG
PSCONNLANG
PSCONNPROPLANG
PSCONTDEFNLANG
PSCONTENTLANG
PSDBFIELDLANG
PSDBFLDLABLLANG
PSDS DIR_LNG
PSDSSECRROLE_LNG
PSIODEFNLANG
PSLANGUAGES
PSLOCALELANG
PSMCFQSERVLANG
PSMCFQUEUESLANG



PSMENUDEFNLANG
PSMENUITEMLANG

PSMERCHANTIDLNG
PSMERCHANTCATLNG
PSMPCONTDEVLANG
PSMPDEFNDEVLANG
PSMPDEFNLANG
PSMRCHNTCTTBLNG
PSMSGCATLANG
PSMSGDEFNLANG
PSMSGSETLANG
PSNODCONPRPLANG
PSNODEDEFNLANG
PSNODEPROPLANG
PSNODTRCNPRLANG
PSOPRALSTYPLANG
PSOPRDEFN
PSOPTIONS
PSOPTMODELLNG
PSOPTNCATGRPLNG
PSOPTNCATLANG
PSOPTPRBINSTLNG
PSOPTPRBTYPENGLNG
PSOPTRECLNG
PSOPTTRNLNG
PSPACKAGELANG
PSPMCONTEXT_LNG
PSPMEVENTSET_LN
PSPMEVENT_LNG
PSPMMETRICVL_LN
PSPMMETRIC_LNG
PSPMSYSDEFN_LNG
PSPMTRANSSET_LN
PSPMTRANS_LNG
PSPNLBTNLANG
PSPNLDEFNLANG
PSPNLFIELDLANG
PSPNLGDEFNLANG
PSPNLGROUPLANG
PSPNLHTMLLANG
PSPRDMDEFNLANG
PSPROJDEFNLANG



PSPRSMATTRLANG
PSPRSMATTRVALNG
PSPRSMDEFNLANG
PSPSWDEMAILLANG
PSPSWDHINT_LANG
PSQRYBINDLANG
PSQRYDEFNLANG
PSQRYFIELDLANG
PSRECDEFNLANG
PSRELATIONLANG
PSRELPROPLANG
PSRF_FLIST_LANG
PSRF_FVIEW_LANG
PSRF_RDESC_LANG
PSROLEDEFNLANG
PSROLEDEFNL_RMT
PSRUN_SRCH_AET
PSSIDXLANGUAGE
PSSQLLANG
PSSTYLECLSLANG
PSSTYLEDEFNLANG

PSSTYLEDFNLANG
PSSTYLEFNLANG
PSTBARITEMLANG
PSTIMEZONELANG
PSTREEDEFNLANG
PSTREESTRCTLANG
PSURLDEFNLANG
PSUSEROPTNLANG
PSVAITEMLANG
PSWSRPPLTKWLANG
PSWSRPPLTLANG
PSWSRPPRDLANG
PSXLATITEMLANG
PSX_HELPCONTEXT
PSX_TREEDEFNLNG
PTLT_EXCI_RUN
PTLT_FEAT_LANG
PTLT_PROD_LANG
PTLT_PSUIT_LANG
PTLT_TASK_LANG
PTLT_TLOAD_LANG



PTLT_TSEQ_LANG
PTPPB_DFMT_LANG
PTPPB_DTYP_LANG
PTPPB_FTR_LANG
PTPPB_HDR_LANG
PTPPB_HTML_LANG
PTPPB_PGLT_CLNG
PTPPB_PGLT_LANG
PTPPB_PRMS_LANG
PTPPB_PVAL_LANG
PTPPB_TXFM_LANG
PTPPB_XSL_LANG
PT_WF_NOTFY_TBL
PT_WF_NOTFY_USR
PT_WF_NOTIFY_WL
PT_WF_NOT_USRD
PT_WF_NOT_USRL
PT_WF_NOT_USRO1
PT_WF_NOT_USRO2
PT_WF_NOT_USRU
PYMNT_MTHD_LNG
PYRE_TMPLT_LNG
RATECD_CLS_LNG
RATING_MDL_LANG
REDUCT_BEL_LANG
REG_REGION_LANG
REG_TRX_LANG
RELIGION_LANG
RESLTN_TYPE_LNG
RESPIR_EXAM_LNG
RES_HM_DTL_LNG
RES_HOME_LANG
RES_HOST_LANG
RES_HST_DTL_LNG
RETROPAYPG_LANG
REVV_RATING_LNG
REVV_SCALE_LANG
REV_COM_LNG
REV_DEF_JPN_LNG
REV_GOALS_LNG

RGM_BSE_ESP_LNG
RGM_CTZ_ESP_LNG



ROLEXLATOPR_LNG
RT_INDEX_LANG
RT_TYPE_LANG
RUNCTL_EP_GRP
RUN_CMPCLC_JPN
RUN_CMPRPT_JPN
RUN_CNTLAUDTRGS
RUN_CNTLLDAP_AET
RUN_CNTLLDAP
RUN_CNTL_ABS001
RUN_CNTL_ABS003
RUN_CNTL_AU2_EO
RUN_CNTL_CC4_EO
RUN_CNTL_COESV1
RUN_CNTL_FP
RUN_CNTL_HR
RUN_CNTL_HR_CHE
RUN_CNTL_HR_FRA
RUN_CNTL_HR_JPN
RUN_CNTL_OHS
RUN_CNTL_PAR
RUN_CNTL_PCMP2
RUN_CNTL_PCMP3
RUN_CNTL_PCMP4
RUN_CNTL_REG
RUN_CNTL_ST
RUN_CNTL_SWPBSE
RUN_CNTL_TRN001
RUN_CNTL_TRN032
RUN_ILL_HR_NLD
RUN_SALAMT_JPN
RUN_SALINC_JPN
RUN_STEP_JPN
RVW_BAND_TB_LNG
RW_REVIEWER_LNG
RW_REWERCMP_LNG
SALARY_RTE_LANG
SAL_GRADE_LANG
SAL_GRD_JPN_LNG
SAL_ID_JPN_LNG
SAL_MATRIX_LANG
SAL_PLAN_LANG
SAL_PLN_JPN_LNG



SAL_RATCD_LNG
SAL_STP_TBL_LNG
SAVNGS_INV_LANG
SBFCLTY_JPN_LNG
SCHDLDEFNLANG
SCHL_EDUC_LANG
SCHL_TYPE_LANG
SCHOOL_TBL_LANG
SCH_DEFN_LANG
SCH_SHIFT_LANG
SCH_TMPLT_LANG
SCH_WRKDAY_LANG
SERVERDEFN_LNG
SETID_LANG
SHIFT_LANG
SI_TRANSF_LNG

SI_TRANSLDF_LNG
SI_UNIT_GER_LNG
SOC_SEC_RGM_LNG
SOC_SEC_RSK_LNG
SPCL_EARNS_LANG
SPECL_PROJ_LNG
SPK_COMM_G_LNG
SP_MER_INCR_LNG
STANDRDLTR_LANG
STATE_TAX_LANG
STATE_TBL_LANG
STATUTE_BEL_LNG
STOCK_EXCH_LANG
STOCK_PLAN_LANG
STOCK_TBL_LANG
STOCK_TRSR_LANG
STRINGS_LNG_TBL
ST_AGNT_CT_LANG
ST_BLKOUT_LANG
ST_BRANCH_LANG
ST_BRNC_CT_LANG
ST_ESPP_MSG_LNG
ST_EXCH_LANG
ST_GOVBODY_LANG
ST_PLANALC_LANG
ST_REPRICE_LANG



ST_SPLIT_LANG
ST_TRSRALC_LANG
SUPPRT_DOC_LANG
SUPVSR_LVL_LANG
SVC_RATE_LANG
SVC_STEP_LANG
SWT_MARSTA_LANG
TARIF_ARTBL_LNG
TAXFORM_BX_LANG
TAXFORM_NT_LANG
TAX_LOCAT1_LANG
TC_BEN_RUN_CNTL
TC_CATEG_LNG
TC_COMPDEF_LNG
TC_COMPSRC_LNG
TC_PLAN_LNG
TC_TREE_NODE_LN
TEMP_DUTIES_LNG
TERM_PGM_LNG
TERM_RQST_LNG
TIMLOC_TBL_LNG
TITLE_TBL_LNG
TL_ACTIONS_LANG
TL_ACTIVITY_LNG
TL_AE_SECTN_LNG
TL_APPSTEDTLNG
TL_APP_ITEM_LNG
TL_APP_SUITE_LNG
TL_ATTND_PG_LNG
TL_COMP_TIME_LG
TL_CONDS_LANG
TL_CUSTOMER_LNG
TL_EXCEPT_LANG
TL_EXCP_DFN_LNG
TL_GROUP_LANG

TL_METASQL_LANG
TL_OT_SETUP_LNG
TL_OUTTCD_AET
TL_OVRD_RSN_LNG
TL_PAYSYS_LANG
TL_PRODUCT_LNG
TL_PROJECT_LNG



TL_RAPID_H_LANG
TL_RAPID_T_LANG
TL_RESPRF_LNG
TL_RPDTME_LANG
TL_RPTMPLT_LANG
TL_RPTS_RNCTL
TL_RULE_ELM1_LG
TL_RULE_ELM2_LG
TL_RULE_ELM3_LG
TL_RULE_ELM4_LG
TL_RULE_ELM5_LG
TL_RULE_LANG
TL_RUL_PGM_LANG
TL_RUN_CTRL_LAN
TL_RUN_PUB_TM
TL_SCHRT_RNCTL
TL_SQL_OBJ_LANG
TL_TASKELE_LANG
TL_TASKGRP_LNG
TL_TASK_LANG
TL_TA_TMPL_LANG
TL_TCDDEF_LNG
TL_TCDGRP_LNG
TL_TCD_LNG
TL_TCD_REPORT
TL_TIME_PER_LAN
TL_TMPLT_R_LANG
TL_TMPL_DFN_LNG
TL_TRC_LANG
TL_TRC_PGM_LANG
TL_TSKPRF_LNG
TL_TSKPRF_T_LNG
TL_USER_FLD1_LN
TL_USER_FLD2_LN
TL_USER_FLD3_LN
TL_USER_FLD4_LN
TL_USER_FLD5_LN
TL_VALD_DFN_LNG
TL_VALD_SET_LNG
TL_VAL_LST_LANG
TL_WRKGRP_LNG
TN_ALCRSEVW_LNG
TN_CTLOG_TL_LNG



TN_EEFCL_LNG
TN_FCLCST_LNG
TRANSPORT_LANG
TRAVEL_TYP_LANG
TREE_LEVEL_LANG
TREE_LEVEL_LNG
TREE_NODE_LANG
TRN_AL_CRSE_LNG
TRN_BUDGET_LANG
TRN_CAT_LANG
TRN_DEMAND_LANG

TRN_DSPLTG_LANG
TRN_EQUIP_LANG
TRN_EXPNTF_LANG
TRN_FACIL_LANG
TRN_INSTRCT_LNG
TRN_PROF_LANG
TRN_PROGRM_LANG
TRN_ROOM_LANG
TRN_SUBCAT_LANG
TRN_VENDOR_LANG
TRN_VNDRCNT_LNG
TRV_ACTRSN_LNG
TS_PROFILE
TS_RESULT_MSG
UNION_TBL_LANG
UNITA_PROD_LNG
UNITS_TBL_LANG
UNSAFE_ACT_LANG
UNSAFE_GER_LNG
UPG_CNT_LNG_TAO
UPG_EP_AET
UPG_ER_AET
UPG_GP2_AET
UPG_GPCH_AET
UPG_HR75TRN_AET
UPG_HR75_AET
US_SOC_TBL_LNG
VCAWARD_RUNCTL
VC_GOAL_LNG
VC_GRP_GOAL_LNG
VC_IND_DFT_LNG



VC_IND_GOAL_LNG
VC_ORG_GOAL_LNG
VC_PAYFORM_LNG
VC_PLAN_LANG
VC_PRORATE_LANG
VC_VALUE_LNG
VEHICLEHOME_LNG
VEHICLEHOST_LNG
VEH_EQUIPMT_LNG
VEH_HM_DTL_LANG
VEH_HST_DTL_LNG
VENDOR_ADDR_LNG
VENDOR_LANG
VISA_PERMT_LANG
VISA_PMT_DA_LNG
VNRLOCSCROL_LG
VOLNTER_ORG_LNG
VOLUNTR_ACT_LNG
W2_COMPANY_LANG
W3EB_TEXT_LANG
W3EB_TXTMSG_LNG
WA_CLS_LNG
WA_CTG_LNG
WA_TBL_LNG
WC_COUNCIL_LNG
WC_DECISGRP_LNG
WC_DECISION_LNG
WF_INSTSTATUSLG
WKF_CNTCLS_LNG
WL_RIMRESP2_AET

WL_TEMPLATE_GLN
WL_TEMPLATE_LNG
WL_TEMPL_CMP_LN
WL_TEMPL_GNRSLN
WL_TEMPL_GNTKLN
WL_TEMPL_RSP_LN
WL_TEMPL_URL_LN
WL_TEMPL_XUR_LN
WORK_RESTRN_LNG
WP_AGEVST_LNG
WP_AGREEMNT_LNG
WP_AGRVST_LNG



WP_AGRG_GRP_LNG
 WP_FORMULA_LNG
 WP_VARIABLE_LNG
 WRK_EXP_FRA_LNG
 Z_EMPLOYEES_LNG
 Z_LC_RUNCTL
 Z_LG_AWD_RUNCTL
 Z_NFC_RECON_REC
 Z_POI_REPORT

ARA	Arabic
CFR	Canadian French
CZE	Czech
DAN	Danish
DUT	Dutch
ENG	English
ESP	Spanish
FIN	Finnish
FRA	French
GER	German
GRK	Greek
HEB	Hebrew
HUN	Hungarian
ITA	Italian
JPN	Japanese
KOR	Korean
MAY	Bahasa Malay
NOR	Norwegian
POL	Polish
POR	Portuguese
RUS	Russian
SVE	Swedish
THA	Thai
TUR	Turkish
ZHS	Simplified Chinese
ZHT	Traditional Chinese

LANGUAGE_MAP

Default Label	Language to Map
Length	3
Type	Character
Format	Uppercase



Record Reference(s) PSSIDXLANGUAGE

LANGUAGE_OPTION

Default Label	Language Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s) BATRUNCNTL

- GPFR_DUCSF_CTL
- GPFR_DUCS_RUN_1
- GPGB_RCTL_TAXUP
- GPIN_PR_RC
- GPMY_PR_RC
- GPNL_RC_RED
- GPNL_RC_YEE
- GP_GENRPT_RC
- GP_VC_RUNCTL
- GVT_FIN_RUNCTL
- GVT_IRR_RUNCTL
- GVT_ROST_RUNCTL
- GVT_RUN_CNTL
- PRCSRUNCNTL
- RUN_CMPCLC_JPN
- RUN_CNTL_ABS001
- RUN_CNTL_ABS003
- RUN_CNTL_PCOMP2
- RUN_CNTL_PCOMP3
- RUN_CNTL_PCOMP4
- RUN_CNTL_TRN001
- RUN_CNTL_TRN032
- RUN_SALAMT_JPN
- RUN_STEP_JPN
- TL_RUN_PUB_TM
- VCAWARD_RUNCTL
- Z_LG_AWD_RUNCTL
- Z_NFC_RECON_REC
- Z_POI_REPORT



O Specified Language
 R Recipient's Language

LANGUAGE_SKILL

Default Label Language Required
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) Z_LC_JOB_LNGREQ

- AF Afrikaans
- AM Amharic
- AR Arabic
- AS American Sign Language
- BH Bahasa (Indonesian)
- BO Bengali
- BU Burmese
- CC Chinese (Cantonese)
- CH Chinese (Other)
- CM Chinese (Mandarin)
- CS Chinese (Shanghai)
- CZ Czech
- DA Danish

- DU Dutch
- EN English
- FA Farsi (Persian)
- FL Flemish
- FR French
- FS Finish
- GE German
- GR Greek
- HE Hebrew
- HI Hindi
- HU Hungarian
- IA Indian (Kannada)
- IH Indian (Hindi)
- IK Indian (Konkani)
- IN Indian
- IT Italian
- JA Japanese



KI	Kiswahili
KO	Korean
LA	Latvian
LI	Lithuanian
LO	Laotian
LT	Latin
MA	Malay
NO	Norwegian
PH	Polish
PO	Portuguese
RO	Rumanian
RU	Russian
SI	Swahili
SP	Spanish
SR	Serbo-Croatian
SW	Swedish
TA	Tagalog (Philippines)
TE	Telugu
TH	Thai
TI	Tamil (India)
TM	Tamil (Ceylon)
TU	Turkish
TW	Twi (Ghana)
UK	Ukrainian
UR	Urdu (Pakistan)
VI	Vietnamese
WE	Welsh

LANG_CD

Default Label	Language Code
Length	3
Type	Character
Format	Uppercase

Record Reference(s)	AE_GB_AET
	APPLICANT_DATA
	APP_RESUME_TEXT
	CO_DPK_ELIG_DET
	CO_DPK_ELIG_NEW
	CO_DPK_ELIG_OLD
	CO_DPK_ELIG_TRN
	CO_DPK_PERS_TAO



EP_APPR

ER_AM_REQ_TBL
 ER_AUTOMTCH_AET
 ER_AUTOMTCH_TBL
 FPAPEREFFDT_HIS
 GPCH_RP_0001
 GPCH_RP_SI03
 GPCH_RP_TX05C
 GVT_PERS_DATA
 GVT_PERS_TEMP
 LOCATION_TBL
 PERSONNEL_RPT
 PERSONNEL_TAO
 PERS_DATA_EFFDT
 TL_TCD_TBL
 UPG_ER_AET
 UPG_HR_AET

CFR	Canadian French
DAN	Danish
DUT	Dutch
ENG	English
ESP	Spanish
FRA	French
GER	German
GRK	Greek
INE	International English
ITA	Italian
JPN	Japanese
KOR	Korean
POR	Portuguese
SVE	Swedish
THA	Thai
ZHS	Simplified Chinese
ZHT	Traditional Chinese

LASTCHANGEDTTM

Default Label	Last Change Refresh Stamp
Length	26
Type	Datetime
Format	13



Record Reference(s) PSACTIVITYLOG
PSSTATUS
Z_COMP_LVL_TBL

LASTCOMPILEDTTM

Default Label Last Compiled Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) EOEW_ETL_MAP
EOEW_EXE_MAP

LASTEXECDTTM

Default Label DateTime of Last Execution.
Length 26
Type Datetime
Format 13

Record Reference(s) PSQRYSTATS

LASTINSTALLED

Default Label Last Installed DB
Length 26
Type Datetime
Format 12

Record Reference(s) PSMSFUSER

LASTPSWDCHANGE

Default Label Last Password Change
Length 10
Type Date



Format Uppercase

Record Reference(s) PSOPRDEFN

LASTREFRESHDTTM

Default Label Last Swap Refresh Stamp
Length 26
Type Datetime
Format 13

Record Reference(s) PSSTATUS

LASTSCHEDULED

Default Label Last Scheduled Refresh
Length 26
Type Datetime
Format 12

Record Reference(s) PSMSFUSER

LASTSIGNONDTTM

Default Label Last Signon Date Time
Length 26
Type Datetime
Format 12

Record Reference(s) PSOPRDEFN

LASTSYNCDATE

Default Label Creation Date of Device ID
Length 26

Type Datetime
Format Uppercase



EO_EIP_MSG_TAO3
EO_EIP_STG_ERR
EO_EIP_STG_TAO2
EO_EIP_STG_TAO3
EO_IODEFN_CUR
EO_MSGDEFN_CUR
EO_RECDEFN_CUR
EO_RECFIELD_CUR
EO_XLATTBL_CUR
EP_APPR_ROLE
ER_APPL_STATUS
ER_INTVW_STATUS
ER_POSN_STATUS
ER_REQ_STATUS
ER_ROUTE_STATUS

GB_GROUP_TBL
GPFR_DA_RECORD
GPFR_DA_REC_AET
GPFR_DA_REC_CST
GPGB_EE_STDTLS
GP_PI_MNL_DATA
GP_RSLT_PI_DATA
JOB_JR
NVS_REPORT
OFFER_COMM
OFFER_STATUS
PK_LICENSE_DEFN
PRCSDEFN
PRCSFILE
PRCSJOBDEFN
PRCSRECUR
PRCSTPEDEFN
PRG_PERMISSIONS
PRG_USR_PROFILE
PSACEMDLDEFN
PSACTARCHIVE
PSACTIVITYDEFN
PSAEAPPLDEFN
PSAESECTDEFN
PSAPMSGARCHPC
PSAPMSGARCHPH
PSAPMSGARCHSC



PSAPMSGPUBCON
PSAPMSGPUBCSYNC
PSAPMSGPUBHDR
PSAPMSGPUBSYNC
PSAPMSGSUBCON
PSAPMSGSUBCSYNC
PSARCHOBJDEFN
PSARCHTEMPLATE
PSBCDEFN
PSBUSPROCDEFN
PSCHNLDEFN
PSCLASSDEFN
PSCOLORDEFN
PSCONTDEFN
PSDBFIELD
PSDIAGREG
PSDSSHEMA
PSFILEREDEFN
PSFLDDEFN
PSFMTDEFN
PSHOLIDAYDEFN
PSIBBRKSLAVE
PSIBFAILOVER
PSIBLOGHDR
PSIBLOGHDRARCH
PSIBMSGSCHEMA
PSIBPUBSLAVE
PSIBSUBSLAVE
PSIMPDEFN
PSIODEFN
PSJPUPDEFN
PSMENUDEFN
PSMPDEFN
PSMPRTPREF

PSMSGDEFN
PSMSGNODEDEFN
PSNODETRX
PSOPRDEFN
PSOPTMODEL
PSOPTPRBTYPE
PSPACKAGEDEFN
PSPCMPROG



PSPERMLIST_RMT
PSPMAGENTFILTER
PSPMCOLLINST
PSPMMONITORGBL
PSPMSYSDEFAULTS
PSPMSYSDEFN
PSPNLDEFN
PSPNLGRPDEFN
PSPRCSQUE
PSPRCSRQST
PSPRCSRUNCNTL
PSPRCSRUNCNTLS
PSPRDMDEFN
PSPROJECTDEFN
PSPRSMDEFN
PSPRUFDEFN
PSPRUHDEFN
PSPRUHPERSPGLT
PSPSWDHINT
PSPUPGDSLOG
PSPURGEPERMLIST
PSQRYDEFN
PSRECDEFN
PSRECFIELD
PSRECFIELDDDB
PSRELATCONTACT
PSRELATIONPROP
PSRELATIONSHIP
PSRELATIONTRX
PSROLEDEFN
PSROLEDEFN_RMT
PSSERVERSTAT
PSSQLDEFN
PSSTYLEDEFN
PSSTYLSHEETDEFN
PSSUBDEFN
PSTIMEZONE
PSTOOLBARDEFN
PSTREDEFN
PSTREESTRCT
PSTYPECODEDEFN
PSURLDEFN
PSUSERATTR



PSUSEROPTNDEFN
PSWORKLIST
PSWSRPCPHDEFN
PSWSRPPLTDEFN
PSWSRPPRDDEFN
PSXLATITEM
PTLT_PORTAL_STG
PTLT_PORTAL_TMP
PTLT_PROJ_DEFN
PTLT_PROJ_TASK

PTLT_PROJ_UPG
PURGE_ROLEDEFN
RT_RATE_TBL
RUNCTL_MASSUPD1
SCHDLDEFN
SCH_CLND_TBL
SCH_SHIFT_DTL
SCH_SHIFT_TBL
SERVERACTVTY
SERVERDEFN
SERVERINFO
SHS_FRA_RUN_CTL
ST_CLASS_ALLOC
ST_ESPP_DISPOSN
ST_EXER_DISPOSN
ST_EXER_RELEASE
ST_GRANT
ST_GRANT_EXER
ST_GRANT_VALUE
ST_GRANT_VEST
ST_GRNT_REPURCH
ST_PLAN_ALLOC
ST_REL_DISPOSN
ST_TRSR_ALLOC
ST_VC_ALLOC
TL_RPTD_ELPTIME
TL_TRC_TBL
TL_TR_STATUS
Z_FSA_REC
Z_NEW_OPRID_TRK



LASTUPDOPRID

Default Label by
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPR_RULE_HDR

- ARCH_PROJ
- BS_BLD_PROJ
- EOCM_CATEGORY_H
- EOCM_DATA_SRC
- EOCM_DS_LOG
- EOCM_GEN_AET
- EOCM_GEN_TBL
- EOCM_NEWGEN_TBL
- EOCM_S_OFF_TBL
- EOCM_TP_VER
- EOCM_UNSPS_AET
- EOCM_UNSPS_RQST
- EOEW_CODE_TBL
- EOEW_EXFUNC_DFN
- EOEW_EXPR_ELEM
- EOEW_LU_DFN
- EOEW_SRCDO
- EOEW_SRCFIELD
- EOEW_SRCFILTER
- EOEW_SRCJOIN
- EOEW_SRCTABLE

- EOEW_TRN_DFN
- EO_BCDEFN_CUR
- EO_DBFIELD_CUR
- EO_IODEFN_CUR
- EO_MSGDEFN_CUR
- EO_RECDEFN_CUR
- EO_RECFIELD_CUR
- EO_XLATTBL_CUR
- ER_APPL_STATUS
- ER_INTVW_STATUS
- ER_POSN_STATUS
- ER_REQ_STATUS
- ER_ROUTE_STATUS



GPFR_DA_RECORD
GPFR_DA_REC_AET
GPFR_DA_REC_CST
GPGB_EE_STDTLS
GP_PI_MNL_DATA
GP_RSLT_PI_DATA
JOB_JR
NVS_REPORT
OFFER_COMM
OFFER_STATUS
PK_LICENSE_DEFN
PRCSDEFN
PRCSJOBDEFN
PRCSRECUR
PRCSTYPEDEFN
PRG_PERMISSIONS
PRG_USR_PROFILE
PSACEMDLDEFN
PSACTIVITYDEFN
PSAEAPPLDEFN
PSAESECTDEFN
PSARCHOBJDEFN
PSARCHTEMPLATE
PSBCDEFN
PSBUSPROCDEFN
PSCHNLDEFN
PSCCLASSDEFN
PSCOLORDEFN
PSCONTDEFN
PSDBFIELD
PSDIAGREG
PSDSSCHEMA
PSFILEREDEFN
PSFLDDEFN
PSFMTDEFN
PSHOLIDAYDEFN
PSIMPDEFN
PSIODEFN
PSJPUPDEFN
PSMENUDEFN
PSMPDEFN
PSMSGDEFN
PSMSGNODEDEFN



PSNODETRX
PSOPRDEFN
PSOPTMODEL
PSOPTPRBTYPE
PSPACKAGEDEFN

PSPCMPROG
PSPERMLIST_RMT
PSPMAGENTFILTER
PSPMMONITORGBL
PSPMSYSDEFAULTS
PSPMSYSDEFN
PSPNLDEFN
PSPNLGRPDEFN
PSPRCSRUNCNTL
PSPRCSRUNCNTLS
PSPRDMDEFN
PSPROJECTDEFN
PSPRSMDEFN
PSPRUFDEFN
PSPRUHDEFN
PSPSWDHINT
PSPTUPGDSLOG
PSPURGEPERMLIST
PSQRYDEFN
PSRECDEFN
PSRECFIELD
PSRECFIELDDDB
PSRELATCONTACT
PSRELATIONPROP
PSRELATIONSHIP
PSRELATIONTRX
PSROLEDEFN
PSROLEDEFN_RMT
PSSQLDEFN
PSSTYLEDEFN
PSSTYLSHEETDEFN
PSSUBDEFN
PSTOOLBARDEFN
PSTREEDEFN
PSTREESTRCT
PSTYPECODEDEFN
PSURLDEFN



PSUSERATTR
 PSUSEROPTNDEFN
 PSWSRPCPHDEFN
 PSWSRPPLTDEFN
 PSWSRPPRDDEFN
 PSXLATITEM
 PTLT_PROJ_TASK
 PTLT_PROJ_UPG
 PURGE_ROLEDEFN
 RUNCTL_MASSUPD1
 SCHDLDEFN
 SERVERDEFN
 SHS_FRA_RUN_CTL
 ST_CLASS_ALLOC
 ST_ESPP_DISPOSN
 ST_EXER_DISPOSN
 ST_EXER_RELEASE
 ST_GRANT
 ST_GRANT_EXER
 ST_GRANT_VALUE
 ST_GRANT_VEST
 ST_GRNT_REPURCH
 ST_PLAN_ALLOC
 ST_REL_DISPOSN

 ST_TRSR_ALLOC
 ST_VC_ALLOC
 Z_FSA_REC
 Z_JOB_REQ

LAST_ACTION

Default Label	Last Action
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	CAN_TAX_DATA
	DIR_DEP_DISTRIB
	FED_TAX_DATA
	GENL_DEDUCTION
	GPJP_MTHRMN_TBL



GPJP_SC_PYE_DTA
 PY_IC_DD_AUDIT
 PY_IC_DD_WRK
 PY_IC_DED_AUDIT
 PY_IC_W4_AUDIT
 UPG_PY_AET
 Z_B_EMP_UNION

C System
 D Hire Process
 O Online User
 S Supplier Deduction File
 W Employee Self Service User

LAST_ACTIVITY_DT

Default Label Last Activity Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) VENDOR
 VENDOR_TMP

LAST_ACTIVITY_ID

Default Label Last Activity ID
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) PROJECT

LAST_ACTIVITY_TIME

Default Label Last Activity Time
 Length 26
 Type Datetime
 Format 12

Record Reference(s) PSTREELOCK



LAST_ADJUSTMENT_DT

Default Label Last Adjustment Date
Length 10
Type Date
Format Uppercase

Record Reference(s) POSN_BUDGET

LAST_APPLID

Default Label Last Applicant Id Assigned
Length 10
Type Number
Format Uppercase

Record Reference(s) ER_INSTALLATION
UPG_ER_AET

LAST_AUTOPOPID

Default Label Last Auto Populate ID Assigned
Length 6
Type Number
Format Uppercase

Record Reference(s) ER_INSTALLATION
UPG_ER_AET

LAST_CHNG_DT_NLD

Default Label Last Change Date
Length 10
Type Date
Format Uppercase

Record Reference(s) POSTAL_CHG_NLD



LAST_CONTROL_NBR

Default Label Last Control Nbr
Length 6
Type Number
Format Uppercase

Record Reference(s) STOCK_AGENT
STOCK_BRANCH

LAST_CONTROL_NO

Default Label Most Recent Control No
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

LAST_CONT_NUM_PC

Default Label Last Contract Number PC
Length 8
Type Number
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_PC

LAST_CRITERIA_ID

Default Label Last Criteria ID
Length 8
Type Number
Format Uppercase

Record Reference(s) PROJECT



LAST_DATE_WORKED

Default Label Last Date Worked
Length 10
Type Date
Format Uppercase
Legacy field name DATE-LAST-PAY-STAT-RET
Legacy system name PINE

Record Reference(s) AE_FGPY005_AET

- EMPLOYMENT
- FGHR003B_EMPLOY
- GPFR_ASS_AET
- GPFR_ASS_PAYEE
- GPFR_ASS_PY_LNG
- GPFR_AT_ADMIN
- GPFR_ILL_ADMIN
- GPFR_ILL_AET
- GPFR_ILL_AETLNG
- GPFR_ILL_LONG
- GVT_EMPLOYMENT
- GVT_EMPL_TEMP
- GVT_UCFE
- ROE
- Z_HCUP_AUDIT

LAST_DAY_AT_WRK

Default Label Last Day at Work
Length 10
Type Date
Format Uppercase

Record Reference(s) EMPL_TERMS_ITA

LAST_DAY_END_TM5

Default Label Last Day End Time 5
Length 5



Type Character
 Format Uppercase

Record Reference(s) WCB_IWJO_EC
 WCB_IWJO_WD

LAST_DAY_OPTN

Default Label Use Last Day Worked
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_GCTL

N No
 Y Yes

LAST_DAY_START_TM5

Default Label Last Day Start Time 5
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) WCB_IWJO_EC
 WCB_IWJO_WD

LAST_DAY_WAGES_WCB

Default Label Last Day Wages WCB
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) WCB_IWJO_EC
 WCB_IWJO_WD

LAST_DAY_WORK_TM5



Default Label Last Day Work Time 5
Length 5
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

LAST_DTTM_UPDATE

Default Label Last Change Date
Length 26
Type Datetime

Format 12

Record Reference(s) AE_APPL_TBL
AE_APPL_TMP
EOEW_RUN_PROC
PSBATREPREQHDR

LAST_DUPLCTSET_ID

Default Label Last Duplicate Set Id
Length 8
Type Number
Format Uppercase

Record Reference(s) ER_INSTALLATION
UPG_ER_AET

LAST_EMPLID

Default Label Last EmplID
Length 11
Type Character
Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET



LAST_EXPORT_SEQ

Default Label Last Export Sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) PI_PARTIC

LAST_FACIL

Default Label Last Training Facility
Length 6
Type Character
Format Uppercase

Record Reference(s) UPG_HR75TRN_AET

LAST_FILE_ID

Default Label Last Used File ID#
Length 6
Type Number
Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET
CO_DED_DATA_ID
CO_DED_MSG_AET
CO_DED_RFTP_AET

LAST_FILING_FLAG

Default Label Last Filing Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_US_YE



LAST_FLD_DELIMITER

Default Label End Last Field with Delimiter
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_SYSTEM_TBL

LAST_FORM_USED

Default Label Last Form Number Used
Length 15
Type Number
Format Uppercase

Record Reference(s) PAY_FORM_TBL

LAST_FOUR_NID

Default Label Last four digits
Length 4
Type Character
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
CO_ESV_JOB_A_TAO
CO_ESV_JOB_TAO
CO_ESV_YTD_DET

LAST_FULL_WORK_DAY

Default Label Last Work Date Before Injury
Length 10
Type Date
Format Uppercase

Record Reference(s) INJURY_ILL



LAST_INCREASE_DT

Default Label Date Last Increase
Length 10
Type Date
Format Uppercase

Record Reference(s) AE_FGPY005_AET
EMPLOYMENT
FGHR003B_EMPLOY
GVT_EMPLOYMENT
GVT_EMPL_TEMP

LAST_INTFC_ID

Default Label Last Interface ID
Length 8
Type Number
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_PC

LAST_INTVW_NBR

Default Label Last Interview # Used
Length 7
Type Number
Format Uppercase

Record Reference(s) ER_INSTALLATION
ER_INTVW_SEQ
UPG_ER_AET

LAST_MATR_CALC_ITA

Default Label Last Matricula Calculated
Length 6



Type Character
Format Mixedcase
Legacy field name NAME-EMPLOYEE-LAST
Legacy system name PINE

Record Reference(s) AUTOPOP_APP_TMP

- BEN_PER_DATA
- BN_834_MEMBER
- BN_SNAP_PER
- CO_DED_DTLM
- CO_DED_DTLM_PUB
- CO_DED_DTLM_SUB
- CO_DED_DTL_PUB
- CO_DED_EE_TBL
- CO_DED_FTPD_TAO
- CO_DED_INVLDTXN
- CO_DED_OUTD_TAO
- CO_DED_VLDTXN
- CO_DPK_ELIG_DET
- CO_DPK_ELIG_NEW
- CO_DPK_ELIG_OLD
- CO_DPK_ELIG_TRN
- CO_DPK_PERS_TAO
- CO_ESV_INIT_DET
- CO_ESV_PER_TAO
- CO_ESV_YTD_DET
- DUPLICATE_SET
- EMERGENCY_CNTCT
- GPAU_ETP_EL_TAO
- GPAU_PSM_EL_TAO
- GPAU_RCPPAY_DTL
- GPAU_TFN_EL_TAO
- GPDE_UPG_AET
- GPFR_ASS_PAYEE
- GPFR_DA30_AET
- GPFR_PMT_AET
- GPGB_PPIN_AET
- GPHK_IR56_AET
- GPIT_CUD_RP_P1
- GPIT_DEP_DTL_EE
- GPIT_FCUD_T2
- GPMY_RCPPAY_DTL
- GNL_5PCT_TMP



GPNL_PERS1_TMP
GPNL_REC_56_TMP
GPNL_RED1_TMP
GPNL_SYEE_TMP

GPNL_YEE1_TMP
GPNL_YER1_TMP
GPNL_ZFW_TMP
GPNZ_RCPPAY_DTL
GPSG_RCPPAY_DTL
HRAU_PSMPC1_TAO
HRAU_PSMPC_TAO
HR_DIM_BEL_AET
HR_NAME_DAT
HR_NSZ_AET
HR_VIAPRIS_AET
MATR_BK_ITA_TAO
MATR_BOOK_ITA
NSZ_PERSON_NLD
OPRROWS_REP_VW
OPR_ROWS_EE
OPR_ROWS_EE2
OPR_ROWS_EE_TRN
OPR_ROWS_NOPRQ
RP_QUEUE_APP
R_TAX002MI
R_TAX002MN
R_TAX002NY
R_TAX810MI
ST_ISSUUPD_AET
TL_EMPL_DTA_MSG
TL_EMPL_TAO
UPG_GPDE801_AET
UPG_HR75_AET
UPG_NAME_TMP
WCB_EMDE_EC
WCB_EMDE_WD
WCB_ERPT_EC
WCB_INWO_EC
WC_JOB_CHG_REQ
Z_FLEX_WRK_AGMT
Z_HCUP_AUDIT
Z_HR_PIVOT_REF



Z_LC_MSG_TEMP
 Z_LC_TRANS_TEMP
 Z_MIIS_EMPOW_IN
 Z_NEDC_TBL
 Z_NEDC_USER_TMP
 Z_PRES_DOC_170C
 Z_PRES_DOC_180
 Z_PRES_DOC_180D

LAST_NAME100

Default Label Last Name
 Length 100
 Type Character
 Format Mixedcase

Record Reference(s) GA_PRV_OUTDOC

LAST_NAME_EXISTS

Default Label Last Name
 Length 1
 Type Character
 Format Mixedcase

Record Reference(s) DUP_APPSRCH_AET
 RUN_DUPAPP_SRCH

LAST_NAME_PREF_NLD

Default Label Last Name Preference
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HR_DIM_BEL_AET
 HR_NAME_DAT
 HR_NSZ_AET
 HR_VIAPRIS_AET



- 1 Own Name
- 2 Name Partner
- 3 Name Partner + Own Name
- 4 Own Name + Name Partner

LAST_NAME_SRCH

Default Label Last Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) FAST_SCRTY1_AET
 FAST_SCRTY_1
 FPACNTRBARC_TBL
 FPACNTRBRES_TBL
 FPA_EXT_INF_TBL
 GVT_PERS_LANG
 HR_AET
 TL_RPT_EMPL
 UPG_HR75_AET
 UPG_NAME_TMP
 Z_FAST_SCRTY_1
 Z_FAST_SCRT_EMP

LAST_OUT_DTTM

Default Label Last Scheduled Out Punch
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) SCH_CAL_AET

LAST_PERIODS

Default Label Out of the Last
 Length 3
 Type Number



Format Uppercase

Record Reference(s) PA_DFN_AVGEARN

LAST_PRINT_LINE

Default Label Last Print Line
Length 3
Type Number
Format Uppercase

Record Reference(s) TAXFORM_FORM

LAST_PROCESS_INST

Default Label Process Instance
Length 10
Type Number
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

LAST_PROC_DT

Default Label Last Proc Dt
Length 10
Type Date
Format Uppercase

Record Reference(s) EG_FLX_SVC_DT

- EG_SVC_HIST
- EG_SVC_HIST_FLX
- EG_TENURE_DATA
- PA_CLC_FAE_AY
- PA_CONS_ARRAY
- PA_CONS_DED_AY
- PA_CONS_HRS_AY
- PA_SVC_HIST
- RUN_CNTL_SESSN



LAST_PROC_SEQ_NUM

Default Label Last Process Sequence Number
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_PROC

LAST_REFRESH_DTTM

Default Label Last Refresh Date/Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) TL_GROUP_TBL

LAST_REFTRK_ID

Default Label Last Referral Track Id
Length 9
Type Number
Format Uppercase

Record Reference(s) ER_INSTALLATION

LAST_RESUME_NBR

Default Label Last Resume Number Used
Length 7
Type Number
Format Uppercase

Record Reference(s) ER_INSTALLATION
UPG_ER_AET



LAST_RUN_DTM

Default Label Last Run On
Length 26
Type Datetime
Format 12

Record Reference(s) AEREQUESTBL
AE_REQUEST
ER_AM_REQ_TBL

LAST_SBI_NUM

Default Label Last SBI Number Used
Length 10
Type Number
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

LAST_SEG_IND

Default Label Last Segment Ind
Length 1
Type Character
Format Uppercase

Record Reference(s) GPFR_DUCS_AET
GPIN_PR_AET
GPIN_PR_TMP
GPMY_159_AET
GPMY_8A_PR_AET
GPMY_PR_AET

GPMY_PR_TMP
GPXPYE_SEG_STAT
GP_GENRPT_AET
GP_GENRPT_TMP
GP_PYE_SEG_STAT



GP_PYE_SEG_TMP
 GP_PYE_STAT_WRK
 GP_SEG_WRK

LAST_SEQ_PAY_TIME

Default Label Last Seq Num in Payable Time
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) TL_INSTALLATION
 UPG_TL_AET

LAST_SEQ_REC_ADJ

Default Label Last Seq number for Record Adj
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) HP_RETDIST_AET
 TL_REC_ONLY_ADJ

LAST_ST_INSTANCE

Default Label Last Submit Time Instance
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) TL_INSTALLATION
 TL_STINST_AET
 TL_STLOAD_AET

LAST_TL_CONTRCTR

Default Label Last TL Contractor ID Assigned
 Length 10



Type Number
 Format Uppercase

Record Reference(s) INSTALLATION

LAST_TXN_NUM

Default Label Last Transaction Number
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) GP_INSTALLATION

LAST_UPDATE_DATE

Default Label Date of last update
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) DIR_DEP_DISTRIB

- ER_AGNT_PROFILE
- FED_TAX_DATA
- FPABONUS_HIST
- FPABONUS_TBL
- FPADEPENLKF_TBL
- FPADPTCAHDCNT01
- FPAEEABSENCE
- FPAEECAREER
- FPAEECAREERBIS
- FPAEECAREERTER
- FPAEECAREE_HIST
- FPAEECAREHIST
- FPAEELEGALSTAT
- FPAEELEGAL_HIST
- FPAEENOTICE
- FPAEEOTHER_TBL
- FPAEEOTHR_HIST
- FPAEEPOST_HIST



FPAEEPOST_TBL
FPAEEPROM_TBL
FPAEEREQUEST
FPAEESALARY
FPAEESALARYBIS
FPAEESALAR_HIST
FPAEESALBIS_HST
FPAEESTATUS
FPAEESTATU_HIST
FPAEESUPDOC
FPAEEUPDROW
FPAEEWORKRT
FPAEEWORK_HIST
FPAEE_PREMIUM
FPA_CA_STATUS
FPA_CI_JOB
FPMACTDOC_TBL
FPMACTION_TBL
FPMACTLEGAL_TBL
FPMACTPRTY_TBL
FPMACTSTATU_TBL
FPMAPPLAREA_TBL
FPMBUSINESS_TBL
FPMCONVTABL_TBL
FPMCORPS_TBL
FPMDEPT_BUDG
FPMDOCTYP_TBL
FPMGROSSIND_TBL
FPMINDEXAMT_TBL
FPMLEGALSTA_TBL
FPMMATXTYP_TBL
FPMPOINTYP_TBL

FMPROMTABL_TBL
FPMRANKGRP_TBL
FPMRANK_TBL
FPMALMATRX_TBL
FPMALSTEP_TBL
FPMSCALE_TBL
FPMSTATUSEE_TBL
FPMSTEP_TBL
FPMSUPDOC_TBL
FPMSYSTEM_TBL



FPM_CA_HDCT
 GENL_DEDUCTION
 GPJP_MTHRMN_TBL
 GPJP_SC_PYE_DTA
 PY_IC_DD_AUDIT
 PY_IC_DD_WRK
 PY_IC_DED_AUDIT
 PY_IC_W4_AUDIT
 SAVINGS_403B_EE
 SAVINGS_MGT_EE
 UPG_PY_AET
 Z_B_EMP_UNION
 Z_PRES_DOC_770

LAST_UPDATE_DT

Default Label Last Updated
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) EP_RPT_SUM_HDR
 VOUCHER
 VOUCHER_STG

LAST_UPDATE_DTTM

Default Label Last Update Timestamp
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PRCSJOBCHGHIST
 PSMSGCATDEFN
 VC_PLAN_FUNDING

LAST_UPDT_DT

Default Label Date of last update
 Length 10



Type Date
Format Uppercase

Record Reference(s) GP_ABS_EVENT
HP_GRSFRG_CNTL
PCMP_JOBCHG_TAO
PCMP_JOBTER_TAO

LAST_UPDT_DTTM

Default Label Last Updated Date-Time Stamp
Length 26
Type Datetime
Format 13

Record Reference(s) GPFR_DA_DAT_LOG
GP_PIN
ST_CONTRIB_MANL
UPG_GP_01_TAO

LAST_UPDT_OPRID

Default Label Last Updated User Name
Length 30
Type Character
Format Uppercase

Record Reference(s) GPFR_DA_DAT_LOG
GP_PIN
ST_CONTRIB_MANL
UPG_GP_01_TAO
VC_PLAN_FUNDING

LAST_VERIFICATN_DT

Default Label Last Verification Date
Length 10
Type Date
Format Uppercase



Record Reference(s) AE_FGPY005_AET
EMPLOYMENT
FGHR003B_EMPLOY
GVT_EMPLOYMENT
GVT_EMPL_TEMP

LAST_WEEK_NBR
Default Label View Absences for the last
Length 2
Type Number
Format Uppercase

Record Reference(s) HR_PE_DATES_TBL

LAST_WORKED_DT_C
Default Label Last Worked Date C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

LAST_WORKED_TM
Default Label Time last worked
Length 15
Type Time
Format Uppercase

Record Reference(s) INJURY_ILL

LATEST_AGE
Default Label Latest Age



Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_PIA

LATEST_AGE_ALIAS

Default Label Latest Age
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

LATEST_AGE_ALIAST

Default Label Alias Type for Latest Age
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

LATEST_AGE_TYPE

Default Label Latest Age
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

A Alias Name
 N Numeric Constant

LATEST_OPTION

Default Label Latest Age Option
 Length 1



LATE_MEAL

Default Label Late Meal Margin (Mins)
Length 3
Type Number
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

LATE_OUT_PUNCH

Default Label Late Out-Punch Margin (Mins)
Length 3
Type Number
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

LATE_START_DT

Default Label Late Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

LAW_EFF_ALIAS

Default Label Law in Effect Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PIA



LAW_EFF_ALIAST

Default Label Law in Effect Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PIA

LAW_EFF_TYPE

Default Label Law in Effect Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PIA

A alias name
N numeric constant

LAW_EFF_YEAR

Default Label Law in Effect Year
Length 4
Type Number
Format Uppercase

Record Reference(s) PA_DFN_PIA

LAYOUT_ID

Default Label nVision Layout
Length 50
Type Character
Format Uppercase

Record Reference(s) NVS_REPORT



Format Mixedcase

Record Reference(s) PSMPCONTDEV
PSMPCONTDEVLANG
PSPNLBTNDATA
PSPNLBTNLANG
PSPNLFIELD
PSPNLFIELDLANG
PST_PNLFIELDS

LBLTYPE

Default Label Label Type
Length 1
Type Number
Format Uppercase

Record Reference(s) PSMPCONTDEV
PSMPCONTDEVLANG
PSPNLBTNDATA
PSPNLBTNLANG
PSPNLFIELD
PSPNLFIELDLANG
PST_PNLFIELDS

0 None
1 Text
2 RFT Short
3 RFT Long

LBL_PANEL_TEXT1

Default Label Display General Panel Text
Length 75
Type Character

Format Mixedcase

Record Reference(s) Z_SS_LWOP_TXT_Q



LBL_PANEL_TEXT2

Default Label Display General Panel Text
Length 75
Type Character
Format Mixedcase

Record Reference(s) Z_SS_LWOP_TXT_Q

LBR_DIST_AMT

Default Label Labor Distribution Amount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
 UPG_TL_AET
 UPG_TL_TIME
 UPG_TL_TIME1

LCF_AMT

Default Label Labour Sponsored Shares Amount
Length 8
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA
 CAN_TAX_PRVDATA

LCF_MAX

Default Label Labour Sponsd Funds Tx Cred Mx
Length 8
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL



LCF_RT

Default Label Labour Sponsd Funds Tx Cred Rt
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

LCP_MAX

Default Label Prov Labour Sponsd Tx Cred Max
Length 8
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PROV

LCP_RT

Default Label Prov Labour Sponsd Tx Cred Rt
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PROV

LCRTFLDNUM

Default Label Left Criteria Field Number
Length 3
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYCRITERIA



LCRTSELNUM

Default Label Left Criteria Selection No.
Length 2
Type Number
Format Uppercase

Record Reference(s) PSQRYCRITERIA

LC_CNTRY

Default Label Localization Country
Length 3
Type Character
Format Uppercase

Record Reference(s) OPR_DEF_TBL_FS

LC_EXTRCT_STATUS

Default Label Landed Cost Extract Status
Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

LC_ID

Default Label Letter of Credit ID
Length 12
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG



LDAPATTRIBUTE

Default Label Directory Entry Map Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) LDAPATTRIBMAP

LDAPCONNECTDN

Default Label User DN
Length 254
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYSETUP

LDAPFILTER

Default Label Filter
Length 254
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYSETUP
EO_DSSRCH
LDAPMAP

LDAPMAPNAME

Default Label Directory Entry Map Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) LDAPATTRIBMAP
LDAPMAP
RUN_CNTLLDAP_AET
RUN_CNTLLDAP



LDAPPORT

Default Label Port
Length 5
Type Number
Format Uppercase

Record Reference(s) DIRECTORYSETUP
EO_DSMAPSRVR
LDAPMAP
PSDSSRVR

LDAPSCOPE

Default Label Scope
Length 3
Type Number
Format Uppercase

Record Reference(s) DIRECTORYSETUP
LDAPMAP

LDAPSERVERNAME

Default Label Server name
Length 50
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYATTRIB
DIRECTORYSETUP
LDAPMAP

LDAPSPORT

Default Label LDAP SSL Port
Length 5
Type Number



Format Uppercase

Record Reference(s) PSDSSRVR

LDAPSRCHBASE

Default Label Search Base
Length 254
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYSETUP
EO_DSSRCH
LDAPMAP
PSDSRIMCFG
PSDSSECMAPMAIN
PT_WF_NOT_DSCFG

LDAPURL

Default Label LDAP URL
Length 0
Type Long Character
Format Uppercase

Record Reference(s) ROLE_LDAPRULE

LDAPUSERDN

Default Label User DN
Length 254
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYSETUP
LDAPMAP



LDAPUSERPSWD

Default Label	Password
Length	50
Type	Character
Format	Mixedcase

Record Reference(s)	DIRECTORYSETUP
	LDAPMAP

LDAP_RULE_ON

Default Label	Directory Rule Enabled
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PSROLEDEFN
	N No
	Y Yes

LDIF_REQ_YN

Default Label	LDIF File Required?
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	EO_DS_TMP_ENTRY
	N No
	Y Yes

LDILU_FLAG

Default Label	Labor Dilution Used
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_DIST_DIL_AET
	TL_PAYSYS_TBL



TL_PROJ_AET

LD_FLAG

Default Label Labor Distribution Used
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_TLCOST_AET
RUNCTL_TLPY_PUB
TL_PAYREQ_AET
TL_PAYSYS_TBL
UPG_TL_AET

LD_TL_INTFC_RUN

Default Label T&&L Extract costs
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_CALENDAR
PY_PULL_CST_AET

LEAF_COUNT

Default Label Leaf Count
Length 10
Type Number
Format 7

Record Reference(s) PSTREEBRANCH
PSTREEDEFN
PSX_TREEBRANCH

LEAF_IMAGE



Default Label Leaf Image Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSTREEDEFN
 PSTREELEAF
 PSX_TREELEAF

LEASE_COST

Default Label Lease Cost
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) CAR_MODEL

LEAVE_CANCELLED_DT

Default Label Leave Cancelled On
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
 CO_ESV_PER_TAO
 CO_ESV_YTD_DET
 FMLA_LV_REQUEST

LEAVE_DT

Default Label Leave Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CO_DPK_ELIG_DET
 CO_DPK_ELIG_NEW



CO_DPK_ELIG_OLD
 CO_DPK_ELIG_TRN
 CO_DPK_EMP_TAO
 CO_ESV_INIT_DET
 CO_ESV_PER_TAO
 CO_ESV_YTD_DET
 GPGB_EE_RSLT
 GPGB_REPLIB_AET
 REG002_TMP

LEAVE_FROM_DT_IND

Default Label Leave From Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) INJURY_ILL_IND

LEAVE_HIST_IND

Default Label View History in Self Service
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_SS

N	No
Y	Yes

LEAVE_HOURS

Default Label Leave Hours
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) TOTAL_DED



LEAVE_REASON

Default Label Leave of Absence Reason Code
Length 3
Type Character
Format Uppercase

Record Reference(s) CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_EMP_TAO

LEAVE_STATUS

Default Label Leave Status
Length 1
Type Character
Format Uppercase

Record Reference(s) FMLA_LV_REQUEST

A Actual/Completed
E Expected/Open

LEAVE_TO_DT_IND

Default Label Leave To Date
Length 10
Type Date
Format Uppercase

Record Reference(s) INJURY_ILL_IND

LEAVE_TYPE

Default Label Leave of Absence Event Type
Length 1
Type Character
Format Uppercase



Record Reference(s) CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_EMP_TAO

LEAVE_VAL_ASOF

Default Label Leave as of
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_INSTALLATION

LEDGER

Default Label Ledger
Length 10
Type Character
Format Uppercase

Record Reference(s) BP_BNFT_DIS_EXP
BP_EARN_DIS_EXP
BP_SAL_DIS_EXP
DISTRIB_LINE
DISTRIB_LN_STG
GP_ACC_LINE
GP_ACC_LINE_STG
HR_ACCTG_LINE
HR_ACCTG_LN_STG
KK_BUDGET_LN
OPR_DEF_TBL_FS
RUN_CNTL_BDGT
UPG_HP_AET

LEDGER_ACCOUNT_NLD



Default Label Ledger Account Number
 Length 17
 Type Character
 Format Uppercase

Record Reference(s) DIR_DEP_DIS_NLD

LEDGER_GROUP

Default Label Ledger Group
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) DISTRIB_LINE

- DISTRIB_LN_STG
- GP_ACC_LINE
- GP_ACC_LINE_STG
- HR_ACCTG_LINE
- HR_ACCTG_LN_STG
- KK_BUDGET_HDR
- OPR_DEF_TBL_FS
- RUN_CNTL_BDGT
- UPG_HP_AET

LEDGER_SECURITY

Default Label Ledger Security
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION_FS

LEFT_AGGR_FUNC

Default Label Left Aggregate Function Type
 Length 1
 Type Character



Format Uppercase

Record Reference(s)	TL_CONDITIONS
	0 MIN
	1 MAX
	2 AVG
	3 SUM
	4 COUNT
	5 COUNT(*)

LEFT_BRACKET

Default Label Left Bracket
 Length 1
 Type Character
 Format Uppercase

Record Reference(s)	DSSECFILTER
	EO_DSSECRULES
	N NO
	Y YES

LEFT_CONSTANT

Default Label Left Constant
 Length 35
 Type Character
 Format Mixedcase

Record Reference(s)	TL_CONDITIONS
	TL_SQL_UPDATE
	TL_SQL_WHERE

LEFT_CORR_ID

Default Label Table Alias - Correlation ID
 Length 4
 Type Character
 Format Uppercase



Record Reference(s) TL_SQL_JOIN

TL_SQL_WHERE

A	A
B	B
C	C
D	D
E	E
F	F
G	G
H	H
I	I
J	J

LEFT_EXPR_TYPE

Default Label	Left Expression Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) TL_SQL_WHERE

0	Recfield
1	Constant
2	State Variable
3	MetaSQL
4	SubQuery
5	Bind
6	Template

LEFT_FIELDNAME

Default Label	Left Field Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s) TL_CONDITIONS

TL_SQL_WHERE



Record Reference(s) TL_CONDITIONS
 TL_SQL_UPDATE
 TL_SQL_WHERE
 TL_TA_COPY_CTL
 TL_TA_CPY_AET

LEFT_STATEVAR
 Default Label Left State Variable
 Length 35
 Type Character
 Format Uppercase

Record Reference(s) TL_CONDITIONS
 TL_SQL_SEL_FLDS
 TL_SQL_UPDATE
 TL_SQL_WHERE

LEGAL_REP
 Default Label Legal Representative
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) FED_TAX_DATA
 PY_IC_W4_AUDIT
 W2C_DATA
 W2_DATA

LEGAL_TYPE
 Default Label Legal Entity for Company
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) COMPANY_TBL
 LEGAL_TYPE_LNG
 LEGAL_TYPE_TBL



LEGEND_ID

Default Label Legend ID
Length 10

Type Character
Format Uppercase

Record Reference(s) STOCK_LEGEND
ST_ESPP_PURCH
ST_EXER_LEGEND
ST_GRNT_REPURCH
ST_ISSUANCE
ST_ISSUUPD_AET
ST_ISSUUPD_TAO
ST_PURCHASES
ST_REL_LEGEND

LENGTH

Default Label Length
Length 5
Type Number
Format 7

Record Reference(s) AE_PTTSRPLC_AET
AE_PTTSUNDO_AET
CHART_DIST_HR
ECINMAPFLD
ECOUTMAPFLD
EDIOUTMAPFLD
EOEW_SRCFIELD
EO_DBFIELD_CUR
EO_ECINMAPF_CUR
FIXEDEXPR_TAO
PSDBFIELD
PSIMPFIELD
PSQRYBIND
PSQRYEXPR
PSTREESELCTL



PYAP_XTAX_AET
RUNCTL_GEN_CKEY
TLSINST1_AET

LETTERSPPACING

Default Label Letter Spacing
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

LETTERSPPACINGLEN

Default Label Letter Spacing Len
Length 10
Type Number
Format 7

Record Reference(s) PSSTYLECLASS

LETTERSPPACINGUNITS

Default Label Letter Spacing Units
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

LETTER_CD

Default Label Letter Code
Length 3
Type Character
Format Uppercase



Record Reference(s) APPLICANT_DATA

- APP_TRAINING
- BEN_LETTER_HIST
- DISCIPLIN_LTR
- ER_INTERVIEW
- ER_INTVW_TAO
- ER_STSFSCR_LANG
- ER_STSPSCR_LANG
- ER_STS_FSCR_TBL
- ER_STS_PSCR_TBL
- GPCH_AB_LETTRS
- GPDE_AB_LETTRS
- GRIEVANCE_STEP
- GVT_OFFER
- GVT_PSN_APPLFOR
- OFFER
- OFFER_HIST_TAO
- OFFER_TAO
- POSN_APPLD_TAO
- POSN_APPLIEDFOR
- R_APP007
- R_GVT_PRIPL_AG3
- R_GVT_PRIPL_AG4
- R_GVT_PRIPL_AG5
- R_PER061
- STANDRDLTR_LANG
- STANDRD_LTR_TBL
- TRAINING
- TRN001_TAO
- UPG_OFF_HIS_AET
- Z_LC_APPLCONDIS
- Z_TRN_LETTERTXT

LETTER_CD_BK

Default Label	Letter Code
Length	3
Type	Character
Format	Uppercase

Record Reference(s) TRAINING



LEVELNUM

Default Label	Level Number
Length	5
Type	Number
Format	7

Record Reference(s) PSMAPLEVEL
SS_BIND_GRP
SS_PAGE_TEXT
SS_SECTION_VSBL

LEVELS

Default Label	Number of Levels
Length	3
Type	Number
Format	Uppercase

Record Reference(s) HIER_MAP_TBL
RUN_CNTL_ORGCH
TREE_MAINT_AET

LEVELS_FROM_TOP

Default Label	Levels From Top
Length	3
Type	Number
Format	Uppercase

Record Reference(s) CUBE_AGG_DIM
DIM_DATA_SRC

LEVEL_BARNAME

Default Label	Level Bar Name
Length	30
Type	Character



Format Uppercase

Record Reference(s) PSTREESTRCT

LEVEL_COUNT

Default Label Level Count
Length 3
Type Number
Format Uppercase

Record Reference(s) PSTREEDEFN

LEVEL_ITEMNAME

Default Label Item Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTREESTRCT

LEVEL_MENUNAME

Default Label Level Menu Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTREESTRCT

LEVEL_NBR

Default Label Seniority Level
Length 3

Type Number
Format Uppercase



GB_MERGE_TBL

LF_1000_DB

Default Label Left 1000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_1000_FREQ

Default Label Left 1000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_2000_DB

Default Label Left 2000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_2000_FREQ

Default Label Left 2000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST



LF_250_DB

Default Label Left 250 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_250_FREQ

Default Label Left 250 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_3000_DB

Default Label Left 3000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_3000_FREQ

Default Label Left 3000 Frequency

Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST



LF_4000_DB

Default Label Left 4000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_4000_FREQ

Default Label Left 4000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_5000_DB

Default Label Left 5000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_5000_FREQ

Default Label Left 5000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_500_DB

Default Label Left 500 Decibel
Length 3



Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_500_FREQ

Default Label Left 500 Frequency
Length 1

Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_6000_DB

Default Label Left 6000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_6000_FREQ

Default Label Left 6000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_7000_DB

Default Label Left 7000 Decibel
Length 3
Type Number
Format Uppercase



Record Reference(s) AUDIOMETRIC_TST

LF_7000_FREQ
Default Label Left 7000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_8000_DB
Default Label Left 8000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LF_8000_FREQ
Default Label Left 8000 Frequency
Length 1
Type Character

Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

LICENSECODE1
Default Label License Code
Length 250
Type Character
Format Mixedcase

Record Reference(s) PSOPTSOLVERCODE



LICENSECODELONG

Default Label License Code
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSOPTSOLVERCODE

LICENSE_CERTIF_CD

Default Label License/Certification Code
Length 8
Type Character
Format Uppercase

Record Reference(s) COURSE_LICENSE

LICENSE_CERTIF_SW

Default Label License/Certification Detail
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_HR

N No
Y Yes

LICENSE_CODE

Default Label License Code
Length 64
Type Character
Format Mixedcase

Record Reference(s) PSAEAPPLDEFN
PSOPTIONS



PSPCMPROG
PSPNLDEFN

LICENSE_GROUP

Default Label License Group
Length 50
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

LICENSE_PLATE_ID

Default Label License Plate
Length 7
Type Character
Format Uppercase

Record Reference(s) COMP_PROP_TBL

LICENSE_TYPE

Default Label License Type
Length 4
Type Character
Format Uppercase

Record Reference(s) DRIVER_LTYP
DRIVER_LTYP_TBL
DRIVE_TBL_LNG

C	Car
CH	Chauffeur
M	Motorcycle
T	Truck

LICENSE_VERIFIED



Default Label License Verified
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) UPG_HR75_AET

LIC_SUSPENDED_SW

Default Label License Suspended
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DRIVERS_LIC

LIFE_ADD_COVRG

Default Label Coverage
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_PARTIC_PLAN

- BN_SNAP_PLAN
- BN_SNAP_TMP1
- LIFE_ADD_BEN
- LIFE_ADD_TBL
- RETRODED_CALC
- W3EB_BENEF_SMRY

- 1 Flat Amount Only
- 2 Factor x Salary + Flat Amt
- 3 Specified in Employee Record
- 4 Special Calculation Routine
- 5 Sum of Dependent Coverage

LIFE_EVENT_TYPE

Default Label Life Event Type



Length 3
 Type Character
 Format Uppercase

Record Reference(s) W3EB_LE_RULES
 W3EB_LE_STATE

A Adoption
 B Birth
 D Divorce
 M Marriage

LIFE_INS

Default Label Life Insurance
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) UNION_TBL

10 FDIC Non-Federal Life
 11 ARC Non-Federal Life
 15 \$15,000
 16 Smithsonian Disability
 17 Smithsonian Accidental Death
 30 \$30,000
 35 Smithsonian Non-Federal Life
 36 (NASCOE) Supplemental
 38 SAMBA Life Insurance Plan
 44 FCA Non-Federal Life
 45 OCC Group Life
 46 OCC 24 Hour Life
 50 \$50,000
 LH Long Term Disability - High
 LS Long Term Disability -Standard
 NA Not Applicable

LIFE_SPAN_MYS

Default Label Life Span (years)
 Length 3
 Type Number



Format Uppercase

Record Reference(s) COMP_PROP_MYS

LIMIT401

Default Label Clear old 401(a) limit

Length 1

Type Character

Format Uppercase

Record Reference(s) UPG_CONV_BN

LIMIT402

Default Label Clear old 402(g) limits

Length 1

Type Character

Format Uppercase

Record Reference(s) UPG_CONV_BN

LIMITATION_PERIOD

Default Label Limitation Period

Length 1

Type Character

Format Uppercase

Record Reference(s) EG_DFN_SVC_STAT
PA_DFN_SVC_STAT

S Status Period
U User Code

LIMIT_401A17_NAME

Default Label 401(a)17 Limit Name

Length 10



Type Character
Format Uppercase

Record Reference(s) PA_ACCT_BAL
PA_DFN_AVGEARN

LIMIT_AMOUNT

Default Label Accumulation Limit Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) CC_CARD_DATA_EX
CC_CRD_DATA_TAO

LIMIT_AMT

Default Label Limit Amount
Length 16
Type Number
Format Uppercase

Record Reference(s) PA_TL_BLEND1_TB
PA_TL_BLEND2_TB
PA_TL_BLEND3_TB
PA_TL_OBRA93_TB
PA_TL_TRA86_TBL
RUNCTL_PAY306RT

LIMIT_AMT_FRA

Default Label Limit Amount
Length 19
Type Number
Format Uppercase

Record Reference(s) TRAINING013_AET



LIMIT_COST_UNIT_CD

Default Label Cost Unit
Length 10
Type Character
Format Uppercase

Record Reference(s) TRAINING013_AET

LIMIT_CURR_CD

Default Label Currency Code
Length 3
Type Character
Format Uppercase

Record Reference(s) TRAINING013_AET

LIMIT_EFFDT

Default Label Limits are Aligned by
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_401A17_PARMS

C Calendar Year
P Plan Year

LIMIT_EXT_TYPE

Default Label Limit Extension Type
Length 1
Type Character
Format Uppercase

Record Reference(s) SAVINGS_MGT_EE



A Catch-Up
B Age-50

LIMIT_HOURS

Default Label Maximum Allowable Hours
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_CONS_HRS_CD

LIMIT_METHOD

Default Label Limit Options
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_AVGEARN

4 401(a)17
M Maximum Table Wage Base
N None
U User Code Before Averaging
W User Code While Averaging

LIMIT_OPTIONS

Default Label Earnings are Limited on a
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_401A17_PARMS

C 12 Consecutive Month Basis
P Period by Period Basis
R Rolling Monthly Average
U User Code
Y Year to Date Basis



LIMIT_PERIOD_HOURS

Default Label Limitation Period
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_SVC_STAT

C Computation Period
S Status Period

LIMIT_REDUCTN_402G

Default Label Limit Reduction Amount
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) SAVINGS_403B_EE
 SAVINGS_MGT_EE

LIMIT_START_YEAR

Default Label Limit Start Year
Length 4
Type Character
Format Uppercase

Record Reference(s) PA_401A17_PARMS

LIMIT_SW_FRA

Default Label Limited Amount
Length 1
Type Character
Format Uppercase

Record Reference(s) TRAINING013_AET



LIMIT_TABLE_ALIAS

Default Label Limit Table Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_415_LIMIT

LIMIT_TRANS_AMT

Default Label Amount Limit per Transaction
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) CC_CARD_DATA_EX
CC_CRD_DATA_TAO

LIMIT_TYPE

Default Label Limit Type
Length 4
Type Character
Format Uppercase

Record Reference(s) BN_AGE50_AET
BN_AGE50_RUNCTL
LIMIT_COORD_TBL
LIMIT_EXCLD_TBL

LIMIT_IMPIN_TBL
LIMIT_INCLD_TBL
LIMIT_LANG
LIMIT_TBL
SAVINGS_MGT_EE
UPG_BN_LMT_TMP1
UPG_BN_LMT_TMP2

401 401(a) Limit



402	402(g) Limit
403	403(b) Limit
415	415(c) Limit
415Z	415(c) Limit for 403(b) plans
457	457 Limit
USER	User Defined Limit

LIMIT_USE_NAME

Default Label	Limit Use Name
Length	10
Type	Character
Format	Uppercase

Record Reference(s) PA_401A17_PARMS

LIMIT_YEAR

Default Label	Year of Limit
Length	6
Type	Number
Format	Uppercase

Record Reference(s) PA_TL_BLEND1_TB
 PA_TL_BLEND2_TB
 PA_TL_BLEND3_TB
 PA_TL_OBRA93_TB
 PA_TL_TRA86_TBL

LINEHEIGHT

Default Label	Line Height
Length	2
Type	Number
Format	Uppercase

Record Reference(s) PSSTYLECLASS

LINEHEIGHTLEN



Default Label Line Height Len
 Length 10
 Type Number
 Format 7

Record Reference(s) PSSTYLECLASS

LINEHEIGHTUNITS

Default Label Line Height Units
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PSSTYLECLASS

LINES_PER_INCH

Default Label Lines per Inch
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_US_YE

6 6 Lines per Inch
 8 8 Lines per Inch

LINE_DESCR

Default Label Journal Line Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) CHART_KEYS_HR
 CHART_KEYS_LANG
 GM_TEC_LN
 GP_ACC_LINE
 GP_ACC_LINE_STG



HR_ACCTG_LINE
 HR_ACCTG_LN_STG
 JRNLGEN_APPL_ID
 KK_BUDGET_LN
 R_HR_ACCRUAL
 UPG_HP_AET

LINE_NBR

Default Label	Line Number
Length	5
Type	Number
Format	Uppercase

Record Reference(s) CCUTSTLN_TEO1

CCUTSTLN_TEO2
 CCUTSTLN_TEO3
 CCUTSTSCH_TEO1
 CCUTSTSCH_TEO2
 CCUTSTSCH_TEO3
 CCUTSTVCH_TEO1
 CCUTSTVCH_TEO2
 CCUTSTVCH_TEO3
 CCU_TST_LN_TBL
 CCU_TST_SCH_TBL
 CCU_TST_VCH_TBL
 DISTRIB_LINE

DISTRIB_LN_STG
 HR_ACCTG_LINE
 HR_ACCTG_LN_STG
 PAY_CTX_LIAB_AP
 PAY_DED_LIAB_AP
 PAY_TAX_LIAB_AP
 UPG_HP_AET
 VOUCHER_LINE
 VOUCHER_LN_STG

LINE_NUM

Default Label	Line #
---------------	--------



Length 2
Type Number
Format Uppercase

Record Reference(s) AP_EXTRACT_LINE

- CO_DEDEXTRT_AET
- CO_DED_EMP2_TAO
- CO_DED_EXT1_TAO
- FLSA_ADDL_DATA
- GVT_PAY_LIMITS
- GVT_PAY_TSP
- HPDBRETDIST_AET
- HP_CTXDIST_WRK
- HP_DEDDIST_WRK
- HP_DISTBDGT_AET
- HP_DISTSrch_AET
- HP_ERNDIST_WRK
- HP_GRSFRG_DATA
- HP_PAYCHKERN_WK
- HP_PAYDEDUC_WK
- HP_PAYGLO2_RCHK
- HP_PAYTAXCAN_WK
- HP_PAY_TAX_WK
- HP_RDIST_CTX
- HP_RDIST_CTXDAT
- HP_RDIST_DED
- HP_RDIST_DEDDAT
- HP_RDIST_ERN
- HP_RDIST_ERNDAT
- HP_RDIST_MSGTBL
- HP_RDIST_TAX
- HP_RDIST_TAXDAT
- HP_RETDIST_AET
- HP_TAXDIST_WRK
- OTH_EARNS_TAO
- PAY_CHECK
- PAY_CHECK_EARNS
- PAY_CHECK_REVRS
- PAY_CTX_DIST
- PAY_CTX_LIAB_AP
- PAY_CTX_OVRD
- PAY_DEDUCTION
- PAY_DED_DIST



PAY_DED_LIAB_AP
PAY_DISTRIBUTN
PAY_EARNINGS
PAY_ERN_DIST

PAY_GARNISH
PAY_GARN_OVRD
PAY_INS_EARNS
PAY_LINE
PAY_MESSAGE
PAY_ONE_TIME
PAY_OTH_EARNS
PAY_SPCL_EARNS
PAY_TAX
PAY_TAX_1042
PAY_TAX_CAN
PAY_TAX_DIST
PAY_TAX_LIAB_AP
PAY_TAX_OVRD
PA_HST_OTH_EARN
PA_HST_PAY_CHK
PA_HST_PAY_DED
PA_HST_PAY_EARN
PA_HST_SPL_EARN
PSHUP_TXN
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
RETRODED_CALC
RETRODED_DEDS
RETRODED_MSG
RETROPAY_ACCT
RETROPAY_EARNS
RETROPAY_MSG



R_GLX001
R_PAYGL1
ST_PSHUP_AET
ST_USALL_TAO
TERM_EXT_WRK
TERM_RQST
TL_PAYCALC_EDIT
TL_PAYLABR_XREF
UPG_E3XW_TAO
UPG_ERN_TAO
UPG_HP_AET
UPG_PY_AET
WRK_CHECK
WRK_CHECK_EARNS
WRK_CTX_DIST
WRK_CTX_OVRD
WRK_DEDUCTION
WRK_DED_DIST
WRK_EARNINGS
WRK_ERN_DIST
WRK_GARNISH
WRK_GARN_OVRD
WRK_INS_EARNS

WRK_LINE
WRK_ONE_TIME
WRK_OTH_EARNS
WRK_PSHUP_TXN
WRK_SEQ_CHECK
WRK_SPCL_EARNS
WRK_TAX
WRK_TAX_1042
WRK_TAX_CAN
WRK_TAX_DIST
WRK_TAX_OVRD

LINKED_IND	
Default Label	Linked Indicator
Length	1
Type	Character
Format	Uppercase



Record Reference(s) GP_RSLT_ABS

LINKPSEUDOCCLASS

Default Label Link Pseudo Class
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSSTYLECLASS

LINK_DEPTH

Default Label Depth of Links to Follow
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PSSGWIDX

LINK_DESCRLONG

Default Label Link Description
 Length 0
 Type Long Character
 Format Uppercase

Record Reference(s) CO_DPK_CAT_TBL
 CO_DPK_CAT_TBLL
 CO_PAGE_DESCR
 CO_PAGE_DESCR_L

LINK_FROM_OPTN

Default Label Starting From
 Length 1
 Type Character



Format Uppercase

Record Reference(s) GP_ABS_TAKE

E End Date of Last Occurrence
F Start Date of 1st Occurrence

LINK_PAGEID

Default Label Page ID
Length 10
Type Character
Format Uppercase

Record Reference(s) CO_DISPRK_LINKS
 CO_PAGE_LINKS

LINK_PRD

Default Label Link Period
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

LINK_PRD_IND

Default Label Link Absence
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_ABS_TAKE

LINK_PRD_UNIT_OPTN

Default Label Linked Within Absence Unit Opt
Length 1
Type Character



Format Uppercase

Record Reference(s) GP_ABS_TAKE

D	Days
M	Months
W	Weeks

LINK_PRD_VAL

Default Label	Link Period Value
Length	8
Type	Signed Number
Format	Uppercase

Record Reference(s) GP_ABS_TAKE

LINK_TEXT

Default Label	Link Text
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	CO_DPK_CAT_TBL
	CO_DPK_CAT_TBLL

LIO_AGE

Default Label	Threshold Age
Length	3
Type	Number
Format	Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LIO_AGE_ALIAS

Default Label	Threshold Age Alias Name
---------------	--------------------------



Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LIO_AGE_ALIAST

Default Label Threshold Age Alias Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LIO_AGE_DATE

Default Label Level Income Option Split Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
 PA_RT_EMP_FORM

LIO_AGE_TYPE

Default Label Threshold Age Field Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

A Alias Name
 N Numeric Constant

LIO_USER_CODE



Default Label User Code (Beneficiary \$)
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LISTED_COST

Default Label Projected Cost
Length 19
Type Number
Format Uppercase

Record Reference(s) TRAINING012_AET
TRN_DEPTSRY_TAO
TRN_DEPT_SUMMRY

LISTED_DEMAND

Default Label Projected Demand
Length 6
Type Number
Format Uppercase

Record Reference(s) TRAINING012_AET
TRN_DEPTSRY_TAO
TRN_DEPT_SUMMRY

LISTED_DURTN

Default Label Projected Duration
Length 10
Type Number
Format Uppercase

Record Reference(s) TRAINING012_AET
TRN_DEPTSRY_TAO
TRN_DEPT_SUMMRY



LISTVW_COL_PCT

Default Label List View Column Percent
Length 3
Type Number
Format Uppercase

Record Reference(s) PSMPCONTDEV

LIST_COST

Default Label List Cost
Length 19
Type Number
Format Uppercase

Record Reference(s) CAR_MODEL

LIST_ID

Default Label List ID
Length 12
Type Character
Format Uppercase

Record Reference(s) TL_OT_SETUP_TBL

TL_TMPLT_RULE2
TL_VAL_LIST_DTL

TL_VAL_LIST_TBL
TL_VAL_LST_LANG
TL_WV_OPTIONS
WRK_TL_TA_LIST

LIST_NM

Default Label Name of group of employees
Length 10



Type Character
 Format Uppercase

Record Reference(s) PA_CALCULATION

PA_CALC_GRP
 PA_CLC_SRCH_3
 PA_RUN_CNTL
 UPG_PA_CALC_TMP

LIST_OPTION_BRA

Default Label List Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EMPL_REG_RC_BRA

- 1 All Establishments & Employees
- 2 Establishment
- 3 Select Employees
- 4 Select Group ID
- 5 Select Pay Group
- 6 Hire Date

LIST_PRICE

Default Label List Price
 Length 11
 Type Number
 Format Uppercase

Record Reference(s) P11D_SEC_A_UK

LIST_TYPE

Default Label List Type
 Length 4
 Type Character
 Format Uppercase



Record Reference(s)	TL_TMPLT_RULE2		
	TL_VAL_LIST_DTL		
	TL_VAL_LIST_TBL		
	TL_VAL_LST_LANG		
	WRK_TL_TA_LIST		
		0	TCD Group
		1	TaskGroup
		10	Company
		11	Paygroup
		12	Grade
		13	Step
		14	Punch Type
		15	Employee Status
		16	Employee Type
		2	TRC
		3	WorkGroup
		4	Union Code
		5	Jobcode
		6	Deptid
		7	Position number
		9	Shift

LITERAL_STRING_CHR	
Default Label	Literal String Character
Length	1
Type	Character
Format	Mixedcase

Record Reference(s)	PI_SYSTEM_TBL
---------------------	---------------

LMS_ACTIVATION_DT	
Default Label	Triggering Period
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	HR_LMS_STRC_AET
	LMS_ACTIVATION



LMS_ENTRY_AET
LMS_EVENT_TBL
LMS_SC_EVT_HIST

LMS_ANA_AVG_COUNT

Default Label Average Count
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET
LMS_SC_RESULT

LMS_ANA_AVG_FTE

Default Label Average FTE
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT2_AET
LMS_RESULT_AET
LMS_SC_RESULT

LMS_ANA_AVG_SALARY

Default Label Average Salary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET
LMS_SC_RESULT

LMS_ANA_MED_SALARY

Default Label Medium Salary



Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET
LMS_SC_RESULT

LMS_ANA_TOTAL_COMP

Default Label Total Compensation
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT2_AET
LMS_RESULT_AET
LMS_SC_RESULT

LMS_ASM_AVG_FTE

Default Label Average FTE
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_ASM_TOTAL_COMP

Default Label Total Compensation
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_AVERAGE_AMT

Default Label Average Amount



Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_ENTRY_AET
LMS_EVENT_TBL
LMS_INCENT_AET

LMS_AVG_SALARY

Default Label Average Salary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_ELEM_PD
LMS_RESULT_AET

LMS_BASSAL_ACUM1

Default Label Base Salary Accumulator 1
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_BASSAL_ACUM2

Default Label Base Salary Accumulator 2
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET



LMS_BASSAL_AMT_AC1

Default Label Base Salary Amount/Point Acc.1
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_BASSAL_AMT_AC2

Default Label Base Salary Amount/Point Acc.2
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_BASSAL_PCT_AC1

Default Label Base Salary Percent Accum. 1

Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_BASSAL_PCT_AC2

Default Label Base Salary Percent Accum. 2
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_CAROVR_EFF_PCT

Default Label Carry-over Effect



Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LMS_EFF_RES
LMS_EVN_EFF_RES
LMS_RESULT_AET

LMS_CAROVR_TOT_PCT

Default Label Carry-over Effect Total
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_CATEGORY_CD

Default Label Category Code
Length 3
Type Character
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_CAT_RATIO
LMS_CAT_TBL
LMS_CAT_TBL_LNG
LMS_EVN_EFF_RES
LMS_RESULT_AET

LMS_CAT_RAT_FLG

Default Label Category Ratio Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) LMS_CATRAT_AET



LMS_COMPUTED_FLG

Default Label Calculated Data
Length 1
Type Character
Format Uppercase

Record Reference(s) LMS_AET

LMS_COUNTER

Default Label Counter
Length 3
Type Number
Format Uppercase

Record Reference(s) LMS_ENTRY_AET
LMS_INCENT_AET
LMS_RESULT_AET

LMS_COUNT_EFF_PCT

Default Label Headcount Effect
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LMS_EFF_RES
LMS_RESULT_AET

LMS_DIVISOR_NBR

Default Label /
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET



LMS_PRORATE_TBL

LMS_EE_ENTRY_DT

Default Label Employee Entry Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_POPULATION

LMS_EE_INCEN_DT

Default Label Incentive Date
Length 10

Type Date
Format Uppercase

Record Reference(s) LMS_POPULATION

LMS_EE_LEAVE_DT

Default Label Employee Leave Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_POPULATION

LMS_ELEMNT_PD_TYPE

Default Label Type of Elementary Period
Length 5
Type Character
Format Uppercase

Record Reference(s) LMS_ACTIVATION
LMS_AET



LMS_EVENT_TBL
 LMS_PRORATE_TBL
 LMS_RUN_CNTL
 LMS_SCENAR_HIST

LMS_EMPLID

Default Label Employee ID
 Length 11
 Type Character
 Format Uppercase

Record Reference(s) LMS_ENTRY_AET
 LMS_INCENT_AET

LMS_EMPLID_CNTR

Default Label Employee ID Counter
 Length 11
 Type Character
 Format Uppercase

Record Reference(s) LMS_ENTRY_AET
 LMS_INCENT_AET

LMS_ENTRY_TYPE

Default Label Headcount Increase Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) LMS_ENTRY_AET

LMS_EVENT_TBL

A Average Amount
 J JobCode
 P Position



LMS_EVENT_FROM_DT

Default Label From Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_ENTRY_AET
LMS_INCREAS_AET
LMS_PROMO_AET

LMS_EVENT_ID

Default Label Event ID
Length 12
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_CAT_RATIO
LMS_EVENT_LNG
LMS_EVENT_SEQ
LMS_EVENT_TBL
LMS_EVN_EFF_RES
LMS_RESULT_AET
LMS_SCENAR_EVT
LMS_SCEVHST_LNG
LMS_SC_EVT_HIST

LMS_EVENT_THRU_DT

Default Label Event Thru Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_ENTRY_AET
LMS_INCREAS_AET
LMS_PROMO_AET



LMS_EVENT_TYPE

Default Label Event Type
Length 1
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_EVENT_TBL
LMS_PRIORITY

- C Increase of component of pay
- E Headcount Increases
- I Incentives
- L Headcount Decreases
- P Promotion
- S Seniority
- W Working Schedule

LMS_EVNTCAT_MATRIX

Default Label Event/Category Matrix
Length 10
Type Character
Format Uppercase

Record Reference(s) LMS_CAT_TBL

LMS_EXCHG_RT_FLG

Default Label Fixed Exchange Rate
Length 1
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_RUN_CNTL
LMS_SCENAR_HIST



LMS_FORECASTED_PD

Default Label Analysis Period
Length 12
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_WRK_PD_TBL

LMS_FREQ_ANNUAL

Default Label Frequency Annual Factor
Length 9
Type Number
Format Uppercase

Record Reference(s) LMS_WRKSCH_AET

LMS_FREQ_FACTOR

Default Label Frequency Annual Factor
Length 9
Type Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_FROM_JOBCODE

Default Label Current Job Code
Length 6
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_EVENT_TBL



LMS_FROM_VC_AMT

Default Label From Amount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_VCOMP_TBL

LMS_FTE

Default Label FTE
Length 15
Type Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_ELEM_PD
LMS_POPULATION
LMS_RESULT_AET
LMS_WRKSCH_AET

LMS_FTE_SUP_HRS

Default Label FTE Supplementary Hours
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) LMS_WRKSCH_AET

LMS_FULL_PRD_COST

Default Label Full Period Cost
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_CAT_RATIO



LMS_RESULT_AET

LMS_GRP_HEAD_COUNT

Default Label Head Count
Length 11

Type Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_HEAD_COUNT

Default Label Head Count
Length 11
Type Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_ELEM_PD
LMS_RESULT_AET

LMS_HOURS_EFFDT

Default Label Hours Rate Effective Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_HOURS_RATE

LMS_HOURS_FROM

Default Label Hours From
Length 7
Type Number
Format Uppercase



Record Reference(s) LMS_HOURS_RATE
LMS_HRSRATE_TAO
LMS_WRKSCH_AET

LMS_HOURS_RATE_PCT

Default Label Rate Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) LMS_HOURS_RATE
LMS_HRSRATE_TAO
LMS_WRKSCH_AET

LMS_HOURS_TO

Default Label Hours To
Length 7
Type Number
Format Uppercase

Record Reference(s) LMS_HOURS_RATE
LMS_HRSRATE_TAO
LMS_WRKSCH_AET

LMS_INCENTGROUP_ID

Default Label Group ID
Length 15
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_POPULATION

LMS_INCENTIVE_AMT



Length 10
 Type Date

Format Uppercase

Record Reference(s) LMS_AET

LMS_LAST_SCEN_DTTM

Default Label Last Scenario DateTime
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) LMS_AET

LMS_LEVEL_EFF_PCT

Default Label Level Effect
 Length 9
 Type Signed Number
 Format Uppercase

Record Reference(s) LMS_EFF_RES
 LMS_EVN_EFF_RES
 LMS_RESULT_AET

LMS_LEVEL_TOT_PCT

Default Label Level Effect Total
 Length 9
 Type Signed Number
 Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_MASS_EFF_PCT

Default Label Mass Effect



Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LMS_EFF_RES
LMS_EVN_EFF_RES
LMS_RESULT_AET

LMS_MASS_TOT_PCT

Default Label Mass Effect Total
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_MAX_SALARY

Default Label Maximum Salary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_MCOP_AMT

Default Label Compensation Amount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_BCOMP_TBL
TC_AET
TC_MCOP_TAO



LMS_MCOP_FREQUENCY

Default Label Compensation Frequency
Length 5
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_BCOMP_TBL
TC_AET
TC_MCOP_TAO

LMS_MCOP_FTE_IND

Default Label Apply FTE for Annualization
Length 1
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_BCOMP_TBL
TC_AET
TC_MCOP_TAO

LMS_MCOP_PCT

Default Label Comp Percent
Length 7
Type Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_BCOMP_TBL
TC_AET
TC_MCOP_TAO

LMS_MCOP_RATECDGRP

Default Label Rate Code Group Name



Length 6
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_BCOMP_TBL
TC_AET
TC_MCOP_TAO

LMS_MCOP_RATE_PTS

Default Label Comp Rate Points
Length 5
Type Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_BCOMP_TBL
TC_AET
TC_MCOP_TAO

LMS_MED_SALARY

Default Label Medium Salary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_ELEM_PD
LMS_RESULT_AET

LMS_MIN_SALARY

Default Label Minimum Salary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET



LMS_MONTH_1

Default Label 1st Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_MONTH_10

Default Label 10th Month

Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_MONTH_11

Default Label 11th Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_MONTH_12

Default Label 12th Month
Length 2
Type Number
Format Uppercase



Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_MONTH_2

Default Label 2nd Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_MONTH_3

Default Label 3rd Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_MONTH_4

Default Label 4th Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_MONTH_5

Default Label 5th Month
Length 2
Type Number



Length 4
 Type Number
 Format Uppercase

Record Reference(s) LMS_ENTRY_AET
 LMS_EVENT_TBL
 LMS_INCENT_AET

LMS_PERIOD_TYPE

Default Label Period Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) LMS_AET
 LMS_PERIOD_TBL

M Month
 Q Quarter
 S Semester
 Y Year

LMS_POSITION_NBR

Default Label Forecasted Position
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) LMS_ENTRY_AET
 LMS_EVENT_TBL

LMS_PREV_DT_FTE

Default Label Previous Date FTE
 Length 15
 Type Number
 Format Uppercase



Record Reference(s) LMS_AET

LMS_PREV_DT_HEAD

Default Label Previous Date Head Count
Length 6
Type Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_PREV_FROM_DT

Default Label Previous From Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_AET

LMS_PRIORITY_NUM

Default Label Processing Priority
Length 1
Type Number
Format Uppercase

Record Reference(s) LMS_PRIORITY

LMS_PRORATED_COST

Default Label Prorated Cost
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_CAT_RATIO
LMS_RESULT_AET



LMS_PRORATE_MONTHS

Default Label Pro-Ration Months
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) LMS_PRORATE_TBL
 12 12 Months
 13 13 Months
 14 14 Months
 15 15 Months

LMS_RATECD_AMT

Default Label Elementary Period Amount
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) LMS_AET
 LMS_ELEM_PD
 LMS_RESULT_AET

LMS_RECALC_FLG

Default Label Re-Extraction
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) LMS_AET
 LMS_RUN_CNTL

LMS_REFERENCE_PD

Default Label Reference Period



Length 12
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_WRK_PD_TBL

LMS_REF_AVG_COUNT

Default Label Average Headcount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET
LMS_SC_RESULT

LMS_REF_AVG_FTE

Default Label Average FTE
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT2_AET
LMS_RESULT_AET
LMS_SC_RESULT

LMS_REF_AVG_SALARY

Default Label Average Salary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET
LMS_SC_RESULT



LMS_REF_MED_SALARY

Default Label Medium Salary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET
LMS_SC_RESULT

LMS_REF_PD_NBR

Default Label Reference Period Number
Length 3
Type Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_REF_TOTAL_COMP

Default Label Total Compensation
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT2_AET
LMS_RESULT_AET
LMS_SC_RESULT

LMS_REGBON_ACUM1

Default Label Regular Bonus Accumulator 1
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET



LMS_REGBON_ACUM2

Default Label Regular Bonus Accumulator 2
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_REPORT_FACTOR

Default Label Carry-Over Factor
Length 6
Type Number
Format Uppercase

Record Reference(s) LMS_AET
LMS_RUN_CNTL
LMS_SCENAR_HIST

LMS_RSM_AVG_FTE

Default Label Average FTE
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_RSM_TOTAL_COMP

Default Label Total Compensation
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET



LMS_RSM_TOTAL_MFTE

Default Label Total Compensation
Length 23
Type Signed Number
Format Uppercase

Record Reference(s) LMS_RESULT_AET

LMS_SCENAR2_DT

Default Label Scenario Run Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_CMP_RUN_CTL

LMS_SCENARIO_DT

Default Label Scenario Run Date
Length 10
Type Date
Format Uppercase

Record Reference(s) LMS_AET
LMS_CMP_RUN_CTL

LMS_SCENARIO_DTTM

Default Label Scenario Run DateTime
Length 26
Type Datetime
Format 12

Record Reference(s) LMS_AET
LMS_AMOUNT_TAO
LMS_BCOMP_TBL
LMS_CAT_RATIO



LMS_EFF_RES
LMS_ELEM_PD
LMS_EVN_EFF_RES
LMS_POPULATION
LMS_PURGE_AET
LMS_SCENAR_HIST
LMS_SCENA_PURGE
LMS_SCEN_REPORT
LMS_SCEVHST_LNG
LMS_SCHST_LNG
LMS_SC_EVT_HIST
LMS_SC_RESULT
LMS_SUBGRP_TMP
LMS_VCOMP_TBL

LMS_SCENARIO_ID

Default Label	Scenario ID
Length	10
Type	Character
Format	Uppercase

Record Reference(s) LMS_AET

LMS_AMOUNT_TAO
LMS_BCOMP_TBL
LMS_CAT_RATIO
LMS_CMP_RUN_CTL
LMS_EFF_RES
LMS_ELEM_PD
LMS_EVN_EFF_RES
LMS_POPULATION
LMS_PURGE_AET
LMS_RUN_CNTL
LMS_SCENARIO
LMS_SCENAR_CTG
LMS_SCENAR_EVT
LMS_SCENAR_HIST
LMS_SCENAR_LNG

LMS_SCENA_PURGE
LMS_SCEN_REPORT
LMS_SCEVHST_LNG



LMS_SCHST_LNG
LMS_SC_EVT_HIST
LMS_SC_RESULT
LMS_SUBGRP_TMP
LMS_VCOMP_TBL

LMS_SCENARIO_ID2

Default Label Scenario ID
Length 10
Type Character
Format Uppercase

Record Reference(s) LMS_CMP_RUN_CTL

LMS_SELECT_FLG

Default Label Select
Length 1
Type Character
Format Uppercase

Record Reference(s) LMS_SCENAR_EVT

LMS_SENIORITY_FREQ

Default Label Seniority Calculation Freq.
Length 5
Type Character
Format Uppercase

Record Reference(s) LMS_EVENT_TBL

LMS_SENPAY_ACUM1

Default Label Seniority Accumulator 1
Length 20
Type Signed Number
Format Uppercase



Record Reference(s) LMS_AET

LMS_SENPAY_ACUM2

Default Label Seniority Accumulator 2
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) LMS_AET

LMS_SETID_FROM

Default Label SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_EVENT_TBL

LMS_SETID_TO

Default Label SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_EVENT_TBL

LMS_SMONTH_1

Default Label 1st Semi Month
Length 2
Type Number
Format Uppercase



Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_10

Default Label 10th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_11

Default Label 11th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_12

Default Label 12th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_13

Default Label 13th Semi Month
Length 2



Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_18

Default Label 18th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_19

Default Label 19th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_2

Default Label 2nd Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL



LMS_SMONTH_20

Default Label 20th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_21

Default Label 21st Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_22

Default Label 22nd Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_23

Default Label 23rd Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL



LMS_SMONTH_24

Default Label 24th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_3

Default Label 3rd Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_4

Default Label 4th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_5

Default Label 5th Semi Month
Length 2
Type Number
Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL



LMS_SMONTH_6

Default Label 6th Semi Month

Length 2

Type Number

Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_7

Default Label 7th Semi Month

Length 2

Type Number

Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_8

Default Label 8th Semi Month

Length 2

Type Number

Format Uppercase

Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_SMONTH_9

Default Label 9th Semi Month

Length 2

Type Number

Format Uppercase



Record Reference(s) LMS_CATRAT_AET
LMS_PRORATE_TBL

LMS_STRUCTURE_FLG

Default Label Structure Effect
Length 1
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_RUN_CNTL
LMS_SCENAR_HIST

LMS_STRUCT_EFF_PCT

Default Label Structure Effect
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LMS_EFF_RES
LMS_RESULT_AET

LMS_SUP_HOURS

Default Label Supplementary Hours
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) LMS_WRKSCH_AET

LMS_TO_JOBCODE

Default Label Forecasted Job Code
Length 6
Type Character



Format Uppercase

Record Reference(s) LMS_AET
 LMS_ENTRY_AET
 LMS_EVENT_TBL

LMS_TO_VC_AMT

Default Label To Amount

Length 20

Type Signed Number

Format Uppercase

Record Reference(s) LMS_AET
 LMS_VCOMP_TBL

LMS_WRK_PERIOD_ID

Default Label Working Periods ID

Length 10

Type Character

Format Uppercase

Record Reference(s) LMS_ACTIVATION
 LMS_AET
 LMS_EVENT_LNG
 LMS_EVENT_SEQ
 LMS_EVENT_TBL
 LMS_SCENARIO
 LMS_SCENAR_HIST
 LMS_WRKPD_LNG
 LMS_WRK_PD_TBL

LMT_AMT_OVRD

Default Label Limit Amount Override

Length 12

Type Signed Number

Format Uppercase



Record Reference(s) SAVINGS_MGT_EE

LN_ACCOUNT_NBR

Default Label Loan Account Number
Length 17
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

LN_INTEREST_RATE

Default Label Loan Interest Rate (Percent)
Length 6
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

LN_LOAN_AMT

Default Label Loan Amount
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

LN_LOAN_BALANCE

Default Label Current Balance
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP



LOADED_TO_JOB

Default Label Loaded to Job
Length 1
Type Character
Format Uppercase

Record Reference(s) EMPLOYEE_REVIEW
 SALARY_PLAN

LOADLOC

Default Label Panel Group Load Location
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

LOAD_EARNS

Default Label Load Allocations to Payroll
Length 1
Type Character
Format Uppercase

Record Reference(s) TIPS_ALL_RUNCTL

LOAD_STATUS

Default Label Load Status
Length 3
Type Character
Format Uppercase

Record Reference(s) MC_DEFN_PC



LOAN_INT_PCT

Default Label Loan Interest Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) GENL_DEDUCTION
 PY_IC_DED_AUDIT

LOAN_PROCESS

Default Label Loan Processing (Canada)
Length 1
Type Character
Format Uppercase

Record Reference(s) GENL_DED_TBL

LOCALDEFAULTFLG

Default Label Default Local Node
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMSGNODEDEFN

LOCALECD

Default Label Locale Code
Length 5
Type Character
Format Mixedcase

Record Reference(s) PSLOCALEDEFN
 PSLOCALELANG
 PSLOCALEOPTNDFN



LOCALE_BASED

Default Label	Locale Based
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PSUSEROPTNDEFN

LOCALITY

Default Label	Locality
Length	10
Type	Character
Format	Uppercase

Record Reference(s) ADDL_PAY_DATA

- AP_EXTRACT_LINE
- AUDIT_TLPCHTIME
- BAL_ADJ_TAX
- CO_LOCALTAX_TBL
- DEPT_BUDGET_TAX
- GVT_TAX_ROUTING
- GVT_TAX_RT_LANG
- HPDBRETDIST_AET
- HP_BDGT_TAXCHG
- HP_COL_DEFN_DTL
- HP_DISTBDGT_AET
- HP_DISTSrch_AET
- HP_GRSFRG_DATA
- HP_PAY_TAX_WK
- HP_RDIST_TAXDAT
- HP_RETDIST_AET
- HP_TAXDIST_WRK
- LOCAL_TAX_DATA
- LOCAL_TAX_TBL
- LOCAL_TAX_TBL2
- LOCL_TX_CLS_TBL
- LOCL_TX_TYP_EFF
- LOCL_TX_TYP_TBL
- PAY_EARNINGS



PAY_TAX
PAY_TAX_DIST
PAY_TAX_LIAB_AP
PAY_TAX_OVRD
PA_HST_W2_AMTS
PA_HST_YE_AMTS
PA_TE_LTX
PSHUP_TXN
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
RC_PYAP_TXINILT
RC_PYAP_TXINI_L

RC_TAX960KY
RC_X_TAX_LOCALS
RC_X_TAX_TYPE_L
R_PATXUPD
R_TAX002CA
R_TAX002MI
R_TAX002MN
R_TAX810CA
R_TAX810MI
R_TAX810MN
R_TAX910XX
R_TAX960XX
ST_EXER_TAXES
ST_LOCAL_TAX
ST_PSHUP_AET
ST_REL_TAXES
ST_R_EXER_TAXES
ST_R_REL_TAXES
TAXFORM_TAX
TAXGR_BASE_TBL
TAXGR_CMPNT_TBL
TAXGR_DEFN_TBL
TAX_BALANCE
TAX_DISTRIB
TAX_LOCATION2
TL_ELP_ERR
TL_ELP_INTFC
TL_MASS_TRANS



LOCALITY_NAME

Default Label Locality Name
Length 40
Type Character
Format Uppercase

Record Reference(s) LOCAL_TAX_TBL
 R_PATXUPD
 R_TAX910XX
 R_TAX960XX
 UPG_PY_AET

LOCALITY_NAME1

Default Label Locality Name
Length 40
Type Character
Format Uppercase

Record Reference(s) UPG_CONV_LCLTX
 UPG_LCLTX2

LOCALITY_OPT

Default Label Locality Option
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RPTD_TMPLT

N Not Used
O Optional
R Required

LOCALITY_RESIDENCE



Length 3
Type Number
Format Uppercase

Record Reference(s) TAXFORM_FORM

LOCAL_AUTHORITY_UK

Default Label Local Authority
Length 30
Type Character
Format Mixedcase

Record Reference(s) OHS501UK_TMP1

LOCAL_BUS_UNIT

Default Label Business Unit
Length 5
Type Character
Format Uppercase

Record Reference(s) TRAINING012_AET
TRAINING013_AET
Z_B_EMP_UNION
Z_B_UNION_TBL
Z_PRES_083_WL
Z_PRES_DOC_083
Z_Z_B_UNION_TBL

LOCAL_CONNECT_FLAG

Default Label Local Connection Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PSREMOTEDBDEFN

N Connection to Remote Database



Y Connection to Local Database

LOCAL_DEPTID

Default Label Billed on Department
Length 10
Type Character
Format Uppercase

Record Reference(s) TRAINING012_AET
TRAINING013_AET

LOCAL_FLAG

Default Label Local Gateway
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_EIP_LOAD_AET
EO_PRODUCT_DB
PSGATEWAY
RUN_MREDDLOAD

0 Remote
1 Local

LOCATION

Default Label Location Code
Length 10
Type Character
Format Uppercase

Record Reference(s) AA_SETUP_JPN
ACCOM_JOB_TASK
AE_FGPY005_AET
BAS_ELIG_LOCN
BD_JOB_TBL
BP_JOB
BP_JOB_ERN_DIST



BP_JOB_EXP
CAN_YE_AMEND_E
CAN_YE_EMPL
COMPANY_TBL
COMP_LOC_TBL
CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_JOB_TAO
CO_UI_RPTCD_TBL
DEPT_TBL
ER_AGNT_JBS_TAO
ER_PRF_LOC
ESTAB_LOCUS_TAO
ESTAB_LOC_US
FPAEEFLAT_TBL
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
GPAU_PSLP_LC_RC
GPAU_PSLP_LOCTN
GPBR_MIXED_PARM

GPCH_AL_01_LNG
GPCH_AL_01_MSG
GPCH_RC_LOC
GPCH_RC_PAYROLL
GPCH_RP_0001
GPCH_RP_TX05
GPDE_AL_01_MSG
GPDE_AL_PE_LOC
GPDE_BL
GPDE_RC_LOC
GPDE_RC_PAYROLL
GPDE_RP_0001
GPDE_UPG_AET
GPES_RC_BNK
GPES_RC_PSLP_LC
GPES_RC_TAX
GPFR_ASS_COMP
GPGB_EE_RSLT
GPHK_PSLP_LC_RC



GPHK_PSLP_LOCTN
GPIN_PSLP_LC_RC
GPIN_PSLP_LOCTN
GPIT_AL_01_LANG
GPIT_AL_01_MSG
GPIT_DM10E_TMPA
GPIT_DM10E_TMPB
GPIT_DM10E_TMPC
GPIT_DM10_AET
GPIT_DM10_RUNCL
GPIT_DM10_TMP
GPIT_RC_LOC
GPIT_RC_PAYROLL
GPIT_RP_0001
GPIT_S503_HD_WA
GPIT_S503_RCTL
GPIT_S503_RPT
GPIT_S503_TMP_A
GPJP_PP_AET
GPJP_PP_DATA2
GPJP_RC_PP01
GPJP_RC_YEA_RPT
GPJP_RC_YEA_SS
GPJP_WA_PIN
GPJP_YEASS_AET
GPJP_YEA_TABLE
GPMX_RC_ANNLADJ
GPMY_PSLP_LC_RC
GPMY_PSLP_LOCTN
GPMY_PSL_LOCTN1
GPNL_RC_PS_LOC
GPNZ_PSLP_LC_RC
GPNZ_PSLP_LOCTN
GPNZ_RUNCTL_QES
GPSG_PSLP_LC_RC
GPSG_PSLP_LOCTN
GVT_JOB
GVT_JOBDIST
GVT_JOBDIST_TMP
GVT_JOB_TEMP
GVT_MASSCHG_AET
GVT_MASSORGAET



GVT_OFFER
GVT_OFFER_ERNS
GVT_PAR_PRT
GVT_PAYROLL_DTA
GVT_POI_TBL
GVT_RQSN_OPNGS
HR_LOCATION_WL
HR_MGR_LOC_DAT
HR_PROMOTE_DAT
HR_TRANSFER_DAT
INCIDENT_DATA
JOB
JOB_CD_TASK_DEFN
JOB_CD_TASK_TBL
JOB_COMP_TMP_MC
JOB_EARNS_DIST
JOB_ERN_DST_TMP
JOB_REQUISITION
JOB_REQUIS_TAO
JOB_TEMP
JOB_TMP_MC
LOCATION_CHE
LOCATION_LANG
LOCATION_TBL
LOCATN_HAZ_TBL
LOC_CASEOFF_GER
LOC_CASEOFF_TBL
MASS_RETRO_DEF
MIX_COM_LOC_MEX
OFFER
OFFER_HIST_TAO
OFFER_TAO
OHS501UK_TMP1
PAYROLL_DATA
PAY_CHECK
PAY_LINE
PER064JP_DATA
POSITION_DATA
POSN_EARNS_DIST
RESPIRATORY_EXM
RETRODEDMAS_DEF
RETROPAY_ACCT
RUN_CNTL_HR_ESP



RUN_CNTL_LOCTN
RUN_CNTL_PAR
R_GVT_PAR_PRT
R_PER060
R_PER507
R_TAX810
SCRTY_TBL_LOC
TC_EE_DETAIL
TC_EMPL_LST_TAO
TC_POPULATION
TC_TEMP_JOB_TAO
TC_TMP_DTL_TAO
TRN_FACIL_TBL
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_EARNS_DIST
UPG_GPDE801_AET
UPG_GPDE_MS_TAO

UPG_HR75RWF_AET
UPG_HR75_AET
UPG_HR_AET
UPG_LOC_CHE_TAO
UPG_OFF_HIS_AET
UPG_PY_JOB_TAO
UPG_TL_TIME
UPG_TL_TIME1
WC_JOB_CHG_REQ
WRK_CHECK
WRK_LINE
Z_CITY_TBL
Z_GVT_POI_TBL
Z_HR_PIVOT_REF
Z_JOB_REQ
Z_MIIS_EMPOW_IN
Z_POSN_PACT_RUN
Z_WG_SL_PLN_TBL

LOCATION_CITY
Default Label City
Length 30



Type Character
Format Mixedcase

Record Reference(s) GPIT_S503_RPT
GPIT_S503_TMP_A

LOCATION_DESCR

Default Label Location Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) EG_PRESENTATION

LOCATION_ELIG_DAYS

Default Label Location Eligibility Days
Length 4
Type Number
Format Uppercase

Record Reference(s) MASS_RETRO_DEF
RETRODEDMAS_DEF

LOCATION_FLAG

Default Label Location
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_RPDTME_TMPLT
TL_TSKPRF_TMPLT

LOCATION_MAND



Default Label Location Mandatory
Length 1
Type Character
Format Uppercase

Record Reference(s) JOB_RQMT_TBL

LOCATION_NAME

Default Label Location Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) INCIDENT_DATA
INCIDENT_DTA_LNG
OHS001GER_TMP2
OHS501UK_TMP1
RESPIRATORY_EXM
RESPIR_EXAM_LNG

LOCATION_STATE

Default Label State
Length 6
Type Character
Format Uppercase

Record Reference(s) R_TAX004

LOCATION_TBL_ID

Default Label Location Table ID
Length 4
Type Character
Format Uppercase

Record Reference(s) BEN_DEFN_OPTN
GEOG_LOCN_LANG
GEOG_LOCN_RANGE



GEOG_LOCN_TBL

LOCKALLFLAG

Default Label Lock Entire Transaction?
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTTRN

LOCKED_FOR_CONF

Default Label Locked for Confirm
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_LINE
WRK_LINE

LOCKOUTDURATION

Default Label Lockout Duration
Length 3
Type Number
Format Uppercase

Record Reference(s) PSSECOPTIONS

LOCKPRISTINE

Default Label Lock system for sync update
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMSFOPTIONS



LOCK_ACQUIRED

Default Label Lock Acquired
Length 1
Type Character
Format Uppercase

Record Reference(s) TREE_MAINT_AET

LOCK_FLAG

Default Label Create Users as locked
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_PER510_AET
RUN_CNTL_HR

LOCK_IN_LIMIT

Default Label Limit On Allowances
Length 3
Type Number
Format Uppercase

Record Reference(s) FED_TAX_DATA
PY_IC_W4_AUDIT
STATE_TAX_DATA

LOCK_IN_RECVD

Default Label Lock-In Letter Received
Length 1
Type Character
Format Uppercase



Record Reference(s) FED_TAX_DATA
 PY_IC_W4_AUDIT
 STATE_TAX_DATA

LOCK_USER_ID
 Default Label Lock User Id
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSTREELOCK

LOCN_FROM
 Default Label Beginning of Range
 Length 12
 Type Character
 Format 14

Record Reference(s) GEOG_LOCN_RANGE

LOCN_SIZE_CD
 Default Label Location Size Code
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) WCB_ERLC_EC
 WCB_ERLC_WD

A	A: Less than 6
B	B: 6 to 10
C	C: 11 to 15
D	D: 16 to 20
E	E: 21 to 49
F	F: 50 to 100
G	G: 101 to 200
H	H: More than 200



LOCN_TO

Default Label End of Range
Length 12
Type Character
Format 14

Record Reference(s) GEOG_LOCN_RANGE

LOCTX_EEDT_FLAG

Default Label Local Tax EE Detail Rpt Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

F	Employee Detail-Local and Fed
N	Totals Only
Y	Employee Detail (Local Only)

LOC_ADJUSTED_RATE

Default Label Loc Adjusted RT
Length 19
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

LOC_JURISDCTN

Default Label Local Jurisdiction
Length 1
Type Character
Format Uppercase

Record Reference(s) LOCAL_TAX_TBL



R_PATXUPD
 UPG_CONV_LCLTX
 UPG_LCLTX2

C Combined
 D School District
 M Municipality
 O Other
 S State
 T County

LOC_TAX_TYPE

Default Label Local Tax Calculation Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) LOCAL_TAX_TBL

R_PATXUPD
 UPG_CONV_LCLTX
 UPG_LCLTX2

F Rate x FLSA Hours Worked
 G Rate x Taxable Gross
 M Amount Per Month
 P Amount Per Pay Period

 Q Amount Per Quarter
 S Rate x State Withholding
 T Graduated Tax Tables
 Y Amount Per Year

LOC_X

Default Label Object Location X
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PSBUSPITMLANG

PSBUSPROCITEM
 PSVAITEM



PSVAITEMLANG

LOC_Y

Default Label	Object Location Y
Length	2
Type	Number
Format	Uppercase

Record Reference(s)	PSBUSPITEMLANG
	PSBUSPROCITEM
	PSVAITEM
	PSVAITEMLANG

LOGFILEONLY_FLAG

Default Label	Log File Only Flag
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	CDM_LIST
---------------------	----------

LOGICAL_OPERATOR

Default Label	Logical Operator
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	ST_ESPP_PRC_AET
---------------------	-----------------

LOGINATTEMPTS

Default Label	Maximum Logon Attempts
Length	4
Type	Number
Format	Uppercase



Record Reference(s) PSSECOPTIONS

LOGINDTTM

Default Label Log In Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSACCESSLOG

LOGIPADDRESS

Default Label Client name / IP Address
Length 40
Type Character
Format Mixedcase

Record Reference(s) PSACCESSLOG

LOGMSGDTLFLG

Default Label Log Message Detail?
Length 1
Type Number
Format Uppercase

Record Reference(s) PSNODETRX

LOGOUTDTTM

Default Label Log Out Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSACCESSLOG



LOGRQST

Default Label Log client request
Length 1
Type Character
Format Numbers Only

Record Reference(s) PRC SDEFN
0 No
1 Yes

LOGTYPE

Default Label Log Type
Length 1
Type Character
Format Uppercase

Record Reference(s) APPMSGARCH_AET
PSIBLOGDATA
PSIBLOGDATAARCH
1 Request - Original
2 Request - Transformed
3 Response - Original
4 Response - Transformed

LONGCMDLN

Default Label Long Command Line
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSBATCHAUTHLONG

LONGNAME

Default Label Field Long Name



Length 30
Type Character
Format Mixedcase

Record Reference(s) EOCM_SELECT_FLD
EO_DBFLDLBL_CUR
PSDBFLDLABL
PSDBFLDLABLLANG
PSOPTIONS

LONGOBJNAME

Default Label Long Object Name
Length 254
Type Character
Format Uppercase

Record Reference(s) EO_IODEFN_CUR
PSIODEFN

LONGVALUE

Default Label Property Value
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSWSRPPLTGRPID
PSWSRPPLTKW
PSWSRPPLTKWLANG
PSWSRPPRDPROP
PT_WEB_PROF_AET

LONG_TERM_SEQNUM

Default Label Long Term Earnings Seqnum
Length 2
Type Number
Format Uppercase



Y Yes

LOW_NODE_NUM

Default Label Tree Gap Low Node
Length 11
Type Signed Number
Format Uppercase

Record Reference(s) PSX_TREENODENUM

LOW_PRICE

Default Label Low Price
Length 16
Type Number
Format Uppercase

Record Reference(s) ST_DAILY_PRICES
ST_STFS015_TMP

LOW_TAX

Default Label Low Tax
Length 10
Type Signed Number
Format Uppercase

Record Reference(s) STATE_TAXRT_TBL

LOW_YR

Default Label Lowest Year

Length 4
Type Number
Format Uppercase

Record Reference(s) PA_DLAY_CRD_PCT
UPG_E3XW_TAO



LPARENVLV

Default Label Left Paren Level
Length 2
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYCRITERIA

LRECNAME

Default Label Left Record (Table) Name
Length 15
Type Character
Format Uppercase

Record Reference(s) AE_GB_AET
GB_MERGE_TBL

LTD_402G_CAP_USED

Default Label 402(g) Cap Extension Used LTD
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) SAVINGS_403B_EE
SAVINGS_MGT_EE

LTD_402G_DED

Default Label 402(g) Deductions LTD
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) SAVINGS_403B_EE



Record Reference(s) PA_CLC_DATES

LUMP_BENE_FORMULA

Default Label Benefit Formula at NRD Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_MAXIMUM

Default Label Maximum Lump Sum
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_MAXIMUM_ALIAS

Default Label Maximum Lump Sum Alias Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_MAXIMUM_FLAG

Default Label Maximum Lump Sum Amount
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM



LUMP_MAXIMUM_TYPE

Default Label Maximum Lump Sum Field Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

A Alias Name
N Numeric Constant

LUMP_MAXIMU_ALIAST

Default Label Maximum Lump Sum Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_MINIMUM

Default Label Minimum Lump Sum
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_MINIMUM_ALIAS

Default Label Minimum Lump Sum Alias Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM



LUMP_MINIMUM_FLAG

Default Label	Minimum Lump Sum Amount
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_MINIMUM_TYPE

Default Label	Minimum Lump Sum Field Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_DFN_OPT_FORM

A	Alias Name
N	Numeric Constant

LUMP_MINIMU_ALIAST

Default Label	Minimum Lump Sum Alias Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_NA_CONDITIONS

Default Label	Lump Sum N/A Conditions
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_DFN_OPT_FORM



L if Lump Sum is More Than
 U User Code

LUMP_NA_MAXIMUM

Default Label Lump Sum N/A More Than Amt
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_NA_MAX_ALIAS

Default Label Lump Sum N/A More Than Alias
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_NA_MAX_ALIAST

Default Label Lum Sum N/A More Than Alias Ty

 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

LUMP_NA_MAX_TYPE

Default Label Lump Sum N/A More Than Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM



A Alias Name
 N Numeric Constant

LUMP_SUM_AGE

Default Label Lump Sum Age(YY.MM)
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_DATES
 PA_CLC_PLN_INPT

LUMP_SUM_DT

Default Label Lump Sum Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_CLC_DATES
 PA_CLC_PLN_INPT

LUMP_SUM_DT_ALIAS

Default Label Lump Sum Date Alias
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_PLN_INPT

LUMP_SUM_DT_ALIAST

Default Label Lump Sum Dt Alias Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_PLN_INPT



LUMP_SUM_FLAG

Default Label Lump Sum
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_AGG_MAIN_AET

N Lump Sum Off
Y Lump Sum On

LUMP_SUM_HOL_RCVD

Default Label Lump Sum Holiday Pay Received
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

LUMP_SUM_PAY

Default Label Lump Sum Retro Payment
Length 1
Type Character
Format Uppercase

Record Reference(s) BP_JOB
GVT_JOB
GVT_JOB_TEMP
JOB
JOBCOMP_TMP_MC
JOB_TEMP
JOB_TMP_MC
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_PY_JOB_TAO



0 Interim
1 Final

LUW_PUB_SIZE

Default Label LUW Publication Max Size
Length 10
Type Number
Format 7

Record Reference(s) EO_FILEPUB_AET
EO_FLOINDEFN

LWT_ALLOWANCES

Default Label Local Withholding Allowances
Length 2
Type Number
Format Uppercase

Record Reference(s) LOCAL_TAX_DATA
PA_TE_LTX
Z_PRES_DOC_150

LWT_AMT

Default Label Additional Amount
Length 8
Type Number
Format Uppercase

Record Reference(s) LOCAL_TAX_DATA
PA_TE_LTX
Z_PRES_DOC_150

LWT_MAR_STATUS

Default Label LWT Marital/Tax Status



Length 1
 Type Character
 Format Uppercase

Record Reference(s) LOCAL_TAX_DATA

LWT_PCT

Default Label Additional Percentage
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) LOCAL_TAX_DATA
 PA_TE_LTX

L_AGGR_FUNC_TYPE

Default Label Aggregate Function Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_SQL_WHERE

- 0 MIN
- 1 MAX
- 2 AVG
- 3 SUM
- 4 COUNT
- 5 COUNT(*)
- 6 NONE

L_COND_EXPRESSION

Default Label Left Condition Expr Type
 Length 1
 Type Character
 Format Uppercase



Record Reference(s)	TL_CONDITIONS
	0 Recfield
	1 Constant
	2 State Variable
	3 Meta SQL
	5 Expression Text
	6 Rule Template

L_EXPRESSION_TXT

Default Label	Left Expression Text
Length	254
Type	Character
Format	Uppercase

Record Reference(s)	TL_CONDITIONS
---------------------	---------------

L_META_SQL

Default Label	Left MetaSQL
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	TL_CONDITIONS
	TL_SQL_WHERE

L_META_SQL_PARM1

Default Label	MetaSQL Parameter 1
Length	20
Type	Character
Format	Mixedcase

Record Reference(s)	TL_CONDITIONS
	TL_SQL_WHERE

L_META_SQL_PARM2



Default Label MetaSQL Parameter 2
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

L_META_SQL_PARM3
Default Label MetaSQL Parameter 3
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

L_META_SQL_PARM4
Default Label MetaSQL Parameter 4
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

L_META_SQL_PARM5
Default Label MetaSQL Parameter 5
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE



L_META_SQL_PARM6

Default Label MetaSQL Parameter 6
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

L_META_SQL_PARM7

Default Label MetaSQL Parameter 7
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

MACHINENAME

Default Label Machine Name
Length 30
Type Character
Format Uppercase

Record Reference(s) IB_FAILOVER_AET
PSANALYTICREG
PSAPMSGARCHPC
PSAPMSGARCHPH
PSAPMSGARCHSC
PSAPMSGDOMSTAT
PSAPMSGDSPSTAT
PSAPMSGPUBCON
PSAPMSGPUBHDR
PSAPMSGQUEUESET
PSAPMSGSUBCON
PSIBBRKSLAVE
PSIBFAILOVER
PSIBFODOMTSTAMP
PSIBPUBSLAVE



PSIBSUBSLAVE
 PSSTATEFULSRV
 PTLT_EXCI_RUN

MAILATTRS

Default Label Mail Attributes
 Length 10
 Type Number
 Format 7

Record Reference(s) PSEVENTROUTE

MAIL_DROP

Default Label Mail Drop ID
 Length 50
 Type Character
 Format Uppercase

Record Reference(s) CAN_YE_AMEND_E

CAN_YE_EMPL
 DEPT_TBL
 GVT_PAYROLL_DTA
 INJ_CLMADDR_CAN
 PAYROLL_DATA
 PAYROLL_DAT_LNG
 POSITION_DATA
 TRN_FACIL_LANG
 TRN_FACIL_TBL
 WCB_CCAD_EC

MAINJOBINSTANCE

Default Label Main Job Instance
 Length 10
 Type Number
 Format 7



Record Reference(s) PSPRCSJOBSTATUS
PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH

MAINJOBNAME

Default Label Main Job Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH

MAINJOBSEQ

Default Label Main Job Sequence
Length 10
Type Number
Format 7

Record Reference(s) PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH

MAINTAIN_BALANCES

Default Label Maintain Earnings Balances
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

MAINTAIN_CHK_BAL

Default Label Maintain Check Bal



Length 1
Type Character
Format Uppercase

Record Reference(s) BALANCE_ID_TBL

MAINTAIN_DED_BAL

Default Label Maintain Dedn Bal
Length 1
Type Character
Format Uppercase

Record Reference(s) BALANCE_ID_TBL

MAINTAIN_EARN_BAL

Default Label Maintain Earns Bal
Length 1
Type Character
Format Uppercase

Record Reference(s) BALANCE_ID_TBL

MAINTAIN_GARN_BAL

Default Label Maintain Garn Bal
Length 1
Type Character
Format Uppercase

Record Reference(s) BALANCE_ID_TBL

MAINTAIN_TAX_BAL

Default Label Maintain Tax Bal
Length 1
Type Character



Format Uppercase

Record Reference(s) BALANCE_ID_TBL

MAINTLOGTYPE

Default Label Log Type
Length 4
Type Character
Format Uppercase

Record Reference(s) MAINTENANCE_LOG

- CAIP CA Job Started
- CAOK CA Job Successful
- CAOV Override Requisite
- IDEC IDE Project Copy
- NPID Non-Primary Update
- NPIP Non-Primary Update IP
- USR1 User Applied

MAINTLOG_VALID

Default Label MAINTLOG_VALID
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

MAINTPROJ

Default Label Maintenance Project

Length 3
Type Number
Format Uppercase

Record Reference(s) PSPROJECTDEFN



MAINT_DT

Default Label Maintenance Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CAR_MAINT
 CAR_MAINT_LNG

MAINT_RESPONSBLTY

Default Label Maintenance Responsibility
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) FREQUENCY_TBL
 GARN_DE_DEFN
 GARN_PRORATE_RL
 GARN_RULE_TBL
 LOCAL_TAX_TBL
 R_PATXUPD
 UPG_CONV_LCLTX
 UPG_LCLTX2

C Customer
 P PeopleSoft

MAIN_APPT_NUM_JPN

Default Label Main Appointment Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) BP_JOB
 JOB
 JOBCOMP_TMP_MC
 JOB_TMP_MC
 PER066JP_DATA
 UPG_PY_JOB_TAO



MAIN_FROM_FLAG

Default Label Record of Primary From
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_SPATH_WH

MAIN_ORIG_CHE

Default Label Main Origin
Length 1
Type Character
Format Uppercase

Record Reference(s) APP_PL_ORIG_CHE
PLACE_ORIG_CHE

MAIN_SSN_EMPLOYER

Default Label Main Employer Soc.Sec.Nbr.
Length 1
Type Character
Format Uppercase

Record Reference(s) ESTAB_SSEC_ESP

MAJOR

Default Label Major
Length 30
Type Character
Format Mixedcase

Record Reference(s) ACCOMPLISH_LANG
APP_ACCOMP_LANG



AUTOPOP_EDU_TMP
 RP_QUEUE_EDU
 UPG_HR75_AET

MAJOR_ACTIVITY

Default Label Major Activity
 Length 225
 Type Character
 Format Mixedcase

Record Reference(s) R_PER016X

MAJOR_CATEGORY

Default Label Major Category
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) FACULTY_TBL_JPN
 Z_HR_NFC102_REC

H Humanities
 S Sciences

MAJOR_CODE

Default Label Major Code
 Length 10
 Type Character
 Format Uppercase
 Legacy field name INSTRUCTIONAL-PROGRAM
 Legacy system name PINE

Record Reference(s) ACCOMPLISHMENTS
 ACCOMPLISH_LANG
 APP_ACCOMPS
 APP_ACCOMP_LANG
 AUTOPOP_EDU_TMP



MAJOR_TBL
MAJOR_TBL_LANG
NVQ_REVIEW
NVQ_REVIEW_LNG
RP_QUEUE_EDU
UPG_HR75_AET
Z_HR_NFC102_REC
Z_SIMS_CERT_WL
Z_SIMS_JOB_WL

MAJ_UNION_IND

Default Label Majority Union
Length 1
Type Character
Format Uppercase

Record Reference(s) UNION_TBL_IND

MAKEUP_PCT_AUS

Default Label Makeup Pay %
Length 4
Type Signed Number
Format Uppercase

Record Reference(s) CLM_INF_DTL_AUS

MAKE_AND_MODEL

Default Label Make and Model
Length 70
Type Character
Format Uppercase

Record Reference(s) P11D_SEC_A_UK

MANAGER



Default Label manager
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_ENROLL_DAT

UPG_CO_SS_AET

MANAGER_APPR_IND

Default Label Manager Approved
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_ABS_EVENT

MANAGER_ID

Default Label Manager ID
Length 11
Type Character
Format Uppercase

Record Reference(s) DEPT_TBL

GB_GROUP_TBL
R_PER507

MANAGER_LEVEL

Default Label Supervisory Status
Length 2
Type Character
Format Uppercase
Legacy field name POSITION-SUPERVISORY-CODE
Legacy system name PMSO

Record Reference(s) EMPLOYEES

EMPLOYEES_1



EMPLOYEES_TAO
 ER_ERP_ELIG_AET
 ER_REF_PGM
 FPA_EMPLOYEES
 GVT_CLS_STD_TBL
 GVT_RQSN_JOB_CD
 GVT_RUN_CNTL
 JOBCODE_TBL
 Z_EMPLOYEES
 Z_HR_NFC102_REC
 Z_LC_RUNCTL

2	Supervisor or Manager
4	Supervisor (CSRA)
5	Management Official (CSRA)
6	Leader
7	Team Leader
7	Team Leader
7	Team Leader
8	All Other Positions

MANAGER_NAME

Default Label Manager Name
 Length 30

Type Character
 Format Name

Record Reference(s) DEPT_TBL
 ORG_TBL
 PROJECT_TBL
 PROJECT_TBL_LNG
 R_PER507

MANAGER_POSN

Default Label Manager Position
 Length 8
 Type Character
 Format Uppercase



Record Reference(s) DEPT_TBL
R_PER507

MANDATE

Default Label Mandate
Length 15
Type Character
Format Uppercase

Record Reference(s) ACCOMPLISH_LANG
APP_ACCOMP_LANG
UPG_HR75_AET

MANDATE_BEGIN_DATE

Default Label Mandate Begin Date
Length 10
Type Date
Format Uppercase

Record Reference(s) MANDATES_FRA

MANDATE_END_DATE

Default Label Mandate End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) MANDATES_FRA

MANDATE_FUNCTION

Default Label Mandate Position
Length 15
Type Character
Format Uppercase



Record Reference(s) ACCOMPLISH_LANG

APP_ACCOMP_LANG
UPG_HR75_AET

MANDATORY

Default Label Mandatory Attribute
Length 1
Type Number
Format Uppercase

Record Reference(s) PSDSOCATTR

MANDAT_REPL_BEL

Default Label Mandatory Replacement
Length 1
Type Character
Format Uppercase

Record Reference(s) CNT_END_TBL_BEL

CNT_RSN_TBL_BEL
CONTR_ENDS_BEL
CONTR_REPS_BEL
UPG_CNTENDS_TAO
UPG_CNTREPS_TAO

MANUAL_CHECK

Default Label Manual Check
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_LINE

PSHUP_TXN
PSHUP_TXN_AET
ST_PSHUP_AET
WRK_LINE



N No
 R Reversal
 Y Yes

MANUAL_CLOSE_DT

Default Label Manual Close Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

MANUAL_EVT_ALLOWED

Default Label Manual Events Allowed
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_EVT_CLASS
 CBR_EVENT_RULES

MANUAL_SW

Default Label Manual Row Switch
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BP_COMPENSATION
 CALC_CHG_TAO1
 CALC_CHG_TAO4
 CALC_CHG_TAO5
 CALC_CHG_TAO6
 CALC_CHG_TAO7
 CMP006_TMP
 CMP006_TMP2



CMP008_TMP
 COMPENSATION
 COMPENSATION_WS
 COMPENS_TAO
 FP_COMPENSATION
 HR_CMP015_AFT_C
 HR_CMP015_BEF_C
 HR_PER501_AFT_C
 HR_PER501_BEF_C
 HR_SAL_CHG_COMP
 HR_SEN_PAY1_TAO
 HR_SEN_PAY2_TAO
 JOBCOMP_TMP_MC
 SAL_PLAN_MC
 SP_UPDCOMP_TMP
 SS_DTL_SALCHANG
 UPG_CO_SS_AET
 UPG_HR75_AET
 UPG_HRSCCMP_TAO
 UPG_SP_MC_TAO

MANUFACT_CD

Default Label	Manufacturer
Length	4
Type	Character
Format	Uppercase

Record Reference(s) CAR_DATA

CAR_MODEL
 CAR_MODEL_LNG

ALF	Alfa Romeo
AUD	Audi
BEN	Bentley
BMW	BMW
CIT	Citroen
DAM	Daimler
DIA	Daihatsu
FIA	Fiat
FOR	Ford



GM	General Motors
HON	Honda
HYU	Hyundai
ISU	Isuzu
JAG	Jaguar
LAD	Lada
LAN	Lancia
LOT	Lotus
LRV	Land Rover
MAZ	Mazda
MER	Mercedes-Benz
MIT	Mitsubishi
MOR	Morgan
NIS	Nissan
PEU	Peugeot
POR	Porsche
PRO	Proton
RAN	Range Rover
REN	Renault
ROV	Rover
RR	Rolls-Royce
SAA	SAAB
SEA	Seat
SKO	Skoda
TOY	Toyota
VAU	Vauxhall
VOL	Volvo
VW	Volkswagen
YUG	Yugo

MAPCHILDREC

Default Label	Map Child Records?
Length	1
Type	Character
Format	Uppercase

Record Reference(s) DIRCHLDMAP

MAEXPRCNT

Default Label	Mapping Expression Count
---------------	--------------------------



Length 5
Type Number
Format 7

Record Reference(s) PSEVENTROUTE
PSMSGAGTDEFN

MAPFIELD CNT

Default Label Mapping Field Count
Length 5
Type Number
Format 7

Record Reference(s) PSEVENTROUTE
PSMSGAGTDEFN

MAPLEVEL CNT

Default Label Mapping Level Count
Length 5
Type Number
Format 7

Record Reference(s) PSEVENTROUTE
PSMSGAGTDEFN

MAPMETHOD

Default Label Mapping Method
Length 5
Type Number
Format 7

Record Reference(s) PSMAPFIELD

MAPNAME



Default Label Map Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSMAPEXPR
 PSMAPFIELD
 PSMAPLEVEL
 PSMAPRECFIELD
 PSMAPROLEBIND
 PSMAPROLENAME
 PT_WF_NOT_DSCFG

MAPPING_ACTION

Default Label Add,reject,delete for seq num
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PYTL1_STG_SUB
 TL_SEQ_UPDATE

A Add
 D Delete
 R Reject

MAPRECFIELDCNT

Default Label Mapping Record Field Count
 Length 5
 Type Number
 Format 7

Record Reference(s) PSEVENTROUTE
 PSMMSGAGTDEFN

MAPROLENAMECNT

Default Label Mapping Role Name Count



Length 5
Type Number
Format 7

Record Reference(s) PSEVENTROUTE
PSMSGAGTDEFN

MAPTYPE

Default Label Mapping Type
Length 5
Type Number
Format 7

Record Reference(s) PSMAPEXPR
PSMAPFIELD
PSMAPLEVEL
PSMAPRECFIELD
PSMAPROLEBIND
PSMAPROLENAME

MAPUSE

Default Label Mapping Use
Length 5
Type Number
Format 7

Record Reference(s) PSMAFIELD

MAP_BASED

Default Label Map Based On
Length 1
Type Character
Format Uppercase

Record Reference(s) TC_COMPID_MAPS
TC_COMP_SOURCE
TC_MAP_BENEFIT



TC_MAP_EARN
 TC_MAP_MCOMP
 TC_MAP_TAX
 TC_MAP_TAX_CAN
 TC_MAP_VCOMP
 TC_SRC_COMPIDS

D Benefits and Deductions
 E Earnings
 M Multiple Components

 N No Mapping
 T Taxes - United States
 U Taxes - Canada
 V Var Comp

MARGINBTM

Default Label Margin Bottom
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PSSTYLECLASS

MARGINBTMLEN

Default Label Margin Bottom Len
 Length 10
 Type Number
 Format 7

Record Reference(s) PSSTYLECLASS

MARGINBTMUNITS

Default Label Margin Btm Units
 Length 2
 Type Number
 Format Uppercase



Record Reference(s) PSSTYLECLASS

MARGINLEFT

Default Label Margin Left
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

MARGINLEFTLEN

Default Label Margin Left Len
Length 10
Type Number
Format 7

Record Reference(s) PSSTYLECLASS

MARGINLEFTUNITS

Default Label Margin Left Units
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

MARGINRGHT

Default Label Margin Right
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS



MARGINRGHTLEN

Default Label	Margin Right Len
Length	10
Type	Number
Format	7

Record Reference(s) PSSTYLECLASS

MARGINRGHTUNITS

Default Label	Margin Right Units
Length	2
Type	Number
Format	Uppercase

Record Reference(s) PSSTYLECLASS

MARGINTOP

Default Label	MarginTop
Length	2
Type	Number
Format	Uppercase

Record Reference(s) PSSTYLECLASS

MARGINTOPLN

Default Label	Margin Top Len
Length	10
Type	Number
Format	7

Record Reference(s) PSSTYLECLASS

MARGINTOPUNITS



Default Label Margin Top Units
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PSSTYLECLASS

MARITAL_STATUS

Default Label Marital Status Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_CAR_INTRFC

MARITAL_STATUS_FLG

Default Label Marital Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RESUME_OPTIONS

MARKET

Default Label Market
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) AEREQUESTTBL

- AERUNCONTROL
- BN_SRCH_VW_MAP
- CO_DFLTRTN_TBL
- EOEC_MOD_COMP
- EO_BCDEFN_CUR
- FPMPNLGRP_HIRE



PRCSDEFNURL
PRCSRQSTURL
PSAESECTDTLDEFN
PSAESTEPDEFN
PSAESTEPMSGDEFN
PSAESTMTDEFN
PSBCDEFN
PSMENUITEM
PSPNLGDEFNLANG
PSPNLGROUP
PSPNLGROUPLANG
PSPNLGRPDEFN
PSPNLGRPDEL
PSSQLDESCR
PSSQLLANG
PSSQLTEXTDEFN
PTLT_NAV_STG1
PTLT_NAV_STG2
PT_WF_NOTFY_TBL
SS_BP_COMPS
SS_LINK_TBL
WL_DISTR_GRP
WL_RIMRESP2_AET
WL_TEMPLATE

WL_TEMPLATE_LNG
WL_TEMPLATE_VAR
WL_TEMPL_CMPVAR
WL_TEMPL_CMP_LN
WL_TEMPL_RESP
WL_TEMPL_RSP_LN
WL_TEMPL_URLKEY
WL_TEMPL_URLVAR
WL_TEMPL_URL_LN
WL_TEMPL_XURL
WL_TEMPL_XUR_LN

ARG	Argentina
AUS	Australia
BEL	Belgium
BNK	Banking
BRA	Brazil
BRK	Brokerage



CAN	Canada
CHE	Switzerland
COM	Communications
CPG	Consumer Package Goods
DEU	Germany
ENG	Energy
ESP	Spain
FIN	Financial Services
FRA	France
GBL	Global
GBR	Great Britain
GOV	Government
HC	Health Care
HED	Higher Education
HHD	HR HelpDesk
HIN	Health Insurance
HKG	Hong Kong
HTG	High Tech
IDN	Indonesia
INS	Insurance
ITA	Italy
JPN	Japan
LCL	Local
LIN	Life Insurance
MEX	Mexico
MYS	Malaysia
NA	North America
NLD	Netherlands
NZL	New Zealand
PHA	Pharmaceuticals
PIN	P & C Insurance
PS	Public Sector
RTL	Retail
SGP	Singapore
USA	United States
USF	U.S. Federal Govt

MARKET_VALUE_MYS

Default Label	Market Value
Length	19
Type	Number
Format	Uppercase



Record Reference(s) COMP_PROP_MYS

MARK_VOIDS_FLAG

Default Label Mark Voids Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

MARK_WORKED_SW

Default Label Mark Worked
Length 1
Type Character
Format Uppercase

Record Reference(s) Z_NFC_U6701_TBL
Z_NFC_U6708_TBL

MARRIED_STD_DED

Default Label Married Standard Deduction
Length 6
Type Number
Format Uppercase

Record Reference(s) STATE_TAX_TBL

MAR_FORM_CODE

Default Label Married form code
Length 4
Type Character
Format Uppercase



Record Reference(s) PA_DFN_FORMULA

MAR_PCT_CONTD

Default Label Married Percentage Continued
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_FORMULA

MAR_STATUS

Default Label Marital Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) APPL_DATA_EFFDT

- CO_DPK_ELIG_DET
- CO_DPK_ELIG_NEW
- CO_DPK_ELIG_OLD
- CO_DPK_ELIG_TRN
- CO_DPK_PERS_TAO
- DEPENDENT_BENEF
- FPAPEREFFDT_HIS
- GPCH_RP_0001
- GPCH_RP_PK01
- GPCH_RP_SI03
- GPDE_RP_0001
- GPFR_DA_AET
- GPIT_DEP_DTL_EE
- GPIT_RP_0001
- GPSG_IR21_HDR
- GPSG_IR8A_FORM
- GVT_PERS_DATA
- GVT_PERS_TEMP
- HR_DIM_BEL_AET
- HR_MAR_STAT_DAT
- HR_NSZ_AET



HR_VIAPRIS_AET
 MATR_BK_ITA_TAO
 MATR_BOOK_ITA
 NSZ_PERSON_NLD
 PA_CLC_EMP
 PERSONNEL_RPT
 PERSONNEL_TAO
 PERS_DATA_EFFDT
 UPG_PERSDTF_TAO
 W2_DATA_PR
 YE_DATA
 YE_W2CP_DATA

C	Common-Law
D	Divorced
E	Separated
H	Head of Household
M	Married
N	Not Applicable
S	Single
U	Unknown
W	Widowed

MAR_STATUS_DT

Default Label	Marital Status Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) APPL_DATA_EFFDT
 DEPENDENT_BENEF
 FPAPEREFFDT_HIS
 GPSG_IR21_HDR
 GVT_PERS_DATA
 GVT_PERS_TEMP
 PERSONNEL_RPT
 PERSONNEL_TAO

 PERS_DATA_EFFDT



MAR_STATUS_FORM

Default Label Marital Status Form
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RUN_CNTL
 PA_RUN_CNTL_CLC

MAR_STATUS_NEW

Default Label New Marital Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPCH_RP_PK01
 HR_MARSTATUS_WL

- C Common-Law
- D Divorced
- E Separated
- H Head of Household
- M Married
- S Single
- U Unknown
- W Widowed

MAR_YRS_CERT

Default Label Married Years Certainty
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_FORMULA

MASS_ALL

Default Label All?
 Length 1



Type Character
 Format Uppercase

Record Reference(s) RDEDEXTR_RUNCTL
 RTROEXTR_RUNCTL
 RTROUND0_RUNCTL

MASS_PRC5_FLAG

Default Label Mass Retro Pay Process Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MASS_RETRO_DEF
 MASS_RETRO_RQST
 RETRODEDMAS_DEF
 RETRODEDMAS_TBL

- C Calculated
- D Request Deleted
- L Loaded To Retro Pay Request
- N Not Processed
- P Loaded to Paysheets
- X Extracted

MASS_REPORT_ID

Default Label Mass Report ID
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) MASS_RPT_DLVRV
 MASS_RPT_HDR
 MASS_RPT_HR_LN
 MASS_RPT_PT_LN
 MASS_RPT_XX_LN
 RPT_RQST
 RUN_CNTL_WF



RETRODED_RQST
 RETROPAY_RQST
 RTROEXTR_RUNCTL
 RTROREPT_RUNCTL
 RTROSUMM_RUNCTL
 RTROUND0_RUNCTL
 UPG_PY_AET

MASS_RETRO_SEQ_NO

Default Label Mass Retro Sequence Number
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) MASS_RETRO_DEF
 RETRODEDMAS_DEF
 UPG_PY_AET

MASS_UPDATE_STATUS

Default Label Update Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_MASS_SESSION
 1 In Progress
 2 Ready
 3 Submitted

MASS_USER_ACTION

Default Label Mass Time User Action
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_MASS_SESSION
 TL_MASS_TM_AET



- 1 Use Schedule
- 2 Schedule with Hours
- 3 Specify Transactions

MASTERNODE

Default Label Master Node
Length 15

Type Character
Format Uppercase

Record Reference(s) PSBATREPREQHDR

MASTERNODENAME

Default Label Master Node Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSMMSGNODEDEFN

MATCHNAME

Default Label Match Name
Length 95
Type Character
Format Mixedcase

Record Reference(s) PSCODESET
PSCODESETGRPVAL

MATCHVALUE

Default Label Match Value
Length 95
Type Character
Format Mixedcase



Record Reference(s) PSCODESET
PSCODESETGRPVAL

MATCH_ACTION

Default Label Match Action
Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

E ERS Match
N No Matching
Y Standard Match

MATCH_CNTRL_ID

Default Label Match Rules
Length 10
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

MATCH_LINE_OPT

Default Label Match Line Option
Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

E ERS Match



F Full Match
 N Don't Match

MATCH_OPT

Default Label Requires Matching
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP

MATCH_STATUS_VCHR

Default Label Match Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

E Match Exceptions Exist
 I Match in Progress
 M Matched
 N Not Applicable
 O Manually Overridden
 R Rejected
 T To be Matched

MATRCL_BOOK_TYPE

Default Label Matricula Book Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_HR_ESP

A All Employees



C Current Employees

MATRICULA_NBR

Default Label Matricula Number
Length 5
Type Number
Format Uppercase

Record Reference(s) JOBCOMP_TMP_MC
JOB_TMP_MC
UPG_758_JJL_TAO

MATRICULA_NBR_ITA

Default Label Matricula Number
Length 6
Type Number
Format Uppercase

Record Reference(s) EMPL_MATR_ITA
GPIT_RP_0001
MATR_BK_ITA_TAO
MATR_BOOK_ITA

MAXAPIAWARE

Default Label Max API Aware Tasks
Length 3
Type Number
Format Uppercase

Record Reference(s) SERVERDEFN

MAXAPIUNAWARE

Default Label Max API unaware tasks / cycle
Length 3
Type Number



Format Uppercase

Record Reference(s) SERVERDEFN

MAXCHUNKSIZE

Default Label Maximum Attachment Chunk Size
Length 10
Type Number
Format 7

Record Reference(s) PSOPTIONS

MAXCONCURRENT

Default Label Maximum Concurrent Processes
Length 3
Type Number
Format Uppercase

Record Reference(s) PRCSDEFN

PRCSJOBDEFN
SERVERCATEGORY
SERVERCLASS

MAXCPU

Default Label Max. CPU Usage required
Length 3
Type Number
Format Uppercase

Record Reference(s) PSSERVERSTAT
SERVERDEFN

MAXIMUM_CARRYOVER

Default Label Max Leave Carryover



Length 9
Type Number
Format Uppercase

Record Reference(s) GVT_ACCR_SUMM
GVT_ACR_SUM_WRK
GVT_ERN_ACR_CLS
LEAVE_PLAN_TBL

MAXIMUM_FLAG

Default Label Subject to Maximum
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

MAXIMUM_LEAVE_BAL

Default Label Max Leave Balance
Length 9
Type Number
Format Uppercase

Record Reference(s) LEAVE_PLAN_TBL

MAXIMUM_LIMIT

Default Label Maximum Limit
Length 14
Type Number
Format Uppercase

Record Reference(s) PA_CONS_EARN
PA_CONS_HRS



MAXIMUM_LIMIT_TYPE

Default Label	Type of Maximum Limit Field
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PA_CONS_EARN
	PA_CONS_HRS

A	Alias Name
N	Numeric Constant

MAXIMUM_MO_BENEFIT

Default Label	Maximum Monthly Benefit
Length	8
Type	Number
Format	Uppercase

Record Reference(s)	DISBLTY_PLN_TBL
---------------------	-----------------

MAXIMUM_TAX

Default Label	Maximum Tax
Length	8
Type	Number
Format	Uppercase

Record Reference(s)	LOCAL_TAX_TBL
	ST_OTH_TAX_TBL
	UPG_CONV_LCLTX
	UPG_LCLTX2

MAXIMUM_WEEKS

Default Label	Maximum Weeks
Length	2
Type	Number
Format	Uppercase

Record Reference(s)	RC_QTR_UI
---------------------	-----------



MAXPNLFLDID

Default Label Maximum Page Field ID
Length 4
Type Number
Format Uppercase

Record Reference(s) PSPNLDEFN

MAXQUERYSIZEMB

Default Label Max Query Size (megabytes)
Length 15
Type Number
Format Uppercase

Record Reference(s) PSQASCONFIG

MAXROWLIMIT

Default Label Max Rows Limit Reached
Length 1
Type Character
Format Uppercase

Record Reference(s) PSQRYEXECLOG

MAX_415_LIMIT

Default Label Maximum Annual Benefit
Length 16
Type Number
Format Uppercase

Record Reference(s) PA_TL_415_LIMDC
PA_TL_415_LIMIT



MAX_457_CATCH_UP

Default Label Max Annual 457 Catch Up
Length 11
Type Number
Format Uppercase

Record Reference(s) LIMIT_TBL

MAX_ADJ

Default Label Maximum 415(b) Limit Adjusted
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_CLC_415_AY

MAX_AGE

Default Label Maximum Age
Length 3
Type Number
Format Uppercase

Record Reference(s) BAS_ELIG_RULES

MAX_AMT

Default Label Maximum Amount
Length 14
Type Signed Number
Format Uppercase

Record Reference(s) RUN_CNTL_EG
UPG_TL_AET



MAX_ANNUAL_CONTRIB

Default Label Maximum Annual Contribution
Length 11
Type Number
Format Uppercase

Record Reference(s) BEN_DEFN_PLAN

MAX_ARREARS_FACTOR

Default Label Max Payback - Factor x Reg Ded
Length 4
Type Number
Format Uppercase

Record Reference(s) DEDUCTION_TBL

MAX_ARREARS_PAYBK

Default Label Maximum Arrears Payback
Length 11
Type Number
Format Uppercase

Record Reference(s) DEDUCTION_TBL
EMPL_DED_PROC

MAX_ATTACH_QTY

Default Label Maximum Occurrences/Applicant
Length 2
Type Number
Format Uppercase

Record Reference(s) ER_ATTCHTYP_TBL

MAX_BENEF_BASE



Default Label Maximum Benefit Base
Length 11
Type Number
Format Uppercase

Record Reference(s) CALC_RULES_TBL
LIMIT_TBL
UPG_BN_LMT_TMP2

MAX_BYTES_CHAR

Default Label Max # of Bytes per Character

Length 2
Type Number
Format Uppercase

Record Reference(s) PSCHARSETS

MAX_CAP_EXPN

Default Label 402(g) Max Cap Expansion
Length 11
Type Number
Format Uppercase

Record Reference(s) LIMIT_TBL
UPG_BN_LMT_TMP2

MAX_CEIL_ESP

Default Label Upper Ceiling
Length 9
Type Number
Format Uppercase

Record Reference(s) SOC_SEC_RGM_TBL



MAX_CREDIT_AMT

Default Label Minimum
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) APPR_RULE_AMT

MAX_CREDIT_AMT1

Default Label Max Credit Amount 1
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_CREDIT_AMT2

Default Label Max Credit 2
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_CREDIT_AMT3

Default Label Max Credit 3

Length 28
Type Signed Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_CREDIT_AMT4

Default Label Max Credit 4



Length 28
Type Signed Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_CREDIT_AMT5

Default Label Max Credit 5
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_DATE

Default Label Maximum Date
Length 10
Type Date
Format Uppercase

Record Reference(s) TL_ST_MINMAXDTS

MAX_DEBIT_AMT

Default Label Maximum
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) APPR_RULE_AMT

MAX_DEBIT_AMT1

Default Label Maximum Debit Amount 1
Length 28
Type Signed Number
Format Uppercase



Record Reference(s) APPR_VA2_WRK

MAX_DEBIT_AMT2

Default Label Max Debit 2

Length 28

Type Signed Number

Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_DEBIT_AMT3

Default Label Max Debit 3

Length 28

Type Signed Number

Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_DEBIT_AMT4

Default Label Max Debit 4

Length 28

Type Signed Number

Format Uppercase

Record Reference(s) APPR_VA2_WRK

MAX_DEBIT_AMT5

Default Label Max Debit 5

Length 28

Type Signed Number

Format Uppercase

Record Reference(s) APPR_VA2_WRK



MAX_DISPLAY_ROWS

Default Label Maximum displayed rows
Length 2
Type Number
Format Uppercase

Record Reference(s) CO_PEOPRLIC_EMP
CO_PE_OPREXPPLIC
CO_PE_OPR_ANNIV
CO_PE_OPR_BIRTH
CO_PE_OPR_MGRPT
CO_PE_OPR_PHNS
CO_PE_TRN_EMP
CO_PE_TRN_MGR
ER_PE_OPR_REQS

MAX_DISTRIB_LINE

Default Label Highest Distribution Line
Length 5
Type Number
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

MAX_DT

Default Label Max Date
Length 10
Type Date
Format Uppercase

Record Reference(s) TL_IPTCTVAL_AET
TL_PT_CTVAL_AET
TL_TA000900_AET
TL_TR_CTVAL_AET



MAX_EARNS_ELIG

Default Label Max Earnings Eligible Per Year
Length 10
Type Number
Format Uppercase

Record Reference(s) TREATY_EARN_TBL

MAX_ERROR_COUNT

Default Label Maximum Errors
Length 8
Type Number
Format Uppercase

Record Reference(s) PAY_MESSAGE_TBL

MAX_FLDS_PER_REC

Default Label Max Fields Per Output Rec
Length 3
Type Number
Format Uppercase

Record Reference(s) PI_DEFFL_TAO
PI_DEFN_FILE

MAX_FTE

Default Label Maximum FTE
Length 8
Type Number
Format Uppercase

Record Reference(s) BAS_ELIG_RULES



MAX_GROSS

Default Label Maximum Gross

Length 8

Type Number

Format Uppercase

Record Reference(s) ST_COUNTRY_TAX
 ST_LOCAL_TAX
 ST_OTH_TAX_TBL
 ST_STATE_TAX

MAX_HEAD_COUNT

Default Label Max Head Count

Length 4

Type Number

Format Uppercase

Record Reference(s) BP_POSITION_EXP
 POSITION_DATA

MAX_HIRE_AMT

Default Label Max Contract Hire Price

Length 19

Type Number

Format Uppercase

Record Reference(s) CAR_PLAN_TBL

MAX_HRS

Default Label Maximum Hours

Length 10

Type Signed Number

Format Uppercase

Record Reference(s) UPG_TL_AET



MAX_ITERATION

Default Label Maximum Iteration
Length 3
Type Number
Format Uppercase

Record Reference(s) GP_SECTION

MAX_LEASE_AMT

Default Label Max Lease Price
Length 19
Type Number
Format Uppercase

Record Reference(s) CAR_PLAN_TBL

MAX_LIMIT

Default Label Maximum 415(b) Limit
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_CLC_415_AY

MAX_LIMIT_ALIAS

Default Label Maximum Limit Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARN
PA_CONS_HRS



MAX_LIMIT_ALIAST

Default Label Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARN
PA_CONS_HRS

MAX_LIST_AMT

Default Label Max List Price
Length 19
Type Number
Format Uppercase

Record Reference(s) CAR_PLAN_TBL

MAX_NEG_HRS

Default Label Max Negative Hours Allowed
Length 4
Type Number
Format Uppercase

Record Reference(s) LEAVE_PLAN_TBL
TL_COMP_TIME
TL_IPTCTVAL_AET
TL_PT_CTVAL_AET
TL_TA000900_AET
TL_TR_CTVAL_AET
UPG_TL_AET

MAX_NUM_OF_DEPS

Default Label Max No of Dependents Allowed
Length 2



Length 6
Type Number
Format Uppercase

Record Reference(s) CALC_RULES_TBL

MAX_POS_HRS

Default Label Max Positive Hours Allowed
Length 4
Type Number
Format Uppercase

Record Reference(s) TL_COMP_TIME
TL_IPTCTVAL_AET
TL_PT_CTVAL_AET

TL_TA000900_AET
TL_TR_CTVAL_AET

MAX_QTY

Default Label Maximum Quantity
Length 19
Type Number
Format Uppercase

Record Reference(s) TL_TRC_TBL

MAX_ROWS_SCROLL

Default Label Max Number of Rows in Scrolls
Length 5
Type Number
Format Uppercase

Record Reference(s) INSTALLATION



Type Number
Format Uppercase

Record Reference(s) SAL_GRADE_PUB
 SAL_GRADE_TBL
 Z_SAL_GRADE_TBL

MAX_SEQ

Default Label Max Sequence Number
Length 3
Type Number
Format Uppercase

Record Reference(s) PYAP_CONVRT_AET

MAX_SEQ_NBR

Default Label Maximum Sequence Number
Length 15
Type Number
Format Uppercase

Record Reference(s) PRCSEQUENCE

MAX_SERVICE_MM

Default Label Maximum Service Months
Length 3
Type Number
Format Uppercase

Record Reference(s) BAS_ELIG_RULES

MAX_STD_HRS

Default Label Maximum Standard Hours
Length 7
Type Number



RT_RATE_DEF_TMP

MAX_WAGE_AMT

Default Label	Maximum Wage Base
Length	16
Type	Number
Format	Uppercase

Record Reference(s) PA_TL_MAX_WAGE

MAX_WRK_GRP_AMNT

Default Label	Maximun Amount
Length	9
Type	Number
Format	Uppercase

Record Reference(s) RGM_BSE_ESP_TBL

MCFACCEPT_MODE

Default Label	Accept Mode
Length	1
Type	Character
Format	Uppercase

Record Reference(s) MCFAGENTCUST

A	Automatic
M	Manual

MCFBUDDY

Default Label	Agent Buddy
Length	30
Type	Character
Format	Mixedcase



Record Reference(s) MCFAGENTBUDDY

MCFCHATSESSTO

Default Label Inactivity Timeout in Minutes
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) MCFCHATRSCFG
 MCFUQTASKCFG

MFCCOMMENTS

Default Label Comments
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) MCFUQTIMEOUT

MFCCONTACTID

Default Label MCF Contact ID
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MCFSYSMSG
 MCFSYSMSG_LANG
 PSMCFSEQNUM

C Chat
 E E-Mail
 G Generic Alert

MCFDOMAIN

Default Label Domain
 Length 50



Type Character
Format Uppercase

Record Reference(s) MCFCTIEVENTLOG
MCFUQEVENTLOG
PSMCFQSERV

MCFEVENTTO

Default Label Event Timeout
Length 5
Type Number
Format Uppercase

Record Reference(s) MCFCHATRSCFG

MCFGREETINTERVAL

Default Label Interval for Greeting
Length 2
Type Number
Format Uppercase

Record Reference(s) MCFUQTASKCFG

MCFHEIGHT

Default Label Height
Length 5
Type Number
Format Uppercase

Record Reference(s) MCFAGENTCUST

MCFHOST

Default Label Hostname
Length 50



Type Character
Format Uppercase

Record Reference(s) PSMCFQSERV

MCFIMBUDDYLIST

Default Label IM Buddy List
Length 20
Type Character
Format Uppercase

Record Reference(s) MCF_IM_BUDDYLST
MCF_IM_DEMO_REC

MCFIMDEMODUMMY

Default Label Not used
Length 1
Type Character
Format Uppercase

Record Reference(s) MCF_IM_DEMO_REC

MCFIMDOMAIN

Default Label Instant Messaging Domain
Length 50
Type Character
Format Uppercase

Record Reference(s) MCFIMNETWORKS
MCF_IM_DEMO_REC

MCFIMNETENABLED

Default Label Enabled
Length 1



Type Character
 Format Uppercase

Record Reference(s) MCFIMNETWORKS
 N Disabled
 Y Enabled

MCFIMSERVER
 Default Label Server IP Address
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) MCFIMNETWORKS

MCFIMURL
 Default Label URL
 Length 254
 Type Character
 Format Uppercase

Record Reference(s) MCF_IM_DEMO_REC

MCFIMUSERANDNET
 Default Label User and Network
 Length 50
 Type Character
 Format Uppercase

Record Reference(s) MCF_IM_DEMO_REC

MCFKEY
 Default Label Key
 Length 15
 Type Character



Format Mixedcase

Record Reference(s) PSMCFRENTCFG
PSMCFSYSTEM

MCFLEFT

Default Label Left
Length 5
Type Number
Format Uppercase

Record Reference(s) MCFAGENTCUST

MCFLOGGEVENT

Default Label Event type
Length 4
Type Character
Format Mixedcase

Record Reference(s) MCFCTIEVENTLOG
MCFUQEVENTLOG

- ABAN Abandoned
- ACPD Agent 's accepted tasks
- ACPT Accept
- BCST Broadcast UQ admin information
- CAEV Call Event
- CCEV CallConnection Event
- CCRQ CallConnection Request
- CNCT Realtime contact
- DBCT DBMS Contact
- DMPQ Dump queue state info to log
- DONE Done/Dequeue
- DROP Drop Agent
- END End
- FWD Forward
- GREV Group Event
- GRP1 Group Refresh1



GRP2	Group Refresh2
GRRQ	Group Request
INFO	UQ Process Information
LACK	Login Acknowledgment
LGIN	Login
LGOT	Logout
MSG	Message
NEWQ	New Queue
NTFY	Notify
PRES	Agent's presence change
PUSH	Push URL
QSDN	Queue Shutdown
RACK	Restart acknowledgement
READ	Reread Defaults
RSRT	Restart
SEEV	Session Event
SERQ	Session Request
TOUT	Timeout
UNKN	Unknown RENSrv event
USEV	User Event
USGN	Unassign
USR1	User Refresh1
USR2	User Refresh2
USRQ	User Request

MCFMSGID

Default Label	Message ID
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	MCFAGNTMSG
	MCFAGNTMSG_LANG

A	Accept
B	Answer Question
D	Deny
E	End
F	Forward
O	Other
Z	Abandon



MCFPERMNAME

Default Label	Permission Name
Length	3
Type	Character
Format	Uppercase

Record Reference(s) PSRENNAMETOPIC

MCFPOPUP_MODE

Default Label	Popup mode
Length	1
Type	Character
Format	Uppercase

Record Reference(s) MCFAGENTCUST

A	Automatic
M	Manual

MCFPRESENCEDESCR

Default Label	Presence Description
Length	25
Type	Character
Format	Mixedcase

Record Reference(s) MCFAGENTPRES
MCFAGNTPRS_LANG

MCFPRESENCESTATE

Default Label	Presence State
Length	1
Type	Character
Format	Uppercase

Record Reference(s) MCFAGENTPRES



Format Mixedcase

Record Reference(s) PSMCFRENURLID
 PSUPGMCF843_AET

MCFREN_LOG_RTENT

Default Label MCF Logical Route Entity

Length 30

Type Character

Format Mixedcase

Record Reference(s) PSMCFQUEUES
 PSMCFQUEUESLANG
 PSMCFRENMAP

 PSMCFRENMAP_ADM
 PSMCFUQAGENTQ

MCFREN_PHYS_RTENT

Default Label MCF Physical Route Entity

Length 32

Type Character

Format Mixedcase

Record Reference(s) PSMCFRENTCFG
 PSMCFRENMAP
 PSMCFRENMAP_ADM
 PSMCFRENURL
 PSMCFUQAGENTQ

MCFREN_RTENT_OWNER

Default Label MCF Route Entity Owner

Length 8

Type Character

Format Mixedcase

Record Reference(s) PSMCFRENMAP



MCFREN_URL_ID

Default Label REN Server Cluster ID
Length 15
Type Character
Format Mixedcase

Record Reference(s) CTIREN
PSMCFCLUSTER
PSMCFQSERV
PSMCFQSERVLANG
PSMCFRENURL
PSMCFRENURLID
PSPRCSQUE
PSRENCLUSTER
PSRENCLUS_OWNER
PSUPGMCF843_AET

MCFSYSTEMID

Default Label MCF System ID
Length 15
Type Character
Format Uppercase

Record Reference(s) PSMCFSYSTEM

MCFTASKISCLOSED

Default Label Is Closed
Length 3
Type Character
Format Mixedcase

Record Reference(s) MCFUQTIMEOUT



MCFTOP

Default Label	Top
Length	5
Type	Number
Format	Uppercase

Record Reference(s) MCFAGENTCUST

MCFTOPICROOTPATH

Default Label	Base Topic
Length	150
Type	Character
Format	Mixedcase

Record Reference(s) PSRENNAMETOPIC

MCFTYPE

Default Label	MCF Type
Length	1
Type	Character
Format	Mixedcase

Record Reference(s) MCFAGENTCUST

- A Agent to Agent Chat
- C Agent to Customer Chat
- E E-mail
- G Generic Alert
- M MultiChannel Console
- U Grab URL

MCFUQACTIMOUT_MINS

Default Label	Action Timeout in Minutes
Length	6
Type	Number
Format	Uppercase

Record Reference(s) MCFUQTASKCFG



Type Long Character
 Format Uppercase

Record Reference(s) MCFUQTIMEOUT
 MCFUQWORKSET

MCFUQATIMEOUT

Default Label Action Timeout
 Length 26
 Type Datetime
 Format 12

Record Reference(s) MCFUQTIMEOUT
 MCFUQWORKSET

MCFUQCOST

Default Label Cost of Task
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) MCFCTIEVENTLOG
 MCFUQEVENTLOG
 MCFUQLOG
 MCFUQTASKCFG
 MCFUQTIMEOUT
 MCFUQWORKSET

MCFUQCPLTMOUT_MINS

Default Label Completion Timeout in Minutes
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) MCFUQTASKCFG



MCFUQTIMEOUT

Default Label	Completion Timeout
Length	26
Type	Datetime
Format	12

Record Reference(s)	MCFUQTIMEOUT
	MCFUQWORKSET

MCFUQEVENT

Default Label	Event type
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	MCFUQLOG
---------------------	----------

ACPT	Accept
ASGN	Assign
DONE	Done/Dequeue
LGIN	Login
LGOT	Logout
NWST	New state
RSRT	Restart
TOUT	Timeout
USGN	Unassign

MCFUQINFO

Default Label	Event information
Length	254
Type	Character
Format	Mixedcase

Record Reference(s)	MCFUQLOG
---------------------	----------

MCFUQINSERTTIME



Default Label Time Inserted
Length 26
Type Datetime
Format 12

Record Reference(s) MCFUQTIMEOUT

MCFUQKEY

Default Label Key
Length 30
Type Character
Format Uppercase

Record Reference(s) MCFUQAGENTSTATE
 MCFUQQSERVSTATE
 MCFUQQUEUESTATE

MCFUQMAXWKLD

Default Label Maximum Workload
Length 3
Type Number
Format Uppercase

Record Reference(s) PSMCFUQAGENTQ

MCFUQORIGQTIME

Default Label First Time in the MCF System
Length 26
Type Datetime
Format 12

Record Reference(s) MCFUQTIMEOUT
 MCFUQWORKSET



MCFUQPRIORITY

Default Label Task priority
Length 2
Type Number
Format Uppercase

Record Reference(s) MCFCTIEVENTLOG
MCFUQEVENTLOG
MCFUQLOG
MCFUQTASKCFG
MCFUQTIMEOUT
MCFUQWORKSET

MCFUQPROCID

Default Label UQ Server Process ID
Length 6
Type Character
Format Mixedcase

Record Reference(s) PSMCFQSERV

MCFUQUEUEID

Default Label Queue ID
Length 32
Type Character
Format Mixedcase

Record Reference(s) MCFCHATLOG
MCFCHATRSCFG
MCFCTIEVENTLOG
MCFQUEUEURLS
MCFSYSMSG
MCFSYSMSG_LANG
MCFUQEVENTLOG
MCFUQLOG
MCFUQUEUESTATE
MCFUQTIMEOUT
MCFUQWORKSET



PSMCFQUEUES
 PSMCFQUEUESLANG
 PSMCFUQAGENTQ

MCFUQQUEUETIME

Default Label Time event logged to DBMS
 Length 26
 Type Datetime
 Format 12

Record Reference(s) MCFCTIEVENTLOG
 MCFUQEVENTLOG
 MCFUQTIMEOUT
 MCFUQWORKSET

MCFUQREASON

Default Label Timeout Reason
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MCFUQTIMEOUT
 E escalation
 O overflow

MCFUQSERVERID

Default Label Queue Server ID
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) MCFUQQSERVSTATE
 PSMCFLOGCLUSTER
 PSMCFQSERV
 PSMCFQSERVLANG
 PSMCFUQCLUSTER



MCFUQSKILLEVEL

Default Label	Skill level
Length	3
Type	Number
Format	Uppercase

Record Reference(s)	MCFCTIEVENTLOG
	MCFUQEVENTLOG
	MCFUQTASKCFG
	MCFUQTIMEOUT
	MCFUQWORKSET
	PSMCFUQAGENTQ

MCFUQSTATUS

Default Label	Task Status
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	MCFUQWORKSET
	ACPT Accepted
	ASGN Assigned
	DONE Done
	ENQ Enqueued

MCFUQTASKNUM

Default Label	Task identifier
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	MCFCHATLOG
	MCFCTIEVENTLOG
	MCFUQEVENTLOG
	MCFUQLOG
	MCFUQTIMEOUT



MCFUQWORKSET

MCFUQTASKTYPE

Default Label	Task Type
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	MCFCTIEVENTLOG
	MCFUQEVENTLOG
	MCFUQLOG
	MCFUQTASKCFG
	MCFUQTIMEOUT
	MCFUQWORKSET

CH	Chat
EM	Email
GN	Generic
VO	Voice

MCFUQTIEDAGENT

Default Label	Task tied to agent
Length	15
Type	Character
Format	Uppercase

Record Reference(s)	MCFUQWORKSET
---------------------	--------------

MCFUQTIME

Default Label	State change time
Length	26
Type	Datetime
Format	12

Record Reference(s)	MCFUQAGENTSTATE
	MCFUQLOG
	MCFUQQSERVSTATE



MCFUQUEUESTATE

MCFUQVALUE

Default Label Value
Length 254
Type Character
Format Uppercase

Record Reference(s) MCFUQAGENTSTATE
MCFUQQSERVSTATE
MCFUQUEUESTATE

MCFUQ_MS_STATUS

Default Label MCF Master/Slave Server Status
Length 6
Type Character
Format Uppercase

Record Reference(s) PSMCFLOGCLUSTER
PSMCFUQCLUSTER

MCFUQ_TIMETICK

Default Label MCF Master/Slave Server Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSMCFLOGCLUSTER
PSMCFUQCLUSTER

MCFURL

Default Label URL
Length 254
Type Character



Format Mixedcase

Record Reference(s) MCFAGENTURLS
MCFQUEUEURLS

MCFURLDESCR

Default Label URL Description
Length 100
Type Character
Format Mixedcase

Record Reference(s) MCFAGENTURLS
MCFQUEUEURLS

MCFURLNAME

Default Label URL Name
Length 15
Type Character
Format Uppercase

Record Reference(s) MCFAGENTURLS
MCFQUEUEURLS

MCFVALUE

Default Label Value
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSMCFRENTCFG
PSMCFSYSTEM

MCFWIDTH

Default Label Width
Length 5



Type Number
Format Uppercase

Record Reference(s) MCFAGENTCUST

MCF_ATTACH_LIST

Default Label Attachment List
Length 254
Type Character
Format Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_ATTACH_SIZES

Default Label attachment sizes
Length 254
Type Character
Format Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_ATT_URL

Default Label email attachment's URL
Length 254
Type Character
Format Mixedcase

Record Reference(s) MCFEM_MAIL_MAIN
 MCFEM_MAIL_PART

MCF_AUTH_ACL

Default Label Access control list
Length 16
Type Character



Format Uppercase

Record Reference(s) MCFEM_ATT_AUTH

MCF_AUTH_NAME

Default Label Authorization Name
Length 30
Type Character
Format Uppercase

Record Reference(s) MCFEM_ATT_AUTH

MCF_AUTH_TYPE

Default Label Authorization Type
Length 3
Type Character
Format Uppercase

Record Reference(s) MCFEM_ATT_AUTH

- 2 User
- 3 Role

MCF_CHAT_ACTION

Default Label MCF Chat action
Length 8
Type Character
Format Mixedcase

Record Reference(s) MCFCHATLOG

MCF_CHAT_ID

Default Label MCF InitChat ID
Length 15
Type Number



Format Uppercase

Record Reference(s) MCFCHATLOG

MCF_CONTENT_TYPE

Default Label Content Type
Length 254
Type Character
Format Mixedcase

Record Reference(s) MCFEM_MAIL_MAIN
MCFEM_MAIL_PART

MCF_DTTM_RECV

Default Label Date From
Length 26
Type Datetime
Format 12

Record Reference(s) MCFEM_MAIL_MAIN

MCF_DTTM_SAVED

Default Label Saved Date
Length 26
Type Datetime
Format 12

Record Reference(s) MCFEM_MAIL_MAIN

MCF_DTTM_SENT

Default Label Date From
Length 26
Type Datetime
Format 12



Record Reference(s) MCFEM_MAIL_MAIN

MCF_EMAIL_FROM

Default Label Email From
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_EMAIL_ID

Default Label Email Id
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) MCFEM_ATT_AUTH

- MCFEM_MAIL_DSCR
- MCFEM_MAIL_MAIN
- MCFEM_MAIL_MN2
- MCFEM_MAIL_PART
- MCF_INSTALL

MCF_EMAIL_LANG_CD

Default Label Email Language Code
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_EMAIL_MSG_ID

Default Label email message id
 Length 254



Type Character
Format Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_EMAIL_PARTNO

Default Label Email Part Number
Length 3
Type Number
Format Uppercase

Record Reference(s) MCFEM_MAIL_PART

MCF_EMAIL_SENDER

Default Label EMAIL_SENDER
Length 254
Type Character
Format Mixedcase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_EMAIL_STATUS

Default Label MCF Email Status
Length 3
Type Number
Format Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_EMAIL_TEXT

Default Label Message Text
Length 0
Type Long Character
Format Uppercase



Record Reference(s) MCFEM_MAIL_MAIN
MCFEM_MAIL_PART

MCF_EVENTTYPE

Default Label Event Type
Length 32
Type Character
Format Mixedcase

Record Reference(s) MCFCTIEVENTLOG

MCF_FILENAME

Default Label File Name
Length 80
Type Character
Format Mixedcase

Record Reference(s) MCFEM_MAIL_PART

MCF_IBNODE_NAME

Default Label MCF IB Node Name
Length 30
Type Character
Format Uppercase

Record Reference(s) MCFEM_MAIL_MN2

MCF_IS_ATT_URL

Default Label is the attachment a URL
Length 1
Type Number
Format Uppercase

Record Reference(s) MCFEM_MAIL_MAIN



MCFEM_MAIL_PART

MCF_LONGDSCR

Default Label MCF Long Descr Field Content
Length 0
Type Long Character
Format Uppercase

Record Reference(s) MCFEM_MAIL_DSCR

MCF_LONGDSCR_NM

Default Label LongDescr Field Name
Length 16
Type Character
Format Uppercase

Record Reference(s) MCFEM_MAIL_DSCR

MCF_MSG_SIZE

Default Label email's size
Length 15
Type Number
Format Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_NICKNAME

Default Label Nick Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) PSMCFUQAGENTS



MCF_OFFSET_RECV

Default Label	Recv Timezone Offset
Length	4
Type	Signed Number
Format	Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_OFFSET_SENT

Default Label	Sent Timezone Offset
Length	4
Type	Signed Number
Format	Uppercase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_SERVER

Default Label	Server
Length	254
Type	Character
Format	Mixedcase

Record Reference(s) MCFEM_MAIL_MN2

MCF_TRACELEVEL

Default Label	Trace Level
Length	1
Type	Character
Format	Numbers Only

Record Reference(s) MCF_AGENTMISC

0	0 - None
1	1 - Information



2 2 - Debug

MCF_UID

Default Label UIDL
Length 70
Type Character
Format Mixedcase

Record Reference(s) MCFEM_MAIL_MAIN

MCF_UNASSIGNED

Default Label When task is unassigned
Length 1
Type Character
Format Numbers Only

Record Reference(s) MCF_AGENTMISC

- 0 Prompt whether to close window
- 1 Do not close the task window
- 2 Close the task window

MCF_USER

Default Label User
Length 254
Type Character
Format Mixedcase

Record Reference(s) MCFEM_MAIL_MN2

MCF_WL_SUBJECT

Default Label Subject
Length 254
Type Character
Format Mixedcase

Record Reference(s) MCFEM_MAIL_MAIN



MCOP_CURR_CD

Default Label Currency Code
Length 3
Type Character
Format Uppercase

Record Reference(s) LMS_AET
LMS_BCOMP_TBL
TC_AET
TC_MCOP_TAO

MCOUNTER1_FRA

Default Label Counter Column 1
Length 19
Type Number
Format Uppercase

Record Reference(s) DEC2483_FRA_AET

MCOUNTER2_FRA

Default Label Counter Column 2
Length 19
Type Number
Format Uppercase

Record Reference(s) DEC2483_FRA_AET

MCOUNTER3_FRA

Default Label Counter Column 3
Length 19
Type Number
Format Uppercase



JOBCOMP_TMP_MC
JOB_TMP_MC
MC_DEFN
MC_DEFN_CRIT
MC_DEFN_CRIT_VL
MC_DEFN_DEFAULT
MC_DEFN_DESCR
MC_DEFN_HR
MC_DEFN_LANG
MC_DEFN_PC
MC_DEFN_PT
MC_DEFN_SQL
MC_DEFN_SQL_LN
MC_DEFN_STMNT
MC_GROUP_LN
MC_HIST_CRIT
MC_HIST_CRIT_VL
MC_HIST_DEFAULT
MC_HIST_STMNT
MC_RUN_CNTL
RUN_CNTL_HR

MC_EXEC_ONLINE_SW

Default Label OK To Execute Online
Length 1
Type Character
Format Uppercase

Record Reference(s) MC_OPRID

MC_FIELD_ACTION

Default Label Mass Change Field Action
Length 3
Type Character
Format Uppercase

Record Reference(s) MC_TYPE_FIELD



APD Append to end of default value
 CNT Count
 FLD Set to Field Value
 MAX Max Value
 SUM Sum Field
 VAL Set to Hard Coded Value

MC_FIELD_LABEL

Default Label Field Label
 Length 50
 Type Character
 Format Mixedcase

Record Reference(s) MC_DEFN_CRIT
 MC_DEFN_DEFAULT
 MC_HIST_CRIT
 MC_HIST_DEFAULT
 MC_TEM_CRITERIA
 MC_TEM_DEFAULTS

MC_FIELD_LENGTH

Default Label Field Length
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) MC_DEFN_CRIT
 MC_DEFN_DEFAULT

MC_FIELD_VALUE

Default Label Mass Change Field Value
 Length 250
 Type Character
 Format Mixedcase

Record Reference(s) MC_DEFN_CRIT_VL
 MC_DEFN_DEFAULT
 MC_HIST_CRIT_VL



MC_HIST_DEFAULT
MC_TYPE_FIELD

MC_FREE_FORM_SW

Default Label Free Form SQL
Length 1
Type Character
Format Uppercase

Record Reference(s) MC_TYPE_STMNT

MC_GROUP_ID

Default Label Mass Change Group ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) MC_GROUP
MC_GROUP_LN
MC_RUN_CNTL

MC_NULL_DT

Default Label Mass Change Null Date
Length 10
Type Date
Format Uppercase

Record Reference(s) MC_DEFN

MC_NULL_DTTM_STAMP

Default Label Mass Change Null Timestamp
Length 26
Type Datetime
Format Uppercase



Record Reference(s) MC_DEFN

MC_NULL_TIME

Default Label Mass Change Null Time
 Length 15
 Type Time
 Format Uppercase

Record Reference(s) MC_DEFN

MC_PUBLIC_USE

Default Label Public Use
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MC_TYPE

MC_RECORD_TYPE

Default Label SQL Action
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MC_TYPE_RECORD

- B Sub Select
- D Delete
- I Insert
- M Select Sum
- S Select
- T Select Distinct
- U Update



MC_SQR_DIR

Default Label MASSLAYO.SQC To Be Updated
 Length 80
 Type Character
 Format Mixedcase

Record Reference(s) MC_RUN_CNTL

MC_STATUS

Default Label Mass Change Status
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) JOBCOMP_TMP_MC
 JOB_TMP_MC
 MC_DEFN_HR

APR Approved Transaction
 CAN Cancel Transaction
 ERR Errored Transaction
 PND Pending Transaction
 SCS Successful Transaction

MC_STMNT_SEQ

Default Label Mass Change Statement Sequence
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) MC_DEFN_CRIT
 MC_DEFN_CRIT_VL
 MC_DEFN_DEFAULT
 MC_DEFN_SQL
 MC_DEFN_SQL_LN
 MC_DEFN_STMNT
 MC_HIST_CRIT



MC_HIST_CRIT_VL
 MC_HIST_DEFAULT
 MC_HIST_STMNT
 MC_TEM_CRITERIA
 MC_TEM_DEFAULTS
 MC_TEM_STMNT
 MC_TYPE_FIELD
 MC_TYPE_JOIN
 MC_TYPE_RECORD
 MC_TYPE_SQL
 MC_TYPE_STMNT
 MC_TYPE_WHERE

MC_TEMPLATE_ID

Default Label Mass Change Template ID
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) JOBCOMP_TMP_MC

JOB_TMP_MC
 MC_DEFN
 MC_OPR_SECURITY
 MC_TEMPLATE
 MC_TEM_CRITERIA
 MC_TEM_DEFAULTS

MC_TEM_DESCR
 MC_TEM_LANG
 MC_TEM_STMNT

MC_TYPE_ID

Default Label Mass Change Type ID
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) MC_DEFN

MC_TEMPLATE



MC_TYPE
MC_TYPE_DESCR
MC_TYPE_FIELD
MC_TYPE_JOIN
MC_TYPE_LANG
MC_TYPE_RECORD
MC_TYPE_SQL
MC_TYPE_STMNT
MC_TYPE_WHERE

MC_WHERE_STMNT

Default Label Mass Change Where Statement
Length 200
Type Character
Format Mixedcase

Record Reference(s) MC_TYPE_WHERE

MDFEXTRACT

Default Label Extract MDF directly
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMSFOPTIONS

MDFLOCATION

Default Label MDF Location
Length 254
Type Character
Format Uppercase

Record Reference(s) PSMSFOPTIONS

MDIB_VIOLATION



Default Label Violates 401(a)(9) MDIB Rules
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
 Y MDIB Adjustment Applied

MEAL_AGR_PCT_BRA

Default Label Meals Agreement Percentage
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

MEASURES_DIM_FLG

Default Label Cube Component Role
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ANL_MOD_DIM
 A Cube Attribute
 N Dimension
 Y Measure

MECHANIC_NAME

Default Label Vehicle Mechanic
 Length 50
 Type Character
 Format Mixedcase

Record Reference(s) VEH_EQUIPMT_LNG
 VEH_EQUIP_MAINT



MEDIA

Default Label Media
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

D Diskette
N None
T Tape

MEDIA_1042

Default Label Media for 1042
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_TAX1042

E Electronic File
P Paper

MEDIA_TYPE

Default Label Media Type
Length 1
Type Character
Format Uppercase

Record Reference(s) NON_COURSE_TBL

B Book
C Cassette
F Film
G Guest Speaker
O Professional Organization
P Panel Discussion
S Seminar



V Video
W Workshop

MEDIA_TYPE_BRA

Default Label Media Type
Length 2
Type Character
Format Uppercase

Record Reference(s) CAGED_RC_BRA

10 Diskette
20 Tape
30 Other

MEDICAL_CARRIER

Default Label Medical Carrier
Length 30
Type Character
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
CO_ESV_PER_TAO
CO_ESV_YTD_DET

MEDICAL_COVERAGE

Default Label Medical Coverage
Length 1
Type Character
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
CO_ESV_PER_TAO
CO_ESV_YTD_DET

MEDICAL_FAC_CD



Default Label Medical Facility
Length 4
Type Character
Format Uppercase

Record Reference(s) ILL_CARE_GER
INJURY_ILL_ADDR
INJ_ILL_AID_FRA
MEDICAL_FAC_LNG
MEDICAL_FAC_TBL

MEDICAL_FAC_NAME

Default Label Medical Facility Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) MEDICAL_FAC_LNG
MEDICAL_FAC_TBL
OHS501UK_TMP2
SHS_OTHER_TAO

MEDICAL_ORG_FRA_CD

Default Label Medical Organization Code
Length 3
Type Character
Format Uppercase

Record Reference(s) MEDICAL_FAC_TBL
MED_ORG_FRA_LNG
MED_ORG_FRA_TBL
SHS_OTHER_TAO

MEDICARE_A_IND

Default Label Medicare A Indicator
Length 1
Type Character



Format Uppercase
Record Reference(s) BN_DEPBEN_EFFDT
 BN_PERSON_EFFDT

MEDICARE_B_IND
Default Label Medicare B Indicator
Length 1
Type Character
Format Uppercase
Record Reference(s) BN_DEPBEN_EFFDT
 BN_PERSON_EFFDT

MEDICARE_ENTLD_DT
Default Label Date Entitled to Medicare
Length 10
Type Date
Format Uppercase
Record Reference(s) DEPENDENT_BENEF

MEDICARE_ITM_AUS
Default Label Medicare Item ID
Length 6
Type Character
Format Uppercase
Record Reference(s) MEDCARE_ITM_AUS

MEDICARE_ONLY
Default Label Medicare Only
Length 1
Type Character



Format Uppercase

Record Reference(s) W2_DATA
W2_DATA_PR
YE_DATA

MEDICATION_CODE

Default Label Medication Code
Length 4
Type Character
Format Uppercase

Record Reference(s) EE_MEDCATN_DTL
EE_MEDCATN_LANG
HS_MEDCATN_LANG
HS_MEDCATN_TBL

MED_CHKUP_REQ

Default Label Medical Checkup Required
Length 1
Type Character
Format Uppercase

Record Reference(s) JOBCODE_TBL

MED_PREM_PRETAX

Default Label Pre-Tax Medical Premium Value
Length 7
Type Number
Format Uppercase

Record Reference(s) HEALTH_BENEFIT
RETRODED_CALC



MED_REC_CD_MEX

Default Label Med Region Code
Length 3
Type Character
Format Uppercase

Record Reference(s) PERS_DATA_MEX
UPG_GPMX830_AET

MED_SCHED_FEE_AUS

Default Label Schedule Fee
Length 8
Type Number
Format Uppercase

Record Reference(s) MEDCARE_ITM_AUS

MEMBER_SOURCE

Default Label Rollup Type
Length 1
Type Character
Format Uppercase

Record Reference(s) DIM_ROLLUP

- B Tree + Queries
- Q Queries
- T Tree
- U Undefined

MEMBER_STATUS

Default Label Member Status
Length 4
Type Character
Format Uppercase

Record Reference(s) TL_MASS_TR



MEMO_AMT_GL

Default Label Memo Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

MEM_PUBLIC_SW_UK

Default Label Member Of Public
Length 1
Type Character
Format Uppercase

Record Reference(s) OHS501UK_TMP2

MENTOR_NAME

Default Label Mentor Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) CAREER_MENTOR
CAREER_MEN_TAO
CAREER_MNTR_LNG
CAR_MEN_LNG_TAO

MENTOR_TYPE

Default Label Mentor Type
Length 1
Type Character
Format Uppercase

Record Reference(s) CAREER_MENTOR
CAREER_MEN_TAO



UPG_HR75_AET

- 1 Mentor
- 2 Coach
- 3 Endorser
- 4 Reviewer/Rater
- 5 Supervisor
- 6 Functional Specialist
- 7 Teacher
- 8 Other

MENUACTION

Default Label Menu Action
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PRCSDDEFNXFER

- 0 Add
- 1 Update
- 2 Update All
- 3 Correction

MENUGROUP

Default Label Menu Group
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSMENUDEFN
 PSMENUDEFNLANG

MENULABEL

Default Label Menu Label
 Length 30
 Type Character
 Format Mixedcase



Record Reference(s) PSMENUDEFN
PSMENUDEFNLANG

MENUNAME

Default Label Menu Name
Length 30

Type Character
Format Uppercase

Record Reference(s) CO_DFLTRTN_TBL

- DL_LINK_TBL
- EOCM_START_PAGE
- EO_CHUNKRULE
- EO_EIP_CTL_SET
- EO_MSGDEFN_CUR
- PRCSDEFNURL
- PRCSDEFNXFER
- PRCSRQSTURL
- PSAUTHITEM
- PSBCDEFN
- PSMENUDEFN
- PSMENUDEFNLANG
- PSMENUDEL
- PSMENUITEM
- PSMENUITEMLANG
- PSMSGAGTDEFN
- PSMSGDEFN
- PSPERMLISTOTHER
- PSROLEOTHER
- PSSTEPDEFN
- PSUSEROBJDEFN
- PSUSEROBJTYPE
- PSUSEROTHER
- PSUSERSELFOTHER
- PSXFERITEM
- PTLT_ASSGN_TASK
- PTLT_NAV_STG1
- PTLT_NAV_STG2
- PTLT_PROJ_TASK
- PTLT_PROJ_UPG



PTLT_SEQ_STG
PTLT_TASK_LOAD
PTLT_TASK_STG
PTLT_TLOAD_LANG
SS_BP_COMPS
SS_LINK_TBL
TL_APP_ITEM
WL_TEMPL_URLVAR
Z_SS_LAUNCH_TBL

MENUORDER

Default Label	Menu Order
Length	5
Type	Number
Format	7

Record Reference(s) PSMENUDEFN

MENUSEP

Default Label	Menu Separator
Length	5
Type	Number
Format	7

Record Reference(s) PSMENUDEFN

MENUTYPE

Default Label	Menu Type
Length	1
Type	Number
Format	Uppercase

Record Reference(s) PSMENUDEFN



MERCHANDISE_AMT

Default Label Merchandise Amt
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) CCUTSTSCH_TEO1

CCUTSTSCH_TEO2
CCUTSTSCH_TEO3
CCUTSTVCH_TEO1
CCUTSTVCH_TEO2
CCUTSTVCH_TEO3
CCU_TST_SCH_TBL
CCU_TST_VCH_TBL
DISTRIB_LINE
DISTRIB_LN_STG
VOUCHER
VOUCHER_LINE
VOUCHER_LN_STG
VOUCHER_STG

MERCHANTCAT

Default Label Merchant Category
Length 10
Type Character
Format Uppercase

Record Reference(s) PSMERCHANTCAT

PSMERCHNTCATLNG
PSMRCHANTCATTBL
PSMRCHNTCTTBLNG

MERCHANTID

Default Label Merchant ID
Length 30
Type Character
Format Uppercase

Record Reference(s) BN_M_EBX_ST_AET



BN_M_FTTPRM_TBL
BN_M_SCHED_TBL
CO_DEDEXTRT_AET

CO_DED_DATA_ID
CO_DED_DCODE
CO_DED_DTLM
CO_DED_DTLM_PUB
CO_DED_DTLM_SUB
CO_DED_DTL_PUB
CO_DED_EE_TBL
CO_DED_EMP3_TAO
CO_DED_EMP4_TAO
CO_DED_EXTR_TBL
CO_DED_FTPH_TAO
CO_DED_HDRM
CO_DED_HDRM_PUB
CO_DED_HDRM_SUB
CO_DED_INBND
CO_DED_INVLDTXN
CO_DED_MER_TAO
CO_DED_MSG_AET
CO_DED_OUTH_TAO
CO_DED_OUT_PARM
CO_DED_RFTP_AET
CO_DED_SETUP
CO_DED_SITEID
CO_DED_SITE_TAO
CO_DED_SUPP_FLE
CO_DED_SUPP_TBL
CO_DED_VLDTXN
CO_DED_VLDT_AET
CO_DFLTRTN_TBL
CO_DISPRK_LINKS
CO_DPKELGRUNCTL
CO_DPK_ADDR_TAO
CO_DPK_CAT_CAT
CO_DPK_CAT_TBL
CO_DPK_CAT_TBLL
CO_DPK_ELIG_AET
CO_DPK_ELIG_HDR
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD



CO_DPK_ELIG_TRN
CO_DPK_EMP_TAO
CO_DPK_JOB_TAO
CO_DPK_PERS_TAO
CO_DPK_POP_TAO
CO_DPK_SUPP_ST
CO_DPK_SUPP_TBL
CO_ESV_ADDR_TAO
CO_ESV_EARN_MAP
CO_ESV_ERN_TAO
CO_ESV_FREQ_MAP
CO_ESV_FTP_HIST
CO_ESV_INIT_DET
CO_ESV_JOBA_TAO
CO_ESV_JOB_TAO
CO_ESV_PAD_TAO
CO_ESV_PAYA_TAO
CO_ESV_PAY_TAO
CO_ESV_PER_TAO
CO_ESV_REQUEST
CO_ESV_STAT_MAP
CO_ESV_STG1_TAO

CO_ESV_STG2_TAO
CO_ESV_SUPP_TBL
CO_ESV_TOT_TAO
CO_ESV_YTD_DET
CO_FLD_VAL_TAO
CO_PAGE_LINKS
ER_APP_PREEMPLD
ER_APP_PREEMPLH
ER_MERCH_ACCNT
MERCHANT_ACCT
MERCHANT_ACCT_DTL
MERCHANT_ACCT_LANG
MERCHANT_ACCT_TYPE
MERCHANT_USER_OVRD
PSMERCHANTAPP
PSMERCHANTCAT
PSMERCHANTID
PSMERCHANTIDLNG
PSMERCHBI
PSMERCHBIPARMS



PSMERCHANTCATLNG
 REQ_JOBOARD_LOG
 RUN_CNTL_COESV1
 RUN_CNTL_DEDFTP
 RUN_CNTL_DEDXML
 SI_SUP_INFO

MERCHANT_ACCT_KEY

Default Label Merchant Account Key Value
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) MERCH_ACCT_DTL

MERCHANT_ACCT_NAME

Default Label Account Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) MERCHANT_ACCT
 MERCH_ACCT_DTL
 MERCH_ACCT_LANG
 MERCH_USER_OVRD

MERCHANT_ACCT_TYPE

Default Label Account Set-Up Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MERCH_ACCT_TYPE

- A All
- B Business Unit



C Company
 R Regulatory Region
 U User

MERCHINSTALLED

Default Label Merchant Enabled
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMERCHANTID

MERCHWSITEURL

Default Label Merchant Website URL
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSMERCHANTCAT
 PSMERCHANTID

MERCH_AMT_BSE

Default Label Base Merchandise Amount
 Length 28
 Type Signed Number
 Format Uppercase

Record Reference(s) CCUTSTLN_TEO1
 CCUTSTLN_TEO2
 CCUTSTLN_TEO3
 CCUTSTSCH_TEO1
 CCUTSTSCH_TEO2
 CCUTSTSCH_TEO3
 CCUTSTVCH_TEO1
 CCUTSTVCH_TEO2
 CCUTSTVCH_TEO3
 CCU_TST_LN_TBL
 CCU_TST_SCH_TBL



CCU_TST_VCH_TBL
 DISTRIB_LINE
 DISTRIB_LN_STG
 VOUCHER
 VOUCHER_LINE
 VOUCHER_LN_STG
 VOUCHER_STG

MERCH_AMT_GL

Default Label Amount in GL Bus Unit Currency
 Length 28
 Type Signed Number
 Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG

MERCH_CHAR3

Default Label Merchant Value
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET
 CO_DED_MSG_AET
 CO_DED_RFTP_AET
 CO_DED_VLDT_AET

MERIT_GROUP

Default Label Merit Lookup Group
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) MERIT_GROUP_TBL



MCFAGNTMSG
MCFAGNTMSG_LANG
MCFSYSMSG
MCFSYSMSG_LANG

MESSAGE_ID

Default Label Message ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) GEN_MSG_DEFN
GEN_MSG_USER

MESSAGE_ID_BC_CAN

Default Label Message ID
Length 9
Type Character
Format Numbers Only

Record Reference(s) WCB_MSGHD_WD

MESSAGE_NBR

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET
APPR_RULE_DETL
APPR_VA2_WRK
ECBUSDOCERR
ECQUEUEAPPERROR
ECQUEUEAPPERRWL
EOCM_DS_ERROR
EOCM_GEN_AET
EOCM_GEN_TBL



EOCM_LEGEND
EOCM_NEWGEN_TBL
EOCM_START_PAGE
EOEW_ETL_MSGLOG
EOEW_MAP_FLD
EOEW_TRN_DFN
EO_EIP_ERR_TMP
ER_REQ_TMPL_PGS
ER_RES_TMPL_PGS
GPDE_DV_DSME
GPDE_DV_DSME_B
GPDE_DV_DSM_TAO

GPDE_DV_ERR_CD
GPDE_MT_MESSAGE
GPFR_DA_DAT_LOG
GPGB_EE_EXCEP
GPXMESSAGES
GP_MESSAGES
GVT_MASSORG_EX
HP_RDIST_MSGTBL
MESSAGE_LOG
PRCSDEFNMESSAGE
PRCSJOBMESSAGE
PSAESTEPDEFN
PSAPMSGPUBCERR
PSAPMSGPUBERR
PSAPMSGSUBCERR
PSBATCHRPT_SEQ
PSBATCHRPT_TBL
PSIBLOGERR
PSMSGCATDEFN
PSMSGCATLANG
PSPROJECTMSG
PSUSEROPTNDEFN
PYRE_INVALID
REQUIS_SECTIONS
RESUME_SECTIONS
RPT_RQST_TXT
SCHDLMESSAGE
SERVERMESSAGE
SS_BIND_GRP
SS_EMAIL_TEXT



SS_PAGE_TEXT
ST_GRNT_MESSAGE
ST_ISSU_MESSAGE
ST_REPRC_PR_MSG
TL_ELP_MSG_ERR
TL_EXCEPT_DEFN
TL_PCH_MSG_ERR
TREE_MAINT_AET
TS_RESULT_MSG
UPG_BN_AET
UPG_EP_AET
WF_MON_SETUP

MESSAGE_NBR01

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_NBR02

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_NBR03

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL



MESSAGE_NBR04

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_NBR05

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_NBR06

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_NBR07

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL



MESSAGE_NBR08

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_NBR09

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_NBR10

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSBATCHRPT_TBL

MESSAGE_PAGE_TITLE

Default Label Page Title Message
Length 5
Type Number
Format Uppercase

Record Reference(s) SS_LINK_TBL

MESSAGE_PARM

Default Label Message Parameter Text



Length 254
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_ERR_TMP
MESSAGE_LOGPARM
PSAPMSGPUBCERRP
PSAPMSGPUBERRP
PSAPMSGSUBCERRP
PSIBLOGERRP

MESSAGE_PARM1

Default Label Message Parameter 1
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPROJECTMSG

MESSAGE_PARM2

Default Label Message Parameter 2
Length 30
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_ERR_TMP
PSPROJECTMSG

MESSAGE_PARM3

Default Label Message Parameter 3
Length 30
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_ERR_TMP
PSPROJECTMSG



MESSAGE_PARM4

Default Label Message Parameter 4
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPROJECTMSG

MESSAGE_PARM5

Default Label Message Parameter 5
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPROJECTMSG

MESSAGE_PG_INST

Default Label Page Instructions Explanation
Length 5
Type Number
Format Uppercase

Record Reference(s) SS_LINK_TBL

MESSAGE_SENT_DT_C

Default Label Message Sent Dt C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_MSGHD_EC
WCB_MSGHD_WD



EOEW_ETL_MSGLOG
EOEW_OPTIONS
EOEW_TRN_DFN
EO_EIP_ERR_TMP
ER_REQ_TMPL_PGS
ER_RES_TMPL_PGS
GPDE_DV_DSME
GPDE_DV_DSME_B
GPDE_DV_DSM_TAO
GPDE_DV_ERR_CD
GPDE_MT_MESSAGE
GPFR_DA_DAT_LOG
GPGB_EE_EXCEP
GPXMESSAGES
GP_MESSAGES
MESSAGE_LOG
MESSAGE_SET_CPY
PRCSDEFNMESSAGE
PRCSJOBMESSAGE
PSAEAPPLDEFN
PSAESTEPDEFN

PSAPMSGPUBCERR
PSAPMSGPUBERR
PSAPMSGSUBCERR
PSBATCHRPT_SEQ
PSBATCHRPT_TBL
PSIBLOGERR
PSMSGCATDEFN
PSMSGCATLANG
PSMSGSETDEFN
PSMSGSETLANG
PSPROJECTMSG
PSUSEROPTNDEFN
PYRE_INVALID
REQUIS_SECTIONS
RESUME_SECTIONS
RPT_RQST_TXT
SCHDLMESSAGE
SERVERMESSAGE
SS_BIND_GRP
SS_EMAIL_TEXT
SS_PAGE_TEXT



ST_GRNT_MESSAGE
 ST_ISSU_MESSAGE
 ST_REPRC_PR_MSG
 TL_ELP_MSG_ERR
 TL_EXCEPT_DEFN
 TL_PCH_MSG_ERR
 TREE_MAINT_AET
 TS_RESULT_MSG
 UPG_BN_AET
 UPG_EP_AET
 WF_MON_SETUP

MESSAGE_SEVERITY

Default Label Message Severity
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) MESSAGE_LOG

MESSAGE_TEXT

Default Label Message Text
 Length 100
 Type Character
 Format Mixedcase

Record Reference(s) AE_FGPY005_AET

AMTER_JPN_TMP
 EOEW_ETL_MSGLOG
 EO_EIP_ERR_TMP
 GM_RC_TE
 GVT_MASSORG_EX
 HR_CMP052JP_AET
 PSMSCATDEFN
 PSMSCATLANG
 PYRE_INVALID

 RC_PAYINIT
 SALER_JPN_TMP



SIMER_JPN_TMP
STPER_JPN_TMP
ST_ACTN_PRC_AET
ST_ACTN_PRC_MSG
UPG_BN_AET

MESSAGE_TEXT2

Default Label Message Text
Length 100
Type Character
Format Mixedcase

Record Reference(s) LOCATION_TBL

MESSAGE_TEXT40

Default Label Message Text
Length 40
Type Character
Format Mixedcase

Record Reference(s) ST_ACTN_PRC_AET
ST_ACTN_PRC_MSG

MESSAGE_WRITTEN

Default Label Message Written
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET

METAPARM

Default Label Meta Parameter
Length 30
Type Character



Format Uppercase

Record Reference(s) EOEC_MP_METAPAR
PRCSDEFNMETA
PRCSTYPEMETA
PSPRCSRQSTMETA

METAVALUE

Default Label Meta Parm Value
Length 254
Type Character
Format Uppercase

Record Reference(s) PRCSDDEFNMETA

PRCSTYPEMETA
PSPRCSRQSTMETA

META_SQL

Default Label MetaSQL
Length 30
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL
TL_METASQL_LANG
TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE

META_SQL_PARM1

Default Label MetaSQL Parameter 1
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL



TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE

META_SQL_PARM2

Default Label MetaSQL Parameter 2
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL
TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE

META_SQL_PARM3

Default Label MetaSQL Parameter 3
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL
TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE

META_SQL_PARM4

Default Label MetaSQL Parameter 4
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL
TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE



META_SQL_PARM5

Default Label MetaSQL Parameter 5
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL
TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE

META_SQL_PARM6

Default Label MetaSQL Parameter 6
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL
TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE

META_SQL_PARM7

Default Label MetaSQL Parameter 7
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_ACTION_DTL
TL_METASQL_TBL
TL_SQL_INSERT
TL_SQL_UPDATE

META_SQL_TYPE



Default Label Meta SQL Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_METASQL_TBL

0	Function
1	Input
2	Output

METHOD_NAME

Default Label Table ID or Custom Statement
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_AGE_ADJ

METRIC

Default Label
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) PSPING_CHART

MET_FINAL_QUALS

Default Label Met Final Qualifications
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_BAS_ELIG_AET
 GVT_APPL_CONSID
 POSN_APPLD_TAO
 POSN_APPLIEDFOR



R_GVT_BAS_ELIG4
 R_GVT_PRIPL_AG3
 R_GVT_PRIPL_AG4
 R_GVT_PRIPL_AG5

MET_PRE_QUALS

Default Label Met Preliminary Qualifications
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_BAS_ELIG_AET
 GVT_APPL_CONSID
 POSN_APPLD_TAO
 POSN_APPLIEDFOR
 R_GVT_BAS_ELIG4
 R_GVT_PRIPL_AG3
 R_GVT_PRIPL_AG4
 R_GVT_PRIPL_AG5

MEX

Default Label MEX - Mexico
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION

ME_941_C1

Default Label Maine 941/C1 Report Forms
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_TAX002ME



C Report Form 941/C1-ME LOOSE
 P Report Form 941ME

MGMT_LOCATION_NAME

Default Label Location
 Length 40
 Type Character
 Format Mixedcase

Record Reference(s) CAR_DATA
 CAR_DATA_LNG
 CAR_MAINT
 CAR_MAINT_LNG
 CAR_MGLOC_LNG
 CAR_MG_LOC_TBL

MGMT_LOCATION_TYPE

Default Label Location Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) CAR_MG_LOC_TBL

GRG Garage
 INT Internal Management Center
 LEA Lease Agency

MGR_APPR_REQ_IND

Default Label Manager Approval Required
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_TAKE

MHABCD_DD



Default Label LOOKUP VALUE
Length 6
Type Number
Format Uppercase

Record Reference(s) PA_TL_EARLY_TBL

MIDDLE_INIT

Default Label Middle Initial
Length 1
Type Character
Format Uppercase

Record Reference(s) CO_DED_DTLM

CO_DED_DTLM_PUB
CO_DED_DTLM_SUB
CO_DED_DTL_PUB
CO_DED_EE_TBL
CO_DED_FTPD_TAO
CO_DED_INVLDTXN
CO_DED_OUTD_TAO
CO_DED_VLDTXN

MIDDLE_INITIAL

Default Label Middle Initial
Length 1
Type Character
Format Uppercase

Record Reference(s) CO_DPK_ELIG_DET

CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_PERS_TAO

MIDDLE_NAME



Default Label	Middle Name
Length	30
Type	Character
Format	Mixedcase
Legacy field name	NAME-EMPLOYEE-MIDDLE
Legacy system name	PINE

Record Reference(s) BN_834_MEMBER

- BN_SNAP_PER
- CO_ESV_INIT_DET
- CO_ESV_PER_TAO
- CO_ESV_YTD_DET
- DUPLICATE_SET
- EMERGENCY_CNTCT
- GA_PRV_OUTDOC
- GPAU_ETP_EL_TAO
- GPAU_PSM_EL_TAO
- GPAU_TFN_EL_TAO
- GPGB_PPIN_AET
- GPHK_IR56_AET
- HRAU_PSMPC1_TAO
- HRAU_PSMPC_TAO
- HR_NAME_DAT
- R_TAX002MI
- R_TAX002MN

- R_TAX002NY
- R_TAX810MI
- ST_ISSUUPD_AET
- UPG_HR75_AET
- UPG_NAME_TMP
- WCB_INWO_EC
- Z_HCUP_AUDIT
- Z_HR_PIVOT_REF
- Z_MIIS_EMPOW_IN
- Z_NEDC_TBL
- Z_NEDC_USER_TMP
- Z_PRES_DOC_170C
- Z_PRES_DOC_180
- Z_PRES_DOC_180D



MIDDLE_NAME_EXISTS

Default Label Middle Name
Length 1
Type Character
Format Mixedcase

Record Reference(s) DUP_APPSRCH_AET
RUN_DUPAPP_SRCH

MID_RT_ANNUAL

Default Label Midpoint Pay Rate-Annual
Length 19
Type Number
Format Uppercase

Record Reference(s) SAL_GRADE_PUB
SAL_GRADE_TBL
Z_SAL_GRADE_TBL

MID_RT_DAILY

Default Label Midpoint Pay rate-Daily
Length 19
Type Number
Format Uppercase

Record Reference(s) SAL_GRADE_PUB
SAL_GRADE_TBL
Z_SAL_GRADE_TBL

MID_RT_HOURLY

Default Label Midpoint Pay Rate-Hourly
Length 19
Type Number
Format Uppercase

Record Reference(s) SAL_GRADE_PUB
SAL_GRADE_TBL



Type Character
 Format Uppercase

Record Reference(s) CAR_MILEAGE_UK

A Actual
 E Expected

MILITARY_STATUS

Default Label Military Status
 Length 1
 Type Character
 Format Uppercase

Legacy field name VETERAN-STATUS
 Legacy system name PINE

Record Reference(s) GVT_CPDF_DYN

GVT_CPDF_STATUS
 Z_HCUP_AUDIT

Z_HR_PIVOT_REF
 Z_MIIS_EMPOW_IN

1 Not indicated
 B Pre-Vietnam-Era Veteran
 N Not a Vietnam-Era Veteran
 N Not a Vietnam-Era Veteran
 P Post-Vietnam-Era Veteran
 V Vietnam-Era Veteran
 X Not a Veteran

MILITAR_CAT_BRA

Default Label Military Category
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PERSON_BRA

01 First
 02 Second



03 Third
04 Dispense
05 Other

MILITAR_REGION_BRA

Default Label Military Region
Length 1
Type Character
Format Uppercase

Record Reference(s) PERSON_BRA

MILITAR_SERIES_BRA

Default Label Military Series
Length 1
Type Character
Format Uppercase

Record Reference(s) PERSON_BRA

MILITAR_STATE_BRA

Default Label Military State
Length 6
Type Character
Format Uppercase

Record Reference(s) PERSON_BRA

MILIT_ASGN_FRA

Default Label Type of Appointment (Reserve)
Length 1
Type Character
Format Uppercase

Record Reference(s) MILIT_SITN_FRA



I Individual Appointment
M Military Appointment
N None

MILIT_FUNCTION_FRA

Default Label Position in the Reserve
Length 40
Type Character
Format Mixedcase

Record Reference(s) MILIT_SITN_FRA

MILIT_NBR_FRA

Default Label Military Number
Length 10
Type Character
Format Uppercase

Record Reference(s) MILIT_SITN_FRA

MILIT_NOTIF_DT_FRA

Default Label Date of Military Notification
Length 10
Type Date
Format Uppercase

Record Reference(s) MILIT_SITN_FRA

MILIT_RANK_FRA

Default Label Rank
Length 3
Type Character
Format Uppercase

Record Reference(s) MILIT_SITN_FRA



ADJ	Warrant Officer
COL	Colonel
SRG	Sergent

MILIT_SECT_FRA

Default Label	Arm
Length	3
Type	Character
Format	Uppercase

Record Reference(s) MILIT_SITN_FRA

AIR	The Air Force
MAR	The Navy
TER	The Army

MILIT_SECT_RES_FRA

Default Label	Arm in the Reserve
Length	3
Type	Character
Format	Uppercase

Record Reference(s) MILIT_SITN_FRA

AIR	The Air Force
MAR	The Navy
TER	The Army

MILIT_SITUATN_FRA

Default Label	Military Status
Length	3
Type	Character
Format	Uppercase

Record Reference(s) MILIT_SITN_FRA

APA	No Country Person
BEN	Asile Right



DEG	Military Service Done
ETR	Alien
REF	Reformed (don't do milit serv)
SER	Military Service to Come
SUR	Military Service Delayed

MIL_CERT_TYPE_BRA

Default Label	Military Certificate Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) PERSON_BRA

01	Marine
02	Army
03	Aeronautic
04	Other

MIL_DISCHRG_DT_USA

Default Label	Military Discharge Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) PERS_MILIT_USA

MIMEDATALONG

Default Label	MIME Data Long
Length	0
Type	Image
Format	Uppercase

Record Reference(s) PSAPMSGARCHPD
PSAPMSGARCHPT
PSAPMSGARCHST
PSAPMSGPCONDATA
PSAPMSGPUBDATA



PSAPMSGSCONDATA
 PSMSFPUBDATA

MIME_INC_LIST

Default Label Mime/Types Allowed
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSSGWIDX

MIME_INC_TYPE

Default Label Include or Exclude these Types
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PSSGWIDX

ALL Index all Mime-types
 EXC Exclude these Mime-types
 INC Index only these Mime-types

MINDISKAVL

Default Label Minimum Required Disk Space
 Length 20
 Type Number
 Format Uppercase

Record Reference(s) PSMSFOPTIONS

MINERS_LIC_CD

Default Label Miners Licence Code
 Length 4
 Type Character
 Format Uppercase



Record Reference(s) WCB_RPT_TBL

MINIMUM

Default Label Minimum Amount
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_CONS_EARN
PA_CONS_HRS

MINIMUM_ACCRUAL

Default Label Minimum Hours for Accrual
Length 4
Type Number
Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

MINIMUM_ALIAS

Default Label Minimum Amount
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARN
PA_CONS_HRS

MINIMUM_ALIAST

Default Label Alias Type
Length 2
Type Character
Format Uppercase



Record Reference(s) PA_CONS_EARN
PA_CONS_HRS

MINIMUM_AMOUNT_FRA

Default Label Minimum Salary Guaranteed
Length 8
Type Number
Format Uppercase

Record Reference(s) EXT_PARM_FRA

MINIMUM_FLAG

Default Label Subject to Minimum
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

MINIMUM_SVC_UNIT

Default Label Minimum Hours for One
Length 5
Type Number
Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

MINIMUM_TAX

Default Label Minimum Tax
Length 7
Type Number
Format Uppercase



Record Reference(s) LOCAL_TAX_TBL
 UPG_CONV_LCLTX
 UPG_LCLTX2

MINIMUM_TYPE

Default Label Type of Minimum Field
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CONS_EARN
 PA_CONS_HRS

A Alias Name
 N Numeric Constant

MINIMUM_WAGE

Default Label State Statutory Minimum Hourly
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) STATE_TAX_TBL

MINMEM

Default Label Min. Memory Required
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSSERVERSTAT
 SERVERDEFN

MINORITY

Default Label Minority
 Length 1



Type Character
Format Uppercase

Record Reference(s) CAN_OEE_SURVEY

MINORITY_GOAL

Default Label Minority Goal
Length 6
Type Number
Format Uppercase

Record Reference(s) AAP_YEAR_JOBGRP

MINORITY_OWNED

Default Label Minority Owned
Length 1
Type Character
Format Uppercase

Record Reference(s) TRN_VENDOR_TBL

MINPSWDLENGTH

Default Label Password Length
Length 3
Type Number
Format Uppercase

Record Reference(s) PSSECOPTIONS

MINUTES

Default Label Minutes
Length 5
Type Number
Format Uppercase



Record Reference(s) TL_ATTEND_AET

MINUTES_BREAK

Default Label Break Duration (Minutes)
Length 3
Type Number
Format Uppercase

Record Reference(s) TL_ATTEND_PGM

MINUTES_MEAL

Default Label Meal Duration (Minutes)
Length 3
Type Number
Format Uppercase

Record Reference(s) TL_ATTEND_PGM

MINUTES_MULTIPLIER

Default Label Minutes Multiplier
Length 16
Type Number
Format Uppercase

Record Reference(s) WF_RPT_DTTM_CVT

MIN_ACCRUAL_TYPE

Default Label Minimum Hours Accrual Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV



MIN_AMT

Default Label Minimum Amount
Length 14
Type Signed Number
Format Uppercase

Record Reference(s) RUN_CNTL_EG
UPG_TL_AET
Z_B_UNION_TBL
Z_Z_B_UNION_TBL

MIN_ANNUAL_CONTRIB

Default Label Minimum Annual Contribution
Length 7
Type Number
Format Uppercase

Record Reference(s) BEN_DEFN_PLAN

MIN_BENEFIC_ALLOC

Default Label Minimum Spousal Allocation Pct
Length 6
Type Number
Format Uppercase

Record Reference(s) BENEF_PLAN_TBL

MIN_BEN_IND

Default Label Minimum Benefit Process
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_RUN_CNTL



MIN_CEIL_ESP

Default Label Lower Ceiling
Length 9
Type Number
Format Uppercase

Record Reference(s) SOC_SEC_RGM_TBL

MIN_DATE

Default Label Minimum Date
Length 10
Type Date
Format Uppercase

Record Reference(s) TL_ST_MINMAXDTS

MIN_DFT_AMT

Default Label Minimum Draft Amount
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) VENDOR_PAY
VENDOR_PAY_TMP

MIN_DFT_AMT_OPT

Default Label Minimum Draft Amount Option
Length 1
Type Character
Format Uppercase

Record Reference(s) VENDOR_PAY
VENDOR_PAY_TMP



A Alternative Payment Method
N Do not issue draft

MIN_EMPLOYEE_COUNT

Default Label Minimum Employee Count
Length 5
Type Number
Format Uppercase

Record Reference(s) NDT_RUNCTL
R_FINAL_RESULTS

MIN_EMPL_RCD

Default Label Minimum Employee Record Number
Length 3
Type Number
Format Uppercase

Record Reference(s) UPG_PA_AET

MIN_FTE

Default Label Minimum FTE
Length 8
Type Number
Format Uppercase

Record Reference(s) BAS_ELIG_RULES

MIN_HIRE_AMT

Default Label Min Contract Hire Price

Length 19
Type Number
Format Uppercase



Record Reference(s) CAR_PLAN_TBL

MIN_HOURS_REQD

Default Label Minimum Earned Hours Required
Length 4
Type Number
Format Uppercase

Record Reference(s) FMLA_PLAN_TBL

MIN_HRLY_RT_ESP

Default Label Minimum Hourly Rate
Length 9
Type Number
Format Uppercase

Record Reference(s) SOC_SEC_RGM_TBL

MIN_HRS

Default Label Minimum Hours
Length 10
Type Signed Number
Format Uppercase

Record Reference(s) UPG_TL_AET

MIN_IND

Default Label Minimum Period Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RSLT_ABS



MIN_LEASE_AMT

Default Label Min Lease Price
Length 19
Type Number
Format Uppercase

Record Reference(s) CAR_PLAN_TBL

MIN_LIST_AMT

Default Label Min List Price
Length 19

Type Number
Format Uppercase

Record Reference(s) CAR_PLAN_TBL

MIN_MAX_HOURS

Default Label Min/Max Hours
Length 4
Type Number
Format Uppercase

Record Reference(s) PA_DFN_SVC_STAT

MIN_MAX_HRS_ADJ

Default Label Min/Max Hours Adjust?
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_SVC_STAT

MIN_MAX_INDICATOR



Default Label Min/Max Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DFN_SVC_STAT
 PA_DFN_SVC_STAT

M Minimum
 N No Limit
 X Maximum

MIN_MAX_SERVICE

Default Label Minimum or Maximum Svc Amount
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) EG_DFN_SVC_STAT
 PA_DFN_SVC_STAT

MIN_NUM_OF_DEPS

Default Label Min No of Dependents Allowed
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) COVRG_CD_TBL

MIN_OT_HRS

Default Label Minimum Overtime Hours
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) RC_PAY



MIN_PRD

Default Label Minimum Period
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

MIN_PRD_IND

Default Label Minimum Absence
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_ABS_TAKE

MIN_PRD_VAL

Default Label Minimum Period Value
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

MIN_QTY

Default Label Minimum Quantity
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) TL_TRC_TBL

MIN_QUALIFCATN_PCT



Default Label Minimum Qualification %
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) JOB_RQMT_TBL

MIN_RATE

Default Label Minimum Acceptable Pay Rate
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) APPLICANT_DATA

MIN_RT_ANNUAL

Default Label Minimum Pay Rate-Annual
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) AE_FGPY005P_AET
 AE_FGPY005_AET
 SAL_GRADE_PUB
 SAL_GRADE_TBL
 Z_SAL_GRADE_TBL

MIN_RT_DAILY

Default Label Minimum Pay rate-Daily
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) SAL_GRADE_PUB
 SAL_GRADE_TBL
 Z_SAL_GRADE_TBL



MIN_RT_HOURLY

Default Label Minimum Pay Rate-Hourly
Length 19
Type Number
Format Uppercase

Record Reference(s) SAL_GRADE_PUB
SAL_GRADE_TBL
Z_SAL_GRADE_TBL

MIN_RT_MONTHLY

Default Label Minimum Pay Rate-Monthly
Length 19
Type Number
Format Uppercase

Record Reference(s) SAL_GRADE_PUB
SAL_GRADE_TBL
Z_SAL_GRADE_TBL

MIN_SEN_MONTHS

Default Label Minimum Seniority Months
Length 2
Type Number
Format Uppercase

Record Reference(s) HR_SEN_PAY1_TAO
HR_SEN_PAY2_TAO
SEN_PAY_COMPRT

MIN_SEN_YEARS

Default Label Minimum Seniority Years
Length 3



Type Number
 Format Uppercase

Record Reference(s) BAS_ELIG_RULES

BUS_UNIT_OPT_HR
 INSTALLATION
 OPR_DEF_HR_TAO
 OPR_DEF_TBL_HR

MIN_STUDENTS

Default Label Minimum Nbr of Students
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) COURSE_TBL

CRSE_SESSN_TBL
 TRN_SUBCAT_TBL

MIN_SVC_UNIT_TYPE

Default Label Minimum Hours for Svc Unit
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

N Numeric Constant
 V Variable by Employee

MIN_SVC_UN_ALS_NM

Default Label Min Svc Unit alias name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV



MIN_SVC_UN_ALS_TYP

Default Label Min svc unit alias type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_SVC_CNV

MIN_SVC_WKS_REQD

Default Label Minimum Service Weeks Required
Length 2
Type Number
Format Uppercase

Record Reference(s) FMLA_PLAN_TBL

MIN_TIMES_FACTOR

Default Label Minimum Times Factor
Length 4
Type Number
Format Uppercase

Record Reference(s) NDT_HCE_TBL

MIN_TIPS_PCT

Default Label Minimum Tips Percent
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_TBL
TIPS_ESTAB_TBL



MIN_VEST

Default Label Minimum Vesting Percentage
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_VEST

MIN_VEST_ALIAS

Default Label Minimum Vesting Percentage
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_VEST

MIN_VEST_TYPE

Default Label Minimum Vesting Percentage
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_VEST

A Alias Name
N Numeric Constant

MIN_WRK_GRP_AMNT

Default Label Minimum Amount
Length 9
Type Number
Format Uppercase

Record Reference(s) RGM_BSE_ESP_TBL



MISC_AMT

Default Label Misc. Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
VOUCHER
VOUCHER_STG

MISC_AMT_BSE

Default Label Base Misc. Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
VOUCHER
VOUCHER_STG

MISC_AMT_GL

Default Label Misc.. Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

MISC_AMT_NP

Default Label Misc. Amount
Length 28
Type Signed Number



MJ_ELIG_CHG

Default Label MultiJob Indicator Changed
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC
RUN_CNTL_BEN

MJ_ELIG_CHG_DT

Default Label MultiJob Effective Date
Length 10
Type Date
Format Uppercase

Record Reference(s) BAS_PARTIC

MMREF_WRITTEN

Default Label MMREF record written
Length 1
Type Character
Format Uppercase

Record Reference(s) YE_W2C_DATA

MM_COVERAGE

Default Label Months of Coverage
Length 2

Type Number
Format Uppercase

Record Reference(s) CBR_EVENT_RULES



MOBILEDEVICEID

Default Label Mobile Device ID
Length 2
Type Number
Format Uppercase

Record Reference(s) PSMPCONTDEV
 PSMPCONTDEVLANG
 PSMPDEFNDEV
 PSMPDEFNDEVLANG

MOBILEPAGENAME

Default Label Mobile Page Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSAUTHMP
 PSMPCONTDEV
 PSMPCONTDEVLANG
 PSMPDEFN
 PSMPDEFNDEL
 PSMPDEFNDEV
 PSMPDEFNDEVLANG
 PSMPDEFNLANG

MOC_ID

Default Label Mass Organization Change ID
Length 5
Type Character
Format Uppercase

Record Reference(s) GVT_MASSCHG_AET
 GVT_MOC_DATA
 GVT_MOC_DTA_LNG
 GVT_RUN_CNTL
 MOC_DEPT



MOC_LOG
MOC_POS
RUN_CNTL_MOC

MODC1_CODE_ITA

Default Label C1 Model Code
Length 20
Type Character
Format Uppercase

Record Reference(s) EMPL_DOC_ITA

MODC1_REL_DATE_ITA

Default Label C1 Model Release Date
Length 10
Type Date
Format Uppercase

Record Reference(s) EMPL_DOC_ITA

MODELID

Default Label Analytical Model ID
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTMDLSLVR
PSOPTPTMODEL
PSOPTSOLVERPARA

MODELTYPE

Default Label Analytical Model Type
Length 1
Type Character



Format Uppercase

Record Reference(s) PSOPTMDLSLVR
PSOPTPTMODEL
PSOPTSOLVERPARA

MODEL_DESCR

Default Label Model Description
Length 40
Type Character
Format Mixedcase

Record Reference(s) CAR_DATA
CAR_DATA_LNG
CAR_MODEL
CAR_MODEL_LNG

MODEL_STATEMENT

Default Label Model SQL Statement
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSDDLMODEL

MODE_FOR_1042S

Default Label Mode for 1042-S Creation
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_TAX1042

C Correction
N Normal
V Void



MODIFIED_FROM_DT

Default Label Modified Duties From Date
Length 10
Type Date
Format Uppercase

Record Reference(s) MODIFIED_WORK
MODIF_WORK_FRA

MODIFIED_TO_DT

Default Label Modified Duties To Date
Length 10
Type Date
Format Uppercase

Record Reference(s) MODIFIED_WORK
MODIF_WORK_FRA

MODIFIED_WORK_CD

Default Label Modified Work Code
Length 3
Type Character
Format Uppercase

Record Reference(s) MODIFIED_WRK_LNG
MODIFIED_WRK_TBL
MODIFIED_WORK
MODIF_WORK_FRA

MOHO_DEF_LANG_FLG

Default Label Default Language
Length 1
Type Character
Format Uppercase



Record Reference(s) RP_INSTALLATION

MOHO_LANGUAGE_CD

Default Label Resume Language
 Length 4
 Type Character
 Format Mixedcase

Record Reference(s) ER_RP_LANG_MAP
 RP_INSTALLATION
 RP_QUEUE_APP

DE	German
DU	Dutch
EN1	US English
EN2	International English
ES	Spanish
FR	French
IT	Italian
PO	Portuguese

MON

Default Label Monday
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) APPLICANT_DATA

MONETARY_AMOUNT

Default Label Monetary Amount
 Length 17
 Type Signed Number
 Format Uppercase

Record Reference(s) AE_PAYEXP_AET
 DISTRIB_LINE



DISTRIB_LN_STG
 ER_AWARD_PUB
 ER_EE_REF_AWD
 GM_TEC_EE_SUM
 GM_TEC_LN
 GM_TEC_SUM
 GP_ACC_LINE
 GP_ACC_LINE_STG
 HR_ACCTG_LINE
 HR_ACCTG_LN_STG
 KK_BUDGET_LN
 PAY_ACKNOWLEDGE
 PAY_ACK_STG_PUB
 PAY_ISSUED
 PAY_ISS_STG_PUB
 PAY_REQUEST
 PAY_RQT_STG_SUB
 PYER_ACKNOWLEDG
 PYER_ACK_PUB
 PYER_ISSUED
 PYER_ISS_PUB
 PYER_REQUEST
 PYER_RQT_SUB
 PY_PYER_AET
 UPG_HP_AET

MONETARY_AMT_BSE

Default Label Monetary Amount - VCHR BU Base
 Length 28
 Type Signed Number
 Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG

MONETARY_IND

Default Label Monetary Indicator
 Length 1



Type Character
Format Uppercase

Record Reference(s) OFFER_CMPNT_TBL

MONETARY_VALUE

Default Label Value Monetary
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_VARIABLE

MONTH1

Default Label Month 1
Length 2
Type Number
Format Uppercase

Record Reference(s) PA_DFN_PARTIC
UPG_E3XW_TAO

MONTH1_COUNT

Default Label Month 1 Employee Count
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX81OCT

MONTH1_COUNT7

Default Label Month 1 Employee Count
Length 7
Type Number
Format Uppercase



Record Reference(s) RC_TAX860FL

MONTH2

Default Label Month 2
Length 2
Type Number
Format Uppercase

Record Reference(s) PA_DFN_PARTIC
UPG_E3XW_TAO

MONTH2_COUNT

Default Label Month 2 Employee Count
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810CT

MONTH2_COUNT7

Default Label Month 2 Employee Count
Length 7
Type Number
Format Uppercase

Record Reference(s) RC_TAX860FL

MONTH3

Default Label Month 3
Length 2
Type Number
Format Uppercase



Record Reference(s) PA_DFN_PARTIC
UPG_E3XW_TAO

MONTH3_COUNT
Default Label Month 3 Employee Count
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810CT

MONTH3_COUNT7
Default Label Month 3 Employee Count
Length 7
Type Number
Format Uppercase

Record Reference(s) RC_TAX860FL

MONTH4
Default Label Month 4
Length 2
Type Number
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

MONTHCD
Default Label Month
Length 2
Type Character
Format Uppercase

Record Reference(s) ABSENCE_CAL



CAGED_BRA
CAGED_RC_BRA
GPAU_QDTL1_TMP
GPAU_QDTL_TMP
GPBR_RC_VAC_AP
GPBR_SEFIP_EFDT
GPBR_SEFIP_PARM
GPBR_SERV_T_DT
GPBR_SERV_T_DTA
GPBR_SERV_T_DTL
GPBR_STAKER_DTA
GPBR_VAC_AP_AET
GPES_SYS_CALEND
GPJP_RC_IH_MNTH
GPJP_RC_SC01
GPMX_RC_CRE_SAL
GPMX_RC_FEDTAX
GPMX_RC_PROV
GPMX_RC_STTAXES
GPMX_RC_WKRISK
GPMY_CP159_RCT
GPMY_RPT_RC
GPSG_CPFLIN_AET
GPSG_CFPAL_AET
GPSG_CFRPT_AET
GPSG_CPF_RPTG
GPSG_CPF_RUNCTL
GPSG_ER_CPF_INT
PAY_CALENDR_NLD
R_PER002
UNION_TBL_BRA

01	January
02	February
03	March
04	April
05	May
06	June
07	July
08	August
09	September
10	October



11 November
 12 December

MONTHLY_RT

Default Label Monthly Rate
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) AE_FGPY005_AET

- BP_JOB
- CO_DPK_JOB_TAO
- FPAEEFLAT_TBL
- FPAEESALARY
- FPAEESALARYBIS
- FPAEESALAR_HIST
- FPAEESALBIS_HST
- FPA_CI_JOB
- GVT_JOB
- GVT_JOB_TEMP
- JOB
- JOBCOMP_TMP_MC
- JOB_TEMP
- JOB_TMP_MC
- PER501_TMP
- PER501_TMP1
- SAL_RATECD_TBL
- SAL_STEP_PUB
- SAL_STEP_TBL
- SHS_EXEMPT_TAO
- STP06_JPN_TMP
- UPG_758_JJL_TAO
- UPG_758_JOB_TAO
- UPG_PY_JOB_TAO
- Z_SAL_STEP_TBL

MONTHOFYEAR

Default Label Month of Year
 Length 2
 Type Number



Format Uppercase

Record Reference(s) EDIT_SHEET_AET

GPIT_ABSCUDDATA
GPIT_ABS_VERREV
GPIT_ABS_WKDATA
GPIT_PRSCUDDATA
GPIT_PRS_VERREV
GPIT_PRS_WKDATA
GPMX_RC_TRI001
GPMX_TRG_AET
PSHOLIDAYDEFN
TL_DATES_TBL

MONTHS_BEL

Default Label Number of Months
Length 3
Type Number
Format Uppercase

Record Reference(s) SENIORITY_BEL

MONTHS_ELIGIBLE

Default Label Months Eligible for Treaty
Length 3
Type Number
Format Uppercase

Record Reference(s) TREATY_NRA_TBL

MONTHS_LAST_INCR

Default Label Months Since Last Increase
Length 4
Type Number
Format Uppercase



Record Reference(s) SALARY_PLAN

MONTH_CONV

Default Label Monthly Equiv Conv Rules
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DURATION_OPT
 PA_DURATION_OPT

D Down
 N Near
 O No Rounding
 U Up

MONTH_DESCR_JPN

Default Label Description Text
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) GPJP_YEASS_AET
 GPJP_YEA_AET

MONTH_ELIGIBLE

Default Label Month Eligible
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) LEAVE_SRVYR_TBL

MONTH_END_DT

Default Label Month End Date



Length 10
Type Date
Format Uppercase

Record Reference(s) EDIT_SHEET_AET
NDT_RUNCTL

MONTH_EQUIV_FLAG

Default Label Monthly Equiv Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DURATION_OPT
PA_DURATION_OPT

MONTH_FACTOR

Default Label Period length in Months
Length 3
Type Number
Format Uppercase

Record Reference(s) ST_VEST_DFN_AET

MONTH_IDX

Default Label Month Index
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_TL_120AFR_TB
PA_TL_30YR_TBIL

MONTH_LEN

Default Label month leng



Length 3
 Type Number
 Format Uppercase

Record Reference(s) ECINMAPFLD
 ECOUTMAPFLD
 EDIOUTMAPFLD
 EO_ECINMAPF_CUR

MONTH_NAME

Default Label Month Name
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) GPDE_RP_TX05
 GPIT_MONTH_NAME
 GPIT_S503_RPT

MONTH_RT_NOLOC_NEW

Default Label Monthly Rate No Location New
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) AE_FGPY005_AET

MONTH_START

Default Label month start
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) ECINMAPFLD
 ECOUTMAPFLD
 EDIOUTMAPFLD



MORT_TABLE_NAME

Default Label Mortality Table Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_MORT_RATES
PA_MORT_TABLES

MPASDROPDOWN

Default Label Render As Drop Down
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

MPDEFAULTMP

Default Label Default Mobile Page
Length 30
Type Character
Format Uppercase

Record Reference(s) PSUSERATTR

MPDEVICEPERSIST

Default Label Do not send updates
Length 1
Type Character
Format Uppercase

Record Reference(s) PSCISYNCDEFN



MPDEVICEPERSISTINT

Default Label Device Persistence
Length 1
Type Number
Format Uppercase

Record Reference(s) PSBCITEM

MPGROUPLABEL

Default Label Group Label
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

MPLINEFEED

Default Label Insert Line Feed
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

MPSUPPHEADER

Default Label Hide Header
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

MPTIMEPICKER



Default Label Mobile Agent Time Picker
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

MPTPINTERVAL

Default Label Mobile Device ID
Length 2
Type Number
Format Uppercase

Record Reference(s) PSMPCONTDEV

MQGE_EMPLOYEES

Default Label Any MQGE Employees?
Length 1
Type Character
Format Uppercase

Record Reference(s) W2_COMPANY

MR19V_BASIC_AMT

Default Label Quebec Basic Amount
Length 8
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

MRCHAPPATTRNAME

Default Label Attribute Name
Length 30



Type Character
 Format Mixedcase

Record Reference(s) PSMERCHANTAPP

MRCHAPPATTRVALUE

Default Label Attribute Value
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSMERCHANTAPP

MRCHIMAGENAME

Default Label Merchant Logo
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSMERCHANTID

MRCHUIDTYPE

Default Label Merchant User ID Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PSMERCHANTID

CID Company Identifier
 EID Employee ID + Company ID
 EML E-Mail Address
 OID Operator ID + Company ID

MSFCOMPLETEDDTM

Default Label Completed Refresh Date



Length 26
 Type Datetime

Format 12

Record Reference(s) PSMSFREFRESH

MSFGENSTATUS

Default Label Status Refresh
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMSFDIST
 PSMSFREFRESH

- C Completed
- D Download Done
- F Failed
- G Generated Code
- P Processing
- Q Queued

MSFINSTALLED

Default Label Installed Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMSFREFRESH

MSFRETRYCOUNT

Default Label Retry Count
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PSMSFREFRESH



MSFSCHEDDTM

Default Label Scheduled Refresh Date
Length 26
Type Datetime
Format 12

Record Reference(s) PSMSFDIST
PSMSFREFRESH

MSF_FILEID

Default Label FILEID
Length 10
Type Number
Format Uppercase

Record Reference(s) PSMSFINITFILEID
PSMSFPENVSTAGE

MSF_FILE_DIRECTORY

Default Label File Directory
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSMSFPENVSTAGE

MSF_FILE_NAME

Default Label File Name
Length 100
Type Character
Format Mixedcase

Record Reference(s) PSMSFPENVSTAGE



MSF_FILE_VERSION

Default Label File Version
Length 11
Type Number
Format Uppercase

Record Reference(s) PSMSFPENVSTAGE

MSF_REVISION

Default Label Revision
Length 3
Type Number
Format Uppercase

Record Reference(s) PSMSFPENVSTAGE

MSGDATA1

Default Label Message Data
Length 30
Type Character
Format Mixedcase

Record Reference(s) BAS_MESSAGE

- BEN_BI_MESSAGE
- CALC_MESSAGE
- COBRA_MESSAGE
- DED_MESSAGE
- ENCUMB_MSG
- GPXMESSAGES
- GP_MESSAGES
- GP_PINMAP_AET
- PAY_MESSAGE
- PI_MESSAGE

- RETRODED_MSG
- RETROPAY_MSG



ST_ESPP_MESSAGE
ST_GRNT_MESSAGE
ST_ISSU_MESSAGE
SV403_MESSAGE
TL_TA_RULE_AET

MSGDATA2

Default Label Message Data
Length 30
Type Character
Format Mixedcase

Record Reference(s) BAS_MESSAGE

BEN_BI_MESSAGE
CALC_MESSAGE
COBRA_MESSAGE
DED_MESSAGE
ENCUMB_MSG
GPXMESSAGES
GP_MESSAGES
GP_PINMAP_AET
PAY_MESSAGE
PI_MESSAGE
RETRODED_MSG
RETROPAY_MSG
ST_ESPP_MESSAGE
ST_GRNT_MESSAGE
ST_ISSU_MESSAGE
SV403_MESSAGE
TL_TA_RULE_AET

MSGDATA3

Default Label Message Data
Length 30
Type Character
Format Mixedcase

Record Reference(s) BAS_MESSAGE

BEN_BI_MESSAGE



CALC_MESSAGE
 COBRA_MESSAGE
 DED_MESSAGE
 ENCUMB_MSG
 GPXMESSAGES
 GP_MESSAGES
 GP_PINMAP_AET
 PAY_MESSAGE
 PI_MESSAGE
 RETRODED_MSG
 RETROPAY_MSG
 ST_ESPP_MESSAGE
 ST_GRNT_MESSAGE
 ST_ISSU_MESSAGE
 SV403_MESSAGE
 TL_TA_RULE_AET

MSGDATA4

Default Label Message Data
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) GPXMESSAGES

GP_MESSAGES
 GP_PINMAP_AET
 ST_ESPP_MESSAGE
 TL_TA_RULE_AET

MSGDATA5

Default Label Message Data
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) GPXMESSAGES

GP_MESSAGES
 GP_PINMAP_AET



TL_TA_RULE_AET

MSGDISPLAYNAME

Default Label Message Display Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) EO_MSGDEFN_CUR
PSMSGDEFN

MSGID

Default Label Message ID
Length 6
Type Character
Format Uppercase

Record Reference(s) BAS_MESSAGE

- BEN_BI_MESSAGE
- CALC_MESSAGE
- COBRA_MESSAGE
- DED_MESSAGE
- ENCUMB_MSG
- ENCUMB_MSG_LNG
- ENCUMB_MSG_TBL
- PAY_MESSAGE
- PAY_MESSAGE_LNG
- PAY_MESSAGE_TBL
- PI_MESSAGE
- RETRODED_MSG
- RETROPAY_MSG

- ST_ESPP_MESSAGE
- ST_ESPP_MSG_LNG
- ST_ESPP_MSG_TBL
- SV403_MESSAGE



MSGLOGTBL

Default Label Message Log Table
Length 15
Type Character
Format Uppercase

Record Reference(s) PRCSDDEFN

MSGLOG_DTTM

Default Label Log Date & Time
Length 26
Type Datetime
Format 12

Record Reference(s) EOEW_ETL_MSGLOG

MSGNAME

Default Label Message Name
Length 30
Type Character
Format Uppercase

Record Reference(s) AMM_FILTER

APPMSGARCH_AET
DIRMAP
EO_BATLIB_AET
EO_DSAUDIT_AET
EO_DSMAP
EO_DSPRIOR_VAL
EO_EFFDELAY
EO_EFFDTPUB_AET
EO_EIP_AEND_TBL
EO_EIP_AMGF_TBL
EO_EIP_AMGR_TBL
EO_EIP_AMGX_TBL
EO_EIP_AMSG_TBL
EO_EIP_BPND_TBL
EO_EIP_BSND_TBL
EO_EIP_CIND_TBL



EO_EIP_CTL
EO_EIP_ERR_AET
EO_EIP_FTND_TBL
EO_EIP_MSGF_TBL
EO_EIP_MSGR_TBL
EO_EIP_MSGX_TBL
EO_EIP_MSG_ERR
EO_EIP_MSG_TAO2
EO_EIP_MSG_TAO3
EO_EIP_MSG_WL
EO_EIP_NODE_TBL

EO_EIP_NPND_TBL
EO_EIP_PCND_TBL
EO_EIP_PRG_MSG
EO_EIP_SRND_TBL
EO_FLOMSGMAP
EO_MSGBATPGM
EO_MSGDEFN_CUR
EO_MSGFLDOV_CUR
EO_MSGLANGUAGE
EO_MSGPUBDEFN
EO_MSGRECMAP
EO_MSGREC_CUR
EO_MSGVER_CUR
EO_PARM_EFFDT
EO_PARM_EFFDTP
EO_PARM_FULL
LDAPMAP
MCFAGNTMSG
MCFAGNTMSG_LANG
MCFSYSMSG
MCFSYSMSG_LANG
PSANALYTICREG
PSAPMSGARCHPH
PSAPMSGARCHSC
PSAPMSGARCHST
PSAPMSGPUBHDR
PSAPMSGSCONDATA
PSAPMSGSUBCERR
PSAPMSGSUBCERRP
PSAPMSGSUBCON
PSBATREPPROFFLD



PSBATREPPROFMSG
PSBATREPPROFVAL
PSBATREPREQMSG
PSBATREPREQRES
PSIBFLOMSGMAP
PSIBLOGARCHTMP
PSIBLOGDATA
PSIBLOGDATAARCH
PSIBLOGHDR
PSIBLOGHDRARCH
PSIBMSGSCHEMA
PSIBPROFILEASYN
PSIBPROFILEBRK
PSIBPROFILEPUB
PSIBPROFILESUB
PSIBFILESYNC
PSIBSUBSLAVE
PSMSGDEFN
PSMSGDEFNLANG
PSMSGDEL
PSMSGFLDOVR
PSMSGREC
PSMSGVER
PSSTATEFULSRV
PSSUBDEFN
PSSUBDEL
PT_AMM_DUMMY
PT_EIP_MSG_ERR
PT_EIP_MSG_TAO2
PT_EIP_MSG_TAO3

PT_EIP_MSG_WL
PT_EIP_PUB_ERR
PT_EIP_PUB_TAO2
PT_EIP_PUB_TAO3
PT_EIP_PUB_WL
PT_EIP_SUB_ERR
PT_EIP_SUB_TAO2
PT_EIP_SUB_TAO3
PT_EIP_SUB_WL
Z_NFC_U6701_TBL
Z_NFC_U6708_TBL



MSGNAMEDETAIL

Default Label Message Name Detail
Length 30
Type Character
Format Uppercase

Record Reference(s) PSAPMSGARCHPH
 PSAPMSGPUBHDR
 PSIBLOGHDR
 PSIBLOGHDRARCH
 Z_NFC_U6701_TBL
 Z_NFC_U6708_TBL

MSGNAME_PUBCON

Default Label Message Name
Length 30
Type Character
Format Uppercase

Record Reference(s) AMM_FILTER

MSGNAME_SUBCON

Default Label Message Name
Length 30
Type Character
Format Uppercase

Record Reference(s) AMM_FILTER

MSGNODENAME

Default Label Message Node Name
Length 30
Type Character
Format Uppercase



Record Reference(s) AMM_FILTER

CO_DPK_ELIG_AET
CO_DPK_SUPP_TBL
EO_BATLIB_AET
EO_BUSUNT_EOC
EO_CHUNKNODE

EO_EFFDELAY
EO_EIP_AEND_TBL
EO_EIP_BPND_TBL
EO_EIP_BSND_TBL
EO_EIP_CIND_TBL
EO_EIP_CPND_TBL
EO_EIP_FDND_TBL
EO_EIP_FTND_TBL
EO_EIP_LOAD_AET
EO_EIP_NODE_TBL
EO_EIP_NPND_TBL
EO_EIP_PCND_TBL
EO_EIP_SRND_TBL
EO_PARM_BATCH
EO_PARM_FULL
EO_PRODUCT_DB
EO_RECGRP_EOC
EO_SETID_EOC
PSCHNLNODE
PSCONNECTSTRDOWN
PSCONNECTSTRING
PSINST_VER_TRX
PSMSGNODEDEFN
PSMSGNODEDEL
PSNODCONPRPLANG
PSNODECONPROP
PSNODEDEFNLANG
PSNODEPROP
PSNODEPROPLANG
PSNODESDOWN
PSNODETRX
PSNODETRXDEL
PSNODEURITEXT
PSNODTRCNPRLANG
PSNODTRXCONPROP
PSPERMLIST_RMT



PSPRSMPerm_RMT
PSRELATCONTACT
PSRELATIONPROP
PSRELPROPLANG
PSROLEDEFNL_RMT
PSROLEDEFN_RMT
PSROLEPERM_RMT
PSROLEUSER_RMT
PSSECNODEOPR
PSTRUSTNODES
PSWSRPPRDDEFN
PSWSSERVICE
PTLT_EXCI_RUN
PTPP_CPPROJ_AET
PTPP_CPPROJ_RUN
PTPP_OPTIONS
PTPP_SITE_OPT
RUN_MREDDLOAD
TL_CDVAL_TAO
TL_CD_VALS_MSG
TL_EMPL_DTA_MSG
TL_EMPL_TAO
TL_OUTTCD_AET
TL_PROJ_AET
TL_RESPF_TAO

TL_RESTRICT_MSG
TL_RPTTEL_TAO
TL_RPTG_ELE_MSG
TL_RPT_CDVAL
TL_RPT_EMPL
TL_RPT_SCHED
TL_RPT_SUPVR
TL_RPT_TKPRF
TL_RPT_TKTMP
TL_RPT_TMPDL
TL_RPT_TRC
TL_RPT_TTHRS
TL_RUN_PUB_TM
TL_SCHEDULE_MSG
TL_SCHED_TAO
TL_SUPVR_TAO
TL_TCDSUPRV_MSG



TL_TCD_MSGNODE
TL_TCD_TBL
TL_TEMP_DTL_MSG
TL_TKPRF_TAO
TL_TKTMP_TAO
TL_TMPDL_TAO
TL_TOT_HRS_MSG
TL_TRC_MSG
TL_TRC_TAO
TL_TSK_PROF_MSG
TL_TSK_TEMP_MSG
TL_TTHRS_TAO
WL_RIMRESP_AET
WL_RIM_RUN_CNTL
WL_TEMPL_URLVAR

MSGNUM

Default Label Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSMPCONTDEV
PSMPDEFNDEV
PSPNLBTNDATA
PTPPB_FOOTER
PTPPB_HEADER

MSGPARAM1

Default Label Message Parm 1
Length 30
Type Character
Format Mixedcase

Record Reference(s) EOEW_ETL_MSGLOG
HP_RDIST_MSGTBL



MSGPARAM2

Default Label	Message Parm 2
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) EOEW_ETL_MSGLOG

MSGRECNAME

Default Label	Message Record Name
Length	15
Type	Character
Format	Uppercase

Record Reference(s) EO_BATLIB_AET
 EO_MSGRECMAP

MSGSET

Default Label	Message Set Number
Length	5
Type	Number
Format	Uppercase

Record Reference(s) HP_RDIST_MSGTBL
 PSCISYNCDEFN
 PSMPCONTDEV
 PSMPDEFNDEV
 PSOPTPRBTYPE
 PSPNLBTNDATA
 PTPPB_FOOTER
 PTPPB_HEADER

MSGSPNAME

Default Label	App Msg System Pause Time Name
Length	10
Type	Character



Format Uppercase

Record Reference(s) PSSPTDEFN
 PSSPTDEL
 PSSPTIMES

MSGSTATUS

Default Label Message Status
Length 1
Type Number
Format Uppercase

Record Reference(s) EO_MSGDEFN_CUR
 IB_ARCH_RUNCNTL
 PSMMSGDEFN

MSG_CHKSUM_BC_CAN

Default Label Message Checksum
Length 8
Type Character
Format Uppercase

Record Reference(s) WCB_MSGTR_EC
 WCB_MSGTR_WD

MSG_DATA1

Default Label Message Data Text 1
Length 100
Type Character
Format Uppercase

Record Reference(s) ST_REPRC_PR_MSG
 TL_EXCEPTION
 TL_EXCEPT_LANG
 TL_TA000900_AET



Record Reference(s) TL_EXCEPTION
TL_EXCEPT_LANG

MSG_ID_BC_CAN

Default Label Message ID
Length 9
Type Character
Format Numbers Only

Record Reference(s) WCB_MSGHD_EC
WCB_MSGTR_EC
WCB_MSGTR_WD

MSG_PARA_NM

Default Label Paragraph Name
Length 30
Type Character
Format Uppercase

Record Reference(s) GPXMESSAGES
GP_MESSAGES

MSG_PGM_NM

Default Label Program Name
Length 8
Type Character
Format Uppercase

Record Reference(s) GPXMESSAGES
GP_MESSAGES

MSG_SET_CONTINUE

Default Label Continue Message Set
Length 5



Type Number
 Format Uppercase

Record Reference(s) SS_LINK_TBL

MSG_SET_PAGE_TITLE

Default Label Page Title Message Set
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) SS_LINK_TBL

MSG_SET_PG_INST

Default Label Page Instructions Message Set
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) SS_LINK_TBL

MSG_SEVERITY

Default Label Message Severity
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMSGCATDEFN

C Cancel
 E Error
 M Message
 W Warning

MTD_AMT_IND



Default Label MTD Amount Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

MTD_AMT_IND_FSCL

Default Label MTD Amount Indicator -- Fiscal
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

MTD_AMT_SFX

Default Label MTD Amount Suffix
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

MTD_AMT_SFX_FSCL

Default Label MTD Amount Suffix -- Fiscal
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

MTD_UNIT_IND

Default Label MTD Unit Indicator
Length 1



Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

MTD_UNIT_IND_FSCL

Default Label MTD Unit Indicator -- Fiscal
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

MTD_UNIT_SFX

Default Label MTD Unit Suffix
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

MTD_UNIT_SFX_FSCL

Default Label MTD Unit Suffix -- Fiscal
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

MTHD_BASED_ON

Default Label Retro Method Decided By
Length 3
Type Character
Format Uppercase



Record Reference(s) GP_RTO_PRC_DEFN

PEC Pay Entity Calendar Year
 PEF Pay Entity Fiscal Year
 PGF Pay Group Fiscal Year

MTH_ANNUAL_FACTOR

Default Label Frequency Annualization Factor
 Length 9

Type Number
 Format Uppercase

Record Reference(s) PER501_TMP
 PER501_TMP1

MULTICOMPANY

Default Label Multi-Company Organization
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSOPTIONS

MULTICURRENCY

Default Label Multi-Currency
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HR_CMP052JP_AET
 PSOPTIONS

MULTIJOB

Default Label Multiple Jobs Allowed
 Length 1



Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

MULTILANG

Default Label Multi Language Enabled?
Length 1
Type Number
Format Uppercase

Record Reference(s) PSOPRDEFN

MULTIPLE_INST_IND

Default Label Multiple Instances
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_ABS_TAKE

MULTIPLE_JOBS

Default Label Employee Has Multiple Jobs

Length 1
Type Character
Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET
ROE

MULTIPLE_SELECT

Default Label Multiple Select
Length 1
Type Character



Record Reference(s) INSTALLATION

MULT_COMP_FLAG

Default Label Show Components
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_HR

MULT_PCT

Default Label Multiple Percent
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) AE_FGPY005_AET

MUNICIPALITYCD_CHE

Default Label Municipality Code
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) GPCH_TX_VIL_TMP

LOCATION_CHE
 UPG_GPCH_AET
 UPG_GPCH_TX_VIL
 UPG_LOC_CHE_TAO

MUNICIPAL_CD_JPN

Default Label Japanese Municipal Code
 Length 6
 Type Character



Format Numbers Only

Record Reference(s) GPJP_IH_MUNIC
 GPJP_IH_MUNIC2
 GPJP_IH_MUNLNG
 GPJP_IH_PYE_TAX
 GPJP_RC_IH_MNTH
 GPJP_RC_YEA_RPT
 GPJP_WA_PIN
 GPJP_YEA_TABLE
 POSTAL_TBL_JPN

MUTUALLY_EXCLUSIVE

Default Label Mutually exclusive
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ER_STATUS_TBL

MU_ACTION_SW

Default Label Action
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MU_COMP_DATA

A Add
 C Change
 D Delete

MU_EXEC_DONE_FLG

Default Label Execution Done
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) RUNCTL_MASSUPD1

MU_EXEC_LOG_MSG

Default Label Message Log
Length 0
Type Long Character
Format Uppercase

Record Reference(s) MU_AET
MU_MASSUPD_RLNG
MU_MASSUPD_RSLT

MU_EXEC_STATUS_FLG

Default Label Execution Status
Length 1
Type Character
Format Uppercase

Record Reference(s) MU_AET
MU_MASSUPD_RSLT

C Cancel
F Failure
R Ready
S Success

MU_LAUNCH_EXEC_FLG

Default Label Launch Execution
Length 1
Type Character
Format Uppercase

Record Reference(s) RUNCTL_MASSUPD1

MU_MASS_UPDATE_ID



Default Label Mass Update ID
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) MU_AET
 MU_COMP_DATA
 MU_LEVEL01_DATA
 MU_MASSUPD_RLNG
 MU_MASSUPD_RSLT
 MU_MASS_UPD_LNG
 MU_MASS_UPD_TBL
 RUNCTL_MASSUPD1

MU_PRCs_MODE_FLG

Default Label Process Mode Options
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MU_AET
 MU_MASS_UPD_TBL

 I Add new effective date
 U Correction on current Info.

MU_PRCs_NBR

Default Label Process Number
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) MU_MASS_UPD_TBL

MU_REFERENCE_DT

Default Label Reference Date
 Length 10



Type Date
 Format Uppercase

Record Reference(s) MU_AET
 MU_MASS_UPD_TBL

MU_SELECTION_ID

Default Label Select one Type
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) MU_AET
 MU_MASS_UPD_TBL

MU_SELECTION_TYPE

Default Label Population Selection Options
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MU_AET
 MU_MASS_UPD_TBL

- D Department
- E Establishment
- G Group
- J Job Code
- P Position Number
- X Select one type

MU_UPD_FUTURE_FLG

Default Label Propagate to Future Rows
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) MU_COMP_DATA
MU_LEVEL01_DATA

MU_UPD_VIA_CI
Default Label Update via Component Interface
Length 30
Type Character
Format Uppercase

Record Reference(s) MU_LEVEL01_DATA

MU_UPD_VIA_COLL
Default Label Update via Collection
Length 30
Type Character
Format Uppercase

Record Reference(s) MU_LEVEL01_DATA

MVSJOBACCT
Default Label MVS Job Account
Length 32
Type Character
Format Uppercase

Record Reference(s) PSPRCSPRFL

MVSJOBNAME
Default Label MVS Job Name
Length 7

Type Character
Format Uppercase

Record Reference(s) PSPRCSPRFL



MVSSHELLID

Default Label Job Shell ID
Length 3
Type Character
Format Uppercase

Record Reference(s) PRCSTYPEDEFN
PRCSDEFN

MV_ANNUAL_EXP

Default Label Operating Expense (Annual)
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_BODY_TYPE

Default Label Body Type
Length 15
Type Character
Format Mixedcase

Record Reference(s) PKG_MDL_BSE_CMP

MV_CAPITAL_BASE

Default Label Capital Cost
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP



MV_CAPITAL_COST

Default Label Capital Cost
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_CAPITAL_GST

Default Label GST on Capital Cost
Length 16

Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_CHASSIS_NBR

Default Label Chassis Number
Length 20
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_COLOUR

Default Label Colour
Length 15
Type Character
Format Mixedcase

Record Reference(s) PKG_MDL_BSE_CMP

MV_DEPRECIATED_AMT



Default Label Depreciated Value
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_END_DATE

Default Label Odometer Reading End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_ENGINE_NBR

Default Label Engine Number
 Length 20
 Type Character
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_FBT_METHOD

Default Label FBT Calculation Method
 Length 1
 Type Character

 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

- O Operating Cost
- S Statutory Formula

MV_LEASED



Default Label Leased
Length 1
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_COMPANY

Default Label Lease Company Name
Length 40
Type Character
Format Mixedcase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_END_DT

Default Label Lease End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_NBR

Default Label Lease Number
Length 15
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_PAYOUT_DT

Default Label Lease Payout Date
Length 10
Type Date



Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_RESID_AMT

Default Label Lease Residual Amount
Length 16

Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_RESID_PCT

Default Label Lease Residual Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_START_DT

Default Label Lease Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_LS_TERM

Default Label Lease Term (Months)
Length 3
Type Number
Format Uppercase



Record Reference(s) PKG_MDL_BSE_CMP

MV_MAKE

Default Label Make
Length 15
Type Character
Format Mixedcase

Record Reference(s) PKG_MDL_BSE_CMP

MV_MILEAGE

Default Label Estimated Kilometres
Length 8
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_MILEAGE_END

Default Label Kilometres End
Length 8
Type Number

Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_MILEAGE_START

Default Label Kilometres Start
Length 8
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP



MV_MODEL

Default Label Model
Length 15
Type Character
Format Mixedcase

Record Reference(s) PKG_MDL_BSE_CMP

MV_MTHLY_AMT

Default Label Employee Contribution (Mthly)
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_OPERATE_COST

Default Label Operating Cost (Annual)
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_PRIVATE_DAYS

Default Label Private Use Days (Annual)
Length 3
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_PRIVATE_PCT



Default Label Private Use Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_REG_EXP_DT

Default Label Registration Expiry Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_REG_NBR

Default Label Registration Number
Length 8
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_START_DATE

Default Label Odometer Reading Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

MV_TRANSMISSION

Default Label Transmission Type
Length 1



Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

A Automatic
M Manual

MV_YEAR

Default Label Year
Length 4
Type Character
Format Numbers Only

Record Reference(s) PKG_MDL_BSE_CMP

MYNUMBER

Default Label MYNUMBER
Length 9
Type Number
Format Uppercase

Record Reference(s) PSPING_CHART

MYS

Default Label MYS - Malaysia
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

M_WORKERS_MONTH1

Default Label M Workers 1st Month of Qtr
Length 6



Type Number
Format Uppercase

Record Reference(s) R_TAX004ST

M_WORKERS_MONTH2

Default Label M Workers 2nd Month of Qtr
Length 6
Type Number
Format Uppercase

Record Reference(s) R_TAX004ST

M_WORKERS_MONTH3

Default Label M Workers 3rd Month of Qtr
Length 6
Type Number
Format Uppercase

Record Reference(s) R_TAX004ST

NACE_CD_BEL

Default Label NACE Code
Length 10
Type Character
Format Mixedcase

Record Reference(s) BUS_UNIT_OPT_HR

NAME

Default Label Name
Length 50
Type Character
Format Name

Record Reference(s) AE_FGPY005_AET



AMT01_JPN_TMP
AMT02_JPN_TMP
AMT03_JPN_TMP
AMT04_JPN_TMP
AMT05_JPN_TMP
AMTER_JPN_TMP
APPSTATUSDT_WL
AUDIT_PERSONAL
AUTOPOP_APP_TMP
BAS_PAR_STS_WL
BD_JOB_TBL
BEN_PER_DATA
BN_SNAP_PER
CRSE_SESS_INSTR
DETYA_PRCs_TMP
DISCIPLIN_STEP
EMPLEFFDT_WL
EMPLMT_WL
EO_DSSCHCRT_WRK
FAST_EMP_BEN_1
FAST_SCRTY1_AET
FAST_SCRTY_1
FPADEPENLKF_TBL
FPAEECAREERBIS
FPAHEADCNT04
FSA_CLAIM
FSA_CLAIM_DET
FUNC_TEST_SRC
GA_PRIV_OUTDOC
GPBR_PAYMENT
GPCH_ABS_SUB_WL
GPCH_CA_DATA2
GPCH_OT_SUB_WL
GPCH_RC_PAYROLL
GPCH_RP_FK01
GPCH_RP_SI03
GPDE_RC_PAYROLL
GPDE_RP_SI10D
GPDE_UPG_AET
GPDE_VERSION
GPES_PAYMENT
GPFR_ASS_AET
GPFR_ASS_SELECT



GPFR_AT_ADMIN

GPFR_AT_RESULT
GPFR_DA30_AET
GPFR_ILL_ADMIN
GPFR_ILL_AET
GPFR_PAYMENT
GPGB_CNC_AET
GPIT_CUD_RP_P1
GPIT_CUD_RP_P3
GPIT_DEP_DTL_EE
GPIT_PCUD_I1
GPIT_PCUD_T1
GPIT_PCUD_T3
GPIT_PCUD_T4
GPIT_RC_PAYROLL
GPIT_RP_0001
GPIT_S503_RPT
GPIT_S503_TMP_A
GPIT_TDETR_FAM1
GPJP_IT_PYE_TAX
GPJP_WRK_SC03
GPMX_IM14_TMP
GPMX_PAYMENT
GPMX_PMT_AET
GPMX_R_LOANS
GPMY_EFT_MAY_DT
GPNL_PAYMENT
GPNL_PMT_AET
GPNL_ZFW_TT_TMP
GPSG_CPFLIN_AET
GPSG_IR21_CHILD
GPSG_IR21_HDR
GPSG_IR8A_FORM
GP_ABS_SS_WL
GRIEVANCE_STEP
GVT_CAR_INTRFC
GVT_DISP_EVENT
GVT_EE_DATA_WL
GVT_FIN_RUNCTL2
GVT_IRR_PRT
GVT_IRR_PRT_SEL
GVT_LV_DONOR



GVT_LV_DON_EXT
GVT_PAR_PRT
GVT_PERS_LANG
GVT_RQSN_NAMES
GVT_TREQ_WL
GVT_TSP_01_HIST
GVT_UCFE
GVT_WGICERT_LNG
GVT_WGI_CERT_WL
GVT_WGI_MAN
GVT_WGI_RETRO
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_GRSFRG_DATA
HP_RDIST_CTX
HP_RDIST_DED
HP_RDIST_ERN
HP_RDIST_TAX
HR_AET
HR_CMP052J2_AET

HR_DIM_BEL_AET
HR_NSZ_AET
HR_PROMT_SUB_WL
HR_SALCHANGE_WL
HR_TRANS_SUB_WL
HR_VIAPRIS_AET
HR_WL_FP
HS_FAMILY_CHILD
INTL_CONTACT_TBL
OHS001GER_TMP1
OHS004GER_TMP1
OHS501UK_TMP2
PAY_CHECK
PAY_LINE
PA_CALCULATION
PA_CLC_EMP
PA_CLC_SRCH_3
PA_QDRO_COM
PCMP_RECERT_TAO
PER062_TMP_JPN
PERS_SRCH_WL
PSMCFUQAGENTS



PTPPB_LINKPARMS
PY_IC_W2_WL
REG002_TMP
RP_QUEUE_APP
RUN_FGSF75
R_CONTRIB_PART
R_GVT_BOND_ISS
R_GVT_PAR_PRT
R_PER002
R_PER003
R_PER060
R_TAX002MN
R_TAX810
R_TAX810MN
SAL01_JPN_TMP
SAL02_JPN_TMP
SAL03_JPN_TMP
SAL04_JPN_TMP
SALER_JPN_TMP
SALINC_SIML_JPN
SIM01_JPN_TMP
SIM02_JPN_TMP
SIMER_JPN_TMP
SS_COMMONADM_WL
STP01_JPN_TMP
STP02_JPN_TMP
STP03_JPN_TMP
STP04_JPN_TMP
STP05_JPN_TMP
STP06_JPN_TMP
STP4N_JPN_TMP
STPER_JPN_TMP
ST_ACTN_PRC_WL
TC_COMP_TMP
TC_EXCEL_CNTL
TERM_RQST_WL
TRAINING013_AET
TRN_EEINST_COST
TRN_INSTRC_COST

TRN_VENDR_CNTCT
UPG_BN_AET
UPG_GPDE801_AET



UPG_HP_AET
UPG_HR75TRN_AET
UPG_HR75_AET
UPG_PA_CALC_TMP
UPG_PY_AET
W3EB_DEPBEN_SUM
WC_JCR_WL
WF_FP_CA1_WL
WF_FP_CA2_WL
WF_FP_CA3_WL
WF_FULLPART_WL
WF_HOME_MAIL_WL
WF_LOC_CHG_WL
WF_MAR_STAT_WL
WF_NAME_WL
WF_PROMOTE_WL
WF_RETIRE_WL
WF_RPT_CHG_WL
WF_SS_ADMIN_WL
WF_TERMINATE_WL
WF_TRANSFER_WL
WRK_CHECK
WRK_IMP_EMPL
WRK_LINE
Z_AUDIT_PERS
Z_AWD_APPLD_WL
Z_CHKLST_WL
Z_CONTRACT
Z_CONTRACT_JR
Z_CONTR_ASSIGN
Z_CONTR_COMPANY
Z_DHS_PAR_WL
Z_EMPL_PIVADR
Z_EXT_INTVW_WL
Z_FAST_SCRTY_1
Z_FAST_SCRT_EMP
Z_FLEX_SITE_REC
Z_FLEX_WRK_AGMT
Z_HCUP_AUDIT
Z_HR_DIRECTORS
Z_HR_PIVOT_REF
Z_LC_15_ABV_WL
Z_LC_GVT_EE_WL



Z_LC_RUNCTL
 Z_LC_WIG_TMP
 Z_LC_WORKLIST
 Z_MIIS_EMPOW_IN
 Z_PI_ADDRESS_WL
 Z_PI_FUTURE_WL
 Z_PI_NFCAUTO_WL
 Z_PP_PLAN_WL
 Z_PRES_030_WL
 Z_PRES_083_WL
 Z_PRES_089_WL
 Z_PRES_095_WL
 Z_PRES_120_WL
 Z_PRES_127_WL
 Z_PRES_140_WL

Z_PRES_150_WL
 Z_PRES_151_WL
 Z_PRES_170_WL
 Z_PRES_DOC_170C
 Z_PRES_DOC_180
 Z_PRES_DOC_180D
 Z_PRES_SINQ_WL
 Z_RG_NTE_WL
 Z_SIMS_CERT_WL
 Z_SIMS_JOB_WL
 Z_SS_AWD_WL
 Z_SS_EXIT_WL
 Z_SS_NTE_EXT_WL
 Z_SS_PAR_WL
 Z_WF_PERF_PL_WL
 Z_WF_SINQ_WL
 Z_Z_HRDIRECTORS

NAME1

Default Label	Name 1
Length	40
Type	Character
Format	Mixedcase

Record Reference(s) EOTP_CUST_AET



VENDOR_ADDR_TMP
VENDOR_LANG
VENDOR_TMP

NAME2_AC

Default Label Name 2 Alternate Char Set
Length 40
Type Character
Format Mixedcase

Record Reference(s) VENDOR
VENDOR_LANG
VENDOR_TMP

NAME52

Default Label Name
Length 52
Type Character
Format Uppercase

Record Reference(s) HR_CMP052J2_AET
SIM02_JPN_TMP

NAMECOUNT

Default Label Reference Count
Length 4
Type Number
Format Uppercase

Record Reference(s) PSPCMPROG

NAMENUM

Default Label Name Number
Length 4
Type Number



Format Uppercase

Record Reference(s) PSPCMNAME

NAMESEQNO

Default Label Name Sequence Number
Length 5
Type Number

Format 7

Record Reference(s) PSMAPROLEBIND
 PSMAPROLENAME

NAMETYPE

Default Label Name Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PSNODEPROP
 PSNODEPROPLANG
 PSRELATIONPROP
 PSRELPROPLANG

C Category
I Identification
S Search

NAME_AC

Default Label Alternate Character Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) BN_834HIPAA_AET
 BN_EDI_PARTNERS
 FAST_SCRTY1_AET



FAST_SCRTY_1
 GVT_ASSIGNEE
 GVT_ASSIGN_BEN
 HR_NAME_DAT
 OPR_ROWS_EE
 OPR_ROWS_EE2
 OPR_ROWS_EE_TRN
 OPR_ROWS_NOPRQ
 R_PER002
 Z_FAST_SCRTY_1
 Z_HR_PIVOT_REF
 Z_MIIS_EMPOW_IN

NAME_CONTRB_SPOUSE

Default Label Spouse Last Name
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) CAN_AMEND_RL1_S
 CAN_AMEND_RL2_S
 CAN_AMEND_T4A_S
 CAN_AMEND_T4_S
 CAN_YE_SLIP

NAME_INITIALS

Default Label Name Initials
 Length 6
 Type Character
 Format Mixedcase

Record Reference(s) GPNL_5PCT_TMP
 GPNL_PERS1_TMP
 GPNL_REC_56_TMP
 GPNL_RED1_TMP
 GPNL_SYEE_TMP
 GPNL_YEE1_TMP
 GPNL_YER1_TMP



GPNL_ZFW_TMP
 HR_DIM_BEL_AET
 HR_NAME_DAT
 HR_NSZ_AET
 HR_VIAPRIS_AET
 NSZ_PERSON_NLD
 UPG_HR75_AET
 UPG_NAME_TMP

NAME_PREFIX

Default Label	Name Prefix
Length	4
Type	Character
Format	Mixedcase

Record Reference(s) BEN_PER_DATA

BN_834_MEMBER
 BN_SNAP_PER
 GPCH_RP_SI03
 GPFR_ASS_PAYEE
 GPFR_DA30_AET
 GPNL_5PCT_TMP
 GPNL_PERS1_TMP
 GPNL_REC_56_TMP
 GPNL_RED1_TMP
 GPNL_SYEE_TMP
 GPNL_YEE1_TMP
 GPNL_YER1_TMP
 GPNL_ZFW_TMP
 GPSG_IR21_HDR
 HRAU_PSMPC1_TAO
 HRAU_PSMPC_TAO
 HR_DIM_BEL_AET
 HR_NAME_DAT
 HR_NSZ_AET
 HR_VIAPRIS_AET
 NAME_PREFIX_LNG
 NAME_PREFIX_TBL
 UPG_HR75_AET
 UPG_NAME_TMP
 Z_HR_PIVOT_REF



Z_MIIS_EMPOW_IN

NAME_ROYAL_PREFIX

Default Label	Name Royal Prefix
Length	15
Type	Character
Format	Mixedcase

Record Reference(s) GPDE_DV_DBGB

GPDE_DV_DBGB_B
GPDE_DV_DBNA
GPDE_DV_DBNA_B
GPNL_5PCT_TMP
GPNL_PERS1_TMP
GPNL_REC_56_TMP
GPNL_RED1_TMP
GPNL_SYEE_TMP
GPNL_YEE1_TMP
GPNL_YER1_TMP
GPNL_ZFW_TMP
HR_DIM_BEL_AET
HR_NAME_DAT
HR_NSZ_AET
HR_VIAPRIS_AET
NSZ_PERSON_NLD
UPG_HR75_AET

NAME_ROYAL_SUFFIX

Default Label	Name Royal Suffix
Length	15
Type	Character
Format	Mixedcase

Record Reference(s) GPDE_DV_DBGB

GPDE_DV_DBGB_B
GPDE_DV_DBNA
GPDE_DV_DBNA_B
HR_DIM_BEL_AET



HR_NAME_DAT
 HR_NSZ_AET
 HR_VIAPRIS_AET
 UPG_HR75_AET

NAME_SUFFIX

Default Label Name Suffix
 Length 15
 Type Character
 Format Mixedcase

Record Reference(s) BN_834_MEMBER

BN_SNAP_PER
 CO_DPK_ELIG_DET
 CO_DPK_ELIG_NEW
 CO_DPK_ELIG_OLD
 CO_DPK_ELIG_TRN
 CO_DPK_PERS_TAO
 EMERGENCY_CNTCT
 GA_PRV_OUTDOC
 HR_DIM_BEL_AET
 HR_NAME_DAT

HR_NSZ_AET
 HR_VIAPRIS_AET
 NAME_SUFFIX_LNG
 NAME_SUFFIX_TBL
 ST_ISSUUPD_AET
 UPG_HR75_AET
 UPG_NAME_TMP
 Z_HR_PIVOT_REF
 Z_MIIS_EMPOW_IN
 Z_PRES_DOC_170C
 Z_PRES_DOC_180
 Z_PRES_DOC_180D

NAME_TITLE

Default Label Title
 Length 30



Type Character
Format Mixedcase

Record Reference(s) GPCH_PK_TRIGGER

GPDE_DV_DBNA
GPDE_DV_DBNA_B
HR_NAME_DAT
UPG_HR75_AET

NAME_TRANS

Default Label Name of Person Transmitting
Length 50
Type Character
Format Name

Record Reference(s) HS_RPT_HIST_CAN

OHS001GER_TMP1
OHS004GER_TMP1
WCB_EDSR_EC
WCB_EDSR_WD

NAME_TYPE

Default Label Type of Name
Length 3
Type Character
Format Uppercase

Record Reference(s) FPANAMES_HIST

GPCH_AL_INSTALL
GPDE_AL_INSTALL
GPDE_NAMES_TAO
GPDE_UPG_AET
GPFR_ASS_PAYEE
HR_NAME_DAT
NAMES
NAMES_SS_TMP
NAME_TYPE_LNG
NAME_TYPE_TBL
UPG_GPDE801_AET



UPG_HR75_AET
UPG_HR_AET
UPG_NAMES_TAO

NAME_TYPE_DESCR

Default Label Name Type
Length 30
Type Character
Format Mixedcase

Record Reference(s) NAME_TYPE_LNG
NAME_TYPE_TBL

NAME_TYPE_SHORT

Default Label Name Type Short
Length 15
Type Character
Format Mixedcase

Record Reference(s) NAME_TYPE_LNG
NAME_TYPE_TBL

NAME_UPDATE_ALLOW

Default Label Name Update Allowed
Length 1
Type Character
Format Uppercase

Record Reference(s) STOCK_DTL

NATIONALITY

Default Label Nationality
Length 30
Type Character



Format Mixedcase

Record Reference(s) GPDE_RP_0001

GPIT_RP_0001
 GPSG_IR21_HDR
 NATIONS_DUEVO
 NATIONS_DU_LNG
 OHS001GER_TMP1
 OHS004GER_TMP1

NATIONALITY_CD

Default Label Nationality Code
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) GPDE_DV_DBAN

GPDE_DV_DBAN_B
 GPDE_RP_0001
 GPIT_RP_0001
 NATIONS_DUEVO

NATIONALITY_CD_BRA

Default Label Nationality
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PERS_DATA_BRA

10	Brazilian
20	Brazilian Naturalize
21	Argentinian
22	Bolivian
23	Chilean
24	Paraguayan
25	Uruguayan
30	German



31	Belgian
32	British
34	Canadian
35	Spanish
36	North-American
37	French
38	Swiss
39	Italian
41	Japanese
42	Chinese
43	Korean
45	Portuguese
48	Other Latin-American
49	Other Asians
50	Other

NATIONALITY_DT

Default Label	Nationality Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	APP_NATNLTY_GER
	NATIONALITY_GER
	UPG_ER_AET

NATIONAL_ID

Default Label	Social Security Number
Length	20
Type	Character
Format	Mixedcase
Legacy field name	SSNO
Legacy system name	PINE
Legacy field name	SSNO
Legacy system name	PINE

Record Reference(s)	APPL_DATA_EFFDT
	BEN_PER_DATA
	BN_834_MEMBER



BN_SNAP_PER
CO_DED_DTLM
CO_DED_DTLM_PUB
CO_DED_DTLM_SUB
CO_DED_DTL_PUB
CO_DED_EE_TBL
CO_DED_FTPD_TAO
CO_DED_INVLDTXN
CO_DED_OUTD_TAO
CO_DED_VLDTXN
CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_PERS_TAO
CO_ESV_INIT_DET
CO_ESV_JOBA_TAO
CO_ESV_JOB_TAO
CO_ESV_YTD_DET
FPACNTRBARC_TBL
FPACNTRBRES_TBL
FPA_EXT_INF_TBL
GPCH_RP_0001
GPCH_RP_EO01
GPCH_RP_PK01
GPCH_RP_TX05C
GPFR_ASS_PAYEE
GPFR_AT_ADMIN
GPFR_DA30_AET
GPFR_ILL_ADMIN
GPFR_ILL_AET
GPGB_CNC_AET
GPGB_EE_RSLT
GPGB_PPIN_AET
GPGB_REPLIB_AET
GPHK_IR56_TBL
GPIT_CUD_RP_P1
GPIT_FCUD_T2
GPIT_RP_0001
GPMX_IM14_TMP
GPNL_5PCT_TMP
GPNL_PERS1_TMP
GPNL_REC_56_TMP



GPNL_RED1_TMP
GPNL_SYEE_TMP
GPNL_YEE1_TMP
GPNL_ZFW_TMP
GPSG_IR21_HDR
GPSG_IR8A_FORM
GVT_FIN_RUNCTL2
GVT_IRR_PRT
GVT_IRR_PRT_SEL
GVT_LV_DONOR
GVT_LV_DON_EXT
GVT_UCFE
HRAU_PSMPC_TAO
HR_AET

HR_DIM_BEL_AET
HR_NSZ_AET
HR_SHS_FRA_AET
HR_VIAPRIS_AET
NSZ_PERSON_NLD
PA_CLC_SRCH_3
PY_IC_W2_AUDIT
R_TAX002MI
R_TAX002MN
R_TAX810MI
R_TAX810MN
SHS_EMPL_TAO
UPG_GPMX830_AET
Z_AUTOTXS_C05
Z_AUTOTXS_C06
Z_FAST_SCRT_EMP
Z_HCUP_AUDIT
Z_HR_PIVOT_REF
Z_LC_EMPL_EXCHG
Z_LC_GVT_EE_WL
Z_LC_MSG_TEMP
Z_LC_NFC_EMPL
Z_LC_TRANS_TEMP
Z_LC_WORKLIST
Z_LEAVE_CAT_CD
Z_LOC_ICAMS_XRF
Z_MASK_NID
Z_MIIS_EMPOW_IN



Z_NFC_U6701_TBL
Z_NON_EMP_DATA
Z_PRES_030_WL
Z_PRES_083_WL
Z_PRES_089_WL
Z_PRES_095_WL
Z_PRES_120_WL
Z_PRES_127_WL
Z_PRES_140_WL
Z_PRES_150_WL
Z_PRES_151_WL
Z_PRES_170_WL
Z_PRES_SINQ_WL
Z_TABLE_102

NATIONAL_ID_FORMAT

Default Label National ID Format
Length 20
Type Character
Format Mixedcase

Record Reference(s) NID_TYPE_TBL

NATIONAL_ID_TYPE

Default Label National ID Type
Length 6
Type Character
Format Uppercase

Record Reference(s) CO_DPK_ELIG_AET

CO_DPK_SUPP_TBL
GPHK_IR56_TBL
GPMY_EFTFIL_AET
GPSG_IR21_HDR
GPSG_IR8A_FORM
NID_TYPE_LANG
NID_TYPE_TBL
UPG_HR75_AET



NATION_CD

Default Label Nationality Key
Length 3
Type Character
Format Numbers Only

Record Reference(s) APP_NATNLTY_GER
GPDE_DV_DISK_E
GPDE_DV_DSME
GPDE_DV_DSME_B
GPDE_DV_DSME_SO
GPDE_DV_DSM_TAO
GPDE_DV_DS_TAO
NATIONALITY_GER
NATIONS_DUEVO
NATIONS_DU_LNG
OHS001GER_TMP2
OHS004GER_TMP2
UPG_ER_AET

NATIVE_LANGUAGE

Default Label Native Language
Length 1
Type Character
Format Uppercase

Record Reference(s) UPG_HR75_AET

NATURE_DCLARER_BRA

Default Label Nature of Declarer
Length 2
Type Character
Format Uppercase

Record Reference(s) COMPANY_TBL_BRA



00	Individual/Legal Ent. Priv Law
01	Agencies, Federal Public Admin
02	Agencies, St/Municipal Pub Adm
03	Institution with Funds Admin
04	None

NATURE_OF_INJ_ILL

Default Label Nature of Injury or Illness

Length 254
Type Character
Format Mixedcase

Record Reference(s) OSHA_301_REPORT

NATURE_OF_TXN1

Default Label nATURE OF tRANSACTION 1

Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

NATURE_OF_TXN2

Default Label Nature of Transaction 2

Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

NAT_INS_CD

Default Label National Insurance Number

Length 9



Type Character
Format Uppercase

Record Reference(s) Z_FAST_SCRT_EMP

NAVIGATORBP

Default Label Navigator Business Process
Length 5
Type Number
Format 7

Record Reference(s) PSBUSPROCDEFN

NBGT_ACTUAL_COST

Default Label Unbudgeted Actual Cost
Length 19
Type Number
Format Uppercase

Record Reference(s) TRAINING012_AET
TRN_DEPTSRY_TAO
TRN_DEPT_SUMMRY

NBGT_ACTUAL_DEMAND

Default Label Unbudgeted Actual Demand
Length 6
Type Number
Format Uppercase

Record Reference(s) TRAINING012_AET
TRN_DEPTSRY_TAO
TRN_DEPT_SUMMRY

NBGT_ACTUAL_DURTN



Default Label Unbudgeted Actual Duration
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) TRAINING012_AET
 TRN_DEPTSRY_TAO
 TRN_DEPT_SUMMRY

NBGT_LISTED_COST

Default Label Unbudgeted Projected Cost
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) TRAINING012_AET
 TRN_DEPTSRY_TAO
 TRN_DEPT_SUMMRY

NBGT_LISTED_DEMAND

Default Label Unbudgeted Projected Demand
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) TRAINING012_AET
 TRN_DEPTSRY_TAO
 TRN_DEPT_SUMMRY

NBGT_LISTED_DURTN

Default Label Unbudgeted Projected Duratn
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) TRAINING012_AET
 TRN_DEPTSRY_TAO



TRN_DEPT_SUMMRY

NBR_COLUMNS_FRA

Default Label	Number of Columns
Length	1
Type	Number
Format	Uppercase

Record Reference(s)	GROUP_2483_FRA
	GROUP_SHEET_FRA
	INDIC_2483_FRA
	INDIC_SHEET_FRA

NDT_REPORT_TYPE

Default Label	NDT Report Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GVT_RUN_CNTL
	RUN_CNTL_BEN

K	401(k) Report Test Type
M	401(m) Report Test Type

NDT_TEST_TYPE

Default Label	NDT Test Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GVT_RUN_CNTL
	RUN_CNTL_BEN

1	Standard NDT
2	Section 129 NDT
3	Section 129 NDT by SLOB



ND_MONTH1_COUNT

Default Label Month 1 Employee Count
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810ND

ND_MONTH2_COUNT

Default Label Month 2 Employee Count
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810ND

ND_MONTH3_COUNT

Default Label Month 3 Employee Count
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810ND

NEAREST_HOSP_DIST

Default Label Nearest Hospital Distance
Length 8
Type Number
Format Uppercase

Record Reference(s) INJURY_ILL_IND



Default Label Near Right Corrected 1
Length 2
Type Number
Format Uppercase

Record Reference(s) EYE_EXAM

NEAR_R_COR2

Default Label Near Right Corrected 2
Length 3
Type Number
Format Uppercase

Record Reference(s) EYE_EXAM

NEAR_R_UNCOR1

Default Label Near Right Uncorrected 1
Length 2
Type Number
Format Uppercase

Record Reference(s) EYE_EXAM

NEAR_R_UNCOR2

Default Label Near Right Uncorrected 2
Length 3
Type Number
Format Uppercase

Record Reference(s) EYE_EXAM

NEEDS_APPR_FLAG

Default Label Needs Approval
Length 1



Type Character
 Format Uppercase

Record Reference(s) TL_WRKGRP_TBL
 UPG_CONV_TL_1
 UPG_TL_AET

NEED_IDENTIFIED_DT

Default Label Date Need Identified
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CAREER_TRAINING

NEE_PROVIDER_ID

Default Label Provider ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) CONTRACT_DATA
 EMPLOYMENT
 FGHR003B_EMPLOY
 GVT_EMPLOYMENT
 GVT_EMPL_TEMP
 NEE_PROVIDER_LNG
 NEE_PROVIDER_TAO
 NEE_PROVIDER_TBL
 UPG_CONTRCT_TAO
 UPG_HR75CNT_AET
 UPG_HR75TRN_AET

NEGATION

Default Label Negation
 Length 1



Type Character
 Format Uppercase

Record Reference(s) AE_GB_AET
 EOEW_SRCFILTER
 PSQRYCRITERIA

NEGPAY_OFFSET_ERNCD

Default Label Offset Earn. Type for -ve Pay
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) RETROPAYPGM_TBL

NEG_BAL_OPTN

Default Label Negative Balance Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPMX_AB_PAYGRP
 GP_ABS_TAKE

- A Allow Negative Balance
- O Take with Other Absence
- U Take as Unpaid Time

NEG_LMT_VAL

Default Label Negative Limit Value
 Length 8
 Type Signed Number
 Format Uppercase

Record Reference(s) GP_ABS_TAKE



NETWORK_ID

Default Label Network ID
Length 20
Type Character
Format Uppercase

Record Reference(s) EO_DSSERVERPARM

NET_ADJUSTMENT

Default Label Net Adjustment
Length 9

Type Signed Number
Format Uppercase

Record Reference(s) BEN_BI_ADJSTMNT

NET_PAY

Default Label Net Py
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) GPMX_XMAS_WA

PAY_CHECK
PAY_CHECK_DUE
PAY_LINE
R_PAY015
WRK_CHECK
WRK_LINE

NET_PAY_ADJ

Default Label Net Pay Adjustment
Length 12
Type Signed Number
Format Uppercase



Record Reference(s) BAL_ADJ_CHK
BAL_ADJ_CN_CHK

NET_PAY_MAXIMUM

Default Label Maximum Net Pay
Length 8
Type Number
Format Uppercase

Record Reference(s) PAYGROUP_TBL

NET_PAY_MINIMUM

Default Label Minimum Net Pay
Length 4
Type Number
Format Uppercase

Record Reference(s) PAYGROUP_TBL

NET_PAY_VALID_IND

Default Label Perform Net Pay Validation
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_ERN_DED

NET_PAY_YTD

Default Label Net Pay YTD
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CHK



BAL_ADJ_CN_CHK
CAN_CHECK_YTD
CHECK_YTD

NET_PAY_YTD_ADJ

Default Label Net Pay YTD Adjusted
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CHK
BAL_ADJ_CN_CHK

NEWASSIGNED

Default Label Newly Assigned
Length 9
Type Number
Format Uppercase

Record Reference(s) PSMSF_AET

NEWCODE

Default Label New Code
Length 18
Type Character
Format Uppercase

Record Reference(s) PSIMPXLAT

NEWIDS

Default Label NEW IDS
Length 27
Type Signed Number
Format Uppercase



Record Reference(s) PSMSF_AET

NEWNAME

Default Label New Object Name
Length 18
Type Character
Format Uppercase

Record Reference(s) PSOBJCHNG

NEWVALUE

Default Label New Value
Length 65
Type Character
Format Uppercase

Record Reference(s) PSAUDIT

NEW_ANNL_B_BASE_RT

Default Label New Annual Benefits Base Rate
Length 19
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

NEW_ANNUAL_RT

Default Label New Annual RT
Length 19
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET
HR_SAL_CHG_EE



NEW_BENPROGRAM

Default Label New Benefit Program
Length 3
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

NEW_BIWEEKLY_RT

Default Label New biweekly RT
Length 19
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

NEW_CHANGE_AMT

Default Label New Change Amt
Length 20

Type Signed Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

NEW_CHANGE_PCT

Default Label New Change Percent
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET



NEW_COMP_PCT

Default Label New Comp Percent
Length 7
Type Number
Format Uppercase

Record Reference(s) HR_SAL_CHG_COMP
SAL_PLAN_MC
UPG_CO_SS_AET
UPG_HRSCCMP_TAO
UPG_SP_MC_TAO

NEW_COMP_RATE_PTS

Default Label New Comp Rate Points
Length 5
Type Number
Format Uppercase

Record Reference(s) HR_SAL_CHG_COMP
SAL_PLAN_MC
UPG_CO_SS_AET
UPG_HRSCCMP_TAO
UPG_SP_MC_TAO

NEW_CURRENCY_CD

Default Label New Currency Code
Length 3
Type Character
Format Uppercase

Record Reference(s) SAL_PLAN_MC
UPG_SP_MC_TAO

NEW_DAILY_RT



NEW_EARNS_AMT

Default Label New Earnings Amount
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET
HP_RDIST_ERNDAT
HP_RETDIST_AET
RETROPAY_EARNS

NEW_EFFDT

Default Label New Benefit Program Effdt
Length 10
Type Date
Format Uppercase

Record Reference(s) CMP007_AET
GVT_RUN_CNTL
RUN_CNTL_BEN
STEP_INCR_AET

NEW_EFFSEQ

Default Label new_effseq
Length 4
Type Signed Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET
GVT_MASSCHG_AET

NEW_GVT_COMPRATE

Default Label New GVT Compensation Rate

Length 19



Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

NEW_HIRE_ELIG_DT

Default Label New Hire Eligibility Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GROUP_INCR_CNTL
 SAL_PLAN_CONTRL
 SAL_PLN_CONTROL
 UPG_HR75_AET

NEW_HOURLY_RT

Default Label New Hourly Rate
Length 19
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET
 RETROPAY_EARNS

NEW_LEVEL_NUM

Default Label Tree Level Number
Length 3
Type Number
Format Uppercase

Record Reference(s) TREE_MAINT_AET

NEW_MONTHLY_RT

Default Label New Monthly Rate



Length 19
 Type Number
 Format Uppercase

Record Reference(s) AE_FGPY005_AET

NEW_PATIENTS

Default Label Accepting New Patients?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GA_PRV_OUTDOC

N	No
Y	Yes

NEW_POSITION

Default Label New Position Number
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) GVT_MASSCHG_AET

NEW_POS_NBR

Default Label New Position
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) GVT_MOC_DATA

HP_RDIST_CTXDAT
 HP_RDIST_DEDDAT
 HP_RDIST_ERNDAT
 HP_RDIST_TAXDAT
 HP_RETDIST_AET



NEW_PRM_WRKDAY

Default Label New Primary Workday
Length 10
Type Character
Format Uppercase

Record Reference(s) SCH_MNG_SCH_TBL

NEW_PROVIDER_ID

Default Label New Provider ID
Length 10
Type Number
Format Uppercase

Record Reference(s) UPG_HR75TRN_AET

NEW_PROVINCE

Default Label New Province
Length 6
Type Character
Format Uppercase

Record Reference(s) CAN_AMEND_T4_S

NEW_RATE_CODE_GRP

Default Label New Rate Code Group Name
Length 6

Type Character
Format Uppercase

Record Reference(s) SAL_PLAN_MC
UPG_SP_MC_TAO



NEW_ROW_IND

Default Label New Row Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_TRGR_WRK

NEW_RSLT_VAL

Default Label New Calc Result Value
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_GL_DATA_TMP
GP_GL_DNF_TMP

NEW_SAL_AMOUNT

Default Label New Salary Amount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) HR_CMP052J2_AET
SALINC_SIML_JPN

NEW_SCENARIO

Default Label New Scenario
Length 10
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_HR
TRAINING_AET



NEW_TAX_ID

Default Label Tax Reporting ID
Length 16
Type Character
Format Uppercase

Record Reference(s) CAN_AMEND_T4A_S
CAN_AMEND_T4_S

NEW_TERM_PGM_EFFDT

Default Label New Effective Date
Length 10
Type Date
Format Uppercase

Record Reference(s) RC_PAY

NEW_TERM_PGM_ID

Default Label New Final Check Program ID
Length 3
Type Character
Format Uppercase

Record Reference(s) RC_PAY

NEW_TRANS_NBR

Default Label New Trans Number
Length 4
Type Signed Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET



NEW_TRANS_NBR_SEQ

Default Label New Trans Number Sequence
Length 4
Type Signed Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

NEW_TREE_NODE_NUM

Default Label Tree Node Number
Length 10
Type Number
Format 7

Record Reference(s) TREE_MAINT_AET

NEW_WLP

Default Label New Wage Loss Plan
Length 3
Type Character
Format Uppercase

Record Reference(s) CAN_AMEND_T4A_S
CAN_AMEND_T4_S

NEXTSTARTDTM

Default Label Next Start Datetime
Length 26
Type Datetime
Format Uppercase

Record Reference(s) SCHDLDEFNINFO



NEXTTRANSFERDTM

Default Label Next Transfer DateTime
Length 26
Type Datetime
Format Uppercase

Record Reference(s) CDM_TRANSFER

NEXT_CAREERPLAN_DT

Default Label Career Plan Review Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CAREERPLAN

NEXT_EMPLID

Default Label Restart EmplID
Length 11
Type Character
Format Uppercase

Record Reference(s) GP_RUNCTL

NEXT_EXAM_DT

Default Label Next Exam Date
Length 10
Type Date
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST
EYE_EXAM
GVT_DRUG_TEST
PHYSICAL_EXAM
RESPIRATORY_EXM



NEXT_NUM

Default Label	Restart Number
Length	2
Type	Number
Format	Uppercase

Record Reference(s) GP_RUNCTL

NEXT_OF_KIN

Default Label	Next Of Kin
Length	30
Type	Character
Format	Name

Record Reference(s) HS_FAMILY

NEXT_PGM

Default Label	Restart Program
Length	8
Type	Character
Format	Uppercase

Record Reference(s) GP_RUNCTL

NEXT_POSN_JOBCODE

Default Label	Job Code-Next Position
Length	6
Type	Character
Format	Uppercase

Record Reference(s) CAREERPATH_TBL

NEXT_REVIEW_DT



NEXT_STEP

Default Label Next Step
Length 3
Type Number
Format Uppercase

Record Reference(s) GP_RUNCTL

NEXT_SUCCESSPLN_DT

Default Label Next Succession Plan Date
Length 10
Type Date
Format Uppercase

Record Reference(s) SUCC_PLAN_POSN

NEXT_WEEK_NBR

Default Label View Absences for the next
Length 2
Type Number
Format Uppercase

Record Reference(s) HR_PE_DATES_TBL

NHCE_CONCNTR_PCT

Default Label NHCE Concentration Percentage
Length 3
Type Number
Format Uppercase

Record Reference(s) R_SAFE_RATIO

NHCE_LOOKUP_PCT

Default Label NHCE LookUp Concentration Pct



Length 3
 Type Number
 Format Uppercase

Record Reference(s) R_FINAL_RESULTS

NIC_CODE_FRA

Default Label NIC Code
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) GPFR_ASS_COMP
 GPFR_DA41_AET
 GPFR_ILL_AET
 SHS_ESTAB_TAO

NID_COUNTRY

Default Label National ID Country
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) CO_DPK_ELIG_AET

NID_SOURCE

Default Label National ID Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CO_DPK_ELIG_AET
 CO_DPK_SUPP_TBL

C Specific Country
 P Primary



NID_SPECIAL_CHAR

Default Label SSN as stored
Length 20
Type Character
Format Uppercase

Record Reference(s) MATR_BK_ITA_TAO
MATR_BOOK_ITA

NID_TYPE_DEFAULT

Default Label NID Type Default
Length 1
Type Character
Format Uppercase

Record Reference(s) NID_TYPE_TBL

NIS_CNTRY_NR_BEL

Default Label NIS Country Number
Length 5
Type Character
Format Mixedcase

Record Reference(s) COUNTRY_TBL_BEL
HR_DIM_BEL_AET

NJ_STATE_MINIMUM

Default Label State Minimum Wages
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) RC_QTR_UI



NLD

Default Label NLD - Netherlands
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

NLGRS_ADJ

Default Label No Limit Gross Adjustment
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CN_TAX
BAL_ADJ_TAX
UPG_CAN1_AET
UPG_E3XW_TAO

NLGRS_ADJ_PRD

Default Label AE NLGRS ADJ PRD TEMP
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) UPG_CAN1_AET

NLGRS_ADJ_QTR

Default Label AE NLGRS ADJ QTR TEMP
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) UPG_CAN1_AET



NLGRS_CUR

Default Label Current No Limit Gross
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) HP_PAYTAXCAN_WK
HP_PAY_TAX_WK
PAY_TAX
PAY_TAX_CAN
UPG_E3XW_TAO
WRK_TAX
WRK_TAX_CAN

NLGRS_MTD

Default Label No Limit Gross MTD
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CN_TAX
BAL_ADJ_TAX
CAN_TAX_BALANCE
TAX_BALANCE
UPG_CAN1_AET
UPG_E3XW_TAO

NLGRS_MTD_ADJ

Default Label No Limit Gross MTD Adjusted
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CN_TAX
BAL_ADJ_TAX
UPG_CAN1_AET



UPG_E3XW_TAO

NLGRS_QTD

Default Label No Limit Gross QTD
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CN_TAX

BAL_ADJ_TAX
CAN_TAX_BALANCE
R_TAX002CA
R_TAX002MI
R_TAX002MN

R_TAX810
R_TAX810CA
R_TAX810MI
R_TAX810MN
TAX_BALANCE
UPG_CAN1_AET
UPG_E3XW_TAO

NLGRS_QTD_ADJ

Default Label No Limit Gross QTD Adjusted
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_CN_TAX

BAL_ADJ_TAX
UPG_CAN1_AET
UPG_E3XW_TAO

NLGRS_YTD

Default Label No Limit Gross YTD
Length 12



Type Signed Number
 Format Uppercase

Record Reference(s) BAL_ADJ_CN_TAX
 BAL_ADJ_TAX
 CAN_TAX_BALANCE
 TAX_BALANCE
 UPG_CAN1_AET
 UPG_E3XW_TAO

NLGRS_YTD_ADJ

Default Label No Limit Gross YTD Adjusted
 Length 12
 Type Signed Number
 Format Uppercase

Record Reference(s) BAL_ADJ_CN_TAX
 BAL_ADJ_TAX
 UPG_CAN1_AET
 UPG_E3XW_TAO

NL_ANONYMOUS_RT

Default Label Anonymous Rate
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TAX_DATA_NLD

NL_CONTACTPERSON

Default Label Contactperson
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_HR_NLD



RUN_ILL_HR_NLD

NL_CORRECTION

Default Label Correction
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
RUN_CNTL_HR_NLD
RUN_ILL_HR_NLD

NL_DECIS_INSP_AMT

Default Label Decision Inspection Amount
Length 12
Type Number
Format Uppercase

Record Reference(s) TAX_INSPECT_NLD

NL_DECIS_INSP_DT

Default Label Decision Inspection Date
Length 10
Type Date
Format Uppercase

Record Reference(s) TAX_INSPECT_NLD

NL_DECIS_INSP_END

Default Label Decision Inspection End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) TAX_INSPECT_NLD



NL_DECIS_INSP_NBR

Default Label Decision Inspection Number
Length 10
Type Character
Format Numbers Only

Record Reference(s) TAX_INSPECT_NLD

NL_DECIS_INSP_TYPE

Default Label Decision Inspection Type
Length 2
Type Character
Format Uppercase

Record Reference(s) TAX_INSPECT_NLD

- 1 Deduction
- 2 Tax Category
- 3 Exception Perc Spec Tax Rate
- 4 Conscientious Scruple
- 5 Extra Tax

NL_FROM_MONTH

Default Label Month from
Length 2
Type Number
Format Uppercase

Record Reference(s) ABS_STAT_NLD
RUN_CNTL_HR_NLD

NL_FROM_YEAR

Default Label Year from
Length 4



NL_IND_ZV

Default Label Indicator Maternity Leave
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_HR_NLD

E Excluded
I Included

NL_INITFILE

Default Label Initial Postal Code Loadfile
Length 50
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_HR_NLD

NL_NBR_OF_WORKDAYS

Default Label Number of workdays
Length 3
Type Number
Format Uppercase

Record Reference(s) PAY_CALENDR_NLD

NL_PRODUCTION_CD

Default Label Production Code
Length 2
Type Character
Format Uppercase

Record Reference(s) PAY_CALENDR_NLD

NL_REASON_ELSE



Default Label Reason Else
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) HR_NSZ_AET

RUN_CNTL_HR_NLD
 RUN_ILL_HR_NLD

NL_REASON_END

Default Label Reason for ending Health Insur
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HR_NSZ_AET

RUN_CNTL_HR_NLD
 RUN_ILL_HR_NLD

- D Death
- E Else
- M Military Service
- S Salary Limit Reached
- T Termination

NL_REPORT_REASON

Default Label Reason for Communication
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HR_NSZ_AET

RUN_CNTL_HR_NLD
 RUN_ILL_HR_NLD

- A Change Data Social Insurance
- D Death
- H Hire
- I Change Data Industrial Board



T Termination

NL_SA_WAO

Default Label Disability Insurance
Length 2
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
SOCIAL_ASSR_NLD

00 No Deduction
01 Deduction WAO

NL_SA_WW

Default Label Unemployment Tax
Length 2
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
SOCIAL_ASSR_NLD

00 No Deduction
01 Deduction

NL_SA_ZFW

Default Label Premium Health Insurance
Length 2
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
SOCIAL_ASSR_NLD

00 No deduction
01 Deduction



NL_SA_ZW

Default Label Premium Health Law
Length 2
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
SOCIAL_ASSR_NLD

00 No Deduction
01 Deduction

NL_SPCL_RT_OT

Default Label Percentage Special Adjustment
Length 5
Type Number
Format Uppercase

Record Reference(s) TAX_DATA_NLD

NL_SPCL_RT_TAX

Default Label Percentage Special Tax Rate
Length 5
Type Number
Format Uppercase

Record Reference(s) TAX_DATA_NLD

NL_START_END

Default Label Start or End Health Insurance
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
RUN_CNTL_HR_NLD
RUN_ILL_HR_NLD



E End
S Start

NL_START_REASON

Default Label Reason for Start
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
RUN_CNTL_HR_NLD
RUN_ILL_HR_NLD

H Hire
T Transition

NL_TAX_CAT

Default Label Tax Category
Length 1
Type Character
Format Uppercase

Record Reference(s) TAX_DATA_NLD

0 N/A
1 Tax Category 1
2 Tax Category 2
3 Tax Category 3
4 Tax Category 4
5 Tax Category 5

NL_TAX_EXCEPTION

Default Label Exception tax
Length 1
Type Character
Format Uppercase

Record Reference(s) TAX_DATA_NLD



- 0 No Exception
- 1 Long Term Unemployment
- 2 No Employer Adjustment
- 3 Low Tax Rate/No Employer Adj
- 4 No Tax/Premium Ded/Emp Adj
- 8 Tax/No Premium Ded/No Emp Adj
- A Tax/Just AOW,ANW/No Emp Adj

NL_TAX_TABLE

Default Label Tax Table Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s)

TAX_DATA_NLD

- 0 No Tax
- 1 White Tax Table
- 2 Green Tax Table

NL_TAX_TRAVEL_DATA

Default Label Travel Data
 Length 1
 Type Character
 Format Uppercase

Record Reference(s)

TAX_DATA_NLD

- 0 N/A
- 1 Company Car
- 2 Carpooling
- 3 Employer Transport

NL_TAX_YR_EARNINGS

Default Label Taxable Income
 Length 12
 Type Number
 Format Uppercase



Record Reference(s) TAX_DATA_NLD

NL_THRU_MONTH

Default Label Month thru
Length 2
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_HR_NLD

NL_THRU_YEAR

Default Label Year thru
Length 4
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_HR_NLD

NL_TXT_PAYMENT_ORD

Default Label Text Payment Order
Length 64
Type Character
Format Mixedcase

Record Reference(s) PAY_CALENDR_NLD

NL_UPDATEFILE

Default Label Update Postal Code File
Length 50
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_HR_NLD



NL_WBA

Default Label Reducement Unemployment
Length 1
Type Character
Format Uppercase

Record Reference(s) SOCIAL_ASSR_NLD

NM_ROYAL_PREF

Default Label Name Royal Prefix
Length 15
Type Character
Format Mixedcase

Record Reference(s) NM_ROYPREF_LNG
 NM_ROYPREF_TBL

NM_ROYAL_SUFF

Default Label Name Royal Suffix
Length 15
Type Character
Format Mixedcase

Record Reference(s) NM_ROYSUFF_LNG
 NM_ROYSUFF_TBL

NODE1

Default Label Node Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSRELATIONSHIP



NODE2

Default Label	Node Name
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PSRELATIONSHIP

NODECOL_IMAGE

Default Label	Node Collapse Image Name
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PSTREEDEFN
PSTREENODE
PSX_TREENODE
PSX_TREENODEUPD

NODECOUNT

Default Label	Node Count
Length	3
Type	Number
Format	Uppercase

Record Reference(s) PSPNLFIELD
PST_PNLFIELDS

NODEEXP_IMAGE

Default Label	Node Expand Image
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PSTREEDEFN



PSTREENODE
PSX_TREENODE
PSX_TREENODEUPD

NODENUM

Default Label Node Number
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLTREECTRL

NODETYPE

Default Label Node Type
Length 5
Type Number
Format 7

Record Reference(s) PSPROJECTITEM

NODE_BARNAME

Default Label Node Bar Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTREESTRCT

NODE_COUNT

Default Label Node Count
Length 10
Type Number
Format 7



Record Reference(s) PSTREEBRANCH
PSTREEDEFN
PSX_TREEBRANCH
RUN_TREEMOVER
TREEMOVER_AET
TREE_MAINT_AET

NODE_FIELDNAME

Default Label Node Field
Length 18
Type Character
Format Uppercase

Record Reference(s) PSTREESTRCT

NODE_INDEX

Default Label Node Index
Length 10
Type Number
Format 7

Record Reference(s) TREE_MAINT_AET

NODE_ITEMNAME

Default Label Item Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTREESTRCT

NODE_MENUNAME

Default Label Node Menu Name
Length 30
Type Character



Format Uppercase

Record Reference(s) PSTREESTRCT

NODE_MULTINAVIGATE

Default Label Node Multi-Navigation

Length 1

Type Character

Format Uppercase

Record Reference(s) PSTREESTRCT

NODE_PNLGRPNAME

Default Label Component Name

Length 50

Type Character

Format Uppercase

Record Reference(s) PSTREESTRCT

NODE_PNLNAME

Default Label Page Name

Length 18

Type Character

Format Uppercase

Record Reference(s) PSTREESTRCT

NODE_RECNAME

Default Label Node Record

Length 15

Type Character

Format Uppercase



Record Reference(s) PSTREESTRCT

NODE_TYPE

Default Label Node Type
Length 4
Type Character
Format Uppercase

Record Reference(s) PSMMSGNODEDEFN

EX External
ICT ICType=format
PIA PeopleSoft

NONEMPL_RESP_IND

Default Label Non-Employee Responsible Ind
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_WOIN_EC
WCB_WOIN_WD

NONPKG_DEDNS_PER

Default Label Non-Packaged Deductions (Per)
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_TBL

NONPKG_DEDNS_PTD

Default Label Non-Packaged Deductions (PTD)
Length 17
Type Signed Number



Format Uppercase

Record Reference(s) PKG_EXP_TBL

NONPKG_EARNS_PER

Default Label Non-Packaged Earnings (Period)
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_TBL

NONPKG_EARNS_PTD

Default Label Non-Packaged Earnings (PTD)
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_TBL

NONPKG_EXPENSE_PER

Default Label Non-Packaged Expenses (Period)
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_TBL

NONPKG_EXPENSE_PTD

Default Label Non-Packaged Expenses (PTD)
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_TBL



NONREPUDIATION

Default Label Non-Repudiation

Length 1

Type Number

Format Uppercase

Record Reference(s) PSMSGDEFN
PSMSGNODEDEFN

NONRESIDENT_TAX_RT

Default Label Nonresident Tax Rate

Length 12

Type Number

Format Uppercase

Record Reference(s) LOCAL_TAX_TBL
R_PATXUPD
UPG_CONV_LCLTX
UPG_LCLTX2

NON_BUS_WRK_DESCR

Default Label Non Business Work Description

Length 250

Type Character

Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

NON_CATALOGUED

Default Label Not in Catalog

Length 1

Type Character



Format Uppercase

Record Reference(s) COURSE_TBL
TRN_CRIT_CRSE_E
TRN_CRIT_CRSE_I
TRN_DEMAND

NON_EMPLOYEE_ID

Default Label Non-Employee ID
Length 11
Type Character
Format Numbers Only

Record Reference(s) HS_FAMILY
HS_FAMILY_CHILD
HS_NE_PERS_DATA
ILLNESS_GER
ILLNESS_GER_LNG
ILLNESS_KEY_GER
ILL_ACTION_GER
ILL_CARE_GER
ILL_CARE_LNG

ILL_CAUSE_GER
ILL_DIAG_GER
INCDNT_VEH_EMPL
INCIDENT_PEOPLE
INC_PEOPLE_LNG
INJURY_ABSENCES
INJURY_CLM_MGMT
INJURY_ILL
INJURY_ILL_ACC
INJURY_ILL_ACT
INJURY_ILL_ADDR
INJURY_ILL_AID
INJURY_ILL_BP
INJURY_ILL_DESC
INJURY_ILL_DESG
INJURY_ILL_DIAG
INJURY_ILL_IND
INJURY_ILL_LNG



INJURY_ILL_NOI
INJURY_ILL_SOI
INJ_CLMCST_IND
INJ_ILLADDR_LNG
INJ_ILLCAN_LNG
INJ_ILLWI_LNG
INJ_ILL_AID_FRA
INJ_ILL_BPI_CAN
INJ_ILL_EMPSTMT
INJ_ILL_EMP_LNG
INJ_ILL_NBD_CAN
INJ_ILL_NBD_LNG
INJ_ILL_NRD_CAN
INJ_ILL_NRD_LNG
INJ_ILL_OBJSTMT
INJ_ILL_OBJ_LNG
INJ_ILL_PDS_CAN
INJ_ILL_PDS_LNG
INJ_ILL_PHC_CAN
INJ_ILL_PHC_LNG
INJ_ILL_PRT_FRA
INJ_ILL_STMT
INJ_ILL_STM_LNG
INJ_ILL_WA_CAN
INJ_ILL_WA_LNG
INJ_ILL_WI_CAN
INJ_PEOPLE_CAN
INJ_REHAB_ACTN
INJ_REHAB_LNG
LONG_EARNS_CAN
MODIFIED_WORK
NE_PERSDATA_LNG
NE_PERSONAL_DTA
NE_PERS_PHONE
OHS501UK_TMP1
OHS501UK_TMP2
RUN_CNTL_OHS
RUN_CNTL_SF182
RUN_CNTL_SF182L
TRN_TUIT_REIMB
TR_ADDNONEM_AET
UPG_HR75_AET
WORK_RESTRICTN



Z_GRIEVNON
Z_NEDC_TBL

NON_EMPLOYEE_IND

Default Label Non-employee Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_AM_REQ_TBL
ER_AUTOMTCH_AET
ER_AUTOMTCH_TBL

NON_EMPLOYEE_LAST

Default Label Last H&S Non-Employee ID Assgn
Length 10
Type Number
Format Uppercase

Record Reference(s) INSTALLATION

NON_EMPL_RESP_TXT

Default Label Non-Employee Responsible Text
Length 100
Type Character
Format Uppercase

Record Reference(s) WCB_ERPT_EC

NON_INDEX_AMT

Default Label Non-Indexed Amount
Length 10
Type Number
Format Uppercase



Format Uppercase
Record Reference(s) PA_PLAN_DT_TBL

NOTES

Default Label Notes
Length 0
Type Long Character
Format Uppercase
Record Reference(s) GPGB_EE_STDTLS
 PUBLICATIONS

NOTES_JPN

Default Label Salary Plan Explanation
Length 0
Type Long Character
Format Uppercase
Record Reference(s) SAL_GRD_JPN_LNG
 SAL_GRD_TBL_JPN
 SAL_PLN_JPN_LNG
 SAL_PLN_TBL_JPN

NOTICEDATE

Default Label NoticeDate
Length 10
Type Date
Format Uppercase
Record Reference(s) HR_DIM_SEG1_BEL
 HR_NSZ_AET
 NSZ_MSV_NLD
 R_PER001



NOTIFCTN_DT_ITA

Default Label Notification Date
Length 10
Type Date
Format Uppercase

Record Reference(s) EMPL_TERMS_ITA

NOTIFCTN_END_DATE

Default Label Notification End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) EMPL_TERMS_ITA

NOTIFCTN_START_DT

Default Label Notification Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) EMPL_TERMS_ITA

NOTIFIC_PERIOD_BEL

Default Label Notification Period Months
Length 3
Type Number
Format Uppercase

Record Reference(s) CONTR_ENDS_BEL
UPG_CNTENDS_TAO

NOTIFIC_PERWKS_BEL



Default Label Notification Period Weeks
Length 3
Type Number
Format Uppercase

Record Reference(s) CONTR_ENDS_BEL
UPG_CNTENDS_TAO

NOTIFIED_BY
Default Label Notified of Absence By Whom
Length 30
Type Character

Format Mixedcase

Record Reference(s) ABSENCE_HIST
ABS_HIST_LANG
GPGB_ABS_EVT_JR

NOTIFIED_DT
Default Label Date First Notified
Length 10
Type Date
Format Uppercase

Record Reference(s) ABSENCE_HIST
GPGB_ABS_EVT_JR
GPMY_TER_PYE
HR_DIM_BEL_AET
HR_VIAPRIS_AET

NOTIFIED_TM
Default Label Time First Notified
Length 15
Type Time
Format Uppercase



Record Reference(s) SERVERNOTIFY

NOTIFYWHENSTARTD

Default Label Notify When Started
Length 1
Type Number
Format Uppercase

Record Reference(s) SERVERNOTIFY

NOTIFYWHENSUSP

Default Label Notify When Suspended
Length 1
Type Number
Format Uppercase

Record Reference(s) SERVERNOTIFY

NOTIFY_ADMIN

Default Label Notify Administrator
Length 1
Type Character
Format Uppercase

Record Reference(s) W3EB_LE_RULES

NOTIFY_COMP_USE

Default Label Self Service Component Use
Length 3
Type Character
Format Uppercase

Record Reference(s) SS_EMAIL_TEXT



ADM	Administrator
APL	Approval List
APR	Approver
DFL	Default (Email Config Only)
ORG	Originator
STL	Status List
STS	Status

NOTIFY_FLAG

Default Label	Notify VC of PI Results.
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GP_VC_RUNCTL
---------------------	--------------

NOTIFY_GUID

Default Label	Unique Identifier
Length	36
Type	Character
Format	Uppercase

Record Reference(s)	PT_WF_GUIDLOG
	PT_WF_NOTFYGUID
	PT_WF_NOTFY_TBL
	WL_RIMRESP_AET
	WL_RIMRESP_ERR
	WL_RIMRESP_PROC

NOTIFY_METHOD

Default Label	Preferred Notification Method
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	RC_TAX960
	TAX960_PARM



- 1 E Mail/Internet
- 2 Postal Service

NOTIFY_ON_SUCCESS

Default Label Notify on Success
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) WF_HR_TRANS_NOT

- N Not Successful
- Y Notify on Success

NOTIFY_ON_WARNINGS

Default Label Notify on Warnings
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) WF_HR_TRANS_NOT

- N No Warning
- Y Notify on Warning

NOTIFY_STATUS

Default Label eRecruit Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_OTH_EARNS
 WRK_OTH_EARNS

- N Not Sent
- R Reversed
- S Sent to eRecruit



NOTIFY_TO

Default Label Notify To
Length 0
Type Long Character
Format Uppercase

Record Reference(s) WL_RIMRESP2_AET

NOTIF_BY_INDIV_FRA

Default Label Notify by Individual Reserve
Length 40
Type Character
Format Mixedcase

Record Reference(s) MILIT_SITN_FRA

NOTIF_BY_MILIT_FRA

Default Label Notify by Military Reserve
Length 40
Type Character
Format Mixedcase

Record Reference(s) MILIT_SITN_FRA

NOTIF_DAYS_ITA

Default Label Number of Notification Days
Length 5
Type Number
Format Uppercase

Record Reference(s) SENIO_NOTIF_ITA

NOTIF_DT_FRA

Default Label Notification Date



Length 10
Type Date
Format Uppercase

Record Reference(s) APP_DISABL_FRA
DISABILITY_FRA
UPG_ER_AET

NOTIF_END_DT_NLD

Default Label End Notification Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HR_VIAPRIS_AET

NOTIF_PERIOD_BEL

Default Label Notification period
Length 3

Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_HR_BEL

NOTIF_START_DT_BEL

Default Label Start date notification period
Length 10
Type Date
Format Uppercase

Record Reference(s) RUN_CNTL_HR_BEL

NOTIF_START_DT_NLD

Default Label Begin Notification Date



Length 10
Type Date
Format Uppercase

Record Reference(s) HR_VIAPRIS_AET

NOT_RETURNING

Default Label Not Returning
Length 1
Type Character
Format Uppercase

Record Reference(s) ROE

NO_ALLOWANCES

Default Label Number of Allowances Permitted
Length 3
Type Number
Format Uppercase

Record Reference(s) TREATY_NRA_TBL

NO_NEW_EVENTS

Default Label No New Events
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_SCHED

NO_OFFSETS

Default Label If we should send offsets
Length 1
Type Character



Format Uppercase

Record Reference(s) PYTL_STG_SUB
TL_PAYREQ_E
TL_PAYROLL_REQ

NO_PAY_ROWS

Default Label Publish unmapped TRC as No Pay
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_INSTALLATION

NO_REVIEW

Default Label No Review
Length 1
Type Character
Format Uppercase

Record Reference(s) BP_RNCTL_BPINFC
CMP007_AET
RUN_CNTL_HR
STEP_INCR_AET

NO_SYMBID_WARN

Default Label Do not show this message again
Length 1
Type Character
Format Uppercase

Record Reference(s) PSUSERATTR

NPLODE_DETAILS

Default Label nPlode to Underlying Details



Length 1
 Type Character
 Format Uppercase

Record Reference(s) NVS_REPORT

NQ_ORD_INC_MTHD

Default Label NQ Sale - Ordinary Income Mthd
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) ST_OPTION_PLAN

FMV Fair Market Value
 LOW Lower of FMV or Sale Price
 SP Sale Price

NQ_PLAN_TYPE

Default Label Domestic Coverage for
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) BEN_DEFN_PLAN

NRD_ALIAS_NAME

Default Label NRD Alias Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_PLAN_ALIASES

NRD_ALT



Default Label NRD Alias Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

NRD_NAME

Default Label Normal Retirement Data Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

NRID

Default Label Non-Repudiation ID
 Length 11
 Type Signed Number
 Format 7

Record Reference(s) PSAPMSGARCHPC
 PSAPMSGARCHPH
 PSAPMSGPUBCON
 PSAPMSGPUBHDR
 PSIBLOGHDR
 PSIBLOGHDRARCH
 PSXMLSIGNDATA
 PSXMLSIGNINST

NRTIMESTAMP

Default Label Non-Repudiation Time Stamp
 Length 26
 Type Datetime
 Format Uppercase



Record Reference(s) PSXMLSIGNDATA

NSZ_BANK_ID_NLD

Default Label Bank ID
Length 10
Type Character
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD

NSZ_CONTRACTID_NLD

Default Label Contract ID
Length 11
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
NSZ_MSV_NLD

NSZ_DATE10_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_DATE1_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD
NSZ_VW1_NLD



NSZ_DATE2_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD
NSZ_VW1_NLD

NSZ_DATE3_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_DATE4_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_DATE5_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD



NSZ_DATE6_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_DATE7_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_DATE8_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_DATE9_NLD

Default Label Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NSZ_VW1_NLD



Length 70
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
NSZ_MSV_NLD
NSZ_VW1_NLD

NSZ_DIIB_ID_NLD

Default Label Dutch Ind. Insurance Board
Length 15
Type Character
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD

NSZ_DUMMY12_1_NLD

Default Label Dummy
Length 12
Type Character
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD

NSZ_DUMMY1_1_NLD

Default Label Dummy
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_DIM_BEL_AET
HR_DIM_SEG9_BEL
HR_DIM_SG12_BEL
NSZ_MSV_NLD
NSZ_PERSON_NLD



NSZ_DUMMY1_2_NLD

Default Label Dummy
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_DIM_BEL_AET
HR_DIM_SEG9_BEL
HR_DIM_SG12_BEL
NSZ_MSV_NLD
NSZ_PERSON_NLD

NSZ_DUMMY1_3_NLD

Default Label Dummy
Length 1
Type Character
Format Uppercase

Record Reference(s) HR_DIM_BEL_AET
HR_DIM_SEG9_BEL
HR_DIM_SG12_BEL
NSZ_MSV_NLD
NSZ_PERSON_NLD

NSZ_DUMMY1_4_NLD

Default Label Dummy
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_DUMMY1_5_NLD

Default Label Dummy



Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_DUMMY1_6_NLD

Default Label Dummy
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_DUMMY2_1_NLD

Default Label Dummy
Length 2
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
NSZ_MSV_NLD

NSZ_DUMMY3_1_NLD

Default Label Dummy
Length 3
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD
NSZ_VW1_NLD

NSZ_DUMMY3_2_NLD

Default Label Dummy
Length 3



Type Character
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_DUMMY6_1_NLD

Default Label Dummy
Length 6
Type Character
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD

NSZ_HOUSE_LBL_NLD

Default Label Dutch House Label
Length 5
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
NSZ_MSV_NLD
NSZ_PERSON_NLD

NSZ_HRS_AWEEK_NLD

Default Label Work Hours per week
Length 4
Type Character
Format Uppercase

Record Reference(s) HR_NSZ_AET
NSZ_MSV_NLD

NSZ_ILL_IND_NLD

Default Label Illness Control Indication



Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_INITIALS_NLD

Default Label Initials
Length 10
Type Character
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD

NSZ_PARTIM_IND_NLD

Default Label Partime Indication
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_PERS_TITLE_NLD

Default Label Person Title
Length 12
Type Character
Format Uppercase

Record Reference(s) NSZ_PERSON_NLD

NSZ_POSTAL2_NLD

Default Label Postal
Length 9
Type Character



Format Uppercase

Record Reference(s) HR_DIM_SEG8_BEL
 HR_DIM_SG10_BEL
 HR_NSZ_AET
 NSZ_PERSON_NLD

NSZ_POSTAL_NLD

Default Label Postal
Length 6
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_REASON_NLD

Default Label Reason of Report Communication
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_SASS_ID_NLD

Default Label Social Assurance Number
Length 15
Type Character
Format Uppercase

Record Reference(s) NSZ_VW1_NLD

NSZ_SEND_IND_NLD

Default Label Illness Segment Send Status

Length 1



Type Character
 Format Uppercase

Record Reference(s) NSZ_MSV_NLD
 NSZ_VW1_NLD

NSZ_TAG_NLD

Default Label Vpmeld Tag
 Length 7
 Type Character
 Format Uppercase

Record Reference(s) NSZ_MSV_NLD
 NSZ_PERSON_NLD
 NSZ_VW1_NLD

NSZ_TIME_PERC_NLD

Default Label Partime Percent
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) HR_NSZ_AET
 NSZ_MSV_NLD

NSZ_UNION_ID_NLD

Default Label Union ID
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) HR_NSZ_AET
 NSZ_MSV_NLD
 NSZ_VW1_NLD



NSZ_WAO_IND_NLD

Default Label WAO
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_WRK_TYPE_NLD

Default Label Work Type
Length 2
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_WW_IND_NLD

Default Label WW Indication
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NSZ_ZFW_IND_NLD

Default Label ZFW Indication
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD
NSZ_VW1_NLD

NSZ_ZW_IND_NLD



Default Label ZW Indication
Length 1
Type Character
Format Uppercase

Record Reference(s) NSZ_MSV_NLD

NULL_BLANK_CHAR

Default Label Null Blank Character Flds
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO
 PI_SYSTEM_TBL

NULL_WORK_DATE

Default Label Null Work Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GVT_MASSCHG_AET
 GVT_PAR_PSH_AET
 UPG_ER_AET
 UPG_FG_AET
 UPG_HR75_AET
 UPG_HR_AET

NULL_WORK_DTTM

Default Label Null Work Date Time
Length 26
Type Datetime
Format Uppercase



Record Reference(s) UPG_ER_AET
UPG_FG_AET

NULL_ZERO_NUM

Default Label Null Zero Numeric Flds
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_FIELD_TBL
PI_PIFLD_TAO
PI_SYSTEM_TBL

NUM1

Default Label Number 1
Length 6
Type Character
Format Mixedcase

Record Reference(s) EO_ADDR_VALIDAT
GPNL_ZFW_TT_TMP
GVT_PAR_PSH_AET
HR_DIM_BEL_AET
HR_NSZ_AET
HR_VIAPRIS_AET
TL_EE_EXPND_NUM
UPG_HR75RWF_AET
UPG_HR75TRN_AET

NUM2

Default Label Number 2
Length 4
Type Character
Format Mixedcase

Record Reference(s) EO_ADDR_VALIDAT
GPNL_ZFW_TT_TMP



GVT_PAR_PSH_AET
 HR_DIM_BEL_AET
 HR_NSZ_AET
 HR_VIAPRIS_AET
 NSZ_MSV_NLD
 NSZ_PERSON_NLD
 UPG_HR75RWF_AET
 UPG_HR75TRN_AET

NUMBER_OF_EMPL

Default Label Number of Employees
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) TRN_DMND_JOB_CD
 TRN_PROF_JOB_S
 VC_APRWRD_G_AET
 VC_GRP_ALLOC
 VC_GRP_AWD_TAO

NUMBER_OF_EMPL2

Default Label Number of Employees
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) VC_APRWRD_G_AET

NUMBER_OF_EMPL3

Default Label Number of Employees
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) VC_APRWRD_G_AET



NUMBER_OF_MONTHS

Default Label Months in a Year
Length 3
Type Number
Format Uppercase

Record Reference(s) EG_CAL_DEFN_TBL

NUMBER_OF_PERIODS

Default Label Periods in a Year
Length 3
Type Number
Format Uppercase

Record Reference(s) BALANCE_ID_TBL
CAL_DEFN_TBL
EG_CAL_DEFN_TBL
ER_AM_REQ_TBL
ER_AUTOMTCH_AET
ER_AUTOMTCH_TBL

NUMBER_OF_PTS

Default Label Number of Points
Length 3

Type Number
Format Uppercase

Record Reference(s) DRIVERS_LIC

NUMBER_OF_QTRS

Default Label Quarters in a Year
Length 3
Type Number



Format Uppercase

Record Reference(s) BALANCE_ID_TBL

NUMERIC_CD

Default Label Numeric Code
Length 2
Type Character
Format Numbers Only

Record Reference(s) STATE_TBL
Z_STATE_TBL

NUMFONTFAMILY

Default Label Num Font Family
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS
PSSTYLECLSLANG

NUMKILLS

Default Label Number of Times Killed
Length 3
Type Number
Format Uppercase

Record Reference(s) PSQRYSTATS

NUMROWS

Default Label Number of Rows fetched.
Length 15
Type Number
Format Uppercase



Record Reference(s) PSQRYEXECLOG
UPG_ER_AET

NUMSTYLECLASS

Default Label NumStyleClass
Length 3
Type Number
Format Uppercase

Record Reference(s) PSSTYLSHEETDEFN

NUM_CANDIDATES

Default Label Number of Candidates
Length 2
Type Number
Format Uppercase

Record Reference(s) ELECT_ROLL

NUM_DAYS

Default Label Number of Days
Length 3
Type Number
Format Uppercase

Record Reference(s) FLSA_ADDL_DATA

NUM_MTHS_AFTER_END

Default Label Number of Months
Length 3
Type Number
Format Uppercase



Record Reference(s) GP_ACCUMULATOR

NUM_OF_DEC_PLACES

Default Label Number of Decimal Places
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_AGE
 PA_DFN_AGE_ADJ
 PA_DFN_DEATH

NUM_OF_EMPLOYEES

Default Label Number of Employees
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) R_PER016X

NUM_OF_SETS

Default Label Number of Sets
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) ST_ESPP_PRC_AET

NUM_PRD

Default Label Period of Adjustment
 Length 16
 Type Number
 Format Uppercase



Record Reference(s) ST_ESPP_PRC_AET

NUM_REC_BC_CAN

Default Label Number of Records Transmitted
Length 4
Type Number
Format Uppercase

Record Reference(s) WCB_MSGHD_EC
WCB_MSGHD_WD

NUM_VAL

Default Label Numeric Value
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_PARTIC_EXTBL

NVALUE_SHEET_1_FRA

Default Label Count 1
Length 19
Type Number
Format Uppercase

Record Reference(s) EDIT_SHEET_AET
EDIT_SHEET_FRA

NVALUE_SHEET_2_FRA

Default Label Count 2
Length 19
Type Number
Format Uppercase

Record Reference(s) EDIT_SHEET_AET



EDIT_SHEET_FRA

NVALUE_SHEET_3_FRA

Default Label Count 3
Length 19
Type Number
Format Uppercase

Record Reference(s) EDIT_SHEET_AET
EDIT_SHEET_FRA

NVALUE_SHEET_4_FRA

Default Label Count 4
Length 19
Type Number
Format Uppercase

Record Reference(s) EDIT_SHEET_AET
EDIT_SHEET_FRA

NVALUE_SHEET_5_FRA

Default Label Count 5
Length 19
Type Number
Format Uppercase

Record Reference(s) EDIT_SHEET_AET
EDIT_SHEET_FRA

NVALUE_SHEET_6_FRA

Default Label Count 6
Length 19
Type Number
Format Uppercase



Record Reference(s) EDIT_SHEET_FRA

NVALUE_SHEET_FRA

Default Label Count
Length 9
Type Number
Format Uppercase

Record Reference(s) SHEET_FRA_TAO

NVQ_AWARDBDY_DESCR

Default Label Description
Length 90
Type Character
Format Mixedcase

Record Reference(s) NVQ_AWARD_LNG
NVQ_AWARD_TBL

NVQ_AWARDBODY

Default Label Awarding Body
Length 10
Type Character
Format Uppercase

Record Reference(s) NVQ_AWARD_LNG
NVQ_AWARD_TBL
NVQ_DETAIL

NVQ_AWARDREF

Default Label Reference
Length 8
Type Character



Format Uppercase

Record Reference(s) NVQ_DETAIL

NVQ_CAND_DT

Default Label Registration Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NVQ_PROG

NVQ_CAND_NBR

Default Label Registration Number
Length 16
Type Character
Format Uppercase

Record Reference(s) NVQ_PROG

NVQ_CERT_DT

Default Label Certificate Award Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NVQ_PROG

NVQ_COMP_DT

Default Label NVQ Completion Date
Length 10
Type Date

Format Uppercase



Record Reference(s) NVQ_PROG

NVQ_PROGRESS

Default Label Unit Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) NVQ_UNITS_PROG

C Completed
 D Submitted
 I In Progress
 N Not Started
 P Planned

NVQ_REVIEWER

Default Label Review ID
 Length 11
 Type Character
 Format Uppercase

Record Reference(s) NVQ_REVIEW

NVQ_REVIEW_TYP

Default Label Review Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) NVQ_REVIEW

BRF Brief Meeting
 MET Standard Meeting
 REQ Requested
 REV Official Review



NVQ_START_DT

Default Label NVQ Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NVQ_PROG

NVQ_STATUS

Default Label NVQ Status
Length 1
Type Character
Format Mixedcase

Record Reference(s) NVQ_PROG

A Achieved
C Cancelled
E Enrolled
P Previous Achievement

NVQ_TITLE

Default Label Title
Length 90
Type Character
Format Mixedcase

Record Reference(s) ACCOMP_TBL_LANG

NVSUSEBUSUNIT

Default Label Use Business Unit in nVision
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS



NVSUSESECREPRQST

Default Label Use Secure Rep Rqst in nVision
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

NVS_AUTH_TEMPLATE

Default Label Security Template
Length 254
Type Character
Format Mixedcase

Record Reference(s) NVS_REPORT

NVS_BOOK_SEQ

Default Label Report Request Sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) PSNVSBOOKREQUEST

NVS_DESCR_TEMPLATE

Default Label Content Description Template
Length 254

Type Character
Format Uppercase

Record Reference(s) NVS_REPORT



NVS_DIR_TEMPLATE

Default Label Directory Name Template
Length 254
Type Character
Format Uppercase

Record Reference(s) NVS_REPORT

NVS_DOC_TEMPLATE

Default Label File Template
Length 254
Type Character
Format Uppercase

Record Reference(s) NVS_REPORT

NVS_EMAIL_TEMPLATE

Default Label Email Template
Length 254
Type Character
Format Mixedcase

Record Reference(s) NVS_REPORT

NVS_INSTANCE

Default Label Report Instance Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) NVSDRILL_SRCH

NVS_INST_COUNT

Default Label Instance Count
Length 9



Type Number
Format Uppercase

Record Reference(s) PSNVSBATCHRSTR

NVS_LANG_TEMPLATE

Default Label Language Template
Length 50
Type Character

Format Uppercase

Record Reference(s) NVS_REPORT

NVS_REPRQST_AMODE

Default Label Report Request Access Mode
Length 1
Type Character
Format Uppercase

Record Reference(s) NVS_REPORT

P Public
S Secured

NVS_RQST_IDX

Default Label Request Index
Length 10
Type Signed Number
Format Uppercase

Record Reference(s) PSNVSBATCHRSTR

NVS_SCOPE_IDX

Default Label Scope Index
Length 10



Type Signed Number
 Format Uppercase

Record Reference(s) PSNVSBATCHRSTR

NY_FEDWAGE_FLAG

Default Label New York Use Fed Wage Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_TAX910LD
 RC_US_YE

NZL

Default Label NZL - New Zealand
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION

OASDI_EARNS_BREAK

Default Label Earnings Break Point
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

OASDI_HIGH_EXEMPT

Default Label Exemption for High Earnings
 Length 7
 Type Number
 Format Uppercase



Record Reference(s) PAYGROUP_TBL

OASDI_LOW_FACTOR

Default Label Factor for Low Earnings
Length 5
Type Number
Format Uppercase

Record Reference(s) PAYGROUP_TBL

OBJCHG_STAMP

Default Label Object Change Stamp
Length 26
Type Datetime
Format 13

Record Reference(s) PSOBJCHNG

OBJECTCLASS

Default Label Directory Object Class
Length 50
Type Character
Format Mixedcase

Record Reference(s) DIROBJECTCLASS

OBJECTID

Default Label Object ID
Length 10
Type Number
Format 7

Record Reference(s) PSDETAILTBL
 PSRTFOBJCOUNTER



PSSUMMARYTBL

OBJECTID1

Default Label	Object Id 1
Length	5
Type	Number
Format	7

Record Reference(s) PSBINDRULE

PCHGCTLHIST
PCHGCTLLOCK
PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYCID
PSPROJECTITEM

OBJECTID2

Default Label	Object Id 2
Length	5
Type	Number
Format	7

Record Reference(s) PSBINDRULE

PCHGCTLHIST
PCHGCTLLOCK
PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYCID
PSPROJECTITEM

OBJECTID3

Default Label	Object Id 3
Length	5
Type	Number



Format 7

Record Reference(s) PSBINDRULE
PSCHGCTLHIST
PSCHGCTLLOCK
PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYNCID
PSPROJECTITEM

OBJECTID4

Default Label Object Id 4
Length 5
Type Number
Format 7

Record Reference(s) PSBINDRULE
PSCHGCTLHIST
PSCHGCTLLOCK

PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYNCID
PSPROJECTITEM

OBJECTID5

Default Label Object Id 5
Length 5
Type Number
Format 7

Record Reference(s) PSBINDRULE
PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYNCID



OBJECTID6

Default Label Object Id 6
Length 5
Type Number
Format 7

Record Reference(s) PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYNCID

OBJECTID7

Default Label Object Id 7
Length 5
Type Number
Format 7

Record Reference(s) PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYNCID

OBJECTIVE_MEX

Default Label Mixed Committee Objective
Length 30
Type Character
Format Uppercase

Record Reference(s) MIX_COM_OBJ_LNG
MIX_COM_OBJ_MEX

OBJECTIVE_TYPE_MEX

Default Label Objective Type

Length 4



Type Character
 Format Numbers Only

Record Reference(s) MIX_COM_OBJ_MEX

0010 Objective
 0020 Function
 0030 Mechanism
 0040 Other

OBJECTOWNERID

Default Label Object owner identifier
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) APPR_RULE_HDR

EOEW_EXE_MAP
 EO_BCDEFN_CUR
 EO_DBFIELD_CUR
 EO_EIP_APP_TBL
 EO_EIP_FORM_TBL
 EO_ERD_TBL
 EO_IODEFN_CUR
 EO_MSGDEFN_CUR
 EO_RECDEFN_CUR
 HR_SSTEXT_CFG
 HR_SSTEXT_EFFDT
 HR_SSTEXT_LANG
 HR_SSTEXT_MLNG
 HR_SSTEXT_MSGID
 HR_SSTEXT_TEXT
 PK_LICENSE_DEFN
 PSACEMDLDEFN
 PRACTIVITYDEFN
 PSAEAPPLDEFN
 PSARCHOBJDEFN
 PSARCHTEMPLATE
 PSBCDEFN
 PSBUSPROCDEFN
 PSCHNLDEFN
 PSDBFIELD



PSDIAGREG
PSFILEREDEFN
PSIODEFN
PSMENUDEFN
PSMERCHANTID
PSMPDEFN
PSMSGDEFN
PSOPTMODEL
PSOPTNCATGRPTBL
PSOPTNCATTBL
PSOPTPRBTYPE
PSPACKAGEDEFN
PSPNLDEFN
PSPNLGRPDEFN
PSPRDMDEFN
PSPROJECTDEFN
PSPRSMDEFN

PSPRUFDEFN
PSPRUHDEFN
PSPTUPGDSLOG
PSRECDEFN
PSSQLDEFN
PSTYPECODEDEFN
PSURLDEFN
PTLT_ASSGN_FEAT
PTLT_ASSGN_PRFT
PTLT_ASSGN_PROD
PTLT_ASSGN_TASK
PTLT_BUSPRC
PTLT_BUSPRC_DTL
PTLT_FEATURE
PTLT_INSTALL
PTLT_PRODUCT
PTLT_PROD_SUITE
PTLT_TASK
PTLT_TASK_LOAD
PTLT_TASK_SEQ
PTLT_TASK_SEQ_U
PTPPB_PAGELET
PTPP_CPPROJ_AET
PTPP_OPTIONS
RUN_CNTL_TAU



AABM	Activity Based Management
AAF	Analytic Forecasting
AALM	Asset/Liability Management
AAW	ESA Warehouse
ABCM	SIM for Banking Capital Mgt
ABP	Budgeting
ABSC	Balanced Scorecard
ACB	Customer Behavior Modeling
ACR	CRM Analytics
ACW	CRM Warehouse
ADST	Direct Sales Template
AEIM	Enterprise Incentive Mgmt
AEW	Enterprise Warehouse
AFSI	FSI Profitability
AFT	Funds Transfer
AFW	Financials Warehouse
AGC	Global Consolidations
AHW	HRMS Warehouse
APL	Business Planning
ARW	Risk Weighted Capital
ASCW	Supply Chain Warehouse
ASIM	Sales Incentive Management
ASW	Workforce Scorecard
AWB	Data Mart
AWD	Workforce Planning
AWFA	Workforce Analytics
AWFR	Workforce Rewards
BBP	Budget Planning
CBF	BAM Framework
CCF	Closed Loop Framework
CCM	Catalog Management
CCU	EO Currency Conversion Utility
CEI	Enterprise Integration Repos
CEO	Enterprise Components
CEOD	Enterprise Components Demo
CEW	CC-Enterprise Warehouse
CIU	Integration Utilities
CLT	Enterprise LifeCycle Tools
COM	Shared Registry Folders
CPA	Enterprise Portal
CPH	Deployment Portal



CPI	Investor Portal Pack
CPJ	Ent One/Ent Portal Integration
CPP	Portal Components
CPQ	Compliance Portal
CPX	Expert Participation
CTP	Trading Partner Management
DBI	Billing
DCM	Distribution - Cost Management
DCP	Product Configurator
DDP	Demand Planning
DEB	eBill Payment
DEP	Enterprise Planning (MFG/RP)
DIN	Inventory
DIP	Inventory Policy Planning
DOE	Order Entry
DOM	Order Management
DPIP	PIP Source to Settle
DPO	Purchasing
DPV	eProcurement
DPW	Power Pricer
DSAC	Supply Chain Architecture Comm
DSP	Services Procurement
DSPA	Service Administration
DSPB	Services Procurement Base
DSPF	Service Fulfillment
DSPM	Services Supplier Management
DSPR	Services Procurement Analytics
DTD	Promotions Management
DWC	Customer Portal
DWR	Collaborative Supply Mgmt
DWS	eStore
DWV	Supplier Portal
DWW	Mobile Order Capture - 8.8
ENV	Environments
ER	External Receiver/Sender
FAM	Asset Management
FAP	Payables
FAR	Receivables
FBD	Budgets
FCA	Contracts
FCAP	Contracts PIP
FDM	Deduction Management
FESP	ESA Portal Pack



FEX	Expenses
FFA	Financial Architecture
FGL	General Ledger
FGM	Grants Management
FLC	Globalizations
FMP	eSettlements
FPC	Projects
FPG	Program Management
FPIP	PIP Framework
FPSA	PSA Enhancement
FRS	Resource Management
FTE	Travel
FTR	Treasury
HAP	HRMS for Asia Pacific
HBN	Benefits
HCO	Collaborative Apps
HCR	HR Core Objects
HDI	Directory Integration
HEB	eBenefits
HEMT	eManage Time
HEP	ePerformance Management
HER	eRecruit
HFG	Federal HRMS
HFPS	French Public Sector HR
HG	Global Payroll Core Applicatn
HGAR	Global Payroll Argentina
HGAU	Global Payroll Australia
HGBE	Global Payroll Belgium
HGBR	Global Payroll Brazil
HGCA	Global Payroll Canada
HGCH	Global Payroll Switzerland
HGCN	Global Payroll China
HGDE	Global Payroll Germany
HGES	Global Payroll Spain
HGFR	Global Payroll France
HGGB	Global Payroll United Kingdom
HGHK	Global Payroll Hong Kong
HGIN	Global Payroll India
HGIR	Global Payroll Ireland
HGIT	Global Payroll Italy
HGJP	Global Payroll Japan
HGMX	Global Payroll Mexico



HGMY	Global Payroll Malaysia
HGNL	Global Payroll Netherlands
HGNZ	Global Payroll New Zealand
HGSG	Global Payroll Singapore
HGTW	Global Payroll Taiwan
HGUS	Global Payroll United States
HHD	HelpDesk for Human Resources
HHP	HRMS EG
HHR	Human Resources
HIN	HR India
HJP	HRMS for Japan
HMTM	Mobile Time Management
HPA	Pension Administration
HPI	Payroll Interface
HPIP	PIP Framework
HPY	Payroll
HPYP	Payroll Prcs Integration Pack
HRP	Resume Processing
HST	Stock Administration
HTL	Time and Labor
HTLA	TL Time Administration (Rules)
HTLC	TL Common Processes
HTLI	TL Interfaces
HTLP	TL Process Integration Pack
HTLR	TL Time Reporting / Time Mgmt
HTLS	TL Scheduling
HTLX	TL Conversion
KDP	Strategic Sourcing
KEM	MarketPay
KGW	GateWay
KTPM	Trading Partner Management
LEBL	ELM Blended Learning
LEBO	ELM Business Objects
LEC	ELM Catalog
LECM	ELM Enrollment Common
LECR	ELM Curriculum
LECS	ELM Course Structure
LEE	ELM Enrollment
LEEA	ELM Enrollment Adhoc
LEEC	ELM Enrollment Curriculum
LEL	ELM eLearning
LELM	Enterprise Learning Management



LELO	ELM Learning Objectives
LELW	ELM Live Web Cast
LERM	ELM Resource Management
MCD	Mobile Company Directory
MDC	Documentum
MEG	Engineering
MFP	Flow Production
MMG	Manufacturing
MPD	eProduct Management
MPL	Supply Planning
MQS	Quality
MSF	Production Management
OPB	Pay/Bill Management
PDI	Directory Interface
PPT	PeopleTools
PPTD	PeopleTools Demo
PPXA	Appraisal
PPXT	Tax Administration
QPK	Packaging
QQR	Requisites
QSR	SRP
R360	360 Degree View
RA	Marketing
RB	Gen Opt/Common
RBP	Business Projects
RBS	Branch Scripting
RC	Call Center
RCAT	Product Catalog
RCFG	Configurator
RCGM	Change Management
RCLA	Closed Loop Analytics
RCM	Correspondence Management
RCTI	CTI
RD	Customer Data Model
RE	Order Capture External
REB	Energy Services
RF	FieldService
RFA	FSI Marketing
RFB	FSI Base Objects
RFC	FSI Call Center
RFF	FSI Field Service
RFI	FSI Interaction Management
RFM	Mobile FieldService



RFSF	FSI Sales
RGB	Government Base Objects
RH	Help Desk
RHD	HelpDesk for Human Resources
RHTB	High Tech
RI	Customer Interaction Center
RIB	Insurance
RM	Migration
RMC	Mobile Configurator
RMCF	Multi-Channel Framework
RMOC	Mobile Order Capture
RO	Order Capture Internal
ROM	Online Marketing
RP	Product Data Model
RPA	Advisor
RPB	Pharma
RPIP	CRM Integrations
RPPK	Portal Pack
RQ	Quality - CRM
RR	Common Applications
RS	Sales
RSB	Retail Securities (Brokerage)
RSM	Mobile Sales
RSPC	Sales Product Configurator
RT	Telemarketing
RTA	Telco Marketing
RTB	Telco Base Objects
RTC	Telco Call Center
RTF	Telco Field Service
RTI	Telco Interaction Management
RTLB	Toolbar
RTLTM	Telemarketing
RTM	Task Management
RTSF	Telco Sales
RVER	Verity
RW	Mobile Sales for WAP Phones
RWF	Workflow
RX	Self Service Common
RZ	Performance
SAA	Academic Advisement
SAD	Recruiting and Admissions
SADS	Admissions Self-Service



SALS	Alumni Self-Service
SAP	SA-Accounts Payable
SAV	Advancement and Alumni
SBN	SA-Ben Admin
SCC	Campus Community
SDI	Campus Directory Interface
SDIR	Community Directories
SFA	Financial Aid
SFAA	FA-Awarding
SFAB	FA-Budgets
SFAD	FA-Disb/Auth
SFAF	FA-Return of Title IV
SFAG	FA-General
SFAI	FA-ISIR
SFAL	FA-Loans
SFAN	FA-Need Analysis
SFAP	FA-Pell
SFAR	FA-Profile
SFAS	FA-Setup
SFAT	FA-FA Term
SFAV	FA-Verification
SFRS	Fundraiser Self-Service
SGL	SA-General Ledger
SHP	SA-E&G HRMS
SHR	SA-Human Resources
SINS	Instructor/Advisor Self-Svc
SLC	Learning Communities
SLCG	Learning Community Gradebook
SPPO	Personal Portfolio
SPY	SA-Payroll
SSF	Student Financials
SSFA	SF-Admissions Link
SSFB	SF-Billing
SSFC	SF-Cashiering
SSFD	SF-Credit Card
SSFE	SF-Enrollment
SSFF	SF-Financial Aid
SSFG	SF-GL Interface
SSFH	SF-Credit History
SSFL	SF-Late Fees
SSFM	SF-Payment Plans
SSFO	SF-Collections



SSFP	SF-Posting
SSFR	SF-Refunding
SSFS	SF-Setup
SSFT	SF-Tuition Calculation
SSFV	SF-Self Service
SSFW	SF-Workflow
SSFX	SF-Tax Reporting
SSR	Student Records
SSS	General Self-Service
SSTS	Student Self-Service
STV	Community Access
WCIS	Customer Information System
YOP	Order Promising(RP)
YSC	Supply Chain

OBJECTTYPE

Default Label	Object Type
Length	5
Type	Number
Format	7

Record Reference(s)	GPCH_AL_RENAMES
	GPDE_AL_RENAMES
	PSCHGCTLHIST
	PSCHGCTLLOCK
	PSPROJECTITEM
	PSPROJECTMSG

OBJECTTYPENAME

Default Label	Object Type Name
Length	8
Type	Character
Format	Uppercase

Record Reference(s)	PSLOCK
	PSVERSION

OBJECTVALUE1



Default Label Object Value 1
 Length 30

Type Character
 Format Mixedcase

Record Reference(s) GPCH_AL_RENAMES
 GPDE_AL_RENAMES
 GPDE_AL_REN_PIN
 PSBINDRULE
 PSCHGCTLHIST
 PSCHGCTLLOCK
 PSPCMNAME
 PSPCMPROG
 PSPCMPROGDEL
 PSPCMSYNCID
 PSPROJECTITEM
 PSPROJECTWORK

OBJECTVALUE2

Default Label Object Value 2
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) GPCH_AL_RENAMES
 GPDE_AL_RENAMES
 PSBINDRULE
 PSCHGCTLHIST
 PSCHGCTLLOCK
 PSPCMNAME
 PSPCMPROG
 PSPCMPROGDEL
 PSPCMSYNCID
 PSPROJECTITEM
 PSPROJECTWORK

OBJECTVALUE3

Default Label Object Value 3



Length 30
Type Character
Format Mixedcase

Record Reference(s) GPCH_AL_RENAMES
GPDE_AL_RENAMES
PSBINDRULE
PSCHGCTLHIST
PSCHGCTLLOCK
PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYNCID
PSPROJECTITEM
PSPROJECTWORK

OBJECTVALUE4

Default Label Object Value 4
Length 30

Type Character
Format Mixedcase

Record Reference(s) PSBINDRULE
PSCHGCTLHIST
PSCHGCTLLOCK
PSPCMNAME
PSPCMPROG
PSPCMPROGDEL
PSPCMSYNCID
PSPROJECTITEM
PSPROJECTWORK

OBJECTVALUES

Default Label Object Value 5
Length 30
Type Character
Format Mixedcase



Record Reference(s) PSBINDRULE
 PSPCMNAME
 PSPCMPROG
 PSPCMPROGDEL
 PSPCMSYCID

OBJECTVALUE6
 Default Label Object Value 6
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSPCMNAME
 PSPCMPROG
 PSPCMPROGDEL
 PSPCMSYCID

OBJECTVALUE7
 Default Label Object Value 7
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSPCMNAME
 PSPCMPROG
 PSPCMPROGDEL
 PSPCMSYCID

OBJGROUPID
 Default Label Object Group ID
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) PSOBJGROUP
 PSOPROBJ



OBJNAME

Default Label Object Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPDES_OBJ_PERM
APP_DES_OBJECTS
PSBUSPITEMIMG
PSBUSPITEMLANG
PSBUSPROCITEM
PSUSEROBJTYPE
PSVAITEM
PSVAITEMIMG
PSVAITEMLANG
SERVERMONITOR

OBJNAME2

Default Label Object Name2
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSVAITEM
PSVAITEMIMG
PSVAITEMLANG

OBJOID

Default Label Object OID
Length 254
Type Character
Format Uppercase

Record Reference(s) EO_DSSCHMANATTR
EO_DSSCHOPTATTR



P Prefer Current Location

OCCUPATION

Default Label Occup
Length 40
Type Character
Format Mixedcase

Record Reference(s) DEPENDENT_BENEF
DEPEND_BEN_LNG

OCCUPATION_CD_CAN

Default Label Occupation Code
Length 7
Type Character
Format Uppercase

Record Reference(s) OCCUPAT_CAN_LNG
OCCUPAT_CAN_TBL
WCB_IWJO_EC
WCB_IWJO_WD

OCCURRENCE_TYPE

Default Label Occurrence Type Code
Length 2
Type Character
Format Uppercase

Record Reference(s) WCB_EERE_EC
WCB_EERE_WD

OCCURSCOUNT1

Default Label Occurs Count First Level
Length 2
Type Number



OCCURSLEVEL_1

Default Label Occurs Level - Signed
Length 2
Type Signed Number
Format Uppercase

Record Reference(s) EO_ERD_TBL

OCCURSLEVEL_2

Default Label Occurs level - Signed
Length 2
Type Signed Number
Format Uppercase

Record Reference(s) EO_ERD_TBL

OCCURSOFFSET1

Default Label Occurs Offset First Level
Length 4
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD
PST_PNLFIELDS

OCCURSOFFSET2

Default Label Occurs Offset Second Level
Length 4
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD
PST_PNLFIELDS



OCCURSOFFSET3

Default Label Occurs Offset Third Level
Length 4
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD
PST_PNLFIELDS

OCC_ILLNESS_CD

Default Label Occupational Illness
Length 6
Type Character
Format Uppercase

Record Reference(s) ILLNESS_GER
INJURY_ILL
INJURY_ILL_IND
OCC_ILLNESS_LNG
OCC_ILLNESS_TBL
OHS004GER_TMP2
OHS501UK_TMP2

OCC_ILLNESS_FRA

Default Label Professional Disease
Length 3

Type Character
Format Uppercase

Record Reference(s) APP_DISABL_FRA
DISABILITY_FRA
ILL_FRA_LANG
OCC_ILLNESS_FRA
UPG_ER_AET

OCC_ILL_DIAG_DT_UK



Default Label Occ. Illness Diagnosis Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) OHS501UK_TMP2

OECD_COUNTRY

Default Label OECD Country
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) NATIONS_DUEVO

OE_DEFN_ID

Default Label Open Enrollment Definition ID
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) BAS_OE_DEFN
 BAS_OE_DEFN_PLN
 BAS_SCHED

OE_STATUS_IND

Default Label Open Enrollment Status Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_SCHED

S Scheduled
 U Unprocessed



OFFDAY_IND

Default Label Off Day Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) SCH_ADHOC_DTL
SCH_ADHOC_RPT
SCH_SHIFT_TBL
SCH_WRKDAY_TBL

OFFERING_CONC

Default Label Concurrent Offerings
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PLAN

OFFERING_ID

Default Label Offering ID
Length 10
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
RUN_CNTL_ST
R_CONTRIB_PART
ST_CNT_RFND_TAO
ST_COMBINED_TMP
ST_CONTRIB_MANL
ST_CONTRIB_PART
ST_CONTRIB_RFND
ST_CONTRIB_RSDL
ST_DISPOSN_CNT
ST_DISP_ALL_TMP
ST_ESPPMAIN_AET
ST_ESPP_CNF_AET



ST_ESPP_CVT_AET
ST_ESPP_DISPOSN
ST_ESPP_PARTIC
ST_ESPP_PAR_TAO
ST_ESPP_PRC_AET
ST_ESPP_PURCH
ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_ISSUUPD_AET
ST_MANL_ALL_TAO
ST_MANL_SUM_TAO
ST_OFFERING_PD
ST_OFFER_EST
ST_OFFER_GRANT
ST_OFFER_VALUE
ST_OFFR_VAL_DTL
ST_PARTIC_AET
ST_PENDING_CNT
ST_PRDISP_AET
ST_PURCHASES
ST_PURCHASE_PD
ST_PURCHASE_PRC
ST_PURCHASE_TAO
ST_PURCHASE_TBL
ST_PURCH_PARTIC

ST_PUR_CNTR_TAO
ST_REFUND_CNT
ST_REFUND_DTL
ST_REFUND_ESPP
ST_REFUND_TAO
ST_SELF_SRV_CNT
ST_SPLIT10A_TAO
ST_SPLIT10B_TAO
ST_SPLIT10C_TAO
ST_SPLIT10_TAO
ST_USALL_TAO
ST_USSUM_TAO

OFFERING_ID_PREV

Default Label

Offering ID



Length 10
Type Character
Format Uppercase

Record Reference(s) ST_OFFERING_PD
ST_PARTIC_AET

OFFERING_NEXT_ID

Default Label Next Offering ID
Length 10
Type Character
Format Uppercase

Record Reference(s) ST_CONTRIB_RSDL

OFFERING_PD_MAX

Default Label Offering Period Maximum Months
Length 3
Type Number
Format Uppercase

Record Reference(s) ST_GOVERN_BODY

OFFERING_PERIOD

Default Label Offering Period Length
Length 3
Type Number
Format Uppercase

Record Reference(s) ST_ESPP_PLAN

OFFERING_SHARE_LIM

Default Label Offering Total Share Limit
Length 8
Type Number



OFFER_AMT

Default Label Offer Amount
Length 19
Type Number
Format Uppercase

Record Reference(s) GVT_OFFER
OFFER_DTL
OFFER_HIST_TAO
OFFER_TAO
UPG_OFF_HIS_AET

OFFER_BGN_FMV_MTHD

Default Label Offering Begin FMV Method
Length 10
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PLAN

OFFER_COMPONENT

Default Label Offer Component
Length 7
Type Character
Format Uppercase

Record Reference(s) OFFER_CMPNT_LAN
OFFER_CMPNT_TBL
OFFER_DTL
UPG_CONV_FG
UPG_ER
UPG_ER_AET
UPG_HR75RWF_AET
UPG_HR75_AET

OFFER_CONTRIB_LIM



Default Label Offer Contribution Limit
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) ST_ESPP_PLAN
 ST_ESPP_PUR_AET

OFFER_DT

Default Label Offer Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) GVT_OFFER
 GVT_OFFER_COND
 GVT_OFFER_ERNS
 HR_OFFER_STA
 HR_OFFER_SUB_WL
 OFFER
 OFFER_COMM
 OFFER_DTL
 OFFER_HIST_TAO
 OFFER_STATUS
 OFFER_TAO
 R_APP007
 UPG_ER_ADDR_AET
 UPG_ER_AET
 UPG_OFF_HIS_AET

OFFER_FREQUENCY

Default Label Offer Amt Frequency
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) OFFER_CMPNT_TBL
 OFFER_DTL



ST_PUR_CNTR_TAO

OFFER_PREV_SHARES

Default Label Previous Shares Purchased
Length 19
Type Number
Format Uppercase

Record Reference(s) ST_PURCHASE_TAO
ST_PUR_CNTR_TAO

OFFER_REJECT_RSN

Default Label Reject Reason
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_OFFER
OFFER_HIST_TAO
OFFER_TAO
UPG_ER_STS_RSN
UPG_OFF_HIS_AET

B Benefits
J Another Job
N Not Specified
P Personal
S Salary

OFFER_SHARE_LIM_EE

Default Label Offering Participant Share Lim
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_ESPP_PLAN
ST_ESPP_PUR_AET



Record Reference(s) TL_TIME_AET
 TL_TIME_PERIODS

OFFSET_MIN_DB

Default Label Offset in minutes -Day Breaker
 Length 10
 Type Signed Number
 Format Uppercase

Record Reference(s) TL_TA0006_AET

OFFVALUE

Default Label Off Value
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) PSPNLFIELD
 PST_PNLFIELDS

OFF_CYCLE

Default Label Off Cycle ?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AP_EXTRACT_LINE
 BOND_LOG
 CO_DEDEXTRT_AET
 CO_DED_EMP2_TAO
 CO_DED_EXT1_TAO
 FA_PAYMENTS
 FLSA_ADDL_DATA
 GM_RC_TE
 GVT_CONFIRM_TBL



GVT_ECS_CONTROL
GVT_PAY_LIMITS
GVT_PAY_TSP
GVT_SF113G_DATA
HPDBRETDIST_AET
HP_CTXDIST_WRK
HP_DEDDIST_WRK
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_ERNDIST_WRK
HP_GRSFRG_DATA
HP_PAYCHKERN_WK
HP_PAYDEDUC_WK
HP_PAYGLO2_RCHK
HP_PAYTAXCAN_WK
HP_PAY_TAX_WK
HP_RDIST_CTX
HP_RDIST_CTXDAT
HP_RDIST_DED
HP_RDIST_DEDDAT
HP_RDIST_ERN
HP_RDIST_ERNDAT
HP_RDIST_MSGTBL
HP_RDIST_TAX
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK
OTH_EARNS_TAO
PAY_CALC_RUNCTL

PAY_CHECK
PAY_CHECK_EARNS
PAY_CHECK_REVRS
PAY_CONF_RUNCTL
PAY_CTX_DIST
PAY_CTX_LIAB_AP
PAY_CTX_OVRD
PAY_DEDUCTION
PAY_DED_DIST
PAY_DED_LIAB_AP
PAY_DISTRIBUTN
PAY_EARNINGS
PAY_ERN_DIST



PAY_GARNISH
PAY_GARN_OVRD
PAY_INS_EARNS
PAY_LINE
PAY_MESSAGE
PAY_ONE_TIME
PAY_OTH_EARNS
PAY_PAGE
PAY_SPCL_EARNS
PAY_TAX
PAY_TAX_1042
PAY_TAX_CAN
PAY_TAX_DIST
PAY_TAX_LIAB_AP
PAY_TAX_OVRD
PA_HST_OTH_EARN
PA_HST_PAY_CHK
PA_HST_PAY_DED
PA_HST_PAY_EARN
PA_HST_SPL_EARN
PSHUP_RUNCTL
PSHUP_TXN
PSHUP_TXN_AET
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
PYRE_DETAIL
PYRE_HEADER
PYRE_INVALID
PYRE_PRELD_AET
PYRE_RUNID_HDR
PYRE_VALID_AET
PY_PULL_CST_AET
RC_PAYINIT



RC_PAY_UNSH
RDEDPSHT_RUNCTL
RETRODEDPGM_TBL
RETRODED_CALC
RETRODED_DEDS

RETRODED_MSG
RETROPAYPGM_TBL
RETROPAY_ACCT
RETROPAY_EARNS
RETROPAY_MSG
RTROPSHT_RUNCTL
RTROUNDO_RUNCTL
R_GLX001
R_PAYGL1
ST_PSHUP_AET
ST_PSHUP_CNT
ST_PURCH_CALNDR
ST_USALL_TAO
TERM_EXT_WRK
TERM_RQST
TERM_RUNCTL
TL_PAYCALC_EDIT
TL_PAYLABR_XREF
UPG_E3XW_TAO
UPG_ERN_TAO
UPG_HP_AET
UPG_PY_AET
WRK_CHECK
WRK_CHECK_EARNS
WRK_CTX_DIST
WRK_CTX_OVRD
WRK_DEDUCTION
WRK_DED_DIST
WRK_EARNINGS
WRK_ERN_DIST
WRK_GARNISH
WRK_GARN_OVRD
WRK_INS_EARNS
WRK_LINE
WRK_ONE_TIME
WRK_OTH_EARNS
WRK_PSHUP_TXN



WRK_SEQ_CHECK
WRK_SPCL_EARNS
WRK_TAX
WRK_TAX_1042
WRK_TAX_CAN
WRK_TAX_DIST
WRK_TAX_OVRD

OFF_CYCLE_CRITERIA

Default Label Off Cycle Criteria
Length 30
Type Character
Format Uppercase

Record Reference(s) PY_PULL_CST_AET

OFF_CYCLE_EE_DED

Default Label Off-Cycle Ded Override
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_CALENDAR

OFF_REFSRC_CAT

Default Label Official Referral Source
Length 2
Type Character
Format Uppercase

Record Reference(s) POSN_APPLD_TAO
POSN_APPLIEDFOR
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5



AD	Advertisement
AG	Agency
CL	Client Referral
CO	College Recruiting
CR	College Recommendation
EE	Employee
ES	Employment Security Bureau
FE	Former Employee
JF	Job Fair
JP	Job Posting
OH	Open House
OT	Other Source
PI	Phone Inquiry
UK	Unknown
US	Unsolicited
WI	Walk-In
XR	Executive Referral
XS	Executive Search

OFF_REFSRC_SUB

Default Label	Official Referral Subcategory
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	POSN_APPLD_TAO
	POSN_APPLIEDFOR
	R_GVT_PRIPL_AG3
	R_GVT_PRIPL_AG4
	R_GVT_PRIPL_AG5

OK_TO_INTERVIEW

Default Label	OK to Interview
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	AE_BAS_ELIG_AET
	GVT_APPL_CONSID
	POSN_APPLD_TAO



POSN_APPLIEDFOR
R_GVT_BAS_ELIG4
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5

OK_TO_OFFER

Default Label OK to Offer
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_BAS_ELIG_AET
GVT_APPL_CONSID
POSN_APPLD_TAO
POSN_APPLIEDFOR
R_GVT_BAS_ELIG4
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5

OK_TO_PAY

Default Label OK to Pay
Length 1
Type Character
Format Uppercase

Record Reference(s) ADDL_PAY_DATA
ADD_PAY_DTA_NLD
INC_DEDUCT_NLD
INC_EARNING_NLD
PAY_EARNINGS
PSHUP_RUNCTL
PSHUP_TXN
PSHUP_TXN_AET
PY_LDTL_RC
PY_LDTL_TBL
RETROPAY_EARNS



ST_PSHUP_AET
UPG_ADDPNLD_TAO
UPG_INCDNLD_TAO
UPG_INCNLD_TAO
WRK_EARNINGS

OK_TO_PROCESS

Default Label OK To Process
Length 1
Type Character
Format Uppercase

Record Reference(s) RETRODED_DEDS
ST_ACTN_PRC_AET

OK_TO_ROUTE

Default Label OK to Route
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_BAS_ELIG_AET
GVT_APPL_CONSID
POSN_APPLD_TAO
POSN_APPLIEDFOR
R_GVT_BAS_ELIG4
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5

OLDCODE

Default Label Old Code
Length 18
Type Character
Format Uppercase



Record Reference(s) PSIMPXLAT

OLDNAME

Default Label Old Object Name
Length 18
Type Character
Format Uppercase

Record Reference(s) PSOBJCHNG

OLDNAME2

Default Label Old Object Name 2
Length 18
Type Character
Format Uppercase

Record Reference(s) PSOBJCHNG

OLDPRCSJOBSEQ

Default Label Process Job Item
Length 5
Type Number
Format 7

Record Reference(s) PRCSJOBITEMCHG

OLDPRCSNAME

Default Label Process Name
Length 12
Type Character
Format Uppercase

Record Reference(s) PRCSJOBITEMCHG



OLDPRCSTYPE

Default Label	Process Type
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) PRCSJOBITEMCHG

OLDVALUE

Default Label	Old Value
Length	65
Type	Character
Format	Uppercase

Record Reference(s) PSAUDIT

OLD_CHARTKEY_SETID

Default Label	Old Chartkeys SetID
Length	5
Type	Character
Format	Uppercase

Record Reference(s) UPG_PY_AET

OLD_DEPARTMENT

Default Label	Old Department
Length	10
Type	Character
Format	Uppercase

Record Reference(s) GVT_MASSCHG_AET

OLD_GRADE



Default Label Old Grade
Length 3
Type Character
Format Uppercase

Record Reference(s) CMP007_TMP
CMP007_TMP2
CMP010_TMP

OLD_PARENT_NODE

Default Label Parent Node Name
Length 20

Type Character
Format Uppercase

Record Reference(s) TREE_MAINT_AET

OLD_PARENT_NUM

Default Label Old Parent Node Num
Length 10
Type Number
Format 7

Record Reference(s) TREE_MAINT_AET

OLD_PLAN

Default Label Old Plan
Length 4
Type Character
Format Uppercase

Record Reference(s) CMP007_TMP
CMP007_TMP2
CMP010_TMP



OLD_POSITION

Default Label Old Position
Length 8
Type Character
Format Uppercase

Record Reference(s) GVT_MASSCHG_AET

OLD_RSLT_VAL

Default Label Old Result Value
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_GL_DATA_TMP
GP_GL_DNF_TMP

OLD_STEP

Default Label Step
Length 2
Type Number
Format Uppercase

Record Reference(s) CMP007_TMP
CMP007_TMP2
CMP010_TMP

OLD_ST_ENTRY_DT

Default Label Old Step Entry Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CMP007_TMP
CMP007_TMP2



OLD_TREE_NODE_NUM

Default Label Old Tree Node
Length 1
Type Character
Format Uppercase

Record Reference(s) PSTREELEAF
PSTREENODE
PSX_TREELEAF
PSX_TREENODE
PSX_TREENODEUPD

OLD_VENDOR_ID

Default Label Old Vendor ID
Length 15
Type Character
Format Uppercase

Record Reference(s) VENDOR
VENDOR_TMP

OM

Default Label Order Management
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

ONACKRECVPC

Default Label OnAckReceive PeopleCode
Length 7
Type Number
Format Uppercase



Record Reference(s) PSIBPROFILEPUB

ONCYCLE_PAY_END_DT

Default Label Oncycle Pay End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PAY_CALENDAR

ONE_TIME_CD

Default Label PaySheet One-Time Code
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) IMP_ADJUST

- PAY_CTX_OVRD
- PAY_ONE_TIME
- PAY_TAX_OVRD
- PSHUP_TXN
- PSHUP_TXN_AET
- ST_PSHUP_AET
- TERM_EXT_WRK
- WRK_CTX_OVRD
- WRK_ONE_TIME
- WRK_TAX_OVRD

- A Addition
- O Override
- P Arrears Payback
- R Refund

ONLYSETINVALIDID

Default Label Reset All Sync IDs
 Length 1



Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD
PST_PNLFIELDS
ST_ESPP_PRC_AET

OPENINGS_CNT

Default Label Available Openings
Length 3
Type Number
Format Uppercase

Record Reference(s) JOB_REQUISITION
JOB_REQUIS_TAO
UPG_HR75RWF_AET

OPENINGS_TARGET

Default Label Target Number of Openings
Length 3
Type Number
Format Uppercase

Record Reference(s) JOB_REQUISITION
JOB_REQUIS_TAO
UPG_HR75RWF_AET

OPENNEWWINDOW

Default Label Open in New Window
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD



OPEN_CLOSE_FLAG

Default Label Open Close Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE
RC_US_YE
C Close
O Open

OPEN_DT

Default Label Date Opened
Length 10
Type Date
Format Uppercase

Record Reference(s) HR_DEV_REQ_WL
INJURY_CLM_MGMT
JOB_REQUISITION
JOB_REQUIS_TAO
UPG_HR75RWF_AET

OPEN_ITEM

Default Label OpenItem Account
Length 1
Type Character
Format Uppercase

Record Reference(s) GL_ACCOUNT_TBL

OPEN_ITEM_DESCR

Default Label Description of OpenItem
Length 10
Type Character
Format Mixedcase



Record Reference(s) GL_ACCOUNT_TBL

OPEN_ITEM_EDIT_FLD

Default Label OpenItem Edit Field
Length 18
Type Character
Format Uppercase

Record Reference(s) GL_ACCOUNT_TBL

OPEN_ITEM_EDIT_REC

Default Label OpenItem Edit Record
Length 15
Type Character
Format Uppercase

Record Reference(s) GL_ACCOUNT_TBL

OPEN_ITEM_PROMPT

Default Label Open Item Prompt Table
Length 15
Type Character
Format Uppercase

Record Reference(s) GL_ACCOUNT_TBL

OPEN_ITEM_STATUS

Default Label Open Item Status
Length 1
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE



DISTRIB_LN_STG
 HR_ACCTG_LINE
 HR_ACCTG_LN_STG
 UPG_HP_AET

C Closed Item
 N Not an Open Item Account
 O Open Item

OPEN_ITEM_TOL_AMT

Default Label Reconcile Tolerance
 Length 28
 Type Signed Number
 Format Uppercase

Record Reference(s) GL_ACCOUNT_TBL

OPEN_PRICE

Default Label Open Price
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) ST_DAILY_PRICES

OPEN_STS_IND

Default Label Open
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ER_STATUS_TBL

OPEN_TRANS_ID

Default Label Open Transaction ID



Length 10
 Type Number
 Format Uppercase

Record Reference(s) MC_DEFN_PC

OPERAND

Default Label Operand
 Length 1
 Type Character
 Format Mixedcase

Record Reference(s) VC_PAYFORM_DEF

((
))
*	*
+	+
-	-
/	/
F	Rec.Field
R	Rate Code
V	Constant

OPERAND1

Default Label Operand1
 Length 40
 Type Character
 Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND1_ALSTYP

Default Label Operand1 alias type
 Length 2
 Type Character
 Format Uppercase



Record Reference(s) PA_CUSTOM2

OPERAND1_CHAR

Default Label Operand1 character
Length 40
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND1_DATE

Default Label Operand1 date
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND1_DEC

Default Label Operand1 decimal
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND1_DT

Default Label Operand date flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2



OPERAND1_HIST

Default Label Operand1 History Ind
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND1_PIC

Default Label Operand1 Picture
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND1_PLAN

Default Label Operand plan
Length 6
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND1_SEQ

Default Label Operand1 sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_CUSTOM2



OPERAND1_TYP

Default Label Operand1 type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2

Default Label Operand2
Length 40
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_ALSTYP

Default Label Operand2 Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_CHAR

Default Label Operand2 character
Length 40
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_DATE

Default Label Operand2 date
Length 10



Type Date
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_DEC

Default Label Operand2 decimal
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_DT

Default Label Operand2 date flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_HIST

Default Label Operand2 History
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_PIC

Default Label Operand2 Picture
Length 10
Type Character
Format Uppercase



Record Reference(s) PA_CUSTOM2

OPERAND2_PLAN

Default Label Operand2 Plan
Length 6
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_SEQ

Default Label Operand2 sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND2_TYP

Default Label Operand2 type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3

Default Label Operand3
Length 40
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2



PA_CUSTOM_TEMP

OPERAND3_ALSTYP

Default Label	Operand3 Alias type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3_CHAR

Default Label	Operand3 character
Length	40
Type	Character
Format	Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3_DATE

Default Label	Operand3 date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3_DEC

Default Label	Operand3 decimal
Length	17
Type	Signed Number
Format	Uppercase

Record Reference(s) PA_CUSTOM2



OPERAND3_DT

Default Label Operand3 date flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3_HIST

Default Label Operand3 History
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3_PIC

Default Label Operand3 Picture
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3_SEQ

Default Label Operand3 sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND3_TYP



Default Label Operand3 type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CUSTOM2

OPERAND_SEQ

Default Label Criteria Number
Length 3
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
 GB_FROMCRIT_TBL
 GB_MERGEVAL_TBL
 GB_MERGE_TBL
 GB_VALUES_TBL
 GB_WHERE_TBL

OPERATING_UNIT

Default Label Operating Unit
Length 8

Type Character
Format Uppercase

Record Reference(s) GM_TEC_LN
 GM_TEC_SUM
 VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP

OPERATION

Default Label Arithmetic Operation
Length 3
Type Character



Format Uppercase

Record Reference(s) DSSECFILTER
 EO_DSSECRULES

- < Less Than
- <= Less Than or Equal To
- <> Not Equal To
- = Equal To
- > Greater Than
- >= Greater Than or Equal To

OPERATIONNAME

Default Label Operation
Length 60
Type Character
Format Mixedcase

Record Reference(s) PSWSBINDOPS

OPERATIONSTYLE

Default Label Binding Style
Length 10
Type Character
Format Mixedcase

Record Reference(s) PSWSBINDOPS

OPERATION_UID

Default Label Operation Id
Length 40
Type Character
Format Uppercase

Record Reference(s) PSWSBINDOPS
 PSWSOPINOUT
 PSWSSERVICE



OPERATOR

Default Label	User ID
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	GP_ACM_USER_ADJ
---------------------	-----------------

OPERATOR1

Default Label	Operator1
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	PA_CUSTOM2
---------------------	------------

- * multiply - operation
- + add - operation
- minus - operation
- / divide - operation
- < less than - boolean
- <= less than or equal - boolean
- <> not equal - boolean
- == equal - boolean
- > greater than - boolean
- >= greater than or equal - boolea
- ^ exponentiation - operation

OPERATOR2

Default Label	Operator2
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	PA_CUSTOM2
---------------------	------------

- * multiply - operation



- + add - operation
- minus - operation
- / divide - operation
- = assign to - operation
- AN and conjunction - boolean
- OR or conjunction - boolean
- ^ exponentiation - operation

OPERATOR_SIGN

Default Label Sign
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) TL_RI_TEST_AET

OPERINOUT_UID

Default Label Operation Inout ID
 Length 40
 Type Character
 Format Uppercase

Record Reference(s) PSWSOPINOUT

OPERPSWD

Default Label Operator Password (Encrypted)
 Length 32
 Type Character
 Format Mixedcase

Record Reference(s) CDM_DIST_NODE
 ER_APP_REGISTER
 PSOPRDEFN
 PPSWDHISTORY



OPERPSWD_PARTIAL

Default Label Partial Operator Password
Length 4
Type Character
Format Uppercase

Record Reference(s) Z_PSWD_CERT_LOG

OPRALIASTYPE

Default Label ID Type
Length 3
Type Character
Format Uppercase

Record Reference(s) DIRECTORYATTRIB

DSUSRPRFLMAP
PSOPRALIAS
PSOPRALIASFIELD
PSOPRALIASTYPE
PSOPRALSTYPLANG
PSUSERTYPEON
PT_WF_NOTFY_USR
PT_WF_NOT_USRD
PT_WF_NOT_USRL
PT_WF_NOT_USRO1
PT_WF_NOT_USRO2
PT_WF_NOT_USRU

OPRALIASVALUE

Default Label Operator Alias Value
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSOPRALIAS



Record Reference(s) ABSV_RUNCTL

ACCRUAL_RUNCTL
AEREQUESTPARM
AEREQUESTTBL
AERUNCONTROL
AETEMPTBLMGR
AE_APPL_TBL
AE_APPL_TMP
AE_BAS_ELIG_AET
AE_DETYA_AET
AE_FGPY005_AET
AE_GBPO01_AET
AE_GBPO02_AET
AE_GB_AET
AE_GB_API_AET
AE_GB_PARAM_AET

AE_PTTSRPLC_AET
AE_PTTSUNDO_AET
AE_PY200VC_AET
AE_PY300VC_AET
AE_REQUEST
AE_REQUEST_OPT
AE_RUN_CONTROL
AE_VCP001_AET
AFI_AET
AFI_CMP_TMP
AMM_FILTER
ANL_DB_BIND_VAL
APPMSGARCH_AET
APP_WC_DECISION
ARCH_AUDIT
ARCH_AUDIT_RQST
ARCH_FLT_OPT
ARCH_FLT_PARM
ARCH_FLT_RQST
ARCH_HST_OPT
ARCH_HST_RQST
ARCH_IMP_OPT
ARCH_IMP_RQST
ARCH_IMP_TAO
ARCH_RPT_AET



ARCH_RPT_RQST
ARCH_RQST
ARCH_RQST_OPT
ARCH_RQST_PARM
ATH_RUNCNTL
AUDIT_TLELPTIME
AUDIT_TLPCHTIME
BAS_ENR_EMPL
BAS_ENR_PARTIC
BAS_ENR_PASSIVE
BAS_ENR_PLAN
BAS_ENR_RUNCTL
BAS_ODEM_PRNCTL
BATCHWLOPR
BATRUNCNTL
BAT_TIMINGS_LOG
BEN_BI_RUNCTL
BEN_PRIJOB_LIST
BN_834HIPAA_AET
BN_834_HEADER
BN_AGE50_AET
BN_AGE50_RUNCTL
BN_M_EBX_ST_AET
BN_SNAP_HIST
BP_IMPT_HR_AET
BP_RNCTL_BPINFC
BP_RNCTL_CMP107
BP_RNCTL_IMPORT
BS_MRG_PRJ_AET
BS_PRJ_MRG_RN
BUDGET_SORT
CAGED_RC_BRA
CAN_WCBRPT_PROV
CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA

CCUTSTVCH_TEOA
CDM_FILTER
CITYUPDATE_AET
CMP006_AET
CMP006_TMP
CMP006_TMP2



CMP007_AET
CMP007_TMP
CMP007_TMP2
CMP008_2_TMP
CMP008_AET
CMP008_TMP
CMP008_TMP2
CMP008_TMP3
CMP010_AET
CMP010_TMP
CM_COMP_MT_TMP
CM_MATCH
CM_MATCH_TYPES
CM_ROLE_MT_TMP
CM_ROLE_MT_TMP2
COBRA_RUNCTL
COOKIES
CO_DEDEXTRT_AET
CO_DED_MSG_AET
CO_DED_OUT_PARM
CO_DED_PAYRUN
CO_DED_RFTP_AET
CO_DPKELGRUNCTL
CO_DPK_ELIG_AET
CO_GB_API_AET
CO_PEOPRLIC_EMP
CO_PE_OPREXPPLIC
CO_PE_OPR_ANNIV
CO_PE_OPR_BIRTH
CO_PE_OPR_MGRPT
CO_PE_OPR_PHNS
CO_PE_TRN_EMP
CO_PE_TRN_MGR
CO_PE_VACPOS_PP
CTIAGENTPRES
CTI_AGENTREASON
CTI_PERSONAL
DEC2483_FRA_AET
DETYA_PRCs_CA
DETYA_PRCs_TMP
DYNROLE_TMP
ECPREPSELECT
ECRUNCNTL



EDIT_2483G_FRA
EDIT_2483_FRA
EDIT_SHEET_AET
EDIT_SHEET_FRA
EG_CALC_RESTART
EG_CHANGE_HIST
EG_FLX_SVC_DT
EG_FNC_RSLT_DFN
EG_OTH_DPT_TBL
EG_RUN_CNTL_SVC
EG_TENURE_DATA
EMPL_ACT_RC_BRA

EMPL_REG_RC_BRA
EOCM_ACCESS_ENT
EOCM_ACCESS_TP
EOCM_CATLG_USER
EOCM_CAT_RQST
EOCM_COMP_RQST
EOCM_CSAPP_WL
EOCM_CTLG_SYND
EOCM_CTLG_SY_TP
EOCM_CTLG_S_AET
EOCM_IMP_PARMs
EOCM_MAP_PARMs
EOCM_MTP_RQST
EOCM_REP_RQST
EOCM_UNSPS_RQST
EOCM_UN_SYSFILE
EOEW_ETLRUN_AET
EOEW_RUN_CNTL
EOEW_RUN_FLTR
EOEW_RUN_PROC
EOTP_BULOAD_AET
EOTP_CUST_AET
EOTP_PARTUSRSVC
EOTP_PRTNRADMIN
EOTP_PRTNRCNTCT
EOTP_RECATTACH
EOTP_RUNBU_LOAD
EOTP_RUNCUST
EO_BATPUB_AET
EO_CURRENCY_AET



EO_CURRENCY_DTL
EO_DSAUDIT_AET
EO_EFFDTPUB_AET
EO_EIP_CTL
EO_EIP_CTL_SET
EO_EIP_LOAD_AET
EO_ERD_COMPNAME
EO_ERD_RUNCNTL
EO_ERR_RUNCNTL
EO_FILEPUB_AET
EO_PARM_BATCH
EO_PARM_EFFDT
EO_PARM_EFFDTP
EO_PARM_FILE
EO_PARM_FULL
EO_PRO_WF_RULES
EO_RATECALC_AET
EO_RATECALC_DTL
EO_RATECALC_HDR
EO_RATECALC_RPT
EO_RUN_CNTL_DS
EP_CR_APPR_AET
EP_GRP_RES_TBL
EP_PE_OPR_A_DYS
EP_PE_OPR_A_STP
EP_RPT_EXTR_AET
ER_APP_LOGON
ER_AUTOMTCH_AET
ER_CRJOBREQ_AET
ER_ERP_MAIN_AET
ER_INT_EVAL_AET

ER_PE_OPR_ALERT
ER_PE_OPR_REQS
ER_SRCH_RUN_AET
ER_SRCH_RUN_CTL
ESTABSYNC_AET
FAST_SCRTY_1
FAST_SCRTY_2
FA_CALC_RC
FGFMLA_RUNCTL
FGHR036_2_AET
FGHR036_3_AET



FGHR036_AET
FIXEDEXPR_TAO
FLSA_CAL_RUNCTL
FLSA_CBL_RUNCTL
FMLA_PAY_AUDIT
FPA_CI_AET
FPA_CI_RESULT
FPA_FINALRE_AET
FPA_FINRAT_RSLT
FPA_TENURE_AET
FMPPEREQUAT_TMP
FPMREVIEWER_TMP
FULL_TIME_TAO
GB_GENERICWF
GB_VALUES_TBL
GEN_MSG_DEFN
GEN_MSG_USER
GM_RC_TE
GPAU_EFT_CX_AET
GPAU_FBT_AET
GPAU_GLPREP_AET
GPAU_GL_PREPARE
GPAU_GL_RC_AET
GPAU_LVE_AET
GPAU_PSLP_DP_RC
GPAU_PSLP_LC_RC
GPAU_PSLP_PE_RC
GPAU_PSLP_PG_RC
GPAU_PSM_AET
GPAU_PSM_EL_AET
GPAU_PSM_EX_AET
GPAU_RCPPAY_AET
GPAU_RC_DEDPBCK
GPAU_RC_ELM
GPAU_RC_EMPLID
GPAU_RC_LL_ABCT
GPAU_RC_LVELIAB
GPAU_RC_PSM
GPAU_RC_PSM_EE
GPAU_RC_PSM_PYE
GPAU_RC_PSM_PYG
GPAU_RC_PYENT
GPAU_RC_PYGRP



GPAU_RC_RCPT_FL
GPAU_RC_RCP_LST
GPAU_RC_REPORTS
GPAU_RC_TFN001
GPAU_RNCTL_PSLP
GPAU_RNCTL_PYE
GPAU_RUNCTL_ABS

GPAU_RUNCTL_CMX
GPAU_SPTRPT_AET
GPAU_TFN_EL_AET
GPBR_BATCH_AET
GPBR_GPS_ELEM
GPBR_MASVAC_AET
GPBR_PMT_AET
GPBR_RC_CAGED
GPBR_RC_CNTPI
GPBR_RC_DARF
GPBR_RC_DARF_CI
GPBR_RC_DARF_EE
GPBR_RC_DARF_ES
GPBR_RC_DEPEND
GPBR_RC_DEP_EE
GPBR_RC_EFTBANK
GPBR_RC_EMP_REG
GPBR_RC_FIN_RE1
GPBR_RC_FIN_RE2
GPBR_RC_FIN_REG
GPBR_RC_GPS
GPBR_RC_GRFC
GPBR_RC_MASSVAC
GPBR_RC_MASVA_H
GPBR_RC_MAS_LNG
GPBR_RC_PAY001
GPBR_RC_PAYMENT
GPBR_RC_PAYRSL
GPBR_RC_PAYRSL1
GPBR_RC_PAYRSL2
GPBR_RC_PAY_EE
GPBR_RC_SEFIP
GPBR_RC_TER_CON
GPBR_RC_TER_DEP
GPBR_RC_TER_EMP



GPBR_RC_TER_EST
GPBR_RC_UNEMP
GPBR_RC_VAC_AP
GPBR_RC_VAC_DEP
GPBR_RC_VAC_EMP
GPBR_RC_VAC_EST
GPBR_RC_VAC_REC
GPBR_VAC_AP_AET
GPCH_ABS_AET
GPCH_BK_TRN_AET
GPCH_OT_AET
GPCH_RC_AL07
GPCH_RC_CURRCD
GPCH_RC_DEPT
GPCH_RC_EMPLID
GPCH_RC_LOC
GPCH_RC_PAYGRP
GPCH_RC_PAYROLL
GPCH_RC_PYENT
GPCH_RC_TX04
GPCH_RC_TX4_LNG
GPCH_RP_SI06
GPCH_RUN_CNTL
GPCH_STX_AET
GPDE_BK_TRN_AET
GPDE_DV_RC02

GPDE_DV_RC03
GPDE_DV_RUN_CUR
GPDE_DV_RUN_DAY
GPDE_DV_RUN_DSK
GPDE_DV_RUN_END
GPDE_DV_RUN_MON
GPDE_DV_RUN_REP
GPDE_DV_RUN_STA
GPDE_MT_TRIGGER
GPDE_RC_AL07
GPDE_RC_CURRCD
GPDE_RC_DEPT
GPDE_RC_EMPLID
GPDE_RC_LOC
GPDE_RC_PAYGRP
GPDE_RC_PAYROLL



GPDE_RC_PYENT
GPDE_RC_SI10
GPDE_RC_TX04
GPDE_RC_TX4_LNG
GPDE_TA_AET
GPDE_TA_RUN_CTL
GPES_BANK_RNCTL
GPES_PMT_AET
GPES_PSLIP_AET
GPES_PSLP_S_PYE
GPES_RC_BNK
GPES_RC_FNQ1
GPES_RC_FNQ1_EE
GPES_RC_FNQ2
GPES_RC_GL1
GPES_RC_PAYSLIP
GPES_RC_PSLP_DP
GPES_RC_PSLP_LC
GPES_RC_PSLP_PE
GPES_RC_PSLP_PG
GPES_RC_PSLP_PY
GPES_RC_SS
GPES_RC_SS1
GPES_RC_SS_TC2W
GPES_RC_TAX
GPES_RC_TAX_10T
GPES_RC_TAX_CMP
GPES_RUNCTL
GPES_SSTC_AET
GPES_TAX111_AET
GPES_TAX190_AET
GPFR_ASS_AET
GPFR_ASS_PRIRUN
GPFR_ASS_RUNCTL
GPFR_ASS_RU_LNG
GPFR_AT_RESULT
GPFR_BANK_RNCTL
GPFR_DA30_AET
GPFR_DA41_AET
GPFR_DA_AET
GPFR_DA_EXTRACT
GPFR_DA_FILE
GPFR_DA_FILE_SE



GPFR_DA_PAYGRP
GPFR_DA_RUNCTL

GPFR_DUCSF_CTL
GPFR_DUCS_AET
GPFR_DUCS_RUN_1
GPFR_DUCS_RUN_2
GPFR_EFT_RNCTL
GPFR_ILL_AET
GPFR_ILL_RUNCTL
GPFR_ONPAY_SAVE
GPFR_PMT_AET
GPFR_PYSL_AET
GPFR_RUNCTL_PSL
GPFR_SOURC_RCTL
GPFR_WRK_AET
GPFR_WRK_RUNCTL
GPGB_BANK_RNCTL
GPGB_CNC_AET
GPGB_EFT_RNCTL
GPGB_PMT_AET
GPGB_PPIN_AET
GPGB_PROF
GPGB_PSLIP
GPGB_PSLIP_AET
GPGB_RCTL_CNC
GPGB_RCTL_PPIN
GPGB_RCTL_TAXUP
GPGB_RC_P46C
GPGB_REPLIB_AET
GPGB_REP_PROF
GPGB_RNCTL_EOYR
GPGB_RUNCTL_SQR
GPHK_EFT_AET
GPHK_EFT_RUNCTL
GPHK_I56QTR_TMP
GPHK_I56_EE_RC
GPHK_I56_QT_AET
GPHK_I56_RUNCTL
GPHK_I56_TMP2
GPHK_IR56_AET
GPHK_MPF_RUNCTL
GPHK_PSLP_DP_RC



GPHK_PSLP_LC_RC
GPHK_PSLP_PE_RC
GPHK_PSLP_PG_RC
GPHK_PSLP_PY_RC
GPHK_RCP_RUNCTL
GPHK_RC_ELM
GPHK_RC_EMPLID
GPHK_RC_PYENT
GPHK_RC_PYGRP
GPHK_RC_REPORTS
GPHK_RNCTL_PSLP
GPIN_BANK_RC
GPIN_PR_AET
GPIN_PR_RC
GPIN_PSLP_DP_RC
GPIN_PSLP_LC_RC
GPIN_PSLP_PE_RC
GPIN_PSLP_PG_RC
GPIN_PSLP_RC
GPIN_PYE_RC
GPIT_CUD_RP_P1

GPIT_CUD_RP_P2
GPIT_CUD_RP_P3
GPIT_CUD_RP_P4
GPIT_CUD_RUNCTL
GPIT_DM10E_TMP4
GPIT_DM10E_TMP5
GPIT_DM10E_TMP6
GPIT_DM10E_TMPA
GPIT_DM10E_TMPB
GPIT_DM10E_TMPC
GPIT_DM10E_TMPD
GPIT_DM10E_TMPE
GPIT_DM10_RUNCL
GPIT_F24_CTR
GPIT_F24_RUNCL
GPIT_F24_TMP
GPIT_FCUD_T1
GPIT_FCUD_T2
GPIT_FCUD_T3
GPIT_FCUD_T4
GPIT_FCUD_T5



GPIT_FCUD_TOT1
GPIT_FCUD_TOT2
GPIT_FCUD_TOT3
GPIT_GV93_RUNCL
GPIT_GV93_TMP
GPIT_GV93_TMP_A
GPIT_GV93_TMP_B
GPIT_GV93_TMP_C
GPIT_GV93_TMP_D
GPIT_GV93_TMP_P
GPIT_GV93_TMP_S
GPIT_PCUD_I1
GPIT_PCUD_I2
GPIT_PCUD_I3
GPIT_PCUD_T1
GPIT_PCUD_T2
GPIT_PCUD_T3
GPIT_PCUD_T4
GPIT_RC_COMPANY
GPIT_RC_COMP_ST
GPIT_RC_CURRCD
GPIT_RC_DEPT
GPIT_RC_EMPLCTG
GPIT_RC_EMPLID
GPIT_RC_ESTABID
GPIT_RC_LOC
GPIT_RC_PAYGRP
GPIT_RC_PAYROLL
GPIT_RC_PYENT
GPIT_RC_PYGRP
GPIT_S503_RCTL
GPIT_S503_RPT
GPIT_S503_TMPB2
GPIT_S503_TMP_A
GPIT_S503_TMP_B
GPIT_S503_TMP_C
GPIT_S503_TMP_D
GPJP_BA01_AET
GPJP_IT_WH_AET
GPJP_LA02_AET

GPJP_MUNIC_AET
GPJP_PP_AET



GPJP_PP_PYE
GPJP_RC_BA01
GPJP_RC_IH_AUD
GPJP_RC_IH_MNTH
GPJP_RC_IH_MUN1
GPJP_RC_IH_MUN2
GPJP_RC_IT_WHRG
GPJP_RC_LA01
GPJP_RC_PP01
GPJP_RC_SC01
GPJP_RC_SC03
GPJP_RC_SC04
GPJP_RC_SC_BNS
GPJP_RC_SC_LOAD
GPJP_RC_UC
GPJP_RC_UC_PYE
GPJP_RC_YEA
GPJP_RC_YEALOAD
GPJP_RC_YEA_PYE
GPJP_RC_YEA_RPT
GPJP_RC_YEA_SS
GPJP_SC_BNS_AET
GPJP_SC_LD_AET
GPJP_SC_UPD_AET
GPJP_UC_LD_AET
GPJP_YEASS_AET
GPJP_YEA_AET
GPMX_ACCUM_MBR
GPMX_BATCH_AET
GPMX_COUPONS
GPMX_DET_FEDTAX
GPMX_MASABS_AET
GPMX_PMT_AET
GPMX_PROV_DED
GPMX_PROV_ERN
GPMX_PTU_AET
GPMX_RC_ABSENCE
GPMX_RC_ACCUM
GPMX_RC_AG001
GPMX_RC_ANNLADJ
GPMX_RC_BANK
GPMX_RC_CAP_BSE
GPMX_RC_CNTPI



GPMX_RC_COUPONS
GPMX_RC_CRE_SAL
GPMX_RC_EFT
GPMX_RC_FEDTAX
GPMX_RC_IM002
GPMX_RC_IMSS_PR
GPMX_RC_LNCAL
GPMX_RC_LNPYE
GPMX_RC_MASSABS
GPMX_RC_OVR001
GPMX_RC_PAY001
GPMX_RC_PAYRSL
GPMX_RC_PAYRSL1
GPMX_RC_PAYRSL2
GPMX_RC_PROV
GPMX_RC_PTU

GPMX_RC_PTU001
GPMX_RC_STTAXES
GPMX_RC_SUA001
GPMX_RC_SUB_FCT
GPMX_RC_TERMREP
GPMX_RC_TRI001
GPMX_RC_VACATN
GPMX_RC_VARIABL
GPMX_RC_WKRSK_C
GPMX_RC_WKRISK
GPMY_159_AET
GPMY_8A_FI_AET
GPMY_8A_PR_AET
GPMY_CP21_AET
GPMY_CP22A_AET
GPMY_EFTFIL_AET
GPMY_EMPL_RC
GPMY_FA_PST_AET
GPMY_GLPREP_TAO
GPMY_GL_RC_AET
GPMY_LVE_AET
GPMY_NET_PAY_RC
GPMY_PR_AET
GPMY_PR_RC
GPMY_PR_RF_RC
GPMY_PSLP_DP_RC



GPMY_PSLP_LC_RC
GPMY_PSLP_PE_RC
GPMY_PSLP_PG_RC
GPMY_PSLP_RC
GPMY_PSL_DP_RC1
GPMY_PYE_RC
GPMY_RCPFIL_AET
GPMY_RC_ELM
GPMY_RC_EMPLID
GPMY_RC_FA_POST
GPMY_RC_GL_PREP
GPMY_RC_LL_ABCT
GPMY_RC_LVELIAB
GPMY_RC_PYGRP
GPMY_RC_RCPT_FL
GPMY_RC_RCP_FIL
GPMY_RC_RCP_LST
GPMY_RC_REPORTS
GPMY_RPT_RC
GPMY_RUNCTL_FIL
GPNL_PMT_AET
GPNL_PSLIP_AET
GPNL_RC_BANKING
GPNL_RC_CPINT
GPNL_RC_EFT
GPNL_RC_EMPL
GPNL_RC_EST_LST
GPNL_RC_PAYSLIP
GPNL_RC_PERS
GPNL_RC_PERSCMP
GPNL_RC_PMT_LST
GPNL_RC_PS_DEPT
GPNL_RC_PS_EE
GPNL_RC_PS_LOC
GPNL_RC_PS_PGRP

GPNL_RC_PS_PYE
GPNL_RC_PS_PYNT
GPNL_RC_RED
GPNL_RC_SOC
GPNL_RC_SOC_AET
GPNL_RC_SSN_LST
GPNL_RC_YEE



GPNL_RC_YER
GPNL_RC_YINT
GPNL_REP_AET
GPNZ_EFTMT9_AET
GPNZ_GLPREP_TAO
GPNZ_GL_RC_AET
GPNZ_IR348F_AET
GPNZ_IR348F_RC
GPNZ_IRD_RC_AET
GPNZ_IRD_RC_CR8
GPNZ_LVE_AET
GPNZ_NET_PAY_RC
GPNZ_PSLP_DP_RC
GPNZ_PSLP_LC_RC
GPNZ_PSLP_PE_RC
GPNZ_PSLP_PG_RC
GPNZ_RCPFIL_AET
GPNZ_RC_DEDPBCK
GPNZ_RC_ELM
GPNZ_RC_EMPLID
GPNZ_RC_GL_PREP
GPNZ_RC_IR348
GPNZ_RC_IRD
GPNZ_RC_LL_ABCT
GPNZ_RC_LVELIAB
GPNZ_RC_PYGRP
GPNZ_RC_RCPT_FL
GPNZ_RC_RCP_LST
GPNZ_RC_RCP_MT9
GPNZ_RC_REPORTS
GPNZ_RNCTL_PSLP
GPNZ_RNCTL_PYE
GPNZ_RUNCTL_MT9
GPNZ_RUNCTL_QES
GPSG_CPFLIN_AET
GPSG_CFPAL_AET
GPSG_CFRPT_AET
GPSG_CPF_RUNCTL
GPSG_EFTGIR_AET
GPSG_FA_PST_AET
GPSG_GLPREP_TAO
GPSG_GL_PREPARE
GPSG_GL_RC_AET



GPSG_IRAS_AET
GPSG_LVE_AET
GPSG_NET_PAY_RC
GPSG_PSLP_DP_RC
GPSG_PSLP_LC_RC
GPSG_PSLP_PE_RC
GPSG_PSLP_PG_RC
GPSG_RCPFIL_AET
GPSG_RC_ELM
GPSG_RC_EMPLID
GPSG_RC_FA_POST

GPSG_RC_GL_PREP
GPSG_RC_IRAS
GPSG_RC_IRASEMP
GPSG_RC_LL_ABCT
GPSG_RC_LVELIAB
GPSG_RC_PYGRP
GPSG_RC_RCPT_FL
GPSG_RC_RCP_GIR
GPSG_RC_RCP_LST
GPSG_RC_REPORTS
GPSG_RNCTL_PSLP
GPSG_RNCTL_PYE
GPSG_RUNCTL_GIR
GP_ABS_EVT_WRK
GP_AUTO_CAL
GP_AUTO_CAL_AET
GP_AUTO_PRD
GP_AUTO_PRD_AET
GP_GENRPT_AET
GP_GENRPT_RC
GP_GENRPT_RC2
GP_GL_PREPARE
GP_GL_PREP_AET
GP_GRP_LIST
GP_GRP_LIST_RUN
GP_OPR_RULE_PRF
GP_PKG_COPY_AET
GP_PKG_RUNCTL
GP_PMT_PREPARE
GP_PMT_PREP_AET
GP_PYE_ITER_LST



GP_PYE_STAT_WRK
GP_RUNCTL
GP_RUNCTL_APPR
GP_RUNCTL_SQR
GP_RUNCTL_SQR01
GP_RUNCTL_SQR02
GP_TLCOST_AET
GP_TL_PREPARE
GP_TL_PREP_AET
GP_TXN_DATA
GP_VC_RUNCTL
GVT_AGY_RUNCTL
GVT_CNTL_PLAN
GVT_ECS_RUNCTL
GVT_EE_DATA_TRK
GVT_EMPLOYMENT
GVT_FGHR363_TAO
GVT_FIN_RUNCTL
GVT_FIN_RUNCTL2
GVT_FULL_VAC
GVT_IRR_DTA_TRK
GVT_IRR_PRT
GVT_IRR_PRT_SEL
GVT_IRR_RUNCTL
GVT_MASSCHG_AET
GVT_MPA_RUNCTL
GVT_NH_CONTROL
GVT_NH_RUNCTL
GVT_NH_RUNCTL_E
GVT_PAR_PRT

GVT_RITS_RUNCTL
GVT_ROST_RUNCTL
GVT_RUNCTL_1150
GVT_RUNCTL_1514
GVT_RUNCTL_LVE
GVT_RUNCTL_UCFE
GVT_RUNC_ACTION
GVT_RUN_CNTL
GVT_RUN_FGBN001
GVT_TSP_RUNCTL
GVT_VAC_TRACKNG
GVT_VA_FEED_INP



HOLDEXPKEYS_TAO
HPDBRETDIST_AET
HP_DISTBDGT_AET
HP_DISTSRCH_AET
HP_RC_GRSFR
HP_RC_GRSFR_ACT
HP_RC_GRSFR_DPT
HP_RC_GRSFR_PRJ
HP_RC_PDAUDIT
HP_RETDIST_AET
HRAU_PSMPC_AET
HR_BIAF_FRA_AET
HR_CMP013_AET
HR_CMP014_1_TAO
HR_CMP014_2_TAO
HR_CMP014_3_TAO
HR_CMP014_AET
HR_CMP015_AET
HR_CMP015_AFT_C
HR_CMP015_AFT_J
HR_CMP015_BEF_C
HR_CMP015_BEF_J
HR_CMP015_GRP_T
HR_CMP015_TAO1
HR_CMP015_TAO2
HR_CMP050JP_AET
HR_CMP051JP_AET
HR_CMP052JP_AET
HR_CMP053JP_AET
HR_DIM_RUN_BEL
HR_GRPANNIV_AET
HR_HRSALCHG_AET
HR_HRWF0006_AET
HR_PER501_AET
HR_PER501_AFT_C
HR_PER501_AFT_J
HR_PER501_BEF_C
HR_PER501_BEF_J
HR_PER501_GRP_T
HR_PER501_TAO1
HR_PER501_TAO2
HR_PER510_AET
HR_PER510_PERML



HR_PER510_SCRTY
HR_PER510_USERP
HR_PE_DATES_TBL
HR_SEN_GRP_TAO
HR_SEN_PAY1_TAO
HR_SEN_PAY2_TAO

HR_SHS_FRA_AET
HR_SPLIB_AET
HR_SP_MER1_TAO
HR_SP_MER2_TAO
HR_SP_MER3_TAO
HR_SP_MERIT_AET
HR_WC_APPR_AET
IB_ARCH_RUNCNTL
IB_FAILOVER_AET
IB_FO_RUNCNTL
ICONV_PANELLIST
ICONV_PANELNOT
ICONV_PROJLIST
ICONV_PROJNOT
ICONV_RUNCNTL
IMP_GTL_DPL
JOBCODE_TBL
LAYOUT_STYL_TBL
LMS_AET
LMS_CMP_RUN_CTL
LMS_RUN_CNTL
LMS_SCENAR_HIST
LMS_SCENA_PURGE
LMS_SCEN_REPORT
MAKE_ANL_DB_BU
MAKE_ANL_DB_REQ
MASSRTRO_RUNCTL
MATRBK_ITA_AET
MATR_BK_ITA_TAO
MCFCHATLOG
MC_DEFN
MC_HIST_STMNT
MC_OPRID
MC_OPR_SECURITY
MC_RUN_CNTL
MERCH_USER_OVRD



MOBILEID
MU_AET
MU_MASSUPD_RLNG
MU_MASSUPD_RSLT
NVS_OPR_RPTS
OHS001GER_TMP1
OHS001GER_TMP2
OHS004GER_TMP1
OHS004GER_TMP2
OPRROWS_REP_VW
OPRROWS_TMP
OPR_DEFAULT_TBL
OPR_DEF_TBL_FS
OSHA_300_RUNS
PAYSHEET_RUNCTL
PAY_CALC_RUNCTL
PAY_CBLD_RUNCTL
PAY_CHECK_REVRS
PAY_CONF_RUNCTL
PAY_DBAL_RUNCTL
PAY_IMP_RUNCTL
PAY_OL_PRNTCTL
PAY_PRNT_RUNCTL
PAY_REV_RUNCTL
PA_CALCULATION

PA_CALC_RESTART
PA_FNC_RSLT_DFN
PA_I_ESTIMATE
PA_PROC
PA_RUN_CNTL
PA_RUN_CNTL_CLC
PER064JP_AET
PER066JP_AET
PER501_AET
PER501_TMP
PER501_TMP1
PER501_TMP2
PER501_TMP3
PER501_TMP4
PERSON_PRCs_TMP
PI_EXP_INP_AET
PI_RUNCTL



PI_RUNCTL_AE
PI_RUNCTL_SID
PMN_FILTER
PORTAL_CSS_RUN
PORTAL_HPCOL1
PORTAL_HPCOL2
PORTAL_HPCOL3
PORTAL_HPCOL4
PORTAL_HPHDR
PORTAL_HPHDR2
PORTAL_HPHDR3
PORTAL_SRCH_PRF
POSITION_DATA
PRCSRUNCNTL
PRCSRUNCNTLDIST
PRCSRUNCNTLDTL
PRCSRUNCNTLEOPT
PRG_USR_PROFILE
PROJECT_DESCR
PSACCESSLOG
PSACTARCHIVE
PSACTIVITYLOG
PSARCHAUDIT
PSARCHBATCH
PSARCHRUNCNTL
PSARCHRUNQRYBND
PSBATCHRPT_HDR
PSBATREPREQHDR
PSBUSPROCSEC
PSCHGCTLHIST
PSCHGCTLLOCK
PSCOLORDEFN
PSCOLORDEL
PSDIAGQRY0
PSDIAGQRY1
PSDIAGQRY2
PSDIAGQRYCLASS
PSHUPD_RUNCTL
PSHUP_RUNCTL
PSHUP_TXN_AET
PSIBWSDLADMIN
PSJPUPDEFN
PSJPUPDEL



PSJPUPPREF
PSJPUPPREFVAL
PSMPRTPREF
PSMSFREFRESH
PSMSFUSER
PSNVSBOOK
PSNVSBOOKREQUEST
PSOPRALIAS
PSOPRDEFN
PSOPRDEL
PSOPTIONS
PSPMARCHRUNCNTL
PSPMOPRDEFN
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL
PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH
PSPRCSRUNCDEL
PSPRCSRUNCNTL
PSPRCSRUNCNTLS
PSPRSMDEFN
PSPRUFDEFN
PSPRUFDEL
PSPRUHDEFN
PSPRUHDEL
PSPRUHPERSPGLT
PSPRUHTAB
PSPRUHTABPGLT
PSPSWDHISTORY
PSQASRUN
PSQRYBIND
PSQRYBINDLANG
PSQRYCRITERIA
PSQRYDEFN
PSQRYDEFNLANG
PSQRYDEL
PSQRYEXECLOG
PSQRYEXPR
PSQRYFAVORITES



PSQRYFIELD
PSQRYFIELDLANG
PSQRYPREFS
PSQRYRECORD
PSQRYSELECT
PSQRYSTATS
PSQRYTRANS
PSSECNODEOPR
PSTBARITEMLANG
PSTOOLBARDEFN
PSTOOLBARDEL
PSTOOLBARITEM
PSUSERATTR
PSUSEREMAIL
PSUSEROBJDEFN
PSUSEROBJTYPE
PSUSERPRSNLDEL
PSUSERPRSNLOPTN
PSUSERSRCHDEFN
PSWORKLIST

PSWSRPCPHDEFN
PSWSRPCPHDEL
PSX_TREE_SAVE
PTLT_EXCI_RUN
PTLT_PROJ_RUN
PTPPB_USER_PRMS
PTPP_CPPRJ_RUN2
PTPP_CPPRJ_RUN3
PTPP_CPPRJ_RUN4
PTPP_CPPRJ_RUN5
PTPP_CPPROJ_AET
PTPP_CPPROJ_RUN
PTPP_FD_RUN
PTPP_SCSYNC_AET
PTPP_SCSYNC_RUN
PTPP_SCUPG_AET
PTUPG_RUN_AEC
PTUPG_STATE_AET
PT_CTI_AGENT
PT_CTI_AGENTGUI
PT_CTI_PBKAGENT
PT_ERR_RUNCNTL



PT_WF_NOTFY_USR
PT_WF_NOT_USRD
PT_WF_NOT_USRL
PT_WF_NOT_USRO1
PT_WF_NOT_USRO2
PT_WF_NOT_USRU
PYAP_CONVRT_AET
PYAP_POST_AET
PYRE_DETAIL
PYRE_HEADER
PYRE_INVALID
PYRE_PRELD_AET
PYRE_RUNID_HDR
PYRE_VALID_AET
PY_LDTLCD_RC
PY_LDTLEMP_RC
PY_LDTL_RC
PY_PULL_CST_AET
PY_W4_EE_AET
PY_W5_EE_AET
QRY_DUP_HD_AET
QUERY_RUN_CNTRL
QUERY_RUN_PARM
RC_AFI_CMP_ESP
RC_AFI_EMP_ESP
RC_AFI_ESP
RC_AP_POST
RC_BUD011
RC_CAN_YE
RC_CAN_YE_PROV
RC_CTX910AP
RC_CTX910RP
RC_CTX910TP
RC_CTX910VP
RC_DDP001
RC_ENCD_TX810WY
RC_PAY
RC_PAY013_1
RC_PAY013_2

RC_PAY018CN
RC_PAY102CN
RC_PAY104CN



RC_PAYINIT
RC_PAY_UNSH
RC_PI_RUNCTL
RC_PKG
RC_PYAP_DEDINIT
RC_PYAP_TAXINIT
RC_PYAP_TXINICN
RC_PYAP_TXINIFT
RC_PYAP_TXINILT
RC_PYAP_TXINIST
RC_PYAP_TXINI_L
RC_PYAP_TXINI_S
RC_QTR_UI
RC_SEL_COMPANY
RC_SIC_UI
RC_SLC_UI
RC_TAX002ME
RC_TAX010PA
RC_TAX1042
RC_TAX504
RC_TAX504_ERN
RC_TAX710
RC_TAX810CA
RC_TAX810CT
RC_TAX810IL
RC_TAX810KY
RC_TAX810ME
RC_TAX810MN
RC_TAX810MT
RC_TAX810ND
RC_TAX810NV
RC_TAX810NY
RC_TAX810OH
RC_TAX810OR
RC_TAX810VT
RC_TAX810WA
RC_TAX810WY
RC_TAX860FL
RC_TAX905CN
RC_TAX910AU2
RC_TAX910AU_CO
RC_TAX910ER
RC_TAX910LD



RC_TAX910LD_CO
RC_TAX910LD_EE
RC_TAX910PR
RC_TAX918AU2
RC_TAX918ER
RC_TAX918PR
RC_TAX920
RC_TAX920AU
RC_TAX920EE
RC_TAX920PR
RC_TAX920PREE
RC_TAX920UST
RC_TAX920USTEE
RC_TAX921PR
RC_TAX921US

RC_TAX930
RC_TAX930AU
RC_TAX930PM
RC_TAX935
RC_TAX960
RC_TAX960MA
RC_TAX960PR
RC_TAX960PRN
RC_TAX960ST
RC_TAX960US
RC_THIRD_PARTY
RC_US_YE
RC_VC_CALWRD
RC_VC_CALWRD_WG
RC_VC_ELIG_PRO
RC_VC_REPORTS
RC_VC_REP_CHLD
RC_VNDR_REPORT
RC_WP_AGRT_RPT
RC_WP_ELIG
RC_WP_IND_RPT
RC_WP_PAYMT
RC_XTAX_CAN
RC_XTAX_TYP_CAN
RC_X_DEDS
RC_X_DEDS_VNDR
RC_X_TAX



RC_X_TAX_LOCALS
RC_X_TAX_STATES
RC_X_TAX_TYPE_F
RC_X_TAX_TYPE_L
RC_X_TAX_TYPE_S
RDEDEXTR_RUNCTL
RDEDMASS_RUNCTL
RDEDPSHT_RUNCTL
RDEDSQR_RUNCTL
REACTV_TERM_AET
ROLEXLATOPR
ROLEXLATOPR_ARC
ROLEXLATOPR_OLD
RPT_RQST
RPT_RUN_CNTL
RTROEXTR_RUNCTL
RTROPSHT_RUNCTL
RTROREPT_RUNCTL
RTRORQST_RUNCTL
RTROSUMM_RUNCTL
RTROTERM_RUNCTL
RTROUND0_RUNCTL
RUNCNTL_BASICEL
RUNCTL_BIAF_FRA
RUNCTL_CMP007
RUNCTL_EDIOUT
RUNCTL_EP
RUNCTL_EP_GRP
RUNCTL_EP_RPT
RUNCTL_EP_RPT2
RUNCTL_GEN_CKEY
RUNCTL_MASSUPD1
RUNCTL_NTFA_JPN
RUNCTL_NTF_JPN

RUNCTL_PAY306RT
RUNCTL_SENPAY
RUNCTL_TLPY_PUB
RUN_CMPCLC2_JPN
RUN_CMPCLC_JPN
RUN_CMPRPT2_JPN
RUN_CMPRPT_JPN
RUN_CNTLAUDTRGS



RUN_CNTLDAP_AET
RUN_CNLLDAP
RUN_CNLSHEMA
RUN_CNTL_ABS001
RUN_CNTL_ABS003
RUN_CNTL_ACTION
RUN_CNTL_AU2_EO
RUN_CNTL_BDGT
RUN_CNTL_BEN
RUN_CNTL_BEN_CO
RUN_CNTL_BEN_PT
RUN_CNTL_BEN_VD
RUN_CNTL_BIAF
RUN_CNTL_BLOAD
RUN_CNTL_BN_M
RUN_CNTL_BUD020
RUN_CNTL_BUDEPT
RUN_CNTL_BUDSPN
RUN_CNTL_CAR
RUN_CNTL_CBR
RUN_CNTL_CC1_EO
RUN_CNTL_CC2_EO
RUN_CNTL_CC3_EO
RUN_CNTL_CC4_EO
RUN_CNTL_CCI
RUN_CNTL_CCI1
RUN_CNTL_CCI2
RUN_CNTL_CCI3
RUN_CNTL_CCI4
RUN_CNTL_CC_EO
RUN_CNTL_CMP015
RUN_CNTL_CMP016
RUN_CNTL_CMP107
RUN_CNTL_COESV1
RUN_CNTL_COESV2
RUN_CNTL_CPDF
RUN_CNTL_CTYITA
RUN_CNTL_DEDEXT
RUN_CNTL_DEDFTP
RUN_CNTL_DEDXML
RUN_CNTL_DELSC
RUN_CNTL_DEPT
RUN_CNTL_ECLASS



RUN_CNTL_EECRS
RUN_CNTL_EG
RUN_CNTL_EMPL
RUN_CNTL_ER
RUN_CNTL_ER_ERP
RUN_CNTL_ESPP
RUN_CNTL_ESTAB
RUN_CNTL_FP
RUN_CNTL_GB
RUN_CNTL_GB001

RUN_CNTL_HR
RUN_CNTL_HR_BEL
RUN_CNTL_HR_CHE
RUN_CNTL_HR_ESP
RUN_CNTL_HR_FRA
RUN_CNTL_HR_JPN
RUN_CNTL_HR_NLD
RUN_CNTL_HR_SEC
RUN_CNTL_HR_SP
RUN_CNTL_JOB CD
RUN_CNTL_LOCTN
RUN_CNTL_MATRBK
RUN_CNTL_MOC
RUN_CNTL_OHS
RUN_CNTL_ORGCH
RUN_CNTL_PAR
RUN_CNTL_PCMP1
RUN_CNTL_PCMP2
RUN_CNTL_PCMP3
RUN_CNTL_PCMP4
RUN_CNTL_PCMP5
RUN_CNTL_PER053
RUN_CNTL_PER056
RUN_CNTL_PER059
RUN_CNTL_PER060
RUN_CNTL_PER066
RUN_CNTL_PER067
RUN_CNTL_PER501
RUN_CNTL_PORTAL
RUN_CNTL_PRT_CE
RUN_CNTL_PRT_EC
RUN_CNTL_REG



RUN_CNTL_REQSN
RUN_CNTL_SENPY2
RUN_CNTL_SENPY3
RUN_CNTL_SESSN
RUN_CNTL_SF182
RUN_CNTL_SF182L
RUN_CNTL_ST
RUN_CNTL_ST_EMP
RUN_CNTL_ST_GGR
RUN_CNTL_ST_RP1
RUN_CNTL_ST_RP2
RUN_CNTL_SWPBSE
RUN_CNTL_TAU
RUN_CNTL_TRN001
RUN_CNTL_TRN032
RUN_CNTL_TRN_GP
RUN_CNTL_UKNI
RUN_CNTL_UNIT
RUN_CNTL_USADTL
RUN_CNTL_USAGE
RUN_CNTL_VCP001
RUN_CNTL_VCP002
RUN_CNTL_VCP003
RUN_CNTL_VCP004
RUN_CNTL_VNDR
RUN_CNTL_WF
RUN_CNTL_WP
RUN_CTL_ST_EMP2
RUN_DUPAPP_SRCH

RUN_EO_RT_GEN
RUN_EO_RT_GEN_D
RUN_EXCEP_DTL
RUN_FGHR022
RUN_FGSF75
RUN_GLRESET
RUN_HPDISRSRCH
RUN_HPSRCHDATA
RUN_HPUPDTDATA
RUN_HPUPDTSEQ
RUN_HP_RETDIST
RUN_ILL_HR_NLD
RUN_LOADCACHE



RUN_MREDDLOAD
RUN_QRYACCLIST
RUN_SALAMT2_JPN
RUN_SALAMT3_JPN
RUN_SALAMT_JPN
RUN_SALINC2_JPN
RUN_SALINC_JPN
RUN_SCHEMA_AET
RUN_STEP2_JPN
RUN_STEP_JPN
RUN_STPS1_MEX
RUN_STPS2_MEX
RUN_STPS_MEX
RUN_TREEMOVER
RUN_TREE_UTILS
R_GVT_PAR_PRT
R_PAY101CN
SAL_PLANMC_TMP2
SAVINGS_403B_EE
SAVINGS_MGT_EE
SCHDLDEFN
SCH_CAL_AET
SCH_GRP_AET
SCH_GRP_RNCTRL
SCH_RUNCTRL_DTL
SCH_RUNCTRL_TBL
SCRTY_TBL_DEPT
SDK_AMORT_PREF
SDK_FILEUTL_AET
SDK_RUNCNTL
SDK_SRCHSPREF
SDK_SRCH_SAVE
SET_CNTL_GP_TMP
SET_CNTL_RC_TMP
SFMAINT_RUNCNTL
SHS_EE_RUN_CTL
SHS_EMPL_TAO
SHS_ESTAB_TAO
SHS_EXEMPT_TAO
SHS_FRA_RUN_CTL
SHS_HIS_RUN_CTL
SHS_OTHER_TAO
SHS_RUNCTL_WL



SHS_SSN_NBR_TAO
SP_UPDCOMP_TMP
SP_UPDJOB_TMP
STEP_INCR_AET
ST_CLASS_AET

ST_ESPPMAIN_AET
ST_ESPP_BAL_AET
ST_ESPP_CNF_AET
ST_ESPP_CVT_AET
ST_ESPP_PRC_AET
ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_GRP_GRNT_AET
ST_ISO_LIM_AET
ST_ISSUUPD_AET
ST_ISSUUPD_TAO
ST_OPTN_AET
ST_PARTIC_AET
ST_PE_OPTN_PREF
ST_PRCGRP_AET
ST_PRDISP_AET
ST_REPRC_AET
ST_RUNCTL_UNVAL
ST_RUNCTL_VALUE
ST_SPLIT_AET
ST_SSDISP_AET
ST_STFS001_TAO
ST_STFS007_TAO
ST_STFS009_TAO
ST_STFS010_TAO
ST_STFS015_TMP
ST_STRR001_TAO
ST_TRSR_AET
ST_UNVALUE_AET
ST_UNVALUE_TAO
ST_VALUE_AET
ST_VALUE_TAO
ST_VC_EXP_AET
ST_VEST_AET
SV403B_RUNCTL
TAU_PGM_LIST
TCOMPBN_RUNCTL



TC_AET
TC_BENEFITS_AET
TC_BEN_GRP
TC_BEN_RUN_CNTL
TC_CNTL_PAY_TAO
TC_COMPHIST_TAO
TC_COMP_HISTORY
TC_EMPL_LST_TAO
TC_GROUP_RUNCTL
TC_MAP_BEN_TAO
TC_MAP_ERN_TAO
TC_MAP_TAXC_TAO
TC_MAP_TAX_TAO
TC_PAYEXT_AET
TC_RUNCNTL_CUBE
TC_RUNCTL_ADHOC
TC_RUN_CNTL
TC_TMP_DTL_TAO
TC_TREE_RUNCNTL
TEMP_JOB_TAO
TERM_RUNCTL
TIPS_ALL_RUNCTL
TL_AGG_MAIN_AET
TL_AGG_RCTRL

TL_CALL_TA_AET
TL_CAL_CTRL_TBL
TL_DIST_DIL_AET
TL_ELP_ERR
TL_ELP_INTFC
TL_GRP_REF_AET
TL_LBDST_RUNCTL
TL_LPAD_DISPLAY
TL_MASS_SESSION
TL_OT_DATA
TL_OUTTCD_AET
TL_PAYABLE_TMP
TL_PAYREQ_AET
TL_PCH_DUR_WRK
TL_PE_OPR_MGRTM
TL_PE_OPR_MGRWA
TL_PROJ_AET
TL_PUNCH_ERR



TL_PUNCH_INTFC
TL_PYPUB_TM_AET
TL_RAPID_HEADER
TL_RAPID_RCTRL
TL_REPORTS_AET
TL_RPTD_ELPTIME
TL_RPTD_PCHTIME
TL_RPTS_RNCTL
TL_RUNCNTL_AET
TL_RUNCTL_ACDT
TL_RUNCTL_SQR
TL_RUN_CAL_OPT1
TL_RUN_CNTL_APP
TL_RUN_CTRL_CAL
TL_RUN_CTRL_GRP
TL_RUN_CTRL_LAN
TL_RUN_CTRL_TBL
TL_RUN_GRP_DTL
TL_RUN_GRP_REF
TL_RUN_PUB_TM
TL_RUN_PYPUB_TM
TL_RUN_SCH_OPT
TL_SCHRPT_AET
TL_SCHRT_RNCTL
TL_ST_ELPTIME
TL_ST_PARMS_AET
TL_ST_PCHTIME
TL_ST_RUN_CNTL
TL_TA_ACTN_COPY
TL_TA_COND_COPY
TL_TA_COPY_CTL
TL_TA_CPY_AET
TL_TA_EXPND_AET
TL_TA_MAIN_AET
TL_TA_RULE_COPY
TL_TA_RUNCTL
TL_TCD_MSGNODE
TL_TCD_REPORT
TL_TCD_SQR
TL_TIME_AET
TL_WV_CRITERIA
TMP_AE_RUNCNTL
TRAINING012_AET



TRAINING013_AET
TRAINING032_AET
TRAINING_AET
TREETREEMOVER_AET
TREE_MAINT_AET
TRN_BATCH_PROF
TRN_CRITERIA_OR
TRN_CRIT_COMP_E
TRN_CRIT_COMP_I
TRN_CRIT_CRS_E
TRN_CRIT_CRS_I
TRN_CRIT_DEPT_E
TRN_CRIT_DEPT_I
TRN_CRIT_JOB_E
TRN_CRIT_JOB_I
TRN_CRIT_PRTY_E
TRN_CRIT_PRTY_I
TS_OPR_DEFAULTS
TS_PROFILE
TS_PROFILE_TXT
TS_RESULT_DATA
TS_RESULT_KEYS
TS_RESULT_MSG
TS_RESULT_PNLS
TS_RESULT_TXT
UPGPTPP_AET
UPGQRYEXPR_AET
UPG_CO_AET
UPG_ER_AET
UPG_GPCH_AET
UPG_PA_CALC_TMP
UPG_STATE_AET
UPG_TL_TIME
UPG_TL_TIME1
VCAWARD_RUNCTL
VCTREESEC_AET
VC_ALLOC_AET
VC_ELIG_PRO_AET
VC_PRO_PRDS_AET
VC_RUN_VCP001
VOUCHER
VOUCHER_STG



W3EB_LE_STATE
WF_MON_NOTIFY
WF_MON_OPRID
WF_RPT_OPR_POOL
WL_RIMRESP_AET
WL_RIM_RUN_CNTL
WP_ELIG_AET
WP_GBLFND_AET
WP_PAYMT_AET
WP_PSHARING_AET
Z_ADDRESS_INFO
Z_AWD_RUNCNTL
Z_B_EMP_UNION
Z_COMP_LVL_TBL
Z_CONTR_ASSIGN
Z_CPDF_RUNCTL
Z_EMP_RUNCTL
Z_FAST_SCRTY_1
Z_FAST_SCRT_EMP

Z_HCUP_AUDIT
Z_JOBCODE_TRK
Z_JOB_REQ
Z_JOB_REQ_APPR
Z_LC_PIRUNCTL
Z_LC_RUNCTL
Z_LC_TRN_RUN
Z_LG_AWD_RUNCTL
Z_MASS_RUN_CTRL
Z_MA_RUN_CNTL
Z_MC_DEPTID_TBL
Z_MIIS_EMPOW_IN
Z_MPOS_RUN_CTRL
Z_NEW_OPRID_TRK
Z_NFC_RECON_REC
Z_NON_EMP_DATA
Z_PIVOT_RUNCNTL
Z_PI_POI_OPRID
Z_PMN_FILTER
Z_POI_REPORT
Z_POSITION_TRK
Z_POSN_PACT_RUN
Z_PP_EE_RVW_HIS



Z_PP_RUNCTL
Z_PP_WORD_DATA
Z_PRES_DOC_030
Z_PRES_DOC_054
Z_PRES_DOC_056
Z_PRES_DOC_083
Z_PRES_DOC_088
Z_PRES_DOC_089
Z_PRES_DOC_095
Z_PRES_DOC_096
Z_PRES_DOC_097
Z_PRES_DOC_100
Z_PRES_DOC_102
Z_PRES_DOC_120
Z_PRES_DOC_125
Z_PRES_DOC_126
Z_PRES_DOC_127
Z_PRES_DOC_128
Z_PRES_DOC_130
Z_PRES_DOC_131
Z_PRES_DOC_140
Z_PRES_DOC_150
Z_PRES_DOC_151
Z_PRES_DOC_160
Z_PRES_DOC_165
Z_PRES_DOC_170B
Z_PRES_DOC_170C
Z_PRES_DOC_180
Z_PRES_DOC_185
Z_PRES_DOC_195
Z_PRES_DOC_770
Z_PSWD_CERT_LOG
Z_RC_ZZZAWD01
Z_RUN_CNTL_SINQ
Z_RUN_PD
Z_SINQ_PRT
Z_TRN_DATA_TRK
Z_WF_PMSO_J_WL

Z_WF_PMSO_P_WL



OPR_ID

Default Label	Operator Id
Length	8
Type	Character
Format	Mixedcase

Record Reference(s)	Z_MIIS_EMPOW_IN
	Z_NFC_U6701_TBL
	Z_NFC_U6708_TBL

OPR_INDUSTRY_OVRD

Default Label	Override Operator Industry
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	COMPANY_TBL
---------------------	-------------

OPR_PREDICATE1

Default Label	Operator/Predicate
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	EO_CCR_SEL_PATH
---------------------	-----------------

00	(none)
01	=
02	<>
03	<
04	<=
05	>
06	>=
07	BETWEEN
08	NOT BETWEEN



09	IN
10	NOT IN
11	LIKE
12	NOT LIKE
13	EXISTS
14	NOT EXISTS

OPR_PREDICATE2

Default Label Operator/Predicate
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) EO_RECON_JOIN
 EO_SPATH_WH

00	(none)
01	=
02	<>
03	<
04	<=
05	>
06	>=
07	BETWEEN
08	NOT BETWEEN
09	IN
10	NOT IN
11	LIKE
12	NOT LIKE

OPSYS

Default Label Operating System
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CDM_DIST_NODE
 PRCSYSTEM
 PRCSTYPEDEFN
 PRCSTYPEDEFNLNG



PRCSTYEMETA
 PSPRCSQUE
 PSPRCSRQST
 PSPRCSRQSTARCH
 SCHDLDEFN
 SCHDLITEM
 SERVERCLASS
 SERVERDEFN

 2 NT/Win2000
 4 UNIX
 7 MVS
 8 NT

OPT1

Default Label Field 1 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT10

Default Label Field 10 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required



OPT14

Default Label Field 14 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT15

Default Label Field 15 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT16

Default Label Field 16 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required



Default Label Field 2 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT20

Default Label Field 20 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT21

Default Label Field 21 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT22



Default Label Field 22 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT23

Default Label Field 23 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT3

Default Label Field 3 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT4



Default Label Field 4 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT5

Default Label Field 5 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT6

Default Label Field 6 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT7



Default Label Field 7 Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPT8

Default Label Field Use Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

N Not Used
 O Optional
 R Required

OPTDELRECNAME

Default Label Optimization Del Record Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) PSRECDEFN

OPTION_CD

Default Label Option Code
 Length 3
 Type Character
 Format Uppercase



ST_REPRC_TBL
ST_VEST_AET

OPTION_LVL

Default Label Option Level
Length 3
Type Number
Format Uppercase

Record Reference(s) BAS_PARTIC_OPTN
 BEN_DEFN_OPTN

OPTION_NAME

Default Label Option Name
Length 10
Type Character
Format Uppercase

Record Reference(s) EG_DATE_CNV_OPT
 EG_DATE_RND_OPT
 EG_DURATION_OPT
 PA_DATE_CNV_OPT
 PA_DATE_RND_OPT
 PA_DURATION_OPT

OPTION_NOTIFY_DT

Default Label Date Notified of Options
Length 10
Type Date
Format Uppercase

Record Reference(s) BAS_PARTIC

OPTION_OUTSTANDING



Default Label Options Outstanding
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL
 ST_OPTN_AET

OPTION_PARMS_ID

Default Label Option Parameter ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) ST_OPTION_PARMS

OPTION_TYPE

Default Label Option Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_ELIG_DBG
 BAS_ELIG_DBGFLD
 BAS_ELIG_DBGVAL
 BAS_PARTIC_OPTN
 BEN_DEFN_OPTN
 GP_PKG_CR_AET
 RUN_CNTL_ST

D General Deduction
 G General Credit
 O Option
 P Program
 W Waive Option

OPTION_VALUE_1

Default Label Option Value Field #1



Length 30
 Type Character
 Format Uppercase

Record Reference(s) AE_REQUEST_OPT

OPTION_VALUE_2

Default Label Option Value Field #2
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) AE_REQUEST_OPT

OPTION_VALUE_TYPE

Default Label Option Value Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_REQUEST_OPT

S Some
 V Value

OPTN_CATEGORY

Default Label Option Category
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) PSOPTNCATLANG
 PSOPTNCATTBL
 PSUSEROPTNDEFN



OPT_FIELD

Default Label Optional Field
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_TASKELE_TBL

OPT_SLVR_PARM_VAL

Default Label OPT_SLVR_PARM_VAL
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSOPTSOLVERPARA

OPT_SOLVERSTTG_ID

Default Label PAMS Solver Setting ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSOPTMDLSLVR
 PSOPTSOLVERPARA

OPT_SOLVER_PARA_ID

Default Label OPT SOLVER PARAMETER ARRAY ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSOPTSOLVERPARA



PTPPB_PARM_VALS
PTPPB_PGLT_PRMS

ORDER_BY
Default Label Order By
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_ARRAY_FLD
A Ascending
D Descending
N None

ORDER_BY_SEQ
Default Label Order by Sequence
Length 2
Type Number
Format Uppercase

Record Reference(s) ADDRESS_TYP_TBL
NAME_TYPE_TBL
PI_PSREC_FLD
TL_SQL_SEL_FLDS

ORDER_NUM
Default Label Order of Clauses in Definition
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_BEN_ELIG

ORDER_OPTION
Default Label Order Option (Employeeid/Name)



Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_PAY

I Employee ID
 N Employee Name

ORDER_SEQ

Default Label Sequence Order for Processing
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GA_PRV_ID

GA_PRV_OUTDOC
 PA_DFN_AGE_TBL
 PA_DFN_DEATHAGE
 PA_DFN_DEATHCOV
 WP_AGRT_LEVEL
 WP_EE_FUND
 WP_ELIG_AET
 WP_FORMULA_AET
 WP_GBLFND_AET
 Z_SS_LWOP_Q

ORDRECNAME

Default Label Order By Record Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) EO_MSGRECMAP

ORGAN_DONOR

Default Label Organ Donor



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PHYSICAL_EXAM

ORGA_WHERE_CLAUSE

Default Label Organization Where Clause
 Length 100
 Type Character
 Format Uppercase

Record Reference(s) EDIT_SHEET_AET

ORGCHART

Default Label Organization Chart
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION

N None
 O Other
 V Visio

ORGCODE

Default Label Organization Hierarchy Code
 Length 60
 Type Character
 Format Uppercase

Record Reference(s) POSITION_DATA
 R_PER507



ORGCODE_FLAG

Default Label Organization Hierarchy Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) POSITION_DATA
R_PER507

ORGID

Default Label Organization ID
Length 20
Type Character
Format Uppercase

Record Reference(s) ORG_NAMEVALUE

ORG_COST

Default Label Organizational Cost
Length 1
Type Character
Format Uppercase

Record Reference(s) TC_COMP_DEFN

N No
Y Yes

ORG_LINK_OPTN

Default Label Organization Link Option
Length 2
Type Character
Format Uppercase

Record Reference(s) GPAU_EFT_CX_AET
GPCH_BK_TRN_AET
GPDE_BK_TRN_AET



ORG_RPT_TYPE

Default Label Report Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ORGCH

D Department
T Tree

ORG_TYPE

Default Label Organization Type
Length 1
Type Character
Format Uppercase

Record Reference(s) TAXRPT_RUNCTL

G State or Local Government
O Other

ORG_UNIT_AUS

Default Label Organizational Unit
Length 4
Type Character
Format Uppercase

Record Reference(s) DETYA_PRCs_CA

DETYA_PRCs_TMP
DTYA_ORGUNT_AUS
FULL_TIME_TAO
TEMP_JOB_TAO

ORIGIN

Default Label Origin
Length 3



Type Character
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

ORIGINATOR

Default Label Originator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TRN_DEMAND
 UPG_CO_SS_AET

E Employee
 S Supervisor

ORIGINATORID

Default Label Originator OperID
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) HR_MGR_LOC_DAT
 PSWORKLIST

ORIGINATOR TYPE

Default Label Originator Type
 Length 5
 Type Number
 Format 7

Record Reference(s) PSWORKLIST



ORIGINATOR_ID

Default Label Originator ID
Length 11
Type Character
Format Uppercase

Record Reference(s) ER_APP_PREEMPLH
 ER_WORKFLOW
 JOB_REQUISITION
 JOB_REQUIS_TAO
 UPG_HR75RWF_AET

ORIGIN_CHE

Default Label Place of Origin
Length 40
Type Character
Format Mixedcase

Record Reference(s) APP_PL_ORIG_CHE
 GPCH_RP_0001
 PLACE_ORIG_CHE

ORIGNL_CURRENCY_CD

Default Label Currency Code
Length 3
Type Character
Format Uppercase

Record Reference(s) BP_JOB_EXP

ORIGOUTDEST

Default Label Original Output Destination
Length 127
Type Character
Format Mixedcase

Record Reference(s) PSPRCSPARMS



ORIGPARMLIST

Default Label Original Parameter List
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPRCSPARMS

ORIGPRCSINSTANCE

Default Label Original Process Instance
Length 10
Type Number
Format 7

Record Reference(s) PSPRCSQUE
PSPRCSRQST

ORIGPUBNODE

Default Label Original Pub Node
Length 30
Type Character
Format Uppercase

Record Reference(s) APPMSGARCH_AET
PSAPMSGARCHPH
PSAPMSGPUBHDR
PSIBLOGARCHTMP
PSIBLOGDATA
PSIBLOGDATAARCH
PSIBLOGERR
PSIBLOGERRP
PSIBLOGHDR
PSIBLOGHDRARCH



GPCH_RP_0002
GPCH_RP_EO01
GPCH_RP_FK01
GPCH_RP_FK02
GPCH_RP_MT
GPCH_RP_PK01
GPCH_RP_SI07
GPCH_RP_SI08
GPCH_RP_TX01
GPCH_RP_TX02
GPCH_RP_TX05
GPDE_BV_RP
GPDE_DV_ELIG_MO
GPDE_DV_FLT_BAL
GPDE_DV_PAYITEM
GPDE_DV_YER_ELG
GPDE_GR_RSLT_WA
GPDE_RA_0001
GPDE_RP_0001
GPDE_RP_0002
GPDE_RP_0003
GPDE_RP_AZ01
GPDE_RP_FL01
GPDE_RP_SI01
GPDE_RP_TX03_4
GPDE_TA_AET
GPDE_TA_RP_TMP
GPES_ADLN_RSLT
GPES_DATA_RSLT
GPES_PSLIP_TMP
GPES_PSLIP_TMP2
GPES_PSLIP_TMP4
GPES_PSLP_S_PYE
GPES_SSTC_RSLT
GPES_TAX_EE_DTA
GPES_TAX_RSLT
GPFR_ASS_AET
GPFR_ASS_WA
GPFR_DA_CONT_WA
GPFR_DA_WA
GPFR_DUCS_WA1
GPFR_ILL_AET
GPFR_PAYMENT



GPFR_PS_GUI_TMP
GPFR_PS_SEG_TMP
GPGB_EE_EXCEP
GPGB_EE_RSLT
GPHK_MPF_RSLT
GPHK_PSLP_RSLT
GPIN_LTA_TOT_WA

GPIN_LTA_WA
GPIN_MDA_TOT_WA
GPIN_MDA_WA
GPIN_PR_TMP
GPIN_PR_TMP2
GPIN_PR_TMP3
GPIN_PSLP_RSLT
GPIT_ABSCUDDATA
GPIT_ABS_INAIL
GPIT_ABS_VERREV
GPIT_ABS_WKDATA
GPIT_CUD_SPEPAY
GPIT_CUD_WA
GPIT_DM10_AET
GPIT_DM10_WA
GPIT_F24_WA
GPIT_FCUD_T1
GPIT_GV93_TMP_A
GPIT_INQUIRY_WA
GPIT_PRSCUDDATA
GPIT_PRS_VERREV
GPIT_PRS_WKDATA
GPIT_RP_0001
GPIT_RP_0002
GPIT_RP_0003
GPIT_RP_0004
GPIT_RP_AL01
GPIT_RP_TX01
GPIT_RP_TX02
GPIT_S503_A_WA
GPIT_S503_B_WA
GPIT_S503_HD_WA
GPIT_S503_TMP_A
GPJP_WA_PIN
GPMX_ANL_ADJ_WA



GPMX_FORM37_WA
GPMX_LOAN_WA
GPMX_SDIVAR_WA
GPMX_SDI_WA
GPMX_ST_TAX_WA
GPMX_XMAS_WA
GPMY_PSLP_RSLT
GPNL_PAYMENT
GPNL_PMT_AET
GPNL_PS_GUI_TMP
GPNL_PS_SEG_TMP
GPNL_RC_PS_EE
GPNZ_IRD_RC_AET
GPNZ_IRD_RESULT
GPNZ_PSLP_RSLT
GPSG_CPF_RSLTS
GPSG_PSLP_RSLT
GPXPYE_PRC_STAT
GPXPYE_SEG_STAT
GP_ACM_USER_ADJ
GP_AUDIT_TBL
GP_DEL2_WRK
GP_DEL_WRK
GP_EXCL_WRK
GP_GL_DNF_TMP
GP_HST_WRK

GP_NET_PAY1_TMP
GP_NET_PAY2_TMP
GP_NET_PAY3_TMP
GP_NEW_RTO_WRK
GP_OLD_RTO_WRK
GP_PAYMENT
GP_PAYMENT2_TMP
GP_PAYMENT_TMP
GP_PMT_PREP_AET
GP_PYE_PRC_STAT
GP_PYE_RCLC_WRK
GP_PYE_SEG_STAT
GP_PYE_SEG_TMP
GP_PYE_STAT_WRK
GP_RSLT_ABS
GP_RSLT_ACUM



GP_RSLT_DELTA
GP_RSLT_ERN_DED
GP_RSLT_PIN
GP_RSLT_PI_DATA
GP_RSLT_PI_SOVR
GP_SRC_BNK1_TMP
GP_SRC_BNK2_TMP
UPG_GP3_AET
UPG_GPCH_AET

ORIG_CNT_NUM_BEL

Default Label Original Contract Nbr
Length 25
Type Character
Format Uppercase

Record Reference(s) CONTR_REPS_BEL

ORIG_DT_TIMESTAMP

Default Label Orig Date Timestamp
Length 26
Type Datetime
Format 13

Record Reference(s) EO_EIP_CTL

ORIG_EFFDT

Default Label Original Effdt
Length 10
Type Date
Format Uppercase

Record Reference(s) GPDE_DV_DSME

GPDE_DV_DSME_B
GPDE_DV_DSME_SO
GPDE_DV_DSM_TAO
GPDE_DV_DS_TAO



GPDE_DV_TRIG40
GPDE_DV_TRIG41

ORIG_EMPLID

Default Label Originating Emplid
Length 11
Type Character
Format Uppercase

Record Reference(s) TRN_BUDGET
 TRN_DEMAND

ORIG_EMPLID_BEL

Default Label Original ID
Length 11
Type Character
Format Uppercase

Record Reference(s) CONTR_REPS_BEL

ORIG_HIRE_DT

Default Label Original Hire Date
Length 10
Type Date
Format Uppercase

Record Reference(s) FPAPERSON_HIST
 GPCH_RP_0001
 GPFR_ILL_AET
 GVT_PERS_DATA
 GVT_PERS_TEMP
 PERSON
 PERSONNEL_RPT
 PERSONNEL_TAO



ORIG_HIRE_DT_C

Default Label Original Hire Dt C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

ORIG_PAYGROUP

Default Label Original Paygroup
Length 3
Type Character
Format Uppercase

Record Reference(s) PAY_EARNINGS
WRK_EARNINGS

ORIG_REF_PGM_ID

Default Label Referral Program ID
Length 12
Type Character
Format Uppercase

Record Reference(s) ER_RULE_JOB_REQ

ORIG_SEQ_NBR

Default Label Original Sequence Number
Length 15
Type Number
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
UPG_TL_TIME
UPG_TL_TIME1



ORIG_TASKGROUP

Default Label Original Taskgroup
Length 10
Type Character
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP

ORIG_TL_QTY

Default Label Original Quantity
Length 19
Type Number
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP

ORIG_TRC

Default Label Original Time Rptg Cd
Length 5
Type Character
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP

ORPHAN_BEL

Default Label Orphan
Length 1
Type Character
Format Uppercase

Record Reference(s) DEP_BENEF_BEL



OSPLATFORM

Default Label Operating System Platform
Length 4
Type Number
Format Uppercase

Record Reference(s) PSFILEREDEFN

OTHER_ADDR_TXT

Default Label Other Address Text
Length 90
Type Character
Format Uppercase

Record Reference(s) WCB_ERPT_EC

OTHER_CF_DESC_CAN

Default Label Other Factor Description
Length 40
Type Character
Format Uppercase

Record Reference(s) INC_CONTFAC_CAN
WCB_ERCF_EC
WCB_ERCF_WD

OTHER_DESIG_DESCR

Default Label Other Designate Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) WCB_EMDE_EC
WCB_EMDE_WD



OTHER_EIN

Default Label Other Federal EIN
Length 9
Type Number
Format Uppercase

Record Reference(s) W2_COMPANY

OTHER_LOCALITY

Default Label Locality of Other Jurisdiction
Length 10
Type Character
Format Uppercase

Record Reference(s) LCLWK_TXRCP_TBL

OTHER_PREV_DESCR

Default Label Other Preventative Action Desc
Length 40
Type Character
Format Uppercase

Record Reference(s) WCB_ERPA_EC
WCB_ERPA_WD

OTHER_STATE

Default Label State of Other Jurisdiction
Length 6

Type Character
Format Uppercase

Record Reference(s) LCLWK_TXRCP_TBL



OTH_EARNS

Default Label Other Earnings
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) FLSA_ADDL_DATA
OTH_EARNS_TAO
PAY_OTH_EARNS
PA_HST_OTH_EARN
UPG_ERN_TAO
WRK_OTH_EARNS

OTH_FIELDNAME

Default Label Other Fieldname
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_SQL_JOINFLDS

OTH_HRS

Default Label Other Hours
Length 8
Type Signed Number
Format Uppercase
Legacy field name CURRENT-CASH-AWARD(REDEF)
Legacy system name PINE

Record Reference(s) ADDL_PAY_DATA
ADD_PAY_DTA_NLD
GVT_AWD_DATA
INC_EARNING_NLD
OTH_EARNS_TAO
PAY_OTH_EARNS
PA_HST_OTH_EARN
PSHUP_TXN
ST_PSHUP_AET
TERM_EXT_WRK



UPG_ADDPNLD_TAO
UPG_ERN_TAO
UPG_INCENLD_TAO
WRK_OTH_EARNS
Z_HCUP_AUDIT

OTH_INSURANCE_IND

Default Label Other Insurance Indicator
Length 1

Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC_DPND
BAS_PARTIC_PLAN
CBR_PARTIC_DPND
CBR_PARTIC_PLAN
HEALTH_BENEFIT
HEALTH_DEPENDNT

OTH_INSURANCE_NAME

Default Label Other Insurance Name
Length 30
Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC_DPND
BAS_PARTIC_PLAN
CBR_PARTIC_DPND
CBR_PARTIC_PLAN
HEALTH_BENEFIT
HEALTH_DEPENDNT

OTH_LANGUAGE_CHE

Default Label Other Language
Length 3
Type Character



Format Uppercase
Record Reference(s) POSTAL_CD_CHE

OTH_LOCALITY

Default Label School dist code (PA only)
Length 10
Type Character
Format Uppercase

Record Reference(s) LOCAL_TAX_TBL
 R_PATXUPD
 UPG_CONV_LCLTX
 UPG_LCLTX2

OTH_LOCALITY_ABBRV

Default Label Other Locality Short Name
Length 16
Type Character
Format Uppercase

Record Reference(s) LOCAL_TAX_TBL
 UPG_CONV_LCLTX
 UPG_LCLTX2
 UPG_PY_AET

OTH_LOCALITY_NAME

Default Label Other Locality Name
Length 40
Type Character
Format Uppercase

Record Reference(s) LOCAL_TAX_TBL
 R_PATXUPD
 UPG_CONV_LCLTX
 UPG_LCLTX2



Record Reference(s) GM_TEC_EE_SUM
 GM_TEC_LN
 GM_TEC_SUM
 GPJP_IT_WH_REG2
 PAY_EARNINGS

 PA_HST_PAY_EARN
 WRK_EARNINGS

OUTDEST

Default Label Output Destination
 Length 127
 Type Character
 Format Mixedcase

Record Reference(s) BAS_ODEM_PRNCTL
 PAY_OL_PRNTCTL
 PRCSDEFN
 PRCSRUNCNTLDTL
 PSPRCSPARMS
 SCHDLITEM
 SFMAINT_RUNCNTL

OUTDESTFORMAT

Default Label Output Destination Format
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) BAS_ODEM_PRNCTL
 CDM_LIST
 CDM_LIST_ARCH
 NVS_REPORT
 PAY_OL_PRNTCTL
 PRCSDEFN
 PRCSOUTPUTLIST
 PRCSRUNCNTLDTL
 PSPRCSQUE



PSPRCSRQST
 PSPRCSRQSTARCH
 PSPRCSRUNCNTL
 SCHDLITEM

- 0 Any
- 1 (None)
- 10 Postscript (*.lis)
- 11 Crystal Report (*.rpt)
- 12 Rich Text File (*.rtf)
- 13 SQR Portable Format (*.spf)
- 14 Text Files (*.txt)
- 15 Other
- 16 Default
- 17 XML Format(*.xml)
- 18 Data Mover Data File (*.dat)
- 2 Acrobat (*.pdf)
- 3 Comma delimited (*.csv)
- 4 HP Format (*.lis)
- 5 HTML Documents (*.htm)
- 6 Line Printer Format (*.lis)
- 7 Lotus 1-2-3 Files (*.wks)
- 8 Microsoft Excel Files (*.xls)
- 9 Microsoft Word (*.doc)

OUTDESTSRC

Default Label Output Destination Source
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) PRCSDDEFN
 PRCSSOUTDESTLIST

- 0 (None)
- 2 Process Definition
- 3 User Specified

OUTDESTTYPE

Default Label Output Destination Type



Length 3
 Type Character
 Format Uppercase

Record Reference(s) BAS_ODEM_PRNCTL

- NVS_REPORT
- PAY_OL_PRNTCTL
- PRCSDEFN
- PRCSOUTDESTLIST
- PRCSOUTDESTTYPE
- PRCSOUTPUTLIST
- PRCSRUNCNTLDL
- PSPRCSQUE
- PSPRCSRQST
- PSPRCSRQSTARCH
- PSPRCSRUNCNTL
- SCHDLITEM

- 0 Any
- 1 (None)
- 2 File
- 3 Printer
- 4 Window
- 5 Email
- 6 Web
- 7 Default

OUTPUTALL

Default Label Output All
 Length 5
 Type Number
 Format 7

Record Reference(s) PSMAPLEVEL

OUTPUTDEST

Default Label Output Destination
 Length 127
 Type Character
 Format Mixedcase



Record Reference(s) PRCSTYPEDEFN

OUTPUTDIR

Default Label Output Directory
 Length 100
 Type Character
 Format Mixedcase

Record Reference(s) CDM_LIST

CDM_LIST_ARCH
 CDM_LIST_PURGE
 GPBR_BATCH_AET
 GPBR_RC_CNTPI
 GPMX_BATCH_AET
 GPMX_RC_CNTPI
 RUN_LOADCACHE

OUTPUT_CSV

Default Label Also ouput CSV File
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_REG

OUT_OF_STATE_LOC

Default Label Out-of-state Location
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) R_TAX004



OUT_PROC_INDC

Default Label Output Budget Process Indic.
Length 2
Type Number
Format Uppercase

Record Reference(s) BDGT_EXPORT_WRK

OVERAGE_PROCESS

Default Label Process Overage Dependents
Length 1
Type Character
Format Uppercase

Record Reference(s) COBRA_RUNCTL

OVERALL_BDGT_CAP

Default Label Overall Budget Cap
Length 13
Type Number
Format Uppercase

Record Reference(s) DEPT_BUDGET

OVERBUDGET_FLAG

Default Label Over Budget Indicating Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PKG_EXP_CMP_TBL

OVERD_RSN_FLAG

Default Label Override Reason



Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT

OVERRIDEDFLTVALUE

Default Label Can Over-Ride Default Value
Length 1
Type Character
Format Uppercase

Record Reference(s) PRCSJOBDEFN
PSMERCHBIPARMS

OVERRIDE_AMT

Default Label Override Earnings Amount
Length 14
Type Number
Format Uppercase

Record Reference(s) PA_CONS_ARRAY

OVERRIDE_COST

Default Label Override Student Cost
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_SESSN
TRAINING013_AET

OVERRIDE_CUR_RT

Default Label Override Existing Rates



Length 1
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005P_AET
EO_RATECALC_AET
EO_RATECALC_HDR
EO_RATECALC_RPT
RUN_EO_RT_GEN

OVERRIDE_DTTM

Default Label Last Manual Override
Length 26
Type Datetime
Format Uppercase

Record Reference(s) ER_EE_REF_AWD

OVERRIDE_FRACTN

Default Label Fraction Override
Length 5
Type Number
Format Uppercase

Record Reference(s) PA_CONS_ARRAY

OVERRIDE_HOURLY_RT

Default Label OverRide Hourly Rate Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_EARNINGS
WRK_EARNINGS



OVERRIDE_HRS

Default Label	Override Final Cons Hours
Length	10
Type	Signed Number
Format	Uppercase

Record Reference(s) PA_CONS_HRS_AY

OVERRIDE_IND

Default Label	Override Indicator
Length	1
Type	Character
Format	Uppercase

Record Reference(s) DEPT_BUDGET_CTX

- DEPT_BUDGET_DED
- DEPT_BUDGET_TAX
- PA_CLC_ADJUST
- PA_CLC_PROCLIST
- PA_CLC_PR_FLD_1
- PA_CONS_ARRAY
- PA_CONS_DED_AY
- PA_CONS_HRS_AY
- PA_SSV_PROCLIST
- PA_TEMP2
- RUN_CNTL_HR
- TL_RUN_CTRL_CAL
- TL_TIME_AET
- TRAINING_AET
- UPG_PLIST_COPY
- UPG_PRFLD_COPY

OVERRIDE_ONLY

Default Label	Override Only
Length	1
Type	Character
Format	Uppercase



Record Reference(s) PSHUP_TXN
PSHUP_TXN_AET
ST_PSHUP_AET

OVERRIDE_PARTIAL

Default Label Partial Override
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CONS_ARRAY
PA_CONS_HRS_AY

OVERRIDE_POSTTAX

Default Label Override Post Tax
Length 14
Type Number
Format Uppercase

Record Reference(s) PA_CONS_DED_AY

OVERRIDE_PRETAX

Default Label Override Pre Tax
Length 14
Type Number
Format Uppercase

Record Reference(s) PA_CONS_DED_AY

OVERRIDE_RATE

Default Label Override Rate
Length 20
Type Signed Number
Format Uppercase



Record Reference(s) TL_ELP_ERR
TL_ELP_INTFC
TL_MASS_TRANS
TL_PAYABLE_TMP
TL_RAPID_TIME
UPG_TL_TIME
UPG_TL_TIME1

OVERRIDE_RSN_CD

Default Label Override Reason Code
Length 5
Type Character
Format Uppercase

Record Reference(s) AUDIT_TLELPTIME

AUDIT_TLPCHTIME
TL_ELP_ERR
TL_ELP_INTFC
TL_OVRD_RSN_LNG
TL_OVRD_RSN_TBL
TL_PCH_DUR_WRK
TL_PUNCH_ERR
TL_PUNCH_INTFC
TL_RAPID_PTIME
TL_RAPID_TIME
TL_RPTD_ELPTIME
TL_RPTD_PCHTIME
TL_ST_ELPTIME
TL_ST_PCHTIME

OVERRIDE_TYPE

Default Label Override Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CONS_ARRAY
PA_CONS_DED_AY



Format Uppercase

Record Reference(s) PSPRCSPRFL

OVRD_ADJ_VAL

Default Label Override Adjustment Amount
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) GP_ABS_EVENT

OVRD_AMT_1A

Default Label GP Override amount 1A
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_1B

Default Label GP Override amount 1B
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_2A

Default Label GP Override amount 2A
Length 17
Type Signed Number
Format Uppercase



Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_2B

Default Label GP Override amount 2B
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_3A

Default Label GP Override amount 3A
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_3B

Default Label GP Override amount 3B
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_4A

Default Label GP Override amount 4A
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN



OVRD_AMT_4B
Default Label GP Override amount 4B
Length 17
Type Signed Number
Format Uppercase
Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_5A
Default Label GP Override amount 5A
Length 17
Type Signed Number
Format Uppercase
Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_5B
Default Label GP Override amount 5B
Length 17
Type Signed Number
Format Uppercase
Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_6A
Default Label GP Override amount 6A
Length 17
Type Signed Number
Format Uppercase
Record Reference(s) GP_PI_MNL_SSN

OVRD_AMT_6B



Default Label GP Override amount 6B
 Length 17
 Type Signed Number
 Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

OVRD_CAL_RUN_IND

Default Label Override Entire Calendar Run
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_PYE_RUN

N Cal ID Level Override
 Y Cal Run Level Override

OVRD_ENT_VAL

Default Label Override Entitlement Amount
 Length 8
 Type Signed Number
 Format Uppercase

Record Reference(s) GP_ABS_EVENT

OVRD_HRS

Default Label ROE Override Hours
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) ROE

OVRD_IND_CAL



OVRD_IND_PYE
Default Label Payee Level Override Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_PIN
UPG_GP_01_TAO

OVRD_IND_PYENT
Default Label Pay Entity Override Ind
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_PIN
UPG_GP_01_TAO

OVRD_IND_SOVR
Default Label Element Definition
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_PIN
UPG_GP_01_TAO

OVRD_RSN_FLAG
Default Label Override Reason
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RPTD_TMPLT



OVR_EXIST_IND

Default Label Overrides Exist
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RTO_OVR_SET

OVR_RATE_PER_HR

Default Label Override Rate
Length 14
Type Signed Number
Format Uppercase

Record Reference(s) UPG_TL_AET

OVR_SET_NUM

Default Label Override Set Number
Length 2
Type Number
Format Uppercase

Record Reference(s) GP_RTO_OVR_PIN
GP_RTO_OVR_SET

OWNERACCT

Default Label SQL Owner Acct
Length 8
Type Character
Format Uppercase

Record Reference(s) PSSTATUS

OWNERID



Default Label SQL Owner ID
Length 8
Type Character
Format Mixedcase

Record Reference(s) PSSTATUS

OWNER_NUM_BRA

Default Label Num of Owners Working in Estab
Length 2
Type Number
Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

OWNR_PRTNR_SW_GER

Default Label Owner Partner
Length 1
Type Character
Format Uppercase

Record Reference(s) ILLNESS_GER
OHS001GER_TMP1
OHS004GER_TMP1

OWN_5PERCENT_CO

Default Label Owns 5% (or More) of Company
Length 1
Type Character
Format Uppercase

Record Reference(s) EMPLOYMENT
FGHR003B_EMPLOY
GVT_EMPLOYMENT
GVT_EMPL_TEMP
HR_NSZ_AET



OWN_SERV_PCT_BRA

Default Label
Length 6
Type Number
Format Uppercase

Own Service Percentage

Record Reference(s) ESTAB_TBL_BRA

P11D_NOTE_DSC_UK

Default Label Note Description
Length 100
Type Character
Format Mixedcase

Record Reference(s) P11D_NOTES_UK

P11D_NOTE_NO_UK

Default Label Note Number
Length 2
Type Number
Format Uppercase

Record Reference(s) P11D_NOTES_UK

PA

Default Label PS/Pension Administration
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PACKAGEID



Length 30
 Type Character
 Format Uppercase

Record Reference(s) EOEC_APPCLSREG
 PSAPPCLASSDEFN
 PSIBINFILERULE
 PSIB_INFILE_AET
 PSOPTIONS
 PSPACKAGEDEFN
 PSPACKAGEDEL
 PSPACKAGELANG

PACKAGE_LEVEL

Default Label Package Level
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PKG_ADD_CMP_TBL
 PKG_BSE_CMP_TBL

NIL No Effect
 TEC Total Empl Cost
 TPV Total Pkg Value

PACKAGE_TYPE

Default Label T4 Data Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CTXPRC_PARAMS

1 Original File
 2 Test File
 3 Replacement File

PACKSLIP_NO



Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

PADDINGLEFTLEN

Default Label Padding Left Len
Length 10
Type Number
Format 7

Record Reference(s) PSSTYLECLASS

PADDINGLEFTUNITS

Default Label Padding Left Units
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

PADDINGRGHT

Default Label Padding Right
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

PADDINGRGHTLEN

Default Label Padding Right Len
Length 10
Type Number



Format 7

Record Reference(s) PSSTYLECLASS

PADDINGRGHTUNITS

Default Label Padding Right Units
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

PADDINGTOP

Default Label Padding Top
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

PADDINGTOPLEN

Default Label Padding Top Len
Length 10
Type Number
Format 7

Record Reference(s) PSSTYLECLASS

PADDINGTOPUNITS

Default Label Padding Top Units
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS



PAD_CHAR

Default Label Pad Character
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_FIELD_TBL
PI_PIFLD_TAO

PAD_FIELD_IND

Default Label Pad Field Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_FIELD_TBL
PI_PIFLD_TAO

PAGEACCESSDESCR

Default Label Authorized Actions
Length 100
Type Character
Format Mixedcase

Record Reference(s) PSPGEACCESSDESC

PAGEID

Default Label Page ID
Length 18
Type Character
Format Uppercase

Record Reference(s) CO_DISPRK_LINKS



CO_DPKLNK_EFFDT
CO_DPK_LINK_PGS
CO_PAGE_DESCR
CO_PAGE_DESCR_L
CO_PAGE_LINKS

PAGES

Default Label pages
Length 1
Type Character
Format Uppercase

Record Reference(s) WEBLIB_PVPORTTE

PAGE_INSTRUCTIONS

Default Label Page Instructions
Length 0
Type Long Character
Format Uppercase

Record Reference(s) CO_ESV_SUPP_TBL

PAGE_NAME

Default Label Page Name
Length 18
Type Character
Format Uppercase

Record Reference(s) EOCM_LEGEND
EOCM_START_PAGE
PTPPB_DATATYPE
PTPPB_DISP_FRMT

PAGE_NBR



Default Label Page Number(s)
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) PUBLICATIONS

PAGE_NUM

Default Label Page #
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) AP_EXTRACT_LINE

- CO_DEDEXTRT_AET
- CO_DED_EMP2_TAO
- CO_DED_EXT1_TAO
- FLSA_ADDL_DATA
- GM_RC_TE
- GPIT_SQR_G_TBL
- GPIT_SQR_PAGE
- GPIT_SQR_RF_LST
- GPIT_SQR_RF_TBL
- GPIT_SQR_S_TBL
- GPMY_PR_PAGE
- GPMY_PR_PG_LNG
- GPMY_PR_SB_LNG
- GVT_CONFIRM_TBL
- GVT_PAY_LIMITS
- GVT_PAY_TSP
- GVT_SF113G_DATA
- HPDBRETDIST_AET
- HP_CTXDIST_WRK
- HP_DEDDIST_WRK
- HP_DISTBDGT_AET
- HP_DISTRCH_AET
- HP_ERNDIST_WRK

- HP_GRSFRG_DATA
- HP_PAYCHKERN_WK
- HP_PAYDEDUC_WK



HP_PAYGLO2_RCHK
HP_PAYTAXCAN_WK
HP_PAY_TAX_WK
HP_RDIST_CTX
HP_RDIST_CTXDAT
HP_RDIST_DED
HP_RDIST_DEDDAT
HP_RDIST_ERN
HP_RDIST_ERNDAT
HP_RDIST_MSGTBL
HP_RDIST_TAX
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK
OTH_EARNS_TAO
PAY_CALC_RUNCTL
PAY_CHECK
PAY_CHECK_EARNS
PAY_CHECK_REVRS
PAY_CONF_RUNCTL
PAY_CTX_DIST
PAY_CTX_LIAB_AP
PAY_CTX_OVRD
PAY_DEDUCTION
PAY_DED_DIST
PAY_DED_LIAB_AP
PAY_DISTRIBUTN
PAY_EARNINGS
PAY_ERN_DIST
PAY_GARNISH
PAY_GARN_OVRD
PAY_INS_EARNS
PAY_LINE
PAY_MESSAGE
PAY_ONE_TIME
PAY_OTH_EARNS
PAY_PAGE
PAY_SPCL_EARNS
PAY_TAX
PAY_TAX_1042
PAY_TAX_CAN
PAY_TAX_DIST
PAY_TAX_LIAB_AP



PAY_TAX_OVRD
PA_HST_OTH_EARN
PA_HST_PAY_CHK
PA_HST_PAY_DED
PA_HST_PAY_EARN
PA_HST_SPL_EARN
PSHUP_TXN
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO

PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
PY_PULL_CST_AET
RC_PAYINIT
RC_PAY_UNSH
RETRODED_CALC
RETRODED_DEDS
RETRODED_MSG
RETROPAY_ACCT
RETROPAY_EARNS
RETROPAY_MSG
R_GLX001
R_PAYGL1
ST_PSHUP_AET
ST_PURCH_CALNDR
ST_USALL_TAO
TERM_EXT_WRK
TERM_RQST
TL_PAYCALC_EDIT
TL_PAYLABR_XREF
UPG_E3XW_TAO
UPG_ERN_TAO
UPG_HP_AET
UPG_PY_AET
WRK_CHECK



WRK_CHECK_EARNS
 WRK_CTX_DIST
 WRK_CTX_OVRD
 WRK_DEDUCTION
 WRK_DED_DIST
 WRK_EARNINGS
 WRK_ERN_DIST
 WRK_GARNISH
 WRK_GARN_OVRD
 WRK_INS_EARNS
 WRK_LINE
 WRK_ONE_TIME
 WRK_OTH_EARNS
 WRK_PSHUP_TXN
 WRK_SEQ_CHECK
 WRK_SPCL_EARNS
 WRK_TAX
 WRK_TAX_1042
 WRK_TAX_CAN
 WRK_TAX_DIST
 WRK_TAX_OVRD

PAGE_NUMBER_BRA

Default Label Page Number
 Length 20
 Type Character
 Format Uppercase

Record Reference(s) DEP_BENEF_BRA

PAGE_NUM_THRU

Default Label Thru Page Number
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) GM_RC_TE
 PAY_CALC_RUNCTL



PAY_CONF_RUNCTL
 PY_PULL_CST_AET
 RC_PAYINIT
 RC_PAY_UNSH
 ST_PURCH_CALNDR

PAGE_TITLE_MIX

Default Label Page Title
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) CO_PAGE_DESCR
 CO_PAGE_DESCR_L

PAID_ANNUAL_FACTOR

Default Label Frequency Annualization Factor
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) PER501_TMP
 PER501_TMP1

PAID_END_DT_BEL

Default Label End Date Payment
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CONTR_ENDS_BEL
 UPG_CNTENDS_TAO

PAID_FLAG

Default Label Paid Flag



Length 1
Type Character
Format Uppercase

Record Reference(s) UPG_TL_AET

PAID_FTE

Default Label Paid FTE

Length 8
Type Number
Format Uppercase

Record Reference(s) HR_SAL_CHG_EE
JOBCOMP_TMP_MC
JOB_TMP_MC
LMS_AET
TC_AET

PAID_FTE_DEC_PRCN

Default Label PAID FTE Decimal Precision
Length 1
Type Number
Format Uppercase

Record Reference(s) COMPANY_TBL_AR

PAID_HOURS

Default Label Paid Hours
Length 7
Type Number
Format Uppercase

Record Reference(s) HR_CMP052J2_AET
HR_SAL_CHG_EE
JOBCOMP_TMP_MC
JOB_TMP_MC



LMS_AET
LMS_WRKSCH_AET
PER501_TMP
PER501_TMP1
SALINC_SIML_JPN
SIM01_JPN_TMP
SIM02_JPN_TMP
TC_AET

PAID_HRS_FREQUENCY

Default Label Paid Work Period
Length 5
Type Character
Format Uppercase

Record Reference(s) HR_CMP052J2_AET

HR_SAL_CHG_EE
JOBCOMP_TMP_MC
JOB_TMP_MC
LMS_AET
LMS_WRKSCH_AET
PER501_TMP
PER501_TMP1
SALINC_SIML_JPN
SIM01_JPN_TMP
SIM02_JPN_TMP
TC_AET

PAID_PRDS_PER_YEAR

Default Label Annual Tax Periods
Length 6
Type Number
Format Uppercase

Record Reference(s) PAY_EARNINGS

WRK_EARNINGS



PAID_START_DT_BEL

Default Label Start Date Payment
Length 10
Type Date
Format Uppercase

Record Reference(s) CONTR_ENDS_BEL
UPG_CNTENDS_TAO

PAID_UNPAID

Default Label Paid/Unpaid
Length 1
Type Character
Format Uppercase

Record Reference(s) ABSENCE_HIST
GPGB_ABS_EVT_JR
INTL_SCHPGM_PAY

P Paid
U Unpaid

PAID_UNPAID_IND

Default Label Paid/Unpaid Indicator
Length 2
Type Character
Format Uppercase

Record Reference(s) ABS_TYPE_TBL

AP Always Paid
AU Always Unpaid
DP Default Paid
DU Default Unpaid
NA Not Applicable

PAMS_ACTIVE

Default Label PAMS Model active?



Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTMDLSLVR

PAMS_BIN_OP

Default Label Opt. Binary Operator
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTCONSEXP

PAMS_BOUNDTYPE

Default Label PAMS_BOUNDTYPE
Length 2
Type Number
Format Uppercase

Record Reference(s) PSOPTVARARRAY

PAMS_COMPARISON

Default Label Opt. PAMS Comparison Operator
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTCONARRAY
PSOPTPRED

PAMS_CONARRAY_NAME

Default Label Opt. Constraint Name
Length 30



Type Character
Format Uppercase

Record Reference(s) PSOPTCONARRAY

PAMS_CONSEXP_ID

Default Label Opt. Constant Array Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTCONARRAY
PSOPTCONSEXP
PSOPTPARAEXPDIM

PAMS_CONSEXP_ID2

Default Label Opt. Constant Array Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTCONARRAY

PAMS_CONSEXP_TYPE

Default Label Opt. Constant Exp Type
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTCONSEXP

PAMS_DIM

Default Label Optimization PAMS Dimension
Length 1



Type Number
 Format Uppercase

Record Reference(s) PSOPTPARAEXPDIM
 PSOPTPARSDIM
 PSOPTPREDDIM
 PSOPTREGIONDIM
 PSOPTSETDIM
 PSOPTSLICEDIM
 PSOPTVAREXPDIM
 PSOPTVARSDIM

PAMS_DUALFLD

Default Label Dual Field
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSOPTCONARRAY

PAMS_INDEXSET_NAME

Default Label Optimization Index Set Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSOPTINDEXSET
 PSOPTPARSDIM
 PSOPTSETDIM
 PSOPTSLICESET
 PSOPTVARSDIM

PAMS_INDEX_NAME

Default Label Optimization Index Name
 Length 30
 Type Character
 Format Uppercase



PSOPTPRED

PAMS_OBJ2_ID

Default Label Optimization Object 2 ID
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTCONSEXP
PSOPTLINEXP
PSOPTPRED

PAMS_OBJ_ACTIVE

Default Label Opt. Objective Active ?
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTOBJECTIVE

PAMS_OBJ_ID

Default Label Optimization Object ID
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTINDEXSET
PSOPTPARAEXPDIM
PSOPTREGION
PSOPTSETDIM
PSOPTVAREXPDIM

PAMS_OBJ_NAME

Default Label Opt. Objective Name
Length 30



Type Character
Format Mixedcase

Record Reference(s) PSOPTOBJECTIVE

PAMS_OBJ_SENSE

Default Label Opt. Objective Sense
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTOBJECTIVE

PAMS_PARADEF

Default Label Parameter Default Behavior
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTPARARRAY

PAMS_PARARRAY_NAME

Default Label Optimization Parameter Array
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTPARARRAY
PSOPTPARSDIM

PAMS_PARTIAL_MODEL

Default Label Opt. Partial Model?
Length 1
Type Character



Type Character
Format Uppercase

Record Reference(s) PSOPTCONARRAY
PSOPTREGION
PSOPTREGIONDIM

PAMS_SLACKFLD

Default Label Slack Field
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTCONARRAY

PAMS_SLICESET_ID

Default Label Optimization Slice Set ID
Length 30
Type Character
Format Uppercase

Record Reference(s) PSOPTSLICEDIM
PSOPTSLICESET

PAMS_UPPERBOUND

Default Label PAMS_UPPERBOUND
Length 21
Type Signed Number
Format Uppercase

Record Reference(s) PSOPTVARARRAY

PAMS_VAL

Default Label Optimization PAMS Value
Length 26



Type Signed Number
 Format Uppercase

Record Reference(s) PSOPTCONSEXP
 PSOPTPARARRAY
 PSOPTPRED

PAMS_VARARRAY_NAME

Default Label Optimization Variable Array
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSOPTVARARRAY
 PSOPTVARSDIM

PAMS_VARARRAY_TYPE

Default Label Optimization Var Array Type
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSOPTVARARRAY

PANELBOTTOM

Default Label Panel Bottom
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PSPNLDEFN
 PSPNLDEFNLANG

PANELITEMNAME



PANEL_ALIAS_NUM

Default Label Nbr representing alias slot
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_ALIAS_XPANL

PANEL_NAME

Default Label Panel name
Length 18
Type Character
Format Uppercase

Record Reference(s) GPIT_DM10_AET

HR_NSZ_AET
HR_VIAPRIS_AET
PA_ALIAS_XPANL
RUN_CNTL_HR_NLD
RUN_ILL_HR_NLD

PARAM_NAME

Default Label Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) COOKIES
ORG_NAMEVALUE

PARA_NAME

Default Label Paragraph Name
Length 50
Type Character
Format Uppercase



Record Reference(s) PA_EE_ERR_TBL

PARENTFIELDNAME

Default Label Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) PSMSFTABLES
PSMSF_AET

PARENTJOBNAME

Default Label Parent Job Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) SCHDLITEM

PARENTJOBSEQNO

Default Label Parent Job Sequence Number
Length 10
Type Number
Format 7

Record Reference(s) SCHDLITEM

PARENTNODENUM

Default Label Parent Node Number
Length 3
Type Number
Format Uppercase



Record Reference(s) PSPNLTREECTRL

PARENTRECNAME

Default Label Parent Record Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) ARCH_TBL
 EO_RECDEFN_CUR
 PSMSFTABLES
 PSMSF_AET
 PSRECDEFN

PARENTSELNUM

Default Label Parent Select Number
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PSQRYSELECT

PARENTSTYLENAME

Default Label Parent StyleSheet Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSSTYLSHEETDEFN

PARENT_BRANCH

Default Label Parent Branch Name
 Length 20
 Type Character



Format Uppercase

Record Reference(s) PSTREEBRANCH
PSX_TREEBRANCH

PARENT_ITEM_NODE

Default Label Parent Item Node
Length 36
Type Character
Format Mixedcase

Record Reference(s) SCHDLITEM
SCHDLMESSAGE
SCHDLNODEPARM
SCHDLNOTIFY
SCHDLRPTDIST
SCHDLTEXT

PARENT_LEVEL_NUM

Default Label Tree Level Number
Length 3
Type Number
Format Uppercase

Record Reference(s) TREE_MAINT_AET

PARENT_NODE_END

Default Label Parent Node End Number
Length 10
Type Number
Format 7

Record Reference(s) TREE_MAINT_AET



PARENT_NODE_NAME

Default Label Parent Node Name
Length 20
Type Character
Format Uppercase

Record Reference(s) PSTREENODE
PSX_TREENODE
PSX_TREENODEUPD
TREE_MAINT_AET

PARENT_NODE_NUM

Default Label Parent Node Number
Length 10
Type Number
Format 7

Record Reference(s) PSTREEBRANCH
PSTREENODE
PSX_TREEBRANCH
PSX_TREENODE
PSX_TREENODEUPD
R_PER507
TREE_MAINT_AET

PARENT_UID

Default Label Parent Id
Length 40
Type Character
Format Uppercase

Record Reference(s) PSELEMENT

PARMCOUNT

Default Label Parameter Count
Length 3
Type Number



Type Character
 Format Numbers Only

Record Reference(s) PRCSDEFN

0	None
1	Override
2	Prepend
3	Append

PARAMNAME

Default Label DDL Parameter Name
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) PSDDLDEFPARMS

- PSIDXDDLPARM
- PSREDDLPARM
- PSSPCDDLPARM

PARAMVALUE

Default Label DDL Parameter Value
 Length 128
 Type Character
 Format Mixedcase

Record Reference(s) PSDDLDEFPARMS

- PSIDXDDLPARM
- PSREDDLPARM
- PSSPCDDLPARM
- SCHDLNODEPARM

PARAM_ATTR

Default Label Input/Output Parameter
 Length 1
 Type Character



Format Uppercase

Record Reference(s) PSOPTTRNCTLG

B Input and Output
I Input
O Output

PARM_SEQ

Default Label Message Parameter Sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) MESSAGE_LOGPARAM

PSAPMSGPUBCERRP
PSAPMSGPUBERRP
PSAPMSGSUBCERRP
PSIBLOGERRP

PARM_TYPE

Default Label Parameter Data Type
Length 2
Type Number
Format Uppercase

Record Reference(s) PSOPTPARMTYPE

PSOPTTRNCTLG

PARTCPNT_TYPE_CD

Default Label Participant Type Code
Length 2
Type Character
Format Uppercase

Record Reference(s) WCB_ERPT_EC



PARTIAL_ALLOWED

Default Label Partial Allowed
Length 1
Type Character
Format Uppercase

Record Reference(s) BOND_SPEC_DATA
GP_NET_DIST_DTL
GP_NET_DST1_TMP
GP_NET_DST2_TMP
UPG_PY_AET

PARTIAL_CONT_CDS

Default Label Partial period continuous cds
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARN

PARTIAL_DED_ALLOW

Default Label Partial Deduction Allowed
Length 1
Type Character
Format Uppercase

Record Reference(s) DEDUCTION_CLASS

PARTIAL_EXCL_CDS

Default Label Partial period exclude codes
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARN



PARTIAL_HRS

Default Label Partial Hours
Length 10
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PARTIAL_INCL_CDS

Default Label Partial period include codes
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARN

PARTIAL_IND

Default Label Partial Indicator (PA only)
Length 1
Type Character
Format Uppercase

Record Reference(s) LOCAL_TAX_TBL

R_PATXUPD
UPG_CONV_LCLTX

UPG_LCLTX2

PARTIAL_METHOD

Default Label Partial Period Options
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_DFN_AVGEARN

- A Always Use
- I Always Ignore
- K Keep if Needed
- T Treat as Full
- U User Code

PARTIAL_PERIOD

Default Label Partial Pay Period
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_LINE
 WRK_LINE

PARTIAL_PERIOD_CD

Default Label Partial Period Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CONS_ARRAY
 PA_CONS_HRS_AY

PARTIAL_PRD_FRACTN

Default Label Partial Period Fraction
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PA_CONS_ARRAY

PARTIAL_SHARING

Default Label Partial Sharing



Length 1
Type Character
Format Uppercase

Record Reference(s) REC_GROUP_TBL
SETID_TBL

PARTICIPANT_ID

Default Label Incident Participant ID
Length 11
Type Character
Format Uppercase

Record Reference(s) WCB_ERPT_EC

PARTIC_IND

Default Label Participation
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_PRDIC_RSLT
PA_RUN_CNTL

PARTIC_LIST_IND

Default Label Process From Participant List
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_ENR_RUNCTL

PARTIC_NEW_IND

Default Label Schedule New Participants



Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_ENR_RUNCTL

PARTNER_LAST_NAME

Default Label Last Name Partner
Length 30
Type Character
Format Mixedcase

Record Reference(s) HR_DIM_BEL_AET
HR_NAME_DAT
HR_NSZ_AET
HR_VIAPRIS_AET

PARTNER_ROY_PREFIX

Default Label Prefix Partner
Length 15
Type Character
Format Mixedcase

Record Reference(s) HR_DIM_BEL_AET
HR_NAME_DAT
HR_NSZ_AET
HR_VIAPRIS_AET

PARTNER_SW_GER

Default Label Partner
Length 1
Type Character
Format Uppercase

Record Reference(s) ILLNESS_GER
OHS001GER_TMP1



OHS004GER_TMP1

PART_AMT_ALLOW_IND

Default Label	Partial Amount Allowed
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_ERN_DED

PART_STATUS

Default Label	Participation Status
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PA_CVRGE_HSTRY
	PA_PRIOR_PLAN
	PA_PRTC_PRTPN

N	Not Participating
Y	Participating

PART_STRK_ACT_ESP

Default Label	Partial Strike Activity Coeff.
Length	3
Type	Character
Format	Uppercase

Record Reference(s) JOB_WORK_ESP

PART_SUBROGTN_ESP

Default Label	Partial Subrogation
Length	1
Type	Character
Format	Uppercase



Record Reference(s) JOB_WORK_ESP

PART_TIME_PERC_ESP

Default Label Percentage of Part Time
Length 4
Type Number
Format Uppercase

Record Reference(s) JOB_WORK_ESP
 UPG_ER_AET
 UPG_HR75CNT_AET
 UPG_HR75_AET

PART_TIME_PERC_ITA

Default Label Percentage of Part Time
Length 8
Type Number
Format Uppercase

Record Reference(s) GPIT_DM10_AET
 GPIT_DM10_WA
 GPIT_RP_0001

PASSED

Default Label Passed Test
Length 1
Type Character
Format Uppercase

Record Reference(s) PRESENCE_TBL
 R_FINAL_RESULTS
 UPG_HR75_AET



PASSIVE_EVENT_DD

Default Label Event Limit - Days
Length 3
Type Number
Format Uppercase

Record Reference(s) BAS_PASSIVE_EVT

PASSIVE_EVENT_ID

Default Label Passive Event ID
Length 3
Type Character
Format Uppercase

Record Reference(s) BAS_ENR_PASSIVE
BAS_ENR_RUNCTL
BAS_PASSIVE_EVT
BAS_PASS_HIST

PASSIVE_EVENT_IND

Default Label Passive Events Processing
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_ENR_RUNCTL

N Do Not Process
O Trigger Passive Events Only
Y Process

PASSIVE_EVENT_MM

Default Label Event Limit - Months
Length 4
Type Number
Format Uppercase



Record Reference(s) TL_AGG_MAIN_AET

N Pattern Reporting Off
Y Pattern Reporting On

PAT_OPTION_BRA
Default Label PAT Participation Option
Length 1
Type Character
Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

PAT_RESIDENCE_GER
Default Label Patient's Residence
Length 30
Type Character
Format Mixedcase

Record Reference(s) ILLNESS_GER
ILLNESS_GER_LNG
OHS004GER_TMP2

PAYABLE_COUNT
Default Label Count of Payable Time
Length 12
Type Number
Format Uppercase

Record Reference(s) TL_TA_MAIN_AET

PAYABLE_DT
Default Label Payable Date
Length 10
Type Date



Format Uppercase

Record Reference(s) ST_SPLIT_TBL

PAYABLE_STATUS

Default Label Payable Status
Length 2
Type Character
Format Uppercase

Record Reference(s) UPG_TL_AET
 UPG_TL_TIME
 UPG_TL_TIME1

- AP Approved - Goes to Payroll
- CL Closed
- DL Paid - Labor Diluted
- ES Estimated - Ready for Payroll
- NA Needs Approval
- OE On-line Estimate Only
- PD Paid - Labor Distributed
- RP Rejected by Payroll
- SP Sent to Payroll
- TP Taken - Used by Payroll

PAYCHECK_ADDR_OPTN

Default Label Paycheck Address Option
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_PAYROLL_DTA
 PAYGROUP_TBL
 PAYROLL_DATA
 PAY_CHECK
 WRK_CHECK

- 1 Home Address
- 2 Mailing Address
- 3 Check Address



C Check Address
 E Select on Payroll Data Panel
 H Home Address
 M Mailing Address

PAYCHECK_ADJUST

Default Label Paycheck Adjustment Entry
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_CHECK
 PAY_CHECK_REVRS
 PAY_LINE
 WRK_CHECK
 WRK_LINE

N Reversal
 Y Reversal/Adjustment

PAYCHECK_CASHED

Default Label Paycheck Cashed
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_CHECK
 WRK_CHECK

PAYCHECK_DIST_KEY1

Default Label Paycheck Sort Key 1
 Length 90
 Type Character
 Format Uppercase

Record Reference(s) PAY_CHECK
 WRK_CHECK
 WRK_SEQ_CHECK



PAYCHECK_DIST_KEY2

Default Label Paycheck Sort Key 2
Length 90
Type Character
Format Uppercase

Record Reference(s) PAY_CHECK
WRK_CHECK
WRK_SEQ_CHECK

PAYCHECK_DIST_OPTN

Default Label Distribution Mail Option
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_PAYROLL_DTA
PAYROLL_DATA

- 1 Company Distribution
- 2 Postal Service
- I Agency Distribution
- X Postal Service

PAYCHECK_EMPL_SEQ

Default Label Paycheck Employee Sequence
Length 1
Type Character
Format Uppercase

Record Reference(s) PAYGROUP_TBL

- E Employee ID Sequence
- N Employee Name Sequence



PAY_CHECK
PAY_CHECK_DEAD
PAY_CHECK_DUE
PAY_CHECK_REVRS
PAY_DISTRIBUTN
PAY_ISSUED
PAY_ISS_STG_PUB

PAY_LINE
PAY_PRNT_RUNCTL
PA_HST_PAY_CHK
PSHUP_TXN
PSHUP_TXN_AET
PYER_ISSUED
PYER_ISS_PUB
PY_IC_PI_DISTRB
RUN_CNTL_BEN
R_PAY015
R_PAYGL1
ST_ESPP_DISPOSN
ST_EXER_DISPOSN
ST_EXER_RELEASE
ST_GRANT_EXER
ST_PRDISP_AET
ST_PSHUP_AET
ST_REL_DISPOSN
WRK_CHECK
WRK_LINE

PAYCHECK_NBR_REPL

Default Label	Check# Replacing Dead Check
Length	15
Type	Number
Format	Uppercase

Record Reference(s) PAY_CHECK_DEAD

PAYCHECK_NBR_THRU

Default Label	Last Check# in Reprint Range
---------------	------------------------------



Length 15
 Type Number
 Format Uppercase

Record Reference(s) PAY_PRNT_RUNCTL

PAYCHECK_OPTION

Default Label Paycheck Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_CHECK
 WRK_CHECK

- & Check and Advice
- A Advice
- C Check
- M Manual Check
- R Check Reversal

PAYCHECK_REPRINT

Default Label Paycheck Reprint
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_CHECK
 WRK_CHECK

PAYCHECK_SEQ

Default Label Paycheck Sequence
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL



- E Select on Payroll Data Panel
- I Agency Distribution Order
- P Paysheet Order
- X Postal Code Order

PAYCHECK_SEQ_FLD01

Default Label Check Print Sequence 01
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

- D Department ID
- E Employee ID or Name
- F FLSA Status
- L Location
- M Mail Drop
- S Shift
- T Employee Type
- U Supervisor ID

PAYCHECK_SEQ_FLD02

Default Label Check Print Sequence 02
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

- D Department ID
- E Employee ID or Name
- F FLSA Status
- L Location
- M Mail Drop
- S Shift
- T Employee Type
- U Supervisor ID



PAYCHECK_SEQ_FLD03

Default Label Check Print Sequence 03

Length 1
Type Character
Format Uppercase

Record Reference(s) PAYGROUP_TBL

D	Department ID
E	Employee ID or Name
F	FLSA Status
L	Location
M	Mail Drop
S	Shift
T	Employee Type
U	Supervisor ID

PAYCHECK_SEQ_FLD04

Default Label Check Print Sequence 04

Length 1
Type Character
Format Uppercase

Record Reference(s) PAYGROUP_TBL

D	Department Id
E	Employee ID or Name
F	FLSA Status
L	Location
M	Mail Drop
S	Shift
T	Employee Type
U	Supervisor ID

PAYCHECK_SEQ_FLD05

Default Label Check Print Sequence 05

Length 1
Type Character
Format Uppercase



Record Reference(s)	PAYGROUP_TBL
	D Department ID
	E Employee ID or Name
	F FLSA Status
	L Location
	M Mail Drop
	S Shift
	T Employee Type
	U Supervisor ID

PAYCHECK_SEQ_FLD06
 Default Label Check Print Sequence 06
 Length 1
 Type Character
 Format Uppercase

Record Reference(s)	PAYGROUP_TBL
	D Department ID
	E Employee ID or Name
	F FLSA Status
	L Location
	M Mail Drop
	S Shift
	T Employee Type
	U Supervisor ID

PAYCHECK_SEQ_FLD07
 Default Label Check Print Sequence 07
 Length 1
 Type Character
 Format Uppercase

Record Reference(s)	PAYGROUP_TBL
	D Department ID
	E Employee ID or Name
	F FLSA Status
	L Location



M Mail Drop
 S Shift
 T Employee Type
 U Supervisor ID

PAYCHECK_SEQ_FLD08

Default Label Check Print Sequence 08
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

D Department ID
 E Employee ID or Name
 F FLSA Status
 L Location
 M Mail Drop
 S Shift
 T Employee Type
 U Supervisor ID

PAYCHECK_SEQ_FLD09

Default Label Check Print Sequence 09
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

D Department ID
 E Employee ID or Name
 F FLSA Status
 L Location
 M Mail Drop
 S Shift
 T Employee Type
 U Supervisor ID



Length 9
Type Number
Format Uppercase

Record Reference(s) GARN_SCHED
GARN_SPEC
GVT_GARN_SPEC
PAY_GARN_OVRD
WRK_GARN_OVRD

PAYEE_FEE_PCT

Default Label Payee's Voucher Fee Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) GARN_SCHED
GARN_SPEC
GVT_GARN_SPEC
PAY_GARN_OVRD
WRK_GARN_OVRD

PAYEE_INCL_DE

Default Label Include Payee Fee Within DE
Length 1
Type Character
Format Uppercase

Record Reference(s) GARN_SPEC
GVT_GARN_SPEC

PAYEE_LIST_PB

Default Label Payee List Hyperlink
Length 1
Type Character
Format Uppercase



Record Reference(s) GPES_RC_TAX

PAYEE_MTH_LIM_AMT

Default Label Payee Fee Monthly Limit Amount
Length 9
Type Number
Format Uppercase

Record Reference(s) GARN_SPEC
GVT_GARN_SPEC

PAYEE_NAME

Default Label Payee Name
Length 50
Type Character
Format Uppercase

Record Reference(s) Z_PRES_DOC_100

PAYEQ Effort_PTS

Default Label Pay Equity Effort Points
Length 5
Type Number
Format Uppercase

Record Reference(s) CAN_PAYEQ_TBL

PAYEQ_RESP_PTS

Default Label Pay Equity Responsibility Pts
Length 5
Type Number
Format Uppercase



Record Reference(s) CAN_PAYEQ_TBL

PAYEQ_SKILL_PTS

Default Label Pay Equity Skill Points
Length 5
Type Number
Format Uppercase

Record Reference(s) CAN_PAYEQ_TBL

PAYEQ_TOTAL_PTS

Default Label Pay Equity Total Points
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_PAYEQ_TBL

PAYEQ_WORKCOND_PTS

Default Label Pay Equity Working Cond Points
Length 5
Type Number
Format Uppercase

Record Reference(s) CAN_PAYEQ_TBL

PAYER_EMAIL_ADDR

Default Label Contact Email Address
Length 40
Type Character
Format Mixedcase

Record Reference(s) RC_US_YE



PAYER_NAME

Default Label Payer's Name
Length 40
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

PAYER_NAME_CNTRL

Default Label Payer Name Control
Length 4
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

PAYER_PHONE

Default Label Payer's phone number && Ext
Length 15
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

PAYGROUP

Default Label Pay Group
Length 3
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET
AE_GB_AET
AE_PAYEXP_AET
AE_PY200VC_AET
AE_PY300VC_AET



AP_EXTRACT_LINE
BAS_ELIG_PYGRP
BEN_PLAN_DATA
BN_SNAP_JOB
BOND_LOG
BPS_REPORT_UNIT
BP_JOB
CMP008_AET
CMP_RULE_VALUES
COMPANY_TBL
CO_DEDEXTRT_AET
CO_DED_DTLM_SUB
CO_DED_DTL_PUB
CO_DED_EE_TBL
CO_DED_EMP2_TAO
CO_DED_EXT1_TAO
CO_DED_EXTR_TBL
CO_DED_FTPD_TAO
CO_DED_INVLDTXN
CO_DED_JOB_TAO
CO_DED_OUTD_TAO
CO_DED_SITEID
CO_DED_TXN_TAO
CO_DED_VLDTXN
CO_DED_VLDT_AET
CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_JOB_TAO

CO_ESV_JOB_A_TAO
CO_ESV_JOB_TAO
CO_ESV_PAYA_TAO
CO_ESV_PAY_TAO
CO_ESV_STG1_TAO
CO_ESV_STG2_TAO
CSB_FREQ_TBL
DED_CALC
DED_LINE
DED_MESSAGE
DED_WORK
EMPL_DED_PROC



FA_CALC_RC
FA_DTLS_HDR
FA_PAYMENTS
FLSA_ADDL_DATA
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
GB_VALUES_TBL
GL_GEN_HISTORY
GM_RC_TE
GPDE_DV_CVT_AET
GPDE_DV_MLD_AET
GVT_CONFIRM_TBL
GVT_JOB
GVT_JOB_TEMP
GVT_PAY_LIMITS
GVT_PAY_TSP
GVT_RUN_CNTL
GVT_SF113G_DATA
GVT_TSP_ADJUST
HPDBRETDIST_AET
HP_CNTPAY04_AET
HP_CTXDIST_WRK
HP_DEDDIST_WRK
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_ERNDIST_WRK
HP_ERN_ACCT_MAP
HP_GRSFRG_CNTL
HP_GRSFRG_DATA
HP_PAYCHKERN_WK
HP_PAYDEDUC_WK
HP_PAYGLO2_RCHK
HP_PAYGLO2_RETD
HP_PAYTAXCAN_WK
HP_PAY_TAX_WK
HP_PSPRFUND_AET
HP_RC_GRSFR
HP_RDIST_CTX
HP_RDIST_CTXDAT
HP_RDIST_DED
HP_RDIST_DEDDAT
HP_RDIST_ERN



HP_RDIST_ERNDAT
HP_RDIST_MSGTBL
HP_RDIST_TAX
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK

HR_CMP052J2_AET
IMP_ADJUST
IMP_CALC
JOB
JOBCOMP_TMP_MC
JOB_TEMP
JOB_TMP_MC
MASS_RETRO_DEF
NDT_CO_PAYGROUP
NDT_CO_PAY_SLOB
OTH_EARNS_TAO
PAYGROUP_LANG
PAYGROUP_TBL
PAYGRP_EMPLTYPE
PAYROLL_ACCRUAL
PAY_CALC_RUNCTL
PAY_CALENDAR
PAY_CALENDR_NLD
PAY_CAL_BAL_ID
PAY_CBLD_RUNCTL
PAY_CHECK
PAY_CHECK_EARNS
PAY_CHECK_REVRS
PAY_CONF_RUNCTL
PAY_CTX_DIST
PAY_CTX_LIAB_AP
PAY_CTX_OVRD
PAY_DEDUCTION
PAY_DED_DIST
PAY_DED_LIAB_AP
PAY_DISTRIBUTN
PAY_EARNINGS
PAY_ERN_DIST
PAY_GARNISH
PAY_GARN_OVRD
PAY_IMP_RUNCTL



PAY_INS_EARNS
PAY_LINE
PAY_MESSAGE
PAY_ONE_TIME
PAY_OTH_EARNS
PAY_PAGE
PAY_REV_RUNCTL
PAY_SPCL_EARNS
PAY_TAX
PAY_TAX_1042
PAY_TAX_CAN
PAY_TAX_DIST
PAY_TAX_LIAB_AP
PAY_TAX_OVRD
PA_HST_OTH_EARN
PA_HST_PAY_CHK
PA_HST_PAY_DED
PA_HST_PAY_EARN
PA_HST_SPL_EARN
PA_TE_BIO
PER501_TMP
PER501_TMP1
PI_EXP_INP_AET
PI_EXTIO2_TAO
PI_EXTIO_TAO

PI_MESSAGE
PI_PARTIC
PI_PARTIC_EXPT
PI_PARTIC_EXTBL
PI_RUN_PYGRP
PKG_CALENDAR
PKG_CAL_HDR
PKG_MDL_TBL
POSITION_DATA
PSHUP_RUNCTL
PSHUP_TXN
PSHUP_TXN_AET
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET



PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
PYER_ACKNOWLEDG
PYRE_DETAIL
PY_LDTLEMP_RC
PY_PAYGRP_TASK
PY_PULL_CST_AET
PY_PYER_AET
RC_CAN_YE
RC_PAY
RC_PAYINIT
RC_PAY_UNSH
RC_PI_RUNCTL
RC_PKG
RC_US_YE
RDEDPSHT_RUNCTL
RETRODEDMAS_DEF
RETRODED_CALC
RETRODED_DEDS
RETRODED_MSG
RETROPAY_ACCT
RETROPAY_EARNS
RETROPAY_MSG
ROE
RTROPSHT_RUNCTL
RTROUND0_RUNCTL
RUN_CNTL_ESPP
RUN_CNTL_HR
RUN_CNTL_ST
RUN_GLRESET
RUN_STPS_MEX
R_CONTRIB_PART
R_GLX001
R_HR_ACCRUAL
R_PAYGL1
R_PAY_ACCRUAL
R_PRC5_GRP_DTL
SALINC_SIML_JPN



SIM01_JPN_TMP

SIM02_JPN_TMP

ST_CNT_RFND_TAO

ST_CONTRIB_MANL

ST_CONTRIB_PART

ST_CONTRIB_RFND

ST_CONTRIB_RSDL

ST_DISPSS_TAO

ST_ESPP_CVT_AET

ST_ISSUUPD_AET

ST_MANL_ALL_TAO

ST_MANL_SUM_TAO

ST_PRCSGRP_AET

ST_PRCB_GRP_DTL

ST_PRCB_GRP_TAO

ST_PSHUP_AET

ST_PSHUP_CNT

ST_PURCH_CALNDR

ST_PUR_GRP_TAO

ST_REFUND_CNT

ST_REFUND_DTL

ST_REFUND_ESPP

ST_REFUND_TAO

ST_STES005_TAO

ST_STES005_TBL

ST_USALL_TAO

ST_USSUM_TAO

TC_CNTL_PAY_TAO

TC_EMPL_LST_TAO

TC_PAYEXT_AET

TC_POPULATION

TC_TEMP_JOB_TAO

TERM_EXT_WRK

TERM_RQST

TERM_RUNCTL

TL_PAYCALC_EDIT

TL_PAYLABR_XREF

TL_PAYREQ_AET

TL_PUBDT_WRK

UNION_ERNCD_TBL

UPG_758_JJL_TAO

UPG_758_JOB_TAO



UPG_E3XW_TAO
 UPG_ERN_TAO
 UPG_FLSA_TBL
 UPG_HP_AET
 UPG_PAYDATA_TAO
 UPG_PI_AET
 UPG_PY_AET
 UPG_PY_JOB_TAO
 WC_JOB_CHG_REQ
 WRK_CHECK
 WRK_CHECK_EARNS
 WRK_CTX_DIST
 WRK_CTX_OVRD
 WRK_DEDUCTION
 WRK_DED_DIST
 WRK_EARNINGS
 WRK_ERN_DIST
 WRK_GARNISH
 WRK_GARN_OVRD
 WRK_INS_EARNS

WRK_LINE
 WRK_ONE_TIME
 WRK_OTH_EARNS
 WRK_PSHUP_TXN
 WRK_SEQ_CHECK
 WRK_SPCL_EARNS
 WRK_TAX
 WRK_TAX_1042
 WRK_TAX_CAN
 WRK_TAX_DIST
 WRK_TAX_OVRD
 Z_LC_RUNCTL

PAYGROUP_ALT

Default Label
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET



CO_DED_DTL_PUB
 CO_DED_EXTR_TBL
 CO_DED_FTPD_TAO
 CO_DED_OUTD_TAO

PAYGROUP_DESCR

Default Label Paygroup Descr
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) BEN_PLAN_DATA

PAYGROUP_GP_BOX

Default Label Paygroups
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_RUNCTL_SQR

PAYGROUP_SELECTION

Default Label Paygroup Selection
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_RUNCTL_SQR

- 10 All Pay Groups
- 20 Select Pay Groups
- 30 All Paygroups & Payees
- 40 Select Payees

PAYMENTS_DURING



PAYMENT_AMT

Default Label Payment Amount
Length 19
Type Number
Format Uppercase

Record Reference(s) CAR_PAYMENTS

PAYMENT_BEGIN_DT

Default Label Payment Begin Date
Length 10
Type Date

Format Uppercase

Record Reference(s) CONTRACT
 HP_CNTPAY04_AET

PAYMENT_DESCR_NLD

Default Label Payment Description
Length 64
Type Character
Format Mixedcase

Record Reference(s) DIR_DEP_DIS_NLD

PAYMENT_DT

Default Label Payment Date
Length 10
Type Date
Format Uppercase

Record Reference(s) AP_EXTRACT_HDR
 CAR_PAYMENTS
 GPAU_EFT_CMX_HD
 GPAU_EFT_CX_AET



GPAU_RCPPAY_AET
GPAU_RCPPAY_DTL
GPAU_RCPPAY_FTR
GPAU_RCPPAY_HDR
GPAU_RC_RCPT_FL
GPAU_RUNCTL_CMX
GPBR_DEPEND_WA
GPBR_RC_EFTBANK
GPHK_EFT_AET
GPHK_EFT_RUNCTL
GPHK_MPF_RUNCTL
GPMY_NET_PAY_RC
GPMY_RCPFIL_AET
GPMY_RCPPAY_DTL
GPMY_RCPPAY_FTR
GPMY_RCPPAY_HDR
GPMY_RC_RCPT_FL
GPNZ_IRD_RC_AET
GPNZ_IRD_RESULT
GPNZ_RCPFIL_AET
GPNZ_RCPPAY_DTL
GPNZ_RCPPAY_FTR
GPNZ_RCPPAY_HDR
GPNZ_RC_RCPT_FL
GPSG_NET_PAY_RC
GPSG_RCPFIL_AET
GPSG_RCPPAY_DTL
GPSG_RCPPAY_FTR
GPSG_RCPPAY_HDR
GPSG_RC_RCPT_FL
INJ_CLMCST_IND
PYAP_HDR_TAO
PYAP_POST_AET
PYAP_XBOND_TAO

PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX3_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN3_TAO
PYAP_XDEDN4_TAO



Type Character
Format Uppercase

Record Reference(s) BEN_BI_PAYMENT

CHK Check
CSH Cash
INT Interface

PAYMENT_FREQUENCY

Default Label Payment Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) INTL_SCHPGM

A Annual
B Biweekly
M Monthly
O Onetime Payment
Q Quarterly
S Semimonthly
W Weekly

PAYMENT_GRACE_DAYS

Default Label Payment Grace Days
Length 2
Type Number
Format Uppercase

Record Reference(s) CBR_EVENT_RULES

PAYMENT_MTHD

Default Label Payment Method
Length 1
Type Character
Format Uppercase



Record Reference(s) GPBR_PAYMENT

- GPCH_BK_XFER_EE
- GPDE_BK_XFER_EE
- GPES_PAYMENT
- GPES_PMT_AET
- GPFR_PAYMENT
- GPFR_PMT_AET
- GPGB_PAYMENT
- GPMX_PAYMENT
- GPMX_PMT_AET
- GPNL_PAYMENT
- GPNL_PMT_AET
- GP_NET_DIST_DTL
- GP_NET_DST1_TMP
- GP_NET_DST2_TMP
- GP_NET_PAY3_TMP
- GP_PAYMENT
- GP_PAYMENT2_TMP
- GP_PAYMENT_TMP
- GP_RCP_PYE_DTL
- RECIPIENT

- A Cash
- C Check
- P Postal Order
- T Bank Transfer

PAYMENT_RECEIVED

Default Label Payment received
 Length 11
 Type Number
 Format Uppercase

Record Reference(s) P11D_SEC_A_UK

PAYMENT_SOURCE

Default Label Payment Source
 Length 1



Type Character
 Format Uppercase

Record Reference(s) BEN_BI_PAYMENT

A Automated
 M Manual

PAYMENT_STAT_ER

Default Label Payment Status
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) ER_EE_REF_AWD
 ER_ERP_AWD_AET

AP Approved - Goes to Payroll
 CN Cancelled
 NA Needs Approval
 PD Paid
 RP Rejected by Payroll
 RV Reversed by Payroll
 SP Sent to Payroll
 TP Taken by Payroll

PAYMENT_TERM

Default Label Payment Term
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CNTRCT_TYPE_TBL
 CONTRACT

A Pay Over 12 Months
 C Pay Over Contract
 L Pay with Lump Sum
 X Pay over 'X' months



PAYMENT_TIMING

Default Label Payment Timing
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

B Beginning of Period
E End of Period

PAYMENT_TYPE

Default Label Payment Type
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

A Amounts Only
B Both Hours and Amount OK
E Either Hours or Amount OK
F Flat Amount
H Hours Only
S Defined by Salary System
U Unit/Override Rate

PAYMENT_TYPE_NLD

Default Label Payment Type
Length 1
Type Character
Format Uppercase

Record Reference(s) DIR_DEP_DIS_NLD

1 Cash
2 Bank
3 Giro



PAYOUT_OPTION

Default Label Payout Option
Length 1
Type Character
Format Uppercase

Record Reference(s) TERM_PGM_DEFERN

E Pay Earnings Amount
G Pay Goal Difference

PAYROLL_FLAG

Default Label Payroll Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) GPFR_DA_AET
INDIC_SHEET_FRA

PAYROLL_HIST_IND

Default Label Payroll History
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_PRDIC_RSLT
PA_RUN_CNTL

PAYROLL_REQ_NUM

Default Label Last Payroll Req Number
Length 6
Type Number
Format Uppercase

Record Reference(s) PYTL1_STG_SUB
PYTL_STG_SUB



PY_LDTLCD_TBL
 PY_LDTLEMP_TBL
 PY_LDTL_TBL
 RUNCTL_TLPY_PUB
 TL_INSTALLATION
 TL_PAYREQ_AET
 TL_PAYREQ_E
 TL_PAYROLL_REQ
 TL_PAYROLL_SENT
 TL_SEQ_UPDATE
 TL_TO_PAY
 UPG_TL_TIME
 UPG_TL_TIME1

PAYROLL_STATE_AUS

Default Label Payroll Tax State
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) GPAU_EDRSLT_TAO

GPAU_SPTRPT_AET
 GPAU_SPT_DEDS
 GPAU_SPT_DETAIL
 GPAU_SPT_ERNS
 GPAU_SPT_EXPN
 GPAU_SPT_FBT
 GPAU_SPT_FREQ
 GPAU_SPT_NTXDDED
 GPAU_SPT_RT_HDR
 GPAU_SPT_SCHED
 GPAU_SPT_ST_HDR
 GPAU_SPT_SUMM
 PKG_MDL_TBL

PAYROLL_TAX_EXEMPT

Default Label Payroll Tax Exempt
 Length 1
 Type Character



Format Uppercase

Record Reference(s) CAN_TAX_DATA

PAYROLL_TAX_PCT

Default Label State Payroll Tax Percent

Length 7

Type Number

Format Uppercase

Record Reference(s) PKG_COMPANY_PRT
PKG_PYTX_RT_TBL

PAYROLL_TAX_RT

Default Label Payroll Tax Rate

Length 6

Type Number

Format Uppercase

Record Reference(s) CAN_TAX_PROV

PAYSHEET_LINES

Default Label Lines on Paysheet

Length 3

Type Number

Format Uppercase

Record Reference(s) COMPANY_TBL

PAYSND_CNT

Default Label Send To Payroll Counter

Length 3

Type Number

Format Uppercase



Record Reference(s) TL_PAYREQ_AET

PAY_ACTIVITY

Default Label Payroll Activities
Length 1
Type Character
Format Uppercase

Record Reference(s) RUNCTL_GEN_CKEY

E Regular Earnings
O Other Earnings

PAY_ADJ_TYPE

Default Label Adjustment Type

Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTO_CAL
GP_AUTO_CAL_AET

1 Adjustment Days
2 Specific Day of the Week

PAY_ALL

Default Label Pay All ?
Length 1
Type Character
Format Uppercase

Record Reference(s) PYAP_XDEDN_AET
RC_X_DEDS
RTROEXTR_RUNCTL



PAY_BEGIN_DT

Default Label Pay Period Begin Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GPES_RC_BNK

GPIT_S503_A_WA
GPIT_S503_RPT
GPIT_S503_TMPB2
GPIT_S503_TMP_B
GVT_TSP_VOUCHER
PAY_CALENDAR
PAY_CALENDR_NLD
PI_RUN_PYGRP
PKG_CALENDAR
TC_CNTL_PAY_TAO
TC_PAYEXT_AET
TL_DIST_DIL_AET
TL_PUBDT_WRK

PAY_CALC_RUN

Default Label Payroll Calculation Run
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_CALENDAR
PAY_CALENDR_NLD

PAY_CAL_VALIDATION

Default Label Pay Calendar Validation
Length 1
Type Character
Format Uppercase

Record Reference(s) RDEDMASS_RUNCTL



PAY_DT

Default Label	Date of pay
Length	10
Type	Date
Format	Uppercase

Record Reference(s) GPES_PAYMENT

HPDBRETDIST_AET
HP_DISTBDGT_AET
HP_DISTSRCH_AET
HP_RDIST_CTX
HP_RDIST_CTXDAT
HP_RDIST_DED
HP_RDIST_DEDDAT
HP_RDIST_ERN
HP_RDIST_ERNDAT
HP_RDIST_MSGTBL
HP_RDIST_TAX
HP_RDIST_TAXDAT
HP_RDIST_TRANS
HP_RETDIST_AET
RUN_HP_RETDIST

PAY_END_DT

Default Label	Pay Period End Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) AE_PY300VC_AET

AP_EXTRACT_LINE
BEN_PLAN_DATA
BN_SNAP_PLAN
BOND_LOG
CO_DEDEXTRT_AET
CO_DED_EMP2_TAO
CO_DED_EXT1_TAO



CO_DED_EXTR_TBL
CO_DED_TXN_TAO
CO_ESV_INIT_DET
CO_ESV_PAD_TAO
CO_ESV_PAYA_TAO
CO_ESV_PAY_TAO
CO_ESV_STG1_TAO
CO_ESV_STG2_TAO
CO_ESV_YTD_DET
DED_CALC
DED_LINE
DED_MESSAGE
DED_WORK
FA_PAYMENTS
FLSA_ADDL_DATA
GL_GEN_HISTORY
GM_RC_TE
GPAU_RC_REPORTS
GPES_RC_BNK
GPES_RC_TAX
GPES_RUNCTL
GPES_TAX190
GPES_TAX190_AET
GPHK_RC_REPORTS
GPIT_S503_A_WA
GPIT_S503_RPT
GPIT_S503_TMPB2
GPIT_S503_TMP_B
GPNZ_RC_REPORTS
GVT_CONFIRM_TBL
GVT_LV_DONOR
GVT_LV_DON_EXT
GVT_PAY_LIMITS
GVT_PAY_TSP
GVT_SF113G_DATA
GVT_TSP_01_HIST
GVT_TSP_VOUCHER
HPDBRETDIST_AET
HP_CTXDIST_WRK
HP_DEDDIST_WRK
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_ERNDIST_WRK



HP_GRSFRG_DATA
HP_PAYCHKERN_WK
HP_PAYDEDUC_WK
HP_PAYGLO2_RCHK
HP_PAYTAXCAN_WK
HP_PAY_TAX_WK
HP_PSPRFUND_AET
HP_RC_GRSFR
HP_RDIST_CTX

HP_RDIST_CTXDAT
HP_RDIST_DED
HP_RDIST_DEDDAT
HP_RDIST_ERN
HP_RDIST_ERNDAT
HP_RDIST_MSGTBL
HP_RDIST_TAX
HP_RDIST_TAXDAT
HP_RDIST_TRIGGR
HP_RETDIST_AET
HP_TAXDIST_WRK
IMP_ADJUST
IMP_CALC
OTH_EARNS_TAO
PAYROLL_ACCRUAL
PAY_CALC_RUNCTL
PAY_CALENDAR
PAY_CALENDR_NLD
PAY_CAL_BAL_ID
PAY_CBLD_RUNCTL
PAY_CHECK
PAY_CHECK_EARNS
PAY_CHECK_REVRS
PAY_CONF_RUNCTL
PAY_CTX_DIST
PAY_CTX_LIAB_AP
PAY_CTX_OVRD
PAY_DEDUCTION
PAY_DED_DIST
PAY_DED_LIAB_AP
PAY_DISTRIBUTN
PAY_EARNINGS
PAY_ERN_DIST



PAY_GARNISH
PAY_GARN_OVRD
PAY_IMP_RUNCTL
PAY_INS_EARNS
PAY_LINE
PAY_MESSAGE
PAY_ONE_TIME
PAY_OTH_EARNS
PAY_PAGE
PAY_REV_RUNCTL
PAY_SPCL_EARNS
PAY_TAX
PAY_TAX_1042
PAY_TAX_CAN
PAY_TAX_DIST
PAY_TAX_LIAB_AP
PAY_TAX_OVRD
PA_HST_OTH_EARN
PA_HST_PAY_CHK
PA_HST_PAY_DED
PA_HST_PAY_EARN
PA_HST_SPL_EARN
PA_RUN_CNTL
PI_CHECK
PI_DED_DETAIL
PI_EARN_DETAIL
PI_MESSAGE
PI_PARTIC

PI_RUN_PYGRP
PI_TAX_DETAIL
PKG_CALENDAR
PSHUP_RUNCTL
PSHUP_TXN
PSHUP_TXN_AET
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO



PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
PY_PULL_CST_AET
RC_PAY
RC_PAYINIT
RC_PAY_UNSH
RDEDPSHT_RUNCTL
RETRODED_CALC
RETRODED_DEDS
RETRODED_MSG
RETROPAY_ACCT
RETROPAY_EARNS
RETROPAY_MSG
RTROPSHT_RUNCTL
RTROUND0_RUNCTL
RUN_GLRESET
RUN_HPDISRCH
R_GLX002
R_HR_ACCRUAL
R_PAY_ACCRUAL
ST_PSHUP_AET
ST_PURCH_CALNDR
ST_USALL_TAO
TC_CNTL_PAY_TAO
TC_PAYEXT_AET
TERM_EXT_WRK
TERM_RQST
TERM_RUNCTL
TL_PAYCALC_EDIT
TL_PAYREQ_AET
TL_PUBDT_WRK
UPG_E3XW_TAO
UPG_ERN_TAO
UPG_HP_AET
UPG_PY_AET
WRK_CHECK
WRK_CHECK_EARNS
WRK_CTX_DIST
WRK_CTX_OVRD
WRK_DEDUCTION
WRK_DED_DIST



WRK_EARNINGS
 WRK_ERN_DIST
 WRK_GARNISH
 WRK_GARN_OVRD

WRK_INS_EARNS
 WRK_LINE
 WRK_ONE_TIME
 WRK_OTH_EARNS
 WRK_PSHUP_TXN
 WRK_SEQ_CHECK
 WRK_SPCL_EARNS
 WRK_TAX
 WRK_TAX_1042
 WRK_TAX_CAN
 WRK_TAX_DIST
 WRK_TAX_OVRD

PAY_END_DT10

Default Label Pay End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
 CO_ESV_PAD_TAO

PAY_END_DT11

Default Label Pay End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
 CO_ESV_PAD_TAO

PAY_END_DT12



PAY_END_DT5

Default Label Pay End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
CO_ESV_PAD_TAO

PAY_END_DT6

Default Label Pay End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
CO_ESV_PAD_TAO

PAY_END_DT7

Default Label Pay End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
CO_ESV_PAD_TAO

PAY_END_DT8

Default Label Pay End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET



CO_ESV_PAD_TAO

PAY_END_DT9

Default Label Pay End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CO_ESV_INIT_DET
CO_ESV_PAD_TAO

PAY_END_DT_ALT

Default Label Pay Period End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET
GPMX_RC_EFT

PAY_ENTITY

Default Label Pay Entity
Length 10
Type Character
Format Uppercase

Record Reference(s) GPAU_EDRSLT_TAO
GPAU_EE_ETP
GPAU_EE_FBT
GPAU_EE_PSM
GPAU_EE_TAX_DTL
GPAU_EFT_CMX_DB
GPAU_EFT_CMX_TR
GPAU_EFT_CX_AET
GPAU_EFT_SB_TMP
GPAU_ETP_E1_TAO
GPAU_ETP_EE_TAO



GPAU_ETP_EL_TAO
GPAU_EXC_AM_TAO
GPAU_EXC_EE_TAO
GPAU_FBT_EE_TAO
GPAU_GLPREP_AET
GPAU_GL_MAP
GPAU_GL_MAP_AET
GPAU_GL_MAP_DTL
GPAU_GRP_DTL
GPAU_LEAVE_LIAB
GPAU_PSLP_PE_RC
GPAU_PSM_AET
GPAU_PSM_AL_TAO
GPAU_PSM_AM_TAO
GPAU_PSM_CL_TAO
GPAU_PSM_E1_TAO
GPAU_PSM_EE_TAO
GPAU_PSM_EL_AET

GPAU_PSM_EL_TAO
GPAU_PSM_EXCEPT
GPAU_QDTL1_TMP
GPAU_QDTL_TMP
GPAU_RCPPAY_AET
GPAU_RCPPAY_DTL
GPAU_RCPPAY_FTR
GPAU_RCPPAY_HDR
GPAU_RCP_FT_TMP
GPAU_RCP_GRPNO
GPAU_RCP_PYENT
GPAU_RC_LVELIAB
GPAU_RC_PSM_EE
GPAU_RC_PSM_PYE
GPAU_RC_PYENT
GPAU_RC_REPORTS
GPAU_RUNCTL_ABS
GPAU_SPTRPT_AET
GPAU_SPT_DETAIL
GPAU_SPT_SUMM
GPAU_TFN_EL_AET
GPAU_TFN_EL_TAO
GPBR_PAYMENT
GPBR_RC_EFTBANK



GPCH_AL_01_LNG
GPCH_AL_01_MSG
GPCH_AL_PYGRP
GPCH_BK_TRN_AET
GPCH_BK_XFER_EE
GPCH_RC_PAYGRP
GPCH_RC_PAYROLL
GPCH_RC_PYENT
GPCH_RP_0001
GPCH_RP_0002
GPCH_RP_EO01
GPCH_RP_FK01
GPCH_RP_FK02
GPCH_RP_MT
GPCH_RP_PK01
GPCH_RP_SI07
GPCH_RP_SI08
GPCH_RP_TX01
GPCH_RP_TX02
GPCH_RP_TX05
GPCH_RP_TX05C
GPCH_RP_TX05D
GPDE_AL_01_MSG
GPDE_AL_DELTA
GPDE_AL_PAY_ENT
GPDE_AL_PER_TAO
GPDE_AL_PES_TAO
GPDE_AL_PE_BV
GPDE_AL_PE_BVDT
GPDE_AL_PE_LOC
GPDE_AL_PE_RFGR
GPDE_AL_PE_RFND
GPDE_AL_PE_RFPR
GPDE_AL_PE_SDTA
GPDE_AL_PE_SID
GPDE_BK_PE_HMBK
GPDE_BK_PE_SBK1

GPDE_BK_PE_SBK2
GPDE_BK_TRN_AET
GPDE_BK_XFER_EE
GPDE_BL
GPDE_BV_RP



GPDE_DV_PE_LIC
GPDE_GR_RSLT_WA
GPDE_RC_PAYGRP
GPDE_RC_PAYROLL
GPDE_RC_PYENT
GPDE_RC_SI10
GPDE_RC_SI10_1
GPDE_RP_0001
GPDE_RP_0002
GPDE_RP_0003
GPDE_RP_AL04
GPDE_RP_AL05
GPDE_RP_AZ01
GPDE_RP_FL01
GPDE_RP_SI10
GPDE_RP_SI10A
GPDE_RP_TX03
GPDE_RP_TX03A
GPDE_RP_TX03_1
GPDE_RP_TX03_2
GPDE_RP_TX03_3
GPDE_RP_TX03_4
GPDE_RP_TX05
GPDE_RP_TX05_1
GPDE_TA_AET
GPDE_TA_EL_TMP
GPDE_TA_RP_TMP
GPDE_TA_RP_TMP2
GPDE_TA_RUN_CTL
GPDE_UPG_AET
GPES_PAYMENT
GPES_PMT_AET
GPES_RC_BNK
GPES_RC_PSLP_PE
GPES_TAX_LOC_CL
GPFR_ASS_AET
GPFR_ASS_RUNCTL
GPFR_EFT_RNCTL
GPFR_ILL_AET
GPFR_PAYMENT
GPFR_PMT_AET
GPGB_CNC_AET
GPGB_EE_RSLT



GPGB_EFT_RNCTL
GPGB_PAYMENT
GPGB_PMT_AET
GPGB_PPIN_AET
GPGB_PYENT
GPGB_PYENT_DTL
GPGB_RCTL_PPIN
GPGB_RC_P46C
GPGB_REPLIB_AET
GPGB_RNCTL_EOYR
GPGB_RUNCTL_SQR
GPHK_MPF_RUNCTL
GPHK_PSLP_PE_RC

GPHK_PYENT_SBNK
GPHK_PYENT_TAO
GPHK_RCP_PYNT_S
GPHK_RC_PYENT
GPHK_RC_REPORTS
GPHK_TAXREF_DTL
GPIN_PSLP_PE_RC
GPIT_AL_01_LANG
GPIT_AL_01_MSG
GPIT_CUD_RUNCTL
GPIT_DM10E_TMPA
GPIT_DM10E_TMPB
GPIT_DM10E_TMPC
GPIT_DM10_AET
GPIT_DM10_RUNCL
GPIT_DM10_TMP
GPIT_F24_RUNCL
GPIT_GV93_RUNCL
GPIT_RC_PAYGRP
GPIT_RC_PAYROLL
GPIT_RC_PYENT
GPIT_RP_0001
GPIT_S503_HD_WA
GPIT_S503_RCTL
GPIT_S503_RPT
GPIT_S503_TMP_A
GPJP_PP_AET
GPJP_RC_PP01
GPJP_RC_UC



GPJP_RC_YEA_RPT
GPJP_RC_YEA_SS
GPJP_UC_LD_AET
GPJP_WA_PIN
GPJP_YEASS_AET
GPMX_PAYMENT
GPMX_PMT_AET
GPMX_RC_EFT
GPMY_EFTFIL_AET
GPMY_EFT_MAY_HD
GPMY_GL_MAP
GPMY_GL_MAP_AET
GPMY_GL_MAP_DTL
GPMY_LEAVE_LIAB
GPMY_PE_SBANK
GPMY_PSLP_PE_RC
GPMY_PYENT_SBNK
GPMY_RCPPAY_DTL
GPMY_RCPPAY_FTR
GPMY_RCPPAY_HDR
GPMY_RCP_FT_TMP
GPMY_RCP_PYENT
GPMY_RC_LVELIAB
GPMY_RC_REPORTS
GPMY_RUNCTL_FIL
GPNL_PAYMENT
GPNL_PMT_AET
GPNL_PSLIP_MSG
GPNL_PYENT_DTL
GPNL_RC_EFT
GPNL_RC_PS_PYNT
GPNZ_DET_TMP

GPNZ_EEXCEP_TAO
GPNZ_EE_IRD_DET
GPNZ_EFTMT9_AET
GPNZ_EMPDET_TAO
GPNZ_GL_MAP
GPNZ_GL_MAP_AET
GPNZ_GL_MAP_DTL
GPNZ_IR348F_AET
GPNZ_IR348F_RC
GPNZ_IRD_EEXCEP



GPNZ_IRD_EMPDET
GPNZ_IRD_HEADER
GPNZ_IRD_RC_AET
GPNZ_IRD_RC_CR8
GPNZ_IRD_RESULT
GPNZ_LEAVE_LIAB
GPNZ_PE_SBANK
GPNZ_PSLP_PE_RC
GPNZ_PYENT_DTL
GPNZ_RCPPAY_DTL
GPNZ_RCPPAY_FTR
GPNZ_RCPPAY_HDR
GPNZ_RCP_PYENT
GPNZ_RC_IR348
GPNZ_RC_IRD
GPNZ_RC_LVELIAB
GPNZ_RC_REPORTS
GPNZ_RUNCTL_MT9
GPNZ_RUNCTL_QES
GPSG_EFTGIR_AET
GPSG_GL_DAT_TMP
GPSG_GL_MAP
GPSG_GL_MAP_AET
GPSG_GL_MAP_DTL
GPSG_LEAVE_LIAB
GPSG_PE_SBANK
GPSG_PSLP_PE_RC
GPSG_RCPPAY_DTL
GPSG_RCPPAY_FTR
GPSG_RCPPAY_HDR
GPSG_RCP_FT_TMP
GPSG_RCP_PYENT
GPSG_RC_LVELIAB
GPSG_RC_REPORTS
GPSG_RUNCTL_GIR
GPXCAL_RUN_DTL
GPXPYE_PRC_STAT
GP_CAL_RUN_DTL
GP_GLGRP_SGPAU
GP_GLGRP_SGPMY
GP_GLGRP_SGPNZ
GP_GLGRP_SGPSG
GP_GL_AMT1_TMP



GP_GL_AMT2_TMP
GP_GL_CHART
GP_GL_CHARTFLD
GP_GL_DATA
GP_GL_DATA_TMP
GP_GL_GROUP
GP_GL_GROUP_DTL
GP_GL_MAP

GP_GL_MAPI_TMP
GP_GL_MAP_DTL
GP_GL_PREP_AET
GP_GL_S1TO6_TMP
GP_GL_S7N8_TMP
GP_GL_SEGV_TMP
GP_GL_SEG_TMP
GP_HST_WRK
GP_NET_PAY1_TMP
GP_NET_PAY2_TMP
GP_NET_PAY3_TMP
GP_PAYMENT
GP_PAYMENT2_TMP
GP_PAYMENT_TMP
GP_PE_S BANK
GP_PE_S BANK_DT
GP_PE_S BANK_DTL
GP_PMT_PREP_AET
GP_PYENT
GP_PYENT_DTL
GP_PYENT_SGPAU
GP_PYENT_SOVR
GP_PYE_PRC_STAT
GP_PYE_SEG_TMP
GP_PYE_STAT_WRK
GP_PYGRP
GP_P_SBNK_SGPAU
GP_RSLT_DELTA
TRAINING_AET
UPG_GPDE801_AET
UPG_GPDE_MS_TAO



PAY_FREQUENCY

Default Label	Pay Frequency
Length	5
Type	Character
Format	Uppercase

Record Reference(s) AE_FGPY005_AET

AGE_RATE_TBL
 DEDUCTION_FREQ
 FLAT_RATE_TBL
 FSA_BENEF_TBL
 GARN_SCHED
 GENL_DED_FREQ
 GEN_DED_FRQ_NLD
 GP_PG_DTL_SGPAU
 GP_PG_DTL_SGPIN
 GP_PG_DTL_SGPMY
 PAYGROUP_TBL
 PAY_EARNINGS
 PI_RUN_PYGRP
 SVC_RATE_TBL
 UPG_PY_AET
 VACATION_TBL
 WRK_EARNINGS

A	Annual
B	Biweekly
D	Daily
M	Monthly
Q	Quarterly
S	Semimonthly
W	Weekly

PAY_FREQ_01

Default Label	1st Choice of Frequency
Length	5
Type	Character
Format	Uppercase

Record Reference(s) DFLT_FREQUENCY



PAY_FREQ_02

Default Label 2nd Choice of Frequency
Length 5
Type Character
Format Uppercase

Record Reference(s) DFLT_FREQUENCY

PAY_FREQ_03

Default Label 3rd Choice of Frequency
Length 5
Type Character
Format Uppercase

Record Reference(s) DFLT_FREQUENCY

PAY_FREQ_04

Default Label 4th Choice of Frequency
Length 5
Type Character
Format Uppercase

Record Reference(s) DFLT_FREQUENCY

PAY_FREQ_ABBRV

Default Label Pay Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) APPLICANT_DATA
APP_PRIWRK_EXPR
GVT_OFFER
GVT_QSN_JOBCD
OFFER_HIST_TAO



OFFER_TAO
 PRIORWORK_EXPER
 UPG_ER_AET

UPG_HR75_AET
 UPG_OFF_HIS_AET
 UPG_PRWKEXP_TAO

- A Per Annum
- B Bi-weekly
- C W/O Compensation
- D Per Diem
- E Per Hour
- F Fee Basis
- G Per Month
- H Hour
- I Per Day
- M Month
- Y Year

PAY_INSTR_TYPE

Default Label Payment Instruction Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ASGN_CMP_EFFDT
 ASGN_CMP_HOMHST
 ASGN_DEDUCTIONS
 ASGN_EARNINGS

- I International Compensation
- O Onetime payment

PAY_LINE_STATUS

Default Label Payline Calculation Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DED_LINE



DED_WORK
 PAY_EARNINGS
 WRK_EARNINGS

C Calculated
 E Calculation Error
 F Confirmed
 I Initial Load
 P Pay in Progress
 U Updated by User
 V Reversing Check

PAY_MODE

Default Label Pay Mode
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AP_EXTRACT_LINE

BENEF_PLAN_TBL
 GARN_SPEC

 GENL_DED_TBL
 GVT_GARN_SPEC
 PYAP_LINE_TAO
 PYAP_UNXTRC_TAO
 PYAP_XBOND_TAO
 PYAP_XDEDN1_TAO
 PYAP_XDEDN2_TAO
 PYAP_XDEDN4_TAO
 PYAP_XGARN_TAO

B Pay when Bond Price met
 C Pay when Collection Completed
 D Pay as Deducted
 S Pay at Specified Date

PAY_MODES

Default Label Pay Modes
 Length 1
 Type Character



Default Label Pay Periods Per Year
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PAY_CALENDAR
 PAY_CBLD_RUNCTL

PAY_PERIOD

Default Label Pay Period
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GARN_SCHED
 PAY_CALENDAR

- 1 First
- 2 Second
- 3 Third
- 4 Fourth
- 5 Fifth

PAY_PERIOD1

Default Label First Pay Period
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ADDL_PAY_DATA
 BAS_PARTIC_OPTN
 DEDUCTION_FREQ
 EMPL_DED_PROC

PAY_PERIOD2

Default Label Second Pay Period
 Length 1
 Type Character



BAS_PARTIC_OPTN
DEDUCTION_FREQ
EMPL_DED_PROC

PAY_PERIOD_HRS

Default Label Pay Period Hours
Length 6
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET
CONTRACT

PAY_PRECALC_RUN

Default Label Payroll Preliminary Calc Run
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_CALENDAR

PAY_RATE_DETER_AE

Default Label Pay Rate Deter Variable
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET

PAY_REF_NBR

Default Label Payroll Reference #
Length 8
Type Character
Format Uppercase



Record Reference(s) PAYGROUP_TBL

PAY_RPT_EMPL_SEQ

Default Label Payroll Rpt Employee Sequence
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

E Employee ID Sequence
 N Employee Name Sequence

PAY_RPT_SEQ

Default Label Payroll Report Sequence
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

1 Dept, Employee Type, Employee
 2 Dept, Employee
 3 Employee Only
 4 Employee Type, Dept, Employee
 5 Employee Type, Employee

PAY_RPT_SUBTOTALS

Default Label Payroll Report Subtotals
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL

A Break After Subtotals
 B Break Before and After Subttls
 N No Subtotals



PAY_SHEETS_RUN

Default Label	Paysheets Run
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PAY_CALEDAR

PAY_SHEET_SRC

Default Label	Source of Paysheet
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PAY_CHECK

PAY_CHECK_DEAD
 PAY_CHECK_DUE
 PAY_EARNINGS
 PAY_LINE
 PAY_PAGE
 R_PAY015
 WRK_CHECK
 WRK_EARNINGS
 WRK_LINE

F	FLSA Paysheet
K	Batch Final Check
L	Online Final Check
O	On-line Paysheet
P	Paysheet Load
S	Regular Paysheet

PAY_STAT_AP

Default Label	Approved
Length	1
Type	Character
Format	Uppercase



Record Reference(s) TL_RUNCTL_SQR

PAY_STAT_CL

Default Label Closed
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

PAY_STAT_DL

Default Label Diluted
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

PAY_STAT_ES

Default Label Estimated
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

PAY_STAT_NA

Default Label Needs Approval
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR



PAY_STAT_PD

Default Label Paid
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

PAY_STAT_RP

Default Label Rejected
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

PAY_STAT_SP

Default Label Sent to Payroll
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

PAY_STAT_TP

Default Label Taken by Payroll
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR



PAY_SYSTEM

Default Label	Payroll System
Length	4
Type	Character
Format	Uppercase

Record Reference(s) PYTL1_STG_SUB

- PYTL2_STG_SUB
- PYTL_STG_SUB
- PY_LDTLCD_TBL
- PY_LDTLEMP_TBL
- PY_LDTL_TBL
- RUNCTL_TLPY_PUB
- TL_DIST_DIL_AET
- TL_ERNCD_TBL
- TL_PAYREQ_AET
- TL_PAYREQ_E
- TL_PAYROLL_REQ
- TL_PAYROLL_SENT
- TL_PAYSYS_LANG
- TL_PAYSYS_TBL
- TL_PAYTIME_ERR
- TL_PAYTIME_ERRF
- TL_PYPUB_TM_AET
- TL_RUN_PYPUB_TM
- TL_SEQ_UPDATE
- TL_TO_PAY
- TL_XREF_COSTS
- TL_XREF_TBL
- UPG_TL_TIME
- UPG_TL_TIME1

GP	Global Payroll
NA	North American Payroll

PAY_SYSTEM_FLG

Default Label	Payroll System
Length	2
Type	Character
Format	Uppercase



Record Reference(s) BN_SNAP_JOB

BP_JOB
 FPAEEPOST_HIST
 FPAEEPOST_TBL
 FPA_CI_JOB
 GP_JOB2_WRK
 GVT_JOB
 GVT_JOB_TEMP
 HR_CMP052J2_AET
 JOB
 JOBCOMP_TMP_MC
 JOB_TEMP
 JOB_TMP_MC
 OPR_DEF_HR_TAO
 OPR_DEF_TBL_HR
 PER501_TMP
 PER501_TMP1
 SALINC_SIML_JPN
 SIM01_JPN_TMP
 SIM02_JPN_TMP
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_CONV_HR75
 UPG_HR75_AET
 UPG_PY_JOB_TAO
 WC_JOB_CHG_REQ

 WP_PAYMT_AET

GP Global Payroll
 NA Payroll for North America
 OT Other
 PI Payroll Interface

PAY_TABLE_WHERE

Default Label PAY TABLE WHERE
 Length 200
 Type Character
 Format Uppercase

Record Reference(s) AE_FGPY005P_AET



PAY_TAXES_THRU_AP

Default Label Pay Taxes through AP
Length 1
Type Character
Format Uppercase

Record Reference(s) COMPANY_TBL

PAY_TAX_EFFECT

Default Label Eff on Payroll Tax Gross
Length 1
Type Character
Format Uppercase

Record Reference(s) DEDUCTION_CLASS

A Adds To
N No Effect
S Subtracts From

PAY_TERM_PCT

Default Label Pay at Termination Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) GVT_ERN_ACR_CLS
LEAVE_PLAN_TBL

PAY_TRM_BSE_DT_DFT

Default Label Payment Terms Basis Date
Length 1
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC



VENDOR_LOC_AET
 VENDOR_LOC_TMP

- A Accounting Date
- B Default
- C Constructive Doc Receipt Date
- D Default Higher level
- I Invoice Date
- R Receipt Date
- S Ship Date
- U User Specified Date

PAY_TRM_BSE_DT_OPT

Default Label Payment Terms Basis Date Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

- A Accounting Date
- C Constructive Doc Receipt Date
- I Invoice Date
- R Receipt Date
- S Ship Date
- U User Specified Date

PAY_UNION_FEE

Default Label Pay Union Fee
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOBCOMP_TMP_MC
 JOB_LABOR_TAO
 JOB_TMP_MC



PY_IC_PI_ERN
PY_IC_PI_ERN_MX
PY_IC_PI_ER_DED
PY_IC_PI_ER_MX
PY_IC_PI_TAX
PY_IC_PI_TAX_MX

PAY_WEB_CODE

Default Label Code created for Payroll WEB
Length 17
Type Character
Format Uppercase

Record Reference(s) PY_IC_PI_AT_DED

PY_IC_PI_AT_MX
PY_IC_PI_BT_DED
PY_IC_PI_BT_MX
PY_IC_PI_DEDN
PY_IC_PI_ERN
PY_IC_PI_ERN_MX
PY_IC_PI_ER_DED
PY_IC_PI_ER_MX
PY_IC_PI_TAX
PY_IC_PI_TAX_MX

PAY_WEB_COMPRATECD

Default Label Comp Rate Code
Length 6
Type Character
Format Uppercase

Record Reference(s) PY_IC_PI_ERN

PY_IC_PI_ERN_MX

PAY_WEB_DESCR

Default Label Description



Length 35
Type Character
Format Mixedcase

Record Reference(s) PY_IC_PI_AT_DED
PY_IC_PI_AT_MX
PY_IC_PI_BT_DED
PY_IC_PI_BT_MX
PY_IC_PI_DEDN
PY_IC_PI_ERN
PY_IC_PI_ERN_MX
PY_IC_PI_ER_DED
PY_IC_PI_ER_MX
PY_IC_PI_LVE_M
PY_IC_PI_TAX
PY_IC_PI_TAX_MX

PAY_WEB_HRS
Default Label Current Hours
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) PY_IC_PI_ERN
PY_IC_PI_ERN_MX

PAY_WEB_RATE
Default Label Hourly Rate
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PY_IC_PI_ERN
PY_IC_PI_ERN_MX

PAY_WEB_SORT
Default Label Sortfld for Payroll WEB



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PY_IC_PI_AT_DED
 PY_IC_PI_AT_MX
 PY_IC_PI_BT_DED
 PY_IC_PI_BT_MX
 PY_IC_PI_DEDN
 PY_IC_PI_ER_DED
 PY_IC_PI_ER_MX
 PY_IC_PI_TAX
 PY_IC_PI_TAX_MX

- A Before-Tax
- B After-Tax
- C Employer-Paid Benefits
- D Taxable Benefits
- E Federal Taxes
- F State Taxes
- Z Unused Value

PAY_WEB_TXGRS_CUR
 Default Label Current Taxable Gross
 Length 14
 Type Signed Number
 Format Uppercase

Record Reference(s) PY_IC_PI_TAX
 PY_IC_PI_TAX_MX

PAY_WEB_TXGRS_YTD
 Default Label YTD Taxable Gross
 Length 14
 Type Signed Number
 Format Uppercase

Record Reference(s) PY_IC_PI_TAX
 PY_IC_PI_TAX_MX



PAY_WEB_YTD_AMT

Default Label YTD Amount
Length 14
Type Signed Number
Format Uppercase

Record Reference(s) PY_IC_PI_AT_DED
PY_IC_PI_AT_MX
PY_IC_PI_BT_DED
PY_IC_PI_BT_MX
PY_IC_PI_DEDN
PY_IC_PI_ERN
PY_IC_PI_ERN_MX
PY_IC_PI_ER_DED
PY_IC_PI_ER_MX
PY_IC_PI_LVE_M
PY_IC_PI_TAX
PY_IC_PI_TAX_MX

PAY_WEB_YTD_HRS

Default Label YTD Hours
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) PY_IC_PI_ERN
PY_IC_PI_ERN_MX

PA_ACTIVITY_CD

Default Label Activity Code
Length 4
Type Character
Format Uppercase

Record Reference(s) PA_RT_ACTIVITY



PA_RT_EMP_LIST

PA_ADJ_AMT

Default Label Adjustment Amount
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) PA_RT_ADJ
PA_RT_PAY_DETL
PA_TE_1PMT
PA_TE_BADJ
PA_TE_TRAILER
PA_WTHDRW_CTB

PA_ADJ_AMT_NOTAX

Default Label Adjustment Amount Non Taxable
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) PA_RT_ADJ
PA_RT_PAY_DETL
PA_TE_1PMT
PA_TE_BADJ
PA_TE_TRAILER
PA_WTHDRW_CTB

PA_ADJ_RSN

Default Label Adjustment Reason
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_RT_ADJ
PA_TE_1PMT
PA_TE_BADJ



A Retroactive Adjustment
I Interest
M Partial Month
O Other
R Recalculation

PA_ADJ_TYP

Default Label Adjustment Type
Length 1

Type Character
Format Uppercase

Record Reference(s) PA_RT_ADJ

B Balance Adjustment
O Single Payment

PA_ALT_PAYEE

Default Label Designated Payee Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PA_RT_PAY_DETL
PA_RT_PAY_SCHED
PA_TE_BIO

PA_ANNUAL_BASE_HRS

Default Label PA Annual Base Hours
Length 8
Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL



PA_AUDIT_IND

Default Label Pension Audit Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

D Produce Display Output Only
N Inactivate Application Trace
S Produce SQL Output Only
Y Produce Display and SQL Output

PA_AUDIT_TXT

Default Label PENSION DEBUG TEXT
Length 100
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT_TRACE

PA_BENEF_DOB

Default Label Beneficiary Birthdate
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_CLC_PLN_BENE
PA_CLC_PLN_INPT

PA_BENEF_NAME

Default Label Beneficiary Name
Length 40
Type Character
Format Uppercase

Record Reference(s) PA_CLC_PLN_BENE



PA_BENEF_SEX

Default Label Beneficiary Gender
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CLC_PLN_BENE
PA_CLC_PLN_INPT

F Female
M Male

PA_BEN_ENT_CEILING

Default Label PA Benefit Entitlement Ceiling
Length 10
Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PA_CALENDAR_NM

Default Label Payment Calendar Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_RT_CALENDAR
PA_RT_CAL_ROOT

PA_CB_CONT_SW

Default Label Allow Contingent Beneficiaries
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_CLC_PLN_INPT
 PA_DFN_OPT_SET
 PENSION_PLN_TBL

PA_CHECK_DATE

Default Label Check Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_RT_ADJ

PA_RT_CALENDAR
 PA_RT_EMP_SUM
 PA_RT_PAY_DETL
 PA_RT_SUM_HDR
 PA_RUN_CNTL
 PA_TE_HDR
 PA_TE_SUM_HDR
 PA_TE_TRAILER
 PA_WTHDRW_CTB

PA_COMMENT_SRC

Default Label Original Source of Comments
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_QDROCOM

- 0
- 1 Copied from DRO Panel
- 2 From Old Communications Panel
- 3 From Old Status Panel

PA_DEP_PMT1

Default Label Dependent/Beneficiary ID
 Length 2



Type Character
Format Numbers Only

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM

PA_DEP_PMT2

Default Label Dependent/Beneficiary ID
Length 2
Type Character
Format Numbers Only

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM

PA_DEP_PMT3

Default Label Dependent/Beneficiary ID
Length 2
Type Character
Format Numbers Only

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM

PA_DEP_PMT4

Default Label Dependent/Beneficiary ID
Length 2
Type Character
Format Numbers Only

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM

PA_EXCLUDE_FROM



Default Label PA Exclude Earnings From
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PA_EXCLUDE_TO

Default Label PA Exclude Earnings To
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PA_JOB_SW

Default Label Job Record Saved
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RT_EMP_SETUP

N Outstanding
 Y Completed

PA_KEYFIELD

Default Label Key Field Name
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) PA_ALIAS_XREF

PA_KEYVALUE

Default Label Key Field Value



Length 18
Type Character
Format Uppercase

Record Reference(s) PA_ALIAS_XREF

PA_LIMIT_AMOUNT

Default Label Accumulation Limit Amount
Length 14
Type Number
Format Uppercase

Record Reference(s) PA_CONS_EARN_CD

PA_MDIB_AGE_ALIAS

Default Label MDIB Age Difference
Length 10
Type Character
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PA_MDIB_RULE

Default Label MDIB Rule Should Apply
Length 1
Type Character
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PA_MODIFICATION_DT

Default Label Pension Payment Modified Date
Length 10
Type Date



Format Uppercase

Record Reference(s) PA_RT_MODIFIED

PA_MODIF_FLG

Default Label Warning
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_RT_CALENDAR

M Results May Have Changed

PA_PAYEE_TYPE

Default Label Payee Type
Length 1

Type Character
Format Uppercase

Record Reference(s) PA_RT_EMP_SETUP

B Beneficiary
Q QDRO Alternate Payee
R Retiree
T Terminated Deferred Vested

PA_PCT_OVER_YMPE

Default Label PA Pct for Earns over YMPE
Length 7
Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PA_PCT_UNDER_YMPE



Default Label PA Pct for Earns Under YMPE
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PA_PERS_DATA_SW

Default Label Personal Data
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RT_EMP_SETUP

N Outstanding
 Y Completed

PA_PMT_AMT

Default Label Payment Amount
 Length 13
 Type Signed Number
 Format Uppercase

Record Reference(s) PA_RT_PAY_DETL
 PA_TE_SPMT
 PA_TE_TRAILER

PA_PMT_AMT1

Default Label Payment Amount 1
 Length 11
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
 PA_RT_EMP_FORM
 PA_RT_PAY_SCHED



PA_TE_TRAILER

PA_PMT_AMT1_NOTAX

Default Label Amount 1 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM
PA_RT_PAY_SCHED
PA_TE_TRAILER

PA_PMT_AMT2

Default Label Payment Amount 2
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM
PA_RT_PAY_SCHED

PA_PMT_AMT2_NOTAX

Default Label Amount 2 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM
PA_RT_PAY_SCHED

PA_PMT_AMT3

Default Label Payment Amount 3



Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM
PA_RT_PAY_SCHED

PA_PMT_AMT3_NOTAX

Default Label Amount 3 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM
PA_RT_PAY_SCHED

PA_PMT_AMT4

Default Label Payment Amount 4
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM
PA_RT_PAY_SCHED

PA_PMT_AMT4_NOTAX

Default Label Amount 4 Non Taxable
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_RT_EMP_FORM



PA_RT_PAY_SCHED

PA_PMT_AMT_NOTAX

Default Label Payment Amount Non Taxable
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) PA_RT_PAY_DETL
PA_TE_SPMT
PA_TE_TRAILER

PA_PMT_CHOICE

Default Label Payment Choice
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_RT_PAY_SCHED

PA_PMT_END_DT

Default Label Pay Period End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_RT_ADJ
PA_RT_CALENDAR

PA_RT_EMP_SUM
PA_RT_PAY_DETL
PA_RT_SUM_HDR
PA_RUN_CNTL
PA_TE_HDR
PA_TE_SPMT
PA_TE_SUM_HDR
PA_TE_TRAILER



PA_WTHDRW_CTB

PA_PMT_FINAL_DATE

Default Label Final Payment Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_RT_EMP_SUM

PA_PMT_NBR

Default Label Payment Number
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) PA_RT_ADJ

PA_RT_EMP_FORM
 PA_RT_PAY_DETL
 PA_RT_PAY_SCHED
 PA_TE_1PMT
 PA_TE_SPMT
 PA_WTHDRW_CTB

PA_PMT_RSN

Default Label Payment Reason
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RT_PAY_SCHED

- B Beneficiary
- C Result of COLA Adjustment
- M Manually Entered
- O Overridden
- S System Calculated



PA_PMT_STAT

Default Label	Payment Status
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_RT_PAY_SCHED

- A Active Payment
- C Stopped Payment
- D Deferred Payment
- S Suspended Payment

PA_PMT_TOTAL

Default Label	Payment Total
Length	13
Type	Signed Number
Format	Uppercase

Record Reference(s) PA_RT_PAY_DETL

PA_PMT_TOTAL_NOTAX

Default Label	Payment Non Taxable Total
Length	13
Type	Signed Number
Format	Uppercase

Record Reference(s) PA_RT_PAY_DETL

PA_PMT_TYP1

Default Label	Payment Amount 1 Type
Length	1
Type	Character
Format	Uppercase



Record Reference(s) PA_CLC_OFRM_AY
 PA_RT_EMP_FORM
 PA_RT_PAY_SCHED

1	Retiree Amount - Pre SSRA
B	Plan Beneficiary Amount
N	Non-Spouse Beneficiary Amount
R	Retiree Amount

PA_PMT_TYP2
 Default Label Payment Amount 2 Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
 PA_RT_EMP_FORM
 PA_RT_PAY_SCHED

2	Retiree Amount - Post SSRA
B	Plan Beneficiary Amount
N	Non-Spouse Beneficiary Amount
S	Survivor Amount

PA_PMT_TYP3
 Default Label Payment Amount 3 Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
 PA_RT_EMP_FORM
 PA_RT_PAY_SCHED

3	Plan Beneficiary Amount
N	Non-Spouse Beneficiary Amount
P	Pop Up Amount
S	Survivor



PA_PMT_TYP4

Default Label Payment Amount 4 Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
 PA_RT_EMP_FORM
 PA_RT_PAY_SCHED

4 Duplicate Ben Amount - Ignore
 N Non-Spouse Beneficiary Amount
 P Pop Up Amount

PA_PMT_TYPE

Default Label Payment Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RT_PAY_DETL

PA_POSTED_SW

Default Label Payment Posted
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RT_ADJ
 PA_WTHDRW_CTB

N
 Y Status = Processed

PA_RUN_ID

Default Label Run ID
 Length 10
 Type Character
 Format Uppercase



Record Reference(s) PA_RT_ADJ

PA_RT_CALENDAR
 PA_RT_PAY_DETL
 PA_RT_SUMRY

PA_RT_SUM_HDR
 PA_RUN_CNTL
 PA_TE_1PMT
 PA_TE_APAY
 PA_TE_BADJ
 PA_TE_BDED
 PA_TE_BIO
 PA_TE_DDEP
 PA_TE_FTX
 PA_TE_GDED
 PA_TE_HDR
 PA_TE_LTX
 PA_TE_SPMT
 PA_TE_STX
 PA_TE_SUMRY
 PA_TE_SUM_HDR
 PA_TE_TRAILER
 PA_WTHDRW_CTB
 UPG_PY_AET

PA_RUN_ID_PURGE

Default Label Purge Run ID
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RT_CALENDAR

PA_RUN_ID_STATUS

Default Label Payment Status
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PA_RT_CALENDAR

A Not Processed Yet
 C Confirmed
 P Preliminary

PA_RUN_ID_WARN_DT

Default Label Payment Warning
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_RT_CALENDAR

PA_SEQ_NUM

Default Label Sequence Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_ALIAS_USE

PA_CONS_EARN_RT
 PA_CUSTOM2
 PA_QDROSTA
 PA_QDRO_COM
 PA_QDRO_COMNOTE
 PA_RT_ADJ
 PA_RT_EMP_LIST
 PA_WTHDRW_CTB

PA_SNGL_JOB_ENV

Default Label Single Job Environment
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PA_PROC
N Multijob Environment
Y Single Job Environment

PA_SS_AUTOBEN_ELIG
Default Label Surviving Spouse Eligibility
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_PLAN_ALIASES

PA_SS_AUTOBEN_PCT
Default Label Automatic Benefit for Survivor
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FORMULA

PA_SS_ELIG
Default Label Surviving Spouse Eligibility
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CLC_PLN_BENE
N Spouse is Ineligible
Y Spouse Is Eligible

PA_SS_ELIG_OVRD
Default Label Surviving Spouse Eligibility
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_CLC_PLN_INPT
 N Override to Ineligible
 Y Override to Eligible

PA_STATUS_DATE
 Default Label Pension Status Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_FUNCNTN_RESLT

PA_SVC_DURATN
 Default Label Duration Result
 Length 17
 Type Signed Number
 Format Uppercase

Record Reference(s) PA_CLC_SVC_ADJ
 PA_CLC_SVC_ADJ2

PA_SVC_FORFEIT
 Default Label Forfeit Service Credit
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_WTHDRW_CTB

PA_SVC_PCHABLE
 Default Label Purchasable Service
 Length 11
 Type Signed Number



Format Uppercase

Record Reference(s) PA_CLC_EACCT_AY
PA_EACCT_ACCUM

PA_SVC_PRCH_ADJ

Default Label Purchasable Service Adjustment
Length 11
Type Signed Number
Format Uppercase

Record Reference(s) PA_CLC_EACCT_AY
PA_EACCT_ACCUM
PA_EACCT_TRANS

PA_SVC_PURCHASED

Default Label Purchased Service
Length 11
Type Signed Number
Format Uppercase

Record Reference(s) PA_CLC_EACCT_AY
PA_EACCT_ACCUM

PA_SVC_RESTORE

Default Label Grant Full Service Credit
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CALCULATION
PA_SSV_DEFAULTS
UPG_PA_CALC_TMP



PA_TOT_ADJ_AMT

Default Label Adjust Amount
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_SUMRY
PA_RT_SUM_HDR
PA_TE_SUMRY
PA_TE_SUM_HDR

PA_TOT_EMPL_ACCT

Default Label Final Employee Account
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_EMP_SUM

PA_TOT_MANL_AMT

Default Label Manual Amount
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_SUMRY
PA_RT_SUM_HDR

PA_TOT_NOTAX_PAID

Default Label Total Non Taxable Paid
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_EMP_SUM



PA_TOT_PAID

Default Label Total Paid
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_EMP_SUM

PA_TOT_PLN_CNT

Default Label Number of Benefit Plans
Length 4
Type Number
Format Uppercase

Record Reference(s) PA_TE_SUMRY

PA_TOT_PMT_AMT

Default Label Total Payments
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_SUMRY
PA_RT_SUM_HDR
PA_TE_SUMRY
PA_TE_SUM_HDR

PA_TOT_PMT_CNT

Default Label Payments
Length 8
Type Number
Format Uppercase

Record Reference(s) PA_RT_SUMRY



PA_TOT_POST_TAX

Default Label Final Post Tax Contributions
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_EMP_SUM

PA_TOT_SCHD_AMT

Default Label Scheduled Amount

Length 12
Type Number
Format Uppercase

Record Reference(s) PA_RT_SUMRY
PA_RT_SUM_HDR
PA_TE_SUMRY
PA_TE_SUM_HDR

PA_TRACE_415

Default Label Trace 415 Limitations
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_ACT

Default Label Trace Actuarial Calculations
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT



PA_TRACE_AGE
Default Label Trace Early/Late Adjustments
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_BEL
Default Label Trace Benefit Eligibility
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_CLC
Default Label Trace Benefit Formula
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_CMP
Default Label Trace Covered Compensation
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT



PA_TRACE_CSH

Default Label Trace Cash Balance/Empl Acct
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_DED

Default Label Trace Deductions Consolidation
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_DTH

Default Label Trace Death Coverage
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_EPB

Default Label Trace Employee Paid Benefit
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_ERN

Default Label Trace Earnings Consolidations



Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_FAE

Default Label Trace Final Average Earnings
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_HRS

Default Label Trace Hours Consolidations
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_OPT

Default Label Trace Optional Forms
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_PEL

Default Label Trace Plan Eligibility
Length 1
Type Character



Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_PMT

Default Label Trace Payments/Trustee Extract
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_PRT

Default Label Trace Participation
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_SOC

Default Label Trace Social Security

Length 1
Type Character
Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRACE_SRV

Default Label Trace Service
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_AUDIT

PA_TRACE_VST

Default Label Trace Vesting
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_AUDIT

PA_TRANS_COMMENT

Default Label Created from
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_EACCT_TRANS
 PA_SVC_TRANS

- O Online
- S Sub-Account Activity
- W Withdrawal Request

PA_USEFIELD

Default Label Used by Field
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) PA_ALIAS_XREF

PA_USEREC

Default Label Used by Record
 Length 15
 Type Character
 Format Uppercase



Record Reference(s) PA_ALIAS_XREF

PA_W2_BOX

Default Label W2 Box
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PA_CONS_EARN

PA_CONS_HRS

- 01 Wages,tips, other compensation
- 03 Social Security Wages
- 05 Medicare wages and tips
- 17 State Wages, tips, etc.
- 20 Local wages, tips, etc.

PA_WEB_CALC_NAME

Default Label Web Calculation Name
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PA_SSV_DEFAULTS

PA_SSV_DISCLAIM
 PA_SSV_OPFORM
 PA_SSV_PLN_INPT
 PA_SSV_PROCLIST

WEB Web Calculation Defaults

PA_WEB_DISCLAIM

Default Label Disclaimer
 Length 0
 Type Long Character
 Format Uppercase



Record Reference(s) PA_SSV_DISCLAIM

PA_WEB_INSTRUCT

Default Label Instructions to User
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PA_SSV_DEFAULTS

PA_WEB_OPFORM

Default Label Optional Forms Description
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PA_SSV_OPFORM

PA_WEB_RETENTION

Default Label Web Results Retention Months
Length 2
Type Number
Format Uppercase

Record Reference(s) PA_SSV_DEFAULTS

PA_WITHDRAW_ALL

Default Label Withdraw All Contributions
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_WTHDRW_CTB



PBDISPLAYTYPE

Default Label Pushbutton display type
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD

PB_CALC_SVC

Default Label Calculate Purchasable Service
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_EACCT_TRANS

PB_CALC_SVC2

Default Label Calculate Service Adjustment
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_SVC_TRANS

PB_WEB_DETAIL

Default Label Default Text
Length 1
Type Character
Format Mixedcase

Record Reference(s) W3EB_BENEF_SMRY
W3EB_DEPBEN_SUM



PCMP_ASSIGNED_DT

Default Label Date Assigned
Length 10
Type Date
Format Uppercase

Record Reference(s) PCMP_MGRSUP_RI
PCMP_MGR_SUPER
PCMP_REASS_AET

PCMP_CHK_DESCR

Default Label Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) PCMP_CHK_TYP_LNG
PCMP_CHK_TYPE

PCMP_CHK_DT

Default Label Check Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PCMP_RICHCOMLNG
PCMP_RI_CHK
PCMP_RI_CHKCOMM

PCMP_CHK_TYPE

Default Label Check Type
Length 6
Type Character
Format Uppercase



Record Reference(s) PCMP_CHK_TYP_LNG
 PCMP_CHK_TYPE
 PCMP_RICHCOMLNG
 PCMP_RI_CHK
 PCMP_RI_CHKCOMM

PCMP_CLASS
 Default Label Classification
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) PCMP_CLASS
 PCMP_CLASS_COMM
 PCMP_CLASS_LANG
 PCMP_CLSSCOMLNG
 PCMP_DEVPLANLNG
 PCMP_DEV_PLAN
 PCMP_RI_CLASS

PCMP_CLASS_COMM
 Default Label Comments
 Length 0
 Type Long Character
 Format Uppercase

Record Reference(s) PCMP_CLASS_COMM
 PCMP_CLSSCOMLNG

PCMP_CLASS_DESCR
 Default Label Description
 Length 40
 Type Character
 Format Mixedcase

Record Reference(s) PCMP_CLASS



PCMP_CLASS_LANG

PCMP_CMP_PLANAREA

Default Label Compliance Plan Area
Length 40
Type Character
Format Uppercase

Record Reference(s) PCMP_CMPPLNALNG
PCMP_CMP_PLANA

PCMP_CMP_PLANDESC

Default Label Compliance Plan Description
Length 40
Type Character
Format Uppercase

Record Reference(s) PCMP_CMPPLANLNG
PCMP_CMP_PLAN

PCMP_CMP_PLANNOTES

Default Label Notes
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PCMP_CMPPLNALNG
PCMP_CMP_PLANA

PCMP_CMP_PLANSEQ

Default Label Sequence Number
Length 3
Type Number
Format Uppercase



Record Reference(s) PCMP_CMPPLNALNG
PCMP_CMP_PLANA

PCMP_CMP_PLANYR

Default Label Compliance Plan Year
Length 4
Type Number
Format Uppercase

Record Reference(s) PCMP_CMPPLANLNG
PCMP_CMPPLNALNG

PCMP_CMP_PLAN
PCMP_CMP_PLANA
RUN_CNTL_PCMP2

PCMP_COMPL

Default Label Complaint Type
Length 8
Type Character
Format Uppercase

Record Reference(s) PCMP_COMPL

PCMP_COMPL_LANG
PCMP_RICOMPCLNG
PCMP_RICOMPLCOM
PCMP_RI_COMPL

PCMP_COMPL_COMM

Default Label Comments
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PCMP_RICOMPCLNG
PCMP_RICOMPLCOM



PCMP_COMPL_DESCR

Default Label Complaint Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) PCMP_COMPL
PCMP_COMPL_LANG

PCMP_COMPL_DT

Default Label Complaint Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PCMP_RICOMPCLNG
PCMP_RICOMPLCOM
PCMP_RI_COMPL

PCMP_COMP_REF

Default Label Reference Number
Length 20
Type Character
Format Mixedcase

Record Reference(s) PCMP_COMPREGEFF

PCMP_CREATION_DT

Default Label Creation Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PCMP_RIDEVACLNG



PCMP_RIDEVA_LNG
 PCMP_RIDEVRCLNG
 PCMP_RI_DEVACOM
 PCMP_RI_DEVAREA
 PCMP_RI_DEVRCOM
 PCMP_RI_DEV_REC
 RUN_CNTL_PCMP4

PCMP_DEV_ACT

Default Label Development Activity
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) PCMP_DEVACT_LNG
 PCMP_DEV_ACT

PCMP_DEV_AREA

Default Label Development Area
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) PCMP_DEVPLANLNG
 PCMP_DEV_PLAN
 PCMP_RECERT_TAO
 PCMP_RIDEVACLNG
 PCMP_RIDEVA_LNG
 PCMP_RI_DEVACOM
 PCMP_RI_DEVAREA

PCMP_DEV_COMM

Default Label Comments
 Length 0
 Type Long Character
 Format Uppercase



Format Uppercase

Record Reference(s) PCMP_DEVPLANLNG

PCMP_DEV_PLAN
PCMP_RIDEVACLNG
PCMP_RIDEVA_LNG
PCMP_RI_DEVACOM
PCMP_RI_DEVAREA

A Accomplishment
C Competency
G General Activity
T Training Course

PCMP_EXP_COMP_DT

Default Label Expected Completion Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PCMP_RI_DEV_REC

PCMP_KPI_BALANCE

Default Label Balance of Advice
Length 1
Type Character
Format Uppercase

Record Reference(s) PCMP_RI_KPIBALP

S Satisfactory
U Unsatisfactory

PCMP_KPI_COMM

Default Label Comments
Length 0
Type Long Character
Format Uppercase



Record Reference(s) PCMP_RIKPIRCLNG
 PCMP_RI_KPIREVC

PCMP_KPI_FROM_DT

Default Label From Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PCMP_RI_KPI_BAL
 PCMP_RI_KPI_COM
 PCMP_RI_KPI_FF
 PCMP_RI_KPI_NTU
 PCMP_RI_KPI_PER

PCMP_KPI_PERCENT

Default Label Percentage
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PCMP_RI_KPINTUP
 PCMP_RI_KPIPERP
 PCMP_RI_KPI_FF

PCMP_KPI_REV_DT

Default Label Review Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PCMP_RIKPIRCLNG
 PCMP_RI_KPIBALP
 PCMP_RI_KPINTUP
 PCMP_RI_KPIPERP
 PCMP_RI_KPIREVC



PCMP_RI_KPI_BAL
 PCMP_RI_KPI_COM
 PCMP_RI_KPI_FF

PCMP_RI_KPI_NTU
 PCMP_RI_KPI_PER
 PCMP_RI_KPI_REV

PCMP_KPI_TO_DT

Default Label To Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PCMP_RI_KPI_BAL
 PCMP_RI_KPI_COM
 PCMP_RI_KPI_FF
 PCMP_RI_KPI_NTU
 PCMP_RI_KPI_PER

PCMP_MGR_SUPER

Default Label Role
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PCMP_MGRSUP_RI
 PCMP_MGR_SUPER
 PCMP_REASS_AET
 PCMP_TERM_WL

M Manager
 S Supervisor

PCMP_MGR_SUPER_ID

Default Label EmplID
 Length 11
 Type Character



Format Uppercase

Record Reference(s) PCMP_MGRSUP_RI
PCMP_MGR_SUPER
PCMP_REASS_AET
PCMP_RECERT_AET
PCMP_RECERT_TAO
PCMP_TERM_WL
RUN_CNTL_PCMP5

PCMP_NOTIFY_ACTN_A

Default Label Notification Action
Length 80
Type Character
Format Mixedcase

Record Reference(s) PCMP_REG_AUTH
PCMP_RGAUTH_LNG

PCMP_NOTIFY_ACTN_C

Default Label Notification Action
Length 80
Type Character
Format Mixedcase

Record Reference(s) PCMP_REG_AUTH
PCMP_RGAUTH_LNG

PCMP_NOTIFY_ACTN_H

Default Label Notification Action
Length 80
Type Character
Format Mixedcase

Record Reference(s) PCMP_TYPE
PCMP_TYPE_LANG



Record Reference(s) PCMP_REG_AUTH

N	No
Y	Yes

PCMP_NOTIFY_CLS

Default Label Change of Classification

Length 1

Type Character

Format Uppercase

Record Reference(s) PCMP_REG_AUTH

N	No
Y	Yes

PCMP_NOTIFY_HIR

Default Label Hire

Length 1

Type Character

Format Uppercase

Record Reference(s) PCMP_TYPE

N	No
Y	Yes

PCMP_NOTIFY_MESS_A

Default Label Notification Message

Length 80

Type Character

Format Mixedcase

Record Reference(s) PCMP_REG_AUTH
PCMP_RGAUTH_LNG

PCMP_NOTIFY_MESS_C



PCMP_NOTIFY_TIME_A

Default Label Action Time Limit (Days)
Length 3
Type Number
Format Uppercase

Record Reference(s) PCMP_REG_AUTH

PCMP_NOTIFY_TIME_C

Default Label Action Time Limit (Days)
Length 3
Type Number
Format Uppercase

Record Reference(s) PCMP_REG_AUTH

PCMP_NOTIFY_TIME_H

Default Label Action Time Limit (Days)
Length 3
Type Number
Format Uppercase

Record Reference(s) PCMP_TYPE

PCMP_NOTIFY_TIME_J

Default Label Action Time Limit (Days)
Length 3
Type Number
Format Uppercase

Record Reference(s) PCMP_REG_AUTH

PCMP_NOTIFY_TIME_T



Default Label Action Time Limit (Days)
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PCMP_REG_AUTH

PCMP_NOTIFY_TRM

Default Label Job Termination
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PCMP_REG_AUTH

N No
 Y Yes

PCMP_OBSMODEL_DESC

Default Label Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PCMP_OBSMOD_LNG
 PCMP_OBS_MODEL

PCMP_OBS_COMM

Default Label Comments
 Length 0
 Type Long Character
 Format Uppercase

Record Reference(s) PCMP_OBMODC_LNG
 PCMP_OBMODECLNG
 PCMP_OBSMOD_COM
 PCMP_OBSMOD_ECM
 PCMP_RIOBSC_LNG



PCMP_RIOBSECLNG
 PCMP_RI_OBSECOM
 PCMP_RI_OBS_COM

PCMP_OBS_DT

Default Label Observation Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PCMP_RIOBSC_LNG
 PCMP_RIOBSECLNG
 PCMP_RI_OBS
 PCMP_RI_OBSECOM
 PCMP_RI_OBS_COM
 PCMP_RI_OBS_ELM
 RUN_CNTL_PCMP3

PCMP_OBS_ELEM

Default Label Observation Element
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) PCMP_OBMODECLNG
 PCMP_OBSELEMLNG
 PCMP_OBSMOD_ECM
 PCMP_OBSMOD_ELM
 PCMP_OBS_ELEM
 PCMP_RIOBSECLNG
 PCMP_RI_OBSECOM
 PCMP_RI_OBS_ELM

PCMP_OBS_ELEM_DESC

Default Label Description
 Length 30



Type Character
 Format Mixedcase

Record Reference(s) PCMP_OBSELEMLNG
 PCMP_OBS_ELEM

PCMP_OBS_ELEM_REQ

Default Label Required
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PCMP_OBSMOD_ELM
 PCMP_RI_OBS_ELM

N No
 Y Yes

PCMP_OBS_MODEL

Default Label Observation Model
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) PCMP_OBMODC_LNG
 PCMP_OBMODECLNG
 PCMP_OBSMOD_COM
 PCMP_OBSMOD_ECM

PCMP_OBSMOD_ELM
 PCMP_OBSMOD_LNG
 PCMP_OBS_MODEL
 PCMP_RIOBSC_LNG
 PCMP_RIOBSECLNG
 PCMP_RI_OBS
 PCMP_RI_OBSECOM
 PCMP_RI_OBS_COM
 PCMP_RI_OBS_ELM
 RUN_CNTL_PCMP3



PCMP_OBS_STATUS

Default Label Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PCMP_RI_OBS
 PCMP_RI_OBS_ELM

F Fail
P Pass

PCMP_PREV_CLASS

Default Label Previous Classification
Length 20
Type Character
Format Mixedcase

Record Reference(s) PRIORWRK_EX_LNG

PCMP_PREV_LEAVE

Default Label Reason for Leaving
Length 30
Type Character
Format Mixedcase

Record Reference(s) PRIORWRK_EX_LNG

PCMP_PRODTYP_DESCR

Default Label Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) PCMP_PRODTYPLNG
 PCMP_PROD_TYPE



PCMP_PRODUCT

Default Label Product
Length 6
Type Character

Format Uppercase

Record Reference(s) PCMP_COMPPRDEFF
PCMP_COMP_PROD
PCMP_PRODUCT
PCMP_PROD_LNG
PCMP_RI_KPINTUP
PCMP_RI_KPIPERP
PCMP_RI_PROD
PCMP_RI_PRODEFF

PCMP_PRODUCT_DESCR

Default Label Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) PCMP_PRODUCT
PCMP_PROD_LNG

PCMP_PROD_TYPE

Default Label Product Type
Length 6
Type Character
Format Uppercase

Record Reference(s) PCMP_COMPPRDEFF
PCMP_COMP_PROD
PCMP_PRODTYPLNG
PCMP_PRODUCT
PCMP_PROD_LNG



PCMP_PROD_TYPE
 PCMP_RI_KPIBALP
 PCMP_RI_KPINTUP
 PCMP_RI_KPIPERP
 PCMP_RI_PROD
 PCMP_RI_PRODEFF

PCMP_REASS_EMPLID

Default Label Emplid
 Length 11
 Type Character
 Format Uppercase

Record Reference(s) PCMP_REASS_AET
 RUN_CNTL_PCMP1

PCMP_REASS_EMPREC

Default Label Empl Rcd Nbr
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PCMP_REASS_AET
 RUN_CNTL_PCMP1

PCMP_REASS_OPT

Default Label Reassignment Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PCMP_REASS_AET
 RUN_CNTL_PCMP1

A All Individuals
 S Single Individual



PCMP_REASS_SEL

Default Label	Reassignment Selection
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RUN_CNTL_PCMP1

R	Regulated Individuals
S	Compliance Supervisors

PCMP_REGISTERED_DT

Default Label	Date Registered
Length	10
Type	Date
Format	Uppercase

Record Reference(s) PCMP_RI

PCMP_REG_AUTH

Default Label	Regulatory Authority
Length	10
Type	Character
Format	Uppercase

Record Reference(s) PCMP_CLASS

- PCMP_CLASS_COMM
- PCMP_CLASS_LANG
- PCMP_CLSSCOMLNG
- PCMP_COMPREGEFF
- PCMP_COMP_REG
- PCMP_DEVPLANLNG
- PCMP_DEV_PLAN
- PCMP_MGRSUP_RI
- PCMP_REASS_AET
- PCMP_REG_AUTH
- PCMP_RGAUTHCLNG
- PCMP_RGAUTH_COM



PCMP_RGAUTH_LNG
PCMP_RI

PCMP_RICHCOMLNG
PCMP_RICOMPCLNG
PCMP_RICOMPLCOM
PCMP_RIDEVACLNG
PCMP_RIDEVA_LNG
PCMP_RIDEVRCLNG
PCMP_RIKPIRCLNG
PCMP_RIOBSC_LNG
PCMP_RIOBSECLNG
PCMP_RI_CHK
PCMP_RI_CHKCOMM
PCMP_RI_CLASS
PCMP_RI_COMPL
PCMP_RI_DEVACOM
PCMP_RI_DEVAREA
PCMP_RI_DEVRCOM
PCMP_RI_DEV_REC
PCMP_RI_KPIBALP
PCMP_RI_KPINTUP
PCMP_RI_KPIPERP
PCMP_RI_KPIREVC
PCMP_RI_KPI_BAL
PCMP_RI_KPI_COM
PCMP_RI_KPI_FF
PCMP_RI_KPI_NTU
PCMP_RI_KPI_PER
PCMP_RI_KPI_REV
PCMP_RI_OBS
PCMP_RI_OBSECOM
PCMP_RI_OBS_COM
PCMP_RI_OBS_ELM
PCMP_RI_PROD
PCMP_RI_PRODEFF
RUN_CNTL_PCMP1
RUN_CNTL_PCMP3
RUN_CNTL_PCMP4

PCMP_REG_AUTH_COMM



PCMP_RI_COMPL

Default Label	Number of Complaints
Length	4
Type	Number
Format	Uppercase

Record Reference(s) PCMP_RI_KPI_COM

PCMP_RI_STATUS

Default Label	Status
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PCMP_MGRSUP_RI
PCMP_REASS_AET

A	Active
I	Inactive

PCMP_TARGET_EMPLID

Default Label	Compliance Supervisor
Length	11
Type	Character
Format	Uppercase

Record Reference(s) PCMP_REASS_AET
RUN_CNTL_PCMP1

PCMP_TYPE

Default Label	Professional Compliance Type
Length	3
Type	Character
Format	Uppercase

Record Reference(s) PCMP_CLASS
PCMP_CLASS_COMM



PCMP_CLASS_LANG
PCMP_CLSSCOMLNG
PCMP_COMPREGEFF
PCMP_COMP_REG
PCMP_DEVPLANLNG
PCMP_DEV_PLAN
PCMP_MGRSUP_RI
PCMP_REASS_AET
PCMP_REG_AUTH
PCMP_RGAUTHCLNG
PCMP_RGAUTH_COM
PCMP_RGAUTH_LNG
PCMP_RI
PCMP_RICHCOMLNG
PCMP_RICOMPCLNG
PCMP_RICOMPLCOM
PCMP_RIDEVACLNG
PCMP_RIDEVA_LNG
PCMP_RIDEVRCLNG
PCMP_RIKPIRCLNG
PCMP_RIOBSC_LNG
PCMP_RIOBSECLNG
PCMP_RI_CHK
PCMP_RI_CHKCOMM
PCMP_RI_CLASS
PCMP_RI_COMPL
PCMP_RI_DEVACOM
PCMP_RI_DEVAREA
PCMP_RI_DEVRCOM
PCMP_RI_DEV_REC
PCMP_RI_KPIBALP
PCMP_RI_KPINTUP
PCMP_RI_KPIPERP
PCMP_RI_KPIREVC
PCMP_RI_KPI_BAL
PCMP_RI_KPI_COM
PCMP_RI_KPI_FF
PCMP_RI_KPI_NTU
PCMP_RI_KPI_PER
PCMP_RI_KPI_REV
PCMP_RI_OBS
PCMP_RI_OBSECOM
PCMP_RI_OBS_COM



PCMP_RI_OBS_ELM
 PCMP_RI_PROD
 PCMP_RI_PRODEFF
 PCMP_TYPE
 PCMP_TYPE_COMM
 PCMP_TYPE_JOB_CD
 PCMP_TYPE_LANG
 PCMP_TYP_COMLNG
 RUN_CNTL_PCMP3
 RUN_CNTL_PCMP4

PCMP_TYPE_COMMENTS

Default Label Comments
 Length 0

Type Long Character
 Format Uppercase

Record Reference(s) PCMP_TYPE_COMM
 PCMP_TYP_COMLNG

PCMP_TYPE_DESCR

Default Label Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PCMP_TYPE
 PCMP_TYPE_LANG

PCODEFUNCTIONNAME

Default Label Function Name
 Length 25
 Type Character
 Format Mixedcase

Record Reference(s) XMLSERVICEINFO



PCODEWIP

Default Label PeopleCode Work-In-Progress
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

PCODE_LOCATION

Default Label PeopleCode Location
Length 90
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_MGCP_TBL

PCT_BENEFIT_PAID

Default Label Percent of Benefits Paid
Length 10
Type Number
Format Uppercase

Record Reference(s) R_FINAL_RESULTS

PCT_CONTINUED

Default Label Percent Continued to Survivor

Length 6
Type Number
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_DFN_OPT_FORM
PA_RT_EMP_FORM



PA_RT_PAY_DETL
 PA_RT_PAY_SCHED
 PA_TE_SPMT

PCT_CONTINUE_ALIAS

Default Label Percent Continued Alias Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

PCT_CONTINUE_TYPE

Default Label Percent Continued Field Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

A Alias Name
 N Numeric Constant

PCT_CONTINU_ALIAST

Default Label Pct Continued Alias Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

PCT_EE_INV_AB_TH

Default Label Pct Empl Invest Above Threshld
 Length 7
 Type Number
 Format Uppercase



Record Reference(s) SAVINGS_PLN_TBL

PCT_EE_INV_AT_AB_T

Default Label Pct Empl Inv AT Above Threshld
Length 7
Type Number
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL

PCT_EMPL_CONTRBUTN

Default Label Percent of Employee Contributn
Length 7
Type Number
Format Uppercase

Record Reference(s) FSA_BENEF_TBL
SVC_STEP_PCT

PCT_EMPL_INVESTMNT

Default Label Percent of Employee Investment
Length 7
Type Number
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL
SVC_STEP_PCT

PCT_EMPL_INV_ATAX

Default Label Matching Percent After Tax
Length 7
Type Number
Format Uppercase



Record Reference(s) SAVINGS_PLN_TBL

PCT_GROSS

Default Label Percent of Gross
Length 7
Type Number
Format Uppercase

Record Reference(s) BAS_PARTIC_PLAN

BEN_PLAN_DATA
BN_SNAP_PLAN
SAVINGS_PLAN
TOTAL_DED
W3EB_BENEF_SMRY

PCT_GROSS_ATAx

Default Label Percent of Gross After-Tax
Length 7
Type Number
Format Uppercase

Record Reference(s) BAS_PARTIC_PLAN

BEN_PLAN_DATA
BN_SNAP_PLAN
SAVINGS_PLAN

TOTAL_DED
W3EB_BENEF_SMRY

PCT_OF_SALARY

Default Label Percent of Salary
Length 7
Type Number
Format Uppercase

Record Reference(s) LIMIT_TBL



SALARY_RATE_TBL
UPG_BN_LMT_TMP2

PCT_OF_SAL_EMPL

Default Label Employee Portion
Length 6
Type Number
Format Uppercase

Record Reference(s) SALARY_RATE_TBL

PCT_OF_SAL_EMPLR

Default Label Employer Portion
Length 6
Type Number
Format Uppercase

Record Reference(s) SALARY_RATE_TBL

PCT_OVER_STEP

Default Label Pct Over Contribution Step
Length 7
Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PCT_PER_POINT

Default Label Percent per point
Length 6
Type Number
Format Uppercase

Record Reference(s) HR_SP_MER1_TAO
HR_SP_MER2_TAO



HR_SP_MER3_TAO
 MERIT_GROUP_TBL
 REVW_SCALE_TBL
 SP_MER_INCR_EE
 SP_MER_INCR_RNG
 SP_MER_INCR_TBL

PCT_RSLT_VAL

Default Label Percent Result Value
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) GPDE_AL_ERN_DED

GPDE_BL
 GPDE_RP_AL01
 GPDE_RP_AL04
 GPDE_RP_AL05
 GPDE_RP_TX03
 GPDE_TA_EL_TMP
 GPES_PSLIP_TMP2
 GPES_PSLIP_TMP4
 GPFR_PS_ERN_TMP
 GPIN_PR_TMP2
 GPIN_PR_TMP3
 GPIT_FCUD_T1
 GPIT_RP_AL01
 GPIT_RP_TX01
 GPIT_RP_TX02
 GPMY_PR_TMP2
 GPMY_PR_TMP3
 GPNL_PS_ERN_TMP
 GP_GENRPT_TMP2
 GP_RSLT_ERN_DED

PCT_TD1_CHANGE_QC

Default Label Percent TD1 Change (Quebec)
 Length 7



Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PC_ACTION

Default Label Project Control Action
Length 1
Type Character
Format Uppercase

Record Reference(s) PROJ_STATUS_CTL

PC_ACT_OPTION

Default Label Activities from Project Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PROJECT

PC_ACT_USERAMT1

Default Label Amount 1
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

PC_ACT_USERAMT2

Default Label Amount 2
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PROJ_ACTIVITY



PC_ACT_USERAMT3

Default Label Amount 3
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

PC_ACT_USER_DT1

Default Label Date 1
Length 10
Type Date
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

PC_ACT_USER_DT2

Default Label Date 2
Length 10
Type Date
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

PC_DISTRIB_STATUS

Default Label Projects Distribution Status
Length 1
Type Character
Format Uppercase

Record Reference(s) KK_BUDGET_LN
TL_PAYABLE_TMP
UPG_TL_AET



D Distributed
 F Finalized
 G Generated
 H Hold
 I Ignore
 M Modified
 N None

PC_EVENT_TYPE

Default Label PeopleCode Event Name
 Length 14
 Type Character
 Format Mixedcase

Record Reference(s) PSROLEDEFN

PC_FUNCTION_NAME

Default Label PeopleCode Function Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) EO_DSDNMAP
 EO_DSMAP
 EO_DSOPTATTRMAP
 EO_DSREQATTRMAP
 PSROLEDEFN

PC_INDENT_LEVEL

Default Label Tree Indent Level
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PROJECT



PC_MILESTONE_FLG

Default Label Milestone Activity
Length 1
Type Character
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

PC_MSP_PROJ_ID

Default Label Unique MSP Project ID
Length 22
Type Character
Format Uppercase

Record Reference(s) PROJECT

PC_MSP_UNIQUE_ID

Default Label Proj Act Unique ID
Length 22
Type Character
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

PC_MSP_USR1

Default Label Microsoft User Define1
Length 10
Type Character
Format Uppercase

Record Reference(s) PROJECT



Length 40
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJ_ACTIVITY

PC_SCH_FIELD3

Default Label Field3
Length 40
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJ_ACTIVITY

PC_SCH_FIELD4

Default Label Field4
Length 40
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJ_ACTIVITY

PC_SCH_FIELD5

Default Label Field5
Length 40
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJ_ACTIVITY



PC_SCH_FIELD6

Default Label Field6
Length 40
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJ_ACTIVITY

PC_SCH_FIELD7

Default Label Field7
Length 40
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJ_ACTIVITY

PC_SCH_FIELD8

Default Label Field8
Length 100
Type Character
Format Uppercase

Record Reference(s) PROJECT

PC_SCH_PRODUCT

Default Label Scheduling Product Code

Length 3
Type Character
Format Uppercase

Record Reference(s) PROJECT



PC_STATUS_PATH_FLG

Default Label Use Status Path
Length 1
Type Character
Format Uppercase

Record Reference(s) PROJ_TYPE_TBL

PC_USER_CURRENCY

Default Label Project User Currency
Length 3
Type Character
Format Uppercase

Record Reference(s) PROJECT
 PROJ_ACTIVITY

PC_WBS_ID

Default Label Work Breakdown Structure ID
Length 20
Type Character
Format Uppercase

Record Reference(s) PROJ_ACTIVITY

PD_ALLOC

Default Label Period Allocation
Length 19
Type Number
Format Uppercase

Record Reference(s) CAL_DETP_TBL

PD_ALLOC_TOTAL

Default Label Total Allocation Periods



Length 19
 Type Number
 Format Uppercase

Record Reference(s) CAL_DETP_TBL

PD_LEAVE_AMT

Default Label Paid Leave Amount

Length 11
 Type Number
 Format Uppercase

Record Reference(s) ROE

PD_LEAVE_INTERVAL

Default Label Paid Leave Interval

Length 1
 Type Character
 Format Uppercase

Record Reference(s) ROE

D Daily
 W Weekly

PD_LEAVE_START_DT

Default Label Paid Leave Start Date

Length 10
 Type Date
 Format Uppercase

Record Reference(s) ROE

PENSION1_FRA

Default Label Pension 1



Length 5
 Type Character
 Format Uppercase

Record Reference(s) UPG_HR75_AET

PENSION2_FRA

Default Label Pension 2
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) UPG_HR75_AET

PENSION_BASE

Default Label Salary for Pension Calculation
 Length 11
 Type Number
 Format Uppercase

Record Reference(s) BAS_PARTIC_PLAN
 PENSION_PLAN

PENSION_CMP_CD_FRA

Default Label Pension Company Code
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) UPG_HR75_AET

PENSION_PLAN

Default Label Retirement Plan
 Length 1



Type Character
 Format Uppercase

Record Reference(s) FED_TAX_DATA
 PY_IC_W4_AUDIT
 W2C_DATA
 W2_DATA
 YE_DATA
 YE_W2C_DATA

PENSION_STATUS

Default Label Pension Status
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PA_EMP_PEN_STAT
 PA_PENSION_STAT
 PA_PEN_VAL

- A70 Active-Over Age 70 1/2
- ANP Active-Not Yet Participating
- ANS Active-Not Accruing Service
- APR Active Participant
- AVS Active-Accrue Vesting Only
- BDF Beneficiary-Deferred Benefit
- BPY Beneficiary-In Pay Status
- BST Beneficiary-Payment Complete
- DDF Disability Retire-Deferred
- DPY Disability Retire-In PayStatus
- DST Disability Retire-Pmt Complete
- QDF Alt Payee - Deferred Benefit
- QPY Alt Payee - In PayStatus
- QST Alt Payee - Payment Complete
- RDF Retired-Deferred Benefit
- RPY Retired-In Pay Status
- RST Retired-Payment Complete
- TDF Terminated-Deferred Benefit
- TNV Terminated-Not Vested
- TPY Terminated-In Pay Status
- TST Terminated-Payment Complete



XBP Deceased-With Beneficiary
 XNB Deceased-No Benefit/Benefic

PENSION_ST_IND

Default Label Pension Status Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_PRDIC_RSLT
 PA_RUN_CNTL

PENSION_TYPE

Default Label Pension Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PENSION_PLN_TBL

B Defined Benefit
 M Money Purchase
 N Non Qualified
 Q Qualified

PENSION_YTD_BASED

Default Label Based on Actual YTD
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PENSVC_STAT

Default Label Pen Svc Stat For Multi Job
 Length 1



Type Character
Format Uppercase

Record Reference(s) PA_FNC_RSLT_TBL

PENS_ADJ_CAL_YEAR

Default Label Pension Adjustment Calendar Yr
Length 4
Type Number
Format Uppercase

Record Reference(s) RC_CAN_YE

PENS_ADJ_PAY_PDS

Default Label Pension Adj Pay Periods
Length 2
Type Number
Format Uppercase

Record Reference(s) RC_CAN_YE

PENS_FUND_CD_FRA

Default Label Pension/Contingency Funds Code
Length 6
Type Character
Format Uppercase

Record Reference(s) COMP_PENS_FRA

- EE_PENSION_FRA
- ESTAB_PENS_FRA
- FUND_FRA_LANG
- GPFR_ASS_AET
- PENS_FND_CD_FRA
- PENS_FUND_FRA



PENS_FUND_INST_FRA

Default Label Pension Institution Number
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) COMP_PENS_FRA
 EE_PENSION_FRA
 ESTAB_PENS_FRA
 FUND_FRA_LANG
 PENS_FUND_FRA

PENS_RT_TBL_TYPE

Default Label Pension Rate Table Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PENSION_PLN_TBL

F	Fixed Rate
N	None
S	Slide Rate

PEN_CNTRB_STEP

Default Label Pension Contribution Step
 Length 11
 Type Number
 Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PEOPLECODECOUNT

Default Label PeopleCodeCount
 Length 10
 Type Number
 Format Uppercase



Record Reference(s) BAT_TIMINGS_DTL

PEOPLECODESQLTIME

Default Label PeopleCodeSQLTime
Length 15
Type Number
Format Uppercase

Record Reference(s) BAT_TIMINGS_DTL

PEOPLECODETIME

Default Label PeopleCodeTime
Length 15
Type Number
Format Uppercase

Record Reference(s) BAT_TIMINGS_DTL

PER053_TABLE1

Default Label Table 1
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053

PER053_TABLE2

Default Label Table 2
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053



PER053_TABLE3

Default Label Table 3
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053

PER053_TABLE4

Default Label Table 4
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053

PER053_TABLE5

Default Label Table 5
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053

PER053_TABLE6

Default Label Table 6
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053



PER053_TABLE7

Default Label Table 7
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053

PER053_TABLE8

Default Label Table 8
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_PER053

PERCENTAGE

Default Label FTE Percentage
Length 7
Type Signed Number
Format Uppercase

Record Reference(s) BD_DISTR_TBL

BP_BNFT_DIS_EXP
BP_EARN_DIS_EXP
BP_IMPT_HR_AET
BP_SAL_DIS_EXP
BP_TAX_DIS_EXP
PROJ_ACT_TEAM
TL_TA_MAIN_AET

PERCENTCHG

Default Label Calculation Percent
Length 8
Type Number



Format Uppercase

Record Reference(s) FA_CALC_RL_TBL
GVT_RUN_CNTL
RUN_CNTL_HR
Z_LC_RUNCTL

PERCENT_CALC

Default Label Percent Calculation
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_EVENT_CLASS
BAS_PARTIC_PLAN
BEN_BI_ENR_EFDT

PERCENT_COMPLETE

Default Label Percent Complete
Length 6
Type Number
Format Uppercase

Record Reference(s) PROJECT
PROJECT_STATUS
PROJ_ACTIVITY
PROJ_STATUS_TBL

PERCENT_EFFORT

Default Label % Effort
Length 6
Type Number
Format Uppercase

Record Reference(s) DEPT_BUDGET_ERN



PERCENT_FRACTION

Default Label	Percentages or Fractions
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PA_DFN_AGE_ADJ
	PA_DFN_DEATH

F	Fractions
P	Percentages

PERCENT_INCREASE

Default Label	Percent Increase
Length	7
Type	Signed Number
Format	Uppercase

Record Reference(s)	RUN_CNTL_BUDEPT
---------------------	-----------------

PERCENT_OF_FWT

Default Label	% of Federal Withholding
Length	6
Type	Number
Format	Uppercase

Record Reference(s)	STATE_TAX_DATA
---------------------	----------------

PERCENT_RATE

Default Label	Percent
Length	6
Type	Number
Format	Uppercase

Record Reference(s)	EG_TEACHING
	GPMX_ST_TAX_WA



GP_NET_DIST_DTL
 GP_NET_DST1_TMP
 GP_NET_DST2_TMP

PERCENT_RULE

Default Label Percent Rule
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ELECT_ROLL

PERCENT_TD1_CHANGE

Default Label Percent TD1 Change
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) RC_CAN_YE
 RC_CAN_YE_PROV

PERCENT_TYPE

Default Label Type of Percentages
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_DEATH

A Age Based
 L Length of Coverage Based

PERFORM_GROUP_GER

Default Label Performance Group
 Length 2



Type Character
 Format Uppercase

Record Reference(s) GPDE_RP_0001
 JOBCOMP_TMP_MC
 JOB_TMP_MC

- A1 Blue Collar Performance G1
- A2 Blue Collar Performance G2
- A3 Blue Collar Performance G3
- K2 Commercial White Collar G2
- K3 Commercial White Collar G3
- K4 Commercial White Collar K4
- K5 Commercial White Collar K5
- T2 Technical White Collar G2
- T3 Technical White Collar G3
- T4 Technical White Collar G4
- T5 Technical White Collar G5

PERIODIC_CYCLE

Default Label Periodic Cycle
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_PRDIC_RSLT
 PA_RUN_CNTL

- A Annual Cycle
- M Monthly Cycle
- Q Quarterly Cycle

PERIODS

Default Label over Periods
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_AGE_TBL
 PA_DFN_DEATHCOV



PERIODS_ADD_TYPE

Default Label	Periods to Add Field Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) EG_DFN_SVC_STAT

PA_DFN_SVC_STAT

N	Numeric Constant
V	Variable by employee

PERIODS_OPTION

Default Label	Duration Option
Length	10
Type	Character
Format	Uppercase

Record Reference(s) PA_DFN_DEATH

M	Monthly Periods
Y	Yearly Periods

PERIODS_TO_ADD

Default Label	Periods to Add
Length	3
Type	Number
Format	Uppercase

Record Reference(s) EG_DFN_SVC_STAT
PA_DFN_SVC_STAT

PERIOD_ABBRV

Default Label	Abbreviation
Length	3
Type	Character



Format Mixedcase

Record Reference(s) BALANCE_ID_DEF

BALANCE_ID_QTR
BAL_ID_DEF_LANG
BAL_ID_QTR_LANG
CAL_DETP_TBL
EG_CAL_DETP_TBL

PERIOD_BEGIN_DT

Default Label Period Begin Date
Length 10
Type Date
Format Uppercase

Record Reference(s) BAS_OE_DEFN

BAS_SNP_DFN
BEN_BI_CALENDAR
EP_APPR
EP_CR_APPR_AET
GPFR_DA_AET
GPMX_ST_TAX_WA
HR_SP_MER3_TAO
REV_DEF_TBL_JPN
RUNCTL_EP
RUN_CNTL_CBR

R_BEN_BI_HIST
SP_MER_APPR_TMP
SP_MER_INCR_EE
ST_ESPPMAIN_AET
ST_ESPP_PRC_AET
ST_ESPP_PUR_AET
ST_OFFERING_PD
ST_OFFR_VAL_DTL
ST_PARTIC_AET
ST_PURCHASE_PD
TL_VALID_TR



PERIOD_BEGIN_NLD

Default Label Begin Period
Length 10
Type Date
Format Uppercase

Record Reference(s) INC_DEDUCT_NLD
INC_EARNING_NLD
UPG_INCDNLD_TAO
UPG_INCENLD_TAO

PERIOD_BEL

Default Label Number of months
Length 3
Type Number
Format Uppercase

Record Reference(s) CNT_END_TBL_BEL
CNT_RSN_TBL_BEL
REDUCT_TBL_BEL

PERIOD_DAYS

Default Label Period/Duration Days
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) EG_DATE
PA_DATE

PERIOD_DAYS_ALIAS

Default Label Period/Duration Days
Length 10
Type Character
Format Uppercase

Record Reference(s) EG_DATE



PA_DATE

PERIOD_DAYS_ALIAST

Default Label Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DATE EG_DATE

PERIOD_DAYS_TYPE

Default Label Period/Duration Days
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DATE EG_DATE

A Alias Name
N Numeric Constant

PERIOD_DUR1_ALIAS

Default Label Period/Duration 1 Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DATE EG_DATE

PERIOD_DUR1_ALIAST

Default Label Alias Type
Length 2



Type Character
 Format Uppercase

Record Reference(s) PA_DATE EG_DATE

PERIOD_DUR1_IND

Default Label Type of Period/Duration
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DATE EG_DATE

D Decimal
 Y Years

PERIOD_DUR1_TYPE

Default Label Period/Duration 1 Field Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DATE EG_DATE

A Alias Name
 N Numeric Constant

PERIOD_DURATION1

Default Label Add Time to Date
 Length 11
 Type Signed Number
 Format Uppercase

Record Reference(s) PA_DATE EG_DATE



ST_MANL_SUM_TAO
ST_OFFERING_PD
ST_OFFER_EST
ST_OFFR_VAL_DTL
ST_PARTIC_AET
ST_PENDING_CNT
ST_PRCSGRP_AET
ST_PRDISP_AET
ST_PURCHASES
ST_PURCHASE_PD
ST_PURCHASE_PRC
ST_PURCHASE_TAO
ST_PURCHASE_TBL
ST_PURCH_PARTIC
ST_PUR_CNTR_TAO
ST_REFUND_CNT
ST_REFUND_DTL
ST_REFUND_ESPP

ST_REFUND_TAO
ST_SELF_SRV_CNT
ST_SPLIT10A_TAO
ST_SPLIT10B_TAO
ST_SPLIT10C_TAO
ST_SPLIT10_TAO
ST_USALL_TAO
ST_USSUM_TAO
TL_VALID_TR

PERIOD_END_NLD

Default Label End Period
Length 10
Type Date
Format Uppercase

Record Reference(s) INC_DEDUCT_NLD
 INC_EARNING_NLD
 UPG_INCDNLD_TAO
 UPG_INCENLD_TAO



PERIOD_ID

Default Label	Time Period ID
Length	12
Type	Character
Format	Uppercase

Record Reference(s) LMS_PERIOD_LNG

- LMS_PERIOD_TBL
- LMS_PRORATE_TBL
- RC_WP_AGRT_RPT
- RC_WP_ELIG
- RC_WP_IND_RPT
- RUN_CNTL_WP
- TL_ATTEND_AET
- TL_ATTEND_PGM
- TL_CALENDAR
- TL_EMPL_DATA
- TL_OT_SETUP_TBL
- TL_RULE_DEFN
- TL_RUN_CAL_OPT1
- TL_TA_ARCH_RMAP
- TL_TIME_AET
- TL_TIME_PERIODS
- TL_TIME_PER_LAN
- TL_TMPLT_RULE
- TL_WRKGRP_TBL
- WP_AGRT_EE_INRT
- WP_AGRT_EE_VST
- WP_AGRT_PERIOD
- WP_EE_AGRT_PER
- WP_EE_FUND
- WP_EE_FUND_DET
- WP_EE_INTEREST
- WP_ELIG_AET
- WP_EXT_PAYDATA
- WP_FORMULA_AET

- WP_PAYMT_AET
- WP_PSHARING_AET
- WP_PSHARING_MSG



PERIOD_INSTANCE

Default Label Sequence Number
Length 10
Type Number
Format Uppercase

Record Reference(s) TL_WRK_P_1_RCD

PERIOD_LENGTH

Default Label Period Length in days
Length 3
Type Number
Format Uppercase

Record Reference(s) TL_TIME_AET
 TL_TIME_PERIODS

PERIOD_MAX

Default Label Period Maximum
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OTH_TAX_TBL

PERIOD_METHODS

Default Label Break-In-Svc Methods
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARNHIR
 PA_CONS_EARNTER
 PA_CONS_HOURHIR
 PA_CONS_HOURTER



A Annualize
I Ignore
S Use As Is
U User Code

PERIOD_MNTH_ALIAST

Default Label Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) EG_DATE
PA_DATE

PERIOD_MONTH

Default Label Period/Duration Months
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) EG_DATE
PA_DATE
TL_INSTALLATION

PERIOD_MONTH_ALIAS

Default Label Period/Duration Months
Length 10
Type Character
Format Uppercase

Record Reference(s) EG_DATE
PA_DATE

PERIOD_MONTH_TYPE

Default Label Period/Duration Months



Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DATE
 PA_DATE

A Alias Name
 N Numeric Constant

PERIOD_NAME

Default Label Period Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) BALANCE_ID_DEF
 BALANCE_ID_QTR
 BAL_ID_DEF_LANG
 BAL_ID_QTR_LANG
 CAL_BP_TBL
 CAL_DETP_TBL
 EG_CAL_DETP_TBL

PERIOD_NUM

Default Label Number of Periods
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_AGE_ADJ
 PA_DFN_DEATH

PERIOD_OPTN

Default Label Period Option
 Length 1
 Type Character



Format Uppercase

Record Reference(s) GP_DURATION

D	Days
M	Months
Y	Years

PERIOD_PCT

Default Label Percent per Period
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_AGE_TBL
 PA_DFN_DEATHAGE
 PA_DFN_DEATHCOV

PERIOD_PRC5_DT

Default Label Period Process Date
Length 10
Type Date
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
 TL_PAYLABR_XREF
 UPG_TL_AET

PERIOD_SEQUENCE

Default Label Sequence Number of Period ID
Length 10
Type Number
Format Uppercase

Record Reference(s) TL_CALENDAR
 TL_WRK_P_1_RCD



Type Character
 Format Uppercase

Record Reference(s) PA_DFN_AVGEARN

PERIOD_STOP_DATE

Default Label Stop Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_DFN_AVGEARN
 ST_ESPP_PUR_AET

PERIOD_STOP_TYPE

Default Label Stop Date Field Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_AVGEARN

A Alias Name
 D Date Constant

PERIOD_TYPE

Default Label Period Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) TL_CALENDAR
 TL_TIME_AET
 TL_TIME_PERIODS

CO Complex Type
 FD Fixed Day Type
 FM Fixed Month Type



FW Fixed Week Type
 RE Repeating Type

PERIOD_TYPE1

Default Label Period Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) TL_RUN_CAL_OPT1

FD Day
 FM Month
 FW Week
 RE Repeating

PERIOD_UNIT

Default Label Unit of the Period
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DFN_SVC_STAT
 PA_DFN_SVC_STAT

D Days
 M Months
 W Weeks
 Y Years

PERIOD_UNITY_BEL

Default Label Periode unity
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) RUN_CNTL_HR_BEL

1 Weeks



2 Months
3 Days

PERIOD_WEEKS

Default Label Weeks in this Period
Length 2
Type Number
Format Uppercase

Record Reference(s) PAY_CALENDAR

PERMANENCY_NLD

Default Label Permanent/Incidental
Length 1
Type Character
Format Uppercase

Record Reference(s) DEDUCTION_TBL
EARNINGS_TBL

B Both
I Incidental
P Permanent

PERMLISTDESC

Default Label Permission List Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPERMLIST_RMT

PERMLISTID

Default Label Permission List
Length 30
Type Character



Length 10
 Type Date
 Format Uppercase

Record Reference(s) PERS_REGIST_BEL

PERS_REG_NBR_BEL

Default Label Personnel Registr Nbr
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PERS_REGIST_BEL

PERUNIT_OVR_RT

Default Label Unit/Override Rate
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) EARNINGS_TBL

PER_EE_COST

Default Label Per Employee Cost
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) TRAINING032_AET

- TRN032_TAO
- TRN_EEEQUIP_CST
- TRN_EEEXPN_COST
- TRN_EEFACIL_CST
- TRN_EEINST_COST
- TRN_EEPROV_COST
- TRN_EESAL_COST
- TRN_SSEXPN_COST



PER_INSTANCE

Default Label Quantity per instance
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) TL_TRC_TBL

PER_INST_OVR_FLAG

Default Label Is per_instance overridable?
Length 1
Type Character

Format Uppercase

Record Reference(s) TL_TRC_TBL

PER_START_ALIAST

Default Label
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_AVGEARN

PER_STATUS

Default Label Personnel Status
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIT_PERSONAL
 FAST_SCRTY1_AET
 FAST_SCRTY_1



FPAPERSON_HIST
 GVT_PERS_DATA
 GVT_PERS_TEMP
 OPR_ROWS_EE
 OPR_ROWS_EE2
 OPR_ROWS_EE_TRN
 OPR_ROWS_NOPRQ
 PERSON
 PERSONNEL_RPT
 PERSONNEL_TAO
 RUN_CNTL_HR
 Z_AUDIT_PERS
 Z_FAST_SCRTY_1

E Employee
 N Non-Employee

PER_TYPE

Default Label Person Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) FPAPEREFFDT_HIS

GVT_PERS_DATA
 GVT_PERS_TEMP
 PERSONNEL_RPT
 PERSONNEL_TAO
 PERS_DATA_EFFDT

C Cobra Participant
 D GP Dependent/Beneficiary
 E Leased Worker
 H Prehire
 I Independent Contractor

 L Time & Labor Contractor
 M Temporary Worker
 N Non HR Administered Employee
 O Other Non-Employee
 P Pension Payee
 S Stock Non-Employee



T Training Non-Employee
 U Succession Candidate Non-Empl

PER_UNIT_COST

Default Label Per Unit Cost
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) CRSE_SESSN_COST

- CRSE_SESS_DATES
- CRSE_SESS_EQUIP
- CRSE_SESS_INSTR
- CRSE_SESS_PROVD
- DEC2483_FRA_AET
- EDIT_2483G_FRA
- RUN_CNTL_HR
- TRAINING013_AET
- TRAINING_AET
- TRN_EE_SAL_COST
- TRN_EQUIP_COST
- TRN_EXPNS_COST
- TRN_FACIL_COST
- TRN_FACIL_EQUIP
- TRN_INSTRCT_TBL
- TRN_INSTRC_COST
- TRN_JOB_SL_COST
- TRN_PROV_COST
- TRN_ROOM_TAO
- TRN_ROOM_TBL
- TRN_VENDOR_TBL
- UPG_HR75TRN_AET

PER_YEAR_EXPN

Default Label 402(g) Per Year Max Average
 Length 11
 Type Number
 Format Uppercase

Record Reference(s) LIMIT_TBL



UPG_BN_LMT_TMP2

PF_ACCOUNT_SW

Default Label Performance Measurement
Length 1
Type Character
Format Uppercase

Record Reference(s) GL_ACCOUNT_TBL

PF_BATCH_NUM

Default Label Last Batch Number
Length 6
Type Number
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_PF

PGM_FLOW_CNTL

Default Label Program Flow Control
Length 1
Type Character
Format Uppercase

Record Reference(s) UPG_BN_AET
UPG_EP_AET
UPG_PA_AET

PGM_NAME

Default Label Program Name
Length 8
Type Character
Format Uppercase



Record Reference(s) PA_EE_ERR_TBL
SQLSTMT_TBL

PHONE

Default Label Telephone
Length 24
Type Character
Format 14

Record Reference(s) AUTOPOP_PHN_TMP

COMPANY_STATS
CONTRCT_DTA_BEL
DUPLICATE_SET
GARN_PAYEE_TMP
GARN_SPEC
GA_PRV_OUTDOC
GPCH_RP_PK01
GPCH_RP_SI03
GPCH_RP_TX05C
GPCH_SI_COMPANY
GPDE_DV_RUN_DSK
GPGB_PYENT
GPIT_CUD_RP_P1
GPIT_FCUD_T2
GPJP_YEA_TABLE
GPSG_IR21_HDR
GPSG_IRAS_CPY
GVT_CAR_INTRFC
GVT_GARN_PAYEE

GVT_GARN_SPEC
GVT_MASSORGPAET
GVT_POI_TBL
HRAU_PSMPC_AET
OHS501UK_TMP2
OSHA_301_REPORT
PA_QDRO_COM
PERSONNEL_RPT
PERSONNEL_TAO
RC_QTR_UI
RP_QUEUE_PHN



RUN_CNTL_HR
 RUN_CNTL_HR_NLD
 RUN_FGSF75
 RUN_ILL_HR_NLD
 SHS_ESTAB_TAO
 SHS_EXEMPT_TAO
 UPG_ER_AET
 UPG_HR75TRN_AET
 UPG_HR75_AET
 UPG_PY_AET
 VDI_ADMIN_TBL
 VENDOR_ADDR_PHN
 VNDR_ADDR_P_TMP
 VNDR_CNTCT_PHN
 VNDR_CTCT_P_TMP
 WCB_ERPT_EC
 WCB_INWO_EC
 Z_B_UNION_TBL
 Z_CONTR_COMPANY
 Z_CR_OFFERED_BY
 Z_FLEX_OTH_REC
 Z_FLEX_SITE_REC
 Z_GVT_POI_TBL
 Z_HR_PIVOT_REF
 Z_MIIS_EMPOW_IN
 Z_NEDC_TBL
 Z_NEDC_USER_TMP
 Z_Z_B_UNION_TBL

PHONE1

Default Label	Phone 1
Length	24
Type	Character
Format	14

Record Reference(s)	CO_DPK_ELIG_DET
	CO_DPK_ELIG_NEW
	CO_DPK_ELIG_OLD
	CO_DPK_ELIG_TRN
	CO_DPK_PERS_TAO
	GPIT_CUD_RP_P1



GPIT_FCUD_T2

PHONE1_TYPE

Default Label Phone 1 Type
Length 4

Type Character
Format Uppercase

Record Reference(s) CO_DPK_ELIG_AET
CO_DPK_SUPP_TBL

- BUSN Business
- CAMP Campus
- CELL Cellular
- DORM Dormitory
- FAX Fax
- HOME Home
- MAIN Main
- OTR Other
- PGR1 Pager 1
- PGR2 Pager 2
- TELX Telex

PHONE2

Default Label Phone 2
Length 24
Type Character
Format 14

Record Reference(s) CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_PERS_TAO

PHONE2_TYPE

Default Label Phone 2 Type



Length 4
 Type Character
 Format Uppercase

Record Reference(s) CO_DPK_ELIG_AET
 CO_DPK_SUPP_TBL

BUSN	Business
CAMP	Campus
CELL	Cellular
DORM	Dormitory
FAX	Fax
HOME	Home
MAIN	Main
OTR	Other
PGR1	Pager 1
PGR2	Pager 2
TELX	Telex

PHONE_EXTN

Default Label Phone Extension
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) RC_QTR_UI
 RC_TAX960
 TAX960_PARM

PHONE_TRANS

Default Label Phone Number Of Person Trnsmt
 Length 12
 Type Character
 Format Phone Number North American

Record Reference(s) HS_RPT_HIST_CAN
 WCB_EDSR_EC
 WCB_EDSR_WD



BUSN	Business
CAMP	Campus
CELL	Cellular
DORM	Dormitory
FAX	FAX
FLEX	Flexiplace Phone
HOME	Home
MAIN	Main
OTR	Other
PGR1	Pager 1
PGR2	Pager 2
TELX	Telex

PHYSICIAN_ID

Default Label	Physician ID
Length	11
Type	Character
Format	Numbers Only

Record Reference(s) AUDIOMETRIC_TST

EYE_EXAM
 ILL_CARE_GER
 INJURY_ILL_ADDR
 INJ_REHAB_ACTN
 PHYSICAL_EXAM
 RESPIRATORY_EXM

PHYSICIAN_NAME

Default Label	Physician Name
Length	50
Type	Character
Format	Mixedcase

Record Reference(s) AUDIOMETRIC_LNG

AUDIOMETRIC_TST
 EYE_EXAM
 GVT_DRUG_TEST
 GVT_DRUG_T_LANG
 GVT_HEALTH_CARD



ILLNESS_GER
 ILLNESS_GER_LNG
 ILL_CARE_GER
 ILL_CARE_LNG
 INJURY_ILL_ADDR
 INJ_ILLADDR_LNG
 INJ_REHAB_ACTN
 INJ_REHAB_LNG
 OHS001GER_TMP1
 OHS004GER_TMP1
 OHS004GER_TMP2
 OHS501UK_TMP2
 OSHA_301_REPORT
 PHYSICAL_EXAM
 PHYS_EXAM_LANG
 RESPIRATORY_EXM
 RESPIR_EXAM_LNG

PHYSICIAN_SW

Default Label Physician
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) NE_PERSONAL_DTA

PIANAME

Default Label PIA Name
 Length 35
 Type Character
 Format Mixedcase

Record Reference(s) PSWEBPROFDEF

PIA_EARN_TYPE

Default Label PIA Earnings type



Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PIA

C Consolidated Earnings
F FAE Earnings result

PIA_FUNCTION_RESLT

Default Label Social Security PIA Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

PICLONE_FIELD

Default Label PI Clone Flag - Field Tbls
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_RUNCTL_SID

PICLONE_GROUP

Default Label PI Clone flag for Group Tbls
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_RUNCTL_SID

PICLONE_INSTANCE

Default Label PI Clone flag for Instance Tbl



Length 1
Type Character
Format Uppercase

Record Reference(s) PI_RUNCTL_SID

PICLONE_PSTBL

Default Label PI clone flag for PS Tables
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_RUNCTL_SID

PIN

Default Label PIN
Length 20
Type Character
Format Uppercase

Record Reference(s) GPAU_SPT_DETAIL

PIN_AA_ADJ_NUM

Default Label PIN Number - Adjustments
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT

PIN_AA_ANTARR_NUM

Default Label PIN Number - Add to Arrears
Length 8
Type Number
Format Uppercase



Record Reference(s) GP_PIN_CMPNT

PIN_AA_ANT_NUM

Default Label PIN Number - Amount Not Taken
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT

PIN_AA_BASE_NUM

Default Label PIN Number - Base
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT

PIN_AA_ELEM_NM

Default Label AutoAssigned Element Name
Length 18
Type Character
Format Uppercase

Record Reference(s) GPBR_VAC_AP_AET

PIN_AA_PCT_NUM

Default Label Percent to Accum Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT



PIN_AA_PD_NUM

Default Label PIN Number - Units Paid
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT

PIN_AA_PYBK_NUM

Default Label PIN Number - Payback Amount
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT

PIN_AA_RATE_NUM

Default Label PIN Number - Rate
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT

PIN_AA_UNIT_NUM

Default Label PIN Number - Unit

Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT



PIN_ACCUM_NUM

Default Label PIN Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GPBR_PAYSL_F_AC
GPMX_LOAN_PARM
GPMX_VAR_SDI_PA

PIN_ACM_FRML_NUM

Default Label Initial Formula Name
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR

PIN_ADJ_UNIT_NUM

Default Label Adjustment PIN Unit
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_ENTL

PIN_AMT_NUM

Default Label PIN Number - Amount
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE_ELM
GP_ERN_DED
GP_PI_GEN_DATA
GP_PI_MNL_DATA



GP_PYE_OVRD
GP_RSLT_PI_DATA

PIN_ARR_ACM_NUM

Default Label Arrears Balance
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN_CMPNT

PIN_ARR_AMT_NUM

Default Label Pin Number - Arrears Pybk Amt
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED
 GP_PYE_OVRD

PIN_BAL_OFFSET_NUM

Default Label Execute Formula Offset
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_BASE_NUM

Default Label PIN Number - Base
Length 8
Type Number
Format Uppercase



Record Reference(s) GP_ERN_DED
GP_PI_GEN_DATA
GP_PI_MNL_DATA
GP_PYE_OVRD
GP_RSLT_PI_DATA

PIN_BASIS_DT_NUM
Default Label Basis Date Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR
GP_AUTOGEN_DFLT

PIN_BGN_DAY_NUM
Default Label Begin Day Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR
GP_AUTOGEN_DFLT

PIN_BGN_DT_NUM
Default Label Begin Date Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR
GP_AUTOGEN_DFLT

PIN_BGN_MTH_NUM



Default Label Begin Month Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR
 GP_AUTOGEN_DFLT

PIN_CALC_DAY_NUM

Default Label Element Date Day Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_CALC_MONTH_NUM

Default Label Elemen Calc Month Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_CALC_YEAR_NUM

Default Label Element Calc Year
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_CATEGORY

Default Label Category
Length 4



Type Character
Format Uppercase

Record Reference(s) GPAU_RC_LL_ABCT
GPCH_RC_PAYROLL
GPMY_RC_LL_ABCT

GPNZ_RC_LL_ABCT
GPSG_RC_LL_ABCT
GP_PIN
GP_PIN_CATEGORY
GP_PIN_CAT_LANG
GP_PKG_CRIT2
UPG_GP_01_TAO
UPG_GP_02_TAO

PIN_CHAIN_LVL_NUM
Default Label PIN Chain Level Number
Length 4
Type Number
Format Uppercase

Record Reference(s) GP_AUDIT_TBL

PIN_CHAIN_RSLT_NUM
Default Label PIN Chain Resolution Sequence
Length 4
Type Number
Format Uppercase

Record Reference(s) GP_AUDIT_TBL

PIN_CHAIN_SEQ_NUM
Default Label PIN Chain Sequence Number
Length 4
Type Number
Format Uppercase



Record Reference(s) GP_AUDIT_TBL

PIN_CHART1_NUM

Default Label Chart PIN 1
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET

GPMY_GL_MAP_AET
 GPNZ_GL_MAP_AET
 GPSG_GL_MAP_AET
 GP_GL_CHARTFLD
 GP_GL_SEG_TMP

PIN_CHART1_VAL

Default Label Chart Value 1
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET

GPAU_GL_MAP_DTL
 GPMY_GL_MAP_AET
 GPMY_GL_MAP_DTL
 GPNZ_GL_MAP_AET
 GPNZ_GL_MAP_DTL
 GPSG_GL_MAP_AET
 GPSG_GL_MAP_DTL
 GP_ACC_LINE
 GP_ACC_LINE_STG
 GP_GL_S1TO6_TMP

PIN_CHART2_NUM

Default Label Chart Field 2



Length 8
Type Number
Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPMY_GL_MAP_AET
GPNZ_GL_MAP_AET
GPSG_GL_MAP_AET
GP_GL_CHARTFLD
GP_GL_SEG_TMP

PIN_CHART2_VAL

Default Label Chart Value 2
Length 15
Type Character
Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPAU_GL_MAP_DTL
GPMY_GL_MAP_AET
GPMY_GL_MAP_DTL
GPNZ_GL_MAP_AET
GPNZ_GL_MAP_DTL
GPSG_GL_MAP_AET
GPSG_GL_MAP_DTL
GP_ACC_LINE
GP_ACC_LINE_STG
GP_GL_S1TO6_TMP

PIN_CHART3_NUM

Default Label Chart Field 3
Length 8
Type Number
Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPMY_GL_MAP_AET
GPNZ_GL_MAP_AET
GPSG_GL_MAP_AET



Length 15
Type Character
Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPAU_GL_MAP_DTL
GPMY_GL_MAP_AET
GPMY_GL_MAP_DTL
GPNZ_GL_MAP_AET
GPNZ_GL_MAP_DTL
GPSG_GL_MAP_AET
GPSG_GL_MAP_DTL
GP_ACC_LINE
GP_ACC_LINE_STG
GP_GL_S1TO6_TMP

PIN_CHART5_NUM

Default Label Chart Field 5

Length 8
Type Number
Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPMY_GL_MAP_AET
GPNZ_GL_MAP_AET
GPSG_GL_MAP_AET
GP_GL_CHARTFLD
GP_GL_SEG_TMP

PIN_CHART5_VAL

Default Label Chart Value 5

Length 15
Type Character
Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPAU_GL_MAP_DTL
GPMY_GL_MAP_AET



GPMY_GL_MAP_DTL
 GPNZ_GL_MAP_AET
 GPNZ_GL_MAP_DTL
 GPSG_GL_MAP_AET
 GPSG_GL_MAP_DTL
 GP_ACC_LINE
 GP_ACC_LINE_STG
 GP_GL_S1TO6_TMP

PIN_CHART6_NUM

Default Label Chart Field 6
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
 GPMY_GL_MAP_AET
 GPNZ_GL_MAP_AET
 GPSG_GL_MAP_AET
 GP_GL_CHARTFLD
 GP_GL_SEG_TMP

PIN_CHART6_VAL

Default Label Chart Value 6
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
 GPAU_GL_MAP_DTL
 GPMY_GL_MAP_AET
 GPMY_GL_MAP_DTL
 GPNZ_GL_MAP_AET
 GPNZ_GL_MAP_DTL
 GPSG_GL_MAP_AET

 GPSG_GL_MAP_DTL
 GP_ACC_LINE
 GP_ACC_LINE_STG



Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPMY_GL_MAP_AET
GPNZ_GL_MAP_AET
GPSG_GL_MAP_AET
GP_GL_CHARTFLD
GP_GL_SEG_TMP

PIN_CHART8_VAL

Default Label Chart Value 8
Length 15
Type Character

Format Uppercase

Record Reference(s) GPAU_GL_MAP_AET
GPAU_GL_MAP_DTL
GPMY_GL_MAP_AET
GPMY_GL_MAP_DTL
GPNZ_GL_MAP_AET
GPNZ_GL_MAP_DTL
GPSG_GL_MAP_AET
GPSG_GL_MAP_DTL
GP_ACC_LINE
GP_ACC_LINE_STG
GP_GL_S7N8_TMP

PIN_CLASS

Default Label Element Class
Length 2
Type Character
Format Uppercase

Record Reference(s) GP_PIN
GP_PKG_CRIT2
UPG_GP_01_TAO

CU Customary



NC Not Classified
 SM Sample Data
 ST Statutory
 SY System Data

PIN_CNT_FRML_NUM

Default Label Count Formula
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) GP_COUNT

PIN_CODE

Default Label PIN Code
 Length 22
 Type Character
 Format Uppercase

Record Reference(s) GPAU_EXC_AM_TAO

- GPAU_FBT_AC_TAO
- GPAU_PSM_AC_TAO
- GPAU_PSM_AL_TAO
- GPAU_PSM_EXCEPT
- GPGB_RUNCTL_SQR
- GPHK_MPF_RSLT
- GP_NR_PKG_ELMTS
- GP_PIN
- GP_PIN_LANG
- GP_PKG_CMP_AET
- GP_PKG_COPY_AET

- GP_PKG_ELEMENTS
- GP_PKG_ELEM_D
- GP_PKG_TMP
- UPG_GP_01_TAO
- UPG_GP_AET



PIN_COND_ENT_NUM

Default Label Conditional Ent. Resolution
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_ENTL

PIN_COND_NUM

Default Label Condition Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PROCESS_DTL

PIN_CURPRD_NUM

Default Label Current Period Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FC_IN
GP_FC_OUT
GP_FC_OUT_DTL
GP_HIST_ELEM

PIN_CUSTOM1

Default Label Customer Field 1
Length 20
Type Character
Format Mixedcase

Record Reference(s) GP_PIN
UPG_GP_01_TAO



PIN_CUSTOM2

Default Label Customer Field 2
Length 20
Type Character
Format Mixedcase

Record Reference(s) GP_PIN
UPG_GP_01_TAO

PIN_CUSTOM3

Default Label Customer Field 3
Length 20
Type Character
Format Mixedcase

Record Reference(s) GP_PIN
UPG_GP_01_TAO

PIN_CUSTOM4

Default Label Customer Field 4
Length 20
Type Character
Format Mixedcase

Record Reference(s) GP_PIN
UPG_GP_01_TAO

PIN_CUSTOM5

Default Label Customer Field 5
Length 20
Type Character
Format Mixedcase

Record Reference(s) GP_PIN
UPG_GP_01_TAO



PIN_DATE_DAY_NUM

Default Label Element Date Day Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_DATE_FROM_NUM

Default Label Date From
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE
GP_DATE
GP_DURATION
GP_HIST_RULE

PIN_DATE_MONTH_NUM

Default Label Element Date Month Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_DATE_TO_NUM

Default Label Date To
Length 8
Type Number
Format Uppercase



Record Reference(s) GP_ABS_TAKE
GP_DURATION
GP_HIST_RULE

PIN_DATE_YEAR_NUM
Default Label Element Date Year Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_DAY_FM_NUM
Default Label Day Formula
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_DED_NUM
Default Label PIN Number
Length 8
Type Number
Format Uppercase

Record Reference(s) FA_PAY_PROGRAM
GPBR_PAYSL_F_DE
GPMX_PAYSL_F_DE
GPMX_PROV_DED
PKG_BSE_CMP_CDE

PIN_DENOMIN_NUM
Default Label User Defined Denominator PIN
Length 8



Type Number
Format Uppercase

Record Reference(s) GP_PRORATION

PIN_ELEM_GRP_NUM

Default Label PIN Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ELIG_GRP_MBR

PIN_ELEM_NUM

Default Label Element Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GPBR_ELEM_MAP_D

- GPFR_ASS_AET
- GPMX_ELEM_MAP_D
- GPMX_PTU_AET
- GP_ARRAY_KEY
- GP_ELEM_GRP_MBR
- GP_PKG_COPY_AET
- GP_PYE_SECT_DTL
- GP_SECTION_DTL
- GP_WA_FLD

PIN_ELIG_DATE_NUM

Default Label Eligibility Date PIN
Length 8
Type Number
Format Uppercase



Record Reference(s) GP_ABS_TAKE

PIN_ENTL_BAL_NUM

Default Label PIN Number - Entl Balance
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BAL_SS
GP_PIN_CMPNT

PIN_ENT_NUM

Default Label Entitlement PIN
Length 8
Type Number
Format Uppercase

Record Reference(s) GPBR_VACCAL_AET
GPBR_VACN_PARM
GPBR_VAC_AP_AET

GP_ABS_ENTL
GP_ABS_OVRD
GP_ABS_TAKE_ENT

PIN_ERN_NUM

Default Label PIN Number
Length 8
Type Number
Format Uppercase

Record Reference(s) FA_PAYMENTS
FA_PAY_PROGRAM
GPBR_ELEM_AET
GPBR_PAYSL_F_ER
GPMX_ACMB_AET
GPMX_COUPONS



GPMX_PAYSL_F_ER
GPMX_PROV_ERN
GPMX_VAR_SDI_PA
GPVC_ACK_PUB
GPVC_RQT_SUB
PKG_BSE_CMP_CDE
VCGP_RQT_PUB
VC_AWARD
VC_CALC_WRD_AET
VC_PLAN_EFFDT

PIN_EXTR_DAY_NUM

Default Label Day Extract
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_EXTR_MONTH_NUM

Default Label Month Extract
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE

PIN_EXTR_YEAR_NUM

Default Label Year Extract
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_DATE



PIN_FCST_NUM

Default Label Forecast Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_FCST_RSLT_NUM

Default Label Element Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_EVT_FCST
GP_ABS_TK_FCST

PIN_FCST_TAKE_NUM

Default Label Forecast Take Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_TXN_DATA

PIN_FICTPRD_NUM

Default Label Fictitious Period PIN
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FC_IN
GP_FC_OUT
GP_FC_OUT_DTL
GP_FC_SEG



PIN_FRML_END_NUM

Default Label Formula To Execute At End
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_HIST_RULE

PIN_FRML_FLD1_NUM

Default Label Field1 Pin
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_DTL

PIN_FRML_FLD2_NUM

Default Label Field2 Pin
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_DTL

PIN_FRML_FLD3_NUM

Default Label Field3 Pin
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_DTL



PIN_FRML_NUM

Default Label Formula Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GPMX_VAR_SDI_PA
GP_ARRAY
GP_ARRAY_PRC
GP_DURATION
GP_GCTL_DTL
GP_RTO_OVR_DEFN
GP_SECTION_DTL

PIN_FRML_PRD_NUM

Default Label Formula to Execute By Segment
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_HIST_RULE

PIN_FRML_VAR1

Default Label Variable Pin Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_VAR

PIN_FRML_VAR2

Default Label Variable Pin Num

Length 8
Type Number
Format Uppercase



Record Reference(s) GP_FORMULA_VAR

PIN_FRML_VAR3

Default Label Variable Pin Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_VAR

PIN_FRML_VAR4

Default Label Variable Pin Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_VAR

PIN_FRML_VAR5

Default Label Variable Pin Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_VAR

PIN_GCTL2_NUM

Default Label Generation Control Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_ENTL



PIN_HISTPRD_NUM

Default Label Historical Period Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_HIST_ELEM

PIN_HIST_RULE_NUM

Default Label Historical Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FC_TBL

PIN_IND1

Default Label Pin Number Identifier 1
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXMESSAGES
GP_MESSAGES

PIN_IND2

Default Label Pin Number Identifier 2
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXMESSAGES
GP_MESSAGES



PIN_IND3

Default Label Pin Number Identifier 3
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXMESSAGES
GP_MESSAGES

PIN_IND4

Default Label Pin Number Identifier 4
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXMESSAGES
GP_MESSAGES

PIN_IND5

Default Label Pin Number Identifier 5
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXMESSAGES
GP_MESSAGES

PIN_INDUSTRY

Default Label Industry/Region
Length 4
Type Character
Format Uppercase

Record Reference(s) GP_PIN
GP_PIN_IDS_LANG



GP_PIN_INDUSTRY
UPG_GP_01_TAO

PIN_KEY1_NUM

Default Label Element Name - Key 1
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET

PIN_KEY2_NUM

Default Label Element Name - Key 2
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET

PIN_KEY3_NUM

Default Label Element Name - Key 3
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET

PIN_KEY4_NUM

Default Label Element Name - Key 4
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET



PIN_KEY5_NUM

Default Label Element Name - Key 5
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET

PIN_LINKED_TO_NUM

Default Label Mapped To
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_LINK_COND_NUM

Default Label Conditional Formula
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_LINK_PRD_NUM

Default Label Linked Within Absence Accm
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE



PIN_MAP_TO_NUM

Default Label	Mapped To
Length	8
Type	Number
Format	Uppercase

Record Reference(s) GP_RSLT_ABS

PIN_MBR_NM

Default Label	Element Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s) GPMX_SUBFAC_AET

PIN_MBR_NUM

Default Label	PIN Member Number
Length	8
Type	Number
Format	Uppercase

Record Reference(s) GPIT_F24_GR_ELM

- GPIT_GV93_BOX_E
- GPIT_GV93_TMP_A
- GPMX_SUBFAC_AET
- GP_ACM_MBR
- GP_PINMAP_C_AET
- GP_PINMAP_EFFDT
- GP_PKG_AUDIT
- GP_PKG_CMP_AET
- GP_PKG_COPY_AET
- GP_PKG_CR_AET
- GP_PKG_PINMAP

PIN_MBR_NUM_TGT



Default Label PIN Member Number
Length 9
Type Number
Format Uppercase

Record Reference(s) GP_PKG_CMP_AET
GP_PKG_COPY_AET

PIN_MIN_PRD_NUM

Default Label Minimum Absence Period
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_NEG_ABS_NUM

Default Label Take Negative Balance Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE
GP_RSLT_ABS

PIN_NEG_LMT_NUM

Default Label Negative Amount Limit - PIN
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_NET_NUM



Default Label Net Pay Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GPFR_PS_ACU_TMP
GPFR_PS_GUI_TMP
GPFR_PS_SEG_TMP
GPNL_PS_ACU_TMP
GPNL_PS_GUI_TMP
GPNL_PS_SEG_TMP
GPXPYE_SEG_STAT
GP_NET_PAY1_TMP
GP_NET_PAY2_TMP
GP_NET_PAY3_TMP
GP_PROCESS
GP_PYE_SEG_STAT
GP_PYE_SEG_TMP
GP_SEG_WRK

PIN_NET_VAL

Default Label Net Pin Result Value
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GPES_PSLIP_TMP
GPES_PSLP_S_PYE
GPFR_ASS_AET
GPFR_ASS_WA
GPFR_PYSL_AET
GPFR_P_SLIP_TMP
GPNL_PSLIP_AET
GPNL_PSLIP_TMP
GPNL_RC_PS_EE
GPXPYE_SEG_STAT
GP_PYE_SEG_STAT
GP_PYE_SEG_TMP
GP_SEG_WRK



GPAU_RPT_ED_EXC
GPAU_RUNCTL_CMX
GPAU_SPT_DEDS
GPAU_SPT_ERNS
GPAU_SPT_FBT
GPAU_SPT_NTXDED
GPBR_AVERAGES_E
GPBR_BATCH_AET
GPBR_ER_DD_SOVR
GPBR_GPS_ELEM
GPBR_LOAN
GPBR_LOAN_PAY
GPBR_LOAN_WA
GPCH_ABS_BAL
GPCH_ABS_ENTRY
GPCH_AB_ENTTLDE
GPCH_AB_ENT_PIN
GPCH_BK_BNKTRN

GPCH_BL_PRINT
GPCH_CA_EARNING
GPCH_ER_13I_PIN
GPCH_ER_TRF_13I
GPCH_ER_TRF_OT
GPCH_OT_AET
GPCH_OT_ENTRY
GPCH_OT_PRC_ST
GPCH_RC_AL07
GPCH_RC_CURRCD
GPCH_RC_TX04
GPCH_RC_TX4_LNG
GPDE_AB_ENTDTL
GPDE_AB_ENTTLDE
GPDE_AB_ENT_PIN
GPDE_AL_DELTA
GPDE_AL_ERN_DED
GPDE_BK_BNKTRN
GPDE_BL
GPDE_BL_PRINT
GPDE_DV_FLT_ABS
GPDE_ER_13I_PIN
GPDE_ER_TRF_13I
GPDE_ER_TRF_OT



GPDE_GR_EE2
GPDE_RC_AL07
GPDE_RC_CURRCD
GPDE_RC_TX04
GPDE_RC_TX4_LNG
GPDE_RP_AL01
GPDE_RP_AL04
GPDE_RP_AL05
GPDE_RP_TX03
GPDE_TA_AET
GPDE_TA_EL_TMP
GPES_PMT_AET
GPES_PSLIP_AET
GPES_PSLIP_TMP2
GPES_PSLIP_TMP4
GPES_RATES_DTL
GPES_SEN_BSE_ER
GPES_SEN_ERN
GPES_TAX110_SET
GPES_TAX111_SET
GPES_TAX190_SET
GPES_TAX_ELEMNT
GPES_TX190L_SET
GPES_TX190R_SET
GPFR_ABS_TAKEN
GPFR_ASS_AET
GPFR_AT_RESULT
GPFR_DA_PIN
GPFR_DA_PIN_CST
GPFR_GAR_DAT
GPFR_ILL_AET
GPFR_ILL_ROWPIN
GPFR_LOAN
GPFR_ONPAY_PIN
GPFR_PAY_SLIP_2
GPFR_PMT_AET
GPFR_PS_ACU_TMP

GPFR_PS_ERN_TMP
GPFR_PS_PIN_TMP
GPFR_RATE_PANEL
GPFR_URS_RATES
GPHK_ABS_RSLT



GPHK_I56_DT_TMP
GPHK_I56_TMP2
GPHK_IR56_DTL
GPHK_PSLP_ABS
GPHK_PSLP_ED
GPHK_P_ED_LNG
GPHK_RC_ELM
GPHK_REPT_DTL
GPHK_RPT_AC_INC
GPHK_RPT_ED_EXC
GPIN_DEDN_TMP
GPIN_EXEM_TMP
GPIN_OTHER_TMP
GPIN_PERQ_TMP
GPIN_PREV_TMP
GPIN_PR_BRK_LVL
GPIN_PR_PIN
GPIN_PR_RC
GPIN_PR_TMP2
GPIN_PSLP_ABS
GPIN_PSLP_ED
GPIN_PS_ED_LNG
GPIN_REBATE_TMP
GPIN_TDS_SETUP
GPIN_WRK_DAY
GPIN_YE_F12BA
GPIT_BL_PRINT
GPIT_DM10_AET
GPIT_FCUD_T1
GPIT_FCUD_T3
GPIT_RC_CURRCD
GPIT_RP_AL01
GPIT_RP_TX01
GPIT_RP_TX02
GPJP_IT_WH_AET
GPJP_IT_WH_REG3
GPJP_PP_DATA
GPJP_PP_DTL
GPJP_YEA_AET
GPMX_ACCUM_MBR
GPMX_BATCH_AET
GPMX_DET_FEDTAX
GPMX_LOAN



GPMX_LOAN_PARM
GPMX_LOAN_PAY
GPMX_LOAN_WA
GPMX_NOADJ_AET
GPMX_PMT_AET
GPMX_PTU_AET
GPMX_PTU_ERNDED
GPMX_RC_LNCAL
GPMX_SAL_ERNDED
GPMX_SDIVAR_WA
GPMX_ST_TAXES_C
GPMX_ST_TAX_WA
GPMY_ABS_RSLT

GPMY_AMOUNT_TMP
GPMY_BIK_SETUP
GPMY_EARN_TMP
GPMY_EFTFIL_AET
GPMY_ELIG_TMP
GPMY_LEAVE_LIAB
GPMY_LN_PYE
GPMY_PR_BRK_LVL
GPMY_PR_PIN
GPMY_PR_TMP2
GPMY_PSLP_ABS
GPMY_PSLP_ED
GPMY_PS_ED_LNG
GPMY_RCPFIL_AET
GPMY_RCPPAY_DTL
GPMY_RCPPYE_DTL
GPMY_RC_ELM
GPMY_RC_RCPT_FL
GPMY_RPT_AC_INC
GPMY_RPT_ED_EXC
GPMY_RUNCTL_FIL
GPNL_ABS_TAKES
GPNL_EE_TAX_DD
GPNL_PAYMENT
GPNL_PMT_AET
GPNL_PS_ACU_TMP
GPNL_PS_ERN_TMP
GPNL_PS_PIN_TMP
GPNL_SET_UWV



GPNL_SOC2_TMP
GPNL_TXR_DTL
GPNL_ZFW_ED_TMP
GPNL_ZFW_TMP
GPNZ_ABS_RSLT
GPNZ_EFTMT9_AET
GPNZ_GARNISHMNT
GPNZ_GARN_DTLS
GPNZ_IRD_RC_AET
GPNZ_LEAVE_LIAB
GPNZ_PSLP_ABS
GPNZ_PSLP_ED
GPNZ_PS_ED_LNG
GPNZ_RCPFIL_AET
GPNZ_RCPPAY_DTL
GPNZ_RCPPYE_DTL
GPNZ_RC_ELM
GPNZ_RC_RCPT_FL
GPNZ_RPT_AC_INC
GPNZ_RPT_ED_EXC
GPNZ_RUNCTL_MT9
GPSG_ABS_RSLT
GPSG_EFTGIR_AET
GPSG_GL_DAT_TMP
GPSG_IRAS_CAT
GPSG_LEAVE_LIAB
GPSG_PSLP_ABS
GPSG_PSLP_ED
GPSG_PS_ED_LNG
GPSG_RCPFIL_AET
GPSG_RCPPAY_DTL
GPSG_RCPPYE_DTL

GPSG_RC_ELM
GPSG_RC_RCPT_FL
GPSG_RPT_AC_INC
GPSG_RPT_ED_EXC
GPSG_RUNCTL_GIR
GP_ABS_ENTL
GP_ABS_EVT_FCST
GP_ABS_OVRD
GP_ABS_TAKE
GP_ABS_TAKE_CFG



GP_ABS_TAKE_DAY
GP_ABS_TAKE_ELM
GP_ABS_TAKE_ENT
GP_ABS_TK_FCST
GP_ACCUMULATOR
GP_ACM_MBR
GP_ACM_USER_ADJ
GP_ARRAY
GP_ARRAY_FLD
GP_ARRAY_KEY
GP_ARRAY_PRC
GP_AUDIT_TBL
GP_AUTOGEN_DFLT
GP_BRACKET
GP_BRACKET_DTL
GP_CAL_EXCL
GP_CAL_SOVR
GP_COUNT
GP_DATE
GP_DURATION
GP_DUR_GNRN
GP_ELEM_GRP
GP_ELEM_GRP_MBR
GP_ELM_DFN_SOVR
GP_ERN_DED
GP_FC_IN
GP_FC_OUT
GP_FC_OUT_DTL
GP_FC_SEG
GP_FC_TBL
GP_FORMULA
GP_FORMULA_CLUE
GP_FORMULA_DTL
GP_FORMULA_VAR
GP_GCTL
GP_GCTL_DTL
GP_GENRPT_BKLVL
GP_GENRPT_PIN
GP_GENRPT_TMP2
GP_GL_AMT1_TMP
GP_GL_AMT2_TMP
GP_GL_DATA
GP_GL_DATA_TMP



GP_GL_DIST_PIN
GP_GL_DNF_TMP
GP_GL_GROUP_DTL
GP_GL_MAPI_TMP
GP_GL_PREP_AET
GP_HIST_ELEM
GP_HIST_RULE
GP_NR_PKG_ELMTS

GP_PAYMENT
GP_PAYMENT2_TMP
GP_PAYMENT_TMP
GP_PIN
GP_PINMAP_C_AET
GP_PINMAP_EFFDT
GP_PIN_CMPNT
GP_PIN_LANG
GP_PIVCA
GP_PI_GEN_DATA
GP_PI_GEN_REF
GP_PI_GEN_SOVR
GP_PI_MNL_DATA
GP_PI_MNL_SOVR
GP_PI_VC_PLAN
GP_PKG_AUDIT
GP_PKG_CMP_AET
GP_PKG_CMP_SUP1
GP_PKG_COPY_AET
GP_PKG_CRIT1
GP_PKG_CR_AET
GP_PKG_ELEMENTS
GP_PKG_ELEM_D
GP_PKG_ELEM_WRK
GP_PKG_PINMAP
GP_PKG_SUPPORT1
GP_PKG_TAO
GP_PKG_TMP
GP_PKG_VER_DTL
GP_PMT_PREP_AET
GP_PRINT_PARAM
GP_PROCESS
GP_PROCESS_DTL
GP_PRORATION



GP_PYENT_SOVR
GP_PYE_OVRD
GP_PYE_OVR_SOVR
GP_PYE_SECTION
GP_PYE_SECTION1
GP_PYE_SECT_DTL
GP_PYE_SOVR
GP_PYGRP_SOVR
GP_RATE_CODE
GP_RCPPYE_SGPAU
GP_RCP_DED
GP_RCP_PYE
GP_RCP_PYE_DTL
GP_ROUND_RULE
GP_RPTPIN_LNG
GP_RSLT_ACUM
GP_RSLT_DELTA
GP_RSLT_ERN_DED
GP_RSLT_PIN
GP_RSLT_PI_DATA
GP_RSLT_PI_SOVR
GP_RTO_OVR_PIN
GP_SECTION
GP_SECTION_DTL
GP_SEG_EVT_LST
GP_SYSTEM_PIN
GP_TASK_ELEM

GP_TLPTM_WRK
GP_TLTRC_WRK
GP_TL_PIGEN_WRK
GP_TL_PRSLT_WRK
GP_UPG_RCP_AET
GP_VARIABLE
GP_WA_ARRAY
GP_WA_FLD
RUN_CNTL_HR
TRAINING_AET
UPG_758_JOB_TAO
UPG_GP1_AET
UPG_GPDE801_AET
UPG_GP_01_TAO
UPG_GP_AET



UPG_HR75_AET
UPG_PY_JOB_TAO
WP_EE_FUND_TMP
WP_ELIG_AET

PIN_NUMERATOR_NUM

Default Label User Defined Numerator PIN
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PRORATION

PIN_NUM_LAST

Default Label Last Used Element Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GPAU_EFT_CX_AET
 GPJP_YEA_AET
 GP_PKG_COPY_AET
 INSTALLATION

PIN_NUM_TGT

Default Label Target PIN Number
Length 9
Type Number
Format Uppercase

Record Reference(s) GP_NR_PKG_ELMTS
 GP_PKG_CMP_AET
 GP_PKG_COPY_AET
 GP_PKG_ELEMENTS



PIN_OWNER

Default Label Element Owner
Length 1

Type Character
Format Uppercase

Record Reference(s) GP_NR_PKG_ELMTS
GP_PIN
GP_PKG_CMP_AET
GP_PKG_CRIT2
GP_PKG_ELEMENTS
GP_PKG_ELEM_D
GP_PKG_TMP
UPG_GP_01_TAO

- C Customer Maintained
- M PS Delivered/Customer Modified
- N PS Delivered / Not Maintained
- P PS Delivered / Maintained
- S PS Delivered/Maintained/Secure

PIN_PARENT_NUM

Default Label PIN Parent Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PIN
GP_RSLT_ACUM
UPG_GP_01_TAO

PIN_PARENT_TK_NUM

Default Label Pin Parent Take Num
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PI_GEN_DATA



PIN_PAY_ER_NUM

Default Label Payoff Earning
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_ENTL

PIN_PAY_UNIT_NUM

Default Label Payoff Unit
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_ENTL

PIN_PCT_NUM

Default Label Percent to Accum Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE_ELM

- GP_ACM_MBR
- GP_ERN_DED
- GP_PI_GEN_DATA
- GP_PI_MNL_DATA
- GP_PYE_OVRD
- GP_RSLT_PI_DATA

PIN_POST_FRML_NUM

Default Label Post Process Formula
Length 8
Type Number



Format Uppercase

Record Reference(s) GP_ERN_DED

PIN_PRC_NUM

Default Label Process Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GPXCAL_RUN_DTL
 GP_CAL_RUN_DTL
 GP_FC_TBL
 GP_RUN_TYPE_DTL

PIN_PRE_FRML_NUM

Default Label Pre Process Formula
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED

PIN_PRO_NUM

Default Label Proration Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_ENTL
 GP_ERN_DED
 GP_PYGRP_DTL

PIN_PYBK_DED_NUM



Default Label Payback Deduction PIN Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED

PIN_RATE_NUM

Default Label PIN Number - Rate
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE_ELM
 GP_ERN_DED
 GP_PI_GEN_DATA
 GP_PI_MNL_DATA
 GP_PYE_OVRD
 GP_RSLT_PI_DATA

PIN_RCP_NUM

Default Label Pin Number - Recipient
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED

PIN_RND1_FRML_CLUO

Default Label Rounding Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE



PIN_RND1_FRML_CLU1

Default Label	Rounding Rule
Length	8
Type	Number
Format	Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND1_FRML_CLU2

Default Label	Rounding Rule
Length	8
Type	Number
Format	Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND1_FRML_CLU3

Default Label	Rounding Rule
Length	8
Type	Number
Format	Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND1_FRML_CLU4

Default Label	Rounding Rule
Length	8
Type	Number
Format	Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND1_FRML_CLU5



Default Label Rounding Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND1_NUM

Default Label Field1 Round Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_DTL

PIN_RND2_FRML_CLU0

Default Label Rounding Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND2_FRML_CLU1

Default Label Rounding Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND2_FRML_CLU2

Default Label Rounding Rule
Length 8



Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND2_FRML_CLU3

Default Label Rounding Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND2_FRML_CLU4

Default Label Rounding Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND2_FRML_CLU5

Default Label Rounding Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_CLUE

PIN_RND2_NUM

Default Label Field2 Round Rule
Length 8
Type Number
Format Uppercase



Record Reference(s) GP_FORMULA_DTL

PIN_RND3_NUM

Default Label Result Round Rule
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_FORMULA_DTL

PIN_RND_BASE_NUM

Default Label Rounding Rule - Base
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED
GP_PYGRP_DTL

PIN_RND_ENTL_NUM

Default Label Rounding Rule - Entitlement
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_ENTL

PIN_RND_NUM

Default Label Rounding Rule Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET



GP_PYENT_DTL

PIN_RND_PCT_NUM

Default Label Rounding Rule - Percent
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED
GP_PYGRP_DTL

PIN_RND_RATE_NUM

Default Label Rounding Rule - Rate
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED
GP_PYGRP_DTL

PIN_RND_RSLV_NUM

Default Label Rounding Rule - Resolved Amt
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ERN_DED
GP_PYGRP_DTL

PIN_RND_UNIT_NUM

Default Label Rounding Rule - Unit
Length 8
Type Number
Format Uppercase



Record Reference(s) GP_ERN_DED
GP_PYGRP_DTL

PIN_RTO_ADJ_NUM

Default Label Adjustment Element
Length 8
Type Number
Format Uppercase

Record Reference(s) GPDE_AL_DELTA
GP_RSLT_DELTA
GP_RTO_OVR_PIN

PIN_SECT_NUM

Default Label Section Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PROCESS_DTL

PIN_SETID_NUM

Default Label Pin Number - SetID
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_SYSTEM_PIN

PIN_SOURCE_NUM

Default Label Pin Source Number
Length 8
Type Number
Format Uppercase



Record Reference(s) GP_RSLT_ABS
UPG_GP3_AET

PIN_SOVR1_NUM

Default Label SOVR Pin Number 1
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

PIN_SOVR1_SETID

Default Label Pin SOVR Setid 1
Length 3
Type Number
Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

PIN_SOVR2_NUM

Default Label SOVR Pin Number 2
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

PIN_SOVR2_SETID

Default Label Pin SOVR Setid 2
Length 3
Type Number
Format Uppercase



Record Reference(s) GP_PI_MNL_TMPLT

PIN_SOVR3_NUM

Default Label SOVR Pin Number 3
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

PIN_SOVR3_SETID

Default Label Pin SOVR Setid 3
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

PIN_SOVR_NUM

Default Label Supp Element PIN number

 Length 8
 Type Number
 Format Uppercase

Record Reference(s) GPMX_SAL_ERNDED

- GP_ELM_DFN_SOVR
- GP_PI_GEN_SOVR
- GP_PI_MNL_SOVR
- GP_PYE_OVR_SOVR
- GP_RSLT_PI_SOVR

PIN_SOVR_SETID_NUM

Default Label Supp Element SETID PIN number
 Length 8



PIN_TAKE_NUM_AFT

Default Label Absence Take
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_DTL_WRK
 GP_ABS_EVT_WRK
 TL_AGG_MAIN_AET

PIN_TAKE_NUM_BFR

Default Label Absence Take
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_EVT_WRK
 TL_AGG_MAIN_AET

PIN_TK_NUM

Default Label PIN Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GPDE_DV_FLT_ABS
 GP_PI_GEN_DATA

PIN_TYPE

Default Label Element Type
Length 2
Type Character
Format Uppercase

Record Reference(s) GPBR_ELEM_AET



GPDE_AL_REN_PIN
 GPDE_AL_REN_PLN
 GPDE_BL
 GPDE_RP_AL01
 GPDE_RP_AL04
 GPDE_RP_AL05
 GPDE_RP_TX03
 GPES_PSLIP_TMP2
 GPES_PSLIP_TMP4
 GPIT_FCUD_T1
 GPIT_FCUD_T3
 GPIT_RP_AL01
 GPIT_RP_TX01
 GPIT_RP_TX02
 GPMX_ACCUM_MBR
 GPMX_ACMB_AET
 GP_NR_PKG_ELMTS
 GP_PIN
 GP_PINMAP_C_AET
 GP_PIN_FLD_MAP1
 GP_PIN_FLD_MAP4
 GP_PIN_TYPE
 GP_PIN_TYP_LANG
 GP_PKG_COPY_AET
 GP_PKG_CRIT2
 GP_PKG_ELEMENTS
 GP_PKG_ELEM_D
 UPG_GP_01_TAO

PIN_TYPE_NUM

Default Label	PIN Type Number
Length	2
Type	Number
Format	Uppercase

Record Reference(s) GP_PIN_TYPE

PIN_UNIT_NUM



Default Label PIN Number - Unit
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE_ELM
GP_ERN_DED
GP_PI_GEN_DATA
GP_PI_MNL_DATA
GP_PYE_OVRD
GP_RSLT_PI_DATA

PIN_USER_KEY1_NUM

Default Label User Key 1
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR
GP_AUTOGEN_DFLT

PIN_USER_KEY2_NUM

Default Label User Key 2
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR
GP_AUTOGEN_DFLT

PIN_USER_KEY3_NUM

Default Label User Key 3
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR



GP_AUTOGEN_DFLT

PIN_USER_KEY4_NUM

Default Label User Key 4
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ACCUMULATOR
GP_AUTOGEN_DFLT

PIN_USE_PRD_NUM

Default Label Use Period If True
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_HIST_RULE

PIN_VAL1_NUM

Default Label Value 1 Data - Element Number
Length 8
Type Number
Format Uppercase

Record Reference(s) GPBR_VAC_AP_AET
GP_BRACKET
GP_BRACKET_DTL
GP_PI_MNL_TMPLT

PIN_VAL2_NUM

Default Label Value 2 Data - Element Number
Length 8
Type Number



Format Uppercase

Record Reference(s) GPBR_VAC_AP_AET
GP_BRACKET
GP_BRACKET_DTL
GP_PI_MNL_TMPLT

PIN_VAL3_NUM

Default Label Element Name - Value 3
Length 8
Type Number
Format Uppercase

Record Reference(s) GPBR_VAC_AP_AET
GP_BRACKET
GP_BRACKET_DTL
GP_PI_MNL_TMPLT

PIN_VAL4_NUM

Default Label Element Name - Value 4
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET
GP_BRACKET_DTL
GP_PI_MNL_TMPLT

PIN_VAL5_NUM

Default Label Element Name - Value 5
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET
GP_BRACKET_DTL



GP_PI_MNL_TMPLT

PIN_VAL6_NUM

Default Label Element Name - Value 6
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET
GP_BRACKET_DTL
GP_PI_MNL_TMPLT

PIN_VAL7_NUM

Default Label Element Name - Value 7
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET
GP_BRACKET_DTL

PIN_VAL8_NUM

Default Label Element Name - Value 8
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_BRACKET
GP_BRACKET_DTL

PIN_VAL_NUM

Default Label Pointer Value
Length 8
Type Number
Format Uppercase



Record Reference(s) GPGB_REPLIB_AET
GP_AUDIT_TBL
GP_RSLT_PIN

PIN_VAR_NUM
Default Label Element for Target Value
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ARRAY_FLD

PIN_WAIT_CNT_NUM
Default Label Wait Count Formula
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIN_WAIT_PRD_NUM
Default Label Wait Period - PIN
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_ABS_TAKE

PIS_PASEP_DT_BRA
Default Label Inscription Date
Length 10
Type Date
Format Uppercase



Record Reference(s) PERSON_BRA

PIT_A

Default Label Annual Taxable Income (A)
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PROVTHR

PIT_K1P

Default Label Prov Tax Credit Rate (K1P)
Length 7
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PROV

PIT_K3P_AMOUNT

Default Label Other Provincial Credits (K3P)
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PRVDATA

PIT_KP

Default Label Prov. Constant (KP)
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PROVTHR



PIT_TCP

Default Label	Basic Tax Credit Amount (TCP)
Length	10
Type	Number
Format	Uppercase

Record Reference(s) CAN_TAX_PROV

PIT_V

Default Label	Prov. Tax Rate (V)
Length	7
Type	Number
Format	Uppercase

Record Reference(s) CAN_TAX_PROVTHR

PI_ACTION_TYPE

Default Label	Action Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_PI_GEN_DATA
 GP_PI_MNL_DATA
 GP_RSLT_PI_DATA

A	Additional
N	Do Not Process
O	Override
Z	Resolve To Zero

PI_ARREARS_BAL

Default Label	Arrears Balance
Length	20
Type	Signed Number



Format Uppercase

Record Reference(s) PI_DED_BAL

PI_BALANCE_ID

Default Label Balance ID
Length 2
Type Character
Format Uppercase

Record Reference(s) PI_DED_BAL
PI_EARN_BAL
PI_RUN_PYGRP
PI_TAX_BAL

PI_BALANCE_KEY1

Default Label User Defined Search Key 1
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_DED_BAL
PI_EARN_BAL
PI_TAX_BAL

PI_BALANCE_KEY2

Default Label User Defined Search Key 2
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_DED_BAL
PI_EARN_BAL
PI_TAX_BAL



PI_BALANCE_PERIOD

Default Label PI Balances for Period
Length 3
Type Number
Format Uppercase

Record Reference(s) PI_DED_BAL
PI_EARN_BAL
PI_RUN_PYGRP
PI_TAX_BAL

PI_BALANCE_QTR

Default Label PI Balances for Quarter
Length 3
Type Number
Format Uppercase

Record Reference(s) PI_DED_BAL
PI_EARN_BAL
PI_RUN_PYGRP
PI_TAX_BAL

PI_BALANCE_YEAR

Default Label PI Balances for Year
Length 4
Type Number
Format Uppercase

Record Reference(s) PI_DED_BAL
PI_EARN_BAL
PI_RUN_PYGRP
PI_TAX_BAL

PI_BASE_REC_SEQ

Default Label PI Base Data Record Sequence



Length 3
 Type Number
 Format Uppercase

Record Reference(s) PI_DEFN_RECORD
 PI_DEFRC_TAO

PI_CALCULATED_BASE

Default Label Coverage Base
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) PI_DED_DETAIL

PI_CHANGE_IND

Default Label Payroll Interface Change Ind
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_PARTIC
 PI_PARTIC_EXPT

N No
 P Process Change
 Y Yes

PI_CHANGE_TYPE

Default Label PI Change Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_PARTIC

D Data Changes
 N New Employees



P Process Control
 R Reactive Pay
 T Terminated Pay

PI_CHECK_AMT1

Default Label User Defined Amount 1
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) PI_CHECK

PI_CHECK_AMT2

Default Label User Defined Check Amount 2
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) PI_CHECK

PI_CHECK_CODE

Default Label Payroll Check Code
 Length 4
 Type Character
 Format Mixedcase

Record Reference(s) PI_CHECK

PI_CHECK_FLD1

Default Label User Defined Data Field 1
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) PI_CHECK



PI_CHECK_FLD2

Default Label User Defined Data Field 2
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_CHECK_FLD3

Default Label User Defined Data Field 3
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_CHECK_FLD4

Default Label User Defined Data Field 4
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_CHECK_FLD5

Default Label User Defined Data Field 5
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK



PI_CHECK_KEY1

Default Label User Defined Search Key 1
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_CHECK_KEY2

Default Label User Defined Search Key 2
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_CHECK_NBR

Default Label Payroll Check Number
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_CHECK
 PI_DED_DETAIL
 PI_EARN_DETAIL
 PI_TAX_DETAIL

PI_CHECK_RT1

Default Label User Defined Check Rate 1
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_CHECK
 UPG_E3XW_TAO



PI_CHECK_TYPE

Default Label Payroll Check Type
Length 4
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_CONFIG_ID

Default Label PI Configuration ID
Length 6
Type Character
Format Uppercase

Record Reference(s) PAYGROUP_TBL

- PI_CHECK
- PI_CONFIG_FILE
- PI_CONFIG_LANG
- PI_CONFIG_TBL
- PI_DED_BAL
- PI_DED_DETAIL
- PI_EARN_BAL
- PI_EARN_DETAIL
- PI_EXP_INP_AET
- PI_EXTIO2_TAO
- PI_EXTIO_TAO
- PI_PARTIC
- PI_PARTIC_EXPT
- PI_RUN_PYGRP
- PI_TAX_BAL
- PI_TAX_DETAIL
- RC_PI_RUNCTL

PI_CONVERT_FLE_TYP

Default Label PI Convert File Type
Length 1



Type Character
 Format Uppercase

Record Reference(s) RC_PI_RUNCTL

E Initial Load Files
 I Import Files

PI_COUNTRY

Default Label Payroll Country
 Length 3
 Type Character
 Format Mixedcase

Record Reference(s) PI_TAX_BAL
 PI_TAX_DETAIL

PI_COV_BASE_MTD

Default Label Coverage base MTD
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) PI_DED_BAL

PI_COV_BASE_QTD

Default Label Coverage base QTD
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) PI_DED_BAL

PI_COV_BASE_YTD

Default Label Coverage base YTD



Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_DED_BAL

PI_DC_EMPLRCD

Default Label Deduction Calc Record
Length 3
Type Number
Format Uppercase

Record Reference(s) PAYROLL_DATA

PI_DED_CD

Default Label Payroll Deduction Code
Length 6
Type Character
Format Mixedcase

Record Reference(s) PI_DED_BAL
PI_DED_DETAIL

PI_DED_CUR

Default Label Current Deduction
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_DED_DETAIL

PI_DED_CUR_PAYBK

Default Label Current Deduction Payback
Length 20



Type Signed Number
Format Uppercase

Record Reference(s) PI_DED_DETAIL

PI_DED_CUR_REFUND

Default Label Current Deduction Refund
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_DED_DETAIL

PI_DED_DISTR

Default Label Payroll Deduction Distribution
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_DED_DETAIL

PI_DED_MTD

Default Label Deduction Balance MTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_DED_BAL

PI_DED_NOT_TAKEN

Default Label Deduction Not Taken
Length 20
Type Signed Number
Format Uppercase



Record Reference(s) PI_DED_DETAIL

PI_DED_QTD
Default Label Deduction Balance QTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_DED_BAL

PI_DED_TYPE
Default Label Payroll Deduction Type
Length 6
Type Character
Format Mixedcase

Record Reference(s) PI_DED_BAL
PI_DED_DETAIL

PI_DED_YTD
Default Label Deduction Balance YTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_DED_BAL
PI_DED_DETAIL

PI_DFLT_VALUE
Default Label Payroll Interface Default Val
Length 20
Type Character
Format Mixedcase



Record Reference(s) PI_FIELD_TBL
PI_PIFLD_TAO

PI_EARNS_AMT
Default Label Earnings Amount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_EARN_DETAIL

PI_EARN_CD
Default Label Payroll Earnings Code
Length 6
Type Character
Format Mixedcase

Record Reference(s) PI_EARN_BAL
PI_EARN_DETAIL

PI_EARN_DISTR
Default Label Payroll Earnings Distribution
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_EARN_DETAIL

PI_EARN_TYPE
Default Label Payroll Earning Type
Length 6
Type Character
Format Mixedcase



PI_EXPT_DEST

Default Label Export Destination
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_SYSTEM_TBL

F External File
 T Table

PI_FDEFN_FROM

Default Label Copy from File Defn ID
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) PI_RUNCTL_SID
 PI_SETUP_AET

PI_FDEFN_TO

Default Label Copy to PI File Defn ID
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) PI_RUNCTL_SID
 PI_SETUP_AET

PI_FIELD_ID

Default Label Payroll Interface Field ID
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) PI_DEFFD_TAO



PI_DEFN_FIELD
 PI_FIELD_LANG
 PI_FIELD_TBL
 PI_FIELD_XLAT
 PI_PARTIC_EXTBL
 PI_PIFLD_TAO
 PI_PIFLG_TAO
 PI_PIFXL_TAO
 Z_PI_NFC_TBL100
 Z_PI_NFC_TBL101
 Z_TBL100
 Z_TBL101
 Z_TBL101_FLDS

PI_FIELD_LEN

Default Label Payroll Interface Field Length
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO
 Z_PI_NFC_TBL100
 Z_TBL100

PI_FIELD_SEQ

Default Label Payroll Interface Field Seq#
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PI_DEFFD_TAO
 PI_DEFN_FIELD

PI_FIELD_TYPE

Default Label Payroll Interface Field Type



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO
 Z_PI_NFC_TBL100
 Z_TBL100

C Character
 D Date
 N Number
 S Signed Number
 V Value

PI_FIELD_VALUE

Default Label PYI Field Conversion Value
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PI_FIELD_XLAT
 PI_PIFXL_TAO

PI_FILE_ID

Default Label Payroll Interface File ID
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) PI_CONFIG_FILE
 PI_DEFFD_TAO
 PI_DEFFL_TAO
 PI_DEFN_FIELD
 PI_DEFN_FILE
 PI_DEFN_F_LANG
 PI_DEFN_RECORD
 PI_DEFN_R_LANG
 PI_DEFRC_TAO
 PI_DEFRL_TAO



PI_DFLLG_TAO
 PI_PARTIC_EXPT

PI_FILE_TYPE

Default Label Payroll Interface File Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_DEFFL_TAO
 PI_DEFN_FILE
 PI_SYSTEM_TBL

- C Comma Separated (CSV)
- L Logical
- O Other Delimited
- P Physical
- T Tab Delimited

PI_GEN_REF

Default Label PI Generated Reference
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_GEN_REF
 GP_RSLT_PI_DATA
 GP_TL_PIGEN_WRK
 GP_TL_PRSLT_WRK

PI_GROUP_ID

Default Label Payroll Interface Group ID
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PI_DEFFD_TAO



PI_DEFN_FIELD
PI_GROUP_LANG
PI_GROUP_TBL

PI_GRS_MTD

Default Label Gross Earnings MTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_EARN_BAL

PI_GRS_QTD

Default Label Gross Earnings QTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_EARN_BAL

PI_GRS_YTD

Default Label Gross Earnings YTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_EARN_BAL
PI_EARN_DETAIL

PI_INSTANCE_ID

Default Label Instance ID
Length 6
Type Character
Format Uppercase



Record Reference(s) PI_DEFN_RECORD
 PI_DEFRC_TAO
 PI_FIELD_TBL
 PI_INSTANCE_TBL
 PI_INSTANC_LANG
 PI_INST_VALUE
 PI_PIFLD_TAO

PI_INSTANCE_IND
 Default Label PI Instance Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_INSTANCE_TBL
 O Ordinal
 V Value

PI_INSTANCE_SEQ
 Default Label Instance Sequence Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PI_INST_VALUE

PI_KEY_FIELD
 Default Label Payroll Interface Key Field
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_DEFFD_TAO
 PI_DEFN_FIELD



C Target Company
 E Effective Date
 N Not a Key Field
 O Occurrence Defining Key Field
 R Record Level Key Field

PI_LOCALITY

Default Label Payroll Locality Code
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) PI_TAX_BAL
 PI_TAX_DETAIL

PI_MNL_TEMPLATE_ID

Default Label Template ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

PI_MNL_TMPLT_OVR1A

Default Label Component 1
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

10 Unit
 20 Rate
 30 Amount
 40 Base
 50 Percent



PI_MNL_TMPLT_OVR1B

Default Label	Component 2
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	GP_PI_MNL_TMPLT
	10 Unit
	20 Rate
	30 Amount
	40 Base
	50 Percent

PI_MNL_TMPLT_OVR2A

Default Label	Override Type 2A
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	GP_PI_MNL_TMPLT
	10 Unit
	20 Rate
	30 Amount
	40 Base
	50 Percent

PI_MNL_TMPLT_OVR2B

Default Label	Override Type 2B
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	GP_PI_MNL_TMPLT
	10 Unit
	20 Rate
	30 Amount
	40 Base



20	Rate
30	Amount
40	Base
50	Percent

PI_MNL_TMPLT_OVR4B

Default Label	Override Type 4B
Length	2
Type	Character
Format	Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

10	Unit
20	Rate
30	Amount
40	Base
50	Percent

PI_MNL_TMPLT_OVR5A

Default Label	Override Type 5A
Length	2
Type	Character
Format	Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

10	Unit
20	Rate
30	Amount
40	Base
50	Percent

PI_MNL_TMPLT_OVR5B

Default Label	Override Type 5B
Length	2
Type	Character
Format	Uppercase

Record Reference(s) GP_PI_MNL_TMPLT



10	Unit
20	Rate
30	Amount
40	Base
50	Percent

PI_MNL_TMPLT_OVR6A

Default Label	Override Type 6A
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	GP_PI_MNL_TMPLT
10	Unit
20	Rate
30	Amount
40	Base
50	Percent

PI_MNL_TMPLT_OVR6B

Default Label	Override Type 6B
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	GP_PI_MNL_TMPLT
10	Unit
20	Rate
30	Amount
40	Base
50	Percent

PI_NAME_FIRST

Default Label	PI Employee First Name
Length	30
Type	Character



Format Mixedcase

Record Reference(s) PI_CHECK

PI_NAME_LAST

Default Label PI Employee Last Name

Length 30

Type Character

Format Mixedcase

Record Reference(s) PI_CHECK

PI_NET_PAY

Default Label Net Py

Length 20

Type Signed Number

Format Uppercase

Record Reference(s) PI_CHECK

PI_NLGRS_MTD

Default Label No Limit Gross MTD

Length 20

Type Signed Number

Format Uppercase

Record Reference(s) PI_TAX_BAL

PI_NLGRS_QTD

Default Label No Limit Gross QTD

Length 20

Type Signed Number

Format Uppercase



Record Reference(s) PI_TAX_BAL

PI_NLGRS_YTD

Default Label No Limit Gross YTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_TAX_BAL

PI_PARTIC_STATUS

Default Label Payroll Interface Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_PARTIC

C Compared
E Compare Error
P In Progress

PI_PAY_FREQUENCY

Default Label Payroll Pay Frequency
Length 5
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_PAY_GROUP1

Default Label PI Paygroup 1
Length 6
Type Character
Format Uppercase



Record Reference(s) PI_CHECK

PI_DED_BAL
PI_DED_DETAIL
PI_EARN_BAL

PI_EARN_DETAIL
PI_TAX_BAL
PI_TAX_DETAIL

PI_PAY_GROUP2

Default Label PI Paygroup 2
Length 6
Type Character
Format Uppercase

Record Reference(s) PI_CHECK

PI_DED_BAL
PI_DED_DETAIL
PI_EARN_BAL
PI_EARN_DETAIL
PI_TAX_BAL
PI_TAX_DETAIL

PI_PROCESS_FILTER

Default Label Process Filter Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_SYSTEM_TBL

C Company Filtering
N No Filtering

PI_PROCESS_ID

Default Label PI Process ID
Length 6
Type Character



Format Uppercase

Record Reference(s) PI_DEFN_RECORD
PI_DEFRC_TAO
PI_FIELD_TBL
PI_PIFLD_TAO
PI_PROCESS_TBL
PI_PROCESS_VAL
PI_PROC_TB_LANG
PI_PROC_VA_LANG

PI_PROCESS_PHASE

Default Label PI Process Phase
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_PROCESS_TBL
PI_PROCESS_VAL
PI_PROC_TB_LANG
PI_PROC_VA_LANG

- A After Field Translation
- B Before Field Translation
- C Record Processing
- E Export File Creation
- I Import Processing

PI_PROCESS_TYPE

Default Label Process Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_DEFFL_TAO
PI_DEFN_FILE
PI_FIELD_TBL
PI_GROUP_TBL
PI_PIFLD_TAO



PI_PSREC_FLD
 PI_PS_RECORD
 PI_PS_REC_LANG

B Export/Import
 E Export
 I Import

PI_PYGRP_STATUS

Default Label Payroll Interface Pygrp Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_RUN_PYGRP

C Compared
 E Exported
 I Imported
 L Initial Load
 P In Progress
 R Ready

PI_RECORD_ID

Default Label Payroll Interface Record ID
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) PI_DEFN_RECORD

PI_DEFRC_TAO
 PI_PARTIC_EXPT
 Z_PI_DOC_TYPES
 Z_PI_NFC_TBL100
 Z_TBL100

PI_RECORD_LEN

Default Label PI Record Length



Length 4
 Type Number
 Format Uppercase

Record Reference(s) PI_DEFFL_TAO
 PI_DEFN_FILE
 PI_EXP_INP_AET
 PI_EXTIO
 PI_EXTIO2_TAO
 PI_EXTIO_TAO

PI_RECORD_SEQ
 Default Label Payroll Interface Record Seq#
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PI_DEFFD_TAO
 PI_DEFN_FIELD
 PI_DEFN_RECORD
 PI_DEFN_R_LANG
 PI_DEFRC_TAO
 PI_DEFRL_TAO
 PI_PARTIC_EXPT

PI_RECORD_TYPE
 Default Label Record Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_DEFN_RECORD
 PI_DEFRC_TAO

B Not Processed by Interface
 D Data
 H Header
 P Process Result
 T Trailer



PI_REPROCESS_IND

Default Label PI Reprocess Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_RUNCTL

C	Compare
E	Export
I	Import
L	Load
N	None

PI_RUN_NUM

Default Label Payroll Interface Run Number
Length 4
Type Number
Format Uppercase

Record Reference(s) PI_CHECK

- PI_DED_BAL
- PI_DED_DETAIL
- PI_EARN_BAL
- PI_EARN_DETAIL
- PI_EXP_INP_AET
- PI_EXTIO
- PI_EXTIO2_TAO
- PI_EXTIO_TAO
- PI_MESSAGE
- PI_PARTIC
- PI_PARTIC_EXPT
- PI_PARTIC_EXTBL
- PI_PRESELECT
- PI_RUNCTL
- PI_RUNCTL_AE
- PI_RUN_PYGRP
- PI_RUN_TBL
- PI_TAX_BAL



PI_TAX_DETAIL
RC_PI_RUNCTL

PI_RUN_OPT

Default Label PI Run Option
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_EXP_INP_AET
PI_EXTIO
PI_EXTIO2_TAO
PI_EXTIO_TAO
PI_RUNCTL
PI_RUNCTL_AE

N New
P Reprocess
R Restart

PI_RUN_STATUS

Default Label Payroll Interface Run Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PI_RUN_TBL

C Completed
I In Progress
R Ready

PI_RUN_TYPE

Default Label Payroll Interface Run Type
Length 1
Type Character
Format Uppercase



Record Reference(s) PI_EXP_INP_AET

PI_EXTIO
 PI_EXTIO2_TAO
 PI_EXTIO_TAO
 PI_RUNCTL
 PI_RUNCTL_AE
 PI_RUN_TBL

E Export
 I Import

PI_SELECT_TYPE

Default Label Selection Process Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_PRESELECT

PI_RUNCTL
 PI_RUN_PYGRP
 PI_RUN_TBL

A Manually Select
 C Smart Select
 D All Employees in Group

PI_SOURCE

Default Label Positive Input Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_GEN_DATA

GP_PI_GEN_REF
 GP_PI_GEN_SOVR
 GP_PI_VC_PLAN
 GP_RSLT_PI_DATA

A Absence
 G Generated PI
 M Manual



T Time&Labor

PI_STATE

Default Label Payroll State Code
Length 6
Type Character
Format Mixedcase

Record Reference(s) PI_TAX_BAL
PI_TAX_DETAIL

PI_SYSID_FROM

Default Label Copy from PI System ID
Length 4
Type Character
Format Uppercase

Record Reference(s) PI_RUNCTL_SID
PI_SETUP_AET

PI_SYSID_TO

Default Label Copy to PI System ID
Length 4
Type Character
Format Uppercase

Record Reference(s) PI_RUNCTL_SID
PI_SETUP_AET

PI_SYSTEM_ID

Default Label Payroll Interface System ID
Length 4
Type Character
Format Uppercase



Record Reference(s) PI_CHECK

- PI_CONFIG_TBL
- PI_DED_BAL
- PI_DED_DETAIL
- PI_DEFFD_TAO
- PI_DEFFL_TAO
- PI_DEFN_FIELD
- PI_DEFN_FILE
- PI_EARN_BAL
- PI_EARN_DETAIL
- PI_EMPLID_TBL
- PI_EXTIO2_TAO
- PI_EXTIO_TAO
- PI_FIELD_LANG
- PI_FIELD_TBL
- PI_FIELD_XLAT
- PI_GROUP_LANG
- PI_GROUP_TBL
- PI_INSTANCE_TBL
- PI_INSTANC_LANG
- PI_INST_VALUE
- PI_PARTIC
- PI_PARTIC_EXPT
- PI_PIFLD_TAO
- PI_PIFLG_TAO
- PI_PIFXL_TAO
- PI_PSREC_FLD
- PI_PS_RECORD
- PI_PS_REC_LANG
- PI_SYSTEM_LANG
- PI_SYSTEM_STAT
- PI_SYSTEM_TBL

- PI_TAX_BAL
- PI_TAX_DETAIL
- RC_PI_RUNCTL
- UPG_CONV_PI75_2
- UPG_PI_AET

PI_TAX_CD
Default Label Payroll Tax Code



Length 6
Type Character
Format Uppercase

Record Reference(s) PI_TAX_BAL
PI_TAX_DETAIL

PI_TAX_CUR

Default Label Current Tax
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_TAX_DETAIL

PI_TAX_DISTR

Default Label Payroll Tax Distribution
Length 10
Type Character
Format Mixedcase

Record Reference(s) PI_TAX_DETAIL

PI_TAX_METHOD

Default Label Payroll Tax Calc Method
Length 4
Type Character
Format Uppercase

Record Reference(s) PI_CHECK

PI_TAX_MTD

Default Label Tax MTD
Length 20
Type Signed Number



Format Uppercase

Record Reference(s) PI_TAX_BAL

PI_TAX_QTD

Default Label Tax QTD

Length 20

Type Signed Number

Format Uppercase

Record Reference(s) PI_TAX_BAL

PI_TAX_TYPE

Default Label Payroll Tax Type

Length 6

Type Character

Format Mixedcase

Record Reference(s) PI_TAX_BAL
PI_TAX_DETAIL

PI_TAX_YTD

Default Label Tax YTD

Length 20

Type Signed Number

Format Uppercase

Record Reference(s) PI_TAX_BAL
PI_TAX_DETAIL

PI_TEXT_TYPE

Default Label Field Types

Length 1

Type Character



Default Label Total Gross
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_CHECK

PI_TOTAL_TAXES

Default Label Total Taxes
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_CHECK

PI_TXGRS_CUR

Default Label Current Taxable Gross
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_TAX_DETAIL

PI_TXGRS_MTD

Default Label Taxable Gross MTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_TAX_BAL

PI_TXGRS_QTD

Default Label Taxable Gross QTD
Length 20
Type Signed Number



Format Uppercase

Record Reference(s) PI_TAX_BAL

PI_TXGRS_YTD

Default Label Taxable Gross YTD
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PI_TAX_BAL

PI_VERSION

Default Label Interface Payroll System Ver
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_SYSTEM_TBL

PI_VER_NUM

Default Label PI version number
Length 3
Type Number
Format Uppercase

Record Reference(s) GP_PI_GEN_DATA

- GP_PI_GEN_HDR
- GP_PI_GEN_REF
- GP_PI_GEN_SOVR
- GP_PI_HDR_WRK
- GP_PI_VC_PLAN
- GP_TL_PIGEN_WRK
- GP_TL_PIHD2_WRK



PI_VOID_IND

Default Label Payroll Void Check Indicator
Length 4
Type Character
Format Mixedcase

Record Reference(s) PI_CHECK

PI_WRK01

Default Label PI WORK FIELD
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_EXP_INP_AET
PI_EXTIO2_TAO
PI_EXTIO_TAO

PI_WRK02

Default Label PI WORK FIELD
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_EXP_INP_AET
PI_EXTIO2_TAO
PI_EXTIO_TAO

PI_WRK03

Default Label PI WORK FIELD
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_EXP_INP_AET



PI_EXTIO2_TAO
PI_EXTIO_TAO

PI_WRK04

Default Label PI WORK FIELD
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_EXP_INP_AET
PI_EXTIO2_TAO
PI_EXTIO_TAO

PI_WRK05

Default Label PI WORK FIELD
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_EXP_INP_AET
PI_EXTIO2_TAO
PI_EXTIO_TAO

PI_WRK06

Default Label PI WORK FIELD
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_EXP_INP_AET
PI_EXTIO2_TAO
PI_EXTIO_TAO

PI_WRK07



Default Label PI WORK FIELD
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PI_EXP_INP_AET

PI_WRK08

Default Label PI WORK FIELD
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PI_EXP_INP_AET

PI_WRK09

Default Label PI WORK FIELD
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PI_EXP_INP_AET

PI_XLAT_IND

Default Label PI Translate Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO

- A Translate All
- D Translate or Use Default Value
- N No Translate Values
- P Translate or Use PS Value



PKG_COMPARE_DTTM

Default Label Package Compare DateTime
Length 26
Type Datetime
Format 12

Record Reference(s) GP_NR_PKG_DFN
GP_PKG_DFN

PKG_CONFIRMED

Default Label Package Confirmed
Length 1
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_TBL

PKG_CREATE_DTTM

Default Label Package Creation DateTime
Length 26
Type Datetime
Format 12

Record Reference(s) GP_NR_PKG_DFN
GP_PKG_DFN

PKG_DEENROLLED

Default Label De-enrolled
Length 1
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_TBL



PKG_END_DT

Default Label Package End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PKG_MDL_TBL

PKG_ERNDED_PIN_NUM

Default Label Earning/Deduction Pin Number
Length 8
Type Number
Format Uppercase

Record Reference(s) PKG_ERN_DED_XCL

PKG_EXPORT_DTTM

Default Label Package Export DateTime
Length 26
Type Datetime
Format 12

Record Reference(s) GP_NR_PKG_DFN
 GP_PKG_DFN

PKG_EXPORT_NR_DTTM

Default Label PackageExport(NRData)DateTime
Length 26
Type Datetime

Format 12

Record Reference(s) GP_NR_PKG_DFN



PKG_IMPORT_DTTM

Default Label	Package Import DateTime
Length	26
Type	Datetime
Format	12

Record Reference(s)	GP_NR_PKG_DFN
	GP_PKG_DFN

PKG_IMPORT_NR_DTTM

Default Label	PackageImpor(NR Data)DateTime
Length	26
Type	Datetime
Format	12

Record Reference(s)	GP_NR_PKG_DFN
---------------------	---------------

PKG_LNG_OPTN

Default Label	Language
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GP_PKG_CRIT1
	GP_PKG_CRIT2
	GP_PKG_CRIT_VER
	GP_PKG_CR_AET
	GP_PKG_ELEMENTS
	GP_PKG_TAO

A	All(Base&Related)
B	Base Only
R	Related Only

PKG_METHOD

Default Label	Package Method
Length	1
Type	Character



Format Uppercase

Record Reference(s) PKG_MDL_TBL

- B Bottom Up
- M Middle Out
- T Top Down

PKG_PAY_EXP_TYPE

Default Label Package Expenses Payroll Type

Length 1

Type Character
Format Uppercase

Record Reference(s) PKG_BSE_CMP_CDE

- D Deduction
- E Earning
- N N/A
- X Business Expenses

PKG_PROCESSTP_GP

Default Label Package Prosess Type

Length 1

Type Character
Format Uppercase

Record Reference(s) RC_PKG

- D By Department
- E By Employee ID
- P By Pay Group

PKG_PROCESSTYPE

Default Label Process Type

Length 1

Type Character
Format Uppercase



Record Reference(s) RC_PKG

C By Company
D By Department
E By Employee ID
P By Company, Pay Group

PKG_REMAINDER

Default Label Package Remainder
Length 1
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

PKG_REQ

Default Label Required
Length 1
Type Character
Format Uppercase

Record Reference(s) PKG_RULE_CMP

PKG_RULE_ID

Default Label Package Rule ID
Length 10

Type Character
Format Uppercase

Record Reference(s) PKG_MDL_TBL
PKG_RULE_CMP
PKG_RULE_LANG
PKG_RULE_TBL

PKG_START_DT



GP_PKG_DFN

PK_ACTIVEFLAG

Default Label Active Flag
Length 1

Type Character
Format Uppercase

Record Reference(s) PK_LICENSE_DEFN

A Active
I Inactive

PK_ANN_CONTRIB

Default Label Employee Contribution (Annual)
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

PK_AVAIL_DAYS

Default Label Available Days (Annual)
Length 3
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

PK_DAY_RATE

Default Label Lowest Daily Parking Fee
Length 13
Type Number
Format Uppercase



PTAX	Property Tax
PTLS	PeopleTools
SCM	Supply Chain Management
SCP	Supply Chain Planning
STFO	Staffing Front Office
XTLS	Translations

PK_RELEASE

Default Label	Release
Length	10
Type	Character
Format	Uppercase

Record Reference(s)	PK_LICENSE_CODE
	PK_LICENSE_DEFN
	PK_LICENSE_HDR

PLACEMENT_TYPE_FRA

Default Label	Previous Placement Type
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	APP_DISABL_FRA
	DISABILITY_FRA
	UPG_ER_AET

AP	Protected WorkShop
CAT	Helped by a Work Center
CTD	Home Work Center
CFP	Professional Training Center
IMPR	Professional/Medical Center

PLACE_ISSUED

Default Label	Place of Issue
Length	30
Type	Character
Format	Mixedcase



Record Reference(s) APP_VSA_PMT_DTA
APP_VSA_PMT_LNG
VISA_PMT_DATA
VISA_PMT_DA_LNG

PLANID

Default Label Plan Type and Benefit Plan
Length 8
Type Character
Format Uppercase

Record Reference(s) AUTH_PLN_KEYWRD

PLAN_415

Default Label Plans limited by 415
Length 1

Type Character
Format Uppercase

Record Reference(s) PA_SUMMARY_PLAN

PLAN_ADMINISTRATOR

Default Label Plan Administrator Name
Length 30
Type Character
Format Name

Record Reference(s) PA_PLAN_ADMIN

PLAN_CONTRIBUTION

Default Label Plan Contribution
Length 1
Type Character



Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL

- N Employer Only (No EE)
- O EE Contribution Optional
- R EE Contribution Required

PLAN_DATES_IND

Default Label Plan Dates
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_RUN_CNTL

PLAN_DESCR

Default Label Plan Description
 Length 40
 Type Character
 Format Mixedcase

Record Reference(s) BN_834_PAYER
 BN_834_PYR_WRK

PLAN_EIN

Default Label Employer Identification Number
 Length 9
 Type Character
 Format Uppercase

Record Reference(s) PA_PLAN_ADMIN

PLAN_END_DT

Default Label Plan End Date



Length 10
Type Date
Format Uppercase

Record Reference(s) VC_PLAN_DATA

PLAN_ENROLL_DT

Default Label Plan Enroll Date
Length 10
Type Date
Format Uppercase

Record Reference(s) BAS_PARTIC_PLAN

PLAN_ID

Default Label Plan ID
Length 8
Type Character
Format Uppercase

Record Reference(s) EE_IPE_PLAN
IPE_PLANTBL_LNG
IPE_PLAN_STEPS
IPE_PLAN_TABLE

PLAN_LIST_IND

Default Label Include/Exclude Plans
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_ENR_RUNCTL

E Exclude Plan Types Listed
I Include Plan Types Listed



PLAN_MEM_CRIT

Default Label Plan Member Criteria
Length 2
Type Character
Format Uppercase

Record Reference(s) VC_PLAN_DATA

A Ad-Hoc Award
E Empl Var Comp Record
G Empl Var Comp Rec with Grps
T Define Tree/Groups

PLAN_NONQUAL

Default Label Non Qualified Plan Count

Length 1
Type Character
Format Uppercase

Record Reference(s) PA_SUMMARY_PLAN

PLAN_NORM_FORM

Default Label Plan Normal Form Amount
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_SUMMARY_PLAN

PLAN_NUMBER

Default Label Plan Number
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_PLAN_ADMIN



PLAN_ORDER_NUMBER

Default Label Plan Ordering Number
Length 2
Type Number
Format Uppercase

Record Reference(s) PA_415_LIMIT3

PLAN_QDRO

Default Label Plan Limited by QDRO
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_SUMMARY_PLAN

PLAN_QUAL

Default Label Qualified Plan Count
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_SUMMARY_PLAN

PLAN_REG_NO

Default Label Plan Registration Number
Length 11

Type Character
Format Uppercase

Record Reference(s) PENSION_PLN_TBL



PLAN_START_DT

Default Label	Plan Start Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) VC_PLAN_DATA

PLAN_TYPE

Default Label	Plan Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) ABSV_ACCRUAL

- ABSV_ADDL_TBL
- ABSV_PERIOD
- ABSV_PLAN_TBL
- ABSV_RATE_TBL
- ABSV_REQUEST
- ABSV_RUNCTL
- ACCRUAL_RUNCTL
- ADDL_PAY_DATA
- AP_EXTRACT_LINE
- AUTH_BEN_PLANS
- AUTH_PLN_KEYWRD
- BAL_ADJ_ARR
- BAL_ADJ_CN_DED
- BAL_ADJ_DED
- BAL_ADJ_GRN
- BAS_ENR_PLAN
- BAS_OE_DEFN_PLN
- BAS_PARTIC_COST
- BAS_PARTIC_DPND
- BAS_PARTIC_INVT
- BAS_PARTIC_OPTN
- BAS_PARTIC_PLAN
- BDGT_BENEF_GRP
- BD_DISTR_TBL
- BENEFIT_PARTIC
- BENEF_PLAN_LANG



BENEF_PLAN_TBL
BEN_BI_CHARGE
BEN_BI_ENR_CBR
BEN_BI_ENR_EFDT
BEN_BI_ENR_PLAN
BEN_DEFN_COST
BEN_DEFN_OPTN
BEN_DEFN_PLAN
BEN_PLAN_DATA
BEN_PLN_CONTACT
BN_834_PLAN

BN_834_SEL_WRK
BN_M_SCHVND_TBL
BN_M_SNAP_FILTR
BN_SNAP_HIST
BN_SNAP_PLAN
BN_SNAP_TMP1
BP_BNFT_DIS_EXP
BP_IMPT_HR_AET
CAN_BA_HIER_DTL
CAN_DED_BALANCE
CAR_ALLOC
CAR_MILEAGE_UK
CAR_NOTINUSE
CAR_PAYMENTS
CAR_PLAN
CAR_PLAN_TBL
CBR_PARTIC_DPND
CBR_PARTIC_OPTN
CBR_PARTIC_PLAN
CONTRACT_PREPAY
CSB_FREQ_TBL
DEDUCTION_BAL
DEDUCTION_CLASS
DEDUCTION_FREQ
DEDUCTION_LANG
DEDUCTION_TBL
DED_ARREARS
DED_CALC
DED_SUBSET_CD
DEPBEN_RIDER
DEPT_ACT_DTL



DEPT_BUDGET_DED
DISABILITY_BEN
DISBLTY_PLN_TBL
EARNINGS_ACCRL
EARN_SPCD_DEDN
EMPL_DED_PROC
EXC_CR_CALC_INC
FA_PAYMENTS
FA_PAY_PROGRAM
FSA_BENEFIT
FSA_BENEF_TBL
FSA_CLAIM
FSA_PAYMENT
FSA_PAYMT_CLAIM
FSA_SUMMARY
GARN_BALANCE
GARN_DE_DED
GARN_EMPL_DED
GA_PRV_PLANPROD
GVT_PAY_TSP
GVT_RUN_CNTL
HEALTH_BENEFIT
HEALTH_DEPENDNT
HEALTH_PLAN_TBL
HPDBRETDIST_AET
HP_BDGT_DEDCHG
HP_COL_DEFN_DTL
HP_DEDDIST_WRK
HP_DED_ACCT_MAP
HP_DISTBDGT_AET

HP_DISTRCH_AET
HP_FRINGE_DED
HP_GRSFRG_DATA
HP_PAYDEDUC_WK
HP_RDIST_DEDDAT
HP_RETDIST_AET
IMP_ADJUST
IMP_CALC
IMP_GTL_DPL
INC_DEDUCT_NLD
LEAVE_ACCRUAL
LEAVE_ADDL_TBL



LEAVE_PLAN
LEAVE_PLAN_TBL
LEAVE_RATE_TBL
LEAVE_SRVYR_TBL
LIFE_ADD_BEN
LIFE_ADD_BENEF
LIFE_ADD_TBL
LIMIT_COORD_TBL
LIMIT_EXCLD_TBL
LIMIT_IMPIN_TBL
LIMIT_INCLD_TBL
PAY_DEDUCTION
PAY_DED_DIST
PAY_DED_LIAB_AP
PAY_GARNISH
PAY_ONE_TIME
PA_CONS_DED
PA_DBPAY_CO
PA_HST_PAY_DED
PA_TE_BDED
PENSION_BENEF
PENSION_PLAN
PENSION_PLN_TBL
PENSION_RTE_TBL
PSHUP_TXN
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO
RC_TAX504
RC_TAX960MA
RETRODEDPGM_DEF
RETRODED_CALC
RETRODED_DEDS
RETRODED_RQST
RTRMNT_PLAN
RTRMNT_PLAN_TBL
RUN_CNTL_BEN



RUN_CNTL_BEN_PT
R_BEN023
R_BEN_BI_HIST
SAVINGS_BENEFIC
SAVINGS_INVEST
SAVINGS_INV_TBL

SAVINGS_PLAN
SAVINGS_PLN_TBL
SAVNGS_INV_LANG
ST_ESPP_CNF_AET
ST_ESPP_PAR_TAO
ST_ESPP_PLAN
ST_ESPP_SAV_TAO
ST_ESPP_UNC_AET
ST_ISSUUPD_AET
ST_PARTIC_AET
ST_PSHUP_AET
TAXFORM_DED
TAXGR_CMPNT_TBL
TC_MAP_BENEFIT
TC_MAP_BEN_TAO
TERM_EXT_WRK
TERM_PGM_DEFDED
TERM_PGM_DEFLVE
TERM_PRORT_ACCR
TL_AGG_MAIN_AET
TL_TA000900_AET
TOTAL_DED
UPG_BN_FSA_TMP
UPG_BN_LMT_TMP1
UPG_HP_01_TAO
UPG_HP_02_TAO
UPG_HP_AET
UPG_HR_AET
UPG_INCDNLD_TAO
UPG_TL_AET
VACATION_BEN
VACATION_TBL
VC_APRWRD_G_AET
W3EB_BENEF_SMRY
W3EB_DEPBEN_SUM
W3EB_DEPBEN_TMP



W3EB_SAVFND_WRK
W3EB_SVBENF_WRK
W3EB_TEXT
W3EB_TEXT_LANG
WRK_DEDUCTION
WRK_DED_DIST
WRK_GARNISH
WRK_ONE_TIME

00	General Deduction
01	Benefit Program
10	Fed Employees Health Benefits
11	Dental
12	Medical/Dental
13	Major Medical
14	Vision
15	Domestic Partner Medical
16	Domestic Partner Dental
17	Domestic Partner Vision
1W	FEHB - Waiver
20	Basic Life
21	Option B - Additional
22	Supplemental
23	Life and AD and D
24	Dependent AD and D
25	Option C - Family
26	Survivor Income
27	Supplemental AD and D
2Y	FEGLI - Living Benefits
2Z	Option A - Standard
30	Short-Term Disability
31	Long-Term Disability
40	401(k)
41	Profit Sharing
42	Thrift Savings Plan
43	IRA
44	Capital Accumulation
45	U.S. Savings Bonds
46	403(b)
47	Nonelective Contributions
48	Employer Only
49	Section 457



4A	Employee Stock Purchase
50	Sick
51	Annual Leave
52	Credit Hours
53	Family and Medical Leave Act
5A	Company Car
60	Flex Spending Health - U.S.
61	Flex Spending Dependent Care
65	Flex Spending Health - Canada
66	Retirement Counseling
70	Retirement
7Z	Retirement - TSP 1%
80	Standard Pension
81	Supplementary Pension
82	Pension Plan 1 - U.S.
83	Pension Plan 2 - U.S.
84	Pension Plan 3 - U.S.
85	Pension Plan 4 - U.S.
86	Pension Plan 5 - U.S.
87	Pension Plan 6 - U.S.
90	Vacation Buy
91	Vacation Sell

PLAN_TYPE_DESCR

Default Label	Plan Type Description
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) BEN_PLAN_DATA

PLAN_TYPE_MEX

Default Label	Plan Type
Length	4
Type	Character
Format	Uppercase

Record Reference(s) RUN_STPS_MEX

0010 Course



0020 Training Program

PLAN_TYPE_RA

Default Label Plan Type ATAX Rollover
Length 2
Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC_PLAN
SAVINGS_PLAN
SAVINGS_PLN_TBL

PLAN_TYPE_RB

Default Label Plan Type BTAX Rollover
Length 2
Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC_PLAN
SAVINGS_PLAN
SAVINGS_PLN_TBL

PLAN_YEAR_BEGIN_DT

Default Label Plan Year Begin Date
Length 10
Type Date
Format Uppercase

Record Reference(s) NDT_RUNCTL

PLATCOMPAT

Default Label Platform Compatibility Mode
Length 1
Type Character
Format Uppercase



Record Reference(s) PSOPTIONS

PLATFORMID

Default Label Platform ID
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) EOEW_CVT_DFN

PSDDLDEFPARMS
 PSDDLMODEL
 PSIDXDDLPARM
 PSRECDDLPARM
 PSSPCDDLPARM

0	SQLBase
1	DB2
2	Oracle
3	Informix
4	DB2/Unix
5	ALLBASE
6	Sybase
7	Microsoft
8	DB2/400

PLATFORMMOBILE

Default Label Mobile Device Platform
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) MOBILEID

PLATFORM_ALB

Default Label AllBase
 Length 1



Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

PLATFORM_DB2

Default Label DB2/MVS
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

PLATFORM_DB4

Default Label DB2/400
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

PLATFORM_DBX

Default Label DB2 for Unix
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

PLATFORM_INF

Default Label Informix

Length 1
Type Number
Format Uppercase



Record Reference(s) PSINDEXDEFN

PLATFORM_MSS

Default Label MicroSoft Sql Server
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

PLATFORM_ORA

Default Label Oracle
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

PLATFORM_SBS

Default Label SQLBase
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN

PLATFORM_SYB

Default Label Sybase Sql Server
Length 1
Type Number
Format Uppercase

Record Reference(s) PSINDEXDEFN



PLN_YR_BEGIN_DAY

Default Label Day Plan Year Begins
Length 2
Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PLN_YR_BEGIN_MONTH

Default Label Month Plan Year Begins
Length 2

Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PLN_YR_END_DAY

Default Label Day Plan Year Ends
Length 2
Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL

PLN_YR_END_MONTH

Default Label Month Plan Year Ends
Length 2
Type Number
Format Uppercase

Record Reference(s) PENSION_PLN_TBL



PMT_ADJUST

Default Label Payment Adjustments
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) BEN_BI_DETAIL

PMT_AMT

Default Label Payment Amount
Length 11
Type Number
Format Uppercase

Record Reference(s) PA_RA_PAY_TRUST

PMT_END_DT

Default Label Payment End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_RA_PAY_TRUST

PMT_SENT_IND

Default Label Payment Sent Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXCAL_RUN
 GP_CAL_RUN

PMT_STATUS



Default Label Payment Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPBR_PAYMENT

GPES_PAYMENT
 GPES_PMT_AET
 GPFR_PAYMENT
 GPFR_PMT_AET

GPGB_PAYMENT
 GPMX_PAYMENT
 GPMX_PMT_AET
 GPNL_PAYMENT
 GPNL_PMT_AET
 GP_NET_PAY3_TMP
 GP_PAYMENT
 GP_PAYMENT2_TMP

F Finalized
 N No Active Allocations
 P Prepared
 T Transferred
 V Void
 W Voided

PMT_TYPE

Default Label Payment Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GPAU_EFT_CMX_DB

GPAU_EFT_CMX_TR
 GPBR_PAYMENT
 GPES_PAYMENT
 GPES_PMT_AET
 GPFR_ILL_AET
 GPFR_PAYMENT
 GPFR_PMT_AET
 GPGB_PAYMENT



GPMX_PAYMENT
 GPMX_PMT_AET
 GPNL_PAYMENT
 GPNL_PMT_AET
 GP_PAYMENT
 GP_PAYMENT2_TMP
 GP_PAYMENT_TMP

01	Net Pay Distribution
02	General Recipient Deduction
03	Individual Recipient Deduction

PM_ACTION

Default Label	Action
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PSPMTRANSCURR
	0 0-Start
	1 1-Update
	2 2-Stop
	3 3-Atomic
	4 4-Unknown

PM_ADDTNL_DESCR

Default Label	Additional Description
Length	0
Type	Long Character
Format	Uppercase

Record Reference(s)	PSPMEVENTARCH
	PSPMEVENTHIST
	PSPMEVENTHISTCL
	PSPMTRANSARCH
	PSPMTRANSCURR
	PSPMTRANSHIST
	PSPMTRANSHISTCL



PM_ADDTNL_LABEL

Default Label Additional Data Label
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPMEVENTDEFN
PSPMEVENT_LNG
PSPMTRANSDEFN
PSPMTRANS_LNG

PM_AGENTID

Default Label Agent Identifier
Length 10
Type Number
Format Uppercase

Record Reference(s) PSPMAGENT
PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_AGENT_DTTM

Default Label Agent Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL



PM_AGENT_INACTIVE

Default Label Inactive Agent
Length 1
Type Character

Format Uppercase

Record Reference(s) PSPMAGENT

PM_AGENT_LAST_DTTM

Default Label Agent Last Update Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) PSPMTRASCURR

PM_AGENT_SEQUENCE

Default Label Agent Sequence Number
Length 10
Type Number
Format Uppercase

Record Reference(s) PSPMMONITORGBL

PM_AGENT_STRT_DTTM

Default Label Agent Start Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) PSPMTRANSARCH
 PSPMTRASCURR
 PSPMTRANSHIST
 PSPMTRANSHISTCL



PM_AGENT_TYPE

Default Label	Agent Type
Length	32
Type	Character
Format	Uppercase

Record Reference(s)	PSPMAGENT
	PSPMAGENTFILTER

PM_ARCHIVE_MODE

Default Label	Archive Mode
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PSPMSYSDEFAULTS
	PSPMSYSDEFN

- | | |
|---|-----------------|
| 0 | Archive Nothing |
| 1 | Archive Data |
| 2 | Delete Data |
| 3 | Delete System |

PM_BUFF_INT

Default Label	Agent Buffering Interval (sec)
Length	4
Type	Number
Format	Uppercase

Record Reference(s)	PSPMSYSDEFAULTS
	PSPMSYSDEFN

PM_CLAUSE_SEQ

Default Label	Clause Sequence
Length	3



Record Reference(s) PSPMCONTEXTDEFN
 PSPMCONTEXT_LNG

PM_CONTEXTID_1

Default Label Context Identifier 1
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSPMTRANSARCH
 PSPMTRANSCURR
 PSPMTRANSDEFN
 PSPMTRANSHIST
 PSPMTRANSHISTCL

PM_CONTEXTID_2

Default Label Context Identifier 2
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSPMTRANSARCH
 PSPMTRANSCURR
 PSPMTRANSDEFN
 PSPMTRANSHIST
 PSPMTRANSHISTCL

PM_CONTEXTID_3

Default Label Context Identifier 3
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSPMTRANSARCH
 PSPMTRANSCURR
 PSPMTRANSDEFN



PSPMTRANSHIST
PSPMTRANSHISTCL

PM_CONTEXT_LABEL

Default Label PMU Context Label
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPMCONTEXTDEFN
PSPMCONTEXT_LNG

PM_CONTEXT_VALUE1

Default Label Context 1
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_CONTEXT_VALUE2

Default Label Context 2
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL



PM_CONTEXT_VALUE3

Default Label Context 3
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_DATATYPE

Default Label Data Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PM_PS_TSTWHERE

PM_DBTRUNCATE

Default Label Archive: Clear PMUs & Events
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMMONITORGBL

PM_DISPLAY_C1

Default Label Display context 1
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN



PM_DISPLAY_C2

Default Label Display context 2
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_C3

Default Label Display context 3
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_M1

Default Label Display Metric 1
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_M2

Default Label Display Metric 2
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_M3

Default Label Display Metric 3



Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_M4

Default Label Display Metric 4
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_M5

Default Label Display Metric 5
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_M6

Default Label Display Metric 6
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DISPLAY_M7

Default Label Display Metric 7
Length 1
Type Character



Format Uppercase

Record Reference(s) PSPMTRANSDEFN

PM_DOMAIN_DIR

Default Label Domain Directory
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPMAGENT

PM_DOMAIN_MONITOR

Default Label Domain Monitor
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMAGENT

N No
Y Yes

PM_DOMAIN_NAME

Default Label Domain Name
Length 32
Type Character
Format Mixedcase

Record Reference(s) PSPMAGENT

PM_DOMAIN_TYPE

Default Label Domain Type
Length 2
Type Character



Format Uppercase

Record Reference(s) PSPMAGENT

- 01 Application Server
- 02 Web Server
- 03 Database
- 04 Process Scheduler
- 05 Integration Broker
- 06 Performance Monitor
- 99 Unknown

PM_EVENT_DEFN_ID

Default Label Event Definition Identifier
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSPMEVENTARCH

- PSPMEVENTDEFN
- PSPMEVENTHIST
- PSPMEVENTHISTCL
- PSPMEVENT_LNG

PM_EVENT_DEFN_SET

Default Label Event Definition Set
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSPMEVENTARCH

- PSPMEVENTDEFN
- PSPMEVENTHIST
- PSPMEVENTHISTCL
- PSPMEVENTSET
- PSPMEVENTSET_LN
- PSPMEVENT_LNG



PSPMEVENTARCH
 PSPMEVENTDEFN
 PSPMEVENTHIST
 PSPMEVENTHISTCL
 PSPMTRANSDEFN

00	00-No Change
01	01-Standby
02	02-Error
03	03-Warning
04	04-Standard
05	05-Verbose
06	06-Debug

PM_FILTER_LEVEL2

Default Label	Reset All Filters
Length	2
Type	Character
Format	Uppercase

Record Reference(s) PSPMSYSDEFAULTS

01	01-Standby
02	02-Error
03	03-Warning
04	04-Standard
05	05-Verbose
06	06-Debug

PM_FILTER_LEVEL3

Default Label	Sample Filter Override
Length	2
Type	Character
Format	Uppercase

Record Reference(s) PSPMSYSDEFN

00	00-No Change
01	01-Standby
04	04-Standard



05 05-Verbose
06 06-Debug

PM_FILTER_PROPGT

Default Label Propagate filter downstream
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMAGENTFILTER

PM_GUID_PREFIX

Default Label GUID Prefix
Length 10
Type Number
Format Uppercase

Record Reference(s) PSPMMONITORGBL

PM_HOST_PORT

Default Label Domain Host/Port
Length 64
Type Character
Format Mixedcase

Record Reference(s) PSPMAGENT
PSPMCOLLINST

PM_INSTANCE

Default Label Server Instance
Length 32
Type Character
Format Uppercase

Record Reference(s) PSPMAGENT
PSPMCOLLINST



PM_INSTANCE_ID

Default Label	Instance Identifier
Length	20
Type	Number
Format	Uppercase

Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_INSTANCE_SEQ

Default Label	Instance sequence number
Length	5
Type	Number
Format	Uppercase

Record Reference(s) PSPMTRANSCURR

PM_LOOKUP_DTTM

Default Label	Last Look-up Timestamp
Length	26
Type	Datetime
Format	Uppercase

Record Reference(s) PSPMMONITORGBL

PM_MAX_BUFF

Default Label	Agent Max Buffer Size (bytes)
Length	9



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSPMMETRICDEFN

N Display Value
 Y Display Label

PM_METRIC_VALUE

Default Label Metric Value
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSPMMETRICVALUE
 PSPMMETRICVL_LN

PM_METRIC_VALUE1

Default Label Metric Value 1
 Length 30
 Type Signed Number
 Format Uppercase

Record Reference(s) PSPMEVENTARCH

PSPMEVENTHIST
 PSPMEVENTHISTCL
 PSPMTRANSARCH
 PSPMTRANSCURR
 PSPMTRANSHIST
 PSPMTRANSHISTCL

PM_METRIC_VALUE2

Default Label Metric Value 2
 Length 30
 Type Signed Number
 Format Uppercase



Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_METRIC_VALUE3

Default Label Metric Value 3
Length 30
Type Signed Number
Format Uppercase

Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_METRIC_VALUE4

Default Label Metric Value 4
Length 30
Type Signed Number
Format Uppercase

Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL



PM_METRIC_VALUE5

Default Label Metric Value 5
Length 30
Type Signed Number
Format Uppercase

Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_METRIC_VALUE6

Default Label Metric Value 6
Length 30
Type Signed Number
Format Uppercase

Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_METRIC_VALUE7

Default Label Metric Value 7
Length 128
Type Character
Format Mixedcase

Record Reference(s) PSPMEVENTARCH
PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH



PSPMTRANSCURR
 PSPMTRANSHIST
 PSPMTRANSHISTCL

PM_MONITOR_URL

Default Label Member Servlet URL
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSPMMONINST

PM_MON_DTTM

Default Label Monitor Date/Time
 Length 26
 Type Datetime
 Format 12

Record Reference(s) PSPMEVENTARCH
 PSPMEVENTHIST
 PSPMEVENTHISTCL

PM_MON_LAST_DTTM

Default Label Monitor Last Update Date/Time
 Length 26
 Type Datetime
 Format 12

Record Reference(s) PSPMTRANSCURR

PM_MON_STRT_DTTM

Default Label Monitor Received Date/Time
 Length 26
 Type Datetime



Format 12

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_OPERATORS

Default Label Operator
Length 2
Type Character
Format Uppercase

Record Reference(s) PM_PS_DMO_WHERE
PM_PS_RECUP_WHE
PM_PS_REC_WHERE
PM_PS_TSTWHERE
PM_PS_TST_WHERE

!= !=
< <
<= <=
= =
> >
>= >=
LK like
NL not like

PM_PARENT_INST_ID

Default Label Parent Instance Identifier
Length 20
Type Number
Format Uppercase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL



PM_PERF_TRACE

Default Label Performance Trace Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPMPERFTRACE

PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_PING_INT

Default Label Agent Heartbeat Interval (sec)
Length 4
Type Number
Format Uppercase

Record Reference(s) PSPMSYSDEFAULTS
PSPMSYSDEFN

PM_PPMI_OPRID

Default Label PPMI User ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPMMONITORGBL

PM_PPMI_PSWD

Default Label PPMI Password
Length 32
Type Character
Format Mixedcase



Record Reference(s) PSPMMONITORGBL

PM_PROCESS_ID

Default Label Process ID
Length 8
Type Number
Format Uppercase

Record Reference(s) PSPMEVENTARCH

PSPMEVENTHIST
PSPMEVENTHISTCL
PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_RUNSTATS

Default Label Run %UpdateStats at the end
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMARCHRUNCNTL

PM_SAMPLE_INT

Default Label Agent Event Sample Rate (sec)
Length 4
Type Number
Format Uppercase

Record Reference(s) PSPMSYSDEFAULTS
PSPMSYSDEFN

PM_SAMPLING_ENABLE



Default Label Enable Sampling
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMEVENTDEFN
PSPMTRANSDEFN

PM_SAMPLING_RATE

Default Label Agent PMU Sample Rate (1/X)
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPMSYSDEFAULTS
PSPMSYSDEFN

PM_SRCH_MAX_ROWS

Default Label Search Row Limit
Length 7
Type Number
Format Uppercase

Record Reference(s) PSPMMONITORGBL

PM_SYSTEMID

Default Label System Identifier
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPMAGENT
PSPMAGENTFILTER
PSPMOPRDEFN
PSPMPERFTRACE
PSPMPNLGRPDEFN
PSPMSYSDEFN



PSPMSYSDEFN_LNG
PSPMSYSVERSION

PM_SYSTEM_SEQUENCE

Default Label System Sequence Number
Length 10
Type Number
Format Uppercase

Record Reference(s) PSPMMONITORGBL

PM_TIMEOUT_DTTM

Default Label Timeout datetime
Length 26
Type Datetime
Format 12

Record Reference(s) PSPMTRANSCURR

PM_TOP_INST_ID

Default Label Top Instance Identifier
Length 20
Type Number
Format Uppercase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_TRANS_DEFN_ID

Default Label PMU Identifier
Length 5
Type Number



Format Uppercase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSDEFN
PSPMTRANSHIST
PSPMTRANSHISTCL
PSPMTRANS_LNG

PM_TRANS_DEFN_SET

Default Label PMU Definition Set
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSCURR
PSPMTRANSDEFN
PSPMTRANSHIST
PSPMTRANSHISTCL

PSPMTRANSSET
PSPMTRANSSET_LN
PSPMTRANS_LNG

PM_TRANS_DELETED

Default Label PMU Deleted
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSCURR

PM_TRANS_DURATION

Default Label Duration (ms)
Length 22
Type Number



Format Uppercase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSHIST
PSPMTRANSHISTCL

PM_TRANS_LABEL

Default Label PMU Label
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPMTRANSDEFN
PSPMTRANS_LNG

PM_TRANS_STATUS

Default Label PMU Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPMTRANSARCH
PSPMTRANSHIST
PSPMTRANSHISTCL

- 1 Success
- 2 Abort
- 3 Failed
- 4 Unknown
- 5 Admin Timeout
- 6 Timeout
- 7 Reaper Timeout

PM_TRANS_TBL_NAME

Default Label Transaction History Table Name
Length 18

Type Character



Record Reference(s) PM_PS_DMO_WHERE
 PM_PS_RECUP_WHE
 PM_PS_REC_WHERE
 PM_PS_TSTWHERE
 PM_PS_TST_WHERE

PNLFIELDNAME

Default Label Panel Field Name
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) PSPNLFIELD

PNLFLDID

Default Label Page Field ID
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PSPNLACEGRDAXIS

PSPNLACEGRDDATA
 PSPNLACTIVEX
 PSPNLBTNDATA
 PSPNLBTNLANG
 PSPNLCNTRLDATA
 PSPNLFIELD
 PSPNLFIELDLANG
 PSPNLHTMLAREA
 PSPNLHTMLLANG

PNLGRPNAME

Default Label Component Name
 Length 18
 Type Character
 Format Uppercase



Record Reference(s) ADDAPPT_SEC_JPN

AE_GB_AET
AE_GB_PARAM_AET
BN_SRCH_VW_MAP
EOCM_START_PAGE
EOEC_MOD_COMP
EO_EIP_CPND_TBL
EO_EIP_CTL_SET
EO_EIP_MGCP_TBL
EO_ERD_COMPNAME
EO_ERD_TBL
FPMPNLGRP_HIRE
GB_BINDVAL_TBL
GB_BIND_TBL
GB_GENERICWF
GB_PNLGRDFT_TBL
GB_SECPNLG_TBL
GPBR_COMP
GPBR_COMP_VARS
GPDE_MT_MESSAGE
GPDE_MT_MSGLONG
GPDE_MT_RESULT
GPDE_MT_TRG_DFN
GPDE_MT_TRG_FLD
GPDE_MT_TRG_PAR
GPDE_MT_TRG_SQL
GPDE_MT_TRG_VAL
GPDE_MT_TRIGGER
GPES_RATES_DTL
GPES_RATES_HDR
GPFR_DA_STCOMP
GPFR_LIM_PANEL
GPFR_RATES_PNL
GPFR_RATE_PANEL
GPFR_RATPNL_LNG

GPMX_COMP
GPMX_COMP_VARS
GVT_ACTN_PNLGRP
GVT_ACTVTY_ACTN
GVT_ACTVTY_PGRP
GVT_STAT_CHG



GVT_STAT_C_LANG
GVT_STAT_IN_TRK
GVT_STAT_UNGRAY
HR_CMP051JP_AET
HR_CMP052JP_AET
HR_CMP053JP_AET
PER066JP_AET
PRCSDEFNPNL
PRCSDEFNURL
PRCSJOBPNL
PRCSRQSTURL
PSMENUITEM
PSPMPNLGRPDEFN
PSPNLGDEFNLANG
PSPNLGROUP
PSPNLGROUPLANG
PSPNLGRPDEFN
PSPNLGRPDEL
PSUSEROBJDEFN
PSUSEROBJTYPE
PTLT_NAV_STG1
PTLT_NAV_STG2
RC_VC_REPORTS
RUN_CMPCLC_JPN
RUN_CMPRPT_JPN
RUN_CNTL_GB
RUN_CNTL_HR_JPN
RUN_SALAMT_JPN
RUN_SALINC_JPN
RUN_STEP_JPN
SCRTY_SEC_GBL
SS_BP_COMPS
SS_LINK_TBL
VCTREESEC_AET
WF_HR_TRANS_NOT
WL_DISTR_GRP
WL_TEMPLATE
WL_TEMPLATE_LNG
WL_TEMPLATE_VAR
WL_TEMPL_CMPVAR
WL_TEMPL_CMP_LN
WL_TEMPL_RESP
WL_TEMPL_RSP_LN



WL_TEMPL_URLKEY
 WL_TEMPL_URLVAR
 WL_TEMPL_URL_LN
 WL_TEMPL_XURL
 WL_TEMPL_XUR_LN
 Z_SS_ACTION

PNLITEMNAME

Default Label Panel Item Name
 Length 30

 Type Character
 Format Mixedcase

Record Reference(s) EO_MSGDEFN_CUR
 PSAUTHITEM
 PSMGDEFN
 TL_APP_ITEM

PNLNAME

Default Label Page Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) CO_DFLTRTN_TBL
 DL_LINK_TBL
 EO_EIP_CTL_SET
 EO_ERD_TBL
 ER_REQ_TMPL_PGS
 ER_RES_TMPL_PGS
 GPIN_TDS_ROW
 GPIN_TDS_SETUP
 GPMY_BIK_PAGE
 GPMY_BIK_SETUP
 ICONV_PANELLIST
 ICONV_PANELNOT
 PRCSDEFNURL
 PRCSDEFNXFER



PRCSRQSTURL
 PSPNLACEGRDAXIS
 PSPNLACEGRDDATA
 PSPNLACTIVEX
 PSPNLBTNDATA
 PSPNLBTNLANG
 PSPNLCNTRLDATA
 PSPNLDEFN
 PSPNLDEFNLANG
 PSPNLDEL
 PSPNLFIELD
 PSPNLFIELDLANG
 PSPNLGROUP
 PSPNLGROUPLANG
 PSPNLHTMLAREA
 PSPNLHTMLLANG
 PSPNLTREECTRL
 PSUSEROBJDEFN
 PSUSEROBJTYPE
 PSX_HELPCONTEXT
 PTLT_COMP_R_STG
 REQUIS_SECTIONS
 RESUME_SECTIONS
 SS_BP_COMPS
 SS_LINK_TBL
 TS_RESULT_PNLS
 WL_TEMPL_URLVAR
 Z_SS_LAUNCH_TBL
 Z_TBL100

PNLNAVFLAGS

Default Label	multi-Panel Navigation flags
Length	4
Type	Number
Format	Uppercase

Record Reference(s) PSPNLGRPDEFN



PNLSTYLE

Default Label	Panel Style Name
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) PSPNLDEFN

PNLTYPE

Default Label	Panel Type
Length	1
Type	Number
Format	Uppercase

Record Reference(s) PSPNLDEFN

PNLUSE

Default Label	Panel Use
Length	5
Type	Number
Format	7

Record Reference(s) PSPNLDEFN

PNL_DOES_NOT

Default Label	
Length	8
Type	Character
Format	Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

PNL_INS_IGNR_FUT

Default Label



Length 15
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

PNL_OCCURS_WITHIN

Default Label
Length 14
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

PNL_SLASH3

Default Label
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

PNL_SLASH4

Default Label
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT



PNL_WHAT_NEXT

Default Label
Length 40
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

PO

Default Label Purchase Order
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

POINTS

Default Label Points
Length 4
Type Number
Format Uppercase

Record Reference(s) ER_REQ_ANSWERS
GVT_CR_PLN_ACMP
GVT_CR_PLN_PROF
JOB_RQMT_ACCOMP
UPG_HR75_AET

POINTS_BREAK

Default Label Long Break Points
Length 6
Type Number
Format Uppercase

Record Reference(s) TL_ATTEND_PGM



POINTS_IN

Default Label Tardy Points
Length 6
Type Number
Format Uppercase

Record Reference(s) TL_ATTEND_PGM

POINTS_MEAL

Default Label Long Lunch Points
Length 6
Type Number
Format Uppercase

Record Reference(s) TL_ATTEND_PGM

POINTS_MINIMUM

Default Label Minimum Points
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_BEN_ELIG

POINTS_OUT

Default Label Early Outk Points
Length 6
Type Number
Format Uppercase

Record Reference(s) TL_ATTEND_PGM



POINT_PCT

Default Label Percent of Points

Length 7
Type Signed Number
Format Uppercase

Record Reference(s) GRP_INC_CMP_CUR
 GRP_INC_CMP_REQ
 HR_SP_MER1_TAO
 HR_SP_MER2_TAO
 HR_SP_MER3_TAO
 LMS_EVENT_SEQ
 LMS_INCREAS_AET
 REVW_SCALE_TBL
 SP_MER_INCR_EE
 SP_MER_INCR_RNG
 SP_MER_INCR_TBL

POI_END_DT

Default Label Period of Interest End
Length 10
Type Date
Format Uppercase

Record Reference(s) TL_TA_MAIN_AET
 TL_TA_RSL_BATCH

POI_START_DT

Default Label Period of Interest Start
Length 10
Type Date
Format Uppercase

Record Reference(s) TL_TA_MAIN_AET
 TL_TA_RSL_BATCH



POLICE_CASE_GER

Default Label Reference Number
Length 25
Type Character
Format Uppercase

Record Reference(s) INC_TRAVRPT_GER

POLICY_BEGIN_DATE

Default Label Policy Begin Date
Length 10
Type Date
Format Uppercase

Record Reference(s) VENDOR_POLICY
VNDR_POLICY_TMP

POLICY_END_DATE

Default Label Policy End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) VENDOR_POLICY
VNDR_POLICY_TMP

POLICY_NBR

Default Label Policy Number
Length 10
Type Character
Format Uppercase

Record Reference(s) BEN_PLAN_DATA
VENDOR_POLICY
VNDR_POLICY_TMP



RUN_ILL_HR_NLD
Z_LC_RUNCTL

- 1 All
- 2 Internal Applicants
- 3 External Applicants
- 4 Candidates for Specific Positn

POPULATION_CD

Default Label Population code
Length 1
Type Character
Format Uppercase

Record Reference(s)

PA_RUN_CNTL

- A All Employees
- G Pre-defined Group
- I Individual
- L Pre-defined Employee List

POPULATION_CTG_FRA

Default Label Population Category
Length 3
Type Character
Format Uppercase

Record Reference(s)

COMP_PENS_FRA

EE_PENSION_FRA
ESTAB_PENS_FRA
POP_CTG_FRA_LNG
POP_CTG_FRA_TBL

POPUPMENU

Default Label Popup Menu
Length 30
Type Character
Format Uppercase



Record Reference(s) PSPNLDEFN
PSPNLFIELD
PST_PNLFIELDS

PORTALHTTPPORT

Default Label HTTP Listen Port
Length 7
Type Number
Format Uppercase

Record Reference(s) PSWEBPROFHIST

PORTALHTTPSSPORT

Default Label HTTPS Listen Port
Length 7
Type Number
Format Uppercase

Record Reference(s) PSWEBPROFHIST

PORTAL_ADMROLE

Default Label Portal Admin Role
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRDMDEFN

PORTAL_ATTR_NAM

Default Label Attribute name
Length 30
Type Character
Format Mixedcase



Record Reference(s) PSPRSMATTR
PSPRSMATTRLANG
PSPRSMATTRVAL
PSPRSMATTRVALNG
PSPRMSYSATTR
PSPRMSYSATTRVL

PORTAL_ATTR_NMDSPL

Default Label Portal Attr Display Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRSMATTR
PSPRSMATTRLANG
PSPRMSYSATTR

PORTAL_ATTR_VAL

Default Label Attribute value
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSPRSMATTRVAL
PSPRSMATTRVALNG
PSPRMSYSATTRVL

PORTAL_CATEGORY

Default Label Portal Category

Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRDMDEFN



PORTAL_CNTPRV_NAM

Default Label Content Provider Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPRDMCNTPRV
PSPRSMDEFN
RUN_CNTL_PORTAL

PORTAL_COLLAYOUT

Default Label Portal Homepage Column Layout
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPRUHTAB

PORTAL_COL_NUM

Default Label Column number
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPRSMHPASGPGLT
PSPRUHTABPGLT

PORTAL_COMPID

Default Label Component Id
Length 30
Type Character
Format Mixedcase

Record Reference(s) PORTAL_HPCOL1
PORTAL_HPCOL2
PORTAL_HPCOL3



PORTAL_HPCOL4

PORTAL_CREATEDFROM

Default Label Created from
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRDMDEFN

PORTAL_CREATION_DT

Default Label Creation Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PSPRSMDEFN

PORTAL_CREFP_FLAG

Default Label Update Content Ref Permissions
Length 1
Type Character
Format Uppercase

Record Reference(s) PORTAL_CSS_RUN

PORTAL_CREF_STGT

Default Label Storage Type
Length 4
Type Character
Format Uppercase

Record Reference(s) PSPRSMDEFN



FRMT	Frame template
HPGC	Pagelet
HPGT	Homepage tab
HTMT	HTML template
LINK	Content Reference Link
TARG	Target

PORTAL_DUMMY

Default Label	Dummy
Length	1
Type	Number
Format	Uppercase

Record Reference(s)	PSWSRPPLTGRPID PSWSRPPLTKW
---------------------	-------------------------------

PORTAL_EFFDT

Default Label	Portal Effective Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	PSPRDMDEFN PSPRSMDEFN
---------------------	--------------------------

PORTAL_EXCLUDE

Default Label	Exclude
Length	1
Type	Number
Format	Uppercase

Record Reference(s)	PSPRSMCTRBEXCL
---------------------	----------------

PORTAL_EXPIRE_DT

Default Label	Expiration Date
---------------	-----------------



Length 10
Type Date
Format Uppercase

Record Reference(s) PSPRDMDEFN
PSPRSMDEFN

PORTAL_FLDRP_FLAG

Default Label Update Folder Permissions
Length 1
Type Character
Format Uppercase

Record Reference(s) PORTAL_CSS_RUN

PORTAL_FLDR_NAVOBJ

Default Label Folder Navigation Object Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRDMDEFN

PORTAL_GREETING254

Default Label Portal Greeting 254 characters
Length 254
Type Character
Format Uppercase

Record Reference(s) PSPRUHDEFN

PORTAL_HOSTNODENAM

Default Label Portal Host Node Name
Length 30



Type Character
Format Uppercase

Record Reference(s) PSPRDMDEFN

PORTAL_ISCASCADE

Default Label Is Cascade
Length 1
Type Number
Format Uppercase

Record Reference(s) PPSRSMPERM

PORTAL_ISFOLDERNAV

Default Label Is Folder Navigation Enabled
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPRDMDEFN

PORTAL_ISHPMODFYLK

Default Label Display HP Modify Links
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPRDMDEFN

PORTAL_ISPUBLIC

Default Label Is Public
Length 1
Type Number
Format Uppercase



Record Reference(s) PSPRSMDEFN

PORTAL_LABEL

Default Label Portal Label
Length 30
Type Character
Format Mixedcase

Record Reference(s) PORTAL_HPHDR

PORTAL_HPHDR2
PORTAL_HPHDR3
PSPRDMDEFN
PSPRDMDEFNLANG
PSPRSMDEFN
PSPRSMDEFNLANG
PSPRUFDEFN
PSPRUFDEL
PSPRUHTAB

PORTAL_LAYOUTBEHAV

Default Label Portal Layout Behavior
Length 4
Type Character
Format Uppercase

Record Reference(s) PSPRSMHPASGPGLT

PORTAL_LEVEL_NUM

Default Label Level Number
Length 1
Type Number
Format Uppercase

Record Reference(s) PORTAL_FLDRP
PORTAL_FLDRPTMP



PORTAL_LINKOBJNAME

Default Label Portal Linked Object Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRSMDEFN
UPGTPPP_STAGE

PORTAL_LINK_PORTAL

Default Label Linked Portal Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRSMDEFN
UPGTPPP_STAGE

PORTAL_MENU

Default Label Portal Menu
Length 1
Type Character
Format Uppercase

Record Reference(s) WEBLIB_PVPORTTE

PORTAL_MINIMIZE

Default Label Portal Minimize State
Length 1
Type Character
Format Uppercase

Record Reference(s) PSRUHTABPGLT



PORTAL_NAME

Default Label	Portal Name
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PORTAL_CSS_RUN

- PORTAL_FLDRP
- PORTAL_FLDRPTMP
- PSMSGNODEDEFN
- PSPRDMCNTPRV
- PSPRDMDEFN
- PSPRDMDEFNLANG
- PSPRDMDEL
- PSPRSMATTR
- PSPRSMATTRLANG
- PSPRSMATTRVAL
- PSPRSMATTRVALNG

- PSPRSMCTRBEXCL
- PSPRSMDEFN
- PSPRSMDEFNLANG
- PSPRSMDEL
- PSPRSMHPASGPGLT
- PSPRSMPERM
- PSPRSMPERM_RMT
- PSPRMSYNC
- PSPRMSYSATTR
- PSPRMSYSATTRVL
- PSPRSMWSRPPCONS
- PSPRSMWSRPPPROD
- PSPRUFDEFN
- PSPRUFDEL
- PSPRUHDEFN
- PSPRUHDEL
- PSPRUHPERSPGLT
- PSPRUHTAB
- PSPRUHTABPGLT
- PTLT_ASSGN_TASK
- PTLT_EXCI_RUN
- PTLT_NAV_STG1



PTLT_NAV_STG2
PTLT_PORTAL_STG
PTLT_PORTAL_TMP
PTLT_PROJ_TASK
PTLT_SEQ_STG
PTLT_TASK_LOAD
PTLT_TASK_STG
PTLT_TLOAD_LANG
PTPPB_DISP_VALS
PTPP_CPPROJ_AET
PTPP_CPPROJ_RUN
PTPP_FD_DELETE
PTPP_FD_KEEP
PTPP_FD_RUN
PTPP_SCSYNCCOLL
PTPP_SCSYNCOBJ
PTPP_SCSYNCPERM
PTPP_SCSYNC_AET
PTPP_SCSYNC_RUN
PTPP_SCUPG
PTPP_SITE_OPT
RUN_CNTL_PORTAL
UPGPTPP_STAGE
WL_TEMPL_URLVAR

PORTAL_OBJNAME

Default Label	Portal Object Name
Length	30
Type	Character
Format	Uppercase

Record Reference(s)	PORTAL_FLDRP
	PORTAL_FLDRPTMP
	PSPRSMATTR
	PSPRSMATTRLANG
	PSPRSMATTRVAL
	PSPRSMATTRVALNG
	PSPRSMCTRBEXCL
	PSPRSMDEFN
	PSPRSMDEFNLANG



Type Character
 Format Uppercase

Record Reference(s) PORTAL_FLDRP
 PORTAL_FLDRPTMP
 PSPRSMPerm
 PSPRSMPerm_RMT
 PTPP_SCSYNCPERM

PORTAL_PERMTYPE

Default Label Permission Type
 Length 30
 Type Character

Format Uppercase

Record Reference(s) PSPRSMPerm
 PTPP_SCSYNCPERM

PORTAL_PG_DISPLAY

Default Label Results to Show
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PORTAL_SRCH_PRF
 10 10 per page
 25 25 per page
 50 50 per page

PORTAL_PRNTLABEL

Default Label Parent Folder
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSPRUFDEFN



PORTAL_PRNTOBJNAME

Default Label Portal Parent Object Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PORTAL_FLDRP
PORTAL_FLDRPTMP
PSPRSMDEFN
PTLT_NAV_STG1
PTLT_NAV_STG2
PTPP_FD_DELETE

PORTAL_PRODUCT

Default Label Product
Length 4
Type Character
Format Mixedcase

Record Reference(s) PSPRSMDEFN

PORTAL_REFTYPE

Default Label Portal Reference Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPRSMATTR
PSPRSMATTRLANG
PSPRSMATTRVAL
PSPRSMATTRVALNG
PSPRSMCTRBEXCL
PSPRSMDEFN
PSPRSMDEFNLANG
PSPRSMDEL



PSPRSMHPASGPGLT
 PSPRSMPERM
 PSPRSMPERM_RMT
 PSPRMSYNC
 PSPRMSYSATTR
 PSPRMSYSATTRVL
 PSPRSMWSRPCONS
 PSPRSMWSRPPROD
 PSPRUFDEFN
 PSPRUFDEL
 PTLT_PORTAL_STG
 PTLT_PORTAL_TMP
 UPGTPP_STAGE

C Content
 F Folder

PORTAL_REMOTE

Default Label Portal Remote Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSPRDMDEFN

PORTAL_ROW_NUM

Default Label Row Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSPRSMHPASGPGLT
 PSPRUHTABPGLT

PORTAL_SEQ_NUM

Default Label Sequence number
 Length 4
 Type Number



Format Uppercase

Record Reference(s) PSPRSMATTRVAL
PSPRSMATTRVALNG
PSPRSMDEFN
PSPRMSYSATTRVL
PSPRUFDEFN
PSPRUHTAB

PORTAL_STG_NAME

Default Label Portal Registry Storage Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPRSMDEFN
PSPRUHTAB

PORTAL_SUMM_FLG

Default Label Search Summary Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PORTAL_SRCH_PRF

H Hide Summaries
S Show Summaries

PORTAL_TEMPL_NAME

Default Label Portal template name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPRDMCNTPRV
PSPRDMDEFN



PSPRSMDEFN

PORTAL_TYPE

Default Label	Portal Type
Length	20
Type	Character
Format	Uppercase

Record Reference(s) PSPRDMDEFN

LOC	Local
REM	Remote

PORTAL_URI_SEG1

Default Label	URI Segment 1
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PSPRSMDEFN

PORTAL_URI_SEG2

Default Label	URI Segment 2
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PSPRSMDEFN

PORTAL_URI_SEG3

Default Label	URI Segment 3
Length	30
Type	Character
Format	Uppercase



Record Reference(s) PPSRSMDEFN

PORTAL_URI_SEG4

Default Label URI Segment 4
Length 30
Type Character
Format Uppercase

Record Reference(s) PPSRSMDEFN

PORTAL_URLTEXT

Default Label Portal URL Logical Text
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PPSRSMDEFN
PSPRUFDEFN

PORTAL_URL_CHKSUM

Default Label Portal URL checksum
Length 10
Type Number
Format 7

Record Reference(s) PPSRSMDEFN

PORTAL_WELCOMETEXT

Default Label Portal Welcome Text
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PPSRDMDEFN



PORTNAME

Default Label Port Name
Length 60

Type Character
Format Mixedcase

Record Reference(s) PSWSENDPOINT
PSWSSERVICE

PORTTYPENAME

Default Label PortType Name
Length 60
Type Character
Format Mixedcase

Record Reference(s) PSWSBINDOPS
PSWSSERVICE

PORT_NUM

Default Label Port Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PSANALYTICREG
PSREN
PSSTATEFULSRV
PTLT_EXCI_RUN

POSITION_ENTRY_DT

Default Label Position Entry Date
Length 10
Type Date
Format Uppercase



Record Reference(s) BP_JOB
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
GVT_JOB
GVT_JOB_TEMP
GVT_MOC_JOB_TMP
JOB
JOBCOMP_TMP_MC
JOB_TEMP
JOB_TMP_MC
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_PY_JOB_TAO

POSITION_FLAG

Default Label Position Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) CMP006_AET
GVT_MASSCHG_AET
HR_FULLPART_DAT
HR_LOC_TRANS
HR_PROMOTE_DAT
HR_REPORT_TRANS
HR_TRANSFER_DAT
RUN_CNTL_HR

POSITION_HELD_IND

Default Label Position Held
Length 15
Type Character
Format Uppercase

Record Reference(s) JOB_IND



CM_ROLE_ACCOMPS
CM_ROLE_ACP_TAO
CM_ROLE_COMPS
CM_ROLE_CPS_TAO
CM_ROLE_MT_TMP
CM_ROLE_MT_TMP2
CM_ROLE_TAO
DEPT_BUDGET
DEPT_BUDGET_CTX
DEPT_BUDGET_DED
DEPT_BUDGET_ERN
DEPT_BUDGET_TAX
ENCUMBERED
ENCUMB_DEFN_DED
ENCUMB_DEFN_TAX
ENCUMB_DEFN_TBL
ENCUMB_DIST_DED
ENCUMB_DIST_ERN
ENCUMB_DIST_TAX
ENCUMB_MSG
ENCUMB_TEMP_POS
ENCUMB_TRIGGER
ENCUMB_WORK_POS
ER_LAUNCH_TMP
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
GPBR_MIXED_PARM
GPJP_WA_PIN
GPJP_YEA_TABLE
GVT_JOB
GVT_JOBDIST
GVT_JOBDIST_TMP
GVT_JOB_TEMP
GVT_MASSORGJAET
GVT_MASSORGAET
GVT_MOC_JOB_TMP
GVT_PAR_PRT
GVT_POSN_ERNS
GVT_PSN_APPLFOR
GVT_RQSN_POSN
GVT_RUN_CNTL



HPDBRETDIST_AET
HP_BDGT_CTXCHG
HP_BDGT_DEDCHG
HP_BDGT_ERNCHG
HP_BDGT_TAXCHG
HP_BGTACTUAL_WK
HP_CTXDIST_WRK
HP_DEDDIST_WRK
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_ERNDIST_WRK
HP_GRSFRG_DATA
HP_PAYCHKERN_WK
HP_RDIST_CTXDAT
HP_RDIST_DEDDAT
HP_RDIST_ERNDAT
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK

HR_NSZ_AET
HR_PROMOTE_DAT
HR_TRANSFER_DAT
HR_VIAPRIS_AET
INTERVW_SCHED
INTERVW_TIMES
JOB
JOBCOMP_TMP_MC
JOB_APPROVALS
JOB_EARNS_DIST
JOB_ERN_DST_TMP
JOB_REQUISITION
JOB_REQUIS_TAO
JOB_TEMP
JOB_TMP_MC
MOC_POS
OFFER_HIST_TAO
OFFER_TAO
PAY_CHECK_EARNS
PAY_CTX_DIST
PAY_DED_DIST
PAY_EARNINGS
PAY_ERN_DIST



PAY_TAX_DIST
POSITION_DATA
POSN_BUDGET
POSN_DATA_LANG
POSN_EARNS_DIST
PSHUP_TXN
RC_BUD011
RETROPAY_ACCT
RUN_CNTL_HR
RUN_CNTL_PAR
R_GVT_BAS_ELIG0
R_GVT_BAS_ELIG1
R_GVT_BAS_ELIG2
R_GVT_BAS_ELIG3
R_GVT_BA_ELIG0A
R_GVT_PAR_PRT
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5
SALARY_PLAN
ST_PSHUP_AET
SUCCESSION_PLAN
SUCC_PLAN_POSN
TC_EE_DETAIL
TC_EMPL_LST_TAO
TC_POPULATION
TC_TEMP_JOB_TAO
TC_TMP_DTL_TAO
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_CM_ACMP_TAO
UPG_CM_COMP_TAO
UPG_CM_ROLE_TAO
UPG_EARNS_DIST
UPG_HP_01_TAO
UPG_HP_02_TAO
UPG_HP_AET
UPG_HR75RWF_AET

UPG_HR75_AET
UPG_HR_AET
UPG_OFF_HIS_AET
UPG_PY_JOB_TAO



UPG_TL_TIME
 UPG_TL_TIME1
 WC_JOB_CHG_REQ
 WRK_CHECK_EARNS
 WRK_CTX_DIST
 WRK_DED_DIST
 WRK_EARNINGS
 WRK_ERN_DIST
 WRK_TAX_DIST
 Z_ABOLISH_AET
 Z_ABOLISH_TAO
 Z_EXECMGRACCESS
 Z_HCUP_AUDIT
 Z_HR_NFC102_REC
 Z_HR_REQ_CLS_WL
 Z_JOB_REQ
 Z_JOB_REQ_WL
 Z_LC_GVT_EE_WL
 Z_LC_NFC_EMPL
 Z_LC_POSN_WL
 Z_LC_RUNCTL
 Z_MPOS_RUN_CTRL
 Z_NFC_U6708_TBL
 Z_POSITION_TRK
 Z_POSN_PACT_RUN
 Z_POS_ST_ORG_TB
 Z_RUN_PD
 Z_SSN
 Z_TABLE102
 Z_TABLE_102
 Z_WF_PMSO_J_WL
 Z_WF_PMSO_P_WL

POSITION_NBR_FLAG

Default Label	Position Number
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_OUTTCD_AET
	TL_RPDTME_TMPLT



TL_TSKPRF_TMPLT

POSITION_NBR_HR

Default Label Position Number - HR
Length 8
Type Character
Format Uppercase

Record Reference(s) BD_POSITION_TBL
UPG_HP_AET

POSITION_OVERRIDE

Default Label Override Position Data
Length 1
Type Character
Format Uppercase

Record Reference(s) BP_JOB
BP_JOB_EXP
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
GVT_JOB
GVT_JOB_TEMP
JOB
JOBCOMP_TMP_MC
JOB_TEMP
JOB_TMP_MC
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_PY_JOB_TAO

POSITION_POOL_ID

Default Label Position Pool ID
Length 3
Type Character



Format Uppercase

Record Reference(s) BDGT_EXPORT_WRK

- BD_POS_POOL_WRK
- BUDGET_ACTUALS
- BUDGET_TRIGGER
- DEPT_BUDGET
- DEPT_BUDGET_CTX
- DEPT_BUDGET_DED
- DEPT_BUDGET_ERN
- DEPT_BUDGET_TAX
- ENCUMB_DEFN_DED
- ENCUMB_DEFN_TAX
- ENCUMB_DEFN_TBL
- ENCUMB_DIST_DED
- ENCUMB_DIST_ERN
- ENCUMB_DIST_TAX
- ENCUMB_MSG
- ENCUMB_TRIGGER
- HPDBRETDIST_AET
- HP_BDGT_CTXCHG
- HP_BDGT_DEDCHG
- HP_BDGT_ERNCHG
- HP_BDGT_TAXCHG
- HP_BGTACTUAL_WK
- HP_CTXDIST_WRK
- HP_DEDDIST_WRK
- HP_DISTBDGT_AET
- HP_DISTSRCH_AET
- HP_ERNDIST_WRK
- HP_GRSFRG_DATA
- HP_RDIST_CTXDAT
- HP_RDIST_DEDDAT

- HP_RDIST_ERNDAT
- HP_RDIST_TAXDAT
- HP_RETDIST_AET
- HP_TAXDIST_WRK
- PAY_CTX_DIST
- PAY_DED_DIST
- PAY_ERN_DIST
- PAY_TAX_DIST
- POOL_TBL



POOL_TBL_LANG
POSITION_DATA
UPG_HP_01_TAO
UPG_HP_02_TAO
UPG_HP_AET
WRK_CTX_DIST
WRK_DED_DIST
WRK_ERN_DIST
WRK_TAX_DIST

POSN_CHANGE_RECORD

Default Label Position Management Record
Length 1
Type Character
Format Uppercase

Record Reference(s) BP_JOB

BP_JOB_EXP
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
GVT_JOB
GVT_JOB_TEMP
JOB
JOBCOMP_TMP_MC
JOB_LABOR_TAO
JOB_TEMP
JOB_TMP_MC
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_PY_JOB_TAO

POSN_FUND_RUN

Default Label Pay Distribution Run
Length 1
Type Character
Format Uppercase

Record Reference(s) PAY_CALENDAR



N Not Executed
 P In Process
 Y Yes (Funding Distributed)

POSN_MGMT_INDC

Default Label Used by Position Management
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOBCODE_TBL

POSN_NBR_LAST

Default Label Last Position Number Assigned
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) INSTALLATION

POSN_STATUS

Default Label Position Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BD_POSITION_TBL
 BP_POSITION_EXP
 POSITION_DATA
 POSN_BUDGET
 SUCC_PLAN_POSN
 Z_TABLE102

A Approved
 P Proposed
 R Frozen



POSTAL

Default Label	Postal Code
Length	12
Type	Character
Format	14

Record Reference(s) APP_DISABL_ESP

APP_DISABL_GER
AUTOPOP_APP_TMP
BN_834_MEMBER
CAN_YE_AMEND_E
CAN_YE_EMPL
CITYUPDATE_TAO
CITY_TBL_ITA
COMPANY_STATS
CO_DPK_ADDR_TAO
CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_ESV_ADDR_TAO
CO_ESV_INIT_DET
CO_ESV_YTD_DET
CTXPRC_PARAMS
DEC2483_FRA_AET
DISABILITY_ESP

DISABILITY_GER
DUPLICATE_SET
EO_ADDR_VALIDAT
GA_PRV_OUTDOC
GPAU_ETP_EL_TAO
GPAU_PSM_EL_TAO
GPAU_TFN_EL_TAO
GPBR_R20_SEFIP
GPCH_RP_0001
GPCH_RP_SI03
GPCH_RP_TX01
GPCH_RP_TX02
GPCH_RP_TX05
GPDE_DV_DBAN



GPDE_DV_DBAN_B
GPDE_RP_TX05
GPDE_SI_PROV_ID
GPFR_ASS_PAYEE
GPGB_EE_RSLT
GPIT_CAF_DATA
GPIT_CUD_RP_P1
GPIT_FCUD_T2
GPNL_5PCT_TMP
GPNL_SYEE_TMP
GPNL_YEE1_TMP
GPNL_ZFW_TMP
GPNL_ZFW_TT_TMP
GPSG_IRAS_CPY
GVT_GARN_PAYEE
GVT_GARN_SPEC
GVT_PAR_PSH_AET
HRAU_PSMPC1_TAO
HRAU_PSMPC_TAO
HR_DIM_BEL_AET
HR_DIM_RUN_BEL
HR_NSZ_AET
HR_VIAPRIS_AET
OHS001GER_TMP1
OHS004GER_TMP1
OHS004GER_TMP2
OHS501UK_TMP1
OHS501UK_TMP2
OSHA_301_REPORT
PA_QDRO_COM
PA_TE_BIO
POSTAL_CD_CHE
POSTAL_TBL_JPN
POST_TBLJPN_LNG
RP_QUEUE_APP
RUN_FGSF75
R_GVT_BOND_ISS
UPG_HR75RWF_AET
UPG_HR75TRN_AET
UPG_HR_AET
W2C_DATA
W2_COMPANY
W2_DATA



POSTAL3_GER

Default Label Postal Code
Length 12
Type Character
Format 14

Record Reference(s) OHS001GER_TMP2

POSTAL4_GER

Default Label Postal Code
Length 12
Type Character
Format 14

Record Reference(s) OHS001GER_TMP2

POSTAL5_GER

Default Label Postal Code
Length 12
Type Character
Format 14

Record Reference(s) OHS001GER_TMP2

POSTAL_CD_EXT_CHE

Default Label Postal Code Extension
Length 2
Type Character
Format Uppercase

Record Reference(s) POSTAL_CD_CHE



POSTAL_CD_TYPE_CHE

Default Label	Postal Code Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	POSTAL_CD_CHE
	10 Domestic Address or Postbox
	20 Domestic Address
	30 Postbox
	40 Company Address
	80 Swiss Post Internal Use

POSTAL_CITY_NLD

Default Label	City
Length	24
Type	Character
Format	Uppercase

Record Reference(s)	HR_NSZ_AET
	NSZ_MSV_NLD
	NSZ_PERSON_NLD
	POSTAL_TBL_NLD

POSTAL_EXISTS

Default Label	Postal Code
Length	1
Type	Character
Format	Mixedcase

Record Reference(s)	DUP_APPSRCH_AET
	RUN_DUPAPP_SRCH

POSTAL_FILE1_CHE

Default Label	Postal Codes File
---------------	-------------------



Length 80
Type Character
Format Uppercase

Record Reference(s) GPCH_POST_LOAD

POSTAL_GER

Default Label Postal Code
Length 12
Type Character
Format 14

Record Reference(s) OHS001GER_TMP1
OHS004GER_TMP1

POSTAL_KEY_CHE

Default Label Postal Key
Length 5
Type Character
Format Uppercase

Record Reference(s) POSTAL_ALT_CHE
POSTAL_CD_CHE

POSTAL_NLD

Default Label Postal Code
Length 7
Type Character
Format Uppercase

Record Reference(s) HR_DIM_BEL_AET
HR_DIM_RUN_BEL
HR_DIM_SEG2_BEL
POSTAL_TBL_NLD



POSTAL_OTHER

Default Label Postal Code - Other
Length 12
Type Character
Format 14
Legacy field name CHECK-MAIL-ADDR-ZIP
Legacy system name PINE

Record Reference(s) BN_834_MEMBER

GPDE_RP_TX05
GPDE_SI_PROV_ID
GVT_AWD_DATA
OHS001GER_TMP1
OHS004GER_TMP1
OHS004GER_TMP2
OHS501UK_TMP1
OHS501UK_TMP2
RUN_FGSF75

Z_HCUP_AUDIT

POSTAL_RCD_CNT_NLD

Default Label Record count
Length 7
Type Number
Format Uppercase

Record Reference(s) POSTAL_CHG_NLD

POSTAL_STREET_NLD

Default Label Street
Length 24
Type Character
Format Mixedcase

Record Reference(s) HR_NSZ_AET

NSZ_MSV_NLD
NSZ_PERSON_NLD
POSTAL_TBL_NLD



POSTED_ACTUAL_AMT

Default Label Posted Actual Amount
Length 18
Type Signed Number
Format Uppercase

Record Reference(s) BUDGET_ACTUALS
HP_BGTACTUAL_WK

POSTED_DATE

Default Label Date Posted
Length 10
Type Date
Format Uppercase

Record Reference(s) BEN_BI_DETAIL
GVT_RQSN_DLIST
KK_BUDGET_HDR

POSTED_ENCUMB_AMT

Default Label Posted Encumbrance Amount
Length 18
Type Signed Number
Format Uppercase

Record Reference(s) BUDGET_ACTUALS
HP_BGTACTUAL_WK

POSTING_DATE

Default Label Posting Date
Length 10
Type Date
Format Uppercase



Default Label Posted Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) TIPS_ALLOC_EMPL
 TIPS_ALLOC_PD
 TIPS_ALL_RUNCTL
 TIPS_ESTAB_PD
 WRK_TIPS_ALLOC
 WRK_TIPS_ALLOC2

POST_SRCH_AVAIL

Default Label Post Search Available
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) COUNTRY_TBL

POST_STATUS_AP

Default Label Post Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

N	Payment Not Applied
P	Posted
U	Unposted

POST_STATUS_WTHD

Default Label Withholding Post Status
 Length 1
 Type Character



POST_TYPE

Default Label	Post Type
Length	3
Type	Character
Format	Uppercase

Record Reference(s) EG_ADM_POST_TBL

UPG_HP_AET

ACR	Academic Responsibility
ADM	Administrative
TTL	Title

POST_VOUCHER

Default Label	Post Voucher Now
Length	1
Type	Character
Format	Uppercase

Record Reference(s) VOUCHER

VOUCHER_STG

D	Post Later
N	Do Not Post
P	Post Immediately

POS_ACTIVE

Default Label	Active Positions
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RUN_CNTL_HR

Z_LC_RUNCTL

A	Position Active
---	-----------------

POS_ACTIVE_OPTION



Default Label Pos Active,Inactive,Both Optn
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_HR
 Z_LC_RUNCTL

1	Active
2	Inactive
3	Both Active and Inactive

POS_EXCEPT_OVRRIDE

Default Label Position Exception Override
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_HR
 Z_LC_RUNCTL

E	Exception
O	Override

POS_INACTIVE

Default Label Inactive Positions
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_HR
 Z_LC_RUNCTL

I	Position Inactive
---	-------------------

POS_REPORT_LEVEL

Default Label Pos Hierarchy Report Level



Length 2
 Type Number
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_HR
 Z_LC_RUNCTL

POS_VACANT_REQUEST

Default Label Request for Vacant Pos Report
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_HR
 Z_LC_RUNCTL

- 1 Run Vacant Budgeted Positn Rpt
- 2 Create Requistn for Vacant Pos

POTENTIAL

Default Label Career Potential
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CAREER_POTENTL

- H High Potential Candidate
- L Lateral Transfer
- O Officer Potential
- P Promotable
- W Currently Well Placed

PO_DIST_LINE_NUM

Default Label PO Distribution Line Number
 Length 5
 Type Number



Format Uppercase

Record Reference(s) DISTRIB_LINE

DISTRIB_LN_STG

PO_ID

Default Label Purchase Order

Length 10

Type Character

Format Uppercase

Record Reference(s) DISTRIB_LINE

DISTRIB_LN_STG

VOUCHER

VOUCHER_LINE

VOUCHER_LN_STG

VOUCHER_STG

PO_TAX_DED_INT_ADJ

Default Label Post Tax Contrib Int Adjustmnt

Length 15

Type Signed Number

Format Uppercase

Record Reference(s) PA_CLC_EACCT_AY

PA_EACCT_ACCUM

PPA_ACCESS

Default Label Prior Period Adjustment Access

Length 1

Type Character

Format Uppercase

Record Reference(s) TL_OPR_SECURITY



PPA_ALLOW

Default Label Days from Prd End Dt to Adj
Length 3
Type Number
Format Uppercase

Record Reference(s) TL_OPR_SECURITY

PPA_IND

Default Label Prior Period Period Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) PY_LDTL_RC
PY_LDTL_TBL

PPA_NOTIFY

Default Label Notification of Prior Prd Adj
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OPR_SECURITY

PPT_PCT

Default Label Provincial Premium Tax Percent
Length 5
Type Number
Format Uppercase

Record Reference(s) CAN_USR_TAX_PRV



PRACTIC_GRADE_GER

Default Label Practical Grade
Length 4
Type Character
Format Uppercase

Record Reference(s) UPG_HR75_AET

PRCSCATEGORY

Default Label Process Category
Length 30
Type Character
Format Mixedcase

Record Reference(s) PRCSDDEFN

PRCSJOBDEFN
PRCS_CAT_LG_TBL
PRCS_CAT_TBL
PSPRCSQUE
PSPRCSRQST
SERVERCATEGORY

PRCSCPU TIME

Default Label Process CPU Time
Length 15
Type Time
Format Uppercase

Record Reference(s) PSPRCSRQSTTIME

PRCSCURREXP IREDDTTM

Default Label Current Expiration Datetime
Length 26
Type Datetime
Format 12



Record Reference(s) PSPRCSQUE
 PSPRCSRQST

PRCSDISKSPACE
 Default Label Disk Space Available
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) PSSERVERSTAT

PRCSEVENTTYPE
 Default Label Process/Job Event Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PRCSEVENTTYPE
 PRCSEVENTTYPE
 PRCSEVENTTYPE

- 1 Successful
- 2 Error
- 3 Warning

PRCSFILENAME
 Default Label FileName
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PRCSEVENTTYPE
 PRCSEVENTTYPE
 PRCSEVENTTYPE
 PRCSEVENTTYPE
 PRCSEVENTTYPE
 PRCSEVENTTYPE



PRCSGRP

Default Label	Process Definition Group Name
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	PRCSDEFNGRP
	PRCSJOBGRP
	PRCS_GROUPS
	PRCS_GROUPS_LNG
	PSAUTHPRCS

PRCSINSTANCE

Default Label	Process Instance
Length	10
Type	Number
Format	7

Record Reference(s)	AE_GB_AET
	AE_GB_PARAM_AET
	BAS_MESSAGE
	BATRUNCNTL
	CDM_AUTH
	CDM_FILE_LIST
	CDM_LIST
	CDM_LIST_ARCH
	CDM_LIST_PURGE
	CDM_TEXT
	CDM_TRNFR_RJCT
	EO_BATLIB_AET
	GB_MERGEVAL_TBL
	GB_MERGE_TBL
	GB_TMP_GB001
	GPCH_RP_TX05D
	GPDE_DV_PRCST
	LMS_SCENAR_HIST
	PAY_MESSAGE
	PERSON_PRCSTMP



PRCSFILE
 PRCSRQSTDIST
 PRCSRQSTNOTIFY
 PRCSRQSTURL
 PSNVSBATCHRSTRT
 PSPRCSCHLDINFO
 PSPRCSJOBSTATUS
 PSPRCSPARMS
 PSPRCSQUE
 PSPRCSRQST
 PSPRCSRQSTARCH
 PSPRCSRQSTFILE
 PSPRCSRQSTMETA
 PSPRCSRQSTSTRNG
 PSPRCSRQSTTEXT
 PSPRCSRQSTTIME
 PSPRCSRQSTXFER
 PSRF_RFLTR_TBL
 PSRF_RINFO_TBL
 PYTL1_STG_SUB
 PYTL2_STG_SUB
 PYTL_STG_SUB
 PY_LDTL_WRK
 RUNCTL_TLPY_PUB
 RUN_CNTL_GB
 ST_ESPP_MESSAGE
 SV403_MESSAGE
 TL_OUTTCD_AET
 TL_PAYREQ_AET
 TS_PROFILE
 Z_PMSO_ERROR

PRCSITEMLEVEL

Default Label Process Item Level

Length 4

Type Number

Format Uppercase

Record Reference(s) PSPRCSQUE
 PSPRCSRQST



PSPRCSRQSTARCH
SCHDLITEM

PRCSJOBCHNGTYPE

Default Label Job Change Type
Length 1
Type Character
Format Numbers Only

Record Reference(s) PRCSJOBITEMCHG

- 1 Item Added
- 2 Item Changed
- 3 Item Deleted

PRCSJOBNAME

Default Label Process Job Name
Length 8
Type Character
Format Uppercase

Record Reference(s) GPIT_SQR_G_FOO

- GPIT_SQR_G_HEA
- GPIT_SQR_G_TBL
- GPIT_SQR_PAGE
- GPIT_SQR_RF_FOO
- GPIT_SQR_RF_HEA
- GPIT_SQR_RF_LST
- GPIT_SQR_RF_TBL
- GPIT_SQR_S_FOO
- GPIT_SQR_S_HEA
- GPIT_SQR_S_TBL
- PRCSJOBCHGHIST
- PRCSJOBCNTDIST
- PRCSJOBDEFN
- PRCSJOBDEFNLANG
- PRCSJOBGRP
- PRCSJOBITEM
- PRCSJOBITEMCHG
- PRCSJOBMESSAGE



PRCSJOBNOTIFY
PRCSJOBPNL
PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH

PRCSJOBSEQ

Default Label Process Job Item
Length 5
Type Number
Format 7

Record Reference(s) PRCSJOBITEM
PRCSJOBITEMCHG
PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH
SCHDLITEM

PRCSLOCK

Default Label Process Lock
Length 5
Type Number
Format 7

Record Reference(s) PSPRCSLOCK

PRCSNAME

Default Label Process Name
Length 12
Type Character
Format Uppercase

Record Reference(s) CDM_LIST
CDM_LIST_ARCH
EG_RUN_CNTL_SVC



MASS_RPT_HR_LN
MASS_RPT_PT_LN
MASS_RPT_XX_LN
OSHA_300_RUNS
PA_RUN_CNTL
PA_RUN_CNTL_CLC
PMN_FILTER
PRCSDEFN
PRCSDEFNCNTDIST
PRCSDEFNCOND
PRCSDEFNGRP
PRCSDEFNLANG
PRCSDEFNMESSAGE
PRCSDEFNMETA
PRCSDEFNOTIFY
PRCSDEFNPNL
PRCSDEFNURL
PRCSDEFNURLKEY
PRCSDEFNURL_LNG
PRCSDEFNXFER
PRCSJOBITEM
PRCSJOBITEMCHG
PRCSMUTUALEXCL
PRCSRUNCNTLDIST
PRCSRUNCNTLDTL
PRCSRUNCNTLEOPT
PSPNLFIELD
PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH
PSPRCSRQSTTIME

PSRF_RDESC_LANG
PSRF_RDESC_TBL
PSRF_RINFO_TBL
PST_PNLFIELDS
RPT_RQST
RPT_RQST_TXT
SCHDLITEM
Z_PMN_FILTER



Default Label Process Profile Perm. List
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSOPRDEFN

PRCS PRIORITY

Default Label Process Priority
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) PRCSDEFN
 SERVERCATEGORY
 SERVERCLASS

1	Low
5	Medium
9	High

PRCS PROFILEATTRIB

Default Label Process Profile Attribute
 Length 56
 Type Character
 Format Mixedcase

Record Reference(s) DIRECTORYATTRIB
 DSUSRPRFLMAP

PRCS PROFILECB

Default Label Process Profile Check Box
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DIRECTORYATTRIB



DSUSRPRFLMAP

N	Process Profile Check Box
Y	Process Profile Check Box

PRCSPRTY

Default Label	Process Priority
Length	5
Type	Number
Format	7

Record Reference(s) PSPRCSQUE

PRCSPURGENEXTDTTM

Default Label	Purge Next Date/Time
Length	26
Type	Datetime
Format	12

Record Reference(s) PRCSYSTEM

PRCSPURGERECURNAME

Default Label	Purge Recurrence Name
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) PRCSYSTEM

PRCSREALTIME

Default Label	Process Real Time
Length	15
Type	Time
Format	Uppercase



Record Reference(s) PSPRCSRQSTTIME

PRCSRQSTFILE

Default Label Process File
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPRCSRQSTFILE

PRCSRQSTSTRING

Default Label Request String
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPRCSRQSTSTRNG

PRCSRTNCD

Default Label Process Return Code
Length 5
Type Number
Format 7

Record Reference(s) PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH

PRCSSEQKEY

Default Label Sequence Key
Length 2
Type Character
Format Numbers Only

Record Reference(s) PRCSSEQUENCE



- 0 Process Instance
- 1 Report Instance
- 2 Transfer Instance
- 3 PSRF Report ID
- 4 PSRF Folder ID

PRCSSHOWURL

Default Label Show URL for current component
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PRCSDEFN

PRCSSTARTDTM

Default Label Current Expiration Datetime
 Length 26
 Type Datetime
 Format 12

Record Reference(s) PSPRCSQUE

PRCSSYSLOADOPT

Default Label System Load Balancing Option
 Length 2
 Type Character
 Format Numbers Only

Record Reference(s) PRCSYSTEM

- 0 Assign To Primary O/S Only
- 1 Assign To Server In Any O/S

PRCSTHRESHOLD

Default Label Disk Space Threshold



Length 8
 Type Number
 Format Uppercase

Record Reference(s) PSSERVERSTAT

PRCSTYPE

Default Label Process Type
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) CDM_FILTER

CDM_FILTER_ARCH
 CDM_LIST
 CDM_LIST_ARCH
 EG_RUN_CNTL_SVC
 PA_RUN_CNTL
 PA_RUN_CNTL_CLC

PMN_FILTER
 PRCSDEFN
 PRCSDEFNCNTDIST
 PRCSDEFNCOND
 PRCSDEFNGRP
 PRCSDEFNLANG
 PRCSDEFNMESSAGE
 PRCSDEFNMETA
 PRCSDEFNNOTIFY
 PRCSDEFNPNL
 PRCSDEFNURL
 PRCSDEFNURLKEY
 PRCSDEFNURL_LNG
 PRCSDEFNXFER
 PRCSJOBDEFN
 PRCSJOBITEM
 PRCSJOBITEMCHG
 PRCSMUTUALEXCL
 PRCSRUNCNTLDIST
 PRCSRUNCNTLDTL
 PRCSRUNCNTLEOPT



Length 1
 Type Character
 Format Uppercase

Record Reference(s) HR_CMP015_AET
 HR_PER501_AET
 HR_SP_MER1_TAO
 HR_SP_MER2_TAO
 RUN_CNTL_HR

I Add new effective date
 U Correction on current Info.

PRCS_ON_NEGATIVE

Default Label Process On Negative

Length 1
 Type Character
 Format Uppercase

Record Reference(s) TERM_PGM_DEFLVE

PRCS_THRU_DT

Default Label Process Through Date

Length 10
 Type Date
 Format Uppercase

Record Reference(s) EG_CLC_SVC_AY
 EG_CLC_SVC_FLX
 PA_CLC_SVC_AY

PRCS_TYPE

Default Label Process Type

Length 1
 Type Character
 Format Uppercase



Record Reference(s) GPBR_VAC_AP_AET
 GPXPYE_PRC_STAT
 GP_NEW_RTO_WRK
 GP_OLD_RTO_WRK
 GP_PYE_PRC_STAT
 GP_PYE_RUN

PRC_EVT_ACTN_OPTN

Default Label Process Action
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_EVENT

N Normal
 V Void

PRC_IND

Default Label Process?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_PYE_RUN_SEG

PRC_NUM

Default Label Process Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GP_CAL_RUN

GP_PYE_ITER_LST
 GP_PYE_ITER_WRK
 GP_PYE_ITR2_WRK
 GP_RUNCTL



GPDE_RP_SI01
GPFR_ASS_AET
GPFR_ILL_AET
GPFR_TERM_AET
GPIN_PR_AET
GPIN_PR_TMP

GPIT_RP_0001
GPJP_UC_DETAILS
GPMY_159_AET
GPMY_8A_PR_AET
GPMY_CP159_HD
GPMY_FA_PST_AET
GPMY_PR_AET
GPMY_PR_TMP
GPNL_PERS2_TMP
GPNZ_EFTMT9_AET
GPNZ_RUNCTL_MT9
GPSG_FA_PST_AET
GPVC_ACK_PUB
GPVC_RQT_SUB
GPXCAL_RUN_DTL
GPXPYE_PRC_STAT
GP_AUTO_CAL_AET
GP_AUTO_PRD
GP_AUTO_PRD_AET
GP_CAL_PRD
GP_CAL_RUN_DTL
GP_GENRPT_AET
GP_GENRPT_TMP
GP_HST_WRK
GP_PYE_PRC_STAT
RC_VC_ELIG_PRO
TC_COMP_TMP
TC_EXCEL_GRP_TM
TC_VCRUNCTL_TAO
TRAINING_AET
TRN_EE_SAL_COST
VCGP_RQT_PUB
VC_CALC_WRD_AET
VC_ELIG_PRO_AET
VC_PAYPRD_TBL
VC_PRORATE_DT



VC_PRO_PRDS_AET

PRD_END_DT

Default Label	Period End Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) EG_CLC_SVC_AY

EG_CLC_SVC_FLX
GPAU_EFT_CX_AET
GPAU_RUNCTL_CMX
GPBR_VACCAL_AET
GPCH_BK_TRN_AET
GPCH_OT_AET
GPCH_RP_0001
GPCH_RP_0002
GPCH_RP_EO01
GPCH_RP_FK01
GPCH_RP_FK02
GPCH_RP_MT
GPCH_RP_PK01
GPCH_RP_SI07

GPCH_RP_SI08
GPCH_RP_TX01
GPCH_RP_TX02
GPCH_RP_TX05
GPDE_BK_TRN_AET
GPDE_BL
GPDE_BV_RP
GPDE_DV_DAY_AET
GPDE_DV_ELIG_MO
GPDE_DV_FLT_BAL
GPDE_DV_MON_AET
GPDE_DV_PAYITEM
GPDE_GR_RSLT_WA
GPDE_RA_0001
GPDE_RP_0001
GPDE_RP_0002
GPDE_RP_0003



GPDE_RP_AL01
GPDE_RP_AL04
GPDE_RP_AL05
GPDE_RP_AZ01
GPDE_RP_FL01
GPDE_RP_SI01
GPDE_RP_SI10
GPDE_RP_SI10A
GPDE_RP_TX03
GPDE_RP_TX03A
GPDE_RP_TX03_1
GPDE_RP_TX03_2
GPDE_RP_TX03_3
GPDE_RP_TX03_4
GPDE_RP_TX05_1
GPDE_SI_TRG_TMP
GPFR_ASS_AET
GPFR_ILL_AET
GPFR_PS_GUI_TMP
GPFR_PS_SEG_TMP
GPFR_PYSL_AET
GPFR_P_SLIP_TMP
GPFR_TERM_AET
GPIN_PR_AET
GPIN_PR_TMP
GPIT_FCUD_T1
GPIT_RP_0001
GPIT_RP_AL01
GPIT_RP_TX01
GPIT_RP_TX02
GPJP_PP_DATA2
GPJP_UC_DETAILS
GPMY_159_AET
GPMY_8A_PR_AET
GPMY_FA_PST_AET
GPMY_PR_AET
GPMY_PR_TMP
GPNL_PERS2_TMP
GPNL_PSLIP_AET
GPNL_PSLIP_TMP
GPNL_PS_GUI_TMP
GPNL_PS_SEG_TMP
GPNZ_EFTMT9_AET



GPNZ_RUNCTL_MT9

GPSG_FA_PST_AET
GPVC_ACK_PUB
GPVC_RQT_SUB
GPXCAL_RUN_DTL
GPXPYE_PRC_STAT
GP_AUTO_CAL_AET
GP_AUTO_PRD
GP_AUTO_PRD_AET
GP_CAL_PRD
GP_CAL_RUN_DTL
GP_GENRPT_AET
GP_GENRPT_TMP
GP_HST_WRK
GP_PYE_PRC_STAT
PA_CLC_SVC_AY
RC_VC_ELIG_PRO
RC_VC_REPORTS
TC_COMP_TMP
TC_EXCEL_GRP_TM
TC_VCRUNCTL_TAO
TRAINING_AET
TRN_EE_SAL_COST
VCGP_RQT_PUB
VC_ALLOC_AET
VC_APRWRD_G_AET
VC_AWDALC_WL
VC_CALC_WRD_AET
VC_EEPROPRD_TAO
VC_ELIG_PRO_AET
VC_EPROPRD1_TAO
VC_PAYPRD_TBL
VC_PRORATE_DT
VC_PRO_PRDS_AET
VC_WD_SCHED_TAO

PRD_END_DT_PAY_ADJ

Default Label	If not = Period End Date
Length	1
Type	Character



GPNL_PS_GUI_TMP
 GPNL_PS_SEG_TMP
 GPNL_SEG_TMP
 GPXPYE_PRC_STAT
 GP_GL_PREP_AET
 GP_GL_S1TO6_TMP
 GP_GL_SEGV_TMP
 GP_GL_SEG_TMP
 GP_HST_WRK
 GP_PI_GEN_HDR
 GP_PI_HDR_WRK
 GP_PMT_PREP_AET
 GP_PYE_PRC_STAT
 GP_PYE_SEG_TMP
 GP_PYE_STAT_WRK
 GP_TLPTM_WRK

C Current
 H Historic
 R Retro

PRECEDENCE_ORDER

Default Label Order of 415 reduction
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

PREEMPLOYMENT_INQ

Default Label Pre-Employment Inquiry Type
 Length 50
 Type Character
 Format Mixedcase

Record Reference(s) ER_APP_PREEMPLD



PREEMPLOYMENT_STS

Default Label Pre-employment Request Status
Length 17
Type Character
Format Mixedcase

Record Reference(s) ER_APP_PREEMPLD
ER_APP_PREEMPLH

PREEMPLOYMENT_VIEW

Default Label View Pre-employment Results
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INSTALLATION
UPG_ER_AET

PREEMPLOY_REF_NBR

Default Label Request Reference Number
Length 12
Type Character
Format Mixedcase

Record Reference(s) ER_APP_PREEMPLD
ER_APP_PREEMPLH

PREEMPLOY_REQ_ID

Default Label Request ID
Length 32
Type Character
Format Uppercase

Record Reference(s) ER_APP_PREEMPLD



Format Uppercase

Record Reference(s) ER_STSPSCR_LANG
ER_STS_PSCR_TBL

- 01 01-Overall Met
- 02 02-Did Not Meet
- 03 Ineligible Basic Eligibility
- 04 Employment Conditions
- 05 Minimum Grade/Salary

PREMIUM_BASE

Default Label Premium Base
Length 11
Type Number
Format Uppercase

Record Reference(s) BAS_PARTIC_OPTN
BN_SNAP_PLAN

PREM_AS_OF_CD

Default Label Premium Salary As Of Code
Length 1
Type Character
Format Uppercase

Record Reference(s) CALC_RULES_TBL

- C Check Date
- L Last Year On
- P Pay End Date

- T This Year On

PREM_AS_OF_DD

Default Label Premium Salary As Of Day
Length 2
Type Number
Format Uppercase



Record Reference(s) CALC_RULES_TBL

PREM_AS_OF_MM

Default Label Premium Salary As Of Month
Length 2
Type Number
Format Uppercase

Record Reference(s) CALC_RULES_TBL

PRENOTE_DATE

Default Label Prenotification Date
Length 10
Type Date
Format Uppercase

Record Reference(s) DIR_DEP_DISTRIB

PY_IC_DD_AUDIT
PY_IC_DD_WRK
UPG_PY_AET
VENDOR_PAY
VENDOR_PAY_TMP

PRENOTE_DT

Default Label Prenote Date
Length 10
Type Date
Format Uppercase

Record Reference(s) RC_PAYINIT

PRENOTE_REQD

Default Label Prenotification Required
Length 1



Type Character
 Format Uppercase

Record Reference(s) DIR_DEP_DISTRIB
 PY_IC_DD_AUDIT
 PY_IC_DD_WRK
 UPG_PY_AET
 VENDOR_PAY
 VENDOR_PAY_TMP

PRENOTE_STATUS

Default Label Prenotification Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DIR_DEP_DISTRIB
 PY_IC_DD_AUDIT
 PY_IC_DD_WRK
 UPG_PY_AET
 VENDOR_PAY
 VENDOR_PAY_TMP

C Completed
 N Not Submitted
 P Pending
 R Rejected
 S Submitted

PRENOTE_WAIT_DAYS

Default Label Prenote Wait Days (U.S.)
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) AP_VENDOR_CNTRL



PREPAID_AUTO_APPLY

Default Label Automatically Apply Prepayment
Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

PREPAID_REF

Default Label Prepayment Reference
Length 10
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

PREPAY_ADJ

Default Label PrePay Balance Adjustment
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_PREPAY

PREPAY_BAL

Default Label PrePay Balance
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) BAL_ADJ_PREPAY
DED_PREPAY



PREPAY_FACTOR

Default Label PrePay Factor
Length 5
Type Number
Format Uppercase

Record Reference(s) CONTRACT_PREPAY

PREPAY_LIMIT

Default Label Prepay Deduction Limit%
Length 3
Type Number
Format Uppercase

Record Reference(s) CONTRACT_COMP

PREPAY_OPTION

Default Label PrePay Option
Length 1
Type Character
Format Uppercase

Record Reference(s) CONTRACT_PREPAY

C PrePay Over Contract
F Factor * Deduction Amount

PREREQ_COURSE_CD

Default Label Prerequisite Course Code
Length 6
Type Character
Format Uppercase

Record Reference(s) TRN_PREREQ_CRSE



Type Date
Format Uppercase

Record Reference(s) NVQ_UNITS_PROG

PRESENT_DISTANCE

Default Label Present Distance
Length 6
Type Number
Format Uppercase

Record Reference(s) CAR_MAINT

PRESENT_TITLE

Default Label Presentation Title
Length 50
Type Character
Format Mixedcase

Record Reference(s) EG_PRESENTATION

PRESERVE_CREDIT

Default Label Between Definitions
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_DEATH

PRESERVE_ROW

Default Label Between Coverage History Rows
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_DFN_DEATH

PRETAX_CD

Default Label Allow Pre-Tax Medical Premium
Length 1
Type Character
Format Uppercase

Record Reference(s) HEALTH_BENEFIT

PREV2_BALANCE_YEAR

Default Label AE PREV BALANCE YEAR TEMP
Length 4
Type Number
Format Uppercase

Record Reference(s) CO_ESV_PAYA_TAO
CO_ESV_PAY_TAO

PREVENT_ACTN_CD

Default Label Preventative Action Code
Length 5
Type Character
Format Uppercase

Record Reference(s) WCB_ERPA_EC
WCB_ERPA_WD

PREVENT_ACT_CD_CAN

Default Label Preventative Action Code
Length 5
Type Character
Format Uppercase



PREV_ALLOCATION

Default Label YTD Prev Alloc Tips
Length 16
Type Signed Number
Format Uppercase

Record Reference(s) TIPS_ALLOC_EMPL
WRK_TIPS_ALLOC
WRK_TIPS_ALLOC2

PREV_BALANCE_YEAR

Default Label AE PREV BALANCE YEAR TEMP
Length 4
Type Number
Format Uppercase

Record Reference(s) CO_ESV_PAYA_TAO
CO_ESV_PAY_TAO

PREV_CODE_ITA

Default Label PREV Code for Company/Estab
Length 16
Type Character
Format Uppercase

Record Reference(s) EMPL_PREV_ITA
PREV_COMP_ITA
PREV_ITA_LANG
PREV_TBL_ITA

PREV_EMPL_BY_COMPY

Default Label Previously Employed by Company
Length 1



Type Character
Format Uppercase

Record Reference(s) ER_REFERRAL
ER_REF_JOB_REQ
PERS_APPL_INFO

PREV_EXCESS_OF_MIN

Default Label Previous Excess of Min
Length 19
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

PREV_FACTOR

Default Label Previous Factor
Length 12
Type Number
Format Uppercase

Record Reference(s) AE_FGPY005_AET

PREV_POS_CODE_ITA

Default Label PREV Position Code
Length 4
Type Character
Format Uppercase

Record Reference(s) PREV_TBL_ITA

PREV_PRD_PRT_TYPE

Default Label Use Based On
Length 1



Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_EVENT_CLASS

PRE_INJ_THOLD_AUS

Default Label Pre Injury Threshold
Length 3
Type Number
Format Uppercase

Record Reference(s) CLAIM_INFO_AUS

PRE_TAX_DED_ADJ

Default Label Pre Tax Contribution Adjstmnts
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) PA_CLC_EACCT_AY
PA_EACCT_ACCUM

PRE_TAX_DED_AMT

Default Label Consolidated Pre tax contribut
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) PA_CLC_EACCT_AY
PA_CONS_DED_AY
PA_EACCT_ACCUM

PRE_TAX_DED_INT



PRICE_VENDOR

Default Label Price Vendor ID
Length 10
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP

PRIMARYACTION

Default Label Main action for internet panel
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

PRIMARYATTRIB

Default Label Primary Attribute
Length 56
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYATTRIB
 DSUSRPRFLMAP

PRIMARYCB

Default Label Primary Class
Length 1
Type Character
Format Mixedcase

Record Reference(s) DIRECTORYATTRIB
 DSUSRPRFLMAP



N Primary Class Check Box
 Y Primary Class Check Box

PRIMARYSRVRNAME

Default Label Primary Server
 Length 8
 Type Character
 Format Mixedcase

Record Reference(s) SCHDLDEFN

PRIMARY_ACCT_IND

Default Label Primary Account
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_NET_DIST_DTL
 GP_NET_DST1_TMP
 GP_NET_DST2_TMP

PRIMARY_AGE

Default Label Primary Age
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_FACTOR_SETUP

PRIMARY_AGE1

Default Label Mortality Age Offset - Table 1
 Length 3
 Type Number
 Format Uppercase



Record Reference(s) PA_DFN_FACTOR

PRIMARY_AGE1_ALIAS

Default Label Mortality Age Offset - Table 1
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

PRIMARY_AGE1_ALIAT

Default Label Primary Age 1 Alias Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

PRIMARY_AGE1_DIR

Default Label Age Offset Direction - Table 1
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

B Backwards
 F Forwards

PRIMARY_AGE1_TYPE

Default Label Mortality Age Offset - Table 1
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PA_DFN_FACTOR

A Alias Name
N Numeric Constant

PRIMARY_AGE2

Default Label Mortality Age Offset - Male
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

PRIMARY_AGE2_ALIAS

Default Label Mortality Age Offset - Male
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

PRIMARY_AGE2_ALIAT

Default Label Primary Age 2 Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

PRIMARY_AGE2_DIR

Default Label Age Offset Direction - Male
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_DFN_FACTOR

B Backwards
F Forwards

PRIMARY_AGE_ALIAS

Default Label Primary Age Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_FACTOR_SETUP

PRIMARY_AGE_ALIAST

Default Label Primary Age Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_FACTOR_SETUP

PRIMARY_AGE_TYPE

Default Label Primary Age Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_FACTOR_SETUP

PRIMARY_CONTACT

Default Label Primary Contact
Length 1
Type Character
Format Uppercase



Record Reference(s) EMERGENCY_CNTCT

PRIMARY_DEL_METHOD

Default Label Primary Delivery Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CAREER_TRAINING
 COURSE_TBL

- A Audio
- C Computer Assisted
- D Detail
- E Web Supported
- I Instructor Led
- O On-the-Job Training
- R CD-ROM
- S Self-study
- V Video
- W Workbook

PRIMARY_EMAIL

Default Label Primary Email Account
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSUSEREMAIL

PRIMARY_ERN

Default Label Primary Ern
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) R_BN_PRIJOB1



UPG_BN_PJTMP1

PRIMARY_FLAG1

Default Label Include Job for Eligibility
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_ELIG_DBGVAL
BAS_PARTIC_ELIG
PRIMARY_JOBS

PRIMARY_FLAG2

Default Label Include Job for Deductions
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_PARTIC_ELIG
PRIMARY_JOBS

PRIMARY_HIR

Default Label Make Primary (HIR)
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_MJ_OPTIONS

N No Change to Primary Job
Y Make New Job Primary

PRIMARY_INDICATOR

Default Label Primary Indicator for Multiple
Length 1



Type Character
 Format Uppercase

Record Reference(s) GPHK_TAXREF_DTL
 TC_POPULATION

PRIMARY_INJURY

Default Label Primary Injury
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INJURY_ILL_ACC
 INJURY_ILL_ACT
 INJURY_ILL_BP
 INJURY_ILL_NOI
 INJURY_ILL_SOI
 WCB_WOSO_EC
 WCB_WOSO_WD

PRIMARY_JOBS_SRC

Default Label Primary Jobs Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PRIMARY_JOBS
 J Job
 M Maintenance Panel

PRIMARY_JOB_APP

Default Label Primary Job Application
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PRIMARY_JOBS



BN Primary Job Application
 PA Pension Administration

PRIMARY_JOB_IND

Default Label Primary Job Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_ELIG_DBGVAL
 BAS_PARTIC_ELIG
 PA_PRIMJOB_OVRD
 PRIMARY_JOBS
 R_BN_PRIJOB2
 UPG_BN_PJTMP2

N Stop Primary
 Y Start Primary

PRIMARY_KEY_NAME1

Default Label Primary Key Name1
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) TL_RI_CNTRL_TBL
 TL_RI_TEST_AET

PRIMARY_KEY_NAME2

Default Label Primary Key Name2
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) TL_RI_CNTRL_TBL
 TL_RI_TEST_AET



PRIMARY_KEY_VALUE1

Default Label	Primary Key Value1
Length	18
Type	Character
Format	Uppercase

Record Reference(s)	TL_RI_CNTRL_TBL
	TL_RI_TEST_AET

PRIMARY_KEY_VALUE2

Default Label	Primary Key Value 2
Length	3
Type	Number
Format	Uppercase

Record Reference(s)	TL_RI_CNTRL_TBL
	TL_RI_TEST_AET

PRIMARY_MORT_BASIS

Default Label	Primary Mortality Basis
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PA_DFN_FACTOR
	S Sex Distinct
	U Unisex

PRIMARY_MORT_TBL1

Default Label	Table 1 / Male Table
Length	10
Type	Character
Format	Uppercase



Record Reference(s) PA_DFN_FACTOR

PRIMARY_MORT_TBL2

Default Label Table 2 / Female Table
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

PRIMARY_NID

Default Label Primary ID
Length 1
Type Character
Format Uppercase

Record Reference(s) ESTAB_ID_BRA
UPG_HR75_AET

PRIMARY_PCT

Default Label % of Table 1 Rate
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

PRIMARY_PS_REC

Default Label Primary Peoplesoft Record
Length 15
Type Character
Format Uppercase

Record Reference(s) PI_DEFN_RECORD
PI_DEFRC_TAO



PRIMARY_SORT

Default Label Primary Sort
Length 1
Type Character
Format Uppercase

Record Reference(s)

RC_CAN_YE

- 1 Business Number
- 2 Agency

PRIMARY_TER_CD

Default Label Re-Assign Primary Job
Length 1
Type Character
Format Uppercase

Record Reference(s)

BAS_MJ_OPTIONS

- 1 No Change
- 2 Lowest Active Job
- 3 Highest Active Job

PRIMARY_VENDOR

Default Label Invoice Vendor
Length 10
Type Character
Format Uppercase

Record Reference(s)

VENDOR

VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP
VENDOR_TMP



PRIMARY_VISUAL

Default Label	Primary Visual Rate
Length	2
Type	Character
Format	Uppercase

Record Reference(s) CURR_QUOTE_TBL

FR	From Currency --> Ref Currency
FT	From Currency --> To Currency
RT	Ref Currency --> To Currency

PRIM_ADDR_SEQ_NUM

Default Label	Invoicing Location
Length	3
Type	Number
Format	Uppercase

Record Reference(s) AP_EXTRACT_HDR

PYAP_HDR_TAO
 PYAP_XBOND_TAO
 PYAP_XCTAX1_TAO
 PYAP_XCTAX2_TAO
 PYAP_XDEDN1_TAO
 PYAP_XDEDN2_TAO
 PYAP_XDEDN4_TAO
 PYAP_XGARN_TAO
 PYAP_XTAX1_TAO
 VENDOR
 VENDOR_LOC
 VENDOR_LOC_AET

 VENDOR_LOC_TMP
 VENDOR_TMP

PRIM_PAYGROUP

Default Label	Primary PayGroup
Length	3
Type	Character
Format	Uppercase



PRINT_DATE

Default Label Print Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GPHK_I56_RUNCTL
GPIT_CUD_RP_P1
GPIT_CUD_RUNCTL
GPIT_FCUD_T2
RUN_STPS_MEX

PRINT_EMPLTYPE

Default Label Print_EmplType
Length 1
Type Character
Format Uppercase

Record Reference(s) R_PAY009

PRINT_FORMAT

Default Label Print Format
Length 15
Type Character
Format Mixedcase

Record Reference(s) TAXFORM_PRT

PRINT_ID

Default Label Print ID
Length 6
Type Character
Format Uppercase



Record Reference(s) BAS_PRNT
BAS_PRNT_PARTIC
BEN_BI_PRNT
BEN_BI_PRNT_PAR
CBR_PRNT
CBR_PRNT_PARTIC
GVT_RUN_CNTL
RUN_CNTL_BEN
RUN_CNTL_CBR

PRINT_LETTER_ITA
Default Label Print Letter
Length 1
Type Character
Format Uppercase

Record Reference(s) EMPL_LTR_ITA

PRINT_LINE
Default Label Print Line
Length 2
Type Number

Format Uppercase

Record Reference(s) TAXFORM_PRT

PRINT_MTD_TOT
Default Label Month To Date Totals
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_PAY018CN



PRINT_OPTION

Default Label Send to Printer
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_CPDF_ERRTBL
RUN_CNTL_CBR

PRINT_PAY_SHEET

Default Label Print Paysheets
Length 1
Type Character
Format Uppercase

Record Reference(s) PAYGRP_EMPLTYPE

PRINT_PERIOD

Default Label Print Period
Length 4
Type Character
Format Uppercase

Record Reference(s) BEN_BI_ADJSTMNT
BEN_BI_CHARGE
BEN_BI_PAYMENT

PRINT_PERIOD_TOT

Default Label Pay Period Totals
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_PAY018CN



PRINT_QTD_TOT

Default Label Quarter To Date Totals

Length 1

Type Character

Format Uppercase

Record Reference(s) RC_PAY018CN

PRINT_SSN

Default Label Print Social Security Number

Length 1

Type Character

Format Uppercase

Record Reference(s) RC_TAX010PA

PRINT_TEXT

Default Label Print Text

Length 40

Type Character

Format Mixedcase

Record Reference(s) TAXFORM_PRT

PRINT_YTD_TOT

Default Label Year To Date Totals

Length 1

Type Character

Format Uppercase

Record Reference(s) RC_PAY018CN

PRIORITY



Default Label Priority
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) BOND_SPEC_DATA

- DIR_DEP_DISTRIB
- DIR_DEP_DIS_NLD
- ER_ERP_AWD_AET
- ER_REF_PGM_AWD
- GP_ABS_TAKE_ENT
- PAY_DISTRIBUTN
- PA_TE_DDEP
- PY_IC_DD_AUDIT
- PY_IC_DD_WRK
- PY_IC_PI_DISTRB
- TL_RULE_PGM_DTL
- TL_TA000800_AET
- TL_TA_ARCH_RMAP
- UPG_BOND_TAO
- UPG_BOND_TAO
- UPG_PY_AET

PRIOR_CALENDAR_YR

Default Label Prior Calendar Year
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) UPG_BN_AET

PRIOR_EFFDT

Default Label Prior Effdt
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CALC_CHG_TAO2



CALC_CHG_TAO3
 CMP010_TMP
 PER501_TMP3
 PER501_TMP4
 UPG_HR_AET

PRIOR_EFFSEQ

Default Label Prior Effective Sequence
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) CALC_CHG_TAO2
 CALC_CHG_TAO3
 CMP010_TMP
 HR_SEN_PAY1_TAO
 HR_SEN_PAY2_TAO
 PER501_TMP3
 PER501_TMP4

PRIOR_EFF_STATUS

Default Label Prior Effective Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HPDBRETDIST_AET
 HP_BDGT_CTXCHG
 HP_BDGT_DEDCHG
 HP_BDGT_ERNCHG
 HP_BDGT_TAXCHG
 HP_DISTBDGT_AET

PRIOR_EMPLID

Default Label Prior Emplid

 Length 11



Type Character
Format Uppercase

Record Reference(s) UPG_HR_AET

PRIOR_EMPL_RCD

Default Label Prior Employee Record Number
Length 3
Type Number
Format Uppercase

Record Reference(s) UPG_HR_AET

PRIOR_MAX_SEG_NUM

Default Label Prior Max Seg Number
Length 4
Type Number
Format Uppercase

Record Reference(s) GPXPYE_PRC_STAT
GP_HST_WRK
GP_PYE_PRC_STAT
GP_PYE_STAT_WRK

PRIOR_REV_NUM

Default Label Revision Number
Length 4
Type Number
Format Uppercase

Record Reference(s) GPFR_PS_SEG_TMP
GPNL_PS_SEG_TMP
GPNL_SEG_TMP
GPXPYE_PRC_STAT
GP_HST_WRK
GP_PYE_PRC_STAT
GP_PYE_STAT_WRK



PRIOR_SHIFT

Default Label Prior Shift
Length 1
Type Character
Format Uppercase

Record Reference(s) RETROPAY_RQST

PRIOR_STCK_ACTN_DT

Default Label Stock Action Date
Length 10
Type Date

Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET

PRIOR_STOCK_ACTION

Default Label Stock Action
Length 3
Type Character
Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET

PRIOR_VAL_DATE

Default Label Prior Actuarial Valuation Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_RUN_CNTL



PRIOR_VER_NUM

Default Label Version Number
Length 4
Type Number
Format Uppercase

Record Reference(s) GPFR_PS_SEG_TMP
 GPNL_PS_SEG_TMP
 GPNL_SEG_TMP
 GPXPYE_PRC_STAT
 GP_HST_WRK
 GP_PYE_PRC_STAT
 GP_PYE_STAT_WRK

PRIOR_YR_FTE

Default Label Prior Year FTE
Length 4
Type Number
Format Uppercase

Record Reference(s) DETYA_PRCs_CA
 DETYA_PRCs_TMP

PRIVATE_PRICE

Default Label Private Price
Length 16
Type Number
Format Uppercase

Record Reference(s) ST_DAILY_PRICES

PRIVATE_QUERY_FLAG

Default Label Private Query
Length 1
Type Character



Format Uppercase

Record Reference(s) QUERY_RUN_CNTRL

PRNTRECNAME

Default Label Parent Record Name
Length 15
Type Character
Format Uppercase

Record Reference(s) DIRCHLDMAP
EO_MSGFLDOV_CUR
EO_MSGREC_CUR
PSMSGFLDOVR
PSMSGREC

PROBATION_DT

Default Label Probation Date
Length 10
Type Date
Format Uppercase

Record Reference(s) AE_FGPY005_AET
CNT_PROBATION
EMPLOYMENT
FGHR003B_EMPLOY
FGHR003B_TMP
FPAEEFLAT_TBL
FPAEESTATUS
FPAEESTATU_HIST
GVT_EMPLOYMENT
GVT_EMPL_TEMP
HR_SHS_FRA_AET
SHS_EMPL_TAO
UPG_CNT_PRB_TAO

PROBATION_PERIOD



Length 16
 Type Character
 Format Uppercase

Record Reference(s) PSSTATEFULSRV

PROBINSTPNLFLDID

Default Label Problem Instance Pnl Field ID
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PSPNLACEGRDDATA

PROBTYPE

Default Label Analytic Type
 Length 20
 Type Character
 Format Uppercase

Record Reference(s) PSOPTFIELD

PSOPTMDLSLVR
 PSOPTPRBINST
 PSOPTPRBTYPE
 PSOPTPRBTYPEDEL
 PSOPTPRBTYPENLG
 PSOPTPTMODEL

PSOPTREC
 PSOPTRECLNG
 PSOPTSOLVERCODE
 PSOPTSOLVERPARA
 PSOPTTRN
 PSOPTTRNCTLG
 PSOPTTRNLNG
 PT_OPT_SYNC_AET



PROCESS

Default Label	Process
Length	1
Type	Character
Format	Uppercase

Record Reference(s) VC_ST_AWARD

PROCESSED

Default Label	Processed?
Length	1
Type	Character
Format	Uppercase

Record Reference(s) BUDGET_TRIGGER
 ENCUMB_TRIGGER
 ER_EE_REF_ELIG
 Z_AWD_APPLIED
 Z_LC_TRANS_TEMP

I	In Process
N	Not Processed
Y	Processed

PROCESSED_IND

Default Label	Processed Indicator
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_PKG_ELEM_D

PROCESSID

Default Label	Process Identifier
Length	11
Type	Signed Number
Format	7



Record Reference(s) CDM_TRANSFER

PSANALYTICREG
PSAPMSGARCHPC
PSAPMSGARCHPH
PSAPMSGARCHSC
PSAPMSGPUBCON
PSAPMSGPUBHDR

PSAPMSGSUBCON
PSQRYTRANS
PSSTATEFULSRV

PROCESSING_SEQ

Default Label Processing Sequence
Length 5
Type Number
Format Uppercase

Record Reference(s) EO_CCR_EXCP

EO_CURRCNV_RULE
EO_PROCGRP_EXCP

PROCESSINSTANCE

Default Label Process Instance
Length 10
Type Number
Format 7

Record Reference(s) GPMY_EFT_MAY_HD

PTLT_PROJ_RUN
ST_STFS010_TBL
ST_STFS014A_TBL
ST_STFS014_TBL
ST_STFS015A_TBL
ST_STFS015_TBL
ST_STOK001_TBL
ST_STOK002A_TBL
ST_STOK002_TBL
ST_STOP001_TBL



ST_STOP005_TBL
 ST_STOP008_TBL
 ST_STOP035_TAO
 ST_STRR001_TBL
 ST_STRR005_TAO
 Z_LC_WIG_TMP

PROCESSLOCALPUB

Default Label Process Local Publicaiton
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSSUBDEFN

PROCESS_ACTION

Default Label Process Action
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SS_PROCESS_DTL

SS_PROC_CMNTS
 SS_PROC_FOLKS
 UPG_CO_SS_AET

A Approve
 D Deny
 R Recycle
 S Submit

PROCESS_ACTION_DT

Default Label Process Action Date
 Length 10
 Type Date
 Format Uppercase



Record Reference(s) SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS

PROCESS_ADDPAY

Default Label Process Add'l Pay Retro ?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RTROEXTR_RUNCTL

PROCESS_BY

Default Label Process By
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CMP007_AET

CMP008_AET
 CMP010_AET
 HR_CMP013_AET
 HR_CMP014_AET
 HR_CMP015_AET
 HR_PER501_AET
 RUNCTL_SENPAY
 RUN_CNTL_HR
 RUN_CNTL_HR_JPN

A	All
G	Group ID
J	Jobcode
L	Sal Admin Plan
P	Paygroup
R	Rate Code
S	Sal Plan/Grade

PROCESS_DATE



Default Label Process Date
Length 10

Type Date
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL
GPBR_VAC_AP_AET
HR_DIM_BEL_AET
HR_DIM_RSLT_BEL
Z_ETHICS1

PROCESS_DEDN

Default Label Process Deduction
Length 1
Type Character
Format Uppercase

Record Reference(s) GENL_DEDUCTION
PY_IC_DED_AUDIT

PROCESS_DT

Default Label Process Date
Length 10
Type Date
Format Uppercase

Record Reference(s) BAS_ELIG_DBG
BAS_ENR_RUNCTL
BAS_PASS_HIST
BEN_BI_RUNCTL
COBRA_RUNCTL
ER_ERP_PAY_AET
GPCH_ABS_DAT
GPCH_OT_DATA
GP_ABS_EVENT
HP_RDIST_TRANS



PROCESS_FLAG

Default Label	Process Flag
Length	1
Type	Character
Format	Uppercase

Record Reference(s) AE_FGPY005_AET
 CAN_YE_SLIP
 ST_ACTN_PRC_AET
 ST_ACTN_PRC_MSG
 W2_EE
 W2_EE_PR
 YE_EE

C	Complete
V	Void
X	W-2c Issued

PROCESS_FREQUENCY

Default Label	Process Frequency
Length	1
Type	Character
Format	Uppercase

Record Reference(s) AEREQUESTTBL
 AE_REQUEST
 EO_BATPUB_AET
 EO_EFFDTPUB_AET
 EO_ERR_RUNCNTL
 EO_FILEPUB_AET
 EO_PARM_BATCH
 EO_PARM_EFFDT
 EO_PARM_EFFDTP
 EO_PARM_FILE
 EO_PARM_FULL
 PSIBFILERUNCNTL
 PSIB_INFILE_AET
 PT_ERR_RUNCNTL

A	Always Process
---	----------------



N Don't Run
 O Process Once

PROCESS_GROUP

Default Label Process Group
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

- RUN_CNTL_ST
- R_CONTRIB_PART
- R_PRCGRP_DTL
- ST_CNT_RFND_TAO
- ST_COMBINED_TMP
- ST_CONTRIB_PART
- ST_CONTRIB_RFND
- ST_CONTRIB_RSDL
- ST_DISPOSN_CNT
- ST_DISPSS_TAO
- ST_DISP_ALL_TMP
- ST_ESPP_CNF_AET
- ST_ESPP_CVT_AET
- ST_ESPP_DISPOSN
- ST_ESPP_MESSAGE
- ST_ESPP_PURCH
- ST_ESPP_PUR_AET
- ST_ESPP_RFH_AET
- ST_ESPP_UNC_AET
- ST_EXER_DISPOSN
- ST_EXER_RELEASE
- ST_GRANT_EXER
- ST_MANL_ALL_TAO
- ST_MANL_SUM_TAO
- ST_PARTIC_AET
- ST_PENDING_CNT
- ST_PRCGRP_AET
- ST_PRCGRP_DTL
- ST_PRCGRP_TAO

- ST_PRDISP_AET
- ST_PROCESS_GRP



P Prepare Options
 R Re-Enter
 V Void

PROCESS_INDIVIDUAL

Default Label Process Individual Retro
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RDEDEXTR_RUNCTL

PROCESS_INST

Default Label Process Instance
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) PSREN

PROCESS_INSTANCE

Default Label Process Instance
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) AA_JC_JPN_AET
 AEDAEMONMGR_AET
 AEREQUESTTBL
 AERUNCONTROL
 AERUNCONTROLPC
 AITEMPTBLMGR
 AE_BAS_ELIG_AET
 AE_DETYA_AET
 AE_FGPY005D_AET
 AE_FGPY005F_AET
 AE_FGPY005P_AET



AE_FGPY005_AET
AE_GBP001_AET
AE_GBP002_AET
AE_GB_AET
AE_GB_API_AET
AE_GB_PARAM_AET
AE_GVTAPCNS_AET
AE_INTTEST_AET
AE_PAYEXP_AET
AE_PERS_AET
AE_PTTSRPLC_AET
AE_PTTSUNDO_AET
AE_PY200VC_AET
AE_PY300VC_AET
AE_REQUEST
AE_RUN_CONTROL
AE_SYNCGEN_AET
AE_UPG8IDX_AET
AE_VCP001_AET
AFI_AET
AMT01_JPN_TMP
AMT02_JPN_TMP
AMT03_JPN_TMP
AMT04_JPN_TMP
AMT05_JPN_TMP
AMTER_JPN_TMP
APPMSGARCH_AET
AP_EXTRACT_HDR
AP_EXTRACT_LINE
ARCH_AUDIT
ARCH_AUDIT_AET
ARCH_EXP_AET
ARCH_FLT_AET
ARCH_IMP_AET
ARCH_PROC_AET

ARCH_PROC_TAO
ARCH_RPT_AET
BATCHWLOPR
BAT_TIMINGS_DTL
BAT_TIMINGS_FN
BAT_TIMINGS_LOG
BN_834HIPAA_AET



BN_834_CHUNKWRK
BN_834_HEADER
BN_834_MBR_WRK
BN_834_MEMBER
BN_834_PAYER
BN_834_PLAN
BN_834_PYR_WRK
BN_834_SEL_WRK
BN_AGE50_AET
BN_M_EBX_ST_AET
BP_IMPT_HR_AET
BS_MRG_PRJ_AET
CBO_CD_BRA_AET
CCUTSTHDR_TEO1
CCUTSTHDR_TEO2
CCUTSTHDR_TEO3
CCUTSTHDR_TEOA
CCUTSTLN_TEO1
CCUTSTLN_TEO2
CCUTSTLN_TEO3
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
CCU_TST_HDR_TBL
CCU_TST_LN_TBL
CITYUPDATE_AET
CMP006_AET
CMP007_AET
CMP008_AET
CMP010_AET
CO_DEDEXTRT_AET
CO_DED_DTLM_PUB
CO_DED_DTLM_SUB
CO_DED_DTL_PUB
CO_DED_GNL_AET
CO_DED_HDRM_PUB
CO_DED_HDRM_SUB
CO_DED_MSG_AET
CO_DED_RFTP_AET
CO_DED_VLDT_AET
CO_DPK_ELIG_AET
CO_DPK_ELIG_TRN
CO_GB_API_AET



DEC2483_FRA_AET
DISTRIB_LINE
DISTRIB_LN_STG
DUP_APPSRCH_AET
ECBUSDOCLN_WL
ECBUSDOCTMP_WL
ECCACHE_AET
EDIT_SHEET_AET
EDIT_TMP_AET
EG_AUDIT_TRACE
EG_PRDIC_ERR

EG_PRDIC_GROUP
EG_PRDIC_RSLT
EM_REC_ST_AET
EOCM_CATCHK
EOCM_CAT_AET
EOCM_COMP_AET
EOCM_CRM_AET
EOCM_CTLG_S_AET
EOCM_ELM_AET
EOCM_EPRO_AET
EOCM_ETL_AET
EOCM_GEN_AET
EOCM_IMPORT_AET
EOCM_MTP_AET
EOCM_REP_AET
EOCM_UNSPS_AET
EOEI_LOAD_MSG
EOEW_ETLRUN_AET
EOEW_RUN_CNTL
EOEW_RUN_FLTR
EOEW_RUN_PROC
EOTP_BULOAD_AET
EOTP_CUST_AET
EO_BATLIB_AET
EO_BATPUB_AET
EO_CURRENC2_AET
EO_CURRENCY_AET
EO_CURRENCY_DTL
EO_DSAUDIT_AET
EO_EFFDTPUB_AET
EO_EIP_CTL



EO_EIP_ERR_AET
EO_EIP_LOAD_AET
EO_ERR_RUNCNTL
EO_FILEPUB_AET
EO_MSGBATPRM
EO_MSGFLOPROC
EO_PARM_BATCH
EO_PARM_EFFDT
EO_PARM_EFFDTP
EO_PARM_FILE
EO_PARM_FULL
EO_RATECALC_AET
EO_RATECALC_RPT
EP_CR_APPR_AET
EP_RPT_EXTR_AET
ER_APP_REG_TAO
ER_AUTOMTCH_AET
ER_AWARD_PUB
ER_CRJOBREQ_AET
ER_DPTPOP_AET
ER_DUP_APPS_AET
ER_ERP_AWD_AET
ER_ERP_ELIG_AET
ER_ERP_MAIN_AET
ER_ERP_PAY_AET
ER_INT_EVAL_AET
ER_SRCH_RUN_AET
ESTABSYNC_AET
FGHR036_2_AET
FGHR036_3_AET

FGHR036_AET
FPA_CI_AET
FPA_FINALRE_AET
FPA_TENURE_AET
FULL_TIME_TAO
GB_BINDVAL_TBL
GB_BIND_TBL
GM_TEC_LN
GPAU_BAT_TMP
GPAU_EFT_CX_AET
GPAU_ETP_AC_TAO
GPAU_ETP_E1_TAO



GPAU_ETP_EE_TAO
GPAU_ETP_EL_TAO
GPAU_EXC_AM_TAO
GPAU_EXC_EE_TAO
GPAU_FBT_AC_TAO
GPAU_FBT_AET
GPAU_FBT_EE_TAO
GPAU_GLPREP_AET
GPAU_GL_MAP_AET
GPAU_GL_RC_AET
GPAU_LVE_AET
GPAU_LVE_TAO
GPAU_PSM_AC_TAO
GPAU_PSM_AET
GPAU_PSM_AL_TAO
GPAU_PSM_AM_TAO
GPAU_PSM_CL_TAO
GPAU_PSM_CT_TAO
GPAU_PSM_E1_TAO
GPAU_PSM_EE_TAO
GPAU_PSM_EL_AET
GPAU_PSM_EL_TAO
GPAU_PSM_EX_AET
GPAU_QDTL1_TMP
GPAU_QDTL_TMP
GPAU_RCPPAY_AET
GPAU_SPTRPT_AET
GPAU_TFN_EL_AET
GPAU_TFN_EL_TAO
GPBR_BATCH_AET
GPBR_ELEM_AET
GPBR_MASVAC_AET
GPBR_PMT_AET
GPBR_VACCAL_AET
GPBR_VAC_AP_AET
GPCH_ABS_AET
GPCH_BK_TRN_AET
GPCH_OT_AET
GPCH_STX_AET
GPDE_BK_TRN_AET
GPDE_DV_CVT_AET
GPDE_DV_DAY_AET
GPDE_DV_MLD_AET



GPDE_DV_MON_AET
GPDE_DV_REP_AET
GPDE_TA_AET
GPDE_UPG_AET
GPES_PMT_AET
GPES_PSLIP_AET

GPES_SSTC_AET
GPES_TAX111_AET
GPES_TAX190_AET
GPFR_ASS_AET
GPFR_DA30_AET
GPFR_DA41_AET
GPFR_DA_AET
GPFR_DA_DAT_AET
GPFR_DA_DAT_LOG
GPFR_DA_REC_AET
GPFR_DUCS_AET
GPFR_DUCS_COT
GPFR_DUCS_DEB
GPFR_DUCS_DEF
GPFR_DUCS_FIN
GPFR_DUCS_GEN
GPFR_DUCS_HDC
GPFR_DUCS_PAI
GPFR_DUCS_R
GPFR_DUCS_SUM
GPFR_DUCS_TRS
GPFR_ILL_AET
GPFR_ILL_AETLNG
GPFR_PMT_AET
GPFR_PYSL_AET
GPFR_TERM_AET
GPFR_WRK_AET
GPGB_CNC_AET
GPGB_PMT_AET
GPGB_PPIN_AET
GPGB_PSLIP_AET
GPGB_REPLIB_AET
GPHK_EFT_AET
GPHK_I56QTR_TMP
GPHK_I56_DT_TMP
GPHK_I56_QT_AET



GPHK_I56_TMP2
GPHK_I56_TMP4
GPHK_IR56_AET
GPHK_PYENT_TAO
GPIN_PR_AET
GPIT_DM10E_TMP4
GPIT_DM10E_TMP5
GPIT_DM10E_TMP6
GPIT_DM10E_TMPA
GPIT_DM10E_TMPB
GPIT_DM10E_TMPC
GPIT_DM10E_TMPD
GPIT_DM10E_TMPE
GPIT_DM10_AET
GPIT_F24_CTR
GPIT_F24_TMP
GPIT_GV93_TMP_A
GPIT_GV93_TMP_B
GPIT_GV93_TMP_C
GPIT_GV93_TMP_D
GPIT_GV93_TMP_P
GPIT_GV93_TMP_S
GPIT_S503_TMPB2
GPIT_S503_TMP_A
GPIT_S503_TMP_B

GPIT_S503_TMP_C
GPIT_S503_TMP_D
GPJP_BA01_AET
GPJP_IT_WH_AET
GPJP_LA02_AET
GPJP_MUNIC_AET
GPJP_PP_AET
GPJP_SC_BNS_AET
GPJP_SC_LD_AET
GPJP_SC_UPD_AET
GPJP_UC_LD_AET
GPJP_WRK_SC03
GPJP_YEASS_AET
GPJP_YEA_AET
GPMX_ACMB_AET
GPMX_BATCH_AET
GPMX_MASABS_AET



GPMX_NOADJ_AET
GPMX_PMT_AET
GPMX_PTU_AET
GPMX_SUBFAC_AET
GPMX_TRG_AET
GPMY_159_AET
GPMY_8A_FI_AET
GPMY_8A_PR_AET
GPMY_CP21_AET
GPMY_CP22A_AET
GPMY_EFTFIL_AET
GPMY_FA_PST_AET
GPMY_GL_MAP_AET
GPMY_GL_RC_AET
GPMY_LVE_AET
GPMY_PR_AET
GPMY_RCPFIL_AET
GPMY_SELRECORDS
GPNL_PMT_AET
GPNL_PSLIP_AET
GPNL_RC_SOC_AET
GPNL_REP_AET
GPNZ_DET_TMP
GPNZ_EFTMT9_AET
GPNZ_GL_MAP_AET
GPNZ_GL_RC_AET
GPNZ_IR348F_AET
GPNZ_IRD_RC_AET
GPNZ_LVE_AET
GPNZ_LVE_TAO
GPNZ_RCPFIL_AET
GPSG_CPFLIN_AET
GPSG_CFPAL_AET
GPSG_CFRPT_AET
GPSG_EFTGIR_AET
GPSG_FA_PST_AET
GPSG_GL_MAP_AET
GPSG_GL_RC_AET
GPSG_IRAS_AET
GPSG_LVE_AET
GPSG_RCPFIL_AET
GPVC_ACK_PUB
GPVC_RQT_SUB



GP_ACC_LINE

GP_ACC_LINE_STG
GP_AUTO_CAL_AET
GP_AUTO_PRD_AET
GP_GENRPT_AET
GP_GL_PREP_AET
GP_PINMAP_AET
GP_PINMAP_C_AET
GP_PKG_CMP_AET
GP_PKG_COPY_AET
GP_PKG_CR_AET
GP_PKG_TAO_AET
GP_PMT_PREP_AET
GP_TLCOST_AET
GP_TL_PREP_AET
GP_UPG_RCP_AET
GVT_FGHR036_TAO
GVT_FGHR361_TAO
GVT_FGHR362_TAO
GVT_FGHR363_TAO
GVT_MASSCHG_AET
GVT_MASSORGJAET
GVT_MASSORGAET
GVT_PAR_PSH_AET
HPDBRETDIST_AET
HP_CNTPAY04_AET
HP_DISTBDGT_AET
HP_DISTSRCH_AET
HP_PSPRFUND_AET
HP_RETDIST_AET
HRAU_PSMPC1_TAO
HRAU_PSMPC_AET
HRAU_PSMPC_TAO
HR_ACCTG_LINE
HR_ACCTG_LN_STG
HR_AET
HR_BIAF_FRA_AET
HR_CMP013_AET
HR_CMP014_AET
HR_CMP015_AET
HR_CMP050J2_AET
HR_CMP050JP_AET



HR_CMP051J2_AET
HR_CMP051JP_AET
HR_CMP052J2_AET
HR_CMP052JP_AET
HR_CMP053J2_AET
HR_CMP053JP_AET
HR_DIM_BEL_AET
HR_GRPANNIV_AET
HR_HRSALCHG_AET
HR_HRWF0006_AET
HR_LMS_STRC_AET
HR_NSZ_AET
HR_PER501_AET
HR_PER510_AET
HR_SHS_FRA_AET
HR_SPLIB_AET
HR_SP_MERIT_AET
HR_VIAPRIS_AET
HR_WC_APPR_AET
IB_FAILOVER_AET

JPN_TL_COMP_AET
KK_BUDGET_HDR
KK_BUDGET_LN
LMS_AET
LMS_CATRAT_AET
LMS_ENTRY_AET
LMS_INCENT_AET
LMS_INCREAS_AET
LMS_PROMO_AET
LMS_PURGE_AET
LMS_RESULT2_AET
LMS_RESULT_AET
LMS_SENIOR_AET
LMS_WRKSCH_AET
MATRBK_ITA_AET
MATR_BK_ITA_TAO
MC_DEFN_PC
MESSAGE_LOG
MESSAGE_LOGPARM
MSF_PUBDATA_AET
MU_AET
MU_EMPL_TMP



PAY_ACK_STG_PUB
PAY_ISS_STG_PUB
PAY_RQT_STG_SUB
PA_AUDIT_TRACE
PA_CALCULATION
PA_PRDIC_ERR
PA_PRDIC_PLAN
PA_PRDIC_RSLT
PA_RT_SUMRY
PA_RT_SUM_HDR
PCMP_REASS_AET
PCMP_RECERT_AET
PCMP_RECERT_TAO
PER062_GRD_JPN
PER062_TMP2_JPN
PER062_TMP3_JPN
PER062_TMP_JPN
PER064JP_AET
PER066JP_AET
PER501_AET
PI_EXP_INP_AET
PI_SETUP_AET
PORTAL_FLDRP
PORTAL_FLDRPTMP
PSARCHAUDIT
PSARCHBATCH
PSARCHIVE_AET
PSARCHIVE_TAO
PSBATCHRPT_HDR
PSBATCHRPT_SEQ
PSBATCHRPT_TBL
PSHUP_TXN_AET
PSIBFILERUNCNTL
PSIBSEGRSTR_AET
PSIB_INFILE_AET
PSIB_MSGFLOPROC
PSMSF_AET
PSRUN_SRCH_AET
PSUPGMCF843_AET

PTLT_COMP_R_STG
PTLT_EXCI_LIST
PTLT_EXCI_RUN



PTLT_EXCI_STG
PTLT_NAV_STG1
PTLT_NAV_STG2
PTLT_SEQ_STG
PTLT_TASK_STG
PTLT_VIEW_STG
PTPP_CPPROJ_AET
PTPP_FD_DELETE
PTPP_FD_KEEP
PTPP_SCSYNCCOLL
PTPP_SCSYNCOBJ
PTPP_SCSYNCPERM
PTPP_SCSYNC_AET
PTPP_SCUPG
PTPP_SCUPG_AET
PTUPG_STATE_AET
PT_ERR_RUNCNTL
PT_OPT_SYNC_AET
PT_WEB_BROW_TAO
PT_WEB_COOK_TAO
PT_WEB_PROF_AET
PT_WEB_PROF_TAO
PT_WEB_PROP_TAO
PYAP_CONVRT_AET
PYAP_HDR_TAO
PYAP_LINE_TAO
PYAP_POST_AET
PYAP_UNXTRC_TAO
PYAP_XBOND_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX3_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN3_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX2_TAO
PYAP_XTAX_AET
PYER_ACK_PUB



PYER_ISS_PUB
PYER_REQUEST
PYER_RQT_SUB
PYRE_PRELD_AET
PYRE_VALID_AET
PYVC_ACK_PUB
PYVC_RQT_SUB
PY_LDTLEMP_WRK1
PY_LDTLEMP_WRK2
PY_PULL_CST_AET
PY_PYBL_TM_WRK
PY_PYER_AET
PY_W4_EE_AET
PY_W5_EE_AET
PY_XREF_WRK

QRY_DUP_HD_AET
REACTV_TERM_AET
REG002_TMP
RPT_RQST
RT_RATE_DEF_TMP
RT_RATE_TMP
RUN_CNTLAUDTRGS
RUN_CNTLLDAP_AET
RUN_CNTLLDAP
RUN_CNTLSCHEMA
RUN_CNTL_AUD_EO
RUN_CNTL_CC3_EO
RUN_SCHEMA_AET
R_APP001_TMP
R_APP002_TMP
SAL01_JPN_TMP
SAL02_JPN_TMP
SAL03_JPN_TMP
SAL04_JPN_TMP
SALER_JPN_TMP
SAL_GRADE_PUB
SAL_PLAN_PUB
SAL_STEP_PUB
SCH_ADHOC_RPT
SCH_CAL_AET
SCH_GRP_AET
SDK_FILEUTL_AET



SIM01_JPN_TMP
SIM02_JPN_TMP
SIMER_JPN_TMP
STEP_INCR_AET
STP01_JPN_TMP
STP02_JPN_TMP
STP03_JPN_TMP
STP04_JPN_TMP
STP05_JPN_TMP
STP06_JPN_TMP
STP4N_JPN_TMP
STPER_JPN_TMP
ST_ACTN_PRC_AET
ST_CLASS_AET
ST_ESPPMAIN_AET
ST_ESPP_BAL_AET
ST_ESPP_CNF_AET
ST_ESPP_CVT_AET
ST_ESPP_PRC_AET
ST_ESPP_PUR_AET
ST_ESPP_RFH_AET
ST_ESPP_UNC_AET
ST_GRNT_STG_TMP
ST_GRP_GRNT_AET
ST_ISO_LIM_AET
ST_ISSUUPD_AET
ST_ISSU_MESSAGE
ST_OPTN_AET
ST_PARTIC_AET
ST_PRCGRP_AET
ST_PRDISP_AET
ST_PSHUP_AET
ST_REPRC_AET
ST_SPLIT_AET

ST_SSDISP_AET
ST_TRSR_AET
ST_UNVALUE_AET
ST_VALUE_AET
ST_VC_EXP_AET
ST_VC_GRP_AET
ST_VEST_AET
ST_VEST_DFN_AET



TC_AET
TC_BENEFITS_AET
TC_CNTL_BEN_TAO
TC_CNTL_PAY_TAO
TC_EE_DET_TAO
TC_EMPL_LST_TAO
TC_MAP_BEN_TAO
TC_MAP_ERN_TAO
TC_MAP_TAXC_TAO
TC_MAP_TAX_TAO
TC_MCOP_TAO
TC_PAYEXT_AET
TC_RUN_CNTL_TAO
TC_TEMP_JOB_TAO
TC_TMP_DTL_TAO
TC_VCRUNCTL_TAO
TC_VCSUBGRP_TAO
TC_VC_AWARDS
TC_VC_PARMS
TEMP_JOB_TAO
TEMP_TBL_ASGNM
TLSINST1_AET
TL_AGG_MAIN_AET
TL_APPRV_AET
TL_ATTEND_AET
TL_CALL_TA_AET
TL_CDVAL_TAO
TL_CD_VALS_MSG
TL_COMPTIME_AET
TL_DIST_DIL_AET
TL_ELP_TMP
TL_EMPL_DTA_MSG
TL_EMPL_TAO
TL_EXC_RULE_AET
TL_GRP_REF_AET
TL_IPT1_CNT
TL_IPTCTVAL_AET
TL_MASS_TM_AET
TL_OUTTCD_AET
TL_PAYABLE_HIST
TL_PAYREQ_AET
TL_PAYTIME_SENT
TL_PROFILE_AET



TL_PROJ_AET
TL_PT_CTVAL_AET
TL_PUBDT_WRK
TL_PYPUB_TM_AET
TL_RECFLD_AET
TL_REPORTS_AET
TL_RESPF_TAO
TL_RESTRICT_MSG
TL_RI_TEST_AET
TL_RPTTEL_TAO

TL_RPTG_ELE_MSG
TL_RPTS_RNCTL
TL_RPT_CDVAL
TL_RPT_EMPL
TL_RPT_SCHED
TL_RPT_SUPVR
TL_RPT_TKPRF
TL_RPT_TKTMP
TL_RPT_TMPDL
TL_RPT_TRC
TL_RPT_TTHRS
TL_RUNCNTL_AET
TL_SCHEDULE_MSG
TL_SCHED_TAO
TL_SCHRPT_AET
TL_SCHRT_RNCTL
TL_STINST_AET
TL_STLOAD_AET
TL_ST_PARMS_AET
TL_ST_QUEUE2
TL_ST_WORK_AET
TL_SUPVR_TAO
TL_TA000300_AET
TL_TA0006_AET
TL_TA000800_AET
TL_TA000900_AET
TL_TA001100_AET
TL_TA_ARCH_BAT
TL_TA_ARCH_RMAP
TL_TA_CPY_AET
TL_TA_EXPND_AET
TL_TA_MAIN_AET



TL_TA_RSL_BATCH
TL_TA_RSL_MAIN
TL_TA_RSL_SECT
TL_TA_SE_DT_AET
TL_TA_TRPRF_AET
TL_TCDSUPRV_MSG
TL_TCD_REPORT
TL_TCD_SQR
TL_TEMP_DTL_MSG
TL_TIMECARD_RPT
TL_TIME_AET
TL_TKPRF_TAO
TL_TKTMP_TAO
TL_TMPDL_TAO
TL_TMPLT_AET
TL_TOT_HRS_MSG
TL_TRC_MSG
TL_TRC_TAO
TL_TRSTATUS_AET
TL_TRSUBMIT_AET
TL_TR_COMP_AET
TL_TR_CTVAL_AET
TL_TR_STATUS
TL_TSK_PROF_MSG
TL_TSK_TEMP_MSG
TL_TTHRS_TAO
TL_VALID_AET
TL_XREFSQ_TAO
TL_XREF_COSTS

TMP_SCENARIO
TMP_SIMULATION
TRAINING012_AET
TRAINING013_AET
TRAINING032_AET
TRAINING_AET
TREETREEMOVER_AET
TREE_MAINT_AET
TRN001_AET
TRN001_TAO
TRN032_TAO
TRN_DEPTSRY_TAO
TRN_PROF_AET



TR_ADDNONEM_AET
UPGPTPP_AET
UPGPTPP_STAGE
UPGQRYEXPR_AET
UPG_83_JP_AET
UPG_BN_AET
UPG_CAN1_AET
UPG_CO_AET
UPG_CO_SSC_AET
UPG_CO_SS_AET
UPG_EP_AET
UPG_ER_ADDR_AET
UPG_ER_AET
UPG_FG_AET
UPG_GP1_AET
UPG_GP2_AET
UPG_GP3_AET
UPG_GPBR880_AET
UPG_GPCH_AET
UPG_GPDE801_AET
UPG_GPGB801_AET
UPG_GPJP880_AET
UPG_GPMX830_AET
UPG_GP_AET
UPG_HP_AET
UPG_HR75CNT_AET
UPG_HR75RWF_AET
UPG_HR75TRN_AET
UPG_HR75_AET
UPG_HR_AET
UPG_OFF_HIS_AET
UPG_PA_AET
UPG_PA_CALC_TMP
UPG_PI_AET
UPG_PY_AET
UPG_SSC_AET
UPG_STATE_AET
UPG_TL1_AET
UPG_TL_AET
UPG_TL_LIST
UPG_TL_RESEQ
UPG_TL_TIME
UPG_TL_TIME1



VCTREESEC1_TAO
VCTREESEC_AET
VC_ALLOC_AET
VC_APRWRD_G_AET
VC_AWD_VAL_TAO

VC_AWD_VAL_TBO
VC_CALC_WRD_AET
VC_CNV_AWD1_TAO
VC_COMP_TAO
VC_CONV_AWD_TAO
VC_EEPROPRD_TAO
VC_EEWSCHED_TAO
VC_ELIG_PRO_AET
VC_EPROPRD1_TAO
VC_FORM_LST_TAO
VC_GRP_AWD_TAO
VC_GRP_FORM_TAO
VC_MEM_FORM_TAO
VC_PRO_PRDS_AET
VC_TC_AWD_TAO
VC_TC_PARM_TAO
VC_TC_ST_TAO
VC_WD_SCHED_TAO
VENDOR
VENDOR_LOC_AET
VENDOR_TMP
VNDR_CNTCT_TAO
VOUCHER
VOUCHER_LINE
VOUCHER_LN_STG
VOUCHER_STG
WL_RIMRESP2_AET
WL_RIMRESP_AET
WL_RIMRESP_ERR
WL_RIMRESP_PROC
WP_EE_FUND_TMP
WP_ELIG_AET
WP_FORMULA_AET
WP_GBLFND_AET
WP_PAYMT_AET
WP_PSHARING_AET
Z_ABOLISH_AET



Z_ETHICS1
 Z_FA_INVNT_AET
 Z_POSN_RPT_AET

PROCESS_JOB

Default Label Process Job Retro ?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RTROEXTR_RUNCTL

PROCESS_MAN_CLOSE

Default Label
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

N No
 P Processed
 Y Yes

PROCESS_MASS

Default Label Process Mass Retro ?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RDEDEXTR_RUNCTL
 RTROEXTR_RUNCTL
 RTROUND0_RUNCTL



PROCESS_MODE

Default Label Periodic Processing Mode
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_PRDIC_RSLT
PA_RUN_CNTL

C Create New Consolidations
P Normal Processing
R Delete and Rebuild

PROCESS_MODE_EG

Default Label Periodic Processing Mode - E&G
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_PRDIC_RSLT
EG_RUN_CNTL_SVC

N Normal Run
P Update to History
Z Delete & Rebuild History

PROCESS_NAME

Default Label Process Name
Length 12
Type Character
Format Uppercase

Record Reference(s) BAT_TIMINGS_LOG

EO_BATLIB_AET
EO_MSGBATPGM
EO_MSGBATPRM
EO_PARM_BATCH
JPN_TL_COMP_AET
ST_GRNT_MESSAGE
ST_GRP_GRNT_AET
ST_REPRC_AET



ST_REPRC_PR_MSG
 TL_DIST_DIL_AET
 TL_OUTTCD_AET
 TL_RUNCTL_ACDT
 TL_TR_COMP_AET

PROCESS_ON_OFF

Default Label Process On-Cycle or Off-Cycle
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUNCTL_LVE
 PAY_CALC_RUNCTL
 PAY_CONF_RUNCTL
 PSHUP_RUNCTL
 PYRE_PRELD_AET
 PY_LDTL_RC
 PY_LDTL_TBL
 TL_LBDST_RUNCTL
 TL_PAYREQ_AET

F Process Off-Cycle Checks
 O Process On-Cycle Checks

PROCESS_OPTION

Default Label Process Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_BRACKET

E Generate Error
 P Continue Process

PROCESS_ORIG

Default Label Process Origin



Length 1
 Type Character
 Format Uppercase

Record Reference(s) AEREQUESTBL

AE_REQUEST
 EO_ERR_RUNCNTL
 EO_PARM_BATCH
 EO_PARM_EFFDT
 EO_PARM_EFFDTP
 EO_PARM_FILE
 EO_PARM_FULL
 PSIBFILERUNCNTL
 PT_ERR_RUNCNTL

N Other Source
 P Process Scheduler

PROCESS_PARALLEL

Default Label Parallel Processing Enabled
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CCU_INSTALL_OPT

PROCESS_PATH

Default Label Process Path
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) SS_PROCESS_DTL

SS_PROC_CMNTS
 SS_PROC_FOLKS

PROCESS_PERIOD



Default Label Processing Period
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) BEN_BI_CHARGE

PROCESS_PHASE

Default Label BAS Processing Phase
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_ENR_RUNCTL

- A Assigning Benefit Program
- C Processing Completed
- O Processing Options
- P Passive Event Processing
- R Ready for Processing
- S Scheduling Events

PROCESS_PREHIRE

Default Label Prehire Processing Requested
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) OFFER
 OFFER_HIST_TAO
 OFFER_TAO
 UPG_OFF_HIS_AET

PROCESS_RETRO_IND

Default Label Process Retro Triggers
 Length 1
 Type Character



Format Uppercase

Record Reference(s) GPXCAL_RUN
GPXCAL_RUN_DTL
GP_CAL_RUN
GP_CAL_RUN_DTL
GP_RUN_TYPE_DTL

PROCESS_STATE_IND

Default Label Process State Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
UPG_TL_AET

- A Approved Time
- C Created Time
- D Range of Dates Update
- E Edited Time
- L Labor Distributed
- M Lump Sum Update
- P Pattern Update
- R Rules Applied
- S Scheduled Time
- T Reported Time
- U Rapid Time Update
- W Crew Update

PROCESS_STATUS

Default Label Process Status
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_GB_AET
EO_ERR_RUNCNTL
EO_MSGBATPRM
EO_PARM_BATCH



EO_PARM_EFFDT
 EO_PARM_EFFDTP
 EO_PARM_FILE
 EO_PARM_FULL
 GB_BIND_TBL
 GB_VERSION_MGMT
 PRCSJOBITEMCHG
 PSIBFILERUNCNTL
 PSMCFREURLID
 PSUPGMCF843_AET
 PT_ERR_RUNCNTL

A Active
 C Successfully Completed
 E Completed With Errors
 N Not Yet Processed
 P Processing Now

PROCESS_STATUS_AE

Default Label Assign Error
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_BEN

PROCESS_STATUS_AN

Default Label Assign None
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_BEN

PROCESS_STATUS_AS



Default Label Assigned
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STATUS_EE

Default Label Election Error
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STATUS_ET

Default Label Elections Entered
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STATUS_FA

Default Label Finalized - Benefit Pgm None
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN



PROCESS_STATUS_FE

Default Label Finalized - Enrolled
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STATUS_FP

Default Label Finalized - Prepare None
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STATUS_NT

Default Label Notified
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STATUS_PE

Default Label Prepare Error
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN



PROCESS_STATUS_PR

Default Label Prepared
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STATUS_RE

Default Label Re-Enter
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL
RUN_CNTL_BEN

PROCESS_STEP

Default Label Process Step
Length 3
Type Number
Format Uppercase

Record Reference(s) SS_PROCESS_DTL
SS_PROC_CMNTS
SS_PROC_FOLKS

PROCESS_STRM_IND

Default Label Perform Stream Processing
Length 1
Type Character
Format Uppercase



PROCESS_YEAR

Default Label	Process
Length	1
Type	Character
Format	Uppercase

Record Reference(s) SV403B_RUNCTL

N	Project Thru End of Next Year
P	Project to End of This Year

PROCESS_YR_RESTART

Default Label	Process to Restart
Length	1
Type	Character
Format	Uppercase

Record Reference(s) SV403B_RUNCTL

C	Process Current Year
N	Process Next Year

PROCGRP_TIMING_CD

Default Label	Exception Timing
Length	1
Type	Character
Format	Uppercase

Record Reference(s) EO_CURRENCY_AET
EO_PROCGRP_EXCP

1	Before Process Group
2	After Process Group
3	In Place Of Process Group

PROC_DTTMSTAMP

Default Label	Process Date Timestamp
Length	26



Type Datetime
 Format 13

Record Reference(s) RETROPAY_RQST

PROC_ERR086

Default Label Process Error 086
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_CALC_RUNCTL

PROC_EXEC_ORD_NUM

Default Label Process Execution Order Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_ADJUST
 PA_CLC_PROCLIST
 PA_CLC_PR_FLD_1
 PA_PROC_USE
 PA_SSV_PROCLIST
 PA_TEMP2
 UPG_PLIST_COPY
 UPG_PRFLD_COPY

PROC_GRP_ID

Default Label Process Group ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA



CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CCR_CNV_FLDS
 EO_CCR_EXCP
 EO_CCR_IMP_PROD
 EO_CCR_SEL_PATH
 EO_CRCNVRL_LANG
 EO_CURRCNV_RULE
 EO_CURRENCY_AET
 EO_CURRENCY_DTL
 EO_PG_COMP_LANG
 EO_PROCGRP_COMP
 EO_PROCGRP_EXCP
 EO_PROCGRP_LANG
 EO_PROCGRP_PROD
 EO_PROC_GROUP
 EO_RECON_JOIN
 EO_SPATH_WH
 RUN_CNTL_AU2_EO
 RUN_CNTL_CC3_EO
 RUN_CNTL_CC4_EO
 RUN_CNTL_CC_EO

PROC_GRP_NAME

Default Label Process Group Name
 Length 20
 Type Character
 Format Uppercase

Record Reference(s) EO_PROCGRP_LANG
 EO_PROC_GROUP

PROC_INSTALL_CD

Default Label Process Installed Code
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PA_FUNCTN
 PA_PROC_USE
 E Excluded
 I Installed

PROC_NAME

Default Label Process Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_ADJUST
 PA_CLC_PROCLIST
 PA_CLC_PR_FLD_1
 PA_PROC_USE
 PA_SSV_PROCLIST
 PA_TEMP2
 UPG_PLIST_COPY
 UPG_PRFLD_COPY

PROC_PREV_ELIG_CD

Default Label Process Previously Eligible Co
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_PROCLIST
 PA_FUNCTN
 PA_PROC_USE
 PA_SSV_PROCLIST
 UPG_PLIST_COPY

PROC_SEQ_NUM

Default Label Auto Process Sequence
 Length 4
 Type Number



Format Uppercase

Record Reference(s) EG_CLC_ALS_ERR

- PA_CLC_ADJUST
- PA_CLC_ALS_ERR
- PA_CLC_PROCLIST
- PA_CLC_PR_FLD_1
- PA_PROC_USE
- PA_PROC_U_FLD_1
- PA_SSV_PROCLIST
- PA_TEMP2
- PA_TEMP3
- UPG_PLIST_COPY
- UPG_PRFLD_COPY

PROC_TYPE

Default Label Process Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_PROCLIST

- PA_FUNCTN
- PA_PROC_USE
- PA_SSV_PROCLIST
- UPG_PLIST_COPY

- C Custom Statement
- R Function Result
- U User Code

PROC_TYPE_CD

Default Label Process Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EO_CURRCNV_EXCP

1 Application Engine



2 Business Component
 4 COBOL

PRODUCT

Default Label Product
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) CCUTSTHDR_TEO1

- CCUTSTHDR_TEO2
- CCUTSTHDR_TEO3
- CCUTSTLN_TEO1
- CCUTSTLN_TEO2
- CCUTSTLN_TEO3
- CCUTSTSCH_TEO1
- CCUTSTSCH_TEO2

- CCUTSTSCH_TEO3
- CCUTSTVCH_TEO1
- CCUTSTVCH_TEO2
- CCUTSTVCH_TEO3
- CCU_TST_HDR_TBL
- CCU_TST_LN_TBL
- CCU_TST_SCH_TBL
- CCU_TST_VCH_TBL
- GM_TEC_LN
- GM_TEC_SUM
- PRODUCT_TBL
- TL_PAYABLE_TMP
- TL_PRODUCT_LNG
- TL_PRODUCT_TBL
- UPG_TL_AET
- UPG_TL_TIME
- UPG_TL_TIME1
- VENDOR_LOC
- VENDOR_LOC_AET
- VENDOR_LOC_TMP

PRODUCT_FLAG



Default Label Product
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_RPDTME_TMPLT
 TL_TSKPRF_TMPLT

PRODUCT_LINE

Default Label Product Line
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) MAINTENANCE_LOG

PRODUCT_LINE_EIP

Default Label Product Line
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) EO_EIP_FORM_TBL

- A Enterprise Production Mgmt
- C Enterprise Applications
- CR Customer Relationship Mgmt
- D Supply Chain
- EO Enterprise Components
- EP Enterprise Performance Mgmt
- F Financials
- FS Financials

- GS Payroll for Germany
- H Human Resources
- IN Inventory
- LS Learning Solutions
- M Manufacturing



MG Manufacturing
 P PeopleTools
 PS Portal Solutions
 PT People Tools
 R Customer Relationship Mgmt
 S Learning Solutions
 SC Supply Chain Management

PROD_ID

Default Label Product ID
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) EO_CCR_CNV_FLDS

EO_CCR_EXCP
 EO_CCR_IMP_PROD
 EO_CCR_SEL_PATH
 EO_CRCNVRL_LANG
 EO_CURRCNV_RULE
 EO_CURRENCY_AET
 EO_PROCGRP_EXCP
 EO_PROCGRP_PROD
 EO_PS_PRODUCT
 EO_PS_PROD_LANG
 EO_RECON_JOIN
 EO_SPATH_WH
 RUN_CNTL_CC3_EO
 RUN_CNTL_CC4_EO

AM Asset Management
 AP Payables
 AR Receivables
 BD Budgets
 BI Billing
 CA Contracts
 CE Cost Management
 CP Product Configurator
 DM Deduction Management
 DP Demand Planning
 EN Manufacturing Bills and Routing
 EO Enterprise Components



UPG_JOB_CMP_TAO

PROFICIENCY_MAND

Default Label Proficiency mandatory
Length 1
Type Character
Format Uppercase

Record Reference(s) JOB_RQMT_COMP
UPG_ER_AET
UPG_JOB_CMP_TAO

PROFILE_CLAUSE

Default Label Profile SQL Select Clause
Length 4000
Type Long Character
Format Uppercase

Record Reference(s) TRAINING_AET
TRN_BATCH_PROF
TRN_PROFILE_TBL
TRN_PROF_AET

PROFILE_CLAUSE_SW

Default Label Profile Clause Switch
Length 1

Type Character
Format Uppercase

Record Reference(s) TRN_PROFILE_TBL

PROFILE_DT

Default Label Profile Creation Date
Length 10



Type Date
 Format Uppercase

Record Reference(s) TRN_PROFILE_TBL

PROFILE_ID

Default Label Asset Profile ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG
 PROJECT
 PROJECT_FS

PROFILE_WF_RULE

Default Label Notification Method
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) EO_PRO_WF_RULES

ALL Email and WorkList
 EML Email Only
 WL WorkList Only

PROF_EXPERIENCE_DT

Default Label Commencing Date of Service
 Length 10
 Type Date
 Format Uppercase
 Legacy field name DATE-SERVICE-YEAR-START
 Legacy system name PINE

Record Reference(s) AE_FGPY005_AET
 EMPLOYMENT



FGHR003B_EMPLOY
 GPFR_AT_ADMIN
 GPFR_ILL_AET
 GVT_EMPLOYMENT
 GVT_EMPL_TEMP
 Z_HCUP_AUDIT

PROF_SPOUSE_BEL

Default Label Profession Category Spouse
 Length 2
 Type Character
 Format Uppercase

Record Reference(s)

DEP_BENEF_BEL

- 1 Employee
- 2 Worker
- 3 Self-employed
- 4 Public Institution
- 5 Servant
- 6 Out of Work

PROGFLAGS

Default Label Program flags
 Length 5
 Type Number
 Format Uppercase

Record Reference(s)

PSPCMPROG

PROGLEN

Default Label PeopleCode Program Length
 Length 10
 Type Number
 Format 7

Record Reference(s)

PSPCMPROG



PROGRAMDIR

Default Label Program Directory
Length 254
Type Character
Format Uppercase

Record Reference(s) PSSTEPDEFN

PROGRAMNAME

Default Label Program Name
Length 254
Type Character
Format Uppercase

Record Reference(s) PSSTEPDEFN

PROGRAM_CODE

Default Label Program Code
Length 5
Type Character
Format Uppercase

Record Reference(s) GM_TEC_LN
GM_TEC_SUM

PROGRAM_ID

Default Label Program ID
Length 8
Type Character
Format Uppercase

Record Reference(s) GL_GEN_HISTORY
GPIT_SQR_S_FOO



GPIT_SQR_S_HEA
 GPIT_SQR_S_TBL
 GP_PIN_TYPE
 GP_USR_EXIT_DTL
 STRINGS_LNG_TBL
 STRINGS_TBL

PROGRAM_MODE

Default Label Program Mode
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_QTR_UI

R Report Only
 U Update

PROGRAM_NAME

Default Label Program Name
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) AE_STEP_TBL
 AE_STEP_TMP
 MESSAGE_LOG

PROGRAM_STATUS

Default Label Program Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPBR_VACCAL_AET
 TC_AET
 TC_COMPHIST_TAO
 TC_COMP_HISTORY



C Completed
 F Failed
 R Running

PROGRAM_TYPE

Default Label Program Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BEN_DEFN_PGM

A Automated
 M Manual

PROGRESS_INTERVAL

Default Label Progress Interval
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) GP_INSTALLATION

PROGRUNLOC

Default Label Program Run Location
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSPCMPROG

PROGSEQ

Default Label Program Sequence
 Length 3
 Type Number



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PKG_BSE_CMP_TBL

A Ad Hoc
 B Budget
 R Regular

PROJECTNAME

Default Label Project Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) BS_BLD_PROJ

BS_MRG_PRJ_AET
 ICONV_PROJLIST
 ICONV_PROJNOT
 PSCHGCTLHIST
 PSCHGCTLLOCK
 PSPROJDEFNLANG
 PSPROJECTDEFN
 PSPROJECTDEL
 PSPROJECTDEP
 PSPROJECTINC
 PSPROJECTITEM
 PSPROJECTMSG
 PSPROJECTSEC
 PSPROJECTWORK
 PSTRANSFRM_TST
 PTPP_CPPROJ_AET
 PTPP_CPPROJ_RUN

PROJECT_COLA

Default Label Project with 401(a)(17) COLA
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PA_401A17_PARMS

PROJECT_CONSOL

Default Label Projection Rule Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

PROJECT_CONT

Default Label Contributions for Projection

 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_PROJECTIONS

C Contribution Pct
 R Same Rate of Accrual

PROJECT_COST_FLAG

Default Label Project Costing Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
 UPG_TL_AET

PROJECT_CURRENT

Default Label Current Data Treatment
 Length 1
 Type Character



Format Uppercase

Record Reference(s) PA_PROJECTIONS

I	Ignore
O	User Code
U	Use

PROJECT_DATA

Default Label	Projection Data
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_PROJECTIONS

C	Contributions
E	Earnings
H	Hours

PROJECT_EARNINGS

Default Label	Project Consol Earnings Name
Length	10
Type	Character
Format	Uppercase

Record Reference(s) PA_DFN_ACCOUNT

PROJECT_EARNS

Default Label	Earnings for Projection
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_PROJECTIONS

A	Assumed
R	Same Rate of Accrual



S Compensation Rate

PROJECT_FLAG

Default Label Project ID
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_OUTTCD_AET
 TL_TSKPRF_TMPLT

PROJECT_FUNCTION

Default Label Project Function
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PROJECT
 PROJECT_FS

PROJECT_HOURS

Default Label Hours for Projection
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_PROJECTIONS

A Assumed
 R Same Rate of Accrual
 S Standard Hours

PROJECT_ID

Default Label Project/Grant
 Length 15
 Type Character
 Format Uppercase



Record Reference(s) GM_TEC_LN

- GM_TEC_SUM
- HP_RC_GRSFR_PRJ
- PROJECT
- PROJECT_DESCR
- PROJECT_FS
- PROJECT_LANG
- PROJECT_STATUS
- PROJECT_TEAM
- PROJ_ACTIVITY
- PROJ_ACTIVTY_LG

- PROJ_ACT_STATUS
- PROJ_ACT_TEAM
- TL_PAYABLE_TMP
- TL_PROJECT
- TL_PROJECT_LNG
- UPG_TL_AET
- UPG_TL_TIME
- UPG_TL_TIME1
- VENDOR_LOC
- VENDOR_LOC_AET
- VENDOR_LOC_TMP

PROJECT_ID_FLAG

Default Label Project ID
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT

PROJECT_METHOD

Default Label Projection Method Name
 Length 10
 Type Character
 Format Uppercase



Record Reference(s) PA_ACCT_BAL
PA_DFN_AVGEARN
PA_DFN_PIA
PA_PROJECTIONS

PROJECT_PRIORITY

Default Label Project Priority
Length 3
Type Number
Format Uppercase

Record Reference(s) PROJECT_STATUS

PROJECT_SECURITY

Default Label Project Security
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION_FS

PROJECT_STATUS

Default Label Project Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PROJECT_STATUS
PROJ_STATUS_CTL
PROJ_STATUS_LNG
PROJ_STATUS_TBL

PROJECT_TYPE

Default Label Project Type



Length 5
Type Character
Format Uppercase

Record Reference(s) FS_ACTIVITY_TBL
PROJECT
PROJECT_FS
PROJ_TYPE_LANG
PROJ_TYPE_TBL

PROJECT_USER1

Default Label Project User 1
Length 10
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJECT_FS

PROJECT_USER2

Default Label Project User 2
Length 10
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJECT_FS

PROJECT_USER3

Default Label Project User 3
Length 10
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJECT_FS



PROJECT_USER4

Default Label Project User 4
Length 10
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJECT_FS

PROJECT_USER5

Default Label Project User 5
Length 10
Type Character
Format Uppercase

Record Reference(s) PROJECT
PROJECT_FS

PROJECT_USERAMT1

Default Label Amount 1
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PROJECT

PROJECT_USERAMT2

Default Label Amount 2
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PROJECT



PROJECT_USERAMT3

Default Label Amount 3
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PROJECT

PROJECT_USER_DT1

Default Label Date 1
Length 10
Type Date
Format Uppercase

Record Reference(s) PROJECT

PROJECT_USER_DT2

Default Label Date 2
Length 10
Type Date
Format Uppercase

Record Reference(s) PROJECT

PROJ_402G_CAP_EXT

Default Label Elective Deferrals Limit
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) SAVINGS_403B_EE



PROJ_AMT_TEC

Default Label Projected YTD Expenditure TEC
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_CMP_TBL

PROJ_AMT_TPV

Default Label Projected YTD Amount TPV
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_CMP_TBL

PROJ_DED

Default Label Exclusion Allowance
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) SAVINGS_403B_EE

PROJ_DED_ALTA

Default Label Proj Year of Sep Excl Limit
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) SAVINGS_403B_EE

PROJ_DED_ALTB

Default Label Any Year Excl Limit
Length 12



Type Signed Number
 Format Uppercase

Record Reference(s) SAVINGS_403B_EE

PROJ_DED_ALTC

Default Label Overall Excl Limit
 Length 12
 Type Signed Number
 Format Uppercase

Record Reference(s) SAVINGS_403B_EE

PROJ_DED_ER_LMT

Default Label Employer Contribution Limit
 Length 12
 Type Signed Number
 Format Uppercase

Record Reference(s) SAVINGS_403B_EE

PROJ_DT_IND

Default Label Porjection Date Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_EEBENEFI

L Use Lump Sum date for project
 N Project to NRD

PROJ_ROLE

Default Label Project Role
 Length 15



Type Character
Format Uppercase

Record Reference(s) PROJECT_TEAM
PROJ_ACT_TEAM

PROMPTDISPLAY

Default Label PromptDisplay
Length 1
Type Number
Format Uppercase

Record Reference(s) PSMPCONTDEV

PROMPTFIELD

Default Label Dropdown Prompt Field
Length 18

Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD
PST_PNLFIELDS

PROMPTVIEW

Default Label Prompt View Name
Length 18
Type Character
Format Uppercase

Record Reference(s) GP_ENTRY_TYPE
GP_SYSTEM_PIN
GP_VARIABLE

PROMPTVIEW_CAL



Default Label	Prompt View Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s) GP_ENTRY_TYPE

PROMPTVIEW_ELEM

Default Label	Prompt View Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s) GP_ENTRY_TYPE

PROMPTVIEW_PE

Default Label	Prompt View Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s) GP_ENTRY_TYPE

PROMPTVIEW_PG

Default Label	Prompt View Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s) GP_ENTRY_TYPE

PROMPTVIEW_PI

Default Label	Prompt View Name
Length	18



PROPERTIES

Default Label	Properties of an object
Length	254
Type	Character
Format	Mixedcase

Record Reference(s) PSBUSPROCITEM
PSVAITEM

PROPERTYNAME

Default Label	Property Name
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) PSWEBPROFDEF
PSWEBPROFNVP
PSWSRPPRDPROP
PT_WEB_PROF_AET
PT_WEB_PROF_TAO

PROPERTY_CTGY

Default Label	Property Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) COMP_PROP_TBL

CO	Computer Equipment
HE	Heavy Equipment
HW	Hardware
NC	Not Classified
OF	Office Equipment
SW	Software



Type Character
 Format Uppercase

Record Reference(s) IB_CONNPROP_SS
 PSCONNPROP
 PSCONNPROPLANG
 PSNODCONPRPLANG
 PSNODECONPROP
 PSNODTRCNPRLANG
 PSNODTRXCONPROP

HDR HTTP Header
 QP Query Parm

PROPNAME

Default Label Property Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) IB_CONNPROP_SS
 PSCONNPROP
 PSCONNPROPLANG
 PSNODCONPRPLANG
 PSNODECONPROP
 PSNODEPROP
 PSNODEPROPLANG
 PSNODTRCNPRLANG
 PSNODTRXCONPROP
 PSRELATIONPROP
 PSRELPROPLANG

PROPVALUE

Default Label Value
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSCONNPROP



PSNODECONPROP
PSNODEPROP
PSNODTRXCONPROP
PSRELATIONPROP

PRORATE_ACCRUALS

Default Label Prorate Un-awarded Accruals
Length 1
Type Character
Format Uppercase

Record Reference(s) TERM_PGM_DEFLVE

PRORATE_ADDL_PAY

Default Label Prorate Additional Pay
Length 1
Type Character
Format Uppercase

Record Reference(s) ADDL_PAY_DATA

PRORATE_CNT_AMT

Default Label Prorate Contract Change Amount
Length 1

Type Character
Format Uppercase

Record Reference(s) BP_JOB
GVT_JOB
GVT_JOB_TEMP
JOB
JOBCOMP_TMP_MC
JOB_TEMP
JOB_TMP_MC
UPG_758_JIL_TAO
UPG_758_JOB_TAO



UPG_PY_JOB_TAO

- C Prorate Over Contract Period
- N No Proration of Change Amt.
- P Prorate over Payment Period

PRORATE_CUI_WEEKS

Default Label Prorate EI Weeks
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ADDL_PAY_DATA

PRORATE_CUR_TYPE

Default Label Data to be Prorated
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DFN_SVC
 PA_DFN_SVC

- H Hours
- S Service
- U User Code

PRORATE_CUR_UNIT

Default Label Counting Units for Proration
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DFN_SVC
 PA_DFN_SVC

- D Days
- E Equivalent Periods
- M Months



WRK_GARNISH

PRORATE_LIABILITY

Default Label Prorate Liability Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) ACCT_CD_TBL
GL_ACCT_CD_TBL

PRORATE_OVRD_AMT

Default Label Garn prorate override amount
Length 9
Type Number
Format Uppercase

Record Reference(s) GARN_SPEC
GVT_GARN_SPEC

PRORATE_OVRD_PCT

Default Label Garn prorate override percent
Length 6
Type Number
Format Uppercase

Record Reference(s) GARN_SPEC
GVT_GARN_SPEC

PRORATE_PARTIAL

Default Label Prorate Over Partial Periods
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_401A17_PARMS

PRORATE_PREV_TYPE

Default Label Data to be Prorated
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DFN_SVC
 PA_DFN_SVC

H Hours
 S Service
 U User Code

PRORATE_PREV_UNIT

Default Label Counting Units for Proration
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DFN_SVC
 PA_DFN_SVC

D Days
 E Equivalent Periods
 M Months
 U User Code
 W Weeks

PRORATE_SALARIED

Default Label Salaried Proration Rule
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAYGROUP_TBL



A Percent of Annual
 P Percent of Period
 W Rate per Work Day

PRORATE_SHORT

Default Label Prorate Over Short Plan Years
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_401A17_PARMS

PRORATE_TYPE

Default Label Prorate Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GARN_PRORATE_RL

S SUPPORT
 W WRITS

PRORATE_UNITS

Default Label Proration Units
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_PROJECTIONS

D Days
 M Months

PRORATION_OPTN

Default Label Proration Option
 Length 2



Type Character
 Format Uppercase

Record Reference(s) GP_ABS_ENTL
 GP_ERN_DED

NP No Proration
 PG Use Pay Group Proration Rule
 SP Use Specified Proration Rule

PRORATION_OPTN_PG

Default Label Proration Option
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PYGRP_DTL

NP No Proration
 SP Use Specific Proration

PRORATION_PCT

Default Label 415 Proration reduction
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

PROTECT_CLOTH_FRA

Default Label Protective Clothing
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) INJ_ILL_PRT_FRA

CAS Hard Hat



CHA	Safety Shoes
GAN	Safety Gloves
GIL	Protective Body Jacket
VET	Flourescent Clothing

PROT_ID_BEL

Default Label	Protection Type
Length	3
Type	Character
Format	Numbers Only

Record Reference(s)

PROTECT_BEL

001	WC - 1st time candidate
002	WC - 2nd time candidate NE
003	WC - elected
004	SHE - 1st time candidate
005	SHE - 2nd time candidate NE
006	SHE - elected
007	Union delegation
008	Pregnancy leave
009	Paternity leave
010	Career interruption
011	Educational leave
012	New technologies
013	Equal treatment
014	Remarks labour rules
015	Head of SHE and adjuncts
016	Industrial physician
017	Political leave

PROVENANCE

Default Label	RL-2 Provenance 1
Length	6
Type	Character
Format	Uppercase

Record Reference(s)

CAN_AMEND_RL1_S
CAN_AMEND_RL2_S
CAN_AMEND_T4A_S



Format Uppercase

Record Reference(s) INJURY_CLM_MGMT

PROVIDER_DESCR

Default Label Provider Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) INJURY_CLM_MGMT
INJ_REHAB_ACTN
INJ_REHAB_LNG

PROVIDER_ID

Default Label Provider ID
Length 20
Type Character
Format Mixedcase

Record Reference(s) GA_PRV_ID

PROVIDER_ID_CHECK

Default Label Select Provider ID
Length 1
Type Character
Format Uppercase

Record Reference(s) GA_PRV_ID

N No
Y Yes

PROVINCE

Default Label Province



Length 6
Type Character
Format Uppercase

Record Reference(s) AP_EXTRACT_LINE

BAL_ADJ_CN_CHK
BAL_ADJ_CN_DED
BAL_ADJ_CN_ERN
BAL_ADJ_CN_TAX
BAS_PARTIC_COST
BEN_BI_CHARGE
CAN_AMEND_RL1_D
CAN_AMEND_RL1_S
CAN_AMEND_RL2_D
CAN_AMEND_RL2_S
CAN_AMEND_T4A_D
CAN_AMEND_T4A_S
CAN_AMEND_T4_D
CAN_AMEND_T4_S
CAN_CHECK_YTD
CAN_DED_BALANCE
CAN_ERN_BALANCE
CAN_JOBCODE_CU
CAN_TAX_BALANCE
CAN_TAX_DATA
CAN_TAX_PROV
CAN_TAX_PROVNCT
CAN_TAX_PROVTHR
CAN_TAX_PRVDATA
CAN_TAX_TYPE
CAN_USR_TAX_PRV
CAN_WCBRPT_PROV
CAN_WCB_CU
CAN_WCB_PROV

CAN_WCB_RT_GRP
CAN_YE_AMEND_E
CAN_YE_DETAIL
CAN_YE_EMPL
CAN_YE_PRV_RELD
CAN_YE_RL1
CAN_YE_RL2
CAN_YE_SLIP



CAN_YE_T4
 CAN_YE_T4A
 CTXPRC_PARAMS
 DEPT_BUDGET_CTX
 HPDBRETDIST_AET
 HP_BDGT_CTXCHG
 HP_COL_DEFN_DTL
 HP_CTXDIST_WRK
 HP_DISTBDGT_AET
 HP_DISTSRCH_AET
 HP_GRSFRG_DATA
 HP_PAYTAXCAN_WK
 HP_RDIST_CTXDAT
 HP_RETDIST_AET
 HP_STATS_FT_MBR
 PAY_CHECK
 PAY_CTX_DIST
 PAY_CTX_LIAB_AP
 PAY_TAX_CAN
 PYAP_LINE_TAO
 PYAP_UNXTRC_TAO
 PYAP_XCTAX1_TAO
 PYAP_XCTAX2_TAO
 PYAP_XCTAX_AET
 RC_CAN_YE_PROV
 R_BEN_BI_HIST
 R_PAY102CN
 UPG_CAN1_AET
 UPG_HP_01_TAO
 UPG_HP_02_TAO
 UPG_HP_AET
 UPG_PY_AET
 WRK_CHECK
 WRK_CTX_DIST
 WRK_TAX_CAN

PROV_COST

Default Label	Provision Cost
Length	19
Type	Number
Format	Uppercase



Record Reference(s) CAR_DATA

PROV_COVRG_RATE

Default Label Provider Coverage Rate
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) FLAT_RATE_TBL

PROV_METHOD_CD

Default Label Provision Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CAR_DATA

C Contract Hire
 L Lease
 P Purchase

PROXY_HOST

Default Label Proxy Hostname
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSSGWIDX

PROXY_PORT

Default Label Proxy Port
 Length 5
 Type Number



Format Uppercase

Record Reference(s) PSSGWIDX

PROXY_REPORT

Default Label Report with Proxy

Length 1

Type Character

Format Uppercase

Record Reference(s) ST_INSIDER_TBL

PRPTY_DMG_AMT

Default Label Property Damage Amount

Length 19

Type Number

Format Uppercase

Record Reference(s) INCIDNT_VEHICLE

PRT_BASIS

Default Label Basis of Value

Length 1

Type Character

Format Uppercase

Record Reference(s) PKG_PYTX_RT_TBL

C	Cash Equivalent
F	FBT Assessment Act 1986

PRV_ADDRESS1

Default Label Previous Address1

Length 35

Type Character



Format Uppercase

Record Reference(s) W2C_DATA
YE_W2CP_DATA
YE_W2C_DATA

PRV_ADDRESS2

Default Label Previous Address2
Length 35
Type Character
Format Uppercase

Record Reference(s) W2C_DATA
YE_W2CP_DATA
YE_W2C_DATA

PRV_AMOUNT

Default Label Previous Amount
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) CAN_AMEND_RL1_D
CAN_AMEND_RL2_D
CAN_AMEND_T4A_D
CAN_AMEND_T4_D
W2C_AMOUNTS
YE_W2CP_AMOUNTS
YE_W2C_AMOUNTS

PRV_CITY

Default Label Previous City
Length 30
Type Character
Format Uppercase

Record Reference(s) W2C_DATA



YE_W2CP_DATA
YE_W2C_DATA

PRV_CONTROL_NBR

Default Label Previous control number
Length 12
Type Character
Format Uppercase

Record Reference(s) YE_W2CP_DATA
YE_W2C_DATA

PRV_COUNTRY

Default Label Previous Country
Length 3
Type Character
Format Uppercase

Record Reference(s) W2C_DATA
YE_W2CP_DATA
YE_W2C_DATA

PRV_DECEASED

Default Label Previous Deceased
Length 1
Type Character
Format Uppercase

Record Reference(s) W2C_DATA

PRV_DEFERRED_COMP

Default Label Previous Deferred Comp
Length 1
Type Character



Format Uppercase

Record Reference(s) W2C_DATA

PRV_ER_ID_SWT

Default Label Employer ID (SWT)
Length 20
Type Character
Format Uppercase

Record Reference(s) YE_W2CP_DATA

PRV_LEGAL_REP

Default Label Previous Legal Rep
Length 1
Type Character
Format Uppercase

Record Reference(s) W2C_DATA

PRV_MAR_STATUS

Default Label Marital Status
Length 1
Type Character
Format Uppercase

Record Reference(s) YE_W2CP_DATA

PRV_PENSION_PLAN

Default Label Previous Pension Plan
Length 1
Type Character
Format Uppercase



Default Label Previous State
Length 2
Type Character
Format Uppercase

Record Reference(s) W2C_DATA
YE_W2CP_DATA
YE_W2C_DATA

PRV_STATUTORY_EE

Default Label Previous Statutory EE
Length 1
Type Character
Format Uppercase

Record Reference(s) W2C_DATA
YE_W2C_DATA

PRV_THIRDPARTYSICK

Default Label Prv Third-Party sick pay
Length 1
Type Character
Format Uppercase

Record Reference(s) YE_W2C_DATA

PRV_W2_NAME

Default Label Previous W2 Name
Length 30
Type Character
Format Uppercase

Record Reference(s) W2C_DATA



PRV_YE_FNAME

Default Label Year-end first name
Length 30
Type Character
Format Uppercase

Record Reference(s) YE_W2CP_DATA
YE_W2C_DATA

PRV_YE_LNAME

Default Label Year-end last name
Length 30
Type Character
Format Uppercase

Record Reference(s) YE_W2CP_DATA
YE_W2C_DATA

PRV_YE_MIDDLE_NAME

Default Label Year-end middle name
Length 30
Type Character
Format Uppercase

Record Reference(s) YE_W2CP_DATA
YE_W2C_DATA

PRV_YE_SUFFIX

Default Label Year-end Suffix
Length 5
Type Character
Format Uppercase

Record Reference(s) YE_W2CP_DATA
YE_W2C_DATA



PR_TAX_DED_INT_ADJ

Default Label Pre Tax Contrib Int Adjustment
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) PA_CLC_EACCT_AY
PA_EACCT_ACCUM

PR_TAX_REGIST_NBR

Default Label Payroll Tax Registration #
Length 9
Type Character
Format Uppercase

Record Reference(s) RC_TAX905CN

PSARCH_AERESTART

Default Label Archive Restart
Length 1
Type Character
Format Uppercase

Record Reference(s) PSARCHIVE_AET

PSARCH_AND_OR

Default Label AND or OR
Length 1
Type Character
Format Uppercase

Record Reference(s) ARCH_CTRL

1 AND



2 OR

PSARCH_AND_OR1

Default Label AND or OR 1
Length 1
Type Character
Format Uppercase

Record Reference(s) ARCH_OTH_CTRL

PSARCH_BASEOBJECT

Default Label Base Object
Length 1
Type Character
Format Uppercase

Record Reference(s) PSARCHIVE_AET
PSARCHTEMPOBJ

PSARCH_BASETABLE

Default Label Base Table
Length 1
Type Character
Format Uppercase

Record Reference(s) PSARCHIVE_AET
PSARCHOBJREC

PSARCH_BATCHNUM

Default Label Archive Batch Number
Length 30
Type Number
Format Uppercase

Record Reference(s) PSARCHAUDIT
PSARCHBATCH



PSARCHIVE_AET
 PSARCHIVE_TAO
 PSARCHRUNCNTL

PSARCH_BATCHSTATUS

Default Label Archive Batch Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSARCHBATCH

B Batch Begin/In Processing
 C Batch Completed

PSARCH_BINDNAME

Default Label Archive Query Bind Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSARCHRUNQRYBND

PSARCH_BUILD_PROJ

Default Label Build Project
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DATA_FIND_BASE

PSARCH_CHECK_FLAG

Default Label Check Flag
 Length 1
 Type Character



Format Uppercase

Record Reference(s) ARCH_OTH_CTRL

PSARCH_COMMITCNT

Default Label Arch Commit Count
Length 18
Type Number
Format Uppercase

Record Reference(s) PSARCHIVE_TAO

PSARCH_COMMIT_ROWS

Default Label Num of rows to commit after
Length 18
Type Number
Format Uppercase

Record Reference(s) PSARCHIVE_AET
 PSARCHRUNCNTL

PSARCH_COUNT_ROWS

Default Label Count Number of Affected Rows
Length 1
Type Character
Format Uppercase

Record Reference(s) PSARCHIVE_AET
 PSARCHRUNCNTL

PSARCH_CURRCNT

Default Label Arch Curr Run Count
Length 18
Type Number



Format Uppercase

Record Reference(s) PSARCHIVE_TAO

PSARCH_DEFINEBINDS

Default Label Define Query Bind Variables
Length 1
Type Character
Format Uppercase

Record Reference(s) PSARCHRUNCNTL

PSARCH_DTTM

Default Label Archive Date Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSARCHBATCH

PSARCH_EVENT

Default Label Archiving Event
Length 2
Type Character
Format Uppercase

Record Reference(s) PSARCHAUDIT

PSARCH_EVENTDTTM

Default Label Event Date/Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSARCHAUDIT



PSARCH_FILE_PATH

Default Label	File Path
Length	70
Type	Character
Format	Mixedcase

Record Reference(s) ARCH_AUDIT_RQST

- ARCH_EXP_AET
- ARCH_FLT_AET
- ARCH_FLT_OPT
- ARCH_FLT_RQST
- ARCH_HST_OPT
- ARCH_HST_RQST
- ARCH_IMP_AET
- ARCH_IMP_OPT
- ARCH_RPT_AET
- ARCH_RPT_RQST

PSARCH_FLAG

Default Label	Archive Flag
Length	1
Type	Character
Format	Uppercase

Record Reference(s) ARCH_AUDIT

- ARCH_PROC_AET
- ARCH_SQL_LNG

N	System Generated
P	PeopleSoft Delivered
Y	User Modified

PSARCH_GOTOEND

Default Label	Goto End
Length	1
Type	Character



Format Uppercase

Record Reference(s) PSARCHIVE_AET

PSARCH_ID

Default Label Archive ID
Length 8
Type Character
Format Uppercase

Record Reference(s) ARCH_AUDIT

- ARCH_AUDIT_RQST
- ARCH_COMMON_KEY
- ARCH_CTRL
- ARCH_EXP_AET
- ARCH_FLT_AET
- ARCH_FLT_OPT
- ARCH_FLT_PARM
- ARCH_FLT_RQST
- ARCH_HST_OPT
- ARCH_HST_RQST
- ARCH_OTH_CTRL
- ARCH_PROC_AET
- ARCH_PROC_TAO
- ARCH_PROJ
- ARCH_RPT_AET

- ARCH_RPT_RQST
- ARCH_RQST
- ARCH_RQST_OPT
- ARCH_RQST_PARM
- ARCH_SQL_LNG
- ARCH_SQRFLD
- ARCH_TBL
- PSARCHAUDIT
- PSARCHBATCH
- PSARCHIVE_AET
- PSARCHIVE_TAO
- PSARCHRUNCNTL
- PSARCHRUNQRYBND
- PSARCHTEMPAE



PSARCHTEMPDEL
PSARCHTEMPLANG
PSARCHTEMPLATE
PSARCHTEMPOBJ
PSARCHTEMPQRY

PSARCH_IS_KEY

Default Label Key Field
Length 1
Type Character
Format Uppercase

Record Reference(s) DATA_FIND_BASE

PSARCH_LINKTABLE

Default Label Link Table
Length 15
Type Character
Format Uppercase

Record Reference(s) PSARCHIVE_AET
PSARCHTEMPOBJ

PSARCH_MATCHDT

Default Label Value to Match (Date)
Length 10
Type Date
Format Uppercase

Record Reference(s) ARCH_CTRL
DATA_FIND_CRIT
PSARCHRUNQRYBND

PSARCH_MATCHDT1

Default Label Value to Match (Date) 1



Length 10
Type Date
Format Uppercase

Record Reference(s) ARCH_OTH_CTRL

PSARCH_MATCHVAL

Default Label Value to Match
Length 30
Type Character
Format Mixedcase

Record Reference(s) ARCH_CTRL
ARCH_FLT_PARM
ARCH_RQST_PARM
DATA_FIND_CRIT
DATA_TRANS_CRIT
PSARCHRUNQRYBND

PSARCH_MATCHVAL1

Default Label Value to Match 1
Length 30
Type Character
Format Mixedcase

Record Reference(s) ARCH_OTH_CTRL

PSARCH_MATCH_KEY

Default Label Match Number
Length 5
Type Number
Format Uppercase

Record Reference(s) ARCH_CTRL



PSARCH_MATCH_KIND

Default Label	Match Kind
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	DATA_FIND_CRIT
	DATA_TRANS_CRIT
	1 =
	7 LIKE

PSARCH_NUMOFROWS

Default Label	Number of Rows
Length	19
Type	Signed Number
Format	Uppercase

Record Reference(s)	PSARCHAUDIT
	PSARCHIVE_AET

PSARCH_NUM_ROWS

Default Label	Number of Rows
Length	18
Type	Number
Format	Uppercase

Record Reference(s)	DATA_FIND_BASE
---------------------	----------------

PSARCH_OBJECT

Default Label	Archive Object
Length	30
Type	Character
Format	Uppercase

Record Reference(s)	PSARCHIVE_AET
---------------------	---------------



PSARCHOBJDEFN
 PSARCHOBJDEL
 PSARCHOBJLANG
 PSARCHOBJREC
 PSARCHTEMPOBJ

PSARCH_OPERAND

Default Label Operator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ARCH_CTRL
 ARCH_FLT_PARM
 ARCH_RQST_PARM

- 1 =
- 2 <
- 3 >
- 4 <=
- 5 >=
- 6 <>
- 7 LIKE
- 8 NOT LIKE

PSARCH_OPERANDS1

Default Label Operator 1
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ARCH_OTH_CTRL

- 1 =
- 2 <
- 3 >
- 4 <=
- 5 >=
- 6 <>



7 LIKE
8 NOT LIKE

PSARCH_PARMHEADING

Default Label Parameter Heading Text
Length 30
Type Character
Format Uppercase

Record Reference(s) PSARCHRUNQRYBND

PSARCH_PARMNAME

Default Label Parameter Field Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) ARCH_FLT_PARM
ARCH_RQST_PARM
PSARCHRUNQRYBND

PSARCH_POSTAE

Default Label Post AE
Length 12
Type Character
Format Uppercase

Record Reference(s) ARCH_FLT_AET
ARCH_FLT_RQST
ARCH_PROC_AET
ARCH_RQST
PSARCHIVE_AET
PSARCHTEMPAE

PSARCH_PREAE

Default Label Pre AE



Length 12
Type Character
Format Uppercase

Record Reference(s) ARCH_FLT_AET
ARCH_FLT_RQST
ARCH_PROC_AET
ARCH_RQST
PSARCHIVE_AET
PSARCHTEMPAE

PSARCH_PRINT_SQL

Default Label Print SQL?
Length 1
Type Character
Format Uppercase

Record Reference(s) ARCH_AUDIT_RQST

PSARCH_PRIORITY

Default Label Archiving Priority
Length 3
Type Number
Format Uppercase

Record Reference(s) ARCH_FLT_AET
ARCH_FLT_OPT

PSARCH_PROCESS

Default Label Archive Process
Length 1
Type Character
Format Uppercase

Record Reference(s) ARCH_AUDIT
ARCH_EXP_AET



ARCH_PROC_AET
 ARCH_PROC_TAO
 ARCH_RQST
 ARCH_SQL_LNG
 PSARCHAUDIT
 PSARCHIVE_AET
 PSARCHIVE_TAO
 PSARCHRUNCNTL
 PSARCHTEMPAE

D Archive Delete
 H Remove from History
 I Import Process
 P Run Reports
 R Archive Rollback
 S Archive Selection

PSARCH_PROCESSED

Default Label Arch Processed
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSARCHIVE_TAO

PSARCH_PROC_FLAG

Default Label Archiving Process Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSARCHIVE_AET

PSARCH_RECCOUNT

Default Label PS Record Name
 Length 18
 Type Character



Format Uppercase

Record Reference(s) DATA_FIND_BASE

PSARCH_RECNUM

Default Label Record Number
Length 5
Type Number
Format 7

Record Reference(s) ARCH_EXP_AET
 ARCH_HST_OPT
 ARCH_IMP_AET
 ARCH_IMP_OPT

PSARCH_ROWPROCESS

Default Label Row-based processing
Length 1
Type Character
Format Uppercase

Record Reference(s) PSARCHIVE_AET
 PSARCHRUNCTL

 N Set-Based Processing
 Y Row-Based Processing

PSARCH_ROW_COPY

Default Label Copy Parent Criteria
Length 1
Type Character
Format Uppercase

Record Reference(s) ARCH_TBL

PSARCH_SELECTQRY



Default Label Selection Query for Archiving
Length 30
Type Character
Format Uppercase

Record Reference(s) PSARCHIVE_AET
PSARCHRUNCNTL
PSARCHRUNQRYBND
PSARCHTEMPQRY

PSARCH_SQL

Default Label SQL Statement
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSARCHAUDIT
PSARCHIVE_AET

PSARCH_SQRFLAG

Default Label Archive SQR Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) ARCH_SQRFLD

PSARCH_SQRFLD

Default Label Archive SQR Field
Length 250
Type Character
Format Uppercase

Record Reference(s) ARCH_SQRFLD



PSECOMP_MGR

Default Label PeopleSoft eCompensation Mgr
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSEEQUNITY

Default Label PeopleSoft eEquity
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSEPAY

Default Label PeopleSoft ePay
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSEPERF_MANAGEMENT

Default Label PeopleSoft ePerformance
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSEPROFILE



Default Label PeopleSoft eProfile
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSEPROFILE_MGR

Default Label PeopleSoft eProfile Manager
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSERECRUIT

Default Label PeopleSoft eRecruit
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSERECRUIT_MGR

Default Label PeopleSoft eRecruit Manager
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

PSFTMASTER

Default Label PeopleSoft Owns Data
Length 1



Type Character
Format Uppercase

Record Reference(s) DIRATTRIBMAP

DIRCHLDMAP
EO_DSATTRIBMAP
EO_DSOPTATTRMAP
EO_DSREQATTRMAP

PSIMAGEVER

Default Label Image Version
Length 10
Type Number
Format 7

Record Reference(s) EMPL_PHOTO

PSACTIVIMG
PSACTIVIMGLANG
PSBUSPRIMG
PSBUSPRIMGLANG

PSMPC_AGENCY_CODE

Default Label Agency Code
Length 3
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL
AUS_PSMPC_HDR

PSMPC_AGENCY_NAME

Default Label Agency Name
Length 30
Type Character
Format Uppercase



Record Reference(s) AUS_PSMPC_HDR

PSMPC_AGS_NUMBER

Default Label AGS Number
Length 20
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_ARRIVAL_YEAR

Default Label Arrival Year
Length 4
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_BIRTHCOUNTRY

Default Label Country of Birth
Length 4
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_BIRTHDATE

Default Label Date of Birth
Length 10
Type Date
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL



PSMPC_CLASS_MAX

Default Label Maximum Classification Group

Length 2
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_CLASS_MIN

Default Label Minimum Classification Group

Length 2
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_COMPLETE_DT

Default Label
Length 10
Type Date
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_CONTACT_PH

Default Label Contact Phone Number
Length 10
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_DATE_FROM



Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_EMPLOY_STAT

Default Label Employment Status
Length 2
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_ENGAGE_DATE

Default Label Engagement Date
Length 10
Type Date
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_ETHNICITY

Default Label
Length 1
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_FATHER_LANG

Default Label Father's First Language
Length 1
Type Number

Format Uppercase



Record Reference(s) AUS_PSMPC_EMPL

PSMPC_FIRST_LANG

Default Label First Language spoken
Length 1
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_GIVEN_NAMES

Default Label Given name
Length 30
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_GROSS_REMUN

Default Label Gross Remuneration
Length 6
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_MAJOR_STUDY

Default Label Major Study
Length 2
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL



PSMPC_MAT_LVE_IND

Default Label Maternity Leave Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_MINOR_STUDY

Default Label Minor Study
Length 2
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_MOTHER_LANG

Default Label Mother's First Language
Length 1
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_MOVEMENT_CD

Default Label Movement Code
Length 4
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL



PSMPC_MOVEMENT_DT

Default Label Movement Date
Length 10
Type Date
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_NON_ENG_LANG

Default Label Main Non English Language
Length 2
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_OPER_STATUS

Default Label Operative Status
Length 1
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_POSTCODE

Default Label Postcode
Length 4
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_PREV_AGS_NUM

Default Label Previous AGS Number



Length 20
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_PRIOR_EMPLOY

Default Label Prior Employment
Length 2
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_RECORD_TYPE

Default Label Record Type
Length 1
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL
AUS_PSMPC_HDR

PSMPC_SEX

Default Label Sex
Length 1
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_STD_HOURS

Default Label Standard Hours
Length 5
Type Number



Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_SURNAME

Default Label Surname
Length 30
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_TITLE

Default Label Title
Length 4
Type Character
Format Uppercase

Record Reference(s) AUS_PSMPC_EMPL

PSMPC_TOTAL_EES

Default Label Total Employees
Length 5
Type Number
Format Uppercase

Record Reference(s) AUS_PSMPC_HDR

PSMPC_YR_COMPLETE

Default Label Year Education Completed
Length 4
Type Number
Format Uppercase



Record Reference(s) AUS_PSMPC_EMPL

PSOWNER

Default Label Owner
Length 8
Type Character
Format Uppercase

Record Reference(s) APPDES_OBJ_PERM
APP_DES_OBJECTS
APP_DES_OBJ_PAR
BYPASS_TABLE

PSPING_BUTTON

Default Label Query Viewer
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_CHART_DUMRE

PSPING_CHART_FIELD

Default Label Field
Length 1
Type Character

Format Uppercase

Record Reference(s) PTP_CHART_DUMRE

PSPING_CHART_START

Default Label PS Ping Chart Start Row
Length 4
Type Number
Format Uppercase



Record Reference(s) PTP_CHART_DUMRE

PSPING_CHART_WIDTH

Default Label PS Ping Chart Width
Length 4
Type Number
Format Uppercase

Record Reference(s) PTP_CHART_DUMRE

PSPING_CLEAR_ALL

Default Label Clear All
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPING_DEL_DUMR

PSPING_DELETE

Default Label Delete
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPING_DEL_DUMR
PTP_CHART_DUMRE

PSPING_REDRAW

Default Label Redraw
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_CHART_DUMRE



PSPING_SEARCH

Default Label Search
Length 10
Type Character

Format Uppercase

Record Reference(s) PSPING_DEL_DUMR

PSPING_SELECT_ALL

Default Label Select All
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPING_DEL_DUMR

PSPING_SRCH_BUTTON

Default Label Search
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPING_DEL_DUMR

PSRF_ATTRIBUT_NAME

Default Label Attribute Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSRF_RATTR_TBL



PSRF_ATTRIBUT_VALU

Default Label Attribute Value
Length 128
Type Character
Format Uppercase

Record Reference(s) PSRF_RATTR_TBL

PSRF_CREATED_ON

Default Label Created On
Length 10
Type Date
Format Uppercase

Record Reference(s) PSRF_RFLTER_TBL

PSRF_CREATION_DTTM

Default Label Creation Date And Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSRF_RFLTER_TBL
PSRF_RINFO_TBL
PSRF_RSCRTY_TBL

PSRF_FOLDER_ID

Default Label Folder ID
Length 12
Type Number
Format Uppercase

Record Reference(s) PSRF_FINFO_TBL
PSRF_RINFO_TBL



PSRF_FOLDER_NAME

Default Label Folder Name
Length 18
Type Character
Format Uppercase

Record Reference(s) CDM_FILTER

CDM_LIST
NVS_REPORT
PRCSDEFN
PRCSRUNCNTLDTL
PSPRCSQUE
PSPRCSRQST
PSPRCSRQSTARCH
PSRF_FINFO_TBL
PSRF_FLIST_LANG
PSRF_FLIST_TBL
PSRF_FVIEW_LANG
PSRF_FVIEW_TBL
PSRF_RFLTER_TBL
SCHDLITEM

PSRF_IS_DEFAULT

Default Label Default
Length 1
Type Character
Format Uppercase

Record Reference(s) PSRF_FLIST_TBL

PSRF_PGLT_MAXRPTS

Default Label Maximum Reports
Length 4
Type Signed Number
Format Uppercase

Record Reference(s) PSRF_POPTN_TBL



PSRF_RDESC_TBL
PSRF_RINFO_TBL

PSRF_REPORT_ID

Default Label Report ID
Length 12
Type Number
Format Uppercase

Record Reference(s) PSRF_RATTR_TBL
PSRF_RINFO_TBL
PSRF_RSCRTY_TBL

PSRF_REPORT_NAME

Default Label Report Name
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSRF_RFLTR_TBL
PSRF_RINFO_TBL

PSRF_REPORT_URL

Default Label Report URL
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSRF_RINFO_TBL

PSRF_VIEWED

Default Label Report Viewed Flag
Length 1
Type Character



Format Uppercase

Record Reference(s) PSRF_RSCRTY_TBL

PSSDWCHECKINID

Default Label CHECKINID
Length 100
Type Character
Format Mixedcase

Record Reference(s) PSSHADOWDATA

PSSDWCOMPUTERNAME

Default Label COMPUTERNAME
Length 100
Type Character
Format Mixedcase

Record Reference(s) PSSHADOWDATA

PSSDWDATETIME

Default Label DATETIME
Length 26
Type Datetime
Format 12

Record Reference(s) PSSHADOWDATA

PSSDWENABLED

Default Label Shadowing Enabled
Length 1
Type Character

Format Uppercase



Record Reference(s) PSOPTIONS

PSSDWEXPORTED

Default Label HASBEENEXPORTED
Length 1
Type Character
Format Uppercase

Record Reference(s) PSSSHADOWDATA

PSSDWMGR

Default Label MGR
Length 6
Type Character
Format Uppercase

Record Reference(s) PSSSHADOWDATA

PSSDWNEXTSEQUENCE

Default Label NEXTSEQUENCE
Length 31
Type Number
Format Uppercase

Record Reference(s) PSSSHADOWSEQ

PSSDWOBJECTID1

Default Label OBJECTID1
Length 550
Type Long Character
Format Uppercase

Record Reference(s) PSSSHADOWDATA



PSSDWOBJECTID2

Default Label OBJECTID2
Length 550
Type Long Character
Format Uppercase

Record Reference(s) PSSHADOWDATA

PSSDWOPERATION

Default Label OPERATION
Length 6
Type Character
Format Uppercase

Record Reference(s) PSSHADOWDATA

PSSDWPATH1

Default Label PATH1
Length 260
Type Long Character
Format Uppercase

Record Reference(s) PSSHADOWDATA

PSSDWPATH2

Default Label PATH2
Length 260
Type Long Character
Format Uppercase

Record Reference(s) PSSHADOWDATA

PSSDWPAYLOAD



Type Number
 Format 7

Record Reference(s) PSSHADOWDATA
 PSSHADOWPAYLOAD

PSSERVER

Default Label PeopleSoft Server
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) PSFILEREDEFN

PSSYSCREATEDTTM

Default Label Create Date Time
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PSDIAGQRYO
 PSDIAGQRY1
 PSDIAGQRY2
 PSDIAGQRYCLASS

PSSYSDELETEDTTM

Default Label Delete Date Time
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PSDELETELOG

PSSYSROWID

Default Label System Row Id



Length 20
Type Signed Number
Format Uppercase

Record Reference(s) PSDELETELOG

PSTABLE

Default Label People Soft Table
Length 1

Type Character
Format Uppercase

Record Reference(s) EG_ALIAS_USE
PA_ALIAS_USE

PSTI_PCT

Default Label Province Sales Tax - Insurance
Length 5
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PROV

PSTRIGID

Default Label Trigger ID
Length 5
Type Number
Format Uppercase

Record Reference(s) PSDB2TRIGGER

PSTRIGNAME

Default Label Trigger Name
Length 8



Type Character
Format Uppercase

Record Reference(s) PSDB2TRIGGER

PSTRIGTYPE

Default Label Trigger Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PSDB2TRIGGER

PST_PCT

Default Label Provincial Sales Tax Percent
Length 5
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_PROV

PSWDEXPIRESDAYS

Default Label Expiration Days
Length 3

Type Number
Format Uppercase

Record Reference(s) PSSECOPTIONS

PSWDREQDIGITS

Default Label Required Number of Digits
Length 2
Type Number
Format Uppercase



Record Reference(s) PSSECOPTIONS

PSWDREQSPECIAL

Default Label Required Number of Specials
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSECOPTIONS

PSWDSAVEDATE

Default Label Passworded saved
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PPSWDHISTORY

PSWDWARNDAYS

Default Label Warning Days
Length 3
Type Number
Format Uppercase

Record Reference(s) PSSECOPTIONS

PSWD_CNTRL_ON

Default Label Use Password Controls?
Length 1
Type Character
Format Uppercase

Record Reference(s) PSSECOPTIONS



PS_BAR_ANCHOR

Default Label Y Value Anchor
Length 0
Type Long Character

Format Uppercase

Record Reference(s) PSY_VALUES

PS_COLORS

Default Label Color Codes
Length 1
Type Character
Format Uppercase

Record Reference(s) PSLEGEND

PSTHRESHOLD
PSY_VALUES

- 0 Sky Blue
- 1 Dark Blue
- 2 Violet
- 3 Orange
- 4 Green
- 5 Red
- 6 Dark Green
- 7 Teal
- 8 Yellow
- 9 Pink

PS_DELIVERED

Default Label PeopleSoft Delivered
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_EXCEPT_DEFN
TL_VALID_DEFN



TL_VALID_SET

N	No
Y	Yes

PS_FIELD1_NM

Default Label	Peoplesoft Field1 Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s)	PI_FIELD_TBL
	PI_GROUP_TBL
	PI_INSTANCE_TBL
	PI_PIFLD_TAO

PS_FIELD1_VALUE

Default Label	Peoplesoft Field1 Value
Length	10
Type	Character
Format	Uppercase

Record Reference(s)	PI_FIELD_XLAT
	PI_INST_VALUE
	PI_PIFXL_TAO

PS_FIELD2_NM

Default Label	Peoplesoft Field2 Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s)	PI_FIELD_TBL
	PI_PIFLD_TAO



PS_FIELD2_VALUE

Default Label Peoplesoft Field2 Value
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_FIELD_XLAT
PI_PIFXL_TAO

PS_FIELD3_NM

Default Label Peoplesoft Field3 Name
Length 18
Type Character
Format Uppercase

Record Reference(s) PI_FIELD_TBL
PI_PIFLD_TAO

PS_FIELD3_VALUE

Default Label Peoplesoft Field3 Value
Length 10
Type Character
Format Uppercase

Record Reference(s) PI_FIELD_XLAT
PI_PIFXL_TAO

PS_GRAPH_SRCH

Default Label Graph Search
Length 1
Type Character
Format Uppercase

Record Reference(s) PSSIMPLEGRAPH



PT PeopleTools
 TL Time and Labor

PS_RECORD_NM

Default Label Peoplesoft Record Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_GROUP_TBL
 PI_INSTANCE_TBL
 PI_PIFLD_TAO

PS_THRESHOLD_MAX

Default Label Threshold Max
 Length 27
 Type Signed Number
 Format Uppercase

Record Reference(s) PSTHRESHOLD

PS_THRESHOLD_MIN

Default Label Threshold Minimum
 Length 27
 Type Signed Number
 Format Uppercase

Record Reference(s) PSTHRESHOLD

PS_X_CHAR

Default Label
 Length 20
 Type Character
 Format Mixedcase



Record Reference(s) PSX_VALUES

PS_X_NUMBER

Default Label X Header Number
Length 10
Type Number
Format Uppercase

Record Reference(s) PSX_VALUES

PS_Y_VALUES

Default Label Y Values
Length 27
Type Signed Number
Format Uppercase

Record Reference(s) PSY_VALUES

PTACEMEMBER

Default Label Member
Length 80
Type Character
Format Mixedcase

Record Reference(s) PTACEDIMGRIDREC

PTADJHIDDENFIELDS

Default Label Adj Layout for Hidden Fields
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD



PTALLOWSWITCHUSER

Default Label Allow Switch User
Length 1
Type Number
Format Uppercase

Record Reference(s) PSOPRDEFN

PTATACCEPTING

Default Label Accepting Requests
Length 1
Type Character
Format Uppercase

Record Reference(s) PSANALYTICREG

PTATENGINETYPE

Default Label Analytic Engine Type
Length 16
Type Character
Format Uppercase

Record Reference(s) PSANALYTICREG

PTATLASTOP

Default Label Latest Operation
Length 20
Type Character
Format Uppercase

Record Reference(s) PSANALYTICREG



PTATLASTOPBY

Default Label Latest Operation by User ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSANALYTICREG

PTATLASTOPEND

Default Label Latest Operation End Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSANALYTICREG

PTATLASTOPSTART

Default Label Latest Operation Start Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSANALYTICREG

PTATLOADEDDBY

Default Label Loaded by User ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSANALYTICREG

PTATLOADEDDTM

Default Label Time Loaded



Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PSANALYTICREG

PTATREGDTTM

Default Label Registration Date and Time
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PSANALYTICREG

PTATRMTACCESS

Default Label Remote Access Allowed
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSANALYTICREG

PTATSTATE

Default Label State
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSANALYTICREG

- A Available
- I Idle
- L Loading
- R Registered
- T Terminating
- X Executing



PTATTIMEOUT

Default Label Timeout
Length 6
Type Number
Format Uppercase

Record Reference(s) PSANALYTICREG

PTATTUXSRVID

Default Label Tuxedo Server ID
Length 4
Type Number
Format Uppercase

Record Reference(s) PSANALYTICREG

PTBAREAHIDEROWSEP

Default Label Hide Body Area Row Separator
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTBAREAROWACTALGN

Default Label Bdy Area Row Act Align
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTBAREASHWGRDLINES



Default Label Bdy Area Show Grid Lines
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTBAREASTYLENAME

Default Label Body Area Style Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPNLCNTRLDATA

PTBTNCLASSTYPE

Default Label Button Class Type
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLBTNDATA
PSPNLBTNLANG

PTBTNFIELDTYPE

Default Label Button Field Type
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLBTNDATA
PSPNLBTNLANG

PTBTNLBLETEXT2



Default Label Row counter mult-occurs text
Length 60
Type Character
Format Mixedcase

Record Reference(s) PSPNLBTNDATA
PSPNLBTNLANG

PTBTNLBLTYPE

Default Label Button Label Type
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLBTNDATA

PTBTNLBLTYPE2

Default Label Row counter mult-occurs format
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPNLBTNDATA

PTBTNMSGNUM2

Default Label Row cntr mult-occurs msgnum
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLBTNDATA

PTBTNMSGSET2

Default Label Row cntr mult-occurs msgset



Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLBTNDATA

PTBTNOCCURSOFFSET

Default Label Button Occurs Offset
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTBTNSTARTOFFSET

Default Label Button Start Offset
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTCOLLAPSEDATAAREA

Default Label Collapsible Data Area
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD

PTCREATDTTM

Default Label Created Date/Time
Length 26
Type Datetime
Format Uppercase



Record Reference(s) PSPTUPGDSLOG

PTCUSTOMFORMAT

Default Label Personalization Custom Format
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PSUSEROBJTYPE
PSUSERSRCHDEFN

PTDFLTVIEWEXPANDED

Default Label Default View to Expanded
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD

PTD_AMT_IND

Default Label PTD Amount Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

PTD_AMT_IND_FSCL

Default Label PTD Amount Indicator -- Fiscal
Length 1
Type Character
Format Uppercase



Record Reference(s) GP_AUTOGEN_DFLT

PTD_AMT_SFX

Default Label Calendar Period to Date
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

PTD_AMT_SFX_FSCL

Default Label PTD Amount Suffix -- Fiscal
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

PTD_UNIT_IND

Default Label PTD Unit Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

PTD_UNIT_IND_FSCL

Default Label PTD Unit Indicator -- Fiscal
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT



PTD_UNIT_SFX

Default Label	Period to Date Unit Suffix
Length	5
Type	Character
Format	Uppercase

Record Reference(s) GP_SUFFIX

PTD_UNIT_SFX_FSCL

Default Label	PTD Unit Suffix -- Fiscal
Length	5
Type	Character
Format	Uppercase

Record Reference(s) GP_SUFFIX

PTENABLESWITCHUSER

Default Label	Enable Switch User
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PSOPTIONS

A	All
S	Some
Z	None

PTFINDSTRING

Default Label	Enable Find String
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PSPNLCNTRLDATA



PTFRMREL

Default Label From Release
Length 50
Type Character
Format Mixedcase

Record Reference(s) PSPTUPGDSLOG

PTFTGNAVBARALGN

Default Label Footing Nav Bar Align
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTFTGROWACTALGN

Default Label Footing Row Action Align
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTFTGSHOW

Default Label Show Footing
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA



PTFTGSHOWNAVBAR

Default Label Footing Show Nav Bar
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTFTGSHOWROWACT

Default Label Show Footing Row Action Bttns
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTFTGSTYLENAME

Default Label Footing Style Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSPNLCNTRLDATA

PTHDGNAVBARALGN

Default Label Heading Nav Bar Bttns Align
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTHDGNAVBARBTNS

Default Label Dsply Hdg Navigation Bar Bttns



Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTHDGROWACTALGN

Default Label Hdg Row Act Bttns Alignment
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTHDGROWACTBTNS

Default Label Show Heading Row Act Bttns
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTHDGSHOW

Default Label Show Heading
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTHIDEFIELDS

Default Label Hide All Flds when Grp Box Hid
Length 1
Type Character



PTJPLT_PREFVALUE

Default Label Java Portlet Preference Value
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSJPUPREFVAL

PTLBLIMGCOLLAPSE

Default Label Label Image for Collapse
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD
PSPNLFIELDLANG

PTLBLIMGEXPAND

Default Label Label Image for Expand
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD
PSPNLFIELDLANG

PTLEBEXPANDFIELD

Default Label LEB Expand Fld when Dspl Only
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD



PTLT_ASSIGNED_TO

Default Label Assigned To
Length 50
Type Character
Format Mixedcase

Record Reference(s) PTLT_PROJ_TASK
PTLT_PROJ_UPG

PTLT_BP_DTL_NAME

Default Label Detailed Business Process
Length 50
Type Character
Format Mixedcase

Record Reference(s) PTLT_ASSGN_PRFT
PTLT_BP_SELECT
PTLT_BUSPRC_DTL

PTLT_BP_ID

Default Label Business Process ID
Length 50
Type Character
Format Uppercase

Record Reference(s) PTLT_BUSPRC
PTLT_BUSPRC_DTL

PTLT_BP_NAME

Default Label Business Process
Length 50
Type Character
Format Mixedcase

Record Reference(s) PTLT_ASSGN_PRFT
PTLT_BP_SELECT



PTLT_BUSPRC
PTLT_BUSPRC_DTL

PTLT_BP_NAME_EXT

Default Label Business Process (internal)
Length 50
Type Character
Format Uppercase

Record Reference(s) PTLT_BUSPRC
PTLT_BUSPRC_DTL

PTLT_BP_VERSION

Default Label Business Process Version
Length 5
Type Number
Format Uppercase

Record Reference(s) PTLT_BUSPRC
PTLT_BUSPRC_DTL
PTLT_INSTALL

PTLT_CIRC_REF

Default Label Circular Reference
Length 1
Type Character
Format Uppercase

Record Reference(s) PTLT_TASK_SEQ
PTLT_TASK_SEQ_U

PTLT_CI_LIST

Default Label List of CIs to Generate
Length 0
Type Long Character



Format Uppercase

Record Reference(s) PTLT_EXCI_RUN

PTLT_CI_NAME

Default Label Component Interface
Length 30

Type Character
Format Mixedcase

Record Reference(s) PTLT_TASK_LOAD
PTLT_TLOAD_LANG

PTLT_CI_PROTOCOL

Default Label Protocol
Length 1
Type Character
Format Uppercase

Record Reference(s) PTLT_EXCI_RUN

H http
S https

PTLT_CROSSDB_FLAG

Default Label Cross Database Impact
Length 1
Type Character
Format Uppercase

Record Reference(s) PTLT_TASK

PTLT_DISCUSSION

Default Label Discussion
Length 0



Type Long Character
Format Uppercase

Record Reference(s) PTLT_PROJ_TASK
PTLT_PROJ_UPG
PTLT_TASK_LOAD
PTLT_TLOAD_LANG

PTLT_END_DATE

Default Label End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PTLT_PROJ_TASK
PTLT_PROJ_UPG

PTLT_FEATURE

Default Label Feature Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) PTLT_FEATURE
PTLT_FEAT_LANG

PTLT_FEATURES_LIST

Default Label Features
Length 254
Type Character
Format Mixedcase

Record Reference(s) PTLT_COMP_NAV



PTLT_FEATURE_CODE

Default Label	Feature Code
Length	10
Type	Character
Format	Uppercase

Record Reference(s)	PTLT_ASSGN_FEAT
	PTLT_ASSGN_PRFT
	PTLT_ASSGN_TASK
	PTLT_BP_SELECT
	PTLT_FEATURE
	PTLT_FEAT_LANG
	PTLT_NAV_STG1
	PTLT_NAV_STG2
	PTLT_PF_SELECT
	PTLT_SEQ_STG
	PTLT_TASK_SEQ
	PTLT_TASK_SEQ_U
	PTLT_TASK_STG

PTLT_FEATURE_CODE2

Default Label	Feature Code
Length	10
Type	Character
Format	Uppercase

Record Reference(s)	PTLT_SEQ_STG
---------------------	--------------

PTLT_GENERATEDDTM

Default Label	Last Generated Date/Time
Length	26
Type	Datetime
Format	12

Record Reference(s)	PTLT_PROJ_DEFN
---------------------	----------------

PTLT_INSTALL_FLD



PTLT_NODMS_FLAG

Default Label Disable Data Mover Export
Length 1
Type Character
Format Uppercase

Record Reference(s) PTLT_TASK

PTLT_PACKAGE_FLG

Default Label Package Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PTLT_INSTALL

PTLT_PCT_COMPLETE

Default Label Percent Complete
Length 3

Type Number
Format Uppercase

Record Reference(s) PTLT_PROJ_TASK
 PTLT_PROJ_UPG

PTLT_PK_ACTIVITY

Default Label SRP Activity
Length 20
Type Character
Format Uppercase

Record Reference(s) PTLT_INSTALL

PTLT_PORTAL_URLTXT



Default Label Portal URL Lgcl Txt, first 254
Length 254
Type Character
Format Mixedcase

Record Reference(s) PTLT_PORTAL_STG
PTLT_PORTAL_TMP

PTLT_PRODSUITE

Default Label Product Suite Name
Length 70
Type Character
Format Mixedcase

Record Reference(s) PTLT_PROD_SUITE
PTLT_PSUIT_LANG

PTLT_PRODUCT

Default Label Product Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PTLT_PRODUCT
PTLT_PROD_LANG

PTLT_PRODUCT_CODE

Default Label Product Code
Length 4
Type Character
Format Uppercase

Record Reference(s) PTLT_ASSGN_FEAT
PTLT_ASSGN_PRFT
PTLT_ASSGN_PROD
PTLT_BP_SELECT



PTLT_PF_SELECT
PTLT_PRODUCT
PTLT_PROD_LANG
PTLT_TASK_STG

PTLT_PROD_CD_LIST

Default Label Product Code List
Length 100
Type Character
Format Uppercase

Record Reference(s) PTLT_COMP_NAV
PTLT_PROJ_TASK
PTLT_PROJ_UPG

PTLT_PROD_SUITE_CD

Default Label Product Suite Code
Length 10
Type Character
Format Uppercase

Record Reference(s) PTLT_ASSGN_PROD
PTLT_PF_SELECT
PTLT_PROD_SUITE
PTLT_PSUIT_LANG

PTLT_PROJ_NAME

Default Label Edit Implementation Project
Length 15
Type Character
Format Uppercase

Record Reference(s) PTLT_BP_SELECT
PTLT_PF_SELECT
PTLT_PROJ_DEFN
PTLT_PROJ_RECS
PTLT_PROJ_RUN



PTLT_PROJ_TASK
PTLT_PROJ_UPG

PTLT_PROJ_STATUS

Default Label Project Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PTLT_PROJ_DEFN

A Assigned
C Complete
G Generated
I In Progress
N Not Started

PTLT_PROTOCOL

Default Label Protocol
Length 10
Type Character
Format Mixedcase

Record Reference(s) PTLT_EXCI_RUN

PTLT_PSSITE

Default Label PeopleSoft Site Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PTLT_EXCI_RUN

PTLT_REQUIRED

Default Label Required for Implementation



Length 1
Type Character
Format Uppercase

Record Reference(s) PTLT_ASSGN_FEAT

PTLT_SEC_SEQNO

Default Label Secondary Sequence
Length 5
Type Number
Format Uppercase

Record Reference(s) PTLT_PROJ_UPG
PTLT_SEQ_STG
PTLT_TASK_SEQ
PTLT_TASK_SEQ_U

PTLT_SEQNO

Default Label Seq
Length 5
Type Number
Format Uppercase

Record Reference(s) PTLT_PROJ_UPG
PTLT_SEQ_STG
PTLT_TASK_LOAD
PTLT_TASK_SEQ
PTLT_TASK_SEQ_U

PTLT_START_DATE

Default Label Start Date

Length 10
Type Date
Format Uppercase

Record Reference(s) PTLT_PROJ_TASK



PTLT_PROJ_UPG

PTLT_TASKSEQ_ID

Default Label Task Sequence
Length 10
Type Number
Format Uppercase

Record Reference(s) PTLT_INSTALL

PTLT_SEQ_STG
PTLT_TASK_SEQ
PTLT_TASK_SEQ_U
PTLT_TSEQ_LANG

PTLT_TASK_CODE

Default Label Task Code
Length 30
Type Character
Format Uppercase

Record Reference(s) PTLT_ASSGN_TASK

PTLT_COMP_NAV
PTLT_COMP_R_STG
PTLT_NAV_STG1
PTLT_NAV_STG2
PTLT_PROJ_RECS
PTLT_PROJ_TASK
PTLT_PROJ_UPG
PTLT_SEQ_STG
PTLT_TASK
PTLT_TASK_LANG
PTLT_TASK_LOAD
PTLT_TASK_SEQ
PTLT_TASK_SEQ_U
PTLT_TASK_STG
PTLT_TLOAD_LANG



PTLT_TASK_CODE2

Default Label Task Code
Length 30
Type Character
Format Uppercase

Record Reference(s) PTLT_ASSGN_TASK
PTLT_NAV_STG1
PTLT_NAV_STG2
PTLT_PROJ_TASK
PTLT_SEQ_STG
PTLT_TASK_LOAD
PTLT_TASK_STG

PTLT_TLOAD_LANG

PTLT_TASK_NAME

Default Label Task Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PTLT_NAV_STG1
PTLT_NAV_STG2
PTLT_PROJ_TASK
PTLT_PROJ_UPG
PTLT_SEQ_STG
PTLT_TASK
PTLT_TASK_LANG

PTLT_TASK_SEQNO

Default Label Task ID
Length 9
Type Number
Format Uppercase

Record Reference(s) PTLT_PROJ_TASK
PTLT_SEQ_STG



PTLT_TASK_SEQNOF

Default Label
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) PTLT_PROJ_UPG

PTLT_TASK_TYPE

Default Label Task Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PTLT_NAV_STG1
 PTLT_NAV_STG2
 PTLT_TASK
 PTLT_TASK_STG

C Component
 O Other

PTLT_TEMPLATE

Default Label Source Template
 Length 50
 Type Character
 Format Uppercase

Record Reference(s) PTLT_EXCI_RUN

PTMAXVALUE

Default Label PeopleTools Max Value
 Length 9
 Type Number
 Format Uppercase



Record Reference(s) PSMSFSEQ
PSMSF_AET

PTNEXTSYSTEMID

Default Label PeopleTools Next SystemID
Length 9
Type Number
Format Uppercase

Record Reference(s) PSMSF_AET
PSSYSTEMID

PTNEXTVALUE

Default Label PeopleTools Next Value
Length 9
Type Number
Format Uppercase

Record Reference(s) PSMSFSEQ
PSMSF_AET

PTO_TIME1

Default Label User Defined 1
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME1_ALT

Default Label User Defined 1
Length 6
Type Signed Number
Format Uppercase



Record Reference(s) GP_RSLT_ABS

PTO_TIME1_ALT_OVRD

Default Label User Defined 1 Override

Length 6

Type Signed Number

Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME1_OVRD

Default Label User Defined 1 Override

Length 6

Type Signed Number

Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME2

Default Label User Defined 2

Length 6

Type Signed Number

Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME2_ALT

Default Label User Defined 2

Length 6

Type Signed Number

Format Uppercase

Record Reference(s) GP_RSLT_ABS



PTO_TIME2_ALT_OVRD

Default Label User Defined 2 Override
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME2_OVRD

Default Label User Defined 2 Override
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME3

Default Label User Defined 3
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME3_ALT

Default Label User Defined 3
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS



PTO_TIME3_ALT_OVRD

Default Label User Defined 3 Override
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME3_OVRD

Default Label User Defined 3 Override
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME4

Default Label User Defined 4
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME4_ALT

Default Label User Defined 4
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME4_ALT_OVRD

Default Label User Defined 4 Override



Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTO_TIME4_OVRD

Default Label User Defined 4 Override
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

PTPATCHFILNM

Default Label Patch File Name
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSPTUPGDSLOG

PTPOSTDTTM

Default Label Posted Date/Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSPTUPGDSLOG

PTPPB_AUTH_ACCESS

Default Label Author Access
Length 1
Type Character



Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_AUTH_NAME

Default Label Authorization Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) PTPPB_SECURITY

PTPPB_AUTH_TYPE

Default Label Authorization Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPPB_SECURITY

P Permission List
R Role

PTPPB_CLOSEMSGNBR

Default Label Closing Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_CLOSEMSGSET

Default Label Closing Message Set
Length 5
Type Number



Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_CLOSETXT

Default Label Closing Text
Length 254
Type Character
Format Mixedcase

Record Reference(s) PTPPB_PAGELET
 PTPPB_PGLT_LANG

PTPPB_CLOSETXTTYPE

Default Label Closing Text Type
Length 3
Type Character
Format Uppercase

Record Reference(s) PTPPB_PAGELET

MSG Message Catalog Entry
TXT Freeform Text/HTML

PTPPB_CONTENT_SRC

Default Label Image Source
Length 3
Type Character
Format Uppercase

Record Reference(s) PTPPB_FOOTER
 PTPPB_HEADER

EXT External Source
SYS System Catalog



PTPPB_CUSTOM_FLAG

Default Label Customized
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_DATATYPE_ID

Default Label Data Type
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPPB_DATADISP
PTPPB_DATATYPE
PTPPB_DTYP_LANG
PTPPB_PAGELET
PTPPB_XSLT_PROT

PTPPB_DATA_SOURCE

Default Label Data Source
Length 254
Type Character
Format Mixedcase

Record Reference(s) PTPPB_PAGELET

PTPPB_DISPFRMT_ID

Default Label Display Format ID
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPPB_DATADISP
PTPPB_DFMT_LANG
PTPPB_DISP_FRMT



PTPPB_PAGELET

PTPPB_EMBEDDABLE

Default Label API Accessible
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_FIELDNAME

Default Label Field Name
Length 40

Type Character
Format Mixedcase

Record Reference(s) PTPPB_DISP_VALS

PTPPB_DS_SETTGS
PTPPB_LINKPARMS
PTPPB_LINKPATHS
PTPPB_PARM_VALS
PTPPB_PGLT_PRMS
PTPPB_PRMS_LANG
PTPPB_PVAL_LANG
PTPPB_USER_PRMS

PTPPB_FOOTER_ID

Default Label Footer ID
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPPB_FOOTER

PTPPB_FTR_LANG
PTPPB_PAGELET



PTPPB_HEADER_ID

Default Label Header ID
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPPB_HDR_LANG
PTPPB_HEADER
PTPPB_PAGELET

PTPPB_IMGALIGN

Default Label Alignment
Length 2
Type Character
Format Uppercase

Record Reference(s) PTPPB_FOOTER
PTPPB_HEADER

LT Left
RT Right

PTPPB_IMGALT

Default Label Float Over Text
Length 100
Type Character
Format Mixedcase

Record Reference(s) PTPPB_FOOTER
PTPPB_FTR_LANG
PTPPB_HDR_LANG

PTPPB_HEADER

PTPPB_IMGHEIGHT

Default Label Height



Length 3
Type Number
Format Uppercase

Record Reference(s) PTPPB_FOOTER
PTPPB_HEADER

PTPPB_IMGSRV

Default Label Image Source
Length 250
Type Character
Format Mixedcase

Record Reference(s) PTPPB_FOOTER
PTPPB_HEADER

PTPPB_IMGWIDTH

Default Label Width
Length 3
Type Number
Format Uppercase

Record Reference(s) PTPPB_FOOTER
PTPPB_HEADER

PTPPB_IS_CUSTOM

Default Label Custom
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPPB_DISP_FRMT

PTPPB_KEY_BEHAV

Default Label Template Pagelet Behavior



Length 3
 Type Character
 Format Uppercase

Record Reference(s) PTPPB_PAGELET

DEF Use Specified Defaults
 HID Hide Pagelet
 MSG Display Message

PTPPB_LINK_BEHAV

Default Label Link Behavior
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PTPPB_DISP_VALS

NEW Open in a new window
 POR Display in the portal

PTPPB_LINK_SUFFIX

Default Label Link Suffix
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PTPPB_DISP_VALS

PTPPB_LINK_TYPE

Default Label Link Type
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) PTPPB_DISP_VALS

CREF Content Reference



URL External URL

PTPPB_OPENMSGNBR

Default Label Opening Message Number
Length 5
Type Number
Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_OPENMSGSET

Default Label Opening Message Set
Length 5
Type Number
Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_OPENTXT

Default Label Opening Text
Length 254
Type Character
Format Mixedcase

Record Reference(s) PTPPB_PAGELET
PTPPB_PGLT_LANG

PTPPB_OPENTXTTYPE

Default Label Opening Text Type
Length 3
Type Character
Format Uppercase

Record Reference(s) PTPPB_PAGELET



Record Reference(s) PTPPB_PAGELET
 PTPPB_PGLT_CATG
 PTPPB_PGLT_CLNG

PTPPB_REQ_PERS
 Default Label Requires Personalization
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_SEC_TYPE
 Default Label Security Type
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) PTPPB_PAGELET

PUBL Public Access
 SECR Select Security Access
 SYNC Allow Data Source Sync

PTPPB_TEXT_TYPE
 Default Label Text Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) PTPPB_FOOTER
 PTPPB_HEADER

MSG Message Catalog Entry
 TXT Freeform Text/HTML



PTPPB_USER_PRMS

PTPPB_VALUE_LONG

Default Label Parameter Value
Length 0
Type Long Character
Format Uppercase

Record Reference(s) PTPPB_DISP_VALS

PTPPB_VIEW_SOURCE

Default Label Show "View Source Data" Link
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPPB_PAGELET

PTPPB_XSL_PROT

Default Label XSL Prototype Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPPB_XSLT_PROT
PTPPB_XSL_LANG

PTPP_ATTRNAME

Default Label Attribute Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_PUB_OPT



PTPP_ATTRVAL

Default Label Attribute Value
Length 254
Type Character
Format Uppercase

Record Reference(s) PTPP_PUB_OPT

PTPP_CPINCL_DEFN

Default Label Include Collection Definition
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
PTPP_CPPROJ_RUN

PTPP_CPINCL_FLDR

Default Label Include Folders
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
PTPP_CPPROJ_RUN

PTPP_CPINCL_PAGE

Default Label Include Collection Pages
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
PTPP_CPPROJ_RUN



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
 PTPP_CPPROJ_RUN

A All Collection Pages
 S Selected Collection Pages

PTPP_CPSLCT_PGLT

Default Label Select Pagelets
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
 PTPP_CPPROJ_RUN

A All Pagelets
 S Selected Pagelets

PTPP_CPSLCT_TYPE

Default Label Project Options
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
 PTPP_CPPROJ_RUN

FN Full Navigation
 SO Select Objects

PTPP_NBR_COUNT

Default Label Number Count
 Length 10
 Type Number
 Format Uppercase



Type Character
 Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
 PTPP_OPTIONS

PTPP_SCCOLLNAME

Default Label Collection Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PTPP_OPTIONS
 PTPP_SCSYNCCOLL
 PTPP_SCSYNCOBJ
 PTPP_SCSYNCPERM
 PTPP_SCSYNC_AET
 PTPP_SITE_OPT

PTPP_SCHP_OBJNAME

Default Label Navigation Page Object Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PTPP_SCSYNCCOLL

PTPP_SCLGCNTICN

Default Label *Large Content Image
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PTPP_OPTIONS
 PTPP_SITE_OPT



PTPP_SCLGCOLLICN

Default Label *Large Collection Image
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCLGFLDICN

Default Label *Large Folder Image
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCMAXCOLS

Default Label Maximum Columns
Length 4
Type Number
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCMAXLINKS

Default Label Maximum Child Links
Length 4
Type Number
Format Uppercase

Record Reference(s) PTPP_OPTIONS



PTPP_SITE_OPT

PTPP_SCNAVPGLT_OBJ

Default Label Navigation Pagelet Object Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_SCSYNCCOLL

PTPP_SCOBJNAME

Default Label Collection Object
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_SCSYNCOBJ
PTPP_SCUPG

PTPP_SCPGLT_OBJNAM

Default Label Wizard Pagelet Object Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_SCSYNCCOLL

PTPP_SCREFTYPE

Default Label Reference Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_SCSYNCOBJ
PTPP_SCUPG



PTPP_SCSHOWBC

Default Label Show Breadcrumbs
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCSHOWICN

Default Label Show Navigation Icons
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

- A Always Show Images
- D Only Show Defined Images
- N Never Show Images

PTPP_SCSHOWROOTBC

Default Label Show Main Menu Breadcrumb
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCSMCNTICN

Default Label *Small Content Image
Length 30



Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCSMCOLLICN

Default Label *Small Collection Image
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCSMFLDICN

Default Label *Small Folder Image
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_SCTRGT_OBJECT

Default Label Source Object Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_SCSYNCOBJ
PTPP_SCUPG

PTPP_SCTRGT_PORTAL



Default Label Source Portal Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_SCSYNCOBJ
PTPP_SCUPG

PTPP_STYLESHEET

Default Label Style Sheet Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS
PTPP_SITE_OPT

PTPP_TEMP_FIELD

Default Label Temporary Field for App Engine
Length 1
Type Character
Format Uppercase

Record Reference(s) PTPP_CPPROJ_AET
PTPP_SCSYNC_AET
PTPP_SCUPG_AET

PTPRODCTGRY

Default Label Product Category
Length 10
Type Character
Format Uppercase

Record Reference(s) PSPTUPGDSLOG



PTP_AS_RED

Default Label AppServer Red
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS

PTP_AS_TIME

Default Label App Server Time
Length 9
Type Number
Format Uppercase

Record Reference(s) PTP_TST_CASES

PTP_AS_YELLOW

Default Label AppServer Yellow
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS

PTP_CHAR01

Default Label Character Field 01
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR02



Default Label Character Field 02
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR03

Default Label Character Field 03
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR04

Default Label Character Field 04
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR05

Default Label Character Field 05
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2



PTP_CHAR06

Default Label Character Field 06
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR07

Default Label Character Field 07
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR08

Default Label Character Field 08
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR09

Default Label Character Field 09
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2



PTP_CHAR10

Default Label Character Field 10
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR11

Default Label Character Field 11
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR12

Default Label Character Field 12
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR13

Default Label Character Field 13
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1



PTP_TABLE2

PTP_CHAR14

Default Label Character Field 15
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR15

Default Label Character Field
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR16

Default Label Character Field 16
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR17

Default Label Character Field 17
Length 1
Type Character
Format Uppercase



Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR18

Default Label Character Field 18
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR19

Default Label Character Field 19
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR20

Default Label Character Field 20
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR21

Default Label Character Field 21
Length 1



Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR22

Default Label Character Field 22
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR23

Default Label Character Field 23
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_CHAR24

Default Label Character Field 24
Length 1
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE2

PTP_DB_RED

Default Label DBServer Red
Length 6



Format 13

Record Reference(s) PTP_TST_CASES

PTP_DTTM_B2

Default Label Time Stamp B2
Length 26
Type Datetime
Format 13

Record Reference(s) PTP_TST_CASES

PTP_DTTM_C1

Default Label Time Stamp C1
Length 26
Type Datetime
Format 13

Record Reference(s) PTP_TST_CASES

PTP_DTTM_C2

Default Label Time Stamp C2
Length 26
Type Datetime
Format 13

Record Reference(s) PTP_TST_CASES

PTP_ENDTIME

Default Label End dtm
Length 26
Type Datetime
Format Uppercase



Record Reference(s) PTP_CHART_DUMRE

PTP_INT01
Default Label Integer 01
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT02
Default Label Integer 02
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT03
Default Label Integer 03
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT04
Default Label Integer 04
Length 3
Type Number
Format Uppercase



Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT05
Default Label Integer 05
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT06
Default Label Integer 06
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT07
Default Label Integer 07
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT08
Default Label Integer 08
Length 3
Type Number



Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT13

Default Label Integer 13
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT14

Default Label Integer 14
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT15

Default Label Integer 15
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT16



Default Label Integer 16
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT17

Default Label Integer 17
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT18

Default Label Integer 18
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT19

Default Label Integer 19
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2



PTP_INT20
Default Label Integer 20
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT21
Default Label Integer 21
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT22
Default Label Integer 22
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_INT23
Default Label Integer 23
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2



PTP_INT24
Default Label Integer 24
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2

PTP_LINE
Default Label Line
Length 3
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE2

PTP_SEQ_CHAR
Default Label Sequence Text
Length 6
Type Character
Format Uppercase

Record Reference(s) PTP_TABLE1

PTP_SEQ_NBR
Default Label Sequence Number
Length 6
Type Number
Format Uppercase

Record Reference(s) PTP_TABLE1
PTP_TABLE2



PTP_STARTTIME

Default Label Start Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PTP_CHART_DUMRE

PTP_TEST_CASE_ID

Default Label Test Case Identifier
Length 30
Type Character
Format Uppercase

Record Reference(s) PSPING_CHART
PSPING_DEL_DUMR
PSPING_DYNA_DUM
PTP_TST_CASES

PTP_TIME_D

Default Label DB Server Time
Length 9
Type Number
Format Uppercase

Record Reference(s) PTP_TST_CASES

PTP_TOTAL_RED

Default Label TotalTime Red
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS



PTP_TOTAL_TIME

Default Label Total Time
Length 9
Type Number
Format Uppercase

Record Reference(s) PTP_TST_CASES

PTP_TOTAL_YELLOW

Default Label TotalTime Yellow
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS

PTP_WB_RED

Default Label Browser Red
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS

PTP_WB_YELLOW

Default Label Browser Yellow
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS



PTP_WS_RED

Default Label WebServer Red
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS

PTP_WS_TIME

Default Label Web Server Time
Length 9
Type Number
Format Uppercase

Record Reference(s) PTP_TST_CASES

PTP_WS_YELLOW

Default Label WebServer Yellow
Length 6
Type Number
Format Uppercase

Record Reference(s) PINGOPTIONS

PTS

Default Label Pts
Length 4
Type Character
Format Uppercase

Record Reference(s) R_APP008

PTSEPOCCURSOFFSET



Default Label Separator Occurs Offset
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTSEPSTARTOFFSET

Default Label Separator Start Offset
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) PSPNLCNTRLDATA

PTSRCHNAME

Default Label Search Name
 Length 50
 Type Character
 Format Mixedcase

Record Reference(s) PSUSERSRCHDEFN

PTUPDSYSTEMID

Default Label Peopletools Update System ID
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) PSMSF_AET
 PSSYSTEMID

PTUPG_DTTMSTAMP

Default Label DateTime Stamp
 Length 26



Type Datetime
 Format Uppercase

Record Reference(s) PTUPG_STATE_AET

PTUPG_GROUP_SEQNUM

Default Label Sequence
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) PTUPGCONVERT

PTUPG_RUN_AEC
 PTUPG_STATE_AET

PTUPG_PATH

Default Label Upgrade Path
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) PTUPGCONVERT

PTUPG_RUN_AEC
 PTUPG_STATE_AET

7084	PeopleTools 7.0x to 8.4x
7584	PeopleTools 7.5x to 8.4x
8184	PeopleTools 8.1x to 8.4x
8484	PeopleTools 8.4x to 8.4x

PTVALIDINST

Default Label Valid Instance
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSOPTPRBINST



PTVISIBLE

Default Label	Visible
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PSPNLBTNDATA

PTWSRPISOBSOLETE

Default Label	Obsolete
Length	1
Type	Number
Format	Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRPLASTREFRESH

Default Label	Last Update Date/Time
Length	26
Type	Datetime
Format	12

Record Reference(s) PSWSRPPLTDEFN
PSWSRPPRDDEFN

PTWSRPPORTLETNAME

Default Label	Portlet Name
Length	25
Type	Character
Format	Uppercase

Record Reference(s) PSPRSMWSRPCONS
PSWSRPPHDEFN



PSWSRPCPHDEL
 PSWSRPPLTDEFN
 PSWSRPPLTDEL
 PSWSRPPLTGRPID
 PSWSRPPLTKW
 PSWSRPPLTKWLANG
 PSWSRPPLTLANG

PTWSRPPREGTYPE

Default Label ReistrationType
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSWSRPPRDDEFN

PTWSRPPRODUCERLBL

Default Label Producer Title
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSWSRPPRDDEFN
 PSWSRPPRDLANG

PTWSRPPRODUCERNAME

Default Label Producer Name
 Length 25
 Type Character
 Format Uppercase

Record Reference(s) PSRSMWSRPCONS
 PSWSRPCPHDEFN
 PSWSRPCPHDEL
 PSWSRPPLTDEFN
 PSWSRPPLTDEL
 PSWSRPPLTGRPID



PSWSRPPLTKW
PSWSRPPLTKWLANG
PSWSRPPLTLANG
PSWSRPPRDDEFN
PSWSRPPRDDEL
PSWSRPPRDLANG
PSWSRPPRDPROP

PTWSRP_COOKIEPROT

Default Label Cookie Protocol
Length 8
Type Character
Format Mixedcase

Record Reference(s) PSWSRPPRDDEFN

PTWSRP_ISDFMKSECUR

Default Label DefaultMarkupSecure
Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRP_ISEDMODE

Default Label Edit Mode
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPRSMWSRPPROD
 PSWSRPPLTDEFN

PTWSRP_ISHELPMODE



Default Label Help Mode
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPRSMWSRPPROD
PSWSRPPLTDEFN

PTWSRP_ISMETHODGET

Default Label UsesMethodGet
Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRP_ISONLYSECUR

Default Label Only Secure
Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRP_ISREGREQRD

Default Label Registration Required
Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPRDDEFN

PTWSRP_ISTMPLTSSTR

Default Label TemplatesStoredInSession



Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRP_ISURLTMPROC

Default Label DoesUrlTemplateProcessing
Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRP_ISUSRCTXSTR

Default Label UserContextStoredInSession
Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRP_ISUSRSPECST

Default Label HasUserSpecificState
Length 1
Type Number
Format Uppercase

Record Reference(s) PSWSRPPLTDEFN

PTWSRP_PLTDESCR

Default Label Portlet Description
Length 254
Type Character
Format Mixedcase



Record Reference(s) PSWSRPPLTDEFN
 PSWSRPPLTLANG

PTWSRP_PLTDISPNAME

Default Label Portlet Display Name
 Length 64
 Type Character
 Format Mixedcase

Record Reference(s) PSWSRPPLTDEFN
 PSWSRPPLTLANG

PTWSRP_PLTHANDLE

Default Label Portlet Handle
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSWSRPCPHDEFN
 PSWSRPPLTDEFN

PTWSRP_PLTHANDLE1

Default Label Portlet Handle
 Length 1
 Type Character
 Format Mixedcase

Record Reference(s) PSWSRPCPHDEFN
 PSWSRPPLTDEFN

PTWSRP_PLTSHORTITL

Default Label Portlet Short Title
 Length 64



Type Character
Format Mixedcase

Record Reference(s) PSWSRPPLTDEFN
PSWSRPPLTLANG

PTWSRP_PLTTITLE

Default Label Portlet Title
Length 64
Type Character
Format Mixedcase

Record Reference(s) PSWSRPPLTDEFN
PSWSRPPLTLANG

PT_CTI_AGENTID

Default Label CTI Agent ID
Length 32
Type Character
Format Mixedcase

Record Reference(s) MCFCTIEVENTLOG
PT_CTI_AGENT

PT_CTI_AGENTSTATE

Default Label Agent State Mask
Length 10
Type Character
Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_APPNAME

Default Label CTI Application Name



Length 32
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_APPPASSWORD

Default Label CTI Application Password
Length 64
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_APPUSERNAME

Default Label Application User Name
Length 32
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_AGENT

PT_CTI_APPUSERPSWD

Default Label Application User Password
Length 64
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_AGENT

PT_CTI_CALLCONTROL

Default Label Call Control Mask
Length 10
Type Character



Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_CALLPROG

Default Label Call Progress Mask
Length 10
Type Character
Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_CALLVAR

Default Label Call Variable Mask
Length 10
Type Character
Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_CLIENTSIG

Default Label CTI Client Signature
Length 32
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_AGENT

PT_CTI_CONFIGID

Default Label Configuration ID
Length 4
Type Character
Format Uppercase

Record Reference(s) CTICONSOLETYPE



CTIREN
CTI_SYSREASON
PT_CTI_AGENT
PT_CTI_CONFIG
PT_CTI_PBKCTI

PT_CTI_CONFIGNAME

Default Label Configuration Name
Length 30
Type Character
Format Uppercase

Record Reference(s) CTIREN
PT_CTI_CONFIG

PT_CTI_DPURL

Default Label Default Screen Popup URL
Length 254
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_SYSCONF

PT_CTI_EXTNUM

Default Label Number of Extensions
Length 1
Type Number
Format Uppercase

Record Reference(s) CTIREN
PT_CTI_CONFIG

PT_CTI_EXTNUMONCON

Default Label Lines on Console



Length 1
Type Number
Format Uppercase

Record Reference(s) CTIREN
PT_CTI_CONFIG

PT_CTI_FLOATCONS_L

Default Label Floating Console Left
Length 3
Type Number
Format Uppercase

Record Reference(s) PT_CTI_AGENTGUI

PT_CTI_FLOATCONS_T

Default Label Floating Console Top
Length 3
Type Number
Format Uppercase

Record Reference(s) PT_CTI_AGENTGUI

PT_CTI_HEARTBEAT

Default Label Heartbeat
Length 4
Type Signed Number
Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_HOST

Default Label Host Name or IP Address
Length 64



Type Character
Format Mixedcase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_HOSTB

Default Label Secondary Host
Length 64
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_ISCME

Default Label Genesys Configuration Server
Length 3
Type Character
Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_ISDPURL

Default Label Use Default Screen Popup URL
Length 3
Type Character
Format Uppercase

Record Reference(s) PT_CTI_SYSCONF

PT_CTI_LINENUM

Default Label Number of Lines
Length 1
Type Number
Format Uppercase



Record Reference(s) CTIREN
PT_CTI_CONFIG

PT_CTI_OTHERFM
Default Label Other Feature Mask
Length 10
Type Character
Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_PASSWORD
Default Label Agent Password
Length 128
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_AGENT

PT_CTI_PERIPHERAL
Default Label Peripheral ID
Length 10
Type Character
Format 14

Record Reference(s) PT_CTI_CONFIG

PT_CTI_PHONENUMBER
Default Label Phone Number
Length 24
Type Character
Format 14

Record Reference(s) PT_CTI_PBKAGENT



Length 4
Type Number
Format Uppercase

Record Reference(s) PT_CTI_AGENTGUI

PT_CTI_POPWIND_L

Default Label Popup Window Left
Length 3
Type Number
Format Uppercase

Record Reference(s) PT_CTI_AGENTGUI

PT_CTI_POPWIND_T

Default Label Popup Window Top
Length 3
Type Number
Format Uppercase

Record Reference(s) PT_CTI_AGENTGUI

PT_CTI_POPWIND_W

Default Label Popup Window Width
Length 4
Type Number
Format Uppercase

Record Reference(s) PT_CTI_AGENTGUI

PT_CTI_PORT

Default Label Port Number
Length 5
Type Character
Format 14



Record Reference(s) PT_CTI_CONFIG

PT_CTI_PORTB

Default Label Secondary Port
 Length 5

 Type Character
 Format 14

Record Reference(s) PT_CTI_CONFIG

PT_CTI_PROTOCOL

Default Label CTI Server Protocol
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) PT_CTI_CONFIG

6 6

PT_CTI_QUEUE

Default Label Queue
 Length 6
 Type Character
 Format 14

Record Reference(s) PT_CTI_AGENT
 PT_CTI_QUEUE

PT_CTI_QUEUEDES

Default Label Queue Description
 Length 20
 Type Character
 Format Mixedcase



Record Reference(s) PT_CTI_QUEUE

PT_CTI_RBURL

Default Label Redirect Base URL
Length 254
Type Character
Format Mixedcase

Record Reference(s) PT_CTI_SYSCONF

PT_CTI_SERVICEREQ

Default Label Service Request Mask
Length 10
Type Character
Format Uppercase

Record Reference(s) PT_CTI_CONFIG

PT_CTI_SWITCHCD

Default Label Switch Code

Length 1
Type Character
Format Numbers Only

Record Reference(s) PT_CTI_SWITCH

PT_CTI_SWITCHDESCR

Default Label Switch Name
Length 15
Type Character
Format Numbers Only

Record Reference(s) PT_CTI_SWITCH



PT_IB_DOCSERVICEID

Default Label Document Service Id
Length 240
Type Character
Format Mixedcase

Record Reference(s) PSDOCUMENT

PT_PORTAL_PROFILE

Default Label Profile Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PTPP_OPTIONS

PT_PROPVALUE

Default Label Property Value

Length 254
Type Character
Format Mixedcase

Record Reference(s) PSWEBPROFDEF
PSWEBPROFNVP
PT_WEB_PROF_AET
PT_WEB_PROF_TAO

PUBCLASS

Default Label Class of publication
Length 30
Type Character
Format Uppercase

Record Reference(s) PSAPMSGARCHPH
PSAPMSGPUBHDR



PUBCONSTATUS

Default Label Publication Contract Status
Length 1
Type Number
Format Uppercase

Record Reference(s) PSAPMSGARCHPC
PSAPMSGPUBCON

PUBCON_TOTAL

Default Label Publication Contract Total
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIBPROFILEPUB

PUBCON_TRANSFORM

Default Label Outbound Transform
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIBPROFILEPUB

PUBDATAERRLOC

Default Label Publish Data Error Location
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSAPMSGPUBCERR
PSAPMSGPUBERR
PSAPMSGSUBCERR



PSIBLOGERR

PUBDATALONG

Default Label	Publication Data Chunk
Length	0
Type	Image
Format	Uppercase

Record Reference(s) PSIBLOGDATA
PSIBLOGDATAARCH

PUBID

Default Label	Publication Identifier
Length	11
Type	Signed Number
Format	7

Record Reference(s) APPMSGARCH_AET

EO_EIP_CTL
EO_EIP_ERR_AET
EO_EIP_MSG_ERR
EO_EIP_MSG_TAO2
EO_EIP_MSG_TAO3
EO_EIP_MSG_WL
MSF_PUBDATA_AET
PSAPMSGARCHPC
PSAPMSGARCHPD
PSAPMSGARCHPH
PSAPMSGARCHPT
PSAPMSGARCHSC
PSAPMSGARCHST
PSAPMSGARCHTMP
PSAPMSGCHUNKTBL
PSAPMSGPCONDATA
PSAPMSGPUBATTR
PSAPMSGPUBCERR
PSAPMSGPUBCERRP
PSAPMSGPUBCON
PSAPMSGPUBDATA



Record Reference(s) PUBLICATIONS

PUBLICATION_NAME

Default Label Publication Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) PUBLICATIONS

PUBLICATION_NBR

Default Label Publication Number
Length 3
Type Number
Format Uppercase

Record Reference(s) PUBLICATIONS

PUBLICATION_TITLE

Default Label Publication Title
Length 50
Type Character
Format Mixedcase

Record Reference(s) PUBLICATIONS

PUBLICATION_TYPE

Default Label Publication Type

Length 4
Type Character
Format Uppercase

Record Reference(s) PUBLICATIONS



ARTC	Article
BOOK	Book
PRES	Presentation
RECG	Recording
THES	Thesis
VIDE	Video

PUBLIC_PLACE_SW_UK

Default Label	Public Place
Length	1
Type	Character
Format	Uppercase

Record Reference(s) OHS501UK_TMP1

PUBLIC_PRIVATE

Default Label	Public/Private
Length	1
Type	Character
Format	Uppercase

Record Reference(s) SCHOOL_TBL
 STOCK_DTL
 Z_PRES_DOC_140

1	Public
2	Private

PUBLIC_SECTOR

Default Label	Education and Government
Length	1
Type	Character
Format	Uppercase

Record Reference(s) INSTALLATION

PUBLISHER



Default Label Publisher
Length 30
Type Character
Format Uppercase

Record Reference(s) PSAPMSGARCHPH
PSAPMSGPUBHDR
PSIBLOGHDR
PSIBLOGHDRARCH
PSIBMSGSCHEMA

PUBLISHTIMESTAMP

Default Label Pub/Sub Timestamp
Length 26
Type Datetime
Format 13

Record Reference(s) BN_SNAP_HIST
CO_ESV_FTP_HIST
PSAPMSGARCHPC
PSAPMSGARCHPH
PSAPMSGARCHSC
PSAPMSGPUBCON
PSAPMSGPUBHDR
PSAPMSGSUBCON
PSBATREPREQRES
PSIBBRKSLAVE
PSIBLOGHDR
PSIBLOGHDRARCH
PSIBPUBSLAVE
PSIBSUBSLAVE

PUBLISH_BASE_LANG

Default Label Publish Base Language
Length 1
Type Character
Format Uppercase



Record Reference(s) PUBLICATIONS

PUBNODE

Default Label Publishing Node
 Length 30

Type Character
 Format Uppercase

Record Reference(s) APPMSGARCH_AET

- EO_EIP_CTL
- EO_EIP_ERR_AET
- EO_EIP_MSG_ERR
- EO_EIP_MSG_TAO2
- EO_EIP_MSG_TAO3
- EO_EIP_MSG_WL
- MSF_PUBDATA_AET
- PSAPMSGARCHPC
- PSAPMSGARCHPD
- PSAPMSGARCHPH
- PSAPMSGARCHPT
- PSAPMSGARCHSC
- PSAPMSGARCHST
- PSAPMSGARCHTMP
- PSAPMSGCHUNKTBL
- PSAPMSGPCONDATA
- PSAPMSGPUBATTR
- PSAPMSGPUBCERR
- PSAPMSGPUBCERRP
- PSAPMSGPUBCON
- PSAPMSGPUBDATA
- PSAPMSGPUBERR
- PSAPMSGPUBERRP
- PSAPMSGPUBHDR
- PSAPMSGSCONDATA
- PSAPMSGSUBCERR
- PSAPMSGSUBCERRP
- PSAPMSGSUBCON
- PSBATREPPROFFLD
- PSBATREPPROFHDR
- PSBATREPPROFLNG



PSBATREPPROFMSG
PSBATREPPROFVAL
PSBATREPREQHDR
PSBATREPREQRES
PSIBBRKSLAVE
PSIBINFILERULE
PSIBLOGDATA
PSIBLOGDATAARCH
PSIBLOGERR
PSIBLOGERRP
PSIBLOGHDR
PSIBLOGHDRARCH
PSIBPROFILEASYN
PSIBPROFILEBRK
PSIBPROFILEPUB
PSIBFILESUB
PSIBFILESYNC
PSIBPUBSLAVE
PSIBSUBSLAVE
PSIB_INFILE_AET
PSMSFPUBDATA
PT_AMM_DUMMY
PT_EIP_MSG_ERR
PT_EIP_MSG_TAO2
PT_EIP_MSG_TAO3
PT_EIP_MSG_WL

PT_EIP_PUB_ERR
PT_EIP_PUB_TAO2
PT_EIP_PUB_TAO3
PT_EIP_PUB_WL
PT_EIP_SUB_ERR
PT_EIP_SUB_TAO2
PT_EIP_SUB_TAO3
PT_EIP_SUB_WL
PYTL1_STG_SUB
PYTL2_STG_SUB
PYTL_STG_SUB
RUNCTL_TLPY_PUB
TL_PAYREQ_AET
TL_TCD_EIP_ERR



PUBPROC

Default Label Publication Process
Length 30
Type Character
Format Uppercase

Record Reference(s) PSAPMSGARCHPH
PSAPMSGPUBHDR

PUBRETRYSEC

Default Label Publication Retry Seconds
Length 5
Type Number
Format 7

Record Reference(s) PSCHNLDEFN

PUBROUTINGTRAIL

Default Label Publication Routing Trail
Length 248
Type Character
Format Uppercase

Record Reference(s) PSAPMSGARCHPH
PSAPMSGPUBHDR
PSIBLOGHDR
PSIBLOGHDRARCH

PUBSTATUS

Default Label Publication Status
Length 1
Type Number
Format Uppercase

Record Reference(s) PSAPMSGARCHPH
PSAPMSGPUBHDR



PUBSUBDIRECTION

Default Label Pub / Sub Direction
Length 1
Type Number
Format Uppercase

Record Reference(s) PSCHNLNODE

PUBTIMEOUTMIN

Default Label Publication Time-out minutes
Length 5
Type Number
Format 7

Record Reference(s) PSCHNLDEFN

PUB_STATUS

Default Label Message Instance Status
Length 1
Type Character
Format Uppercase

Record Reference(s) AMM_FILTER

PUB_STATUS_PUBCON

Default Label Publication Contract Status
Length 1
Type Character
Format Uppercase

Record Reference(s) AMM_FILTER



PUB_STATUS_SUBCON

Default Label Subscription Contract Status
Length 1
Type Character
Format Uppercase

Record Reference(s) AMM_FILTER

PUB_SVC_LNG_CAN

Default Label Service to Public
Length 1
Type Character
Format Uppercase

Record Reference(s) PERS_OFFLNG_CAN

0 Not Applicable
1 English and French
2 English Only
3 French Only

PUNCCHARSET

Default Label Punctuation Character Set
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSFMTDEFN

PUNCH_BEGIN

Default Label Punch In
Length 26
Type Datetime
Format 13

Record Reference(s) TL_ATTENDANCE



TL_ATTEND_AET
 TL_ATTEND_HIST

PUNCH_COUNT

Default Label Count of Punch TR's in batch
 Length 12
 Type Number
 Format Uppercase

Record Reference(s) TL_TA_MAIN_AET

PUNCH_DTTM

Default Label Punch Date and Time
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) AUDIT_TLPCHTIME

- SCH_ADHOC_DTL
- SCH_ADHOC_RPT
- TL_PCHTSK_INTFC
- TL_PCH_DUR_WRK
- TL_PUNCH_ERR
- TL_PUNCH_INTFC
- TL_RAPID_PTIME
- TL_RAPID_TIME
- TL_RPTD_PCHTIME
- TL_RPT_SCHED
- TL_SCHEDULE_MSG
- TL_SCHED_TAO
- TL_ST_PCHTIME
- TL_ST_WORK_AET

PUNCH_IN

Default Label Punch In
 Length 26



Type Datetime
Format 13

Record Reference(s) TL_RUNCNTL_AET
TL_TA0006_AET

PUNCH_OUT

Default Label Punch out
Length 26
Type Datetime
Format 13

Record Reference(s) TL_RUNCNTL_AET
TL_TA0006_AET

PUNCH_TIME

Default Label Punch Time
Length 15
Type Time
Format 12

Record Reference(s) SCH_SHIFT_DTL
TL_RAPID_PTIME
TL_RAPID_TIME

PUNCH_TIME_FLAG

Default Label Punch Time
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT

PUNCH_TYPE

Default Label Punch Type



Length 2
 Type Character
 Format Uppercase

Record Reference(s) AUDIT_TLPCHTIME

- SCH_ADHOC_DTL
- SCH_ADHOC_RPT
- SCH_SHIFT_DTL
- TL_PCH_DUR_WRK
- TL_PUNCH_ERR
- TL_PUNCH_INTFC
- TL_RAPID_PTIME
- TL_RAPID_TIME
- TL_RPTD_PCHTIME
- TL_RPT_SCHED
- TL_SCHEDULE_MSG

- TL_SCHED_TAO
- TL_ST_PCHTIME
- TL_TMPLT_RULE

- 0 Elapsed
- 1 In
- 2 Out
- 3 Meal
- 4 Break
- 5 Transfer

PUNCH_TYPE_FLAG

Default Label Punch Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT

PURCHASE_DATE_MYS

Default Label Purchase Date
 Length 10
 Type Date



PURCHASE_FMV_MTHD

Default Label Purchase FMV Method
Length 10
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PLAN
ST_ESPP_PRC_AET

PURCHASE_ID

Default Label Purchase ID
Length 10
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

RUN_CNTL_ST
RUN_CNTL_ST_EMP
ST_ESPPMAIN_AET
ST_ESPP_CNF_AET
ST_ESPP_CVT_AET
ST_ESPP_MESSAGE
ST_ESPP_PRC_AET
ST_ESPP_PUR_AET
ST_ESPP_RFH_AET
ST_ESPP_UNC_AET
ST_PARTIC_AET
ST_PRCGRP_AET
ST_PURCHASE_CUR
ST_PURCHASE_TBL
ST_PURCH_CALNDR
ST_PUR_CUR_TAO
ST_PUR_GRP_TAO
ST_PUR_PRCGRP

PURCHASE_LIM_RULE

Default Label FMV interpretation
Length 1



Type Character
 Format Uppercase

Record Reference(s) STOCK_DTL
 ST_ESPP_PUR_AET

C Calendar Year
 Y Years Offering Outstanding

PURCHASE_PERIOD

Default Label Purchase Period Length
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) ST_ESPP_PLAN

PURCHASE_PRC_CALC

Default Label Calculated Purchase Price
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) ST_ESPP_PRC_AET
 ST_ESPP_PUR_AET
 ST_PURCHASE_PRC

PURCHASE_PRC_RULE

Default Label Purchase Price Rule
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_ESPP_PLAN
 ST_ESPP_PRC_AET

A Average Daily FMV in Purch Pd



G Grant FMV
 L Lower of Grant or Purchase FMV
 P Purchase FMV
 X User Defined

PURCHASE_PRICE

Default Label Purchase Price
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) ST_COMBINED_TMP
 ST_ESPP_PRC_AET
 ST_ESPP_PURCH
 ST_ESPP_PUR_AET
 ST_PURCHASES
 ST_PURCHASE_PRC
 ST_PURCHASE_TAO

PURCHASE_PRICE_MYS

Default Label Purchase Price
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) COMP_PROP_MYS

PURCHASE_PRORATE

Default Label Pro-Rate Purchase
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_ESPP_PLAN



PURCHASE_SHARE_LIM

Default Label Total Purchase Share Limit
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_ESPP_PLAN
ST_ESPP_PUR_AET

PURCHASE_TYPE

Default Label Purchase Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PUR_AET
ST_PURCHASE_TBL

A Anti-Dilution Purchase
S Standard Purchase

PURCHASE_VALUE_LIM

Default Label Purchase Value Limit
Length 16
Type Number
Format Uppercase

Record Reference(s) STOCK_DTL
ST_ESPP_PUR_AET
ST_GOVERN_BODY

PURCH_CONTRIB_LIM

Default Label Purchase Contribution Limit
Length 16
Type Number
Format Uppercase

Record Reference(s) ST_ESPP_PLAN



ST_ESPP_PUR_AET

PURCH_DISCOUNT_LIM

Default Label Percentage Discount Limit

Length 6
Type Number
Format Uppercase

Record Reference(s) ST_GOVERN_BODY

PURCH_GRANT_VALUE

Default Label Grant Value
Length 19
Type Number
Format Uppercase

Record Reference(s) ST_PURCHASE_TAO
ST_PUR_CNTR_TAO

PURCH_GRNT_VAL_LIM

Default Label Purchase Grant Value Limit
Length 16
Type Number
Format Uppercase

Record Reference(s) ST_ESPP_PLAN
ST_ESPP_PUR_AET

PURCH_PRC_NO_DISC

Default Label Price without Discount
Length 19
Type Number
Format Uppercase



Type Date
 Format Uppercase

Record Reference(s) DISCIPLIN_ACTN

PURGE_PRCES_OPTION

Default Label Purge Process Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPIT_DM10_RUNCL
 RUN_CNTL_HR
 RUN_ILL_HR_NLD

- 1 Print and Process
- 2 Process Only
- 3 Print Only

PURPOSE1

Default Label Purpose 1
 Length 35
 Type Character
 Format Uppercase

Record Reference(s) GP_UPG_RCP_AET
 UPG_GP_AET

PURPOSE2

Default Label Purpose 2
 Length 35
 Type Character
 Format Uppercase

Record Reference(s) GP_UPG_RCP_AET
 UPG_GP_AET



ER	eRecruit Interface
EX	Expense Interface
OT	Other Sources
RP	Rapid Paysheets
SP	Stock Admin - ESPP Refunds
ST	Stock Admin - Options & ESSP
VC	Variable Compensation
WI	What-If

PU_TXN_STATUS

Default Label	Paysheet Update Tax Status
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PSHUPD_RUNCTL
	PSHUP_TXN
	PSHUP_TXN_AET
	ST_PSHUP_AET
	WRK_PSHUP_TXN

A	Active
I	Inactive

PU_TXN_TYPE

Default Label	Paysheet Update Tax Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PSHUP_TXN
	PSHUP_TXN_AET
	ST_PSHUP_AET
	WRK_PSHUP_TXN

C	Canada Tax Override
D	Deduction Override
E	Earnings
G	Total Gross



N Net Pay
 O Override
 T US Tax Override

PV_ADM_BRA

Default Label PV Administration
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

PYCYCL_SECURITY

Default Label Pay Cycle Security
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION_FS

PYE_APPL_IND

Default Label Payee Apply Override Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_OVRD
 GP_PYE_OVRD

PYE_CALC_STAT

Default Label Calculation Status
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GPES_PSLIP_TMP



GPES_PSLP_S_PYE
 GPFR_PS_GUI_TMP
 GPFR_PS_SEG_TMP
 GPFR_PYSL_AET
 GPFR_P_SLIP_TMP
 GPNL_PSLIP_AET
 GPNL_PSLIP_TMP
 GPNL_PS_GUI_TMP
 GPNL_PS_SEG_TMP
 GPNL_RC_PS_EE
 GPXPYE_SEG_STAT
 GP_PYE_RCLC_WRK
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP
 GP_PYE_STAT_WRK

GP_SEG_WRK

- 00 Identified
- 02 Calculation Error
- 03 Calculation Error - Bypassed
- 04 Calculation Error - By Rule
- 05 Deleted by Process
- 50 Calculation Successful
- 51 Has No Payment
- 55 Frozen For Further Calc
- 60 Approved
- 65 Approved - With Banking
- 70 Finalized
- 75 Finalized - With Banking

PYE_PRC_IND

Default Label Process Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPXPYE_PRC_STAT
 GP_HST_WRK
 GP_PYE_PRC_STAT
 GP_TL_TRG_WRK



A	Approve
C	Cancel
F	Freeze
N	Normal
R	Re-Calculate
S	Suspend
U	Uncancel
W	Unfreeze

PYE_RCDN_KEY_IND

Default Label Accumulator Level
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ACCUMULATOR
 GP_AUTOGEN_DFLT

N	Employee Level
Y	Job Level

PYE_RUN_NUM

Default Label Payee Run Number
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) GPAU_ABSADV_SEG
 GPNZ_ABSADV_SEG
 GP_ABSEVT_SGPAU
 GP_ABSEVT_SGPNZ
 GP_ABS_EVENT
 GP_PYE_RUN_DTL

PYE_SELECT_OPTN

Default Label Payee Selection Option
 Length 1
 Type Character



Format Uppercase

Record Reference(s) GP_AUTO_CAL
GP_AUTO_CAL_AET
GP_CALENDAR

A Active Payees
L Listed Payees

PYE_SELECT_PI_IND

Default Label Payees with Positive Input
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTO_CAL
GP_AUTO_CAL_AET
GP_CALENDAR

PYE_SELECT_RTO_IND

Default Label Payees having Retro Triggers
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTO_CAL
GP_AUTO_CAL_AET
GP_CALENDAR

PYGRP_LIST_OPTION

Default Label Calendar List Option
Length 1
Type Character
Format Uppercase

Record Reference(s) GPMX_RC_PAYRSL
GP_RUNCTL_SQR



- 1 All Pay Groups & Payees
- 2 Select Pay Groups
- 3 Select Payees

PYMNT_CNT_MAX

Default Label Max payment count
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

PYMNT_CNT_TOTAL

Default Label Total Payment Count
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) VOUCHER
 VOUCHER_STG

PYMNT_DELAY_DAYS

Default Label Payment Delay Days
 Length 5
 Type Signed Number
 Format Uppercase

Record Reference(s) VENDOR_PAY
 VENDOR_PAY_TMP

PYMNT_GROUP_CD

Default Label Pay Group Code
 Length 2
 Type Character



Format Uppercase

Record Reference(s) VENDOR_PAY
VENDOR_PAY_TMP

PYMNT_HANDLING_CD

Default Label Payment Handling
Length 2
Type Character
Format Uppercase

Record Reference(s) VENDOR_PAY
VENDOR_PAY_TMP

HD High Dollar Payment
IN Internal Distribution
PO Route to Purchasing
RE Regular Payments

PYMNT_HOLD

Default Label Hold Payments
Length 1
Type Character
Format Uppercase

Record Reference(s) VENDOR_PAY
VENDOR_PAY_TMP

PYMNT_METHOD

Default Label Payment Method
Length 3
Type Character
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL
PYMNT_METHOD_TB
PYMNT_MTHD_LNG



Record Reference(s) CCUTSTVCH_TEO1
CCUTSTVCH_TEO2
CCUTSTVCH_TEO3
CCU_TST_VCH_TBL

PYMNT_RATE_MULT

Default Label Payment Exchange Rate Mult
Length 16
Type Number
Format Uppercase

Record Reference(s) CCUTSTVCH_TEO1
CCUTSTVCH_TEO2
CCUTSTVCH_TEO3
CCU_TST_VCH_TBL

PYMNT_SEPARATE

Default Label Separate Payment
Length 1
Type Character
Format Uppercase

Record Reference(s) VENDOR_PAY
VENDOR_PAY_TMP

PYMNT_TERMS_CD

Default Label Payment Terms ID
Length 5
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP
VOUCHER
VOUCHER_STG



GPNL_RC_PS_EE
 GPXCAL_RUN_DTL
 GPXPYE_PRC_STAT
 GP_CALENDAR
 GP_CAL_RUN_DTL
 GP_GENRPT_AET
 GP_GENRPT_TMP
 GP_HST_WRK
 GP_NEW_RTO_WRK
 GP_OLD_RTO_WRK
 GP_PYE_PRC_STAT
 GP_PYE_RUN

PYMT_FREQ

Default Label	Payment Frequency
Length	4
Type	Character
Format	Uppercase

Record Reference(s) PA_CLC_OFRM_AY

PA_DFN_FORMULA
 PA_RA_PAY_TRUST
 PA_RT_CALENDAR
 PA_RT_EMP_FORM
 PA_RT_PAY_DETL
 PA_RT_PAY_SCHED
 PA_RT_SUM_HDR
 PA_RUN_CNTL
 PA_TE_SPMT
 PA_TE_SUM_HDR

0	One Time Payment
1	Annual Payment
12	Monthly Payment
2	Semi-Annual
24	Semi-Monthly Payment
26	BiWeekly Payment
4	Quarterly

PYMT_FREQ_NM



Default Label Payment Frequency Name
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FORMULA

ANN Annual (1)
 BWK Bi-Weekly (26)
 LUMP Lump Sum (Single)
 MTH Monthly (12)
 QTR Quarterly (4)
 SANN Semi-Annual (2)
 SMTH Semi_monthly (24)

PYMT_KEY1

Default Label Payment Key#1
 Length 25
 Type Character
 Format Uppercase

Record Reference(s) GPBR_PAYMENT

GPDE_AL_DELTA
 GPES_PAYMENT
 GPES_PMT_AET
 GPES_PSLIP_TMP
 GPES_PSLP_S_PYE
 GPFR_ILL_AET
 GPFR_PAYMENT
 GPFR_PMT_AET
 GPFR_PS_GUI_TMP
 GPFR_PS_SEG_TMP
 GPFR_PYSL_AET
 GPFR_P_SLIP_TMP
 GPGB_PAYMENT
 GPMX_PAYMENT
 GPMX_PMT_AET
 GPNL_GUI_TMP
 GPNL_PAYMENT
 GPNL_PMT_AET
 GPNL_PSLIP_AET



GPNL_PSLIP_TMP
 GPNL_PS_GUI_TMP
 GPNL_PS_SEG_TMP
 GPNL_RC_PS_EE
 GPNL_SEG_TMP
 GPXPYE_SEG_STAT
 GP_NET_PAY1_TMP
 GP_NET_PAY2_TMP
 GP_NET_PAY3_TMP
 GP_PAYMENT
 GP_PAYMENT2_TMP
 GP_PAYMENT_TMP
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP
 GP_RSLT_DELTA
 GP_SEG_WRK

PYMT_KEY2

Default Label	Payment Key#2
Length	25
Type	Character
Format	Uppercase

Record Reference(s) GPBR_PAYMENT

GPDE_AL_DELTA
 GPES_PAYMENT
 GPES_PMT_AET
 GPES_PSLIP_TMP
 GPES_PSLP_S_PYE
 GPFR_ILL_AET
 GPFR_PAYMENT
 GPFR_PMT_AET
 GPFR_PS_GUI_TMP
 GPFR_PS_SEG_TMP
 GPFR_PYSL_AET
 GPFR_P_SLIP_TMP
 GPGB_PAYMENT
 GPMX_PAYMENT
 GPMX_PMT_AET
 GPNL_GUI_TMP



GPNL_PAYMENT
 GPNL_PMT_AET
 GPNL_PSLIP_AET
 GPNL_PSLIP_TMP
 GPNL_PS_GUI_TMP
 GPNL_PS_SEG_TMP
 GPNL_RC_PS_EE
 GPNL_SEG_TMP
 GPXPYE_SEG_STAT
 GP_NET_PAY1_TMP
 GP_NET_PAY2_TMP
 GP_NET_PAY3_TMP
 GP_PAYMENT
 GP_PAYMENT2_TMP
 GP_PAYMENT_TMP
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP
 GP_RSLT_DELTA
 GP_SEG_WRK

PYMT_KEY3

Default Label	Payment Key#3
Length	25
Type	Character
Format	Uppercase

Record Reference(s) GPBR_PAYMENT

GPDE_AL_DELTA
 GPES_PAYMENT
 GPES_PMT_AET
 GPES_PSLIP_TMP
 GPES_PSLP_S_PYE
 GPFR_ILL_AET
 GPFR_PAYMENT
 GPFR_PMT_AET
 GPFR_PS_GUI_TMP

 GPFR_PS_SEG_TMP
 GPFR_PYSL_AET
 GPFR_P_SLIP_TMP
 GPGB_PAYMENT



GPMX_PAYMENT
 GPMX_PMT_AET
 GPNL_GUI_TMP
 GPNL_PAYMENT
 GPNL_PMT_AET
 GPNL_PSLIP_AET
 GPNL_PSLIP_TMP
 GPNL_PS_GUI_TMP
 GPNL_PS_SEG_TMP
 GPNL_RC_PS_EE
 GPNL_SEG_TMP
 GPXPYE_SEG_STAT
 GP_NET_PAY1_TMP
 GP_NET_PAY2_TMP
 GP_NET_PAY3_TMP
 GP_PAYMENT
 GP_PAYMENT2_TMP
 GP_PAYMENT_TMP
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP
 GP_RSLT_DELTA
 GP_SEG_WRK

PYMT_KEY4

Default Label	Payment Key#4
Length	25
Type	Character
Format	Uppercase

Record Reference(s) GPBR_PAYMENT

GPDE_AL_DELTA
 GPES_PAYMENT
 GPES_PMT_AET
 GPES_PSLIP_TMP
 GPES_PSLP_S_PYE
 GPFR_ILL_AET
 GPFR_PAYMENT
 GPFR_PMT_AET
 GPFR_PS_GUI_TMP
 GPFR_PS_SEG_TMP
 GPFR_PYSL_AET



PYRE_PB_VALID

Default Label	Validate on Save
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PYRE_HEADER

PYRE_TMPLT_ID

Default Label	Template ID
Length	15
Type	Character
Format	Uppercase

Record Reference(s) PYRE_DETAIL

PYRE_HEADER
 PYRE_INVALID
 PYRE_RUNID_HDR
 PYRE_TEMPLATE
 PYRE_TMPLT_LNG
 PYRE_VALID_AET

PYRE_TMPLT_TYPE

Default Label	Template Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PYRE_DETAIL

PYRE_HEADER
 PYRE_INVALID
 PYRE_RUNID_HDR
 PYRE_TEMPLATE
 PYRE_TMPLT_LNG
 PYRE_VALID_AET

A Amount



B Hours or Amounts
 H Hours

PY_ANN_CONTRIB

Default Label Employee Contribution (Annual)
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

PY_FBT_METHOD

Default Label FBT Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

E External Property
 N In-house Property - Non-retail
 R In-house Property - Retail

PY_LDTL_DATETIME

Default Label Load Process Date && Time
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PY_LDTL_TBL

PY_LDTL_TASK_FLD

Default Label T&&L Elements to Paysheets
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PY_PAYGRP_TASK

A	Account Code
B	Business Unit
D	Department
J	Job Code
L	Locality
P	Position Number
S	State

PY_SELL_PRICE

Default Label	Lowest Selling Price (Annual)
Length	16
Type	Number
Format	Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

PY_VAL_CODE

Default Label	Prior Year Val Code
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_EMP_VAL
 PA_PEN_VAL_MTX

A	Active
B	Both (Inactive and Active)
D	Done (no liability remaining)
I	Inactive
N	No Record Exist

PY_VAL_DATE

Default Label	Prior Actuarial Valuation Date
Length	10
Type	Date



QASINSTANCEID

Default Label Instance ID
Length 20
Type Character
Format Uppercase

Record Reference(s) PSQASFIELDS
PSQASPROMPTS
PSQASRUN

QASISPUBLIC

Default Label Is Public Query
Length 1
Type Number
Format Uppercase

Record Reference(s) PSQASRUN

QASMAXROWS

Default Label Max Rows to Return
Length 10
Type Number
Format Uppercase

Record Reference(s) PSQASRUN

QASNUMCOLS

Default Label Number of Columns
Length 10
Type Number
Format Uppercase

Record Reference(s) PSQASRUN



QASPROMPTVALUE

Default Label Prompt Value
Length 254
Type Character
Format Uppercase

Record Reference(s) PSQASPROMPTS

QASSTATUS

Default Label Status of Execution
Length 1
Type Character
Format Uppercase

Record Reference(s) PSQASRUN

QASTOTALBLOCKS

Default Label Total Number of Blocks
Length 12
Type Number
Format Uppercase

Record Reference(s) PSQASRUN

QASTOTALBYTES

Default Label Total Number of bytes
Length 12
Type Number
Format Uppercase

Record Reference(s) PSQASRUN



QASTOTALROWS

Default Label Total Number of Rows
Length 12
Type Number
Format Uppercase

Record Reference(s) PSQASRUN

QASUNIQUENAME

Default Label Unique Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSQASFIELDS
PSQASPROMPTS

QAS_RESULT_PATH

Default Label QAS Results Path
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSQASCONFIG

QBINDING

Default Label binding Qualifier
Length 20
Type Character
Format Mixedcase

Record Reference(s) PSWSENDPOINT

QDRO_AMOUNT



Default Label QDRO Dollar Amount
Length 13
Type Number
Format Uppercase

Record Reference(s) PA_QDRODAT

QDRO_DOC_DT

Default Label Date a QDRO document sent/recv
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_QDRO_COM
PA_QDRO_COMNOTE

QDRO_ID

Default Label QDRO ID
Length 11
Type Character
Format Uppercase

Record Reference(s) PA_QDROCOM
PA_QDRODAT
PA_QDROSTA
PA_QDRO_COM
PA_QDRO_COMNOTE

QDRO_ISSUE_DT

Default Label Date Issued
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_QDRODAT



QDRO_JOINED_DT

Default Label Date Joined
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_QDRODAT

QDRO_OFFSET_DT

Default Label Offset Payout Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_QDRODAT

QDRO_STATUS

Default Label QDRO Status
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_QDROSTA

G	Grace Period Expired
N	Not Qualified
O	Other
P	Pending
Q	Qualified
S	Subpoena

QDRO_STATUS_DT

Default Label QDRO Status Date
Length 10
Type Date
Format Uppercase



Record Reference(s) PA_QDROSTA

QEI_EE_PREMIUM_PCT

Default Label Employee Premium Percent
Length 8
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

QEI_ER_RT

Default Label Quebec EI Employer Rate
Length 6
Type Number
Format Uppercase

Record Reference(s) WAGELS_PLAN_TBL

QEI_MAX_AGE

Default Label Maximum Age
Length 3
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

QEI_MAX_ANNL_EARNS

Default Label Max Annual Insurable Earnings
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL



QEI_MIN_WKLY_HOURS

Default Label Minimum Hours Per Week
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

QEI_PCT_MAX_EARNS

Default Label % of Max Insurable Earnings
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

QEI_STD_ER_PREM_RT

Default Label Quebec EI Employer Rate
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

QIT_ADDL_AMT

Default Label QIT Additional Amount
Length 8
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA



QIT_ADDL_PCT

Default Label QIT Additional Percentage
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QIT_ANNUAL_COMM

Default Label MR19-CV Estsimated Commissions
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QIT_ANNUAL_EXP

Default Label MR19-CV Estimated Expenses
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QIT_CUM_TX_CREDIT

Default Label Cumulative Net Claim Credit Rt
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_TBL

QIT_EFFECT

Default Label Effect on QIT Gross



Length 1
 Type Character
 Format Uppercase

Record Reference(s) DEDUCTION_CLASS

A Adds To
 N No Effect
 S Subtracts From

QIT_H_DED_MAX
 Default Label Deduction for Employment Max
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_TBL

QIT_H_DED_RT
 Default Label Deduction for Employment Rate
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_TBL

QIT_I1
 Default Label Annual Taxable Income (I1)
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_QITRATE

QIT_K1



Default Label Provincial Constant (K1)
Length 8
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_QITRATE

QIT_NET_CLAIM_AMT

Default Label QIT Net Claim Amount
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QIT_OTHER_DEDUCTS

Default Label QIT Other Deductions
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QIT_PRESCR_AREA

Default Label QIT Prescribed Area
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QIT_R1

Default Label Provincial Tax Crdt Factor(R1)
Length 8



Type Number
Format Uppercase

Record Reference(s) CAN_TAX_QITRATE

QIT_SPECIAL_LTRS

Default Label QIT Special Letters
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QIT_T

Default Label Taxation Rate (T)
Length 6
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_QITRATE

QIT_TAX_CREDITS

Default Label QIT Other Tax Credits
Length 10
Type Number
Format Uppercase

Record Reference(s) CAN_TAX_DATA

QJSA_IND

Default Label Qualified Joint && Survivor
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_CLC_OFRM_AY
 PA_DFN_OPT_FORM
 N
 Y Qualified Joint and Survivor

QPORTTYPE
 Default Label portType Qualifier
 Length 20
 Type Character
 Format Mixedcase

Record Reference(s) PSWSBINDOPS

QPP_BASIC_EXEM
 Default Label Basic Annual Exemption Amount
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_TBL

QPP_EE_PCT
 Default Label Employee Contribution Percent
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_TBL

QPP_EFFECT
 Default Label Effect on QPP Gross
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) DEDUCTION_CLASS

A Adds To
 N No Effect
 S Subtracts From

QPP_MAX_AGE
 Default Label Maximum Age
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_TBL

QPP_MAX_EARNS
 Default Label Max Annl Pensionable Earnings
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_TBL

QPP_MIN_AGE
 Default Label Minimum Age
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) CAN_TAX_TBL

QRYAPPROVED
 Default Label Approved
 Length 1
 Type Character



Format Uppercase

Record Reference(s) PSQRYDEFN

QRYAUTOJOIN

Default Label Enable Auto Join
Length 1
Type Character
Format Uppercase

Record Reference(s) PSQRYPREFS

QRYDISABLED

Default Label Query Disabled
Length 1
Type Character
Format Uppercase

Record Reference(s) PSQRYDEFN

N No
Y Yes

QRYDISTINCT

Default Label Distinct
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYSELECT

QRYDOMAINID

Default Label Domain ID
Length 32



Type Character
 Format Uppercase

Record Reference(s) PSQRYTRANS

QRYENDTIME

Default Label Timeout End Time
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PSQRYTRANS

QRYFLDNAME

Default Label Source Field
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) ANL_MOD_DIM_FLD
 DIM_INPUT_FLD
 PSQRYFIELD
 PSQRYFIELDLANG

QRYFOLDER

Default Label Query Folder
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) PSQRYDEFN

QRYMACHINENAME

Default Label Machine Name
 Length 32



Type Character
 Format Uppercase

Record Reference(s) PSQRYTRANS

QRYNAME

Default Label Query Name

Length 30
 Type Character
 Format Uppercase

Record Reference(s) AE_GB_AET

- ANL_DB_QRY_ESS
- ANL_MOD_DAT_SRC
- ANL_MOD_DIM_FLD
- DIM_DATA_SRC
- DIM_INPUT_FLD
- FIXEDEXPR_TAO
- GB_GROUP_TBL
- GB_MERGEVAL_TBL
- GB_MERGE_TBL
- HOLDEXPKEYS_TAO
- PSMSGAGTDEFN
- PSQASRUN
- PSQRYBIND
- PSQRYBINDLANG
- PSQRYCRITERIA
- PSQRYDEFN
- PSQRYDEFNLANG
- PSQRYDEL
- PSQRYEXECLOG
- PSQRYEXPR
- PSQRYFAVORITES
- PSQRYFIELD
- PSQRYFIELDLANG
- PSQRYLINK
- PSQRYRECORD
- PSQRYSELECT
- PSQRYSTATS
- PSQRYTRANS



PSROLEDEFN
 QRY_DUP_HD_AET
 QUERY_RUN_CNTRL
 UPGQRYEXPR_AET

QRYNAMECHILD

Default Label Query Child Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSQRYLINK

QRYNAMESTYLE

Default Label Name Style
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PSQRYPREFS

D Description Only
 N Name and Description

QRYNAME_SEC

Default Label Query Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSROLEDEFN

QRYOJSELNUM

Default Label Outer Join Select Number
 Length 2



Record Reference(s) PSQRYFLAGS

N	No
Y	Yes

QRYTIMEOUT

Default Label Enable Query Timeout
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSQRYFLAGS

N	No
Y	Yes

QRYTYPE

Default Label Query Type
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSQRYDEFN
 QUERY_RUN_CNTRL

QRYVALID

Default Label Valid Query
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSQRYDEFN

QRY_ADM_AUTOPRIV

Default Label Auto-approve Private Queries



Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADM_AUTOPUBLIC

Default Label Flag to approve public queries
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADM_LIMUNAPPRV

Default Label Limit number of rows for U Qry
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADM_UNAPP_ROWS

Default Label Maximum Run Time in Seconds
Length 4
Type Number
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADV_ANY_JOIN

Default Label Allow use of 'Any Join'
Length 1
Type Character



Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADV_DISTINCT

Default Label Allow use of Distinct
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADV_EXPR

Default Label Allow use of Expressions
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADV_SUBQUERY

Default Label Allow use of Subquery/Exists
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_ADV_UNION

Default Label Allow use of Union
Length 1
Type Character
Format Uppercase



Record Reference(s) SCRTY_QUERY

QRY_CREATE_PUBLIC

Default Label Allow create of Public Queries
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_CREATE_WFLOW

Default Label Allow create of Workflow Query
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_MAX_FETCH

Default Label Maximum Rows Fetched
Length 5
Type Number
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_MAX_IN_TREE

Default Label Maximum 'In Tree' Criteria
Length 1
Type Number
Format Uppercase

Record Reference(s) SCRTY_QUERY



QRY_MAX_JOINS

Default Label Maximum Joins Allowed
Length 1
Type Number
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_MAX_RUN

Default Label Maximum Run Time in Minutes
Length 4
Type Number
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_OUT_CRYSTAL

Default Label Run to Crystal
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_OUT_LISTBOX

Default Label Run
Length 1
Type Character
Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_OUT_NVISION



Default Label Run to Excel
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SCRTY_QUERY

QRY_RUN_ONLY

Default Label Only Allowed to run Queries
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SCRTY_QUERY

QSPACE

Default Label QNamespace
 Length 20
 Type Character
 Format Mixedcase

Record Reference(s) PSATTRIBUTE

QSTN_SET_ID

Default Label Question Set ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) ER_QSTNSET_QSTN
 ER_QSTN_SET_LNG
 ER_QSTN_SET_TBL

QTD_AMT_IND



Default Label QTD Amount Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

QTD_AMT_IND_FSCL

Default Label QTD Amount Indicator -- Fiscal
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

QTD_AMT_SFX

Default Label QTD Amount Suffix
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

QTD_AMT_SFX_FSCL

Default Label QTD Amount Suffix -- Fiscal
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

QTD_UNIT_IND

Default Label QTD Unit Indicator
Length 1
Type Character



Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

QTD_UNIT_IND_FSC

Default Label QTD Amount Indicator -- Fiscal
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

QTD_UNIT_SFX

Default Label QTD Unit Suffix
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

QTD_UNIT_SFX_FSC

Default Label QTD Unit Suffix -- Fiscal
Length 5
Type Character
Format Uppercase

Record Reference(s) GP_SUFFIX

QTR1_AMT

Default Label Quarter1 Amount
Length 13
Type Signed Number
Format Uppercase



Record Reference(s) RC_US_YE

QTR2_AMT

Default Label Quarter2 Amount
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_US_YE

QTR3_AMT

Default Label Quarter3 Amount
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_US_YE

QTR4_AMT

Default Label Quarter4 Amount
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_US_YE

QTRLY_WAGES

Default Label Quarterly Wages
Length 14
Type Signed Number
Format Uppercase

Record Reference(s) R_TAX004



QTY1

Default Label Quantity 1
Length 7
Type Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY1_PNLFIELD

Default Label Qty1 Panelfield
Length 35
Type Character
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY2

Default Label Quantity 2
Length 7
Type Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY2_PNLFIELD

Default Label Qty2 Field
Length 35
Type Character
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY3



Default Label Quantity 3
Length 7
Type Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY3_PNLFIELD

Default Label Qty3 Field
Length 35
Type Character
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY4

Default Label Quantity 4
Length 7
Type Number
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY4_PNLFIELD

Default Label Qty4 Field
Length 35
Type Character
Format Uppercase

Record Reference(s) APPR_VA2_WRK

QTY5

Default Label Quantity 5
Length 7



PSPACKAGELANG
 PTPPB_DATATYPE
 PTPPB_DISP_FRMT
 PTPPB_TXFRMTYPE

QUALIFY_LENGTH

Default Label Qualifying Length
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CAR_PLAN_TBL
 ER_AM_REQ_TBL
 ER_AUTOMTCH_AET
 ER_AUTOMTCH_TBL

D Days
 M Months
 W Weeks
 Y Years

QUALIFY_PD

Default Label Qualifying Period
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) CAR_PLAN_TBL

QUALITYOFSERVICE

Default Label Quality of Service
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSCHNLDEFN



QUANTITY

Default Label Quantity
Length 3
Type Number
Format Uppercase

Record Reference(s) CRSE_SESSN_COST
 CRSE_SESS_EQUIP
 TRAINING013_AET
 TRN_EQUIP_COST
 TRN_EXPNS_COST
 TRN_FACIL_EQUIP
 TRN_ROOM_EQUIP

QUANTITY_TMP

Default Label Quantity
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
 UPG_TL_AET

QUARTILE1

Default Label First Quartile
Length 4
Type Number
Format Uppercase

Record Reference(s) QUA_PCT_TBL_JPN

QUARTILE1_MAX

Default Label First Quartile Maximum
Length 4
Type Number



Format Uppercase

Record Reference(s) SAL_MATRIX_PCT

QUARTILE1_MIN

Default Label First Quartile Miminum
Length 4
Type Number
Format Uppercase

Record Reference(s) SAL_MATRIX_PCT

QUARTILE2

Default Label Second Quartile
Length 4
Type Number
Format Uppercase

Record Reference(s) QUA_PCT_TBL_JPN

QUARTILE2_MAX

Default Label Second Quartile Maximum
Length 4
Type Number
Format Uppercase

Record Reference(s) SAL_MATRIX_PCT

QUARTILE2_MIN

Default Label Second Quartile Minimum
Length 4
Type Number
Format Uppercase



Record Reference(s) SAL_MATRIX_PCT

QUARTILE3

Default Label Third Quartile
Length 4
Type Number
Format Uppercase

Record Reference(s) QUA_PCT_TBL_JPN

QUARTILE3_MAX

Default Label Third Quartile Maximum
Length 4
Type Number
Format Uppercase

Record Reference(s) SAL_MATRIX_PCT

QUARTILE3_MIN

Default Label Third Quartile Minimum
Length 4
Type Number
Format Uppercase

Record Reference(s) SAL_MATRIX_PCT

QUARTILE4

Default Label Fourth Quartile
Length 4
Type Number
Format Uppercase

Record Reference(s) QUA_PCT_TBL_JPN



QUARTILE4_MAX

Default Label Fourth Quartile Maximum
Length 4
Type Number
Format Uppercase

Record Reference(s) SAL_MATRIX_PCT

QUARTILE4_MIN

Default Label Fourth Quartile Minimum
Length 4
Type Number
Format Uppercase

Record Reference(s) SAL_MATRIX_PCT

QUEBEC_ID_NO

Default Label Quebec Identification Number
Length 16
Type Character
Format Uppercase

Record Reference(s) PQ_REPTNG_TBL

QUERYCRITERIA

Default Label Query Criteria
Length 0
Type Long Character
Format Uppercase

Record Reference(s) EO_IODEFN_CUR
PSIODEFN



QUESTION_ID

Default Label Question ID
Length 10
Type Character
Format Uppercase

Record Reference(s) ER_APP_ANSWERS
ER_APP_QUESTNS
ER_QSTNSET_QSTN
ER_QSTN_ANS_TBL
ER_QUESTION_LNG
ER_QUESTION_TBL
ER_REQ_ANSWERS
ER_REQ_QUESTNS

QUORUM

Default Label Quorum
Length 1
Type Character
Format Uppercase

Record Reference(s) ELECT_GROUP

QUOTE_METHOD_REQ

Default Label Quote Method Required
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_RATECALC_AET
EO_RATECALC_HDR

QUOTE_UNITS

Default Label Quote Units
Length 4
Type Number



Record Reference(s) TL_RLTNSHP_DEFN

R1F2

Default Label Join Fields 2
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN

R1F3

Default Label Join Fields 3
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN

R1F4

Default Label Join Fields 4
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN

R1F5

Default Label Join Fields 5
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN



R2CRTEXPNUM

Default Label Right2 Criteria Expression No.
Length 3
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYCRITERIA

R2CRTFLDNUM

Default Label Right2 Criteria Field Number
Length 3
Type Number
Format Uppercase

Record Reference(s) PSQRYCRITERIA

R2CRTSELNUM

Default Label Right2 Criteria Select Number
Length 2
Type Number
Format Uppercase

Record Reference(s) PSQRYCRITERIA

R2F1

Default Label Record 2 Field 1
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN



R2F2

Default Label Record 2 Field 2
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN

R2F3

Default Label Record 2 Field 3
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN

R2F4

Default Label Record 2 Field 4
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN

R2F5

Default Label Record 2 Field 5
Length 18
Type Character
Format Uppercase

Record Reference(s) TL_RLTNSHP_DEFN

RAIS_ESTAB_PRE_BRA



Default Label Establishment Prefix RAIS
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

RAIS_REASON_BRA

Default Label RAIS Action / Reason
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ACTN_REASON_BRA

- 0 Not Applicable
- 1 Hire - First Job
- 2 Hire - with Previous Job
- 3 Transfer w/charges to source
- 4 Transfer w/o charges to source
- 5 Rehire

RAIS_REP_TYPE_BRA

Default Label Legal Representative Type RAIS
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

- 1 Company
- 2 Employee
- 3 Non Employee

RAIS_RESP_ID_BRA

Default Label Responsible ID RAIS
 Length 10
 Type Character



Format Uppercase

Record Reference(s) PSTREESELECT02

RANGE_FROM_03

Default Label Range From
Length 3
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT03

RANGE_FROM_04

Default Label Range From
Length 4
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT04

RANGE_FROM_05

Default Label Range From
Length 5
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT05

RANGE_FROM_06

Default Label Range From
Length 6
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT06



RANGE_FROM_07

Default Label Range From
Length 7
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT07

RANGE_FROM_08

Default Label Range From
Length 8
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT08

RANGE_FROM_09

Default Label Range From
Length 9
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT09

RANGE_FROM_10

Default Label Range From
Length 10
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT10



RANGE_FROM_11

Default Label Range From
Length 11
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT11

RANGE_FROM_12

Default Label Range From
Length 12
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT12

RANGE_FROM_13

Default Label Range From
Length 13
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT13

RANGE_FROM_14

Default Label Range From

Length 14
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT14

RANGE_FROM_15



Default Label Range From
Length 15
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT15

RANGE_FROM_16

Default Label Range From
Length 16
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT16

RANGE_FROM_17

Default Label Range From
Length 17
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT17

RANGE_FROM_18

Default Label Range From
Length 18
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT18

RANGE_FROM_19

Default Label Range From
Length 19
Type Character



Record Reference(s) PSTREESELECT23

RANGE_FROM_24

Default Label Range From
Length 24
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT24

RANGE_FROM_25

Default Label Range From
Length 25
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT25

RANGE_FROM_26

Default Label Range From
Length 26
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT26

RANGE_FROM_27

Default Label Range From
Length 27
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT27



RANGE_FROM_28

Default Label Range From
Length 28
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT28

RANGE_FROM_29

Default Label Range From
Length 29
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT29

RANGE_FROM_30

Default Label Range From
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT30
TREE_MAINT_AET

RANGE_FROM_PREV

Default Label Range From
Length 30
Type Character
Format Uppercase

Record Reference(s) TREE_MAINT_AET



RANGE_IND_NLD

Default Label Range Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) POSTAL_TBL_NLD

RANGE_OF_DT_FLAG

Default Label Range of Dates
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_AGG_MAIN_AET

N Range of Dates Off
Y Range of Dates On

RANGE_TO

Default Label Range To
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTREELEAF
PSX_TREELEAF
TREE_MAINT_AET

RANGE_TO_01

Default Label Range To
Length 1
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT01



RANGE_TO_02

Default Label	Range To
Length	2
Type	Character
Format	Uppercase

Record Reference(s) PSTREESELECT02

RANGE_TO_03

Default Label	Range To
Length	3
Type	Character
Format	Uppercase

Record Reference(s) PSTREESELECT03

RANGE_TO_04

Default Label	Range To
Length	4
Type	Character
Format	Uppercase

Record Reference(s) PSTREESELECT04

RANGE_TO_05

Default Label	Range To
Length	5
Type	Character
Format	Uppercase

Record Reference(s) PSTREESELECT05



Length 10
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT10

RANGE_TO_11

Default Label Range To
Length 11
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT11

RANGE_TO_12

Default Label Range To
Length 12
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT12

RANGE_TO_13

Default Label Range To
Length 13
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT13

RANGE_TO_14

Default Label Range To
Length 14
Type Character
Format Uppercase



Record Reference(s) PSTREESELECT14

RANGE_TO_15

Default Label Range To
Length 15
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT15

RANGE_TO_16

Default Label Range To
Length 16

Type Character
Format Uppercase

Record Reference(s) PSTREESELECT16

RANGE_TO_17

Default Label Range To
Length 17
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT17

RANGE_TO_18

Default Label Range To
Length 18
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT18



RANGE_TO_19

Default Label Range To
Length 19
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT19

RANGE_TO_20

Default Label Range To
Length 20
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT20

RANGE_TO_21

Default Label Range To
Length 21
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT21

RANGE_TO_22

Default Label Range To
Length 22
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT22



RANGE_TO_23

Default Label Range To
Length 23
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT23

RANGE_TO_24

Default Label Range To
Length 24
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT24

RANGE_TO_25

Default Label Range To
Length 25
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT25

RANGE_TO_26

Default Label Range To
Length 26
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT26

RANGE_TO_27

Default Label Range To



Length 27
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT27

RANGE_TO_28

Default Label Range To
Length 28
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT28

RANGE_TO_29

Default Label Range To
Length 29
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT29

RANGE_TO_30

Default Label Range To
Length 30
Type Character
Format Uppercase

Record Reference(s) PSTREESELECT30

RANGE_TO_PREV

Default Label Range To
Length 30
Type Character



Format Uppercase

Record Reference(s) TREE_MAINT_AET

RANK

Default Label Force Ranking
Length 3
Type Number
Format Uppercase

Record Reference(s) CAREER_RANKING
 CAREER_RANK_TAO
 FGHR036_2_AET
 FGHR036_AET
 GVT_LVRUL_TMPLT
 SALARY_PLAN
 SUCCESSION_PLAN
 UPG_HR75_AET

RANKING_GROUP

Default Label Ranking Group
Length 3
Type Number
Format Uppercase

Record Reference(s) CAREER_RANKING
 CAREER_RANK_TAO
 UPG_HR75_AET

RANKING_GROUP_TYPE

Default Label Ranking Group Type
Length 1
Type Character
Format Uppercase

Record Reference(s) CAREER_RANKING



CAREER_RANK_TAO
UPG_HR75_AET

- D Department
- F Function
- J Jobcode
- M Manager Level
- O Other
- P Project Team
- W Work Group

RAPID_TMPLT_ID

Default Label Rapid Time Template
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) TL_RAPID_HEADER
 TL_RAPID_H_LANG
 TL_RPDTME_LANG
 TL_RPDTME_TMPLT

RAPID_UPDATE_FLAG

Default Label Session Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RAPID_HEADER

- 0 Not Submitted
- 1 Submitted to Reported Time
- 2 Submitted to Time Administrati
- 3 Need to Resubmit the Session

RATE

Default Label Rate
 Length 20
 Type Signed Number



Format Uppercase

Record Reference(s) FLSA_ADDL_DATA

- GP_TLPTM_WRK
- GP_TLTRC_WRK
- PYTL2_STG_SUB
- TC_EX_RT1_TAO
- TC_EX_RT_TAO

- TL_TRC_TBL
- TL_XREF_COSTS

RATECALC_RPT_TYPE

Default Label RateCalc Report Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EO_RATECALC_RPT

- C CrossRate
- R Reciprocal
- T Triangulated

RATE_AMOUNT

Default Label Rate Amount
 Length 9
 Type Signed Number
 Format Uppercase

Record Reference(s) BAS_EVENT_CLASS

- BAS_PARTIC_PLAN
- BEN_BI_ENR_EFDT
- GPGB_EE_OVERTIME
- GVT_ACCR_ADJ
- GVT_ACCR_LDGR

RATE_CODE_CLASS



Default Label Rate Code Class
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) COMP_RATECD_TBL
 LMS_AET
 LMS_BCOMP_TBL
 LMS_CATRAT_AET
 LMS_ENTRY_AET
 LMS_SENIOR_AET
 RATECD_CLS_LNG
 RATECD_CLS_TBL
 TC_AET
 TC_COMP_TMP
 TC_MAP_MCOMP
 TC_MCOP_TAO

RATE_CODE_CLASS1

Default Label Rate Code Class
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) LMS_INCREAS_AET
 LMS_PROMO_AET

RATE_CODE_FLAG

Default Label Is Rate Code Overridable?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VC_ALLOC_AET
 VC_FORM_LST_TAO
 VC_PAYFORM_TBL
 WP_FORMULA_AET
 WP_FORMULA_TBL



RATE_CODE_GROUP

Default Label	Rate Code Group Name
Length	6
Type	Character
Format	Uppercase

Record Reference(s) BP_COMPENSATION

- CALC_CHG_TAO1
- CALC_CHG_TAO4
- CALC_CHG_TAO5
- CALC_CHG_TAO6
- CALC_CHG_TAO7
- CMP006_TMP
- CMP006_TMP2
- CMP008_AET
- CMP008_TMP
- CMP008_TMP2
- CMP_RULE_RATECD
- COMPENSATION
- COMPENSATION_WS
- COMPENS_TAO
- COMPRT_GRP_LANG
- COMPRT_GRP_TBL
- COMPRT_GRP_TBL2
- FPAEEMPREMIUMHIS
- FPAEE_PREMIUM
- FPA_CI_COMP
- FPMJB_RATECODE
- FPMRK_RATECODE
- FP_COMPENSATION
- HR_CMP015_AFT_C
- HR_CMP015_BEF_C
- HR_PER501_AFT_C
- HR_PER501_BEF_C
- HR_SAL_CHG_COMP
- HR_SP_MER1_TAO
- HR_SP_MER2_TAO
- HR_SP_MER3_TAO
- JOBCD_COMP_RATE
- JOBCOMP_TMP_MC



LMS_AET
 LMS_ENTRY_AET
 LMS_INCREAS_AET

 LMS_PROMO_AET
 LMS_SENIOR_AET
 MERIT_GROUP_TBL
 MU_COMP_DATA
 PER501_TMP
 PER501_TMP1
 REVW_SCALE_TBL
 RUN_CNTL_HR
 SAL_PLAN_MC
 SAL_RATECD_TBL
 SP_MER_INCR_EE
 SP_MER_INCR_RNG
 SP_MER_INCR_TBL
 SP_UPDCOMP_TMP
 SS_DTL_SALCHANG
 STP06_JPN_TMP
 TC_COMP_TMP
 UPG_CO_SS_AET
 UPG_HR75_AET
 UPG_HRSCCMP_TAO
 UPG_SP_MC_TAO

RATE_CONV_DT

Default Label	Rate Conversion date
Length	4
Type	Character
Format	Uppercase

Record Reference(s) UPG_PY_AET

RATE_COST_FLAG

Default Label	Flag Indicating Rate or Cost
Length	1
Type	Character
Format	Uppercase



Record Reference(s) PYTL2_STG_SUB
 TL_XREF_COSTS
 C Cost
 R Rate

RATE_CUBE_CURR_AMT
 Default Label Rate Cube Curr Amount Field
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) ANL_DB_QRY_ESS

RATE_CUBE_CURR_CAT
 Default Label Rate Account Dim Field
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) ANL_DB_QRY_ESS

RATE_CUBE_CURR_NAM
 Default Label Rate Country Name Dim Field
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) ANL_DB_QRY_ESS

RATE_CUBE_CURR_TYP
 Default Label Rate Currency Type
 Length 30
 Type Character



Format Mixedcase

Record Reference(s) ANL_DB_QRY_ESS

RATE_CUBE_TIME

Default Label Rate Cube Time Dimension Field
Length 30
Type Character
Format Mixedcase

Record Reference(s) ANL_DB_QRY_ESS

RATE_CURR_DEF_CAT

Default Label Default Currency Category
Length 30
Type Character
Format Uppercase

Record Reference(s) ANL_DB_QRY_ESS

RATE_CURR_DEF_NAME

Default Label Default Currency Name
Length 30
Type Character
Format Uppercase

Record Reference(s) ANL_DB_QRY_ESS

RATE_DECIMALS

Default Label Rate Decimal Positions
Length 1
Type Number
Format Uppercase



Record Reference(s) CURR_QUOTE_TBL

RATE_DIRECT

Default Label Rate Quotation Basis
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CURR_QUOTE_TBL

D Direct
 I Indirect

RATE_DIV

Default Label Rate Divisor
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) CCUTSTHDR_TEO1

- CCUTSTHDR_TEO2
- CCUTSTHDR_TEO3
- CCUTSTHDR_TEOA
- CCUTSTLN_TEO1
- CCUTSTLN_TEO2
- CCUTSTLN_TEO3
- CCUTSTLN_TEOA
- CCUTSTSCH_TEO1
- CCUTSTSCH_TEO2
- CCUTSTSCH_TEO3
- CCUTSTSCH_TEOA
- CCUTSTVCH_TEO1
- CCUTSTVCH_TEO2
- CCUTSTVCH_TEO3
- CCUTSTVCH_TEOA
- CCU_TST_HDR_TBL
- CCU_TST_LN_TBL
- CCU_TST_SCH_TBL
- CCU_TST_VCH_TBL
- DISTRIB_LINE



Record Reference(s) EO_CURRENCY_AET
RUN_CNTL_CC_EO

RATE_FLAG

Default Label Rate Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET

RATE_GROUP_NAME

Default Label Description
Length 40
Type Character
Format Mixedcase

Record Reference(s) CAN_WCB_RT_GRP

RATE_MULT

Default Label Rate Multiplier
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) CCUTSTHDR_TEO1

CCUTSTHDR_TEO2
CCUTSTHDR_TEO3
CCUTSTHDR_TEOA
CCUTSTLN_TEO1

CCUTSTLN_TEO2
CCUTSTLN_TEO3
CCUTSTLN_TEOA
CCUTSTSCH_TEO1
CCUTSTSCH_TEO2
CCUTSTSCH_TEO3



RATE_OVR_FLAG

Default Label	Is rate overridable?
Length	1
Type	Character
Format	Uppercase

Record Reference(s) TL_TRC_TBL

RATE_PERCENT

Default Label	Rate Percent
Length	3
Type	Number
Format	Uppercase

Record Reference(s) BAS_EVENT_CLASS
 BAS_PARTIC_PLAN
 BEN_BI_ENR_EFDT

RATE_QUALIFIER

Default Label	Rate Qualifier
Length	1
Type	Character
Format	Uppercase

Record Reference(s) BAS_EVENT_CLASS
 BAS_PARTIC_PLAN
 BEN_BI_ENR_EFDT

E	Employee Rate
T	Total Rate

RATE_RSLT_VAL

Default Label	Rate Result Value
Length	20



Type Signed Number
 Format Uppercase

Record Reference(s) GPDE_AL_ERN_DED

- GPDE_BL
- GPDE_RP_AL01
- GPDE_RP_AL04
- GPDE_RP_AL05
- GPDE_RP_TX03
- GPDE_TA_EL_TMP
- GPES_PSLIP_TMP2
- GPES_PSLIP_TMP4
- GPFR_PS_ERN_TMP
- GPIN_PR_TMP2
- GPIN_PR_TMP3
- GPIT_DM10_AET
- GPIT_FCUD_T1
- GPIT_RP_AL01
- GPIT_RP_TX01
- GPIT_RP_TX02
- GPMY_PR_TMP2
- GPMY_PR_TMP3
- GPNL_PS_ERN_TMP
- GP_GENRPT_TMP2
- GP_RSLT_ERN_DED

RATE_TBL_ID

Default Label Rate Table ID
 Length 4

Type Character
 Format Uppercase

Record Reference(s) BEN_DEFN_COST

RATE_TRIANGULATE

Default Label Rate Triangulate
 Length 1
 Type Character



Format Uppercase

Record Reference(s) CURR_QUOTE_TBL

EO_RATECALC_AET
EO_RATECALC_HDR
EO_RATECALC_RPT
RUN_EO_RT_GEN
RUN_EO_RT_GEN_D

RATE_TYPE

Default Label Rate Type
Length 1
Type Character
Format Uppercase

Record Reference(s) BEN_DEFN_COST

- 1 Age Graded Table
- 2 Flat Rate Table
- 3 Salary Percent Table
- 4 Service Rate Table

RATE_UNIT

Default Label Rate per Unit
Length 1
Type Character
Format Uppercase

Record Reference(s) AGE_RATE_TBL

FLAT_RATE_TBL
SVC_RATE_TBL

- 1 None
- 2 Per Thousand
- 3 Per Hundred

RATE_USED

Default Label Rate Used
Length 1



Type Character
 Format Uppercase

Record Reference(s) OTH_EARNS_TAO

PAY_EARNINGS
 PAY_OTH_EARNS
 RETROPAY_EARNS

UPG_ERN_TAO
 WRK_EARNINGS
 WRK_OTH_EARNS

F FLSA Rate
 H Hourly Rate

RATING

Default Label Interview Rating
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ER_INTVW_TAO

1 Not Qualified
 2 Average
 3 Excellent

RATING_AREA

Default Label Rating Area
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) CRSE_SESS_RAREA
 CRSE_SESS_RATNG

CO Content
 FC Facility
 IN Instructors
 MA Materials
 PR Presentation



RATING_MODEL

Default Label	Rating Model
Length	4
Type	Character
Format	Uppercase

Record Reference(s) AMT04_JPN_TMP

- CMP_RULE_VALUES
- COMPETENCY_TBL
- EP_APPR
- EP_DEBUG_DTL
- EP_DESIRED_DIST
- EP_RPT_EXTR_AET
- EP_RPT_SUM_HDR
- HR_CMP052J2_AET
- PER062_TMP2_JPN
- RATING_MDL_LANG
- RATING_MDL_TBL
- REVV_RATING_LNG
- REVV_RATING_TBL
- REVV_SCALE_TBL
- RUNCTL_CMP007
- RUN_CNTL_CMP107
- SALINC_SIML_JPN

- SAL_AMT_TBL_JPN
- SAL_MATRIX_TBL
- SIM01_JPN_TMP
- SIM02_JPN_TMP
- SIMER_JPN_TMP
- SP_MER_APPR_TMP
- STEPINC_TBL_JPN
- STP03_JPN_TMP
- UPG_HR75_AET

RATING_RSN_REQD

Default Label	Reason Required
Length	1
Type	Character



Format Uppercase

Record Reference(s) ER_INT_EVL_RCMD

RATING_SCALE

Default Label Rating Scale
Length 4
Type Character
Format Uppercase

Record Reference(s) EMPLOYEE_REVIEW

GVT_PERF_PLAN
JOBCOMP_TMP_MC
JOB_TMP_MC
RE VW_FACTOR_TBL
RE VW_FCT_PT_TBL
RE VW_SCALE_LANG
RE VW_SCALE_TBL
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_HR75_AET
UPG_PY_JOB_TAO
Z_LC_RUNCTL
Z_PP_EE_RVW_HIS
Z_PP_EMP_REVIEW

RCDCOUNT

Default Label Record Count
Length 2
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYSELECT

RCDNUM

Default Label Record Number



Length 2
Type Number
Format Uppercase
Record Reference(s) PSQRYRECORD

RCD_ALIAS
Default Label Record Alias
Length 3
Type Character
Format Uppercase
Record Reference(s) EO_CCR_SEL_PATH

RCNTL_COMP_NAME
Default Label Run Control Component Name
Length 20
Type Character
Format Mixedcase
Record Reference(s) EO_CCMP_LANG
EO_CURRCNV_COMP

RCNTL_COMP_NBR
Default Label Run Control Component Number
Length 3
Type Number
Format Uppercase
Record Reference(s) EO_CCMP_LANG
EO_CCR_SEL_PATH
EO_CURRCNV_COMP
EO_SPATH_WH



RCPT_HRS_RATIO

Default Label YTD Empl Rcpt or Hrs Ratio
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) TIPS_ALLOC_EMPL
WRK_TIPS_ALLOC
WRK_TIPS_ALLOC2

RC_RECNAME

Default Label Run Control Recname
Length 15
Type Character
Format Uppercase

Record Reference(s) RPT_RQST

RDEDSQR_SORT

Default Label Sort Class for Retroded SQR
Length 1
Type Character
Format Uppercase

Record Reference(s) RDEDSQR_RUNCTL

E Employee ID
T Request Type

RD_ANN_CONTRIB

Default Label Employee Contribution (Annual)
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP



RD_COST_AMT

Default Label Cost (Annual)
Length 16
Type Number
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

RD_FBT_METHOD

Default Label FBT Method
Length 1
Type Character
Format Uppercase

Record Reference(s) PKG_MDL_BSE_CMP

E External
I In-house

READABLE

Default Label Readable by Optzn. Server?
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTREC

READINESS

Default Label Readiness Timeframe
Length 1
Type Character
Format Uppercase

Record Reference(s) CAREERPATH
SUCCESSION_PLAN



0	Ready Now
1	Ready in 1 to 2 Years
2	Ready in 3 to 5 Years
E	Ready in an Emergency
R	Retire in Current Position

READONCE

Default Label	Read once by the Optzn. Server
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PSOPTREC
---------------------	----------

READONLY

Default Label	Read Only
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	EO_EIP_CIF_TBL PSMPCONTDEV
---------------------	-------------------------------

READ_PROFICIENCY

Default Label	Reading Proficiency
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	COURSE_LANGUAGE UPG_HR75_AET
---------------------	---------------------------------

1	Low
2	Moderate
3	High



REAL_COURSE

Default Label Course Code
Length 7
Type Character
Format Uppercase

Record Reference(s) TN_ALCRSEVW_LNG
TRN_ALL_COURSE
TRN_ALL_CRSE_VW
TRN_CATALOG_TBL

REASON

Default Label Reason
Length 30

Type Character
Format Mixedcase

Record Reference(s) ABSENCE_HIST
ABS_HIST_LANG
EG_ADMIN_POSTS
GPCH_RP_0001
GPDE_RP_0001
GPGB_ABS_EVT_JR
GPIT_RP_0001
GPMX_IM14_TMP
GP_ACM_USER_ADJ
GVT_ACTN_PNLGRP
GVT_IRR_FIN_DTA
HR_NSZ_AET
HR_VIAPRIS_AET
R_PAY101CN
TL_PAYTIME_ERR
TL_PAYTIME_ERRF
WCB_IWJA_EC
WCB_IWJA_WD

REASON_CD

Default Label Reason Code



Length 10
 Type Character
 Format Uppercase

Record Reference(s) BD_JOB_TBL

REASON_DENIED

Default Label Reason Denied
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) FMLA_LV_REQUEST

- IH Insufficient Earned Hours
- IL Insufficient Leave Remaining
- IS Insufficient Service
- MC No Medical Certification
- NR Not a Covered Reason
- OP Second Opinion NonSupportive

REASON_DESCR

Default Label Reason for Unavailability
 Length 40
 Type Character
 Format Mixedcase

Record Reference(s) CAR_NOTINUSE
 Z_FLEXFUND_TBL

REASON_NOT_TAKEN

Default Label Reason Deduction Not Taken
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HP_PAYDEDUC_WK



PAY_DEDUCTION
WRK_DEDUCTION

- A Annual Limit Exceeded
- B Annual Limit Exceeded Rollover
- D Plan Limit Exceeded
- D 402(g) Limit Exceeded
- E Plan Limit Exceeded Rollover
- E 402(g) Limit Exceeded Rollover
- F 457 Limit Exceeded
- G 457 Limit Exceeded Rollover
- H HCE Limit Exceeded
- I HCE Limit Exceeded Rollover
- K 415 Limit Exceeded Rollover
- L 415 Limit Exceeded
- M Maximim Deduction Met
- N Not Enough Net Pay
- R Deductn Max Exceeded Rollover
- S Benefits Base Exceeded
- S 401(a) Limit Exceeded
- T Ben Base Exceeded Rollover
- T 401(a) Limit Exceeded Rollover
- U 403(b) Limit Exceeded
- V 403(b) Limit Exceeded Rollover
- W User Defined Limit Exceeded
- X User Defined Lmt Exceeded R/O
- Z Multiple Reasons

REASSIGNABLE

Default Label Reassignable
Length 5
Type Number
Format 7

Record Reference(s) PSEVENTROUTE

REASSIGNCB

Default Label ReassignWork
Length 1
Type Character



Default Label Date Survey Received
Length 10
Type Date
Format Uppercase

Record Reference(s) CAN_OEE_SURVEY

RECEIVED_DT

Default Label Certificate Received Date
Length 10
Type Date
Format Uppercase

Record Reference(s) ABS_HIST_CERT
 Z_PRES_DOC_180

RECEIVER_ID

Default Label Receiver ID Number
Length 10
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG
 VOUCHER_LINE
 VOUCHER_LN_STG

RECEIVER_ID_BC_CAN

Default Label Receiver Electronic ID
Length 5
Type Character
Format Uppercase

Record Reference(s) WCB_MSGHD_EC
 WCB_MSGHD_WD



RECEIVE_DT

Default Label	Date Received
Length	10
Type	Date
Format	Uppercase

Record Reference(s) CO_DED_SUPP_FLE

RECFIELDNAME

Default Label	Record.Field
Length	34
Type	Character
Format	Uppercase

Record Reference(s) XMLSERVICEINFO

RECFIELDNUM

Default Label	Record Field Number
Length	5
Type	Number
Format	7

Record Reference(s) PSMAPFIELD

RECIPIENT_CATEGORY

Default Label	Recipient Category
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RECIPIENT

G	General
I	Individual



GPMY_RCP_FT_TMP
GPMY_RCP_PYENT
GPMY_RC_RCP_FIL
GPMY_RC_RCP_LST
GPMY_RECIPIENT
GPNL_PAYMENT
GPNL_PMT_AET
GPNZ_RCPFIL_AET
GPNZ_RCPPAY_DTL
GPNZ_RCPPAY_FTR
GPNZ_RCPPAY_HDR
GPNZ_RCPPYE
GPNZ_RCPPYE_DTL
GPNZ_RCP_PYENT
GPNZ_RC_RCP_LST
GPNZ_RC_RCP_MT9
GPNZ_RECIPIENT
GPSG_RCPFIL_AET
GPSG_RCPPAY_DTL
GPSG_RCPPAY_FTR
GPSG_RCPPAY_HDR
GPSG_RCPPYE
GPSG_RCPPYE_DTL
GPSG_RCP_FT_TMP
GPSG_RCP_PYENT
GPSG_RC_RCP_GIR
GPSG_RC_RCP_LST
GPSG_RECIPIENT
GP_ERN_DED
GP_PAYMENT
GP_PAYMENT2_TMP
GP_PAYMENT_TMP
GP_RCP_DED
GP_RCP_PYE_DTL
GP_RECNT_SGPAU
GP_RSLT_ERN_DED
GP_UPG_RCP_AET
RECIPIENT
UPG_GP_AET

RECIPIENT_NAME



Default Label Recipient Name

 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) GP_PAYMENT
 GP_PAYMENT2_TMP
 GP_PAYMENT_TMP

RECIPROCITY_RULE

Default Label Reciprocity Rule
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) LCLWK_TXRCP_TBL
 LOCTX_RECIP_TBL
 STTAX_RECIP_TBL

- B Withhold-Both
- G Calc Res W/H; Factor Res W/H %
- K Calc Wk W/H; Reduce by Res W/H
- N Reduce Ttl Wages;Calc Res W/H
- O Withhold for wk locality only
- R Calc Res W/H;Reduce by Wk W/H
- S Special- MD works in DE
- W Taxed Res; No W/H Wk
- X Red Res W/H by Wk subj to Res
- X Red Res W/H by Wk subj to Res

RECNAME

Default Label Record (Table) Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) AITEMPTBLMGR
 AE_GB_AET
 AE_PTTSRPLC_AET



AE_PTTSUNDO_AET
AE_RECFIELD
AE_UPG8IDX_AET
APPR_RULE_AMT
APPR_RULE_FIELD
APPR_RULE_QTY
ARCH_AUDIT
ARCH_COMMON_KEY
ARCH_CTRL
ARCH_EXP_AET
ARCH_FLT_AET
ARCH_FLT_OPT
ARCH_FLT_PARM
ARCH_HST_OPT
ARCH_IMP_AET
ARCH_IMP_OPT
ARCH_IMP_TAO
ARCH_LNG_TMP
ARCH_OTH_CTRL
ARCH_PROC_AET

ARCH_PROC_TAO
ARCH_RQST_OPT
ARCH_RQST_PARM
ARCH_SQL_LNG
ARCH_SQRFLD
ARCH_TBL
AUDIT_SMP
BYPASS_TABLE
CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
CHART_DIST_HR
CMP_DFLT_OPT
CMP_DFLT_OPT_LN
CMP_OPT_REQFLDL
CMP_OPT_REQ_FLD
CMP_RULE_AFT_WS
CMP_RULE_BEF_WS
CMP_RULE_WHERE
CO_DFLTRTN_TBL
DIRATTRIBMAP



DIRCHLDMAP
DIRDNMAP
ECENTITYCDS
ECINMAPFILE
ECINMAPREC
ECINMAPRECFLD
ECOUTMAPREC
ECQUEUEAPPERROR
ECTPCVT
EDIINMAPRECFLD
EM_REC_ST_AET
EOEW_ARCFLSTLNG
EOEW_ERRFLST
EOTP_BU
EOTP_BULOAD_AET
EOTP_CTLREC_TMP
EOTP_RUNBU_LOAD
EO_BCITEM_CUR
EO_CC_WORKREC
EO_CURRCNV_RULE
EO_CURRENCY_AET
EO_CURRENCY_DTL
EO_DSATTMAP_LNG
EO_DSATTRIBMAP
EO_DSDNMAP
EO_DSOPTATTRMAP
EO_DSPRIOR_VAL
EO_DSREQATTRMAP
EO_DSSECRULEREC
EO_DSSECRULES
EO_ECINMAPR_CUR
EO_EFFDELAY
EO_EFFDTPUB_AET
EO_EIP_AMGF_TBL
EO_EIP_AMGR_TBL
EO_EIP_AMGX_TBL
EO_EIP_CIF_TBL
EO_EIP_CIRF_TBL
EO_EIP_CIR_TBL

EO_EIP_CIX_TBL
EO_EIP_ERR_AET
EO_EIP_LOAD_AET



EO_EIP_MSGF_TBL
EO_EIP_MSGR_TBL
EO_EIP_MSGX_TBL
EO_EIP_PRG_MSG
EO_EIP_XLPF_TBL
EO_EIP_XLPR_TBL
EO_EIP_XLPX_TBL
EO_EIP_XLQF_TBL
EO_EIP_XLQR_TBL
EO_EIP_XLQX_TBL
EO_KEYDEFN_CUR
EO_MSGFLDOV_CUR
EO_MSGREC_CUR
EO_RECDEFN_CUR
EO_RECFIELD_CUR
ER_DUP_APPS_AET
ER_DUP_RECORDS
ER_RULE_WHERE
FPMRECFIELD
FPMWORKTABLE
GB_FROMCRIT_TBL
GB_WHERECRT_LNG
GB_WHERECRT_TBL
GB_WHERE_TBL
GPDE_MT_MESSAGE
GPDE_MT_MSGLONG
GPDE_MT_RESULT
GPDE_MT_TRG_DFN
GPDE_MT_TRG_FLD
GPDE_MT_TRG_PAR
GPDE_MT_TRG_SQL
GPDE_MT_TRG_VAL
GPDE_MT_TRIGGER
GPES_PSLIP_SKEY
GPIN_PR_BRK_LVL
GPIT_SQR_RF_FOO
GPIT_SQR_RF_HEA
GPIT_SQR_RF_LST
GPIT_SQR_RF_TBL
GPMY_PR_BRK_LVL
GPMY_PR_ORDBY
GPMY_PR_REC
GPMY_SELRECORDS



GPNL_PSLIP_SKEY
GP_ARRAY
GP_GENRPT_BKLVL
GP_NR_PKG_DTL
GP_NR_PKG_RECS
GP_PINMAP_C_AET
GP_PIN_FLD_MAP1
GP_PIN_FLD_MAP2
GP_PIN_FLD_MAP3
GP_PIN_FLD_MAP4
GP_PKG_AUDIT
GP_PKG_CR_AET
GP_PKG_PINMAP
GP_PKG_VER_DTL
GP_SYSTEM_PIN

GP_TRGR_FLD_WRK
GP_TRGR_REC
GP_TRGR_RECFLD
GP_TRGR_REC_WRK
GP_TRGR_VALUE
GP_TRGR_VAL_WRK
GP_UPG_TAO
GP_WA_ARRAY
GP_WA_CALRUNID
GVT_IRR_RK_FMT
KEYVALUEMP
MC_DEFN_CRIT
MC_DEFN_CRIT_VL
MC_DEFN_DEFAULT
MC_HIST_CRIT
MC_HIST_CRIT_VL
MC_HIST_DEFAULT
MC_PROMPTS
MC_TEM_CRITERIA
MC_TEM_DEFAULTS
MC_TYPE_RECORD
MU_AET
MU_LEVEL01_DATA
MU_MASS_UPD_TBL
NVS_SCOPE_FIELD
PA_TBL_DFN
PA_TBL_USE



PI_PSREC_FLD
PI_PS_RECORD
PI_PS_REC_LANG
PM_PS_DMO_REC
PM_PS_DMO_WHERE
PM_PS_REC
PM_PS_RECUP_WHE
PM_PS_REC_WHERE
PM_PS_TSTBLS
PM_PS_TSTWHERE
PM_PS_TST_REC
PM_PS_TST_WHERE
PSACETREE
PSAEAPPLTEMPBL
PSARCHAUDIT
PSARCHIVE_AET
PSARCHIVE_TAO
PSARCHOBJREC
PSAUDIT
PSAUDITWRK
PSBCITEM
PSDB2TRIGGER
PSDELETELOG
PSEVENTDEFN
PSIDXDDLPRM
PSIMPDEFN
PSINDEXDEFN
PSKEYDEFN
PSMAPLEVEL
PSMAPRECFIELD
PSMAPROLEBIND
PSMSF_AET
PSMSGFLDOVR
PSMSGREC

PSOPRALIASFIELD
PSOPTFIELD
PSOPTPARARRAY
PSOPTREC
PSOPTRECLNG
PSOPTSETDIM
PSOPTSYNC
PSOPTVARARRAY



PSPCMNAME
PSPNLFIELD
PSPNLTREECTRL
PSQRYACCLSTRECS
PSQRYFIELD
PSQRYRECORD
PSRECDDLPARM
PSRECDEFN
PSRECDEFNLANG
PSRECDEL
PSRECFIELD
PSRECFIELDDB
PSRECFLDAUGRP
PSRECTBLSPC
PSRECXL
PSRGWFLDOPT
PSRGWIDX
PSROLEDEFN
PSSIGNONPPC
PSSYSTEMID
PSTRGRECS
PSTRIGGERDEFN
PST_PNLFIELDS
PSUSEROPTNDEFN
PSUSERSRCHDEFN
PSVIEWTEXT_TMP
PSX_HELPCONTEXT
PTLT_COMP_R_STG
PTLT_PROJ_RECS
PTLT_VIEW_STG
REC_GROUP_REC
ROLE_PPCRULE
RUN_CNTL_AU2_EO
SET_CNTL_RC_TMP
SET_CNTRL_REC
SET_CTL_REC_TMP
SI_TRANSL_DAT_A
SI_TRANSL_DAT_B
SI_TRANSL_FLD_A
SI_TRANSL_FLD_B
SS_BIND_GRP
SS_LINK_TBL
SS_PAGE_BUFFER



SS_PAGE_TEXT
SS_SECTION_VSBL
ST_GRP_FLD_SEC
ST_GRP_PARM_TBL
ST_GRP_REC_SEC
SWAP_FIELD
SWAP_REC
TC_SETID_REC
TL_EE_EXPND_TBL
TL_GRP_FLD_SEC

TL_GRP_PARM_TBL
TL_IPTCTVAL_AET
TL_OUTTCD_AET
TL_PT_CTVAL_AET
TL_RECFIELD_TBL
TL_RECNAME1_TAO
TL_RECNAME2_TAO
TL_RULE_STEPS
TL_SQL_BINDS
TL_SQL_OBJECT
TL_SQL_SEL_FLDS
TL_SQL_TABLES
TL_SQL_WHRBINDS
TL_ST_WORK_AET
TL_TA_EXPND_AET
TL_TA_KEYS1
TL_TA_MAIN_AET
TL_TA_RECKEYS
TL_TMPLT_STEPS
TL_TR_CTVAL_AET
TL_WORK_TABLES
TS_RECORDS
TS_REC_KEYFLDS
TS_REC_TXTFLDS
TS_RESULT_DATA
UPG_758_JJL_TAO
UPG_GP_AET
UPG_GP_TAO
UPG_HR75_AET
UPG_HR_AET
UPG_TL_AET
UPG_TL_REC007



RECNAME_2

Default Label Record 2 Name
Length 15
Type Character
Format Uppercase

Record Reference(s) EO_CCR_SEL_PATH
EO_RECON_JOIN
EO_SPATH_WH
RW_APP_EMP_CPY
TL_TA001100_AET
UPG_TL_AET

RECNAME_AUDIT

Default Label Record (Table) Name
Length 15
Type Character
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

RECNAME_BASE

Default Label Base record name
Length 15
Type Character
Format Uppercase

Record Reference(s) PTLT_VIEW_STG

RECNAME_CHILD

Default Label Child Record
Length 15
Type Character
Format Uppercase

Record Reference(s) GP_VER_REC_CHLD



RECNAME_CHUNK

Default Label Chunk Table

Length 15

Type Character

Format Uppercase

Record Reference(s) EO_BATLIB_AET
 EO_CHUNKRULE
 EO_MSGPUBDEFN

RECNAME_COMB

Default Label Field Combination Table

Length 15

Type Character

Format Uppercase

Record Reference(s) NVS_SCOPE

RECNAME_CUR

Default Label Currency Record

Length 15

Type Character

Format Uppercase

Record Reference(s) APPR_RULE_HDR

RECNAME_EDIT

Default Label %Edit Table for Record

Length 15

Type Character

Format Uppercase

Record Reference(s) RTE_CNTL_TYPE



RECNAME_EXPORT

Default Label Export Record (Table) Name
Length 15
Type Character
Format Uppercase

Record Reference(s) GP_NR_PKG_RECS
GP_PINMAP_C_AET
GP_PIN_FLD_MAP1

RECNAME_EXT

Default Label Record Name with PS prefix
Length 18
Type Character
Format Uppercase

Record Reference(s) EM_REC_ST_AET
UPG_GPCH_AET
UPG_PA_ALS_TMP2

RECNAME_FILE

Default Label Model File Layout
Length 15
Type Character
Format Uppercase

Record Reference(s) ECOUTMAPREC
PSFLDSEGDEFN

RECNAME_PARENT

Default Label Parent Record
Length 15
Type Character



Format Uppercase

Record Reference(s) EO_CURRENCY_AET

RECOGNIZED_IND

Default Label Recognized

Length 1

Type Character

Format Uppercase

Record Reference(s) UNION_TBL_IND

RECOMMENDATION

Default Label Recommendation

Length 3

Type Character

Format Uppercase

Record Reference(s) ER_INTVW_EVAL

ER_INTVW_TAO

UPG_ER_STATUS

- F Hold on File
- I Interview Further
- O Make Offer
- R Reject

RECON_FLDNAME

Default Label Reconciliation Field Name

Length 18

Type Character

Format Uppercase

Record Reference(s) EO_CCR_CNV_FLDS



RECON_FLG

Default Label	Reconciliation Flag
Length	1
Type	Character
Format	Uppercase

Record Reference(s) EO_CURRENCY_AET

RECON_LEVEL

Default Label	Reconciliation Level
Length	1
Type	Character
Format	Uppercase

Record Reference(s) INSTALLATION_FS

- A All Business Units
- B Single Business Unit

RECON_METHOD

Default Label	Reconciliation Method
Length	2
Type	Character
Format	Uppercase

Record Reference(s) EO_CCR_CNV_FLDS
EO_CURRENCY_AET

- 1 Convert and Adjust
- 5 Adjust Only
- 6 Sum-Based Value
- 7 Sum-Based, Reverse Sign
- 8 No Reconciliation

RECON_RECNAME

Default Label	Reconciliation Record Name
Length	15
Type	Character



Format Uppercase

Record Reference(s) EO_CCR_CNV_FLDS
EO_CURRENCY_AET

RECON_USE_TRAN

Default Label Use Transaction Types
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION_FS

RECORDING_CD

Default Label Recording Code
Length 3
Type Character
Format Uppercase

Record Reference(s) TAXRPT_RUNCTL

ASC ASCII
EBC EBCDIC

RECORDNAME

Default Label Record Name
Length 15
Type Character
Format Uppercase

Record Reference(s) PSACECUBECOLL
PSPNLACEGRDDATA
XMLSERVICEINFO

RECORD_CHANGED



PA_DFN_SVC_STAT

A	All
F	First Only
L	Last Only
N	No Records Impacted
X	All But First
Y	All But Last
Z	All But First and Last

RECORD_NAME

Default Label Record Name
Length 18

Type Character
Format Uppercase

Record Reference(s) HR_SPLIB_AET
TL_TA0006_AET

RECORD_ONLY_ADJ

Default Label Record Only Adjustment
Length 1
Type Character
Format Uppercase

Record Reference(s) UPG_TL_TIME
UPG_TL_TIME1

RECORD_SOURCE

Default Label Record Source
Length 1
Type Character
Format Uppercase

Record Reference(s) ADDL_PAY_DATA
ADDL_PAY_EFFDT
ADDL_PAY_ERNCN



B Batch
O On-line

RECORD_TYPE20

Default Label Total Record type 20 Records
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE30

Default Label Total Record type 30 records
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE31

Default Label Total Record Type 31 Record
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE32

Default Label Total Record Type 32 Records
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER



RECORD_TYPE40

Default Label Total Record type 40 Records
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE41

Default Label Total Record Type 41 Records
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE50

Default Label Total Record Type 50 Records
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE60

Default Label Total Record Type 60 Records
Length 7
Type Number
Format Uppercase

Record Reference(s) PA_TE_TRAILER



RECORD_TYPE70

Default Label	Total Record Type 70 Records
Length	7
Type	Number
Format	Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE80

Default Label	Total Record Type 80 Records
Length	7
Type	Number
Format	Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE81

Default Label	Total Record type 81 Records
Length	7
Type	Number
Format	Uppercase

Record Reference(s) PA_TE_TRAILER

RECORD_TYPE_OPT

Default Label	Record Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_PINMAP_C_AET
 GP_PIN_FLD_MAP1

- N Setup Definition
- O Output Result Data
- P Payee Data



R Element Definition

RECRUITER_COMMENTS

Default Label Recruiter Comments
Length 0
Type Long Character
Format Uppercase

Record Reference(s) ER_INTVW_SCHED

RECRUITER_ID

Default Label Recruiter ID
Length 11
Type Character
Format Uppercase

Record Reference(s) ER_AUTOMTCH_AET
ER_AUTOMTCH_TAO
ER_WORKFLOW
JOB_REQUISITION
JOB_REQUIS_TAO
UPG_HR75RWF_AET

RECRUITER_NAME

Default Label Recruiter Name
Length 50
Type Character
Format Name

Record Reference(s) JOB_REQ_LANG

RECTYPE

Default Label Record Type
Length 1
Type Number



Format Uppercase

Record Reference(s) EO_RECDEFN_CUR
 PSRECDEFN
 PTLT_COMP_R_STG

RECURDAYSPCL

Default Label Recurrence Special Days
Length 1
Type Number
Format Uppercase

Record Reference(s) PRCSRECUR

RECURDESCR

Default Label Recurrence Description
Length 30
Type Character
Format Mixedcase

Record Reference(s) PRCSRECUR
 PRCSRECURDATE
 PRCSRECREXEMPT
 PRCSRECURLANG

RECURDTTM

Default Label Recur Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) PRCSYSTEM
 PSPRCSQUE
 SCHDLDEFNINFO



RECURNAME

Default Label	Recurrence Name
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	PRCSDEFN PRCSJOBDEFN PRCSRECUR PRCSRECURDATE PRCSRECURXEMPT PRCSREURLANG PSPRCSQUE PSPRCSRQST PSPRCSRQSTARCH PSPRCSRUNCNTLS PSRECURDEL SCHDLDEFN
---------------------	---

RECURORIGPRCSINST

Default Label	Recurrence Original Instance
Length	10
Type	Number
Format	7

Record Reference(s)	PSPRCSQUE PSPRCSRQST
---------------------	-------------------------

RECURRENCE

Default Label	Is This a Recurrence
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GVT_LV_REC_APP INCIDENT_DATA
---------------------	---------------------------------



RECUR_DATE

Default Label Run Date (From)
Length 10
Type Date
Format Uppercase

Record Reference(s) PRCsRECURDATE
PRCSRECREXEMPT

RECUR_USECURRDATE

Default Label Use Current Date/Time
Length 1
Type Number
Format Uppercase

Record Reference(s) PRCsRECUR

RECUSE

Default Label Record Use
Length 5
Type Number
Format 7

Record Reference(s) EO_RECDEFN_CUR
PSAEAPPLDEFN
PSRECDEFN

RECVRYPRCSNAME

Default Label Recovery Process Name
Length 12
Type Character
Format Mixedcase

Record Reference(s) PRCsSDEFN
PRCSJOBDEFN



RECVRYPRCSTYPE

Default Label Recovery Process Type
Length 30
Type Character
Format Mixedcase

Record Reference(s) PRCSDDEFN
PRCSJOBDEFN

RECV_DIST_LINE_NUM

Default Label Receiver Distrib Line
Length 5
Type Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

RECV_LN_NBR

Default Label Receiver Line Number
Length 5
Type Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
VOUCHER_LINE
VOUCHER_LN_STG

RECV_ONLY_MTCH_FLG

Default Label Receipt Only Match
Length 1
Type Character
Format Uppercase



REC_CHILD

Default Label Record Name Child
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_ERD_TBL

REC_DATA_PARTIAL

Default Label Record Data for Ex File
Length 252
Type Character
Format Mixedcase

Record Reference(s) PI_EXP_INP_AET
PI_EXTIO
PI_EXTIO2_TAO
PI_EXTIO_TAO

REC_GROUP_ID

Default Label Record Group ID
Length 10
Type Character
Format Uppercase

Record Reference(s) EOTP_CTLGRP_TMP
EOTP_CTLREC_TMP
EO_RECGRP_EOC
PYAP_XCTAX_AET
PYAP_XDEDN_AET
PYAP_XTAX_AET

REC_GROUP_REC
REC_GROUP_TBL
SET_CNTL_GP_TMP
SET_CNTL_RC_TMP
SET_CNTRL_GROUP



SET_CNTRL_REC
 SET_CTL_GRP_TMP
 SET_CTL_REC_TMP
 UPG_HR75_AET

REC_OBJ_ID

Default Label record object id
 Length 32
 Type Character
 Format Uppercase

Record Reference(s) PSSUMMARYTBL

REC_OCCUR_IND

Default Label Occurrence Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_DEFN_RECORD
 PI_DEFRC_TAO

M Multi Recs to Multi Defn Recs
 N Multi Recs to Single Defn Rec
 S Single Rec to Single Defn Rec

REC_PARENT

Default Label Record Name Parent
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) EO_ERD_TBL

REC_TEMP

Default Label Temp Record (Table) Name



Length 15
Type Character
Format Uppercase

Record Reference(s) EO_EIP_PRG_MSG

REC_TERM_LEN

Default Label Record Terminated Length
Length 2
Type Number
Format Uppercase

Record Reference(s) PI_DEFN_RECORD
PI_DEFRC_TAO

REC_TERM_VAL

Default Label Record Terminated Value
Length 6
Type Character
Format Mixedcase

Record Reference(s) PI_DEFN_RECORD
PI_DEFRC_TAO

REC_TYPE

Default Label Record Type
Length 2
Type Character
Format Uppercase

Record Reference(s) CO_DPK_ELIG_DET
CO_DPK_ELIG_HDR
CO_DPK_ELIG_TRL
GPBR_R20_SEFIP
GPBR_R21_SEFIP



Record Reference(s) RISK_TBL

REDUCE_PCT

Default Label Reduce by x Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) LCLWK_TXRCP_TBL
LOCTX_RECIP_TBL

REDUCTION_AMT

Default Label 415 Reduction Amount
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_CLC_415_AY

REDUCTION_FACT1

Default Label Prior to 62 Reduction Factor 1
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_415_LIMIT

REDUCTION_FACT2

Default Label Prior age 62 Reduction Factor2
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_415_LIMIT



Type Character
 Format Uppercase

Record Reference(s) APP_REFERENCE
 APP_REFRNCE_LNG
 GPBR_RC_EFTBANK
 GPMX_RC_EFT
 UPG_HR75RWF_AET

REFERENCE_NUMBER

Default Label Reference Number
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG

REFERENCE_TYPE

Default Label Reference Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) APP_REFERENCE
 UPG_HR75RWF_AET

- 1 Professional
- 2 Personal
- 3 Both

REFERRAL

Default Label Referral
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) ER_EE_ELG_APPDT
ER_EE_REF_AWD
ER_EE_REF_ELIG

ER_ERP_AWD_AET
ER_ERP_ELIG_AET
ER_ERP_MAIN_AET
ER_REF_PGM
ER_REF_PGM_AWD
ER_REF_PGM_ELG
ER_REF_PGM_LANG
ER_RULE_JOB_REQ
JOB_REQUISITION
JOB_RQMT_TBL
RUN_CNTL_ER_ERP

REFERRAL_PWD
Default Label Referral Password
Length 6
Type Character
Format Uppercase

Record Reference(s) ER_REFERRAL
ER_REF_JOB_REQ

REFERRAL_SOURCE
Default Label Referral Source
Length 2
Type Character
Format Uppercase

Record Reference(s) APPLICANT_DATA
ER_REFERRAL
ER_REFSBCAT_LNG
ER_REF_JOB_REQ
ER_REF_SUBCAT
GVT_PERS_DATA
GVT_PERS_TEMP
PERS_APPL_INFO



POSN_APPLD_TAO

01	FRS's Fed Career Opportunities
02	Other Private Info Service
03	Newspaper
04	LC Information Bulletin
05	Magazine
06	Radio/TV
07	Poster
09	State Employment Office
10	Minority/Special Recruit Src
11	LC Recruitment at School
12	School Counselor/Othr Official
13	Fed,State,Local Job Info Cntr
14	Religious Organization
15	Friend/Relative Working at LC
16	Friend/Relative not at LC
17	Professional Associations
18	VA Posted on LC Bulletin Board
19	VA Circulated to Fed Agency
20	VA Circulated to Libr School
21	Phone Calls to LC Job Center
22	LC Employment Hotline
23	LC Website
24	OPM Website
25	Monster.com Website
AD	Advertisement
AG	Agency
CL	Client Referral
CO	College Recruiting
CR	College Recommendation
EE	Employee
ES	Employment Security Bureau
FE	Former Employee
JF	Job Fair
JP	Job Posting
OH	Open House
OT	Other Source
PI	Phone Inquiry
UK	Unknown
US	Unsolicited
WI	Walk-In



XR Executive Referral
 XS Executive Search

REFERRER_NAME

Default Label Referral Name
 Length 50
 Type Character
 Format Mixedcase

Record Reference(s) ER_REFERRAL
 ER_REF_JOB_REQ

REFER_TO_OHA

Default Label Refer to Occ. Health Auth.
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ABSENCE_HIST
 GPGB_ABS_EVT_JR

REFNAME

Default Label PeopleCode Reference Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSPCMNAME

REFRESH

Default Label Load Netting Rows
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) AE_PTTSRPLC_AET
AE_PTTSUNDO_AET

REFRESH_SW

Default Label Submitt all Sessions
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_GB_API_AET
SALARY_PLAN
TL_GRP_REF_AET
TL_RUN_GRP_REF

REFRSH_TL_JOB_CHG

Default Label Refresh on Job Change
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

REFRSH_TL_PRECALC

Default Label Load in Preliminary Calc
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

REF_BACKPOINTER

Default Label Reference Back Pointer
Length 254
Type Character
Format Uppercase



Record Reference(s) PSCIREF

REF_CINAME

Default Label Reference CI Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSCIREF

PSCIREFENUM
PSCIREFLANG
PSCIREFPROPERTY

REF_CIPROPERTYNAME

Default Label Reference CI Property Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSCIREFPROPERTY

REF_CLOSED

Default Label Reference Closed
Length 1
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE

DISTRIB_LN_STG

REF_CUR

Default Label Reference Currency
Length 3



Type Character
Format Uppercase

Record Reference(s) CURR_QUOTE_TBL

REF_DIST_LINE

Default Label Ref Dist Line
Length 5
Type Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

REF_EFF_STATUS

Default Label Status as of Effective Date
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_ERP_ELIG_AET

REF_LINE_NUMBER

Default Label Reference Line Number
Length 5
Type Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

REF_NAME

Default Label Reference Name
Length 50



REF_TITLE

Default Label Title
Length 20
Type Character
Format Mixedcase

Record Reference(s) APP_REFERENCE
APP_REFRNCE_LNG
UPG_HR75RWF_AET

REGISTRATION_DT

Default Label Registration Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CAR_DATA
P11D_SEC_A_UK
UNION_TBL_IND
Z_NEDC_TRN_TMP

REGISTRATION_NAME

Default Label Registration Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) ST_ESPP_PURCH
ST_EXER_ISSUE
ST_ISSUANCE
ST_ISSUUPD_AET
ST_ISSUUPD_TAO
ST_PURCHASES
ST_REL_ISSUE



REGISTRATION_NUM

Default Label Registration Number
Length 8
Type Character
Format Uppercase

Record Reference(s) CAR_DATA
UNION_TBL_IND

REGISTRY_NUM_BRA

Default Label Registry Number
Length 20
Type Character
Format Uppercase

Record Reference(s) DEP_BENEF_BRA

REGISTR_NUM

Default Label Registration No.
Length 15
Type Character
Format Mixedcase

Record Reference(s) COMP_EXT_RELATN
HR_DIM_BEL_AET
HR_NSZ_AET

HR_VIAPRIS_AET
SOCIAL_ASSR_NLD

REGIST_RENEWAL_DT

Default Label Registration Renewal Date
Length 10
Type Date
Format Uppercase



Record Reference(s) COMP_PROP_TBL

REGRESSION_METHOD

Default Label Earnings Regression Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

F Use Flat Percentage
 W Use National Average Wage
 Z Regress using Zero

REGRESS_PCT

Default Label Earnings Regression Flat Pct
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_PIA

REGRESS_PCT_ALIAS

Default Label Earnings Regression Flat Pct
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

REGRESS_PCT_ALIAST

Default Label Alias Type For Regress Pct
 Length 2
 Type Character
 Format Uppercase



Record Reference(s) PA_DFN_PIA

REGRESS_PCT_TYPE

Default Label Earnings Regression Flat Pct
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

A Alias Name
 N Numeric Constant

REGULAR_TEMP_MAND

Default Label Regular/Temporary Mandatory
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_RQMT_TBL

REGULAR_VOTES

Default Label Regular Votes
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) ELECT_GROUP
 ELECT_ROLL

REG_AVAIL

Default Label Security Access to Region
 Length 3
 Type Character
 Format Uppercase



Record Reference(s) REG_REGION_TBL

ALL Available to All
 GBL With Global Security Only
 NOT Not Available to Anyone

REG_DISABLED_NBR

Default Label Registered Disabled Number
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) UPG_ER_AET

REG_EARNS

Default Label Regular Earnings
 Length 12
 Type Signed Number
 Format Uppercase

Record Reference(s) PAY_EARNINGS
 PA_HST_PAY_EARN
 WRK_EARNINGS

REG_EARN_HRS

Default Label Regular Earnings Hours
 Length 8
 Type Signed Number
 Format Uppercase

Record Reference(s) PAY_EARNINGS
 PA_HST_PAY_EARN
 WRK_EARNINGS



REG_HRLY_EARNS

Default Label Regular Hourly Earnings
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) PAY_EARNINGS
PA_HST_PAY_EARN
WRK_EARNINGS

REG_HRS

Default Label Regular Hours
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) GM_TEC_EE_SUM
GM_TEC_LN
GM_TEC_SUM
PAY_EARNINGS
PA_HST_PAY_EARN
WRK_EARNINGS

REG_PAY

Default Label Regular Salaried Earnings
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) PAY_EARNINGS
WRK_EARNINGS

REG_PAY_HRS

Default Label Regular Hours Input
Length 8
Type Signed Number
Format Uppercase



EE_IMMUN_LANG
EE_MEDCATN_DTL
EE_MEDCATN_LANG
EE_MEDICATION
EMPL_MATR_ITA
ESTAB_TBL
FPAADDRS_HIST
FPAEEFLAT_TBL
FPAEEOTHER_TBL
FPAEEOTHR_HIST
FPAEEPOST_HIST
FPAEEPOST_TBL
FPA_CI_JOB
GVT_JOB
GVT_JOB_TEMP
GVT_MASSORGAET
HR_ADDR_CHG_DAT
HR_CMP052J2_AET
HR_SAL_CHG_EE
HR_WC_APPR_AET
ILLNESS_GER

ILL_CARE_GER
ILL_CARE_LNG
INCIDENT_DATA
INCIDENT_REPORT
INC_REPORT_LNG
INJURY_ILL
JOB
JOB_CODE_HAZ_TBL
JOB_CODE_TBL
JOB_COMP_TMP_MC
JOB_REQUISITION
JOB_REQUIS_TAO
JOB_TEMP
JOB_TMP_MC
JOB_WORK_ESP
LMS_AET
LMS_WRKSCH_AET
LOCATION_TBL
LOCATN_HAZ_TBL
MATRBK_ITA_AET
MATR_BK_ITA_TAO



MATR_BOOK_ITA
NE_PERSONAL_DTA
OPR_DEF_HR_TAO
OPR_DEF_TBL_HR
PAYGROUP_TBL
PER064JP_DATA
PER501_TMP
PER501_TMP1
POSITION_DATA
REG_REGION_LANG
REG_REGION_TBL
REG_TRX_REGION
RUN_CNTL_ECLASS
RUN_CNTL_HR
SALINC_SIML_JPN
SAL_GRADE_TBL
SIM01_JPN_TMP
SIM02_JPN_TMP
STATUTE_TBL_BEL
ST_ESPP_PRC_AET
TC_AET
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_CONTRCT_TAO
UPG_CONV_HR75
UPG_ER_AET
UPG_HR75RWF_AET
UPG_HR75_AET
UPG_HR_AET
UPG_PY_JOB_TAO
UPG_TL_AET
WC_ACTNAREA_TBL
WC_ACTNROLE_TBL
WC_ACTN_RSN_TBL
WC_JCR_APPR
WC_JCR_ERR_WRN
WC_JCR_STATUS
WC_JCR_WL
WC_JOB_CHG_REQ
Z_SAL_GRADE_TBL



REG_REGION_COUNTRY

Default Label Reg Region Country
Length 3
Type Character
Format Uppercase

Record Reference(s) PER501_TMP
PER501_TMP1

REG_REGION_DUP

Default Label Clone from Regulatory Region
Length 5
Type Character
Format Uppercase

Record Reference(s) REG_REGION_TBL
UPG_CONV_HR75

REG_SELECT_COMP

Default Label Regular or Select Empl Proc
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_US_YE
C Selected W-2 Rptg Companies
R All W-2 Reporting Companies

REG_SELECT_PROC

Default Label Regular or Select Empl Proc
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_TAX910LD
RC_US_YE



C Selected W-2 Companies
 R All Employees
 S Selected Employees

REG_TEMP

Default Label Regular/Temporary
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_ELIG_REGTMP

- BD_JOBCODES
- BD_JOB_TBL
- BP_JOB
- BP_JOB_EXP
- BP_POSITION_EXP
- ER_AGNT_JBS_TAO
- ER_AGNT_PROFILE
- FPAEEOTHER_TBL
- FPAEEOTHR_HIST
- GPMX_PTU
- GPMX_PTU_AET
- GPMX_PTU_NOELIG
- GPMX_PTU_TMP
- GVT_JOB
- GVT_JOB_TEMP
- GVT_MASSORGPAET
- HP_ERN_ACCT_MAP
- JOB
- JOBCODE_TBL
- JOBCOMP_TMP_MC
- JOB_REQUISITION
- JOB_REQUIS_TAO
- JOB_TEMP
- JOB_TMP_MC
- MASS_RETRO_DEF
- POSITION_DATA
- RETRODEDMAS_DEF
- UPG_758_JJL_TAO
- UPG_758_JOB_TAO



UPG_ER_AET
 UPG_HR75RWF_AET
 UPG_HR75_AET
 UPG_PY_JOB_TAO
 ZBD_JOBCODE_TBL

R Regular
 T Temporary

REG_TRX

Default Label Regulatory Transaction
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) REG_TRX_LANG
 REG_TRX_REGION
 REG_TRX_TBL

REG_UNION_IND

Default Label Registered Union
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) UNION_TBL_IND

REHAB_ACTION_TYPE

Default Label Rehabilitation Action Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) INJ_REHAB_ACTN

MED Medication
 PHY Physician Visit



REIMB_COST_UNIT_CD

Default Label Cost Unit
Length 10
Type Character
Format Uppercase

Record Reference(s) TUIT_EXPEN_TBL

REIMB_CURRENCY_CD

Default Label Currency Code
Length 3
Type Character
Format Uppercase

Record Reference(s) TUIT_EXPEN_TBL

REIMB_LIMIT_AMT

Default Label Reimbursable Limit Amount
Length 19
Type Number
Format Uppercase

Record Reference(s) TUIT_EXPEN_TBL

REIMB_LIMIT_SW

Default Label Limited Reimbursement
Length 1
Type Character
Format Uppercase

Record Reference(s) TUIT_EXPEN_TBL

REIMB_PCT_NON_WRK

Default Label % Reimbursable-Non-Work-Relat



Length 3
 Type Number
 Format Uppercase

Record Reference(s) TUIT_EXPEN_TBL

REIMB_PCT_WRK_REL

Default Label % Reimbursable-Work-Related
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) TUIT_EXPEN_TBL

REIMB_STATUS

Default Label Reimbursement Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INTL_SCHPGM_PAY

N Not Reimbursed
 R Reimbursed
 U Unreimbursable

REJECTED_REASON

Default Label Rejected Reason
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) AE_PAYEXP_AET
 AE_PY200VC_AET
 ER_EE_REF_AWD
 GPVC_ACK_PUB
 GPVC_RQT_SUB



PAY_ACKNOWLEDGE
 PAY_ACK_STG_PUB
 PYER_ACKNOWLEDG
 PYER_ACK_PUB
 PYVC_ACK_PUB
 PY_PYER_AET
 VC_AWARD

- 01 Invalid Earning Code
- 02 Invalid Employee ID & Record#
- 03 Invalid Currency Code
- 04 Problem in loading to file
- 05 Transaction already exists
- 06 Amount Exceeds Payroll Maximum
- 07 Reject All - Requested by User
- 08 Cal closed. Retro not allowed.
- 09 Error populating Gen PI.
- 10 Error populating VC Plan tbl
- 11 Error Updating GPVC_ACK_PUB
- 12 Deleted from GP PI.
- 13 Invalid Pin Num
- 14 Calendar Finalized.
- 99 Expenses Sheet in Error

REJECT_ALL

Default Label Reject All
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_PY200VC_AET
 GP_VC_RUNCTL
 RUN_CNTL_ST_GGR
 ST_GRP_GRNT_AET
 VCAWARD_RUNCTL

RELATEDPAGE

Default Label Related Page
 Length 30
 Type Character



Record Reference(s) BEN_PER_DATA

- BN_834_MEMBER
- BN_SNAP_PER
- CBR_EVENT_BENEF
- DEPBEN_TYPE_TBL
- DEPENDENT_BENEF
- EMERGENCY_CNTCT
- FPADEPENLKF_TBL
- GPIT_DEP_DTL_EE
- GPJP_YEA_AET
- GVT_ASSIGN_BEN
- HS_EMPLOYMENT
- ILLNESS_GER
- INJURY_ILL
- W3EB_DEPBEN_SUM

- B Brother
- D Daughter
- E Employee
- FA Father
- GF Grandfather
- M Mother
- N Neighbor
- NA Domestic Partner Adult

- O Other
- R Other Relative
- S Son
- SI Sister
- SP Spouse
- T Estate
- X ExSpouse

RELATIONSHIPID

Default Label Relationship ID
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSRELATCONTACT
 PSRELATIONLANG



PSRELATIONPROP
 PSRELATIONSHIP
 PSRELATIONTRX
 PSRELATSHIPDEL
 PSRELATTRXDEL
 PSRELPROPLANG

RELATIONSHIPMNGR

Default Label Relationship Manager
 Length 50
 Type Character
 Format Name

Record Reference(s) PSMERCHANTID

RELATIONSHIP_TEXT

Default Label Description of Relationship
 Length 25
 Type Character
 Format Uppercase

Record Reference(s) WCB_IWJO_EC
 WCB_IWJO_WD

RELATIONSTATUS

Default Label Relationship Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSRELATIONSHIP

A Active
 I Inactive

RELATION_DESCR



PSPROJECTDEFN
PSRELEASE

RELEASELABEL

Default Label Release Label
Length 50
Type Character
Format Mixedcase

Record Reference(s) MAINTENANCE_LOG
PSPROJECTDEFN
PSRELEASE
PTLT_INSTALL

RELEASE_DT

Default Label Release Date
Length 10
Type Date
Format Uppercase

Record Reference(s) ST_COMBINED_TMP
ST_EXER_RELEASE
ST_SPLIT6C_TAO

RELEASE_FMV

Default Label Release Fair Market Value
Length 19
Type Number
Format Uppercase

Record Reference(s) ST_EXER_RELEASE

RELEASE_FMV_MTHD

Default Label Release FMV



Length 10
 Type Character
 Format Uppercase

Record Reference(s) ST_OPTION_PLAN

RELEASE_METHOD

Default Label Release Method
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) ST_EXER_RELEASE

CASH	Cash
LOAN	Loan
SDS	Same Day Sale
STC	Sell to Cover
TRD	Trade

RELEASE_MTHD_CASH

Default Label Cash
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_OPTION_PLAN

RELEASE_MTHD_LOAN

Default Label Loan
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_OPTION_PLAN



RELEASE_MTHD_SDS

Default Label Same Day Sale
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

RELEASE_MTHD_STC

Default Label Sale to Cover
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

RELEASE_MTHD_TRADE

Default Label Trade
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

RELEASE_NBR

Default Label Release Number
Length 8
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_ST
ST_COMBINED_TMP
ST_DISP_ALL_TMP
ST_EXER_RELEASE
ST_PRDISP_AET
ST_PSHUP_AET



ST_REL_DISPOSN
ST_REL_ISSUE
ST_REL_LEGEND
ST_REL_PAYMENT
ST_REL_SWAP
ST_REL_TAXES
ST_R_REL_TAXES
ST_SPLIT11A_TAO
ST_SPLIT11B_TAO
ST_SPLIT11C_TAO
ST_SPLIT11_TAO
ST_SPLIT6A_TAO
ST_SPLIT6B_TAO
ST_SPLIT6C_TAO
ST_SPLIT6_TAO
ST_SPLIT7A_TAO
ST_SPLIT7B_TAO
ST_SPLIT7_TAO
ST_SPLIT8A_TAO
ST_SPLIT8B_TAO
ST_SPLIT8_TAO

RELEASE_NBR_LAST

Default Label Last Release Number
Length 8
Type Number
Format Uppercase

Record Reference(s) STOCK_TBL

RELEASE_PRODUCT

Default Label Group Release
Length 4
Type Character
Format Uppercase

Record Reference(s) EOEI_LOAD_MSG
EOEI_XMLREP_TBL



EOEI_XMLREQ_TBL
EO_EIP_ABI_TBL
EO_EIP_ACI_TBL
EO_EIP_AED_TBL
EO_EIP_AGRP_TBL
EO_EIP_AHDR_TBL
EO_EIP_AMGF_TBL
EO_EIP_AMGR_TBL
EO_EIP_AMGX_TBL
EO_EIP_AMSG_TBL
EO_EIP_APP_TBL
EO_EIP_AXL_TBL
EO_EIP_BII_TBL
EO_EIP_BIO_TBL
EO_EIP_CIF_TBL
EO_EIP_CIR_TBL
EO_EIP_CIX_TBL
EO_EIP_NODE_TBL
EO_EIP_REL_TBL
EO_EIP_SBI_TBL
EO_EIP_SCI_TBL
EO_EIP_SED_TBL
EO_EIP_SMG_TBL
EO_EIP_SXL_TBL
EO_EIP_XLPF_TBL
EO_EIP_XLPR_TBL
EO_EIP_XLPX_TBL
EO_EIP_XLQF_TBL
EO_EIP_XLQR_TBL
EO_EIP_XLQX_TBL

001	8.00.001
002	8.00.002
005	8.30.00
006	8.10.00
007	8.40.00
008	8.80.00
010	8.00.000

RELEASE_RECEIPT_DT

Default Label	Release Receipt Date
Length	10



RELEVE2_SERIAL_END

Default Label Ending RL-2 Serial No
Length 9
Type Number
Format Uppercase

Record Reference(s) PQ_REPTNG_TBL

RELEVE2_SLIP_NO

Default Label RL-2 Slip Number
Length 9
Type Character
Format Uppercase

Record Reference(s) CAN_AMEND_RL1_S
CAN_AMEND_RL2_S
CAN_AMEND_T4A_S
CAN_AMEND_T4_S
CAN_YE_SLIP

RELEVE_SERIAL_BEG

Default Label Beginning RL-1 Serial No

Length 9
Type Number
Format Uppercase

Record Reference(s) PQ_REPTNG_TBL

RELEVE_SERIAL_END

Default Label Ending RL-1 Serial No
Length 9
Type Number
Format Uppercase



Record Reference(s) PQ_REPTNG_TBL

RELEVE_SLIP_NO

Default Label RL-1 Slip Number
Length 9
Type Character
Format Uppercase

Record Reference(s) CAN_AMEND_RL1_S
CAN_AMEND_RL2_S
CAN_AMEND_T4A_S
CAN_AMEND_T4_S
CAN_YE_SLIP

RELIGION_CD

Default Label Religion
Length 3
Type Character
Format Uppercase

Record Reference(s) APP_DIVER_RELIG
DIVERS_RELIGION
RELIGION_LANG
RELIGION_TBL

RELANGRECNAME

Default Label Related Language Record Name
Length 15
Type Character
Format Uppercase

Record Reference(s) AE_GB_AET
AE_PTTSRPLC_AET
AE_PTTSUNDO_AET
EO_RECDEFN_CUR
PSRECDEFN



SWAP_REC
TS_RECORDS

RELMNGREMAIL

Default Label Relationship Manager Email
Length 70
Type Character
Format Mixedcase

Record Reference(s) PSMERCHANTID

RELMNGRPHONENBR

Default Label Relationship Manager Phone
Length 24
Type Character
Format Phone Number International

Record Reference(s) PSMERCHANTID

RELOAD_IND

Default Label Array Loading
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_ARRAY

- 1 Reload for Each Slice
- 2 Reload for Each Payment

RELOCATE

Default Label Willing to Relocate
Length 1
Type Character
Format Uppercase



Record Reference(s) APPLICANT_DATA
 CAREERPLAN

RELTMDTFIELDNAME

Default Label Related Time Date Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_RECFIELD_CUR
 PSRECFIELD
 PSRECFIELDDB

REL_CALC_BEN_PCT

Default Label Related Calc Benefit Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) PA_CALCULATION
 UPG_PA_CALC_TMP

REL_CALC_NAME

Default Label Related Calc Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CALCULATION
 UPG_PA_CALC_TMP

REL_DESCR_CAN

Default Label Worker Relationship



Length 0
Type Long Character
Format Uppercase

Record Reference(s) EMPLOYMENT_LNG2
HS_EMPL_REL_CAN
HS_EMPL_REL_LNG

REL_PARTNER_SW_CAN

Default Label Partner
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

REL_PRNCPL_SW_CAN

Default Label Principal
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

REL_RLTV_SW_CAN

Default Label Relative
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD



REL_WRK_EXPER

Default Label Relevant Work Experience
Length 1
Type Character
Format Uppercase

Record Reference(s) APP_PRIWRK_EXPR
PRIORWORK_EXPER
UPG_ER_AET
UPG_HR75_AET
UPG_PRWKEXP_TAO

REMAINING_BUDGET

Default Label Remaining Budget
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) PKG_EXP_PER_TBL

REMAPTO_URL

Default Label Remap Path to This URL
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSSGWSTARTOPT

REMARK_BEL

Default Label Remark
Length 50
Type Character
Format Uppercase

Record Reference(s) SENIORITY_BEL



REMITTER_NUMBER

Default Label Remitter Number
Length 6
Type Number
Format Uppercase

Record Reference(s) RC_QTR_UI

REMITT_AMT

Default Label CT Remittance Amount
Length 13
Type Signed Number
Format Uppercase

Record Reference(s) RC_TAX810CT

RC_TAX860FL

REMIT_ADDR_SEQ_NUM

Default Label Remitting Location
Length 3
Type Number
Format Uppercase

Record Reference(s) AP_EXTRACT_HDR

PYAP_HDR_TAO
PYAP_XBOND_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
VENDOR
VENDOR_LOC
VENDOR_LOC_AET



VENDOR_LOC_TMP
 VENDOR_TMP
 VOUCHER
 VOUCHER_STG

REMIT_FREQUENCY

Default Label Remittance Frequency
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_DED_DIST
 B Biweekly
 M Monthly

REMIT_LOC

Default Label Remit to Location
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) AP_EXTRACT_HDR
 PYAP_HDR_TAO
 PYAP_XBOND_TAO
 PYAP_XCTAX1_TAO
 PYAP_XCTAX2_TAO
 PYAP_XDEDN1_TAO
 PYAP_XDEDN2_TAO
 PYAP_XDEDN4_TAO
 PYAP_XGARN_TAO
 PYAP_XTAX1_TAO
 VENDOR
 VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP
 VENDOR_TMP
 Z_BEN_VEND



REMIT_PERIOD1

Default Label First Pay Period
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_DED_DIST

REMIT_PERIOD2

Default Label Second Pay Period
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_DED_DIST

REMIT_PERIOD3

Default Label Third Pay Period
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_DED_DIST

REMIT_PERIOD4

Default Label Fourth Pay Period
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_DED_DIST

REMIT_PERIOD5



Default Label Fifth Pay Period
Length 1
Type Character
Format Uppercase

Record Reference(s) GVT_DED_DIST

REMIT_SETID

Default Label Remit Setid
Length 5
Type Character
Format Uppercase

Record Reference(s) VENDOR
VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP
VENDOR_TMP

REMIT_VENDOR

Default Label Remit Vendor
Length 10
Type Character
Format Uppercase

Record Reference(s) VENDOR
VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP
VENDOR_TMP

REMOTEDBCONNTYPE

Default Label Remote DB Connection type
Length 1
Type Character
Format Uppercase



Record Reference(s) PSREMOTEDBDEFN

S Specific Oracle Conn Params
T Oracle TNSNames

REMOTEDBNAME

Default Label Remote Database Name
Length 128
Type Character
Format Mixedcase

Record Reference(s) PSREMOTEDBDEFN

REMOTEDB_ID

Default Label Remote DB Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSREMOTEDBDEFN

REMOVE_DT

Default Label Removal Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CAR_EXTRA

REMOVE_TRAIL_SPACE

Default Label Remove Trailing Spaces
Length 1
Type Character
Format Uppercase



Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO
 PI_SYSTEM_TBL

RENEWAL

Default Label Renewal in Progress
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) UPG_HR75_AET

RENEWAL_DAYS_OUT

Default Label Length (days) of Renewal Prd.
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) RC_PAYINIT

REOWNER

Default Label REN Server Owner
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSRENCLUS_OWNER

A ALL
 M MCF
 O OPTIMIZATION
 R REPORTING

REN_CLUS_ROOT_PATH

Default Label REN Server Cluster Root Path



Length 50
Type Character
Format Mixedcase

Record Reference(s) PSMCFRENURLID
PSUPGMCF843_AET

REN_ID

Default Label REN Server ID
Length 50
Type Character
Format Uppercase

Record Reference(s) PSREN
PSRENCLUSTER

REN_PERMTYPE

Default Label REN Server Permission Type
Length 30
Type Character
Format Uppercase

Record Reference(s) PSMCFRENPERMS

REN_PERMVALUE

Default Label REN Server Permission Value
Length 8192
Type Long Character
Format Uppercase

Record Reference(s) PSMCFRENPERMS

REOPEN_DT

Default Label Date Claim Re-Opened



Length 10
Type Date
Format Uppercase

Record Reference(s) INJURY_CLM_MGMT

REPEATRECURRENCE

Default Label Repeat Recurrence
Length 5
Type Number
Format 7

Record Reference(s) PRCSRECUR

REPEATUNIT

Default Label Repeat Unit
Length 1
Type Number
Format Uppercase

Record Reference(s) PRCSRECUR

REPEAT_FREQUENCY

Default Label Frequency
Length 2
Type Number
Format Uppercase

Record Reference(s) GP_AUTO_PRD
GP_AUTO_PRD_AET

REPEAT_NBR

Default Label Repeat Number
Length 3



Type Number
 Format Uppercase

Record Reference(s) GPFR_DA_AET

REPEAT_REQ_CD

Default Label Refresh Request
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PYTL_STG_SUB

PY_LDTL_RC
 PY_LDTL_TBL
 TL_PAYREQ_AET
 TL_PAYREQ_E
 TL_PAYROLL_REQ
 TL_PAYROLL_SENT

- A All Between Range
- D By Range of Dates
- N None
- R By Request Number
- T By Last Request

REPEAT_REQ_FROM_DT

Default Label Repeat Request From Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PYTL_STG_SUB

TL_PAYREQ_AET
 TL_PAYROLL_REQ

REPEAT_REQ_NUM

Default Label Repeat Request Number
 Length 3



Type Number
Format Uppercase

Record Reference(s) PYTL_STG_SUB

TL_PAYREQ_AET
TL_PAYROLL_REQ

REPEAT_REQ_TO_DT

Default Label Repeat Request To Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PYTL_STG_SUB

TL_PAYREQ_AET
TL_PAYROLL_REQ

REPLACE_ALPHA

Default Label Replacement Alpha Character
Length 2
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

REPLACE_AMOUNT

Default Label Replacement Amount
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_CONS_EARNST1

PA_CONS_EARNST2
PA_CONS_HRSTAT3
PA_CONS_HRSTAT4



REPLACE_AMT_ALIAS

Default Label Replacement Amount
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARNST1
PA_CONS_EARNST2
PA_CONS_HRSTAT3
PA_CONS_HRSTAT4

REPLACE_AMT_ALIAST

Default Label Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARNST1
PA_CONS_EARNST2

PA_CONS_HRSTAT3
PA_CONS_HRSTAT4

REPLACE_AMT_TYPE

Default Label Replacement Amount Field Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARNST1
PA_CONS_EARNST2
PA_CONS_HRSTAT3
PA_CONS_HRSTAT4

A Alias Name
N Numeric Constant



REPLACE_EXER_NBR

Default Label Replace Exercise Number
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_GRANT_EXER

REPLACE_IND

Default Label Replace Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GPDE_AL_DELTA
 GP_RSLT_DELTA

REPLACE_PERC_BEL

Default Label Replacement Percentage
Length 6
Type Number
Format Uppercase

Record Reference(s) CONTR_REPS_BEL

REPLACE_REL_NBR

Default Label Replace Release Number
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_EXER_RELEASE



REPLACE_TREE_FLAG

Default Label Replace Tree if Exists
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_TREEMOVER
TREEMOVER_AET

REPLICATIONSET

Default Label Replication Set
Length 9
Type Number
Format Uppercase

Record Reference(s) PSMSFREFRESH

REPLYERR

Default Label Reply Error
Length 5
Type Number
Format 7

Record Reference(s) PSMSGAGTDEFN

REPLYOK

Default Label Reply OK
Length 5
Type Number
Format 7

Record Reference(s) PSMSGAGTDEFN

REPL_XREF_NUM

Default Label Replacement Xref Number



Length 15
Type Character
Format Uppercase

Record Reference(s) PYTL1_STG_SUB
TL_SEQ_UPDATE

REPORTABLE_CASE

Default Label Reportable Case
Length 1
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL

REPORTED_AMT

Default Label Reported Amount
Length 12
Type Signed Number
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
UPG_TL_AET

REPORTED_BY_EMPL

Default Label Reported By EmplID
Length 11
Type Character
Format Uppercase

Record Reference(s) INCIDENT_DATA

REPORTED_BY_NONEMP

Default Label Reported By Non-EmplID



Length 11
Type Character
Format Uppercase

Record Reference(s) INCIDENT_DATA

REPORTED_FLAG

Default Label Reported Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
UPG_TL_AET

REPORTED_HRS

Default Label Reported Hours
Length 10
Type Signed Number
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
UPG_TL_AET

REPORTED_TO

Default Label Reported To EmplID
Length 11
Type Character
Format Uppercase

Record Reference(s) INCIDENT_DATA
INJURY_ILL_IND

REPORTED_UNITS



RC_PAY
 RC_QTR_UI
 RC_TAX960
 TAX960_PARM

C Cartridge
 D Diskette
 T Tape

REPORTING_PERIOD

Default Label Reporting Period
 Length 1

Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RUN_CNTL_BEN
 RUN_CNTL_HR_NLD

M Monthly
 Q Quarterly

REPORTING_PERSON

Default Label Reporting Person
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_BLACKOUT_TBL
 ST_INSIDER_TBL
 ST_REPRC_AET
 ST_REPRC_TBL

REPORTS_TO

Default Label Reports To Position Number
 Length 8
 Type Character
 Format Uppercase



Record Reference(s) GPIT_DM10_RUNCL

GVT_RUN_CNTL
RUN_CNTL_HR
RUN_ILL_HR_NLD
Z_LC_RUNCTL

- 1 Applicants
- 2 Current Employees
- 3 Both Applicants and Employees

REPORT_COUNTRY

Default Label Reporting Country
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_QTR_UI

- B Both Canada and US
- C Canada
- U USA

REPORT_DATE

Default Label Report Date
Length 10
Type Date
Format Uppercase

Record Reference(s) INCIDENT_REPORT
INC_REPORT_LNG

REPORT_DISPOSN_SRC

Default Label Disposition Source
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST



Type Character
 Format Mixedcase

Record Reference(s) GEN_MSG
 RPT_RQST

REPORT_FORM

Default Label Report Form
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE

A T4A Slip
 R RL-1
 T T4 Slip
 V RL-2
 X All

REPORT_ID

Default Label Report ID
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) NVS_OPR_RPTS

NVS_REPORT
 NVS_REPORT_AUTH
 PSNVSBOOKREQUEST
 R_CONTRIB_PART
 R_PRCG_GRP_DTL

REPORT_INSTANCE

Default Label Report Instance
 Length 8
 Type Character



Format Uppercase

Record Reference(s) RPT_RQST

REPORT_INST_VAL

Default Label Report Instance Value
Length 8
Type Number
Format Uppercase

Record Reference(s) RPT_INST_TBL

REPORT_LOCATION

Default Label Reporting Location
Length 10
Type Character
Format Uppercase

Record Reference(s) INCIDENT_REPORT

REPORT_MSG

Default Label Generate TCD Usage Report
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_TCD_REPORT

N No Report
Y Report

REPORT_ONLY_FLAG

Default Label Report Only
Length 1
Type Character
Format Uppercase



Record Reference(s) RUN_TREE_UTILS
 TREE_MAINT_AET

REPORT_OPTION

Default Label Report Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_PAY

- D Detail Report
- F Full report ?
- R Run ID Report ?
- S Summary Report

REPORT_PROBATNARY

Default Label Report Probationary Employees
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_QTR_UI

REPORT_RUN_DATE

Default Label Report Run Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) R_PER016

REPORT_SCOPE

Default Label Report Scope



Length 10
Type Character
Format Uppercase

Record Reference(s) NVS_REPORT
NVS_SCOPE
NVS_SCOPE_FIELD
NVS_SCOPE_VALUE

REPORT_STATUS

Default Label Report Status
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_EDSR_EC
WCB_EDSR_WD

REPORT_TIME

Default Label Report Time
Length 15
Type Time
Format Uppercase

Record Reference(s) INCIDENT_REPORT

REPORT_TYPE

Default Label Report Type
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_RUN_CNTL_SVC
PA_RUN_CNTL
PA_RUN_CNTL_CLC



D Detailed
N Non Detailed

REPRC_PART_STATUS

Default Label Reprice Participation Status
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_REPRC_PARTIC

E Eligible
F Finalized - Repriced Grant
N Notified - Elect Form Process

REPRES_TYPE_ITA

Default Label Representative Type
Length 3
Type Character
Format Uppercase

Record Reference(s) COMP_REPRES_ITA

ADM Administrative
LGL Legal

REPRICE_ELECT

Default Label Reprice Election
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_REPRC_PARTIC

REPRICE_ELECT_DFLT

Default Label Reprice Election Default
Length 1



Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ST
 ST_REPRC_AET

REPRICE_EXER_RULE

Default Label Exercise Before Vest Rule
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_REPRC_AET
 ST_REPRC_TBL

K Keep Original
 O Override

REPRICE_GRANT_NBR

Default Label Reprice Grant Number
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) ST_GRANT
 ST_REPRC2D_TAO
 ST_REPRC_R1_TAO
 ST_REPRC_TAO

REPRICE_ID

Default Label Stock Reprice ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ST
 ST_REPRC_AET
 ST_REPRC_CNTRY



ST_REPRC_CO
 ST_REPRC_EMPL
 ST_REPRC_PARTIC
 ST_REPRC_PLAN
 ST_REPRC_PR_MSG
 ST_REPRC_TBL
 ST_REPRICE_LANG

REPRICE_PLAN_RULE

Default Label Stock Plan Rule
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_REPRC_AET

ST_REPRC_TBL

K Keep Original Stock Plan
 N Apply New Stock Plan

REPRICE_PRCM_MTHD

Default Label Process Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ST

ST_REPRC_AET

A Process All
 I Process By Individual

REPRICE_REVERSE

Default Label Reverse Eligibility Process
 Length 1
 Type Character
 Format Uppercase



N New Vesting

REPRICE_XFER_RULE

Default Label Transferable Options Rule
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_REPRC_AET
ST_REPRC_TBL

K Keep Original
O Override

REPRINT_ALL_DEPS

Default Label Reprint all Dependents
Length 1
Type Character
Format Uppercase

Record Reference(s) CBR_PRNT_PARTIC

REPRINT_ALL_PQBS

Default Label Reprint All Participants
Length 1
Type Character
Format Uppercase

Record Reference(s) CBR_PRNT

REPRINT_DESCR

Default Label Reprint Description
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_US_YE



B No Specific Reason
 C Corrected
 R Reissued Statement

REPRINT_NBR

Default Label Reprint Numberf
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) TAXRPT_RUNCTL
 W2C_INSTALL

REPRINT_PROMPT

Default Label Reprint
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RC_US_YE
 RUN_CNTL_BEN
 RUN_CNTL_CBR
 RUN_CNTL_ST
 ST_SSDISP_AET

REPROCESS

Default Label Reprocess?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_NH_RUNCTL
 TERM_RQST



REPROCESS_ALL_ER

Default Label Reprocess Eligibility/Awards
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_EE_REF_ELIG

REPROCESS_ER

Default Label Reprocess
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_EE_REF_ELIG

REPROCESS_IND

Default Label Reprocess Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_ENR_RUNCTL

- A Assign Benefit Pgm
- E Elect Options
- N None
- P Prepare Options
- S Schedule

REPURCHASE_DAYS

Default Label Days To Repurchase
Length 3
Type Number
Format Uppercase



Record Reference(s) ST_OPTION_PLAN

REPURCHASE_DT

Default Label Repurchase Date
Length 10
Type Date
Format Uppercase

Record Reference(s) ST_GRNT_REPURCH
ST_SPLIT9C_TAO

REPURCHASE_NBR

Default Label Repurchase Number
Length 8
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_ST
ST_GRNT_REPURCH
ST_SPLIT9A_TAO
ST_SPLIT9B_TAO
ST_SPLIT9C_TAO
ST_SPLIT9_TAO

REPURCHASE_NBR_LST

Default Label Last Repurchase Number
Length 8
Type Number
Format Uppercase

Record Reference(s) STOCK_TBL

REPURCHASE_PRICE

Default Label Repurchase Price
Length 19



Type Number
 Format Uppercase

Record Reference(s) ST_GRNT_REPURCH

REPURCHASE_REASON

Default Label Repurchase Reason
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) ST_GRNT_REPURCH

CORP	Corporate Repurchase
OTH	Other
TER	Termination

REPURCHASE_STATUS

Default Label Repurchase Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ST

ST_GRNT_REPURCH
 ST_SPLIT9A_TAO
 ST_SPLIT9B_TAO
 ST_SPLIT9C_TAO
 ST_SPLIT9_TAO

A	Active
V	Void

REPURCHASE_VALUE

Default Label Repurchase Cost
 Length 20
 Type Signed Number
 Format Uppercase



Record Reference(s) ST_OPTION_PLAN
ST_OPTN_TAO1
ST_TRSR_TAO1
P Return Shares to Plan
T Retire Shares to Treasury

REP_CHNLNAME
Default Label Channel Name
Length 30
Type Character
Format Uppercase

Record Reference(s) EO_EIP_MGSR_TBL

REP_MSGNAME
Default Label Reply Message Name
Length 30
Type Character
Format Uppercase

Record Reference(s) EO_EIP_MGSR_TBL
EO_EIP_SRND_TBL

REP_NAME
Default Label Representative Name
Length 40
Type Character
Format Mixedcase

Record Reference(s) COMPANY_TBL_JPN
COMP_TBLJPN_LNG
RUN_CNTL_HR_JPN

REP_NAME1



REP_TITLE1

Default Label Representative Title
Length 30
Type Character
Format Mixedcase

Record Reference(s) RUN_CNTL_HR_JPN

REP_TITLE2

Default Label Representative Title
Length 30
Type Character
Format Mixedcase

Record Reference(s) RUN_CNTL_HR_JPN

REP_TYPE_MEX

Default Label Representative Type
Length 4
Type Character
Format Numbers Only

Record Reference(s) MIX_COM_REP_MEX

0010 Employee
0020 Employer

REQD

Default Label Required
Length 2
Type Number
Format Uppercase

Record Reference(s) PSSTEPDEFN



REQSECURESSL

Default Label Require Secure Protocol (SSL)
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

REQST_ADDTNL_INFO

Default Label Request Additional Info
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_REFERRAL
 POSN_APPLD_TAO
 POSN_APPLIEDFOR
 R_GVT_PRIPL_AG3
 R_GVT_PRIPL_AG4
 R_GVT_PRIPL_AG5

REQUESTED_AMT

Default Label Requested Amount
Length 19
Type Number
Format Uppercase

Record Reference(s) GRP_INCR_BUDGET
 HR_SALCHBGT_DAT
 HR_SALCHGRP_DAT
 POSN_BUDGET
 UPG_HR75_AET

REQUESTED_FTE

Default Label Requested FTE



Length 6
Type Number
Format Uppercase

Record Reference(s) POSN_BUDGET

REQUESTED_PCT

Default Label Requested Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) GRP_INCR_BUDGET
UPG_HR75_AET

REQUEST_DT

Default Label Request Date
Length 10
Type Date
Format Uppercase

Record Reference(s) APP_VSA_PMT_SPT
ER_APP_PREEMPLH
FMLA_LV_REQUEST
GRP_INCR_BUDGET
POSN_BUDGET
RUN_FGSF75
UPG_HR75_AET
VISA_PMT_SUPPRT

REQUEST_HEADCOUNT

Default Label Requested Head Count
Length 3
Type Number
Format Uppercase

Record Reference(s) POSN_BUDGET



REQUEST_ID

Default Label Request ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) CO_ESV_SUPP_TBL

EO_BATPUB_AET
 EO_EFFDTPUB_AET
 EO_ERR_RUNCNTL
 EO_FILEPUB_AET
 EO_PARM_BATCH
 EO_PARM_EFFDT

EO_PARM_EFFDTP
 EO_PARM_FILE
 EO_PARM_FULL
 PT_ERR_RUNCNTL

REQUEST_IND

Default Label Allow Request in Self Service
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_SS

N No
 Y Yes

REQUEST_NBR

Default Label Request Number
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) AE_REQUEST



AE_REQUEST_OPT
 AE_RUN_CONTROL
 EO_ERR_RUNCNTL
 EO_PARM_BATCH
 EO_PARM_EFFDT
 EO_PARM_EFFDTP
 EO_PARM_FILE
 EO_PARM_FULL
 PSIBFILERUNCNTL
 PT_ERR_RUNCNTL
 TC_CNTL_PAY_TAO
 TC_EMPL_LST_TAO
 TC_MAP_BEN_TAO
 TC_MAP_ERN_TAO
 TC_MAP_TAXC_TAO
 TC_MAP_TAX_TAO
 TC_PAYEXT_AET
 TC_TMP_DTL_TAO
 TL_PAYREQ_AET

REQUEST_STATUS

Default Label Request Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ACCOM_REQUEST
 APP_ACCOM_RQST
 OFFER_HIST_TAO
 UPG_ER_AET
 UPG_OFF_HIS_AET

A Accepted
 P Pending
 U Undue Hardship

REQUEST_URI

Default Label Request URL
 Length 1024



Type Long Character
 Format Uppercase

Record Reference(s) NVSDRILL_SRCH
 NVS_REPORT
 PSNVSBOOK

REQUIRED

Default Label Required
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) EO_IOINPUTS_CUR
 EO_IOSETTIN_CUR
 JOB_RQMT_ACCOMP
 JOB_RQMT_COMP
 PSIOINPUTS
 PSIOSETTINGS
 PSMERCHBIPARMS
 UPG_ER_AET
 UPG_JOB_CMP_TAO
 Z_PI_NFC_TBL101
 Z_PI_RQRD_TYPES
 Z_TBL101

REQUIRED_CONFIG1

Default Label Required
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_SS

N No
 Y Yes

REQUIRED_CONFIG2



Default Label Required
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_SS

N No
 Y Yes

REQUIRED_CONFIG3

Default Label Required
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_SS

N No
 Y Yes

REQUIRED_CONFIG4

Default Label Required
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_SS

N No
 Y Yes

REQUIRED_CRSE

Default Label Required
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CAREER_TRAINING



TRN_PROGRM_CRSE

REQUIRED_FLG

Default Label Required Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) EOEW_TRN_DFN
PSCONNPROP
PSNODECONPROP
PTPPB_PGLT_PRMS
Z_CHKLIST_ALL
Z_HIRE_ACTION

REQUIRED_LBL

Default Label Required
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_RPT_TMPDL
TL_TEMP_DTL_MSG
TL_TMPDL_TAO

REQUIRE_APPROVAL

Default Label Require Approval for Payment
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_EE_REF_AWD
ER_ERP_AWD_AET
ER_ERP_ELIG_AET
ER_REF_PGM



REQUIS_SECTION_SEQ

Default Label Sequence
Length 2
Type Number
Format Uppercase

Record Reference(s) ER_REQ_TMPL_PGS
REQUIS_SECTIONS

REQ_BU_ONLY

Default Label Data From Requesting B.U. Only
Length 1
Type Character
Format Uppercase

Record Reference(s) NVS_REPORT

REQ_CLOSE_DT

Default Label Required Close Date
Length 10
Type Date
Format Uppercase

Record Reference(s) JOB_REQUIS_TYP
UPG_REQ_PST_TAO

REQ_DESCR_TYPE

Default Label Description Type
Length 2
Type Character
Format Uppercase

Record Reference(s) ER_REQ_DESCR_TP
ER_REQ_D_TP_LNG



GVT_FULLVA_SECD
 GVT_RECR_DESCR
 GVT_RECR_DE_LNG
 JOB_REQUIS_LANG
 JOB_REQ_DESCRS
 UPG_FG_AET

REQ_DT_DESCR

Default Label Required Date Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) JOB_REQUIS_TYP
 UPG_REQ_PST_TAO

REQ_DT_MEDIUM

Default Label Posting Medium
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_REQUIS_TYP
 UPG_REQ_PST_TAO

A	Ad
E	Email
I	Internet
J	Job Board Aggregator
O	Other
P	Posting

REQ_ID

Default Label Requisition ID
 Length 10
 Type Character
 Format Uppercase



Record Reference(s) CCUTSTHDR_TEO1
 CCUTSTHDR_TEO2
 CCUTSTHDR_TEO3
 CCUTSTLN_TEO1
 CCUTSTLN_TEO2
 CCUTSTLN_TEO3
 CCUTSTSCH_TEO1
 CCUTSTSCH_TEO2
 CCUTSTSCH_TEO3
 CCUTSTVCH_TEO1
 CCUTSTVCH_TEO2
 CCUTSTVCH_TEO3
 CCU_TST_HDR_TBL
 CCU_TST_LN_TBL
 CCU_TST_SCH_TBL
 CCU_TST_VCH_TBL

REQ_NEW_POSN
 Default Label New Position
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_REQUISITION
 JOB_REQUIS_TAO
 UPG_HR75RWF_AET

REQ_OPEN_DT
 Default Label Required Open Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) JOB_REQUIS_TYP
 UPG_REQ_PST_TAO



REQ_SCR_ACMP_COUNT

Default Label Accomplishment Count
Length 3
Type Number
Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SCR_ACMP_SCORE

Default Label Accomplishments Score
Length 3
Type Number
Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SCR_BAS_COUNT

Default Label Basic Eligibility Count
Length 3
Type Number
Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SCR_BAS_SCORE

Default Label Basic Eligibility Score
Length 3
Type Number
Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SCR_COMP_COUNT

Default Label Competencies Count



Length 3
Type Number
Format Uppercase
Record Reference(s) ER_SCR_RESULTS

REQ_SCR_COMP_SCORE
Default Label Competencies Score
Length 3
Type Number
Format Uppercase
Record Reference(s) ER_SCR_RESULTS

REQ_SCR_EDEX_COUNT
Default Label Education/Experience Count
Length 3
Type Number
Format Uppercase
Record Reference(s) ER_SCR_RESULTS

REQ_SCR_EDEX_SCORE
Default Label Education/Experience Score
Length 3
Type Number
Format Uppercase
Record Reference(s) ER_SCR_RESULTS

REQ_SCR_KEY_COUNT
Default Label Keyword Count
Length 3
Type Number



Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SCR_KEY_SCORE

Default Label Keyword Score
Length 3
Type Number
Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SCR_QUES_COUNT

Default Label Questions Count
Length 3
Type Number

Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SCR_QUES_SCORE

Default Label Questions Score
Length 3
Type Number
Format Uppercase

Record Reference(s) ER_SCR_RESULTS

REQ_SRC

Default Label Request Source
Length 1
Type Character
Format Uppercase



Record Reference(s)	PY_LDTL_RC	
	PY_LDTL_TBL	
	C	Pay Calculation
	F	Final Check
	O	On-Line Check
	U	User

REQ_STATUS	
Default Label	Requisition Status
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	CCUTSTHDR_TEO1
	CCUTSTHDR_TEO2
	CCUTSTHDR_TEO3
	CCUTSTLN_TEO1
	CCUTSTLN_TEO2
	CCUTSTLN_TEO3
	CCUTSTSCH_TEO1
	CCUTSTSCH_TEO2
	CCUTSTSCH_TEO3
	CCUTSTVCH_TEO1
	CCUTSTVCH_TEO2
	CCUTSTVCH_TEO3
	CCU_TST_HDR_TBL
	CCU_TST_LN_TBL
	CCU_TST_SCH_TBL
	CCU_TST_VCH_TBL

A	Approved
C	Complete
I	Initial
O	Open
P	Pending Approval
X	Canceled

REQ_TYPE	
Default Label	Request Type



Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_SF182

M Multiple Requests
S Single Request

REQ_VALUE_1

Default Label Required Payroll value 1
Length 20
Type Character
Format Uppercase

Record Reference(s) PYTL_STG_SUB

TL_PAYREQ_E
TL_PAYROLL_REQ
TL_PAYROLL_SENT
TL_PAYTIME_SENT
TL_TO_PAY

REQ_VALUE_2

Default Label Required Payroll value 2
Length 20
Type Character
Format Uppercase

Record Reference(s) PYTL_STG_SUB

TL_PAYREQ_E
TL_PAYROLL_REQ
TL_PAYROLL_SENT
TL_PAYTIME_SENT
TL_TO_PAY

RERUN_FLAG

Default Label Rerun
Length 1



Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

N No
 Y Yes

RERUN_IND

Default Label Rerun Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET
 CO_DED_PAYRUN

N NO
 Y YES

RESCHEDOPTIONTYPE

Default Label Reschedule Option Type
 Length 4
 Type Character
 Format Mixedcase

Record Reference(s) PRCSRECREXEMPT

1 Next Calculated Date
 2 Next Specified Date
 3 Next Business Day

RESCHEDULED

Default Label Rescheduled
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CRSE_SESSN_TBL



RESERVE_RANK_FRA

Default Label Rank in th Reserve
Length 3
Type Character
Format Uppercase

Record Reference(s) MILIT_SITN_FRA

ADR Warrant Officer
CLR Colonel
SGR Sergeant

RESET_CPP_MONTHS

Default Label Reset CPP Subject Months
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

RESET_CROSS_PROV

Default Label Reset Cross Province
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

RESET_LETTER

Default Label Reset Special Letters
Length 1
Type Character
Format Uppercase



Record Reference(s) RC_CAN_YE

RESET_LETTER_QC

Default Label Reset Special Letters (Quebec)
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

RESET_MR19CV

Default Label Reset Quebec Commission
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

RESET_RTO_IND

Default Label Reset Retro Triggers Ind
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_DEL_WRK

RESET_TD1X

Default Label Reset Federal Commission
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE



RESET_TO_VALUE

Default Label Reset EI Yearly Value
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE
A Reset EI Yearly Max To Zero
B Reset EI Yearly to Tbl Max

RESET_UI_YEARLY

Default Label Reset EI Yearly Maximum
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

RESIDENCE_NBR

Default Label Residence Number
Length 2
Type Number
Format Uppercase

Record Reference(s) RESIDENCE_HOME
RESIDENCE_HOST
RESID_HOME_DTL
RESID_HOST_DTL
RES_HM_DTL_LNG
RES_HOME_LANG
RES_HOST_LANG
RES_HST_DTL_LNG

RESIDENT

Default Label Resident



Length 1
Type Character
Format Uppercase

Record Reference(s) HP_PAY_TAX_WK
LOCAL_TAX_DATA
PAY_TAX
PA_TE_LTX
PA_TE_STX
STATE_TAX_DATA
UPG_E3XW_TAO
WRK_TAX
Z_PRES_DOC_150

RESIDENT_TAX_RT

Default Label Resident Tax Rate
Length 12
Type Number
Format Uppercase

Record Reference(s) LOCAL_TAX_TBL
R_PATXUPD
UPG_CONV_LCLTX
UPG_LCLTX2

RESLTN_COMM

Default Label Resolution Comments
Length 254
Type Character
Format Mixedcase

Record Reference(s) DISCIPLIN_ACTN
DISCIP_ACT_LNG
GRIEVANCE
GRIEV_LNG
R_PER061



RESOURCE_CATEGORY

Default Label Resource Category

Length 5
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
PROJ_CATG_LANG
PROJ_CATG_TBL
PROJ_CAT_SUB
PROJ_CAT_SUB_LG
PROJ_TYPE_CAT
PROJ_TYP_CAT_LG
TL_PAYABLE_TMP
UPG_TL_AET
UPG_TL_TIME
UPG_TL_TIME1

RESOURCE_CAT_FLAG

Default Label Resource Category
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TSKPRF_TMPLT

RESOURCE_ID

Default Label Resource ID
Length 40
Type Character
Format Uppercase

Record Reference(s) BP_IMPT_HR_AET



RESOURCE_SUB_CAT

Default Label Resource Sub Category
Length 5
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
PROJ_CAT_SUB
PROJ_CAT_SUB_LG
PROJ_SUBCAT_LNG
PROJ_SUBCAT_TBL
TL_PAYABLE_TMP
UPG_TL_AET
UPG_TL_TIME
UPG_TL_TIME1

RESOURCE_TYPE

Default Label Resource Type

Length 5
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
KK_BUDGET_LN
PROJ_RES_TYPE
PROJ_RES_TYP_LG
PROJ_TYPE_CAT
PROJ_TYP_CAT_LG
TL_PAYABLE_TMP
UPG_TL_AET
UPG_TL_TIME
UPG_TL_TIME1



RESOURCE_TYPE_FLAG

Default Label Resource Type
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TSKPRF_TMPLT

RESPMSGNAME

Default Label Response Message
Length 30
Type Character
Format Uppercase

Record Reference(s) PSINST_VER_TRX
PSNODETRX
PSWSSERVICE

RESPMSGVER

Default Label Response Message Version
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSINST_VER_TRX
PSNODETRX

RESPONSE_CD

Default Label Response Code
Length 3
Type Character
Format Uppercase

Record Reference(s) UPG_APP_RTE_TAO
UPG_ER_AET
UPG_ER_STATUS



HOL	Hold on File
INV	Invite for Interview
NOR	No Response
RIE	Reject-Insufficient Experience
RIS	Reject-Insufficient Skills
RNO	Reject-No Opening
ROR	Reject-Other

RESPONSE_DAYS

Default Label	Response Days Allowed
Length	2
Type	Number
Format	Uppercase

Record Reference(s) CBR_EVENT_RULES

RESPONSE_DT

Default Label	Response Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) GVT_OFFER
 OFFER_HIST_TAO
 OFFER_TAO
 UPG_OFF_HIS_AET

RESPONSE_DUE_DT

Default Label	Response Due Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) APPLICATN_ROUTE
 UPG_APP_RTE_TAO
 UPG_ER_AET



INCIDENT_ACTION
INJ_REHAB_ACTN
UPG_CONTRCT_TAO
UPG_ER_AET
UPG_HR75CNT_AET

RESPONSIBLE_ROLE

Default Label Responsible Role
Length 30
Type Character
Format Mixedcase

Record Reference(s) GPMY_EPFORG_LNG
GPMY_SOCORG_LNG
GPMY_TAXORG_LNG
HIRING_CTR_ESP

RESPONSIBLE_SW

Default Label Responsible For Incident
Length 1
Type Character
Format Uppercase

Record Reference(s) INCIDENT_PEOPLE
INJ_PEOPLE_CAN

RESPROC_MOHO_FTP

Default Label Extractor FTP site
Length 30
Type Character
Format Uppercase

Record Reference(s) RP_INSTALLATION



RESPROC_ROOT2_DIR

Default Label Root Directory Mapping
Length 100
Type Character
Format Mixedcase

Record Reference(s) RP_INSTALLATION

RESPROC_ROOT_DIR

Default Label Root Directory-Pracs Scheduler
Length 100
Type Character
Format Mixedcase

Record Reference(s) RP_INSTALLATION

RESPROC_ROOT_FTP

Default Label Root FTP site
Length 30
Type Character
Format Uppercase

Record Reference(s) RP_INSTALLATION

RESPTRNSFRMNAME

Default Label Response Transformation Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSRELATIONTRX

RESP_REQ_DT

Default Label Response Required By Date
Length 10



RESTART_IND

Default Label Restart Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_AM_REQ_TBL

RESTRICTD_EXERCISE

Default Label Restricted Exercise
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_GRANT_EXER

RESTRICTD_WORKDAYS

Default Label Restricted Workdays
Length 3
Type Number
Format Uppercase

Record Reference(s) INJURY_ILL

RESTRICTION_PRF_ID

Default Label Restriction Profile ID
Length 10
Type Character
Format Uppercase

Record Reference(s) TL_EMPL_DATA
TL_EMPL_DTA_MSG
TL_EMPL_TAO
TL_RESPF_TAO
TL_RESPRF_LNG
TL_RESPRF_TBL
TL_RESTRICT_MSG



TL_RPT_EMPL
TL_TCDGRP_TBL

RESTRICT_ENTRY_MM

Default Label Months to Restrict Data Entry
Length 2
Type Number
Format Uppercase

Record Reference(s) BEN_DEFN_PLAN

RESTRICT_FROM_DT

Default Label Restriction From Date
Length 10
Type Date
Format Uppercase

Record Reference(s) WORK_RESTRICTN
WORK_RESTR_FRA

RESTRICT_TO_DT

Default Label Restriction To Date
Length 10
Type Date
Format Uppercase

Record Reference(s) WORK_RESTRICTN
WORK_RESTR_FRA

RESUB_INDICATOR

Default Label Resubmit Indicator
Length 1
Type Character
Format Uppercase



Default Label Test Results Actual 401(k)
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) NDT_RUNCTL

1	Passed 125% Test
2	Passed Alternate 2% Test
F	Failed
N	Not Performed

RESULTS_ACTUAL_M

Default Label Test Results Actual 401(m)
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) NDT_RUNCTL

1	Passed 125% Test
2	Passed Alternate 2% Test
F	Failed
N	Not Performed

RESULTS_DTTM

Default Label Results Saved
 Length 26
 Type Datetime
 Format 13

Record Reference(s) ER_SRCH_RSLTS

RESULTS_FORCST_AGG

Default Label Aggregate Test Results-Forcst
 Length 1
 Type Character
 Format Uppercase



Record Reference(s)	NDT_RUNCTL
	F Failed
	N Not Performed
	P Passed

RESULTS_FORECAST_K

Default Label	Test Results Forecast 401(k)
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	NDT_RUNCTL
	1 Passed 125% Test
	2 Passed Alternate 2% Test
	F Failed
	N Not Performed

RESULTS_FORECAST_M

Default Label	Test Results Forecast 401(m)
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	NDT_RUNCTL
	1 Passed 125% Test
	2 Passed Alternate 2% Test
	F Failed
	N Not Performed

RESULT_CD

Default Label	PeopleCode Call Result Code
Length	3
Type	Number
Format	Uppercase

Record Reference(s)	UPG_BN_AET
---------------------	------------



UPG_EP_AET

RESULT_INJURY_ILL

Default Label Resulted in Injury or Illness
Length 1
Type Character
Format Uppercase

Record Reference(s) INCIDENT_DATA

RESULT_NAME

Default Label Alias Name
Length 10
Type Character
Format Uppercase

Record Reference(s) EG_DATE
EG_DURATION
PA_DATE
PA_DURATION

RESULT_VALUE

Default Label Result Value
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) MC_DEFN_PC

RESUME_NUMBER

Default Label Resume Number
Length 7
Type Number
Format Uppercase



Record Reference(s) APPLICANT_DATA
RP_QUEUE_APP
RP_QUEUE_EDU
RP_QUEUE_PHN
RP_QUEUE_WRKEXP
UPG_ER_AET

RESUME_SECTION_SEQ
Default Label Sequence
Length 2
Type Number
Format Uppercase

Record Reference(s) ER_RES_TMPL_PGS
RESUME_SECTIONS

RESUME_TEXT
Default Label Resume Text
Length 0
Type Long Character
Format Uppercase

Record Reference(s) APP_RESUME_TEXT
AUTOPOP_APP_TMP
RP_QUEUE_APP

RESUME_TEXT_100
Default Label Resume Text
Length 100
Type Character
Format Mixedcase

Record Reference(s) JOB_RQMT_TBL



RESUME_TEXT_FILE

Default Label Resume Text File
Length 64
Type Character
Format Uppercase

Record Reference(s) APPLICANT_DATA
GVT_PERS_DATA
GVT_PERS_TEMP
PERS_APPL_INFO

RESUME_TMPL

Default Label Resume Template Id
Length 15
Type Character
Format Uppercase

Record Reference(s) ER_INSTALLATION
ER_RCRT_TMPL
ER_RES_TMPL_LNG
ER_RES_TMPL_PGS
ER_RES_TMPL_TBL
RESUME_OPTIONS
UPG_ER_AET

RESUSCITATION_SW

Default Label Resuscitation Required
Length 1
Type Character
Format Uppercase

Record Reference(s) INJURY_ILL
OHS501UK_TMP2

RES_EARLY_BREAK

Default Label Restrict Early Break Indicator



Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RES_EARLY_IN

Default Label Restrict Early In Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RES_EARLY_MEAL

Default Label Restrict Early Meal Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RES_EARLY_OUT

Default Label Restrict Early Out Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL



TL_RESTRICT_MSG

RES_LATE_BREAK

Default Label Restrict Late Break Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RES_LATE_IN

Default Label Restrict Late In Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RES_LATE_MEAL

Default Label Restrict Late Meal Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RES_LATE_OUT

Default Label Restrict Late Out Indicator



Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RES_RVW_BAND_CD

Default Label Resulting Review Band
Length 1
Type Character
Format Uppercase

Record Reference(s) EMPLOYEE_REVIEW

RES_UNSCHEM_MEAL

Default Label Restrict Unsched Meal Punch
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RESPF_TAO
TL_RESPRF_TBL
TL_RESTRICT_MSG

RETAIL_PR_INDX_FRA

Default Label Retail Price Index
Length 8
Type Number
Format Uppercase

Record Reference(s) EXT_PARM_FRA

RETAINED_GRADE



FPAEESTATUS
FPAEESTATU_HIST
FPA_EMPLOYEES
HR_RETIRE_WL

RETIREMENT_PLAN

Default Label Retirement Plan
Length 1
Type Character
Format Uppercase

Record Reference(s) STATE_TAX_DATA

RETIREMENT_YEAR

Default Label Years
Length 2
Type Number
Format Uppercase

Record Reference(s) PA_VALID_NUMS

RETIREES

Default Label Retires
Length 3
Type Number
Format Uppercase

Record Reference(s) R_ACTION_COUNTS

RETIRE_TYPE

Default Label Retirement Type Name
Length 10
Type Character
Format Uppercase



Record Reference(s) PA_DFN_VEST_RET

RETMT_PICKUP_PCT

Default Label Retirement Pickup Percent
Length 4
Type Number
Format Uppercase

Record Reference(s) UNION_TBL

Z_B_UNION_TBL
Z_Z_B_UNION_TBL

RETNAME

Default Label Return Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSCODESETVAL

RETRIEVE_COUNT

Default Label Count
Length 10
Type Number
Format 7

Record Reference(s) BAT_TIMINGS_DTL

UPGPTPP_AET

RETRIEVE_TIME

Default Label Time (in milliseconds)
Length 15
Type Number
Format Uppercase



Record Reference(s) BAT_TIMINGS_DTL

RETRODED_DED_AMT

Default Label Retro Deduction Amount
 Length 12

 Type Signed Number
 Format Uppercase

Record Reference(s) RETRODED_DEDS

RETRODED_DED_TYPE

Default Label Retro Deduction Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RETRODED_DEDS

A	Arrears
N	No Difference
R	Refund

RETRODED_EFFDT

Default Label Retro Ded Effective Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) RETRODEDMAS_TBL

RETRODED_DEDS
 RETRODED_RQST

RETRODED_PGM_ID

Default Label Retro Ded Program ID



Length 3
 Type Character
 Format Uppercase

Record Reference(s) RETRODEDMAS_TBL
 RETRODEDPGM_DEF
 RETRODEDPGM_TBL
 RETRODED_RQST

RETRODED_PGM_TYPE

Default Label Retro Ded Program Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RETRODEDPGM_TBL

I Individual
 M Mass

RETRODED_PRCs_FLAG

Default Label Retro Ded Process Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RETRODED_CALC
 RETRODED_DEDS
 RETRODED_RQST

C Calculated
 I Invalidated
 N Not Processed
 P Loaded to Paysheet
 R Rejected
 X Extracted

RETRODED_RQST_TYPE



Default Label Retro Ded Request Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RDEDSQR_RUNCTL
 RETRODED_RQST

- A Benefits Administration
- B Benefit Deduction
- G General Deduction
- J Job Change
- M Mass Request
- P Benefit Program Change

RETRODED_SEQ_LAST

Default Label Last Retroded Request Seq. No.
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) INSTALLATION

RETRODED_SEQ_NO

Default Label Retro Ded Sequence Number
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) RETRODED_CALC
 RETRODED_DEDS
 RETRODED_MSG
 RETRODED_RQST

RETROPAY_EFFDT

Default Label Retro Pay Effective Date
 Length 10
 Type Date



Format Uppercase

Record Reference(s) RETROPAY_EARNS

RETROPAY_RQST

RETROPAY_ERNCD

Default Label Retro Pay Earnings Type

Length 3

Type Character

Format Uppercase

Record Reference(s) RETROPAYPGM_DEF

RETROPAY_EARNS

RETROPAY_LOAD_SW

Default Label Retro Pay Load Switch

Length 1

Type Character

Format Uppercase

Record Reference(s) RETROPAY_EARNS

RETROPAY_PGM_ID

Default Label Retro Pay Program ID

Length 3

Type Character

Format Uppercase

Record Reference(s) MASS_RETRO_RQST

PAYGROUP_TBL

RETROPAYPGM_DEF

RETROPAYPGM_TBL

RETROPAYPG_LANG

RETROPAY_RQST



Length 8
Type Character
Format Mixedcase

Record Reference(s) RETROPAY_ACCT
RETROPAY_EARNS
RETROPAY_MSG
RETROPAY_RQST
RTROUND0_RUNCTL

RETRO_ADDL_NO

Default Label Retro Pay Additional Number
Length 3
Type Number
Format Uppercase

Record Reference(s) RETROPAY_EARNS

RETRO_COMPANY

Default Label Retro Pay Company
Length 3
Type Character
Format Uppercase

Record Reference(s) RETRODED_RQST
RETROPAY_RQST

RETRO_DEDUCTIONS

Default Label Retroactive Deductions
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION



RETRO_FWD_ADJUST

Default Label Retro Forwarded Adjustments
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTO_CAL
GP_AUTO_CAL_AET

RETRO_LINE_NO

Default Label Retro Pay Line Number
Length 3
Type Number
Format Uppercase

Record Reference(s) RETRODED_RQST
RETROPAY_RQST

RETRO_OFF_CYCLE

Default Label Retro Pay Off Cycle
Length 1
Type Character
Format Uppercase

Record Reference(s) RETRODED_RQST
RETROPAY_RQST

RETRO_PAGE_NO

Default Label Retro Pay Page Number
Length 4
Type Number
Format Uppercase

Record Reference(s) RETRODED_RQST
RETROPAY_RQST



RETRO_PAYGROUP

Default Label Retro Pay Paygroup
Length 3
Type Character
Format Uppercase

Record Reference(s) RETRODED_RQST
RETROPAY_RQST

RETRO_PAY_END_DT

Default Label Retro Pay - Pay End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) RDEDSQR_RUNCTL
RETRODED_RQST
RETROPAY_RQST

RETRO_PERCENT

Default Label Retroactive Percent
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) JOBCODE_TBL

RETRO_RATE

Default Label Retroactive Rate
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) JOBCODE_TBL



RETRO_SEPCHK

Default Label Retro Pay Separate Check No.
Length 1
Type Number
Format Uppercase

Record Reference(s) RETRODED_DEDS
RETROPAY_EARNS

RETRYCOUNT

Default Label Pub/Sub Retry Count
Length 11
Type Signed Number
Format 7

Record Reference(s) PRCSDEFN
PRCSJOBDEFN
PSAPMSGARCHPC
PSAPMSGARCHPH
PSAPMSGARCHSC
PSAPMSGPUBCON
PSAPMSGPUBHDR
PSAPMSGSUBCON
PSPRCSQUE
PSPRCSRQST

RETRYONFAIL

Default Label Retry on Failure
Length 1
Type Number
Format Uppercase

Record Reference(s) PSSUBDEFN



RETURNCODE

Default Label Return Code
Length 10
Type Number
Format 7

Record Reference(s) PRCSEFNCOND

RETURN_CD

Default Label Return code from Remote Call
Length 2
Type Number
Format Uppercase

Record Reference(s) TL_RUNCNTL_AET

RETURN_CITY

Default Label Return City
Length 20
Type Character
Format Uppercase

Record Reference(s) RC_QTR_UI

RETURN_DECIMALS

Default Label Return Duration With Decimals
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_DURATION

RETURN_DT

Default Label Return Date



Length 10
Type Date
Format Uppercase

Record Reference(s) ABSENCE_HIST
ABSV_REQUEST
EDIT_SHEET_AET
FMLA_LV_REQUEST
GPFR_AT_ADMIN
GPFR_ILL_AET
HR_NSZ_AET
HR_VIAPRIS_AET

ILLNESS_GER
INJURY_ILL

RETURN_DT_C
Default Label Return Date C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_IWJA_EC
WCB_IWJA_WD

RETURN_FMLA_WEEKS
Default Label FMLA Entitlement (As Of End)
Length 5
Type Signed Number
Format Uppercase

Record Reference(s) FMLA_LV_REQUEST

RETURN_LAST_DAY
Default Label Return Last Day of the Month
Length 1
Type Character



Format Uppercase

Record Reference(s) GP_DATE

RETURN_LAST_DAY2

Default Label Return Last Day of the Month
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_DATE

RETURN_NAME

Default Label Return Name
Length 44
Type Character
Format Uppercase

Record Reference(s) RC_QTR_UI

RETURN_STATE

Default Label Return State
Length 2
Type Character
Format Uppercase

Record Reference(s) RC_QTR_UI

RETURN_STREET

Default Label Return Street
Length 35
Type Character
Format Uppercase



Record Reference(s) RC_QTR_UI

RETURN_TM

Default Label Return Time
Length 15
Type Time
Format Uppercase

Record Reference(s) INJURY_ILL

RETURN_VALUE

Default Label Returned Value
Length 2
Type Character
Format Uppercase

Record Reference(s) PI_PROCESS_VAL
PI_PROC_VA_LANG

RETURN_VENDOR

Default Label Return to Vendor
Length 10
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

RETURN_ZIP

Default Label Return Zip
Length 10
Type Character
Format ZIP/Postal Code North American



Record Reference(s) RC_QTR_UI

RETVALUE

Default Label Return Value
Length 100

Type Character
Format Mixedcase

Record Reference(s) PSCODESETVAL

RET_ADDR_SEQ_NUM

Default Label Return to Address
Length 3
Type Number
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

REVALUE_FLAG

Default Label Revalue Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

REVENUE_COMPEN_BEL

Default Label Revenue compensation
Length 19
Type Number
Format Uppercase



ST_REFUND_ESPP
 ST_REL_DISPOSN

REVERSAL_IND

Default Label Reversal Indicator
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) GPBR_PAYMENT

GPES_PAYMENT
 GPES_PMT_AET
 GPFR_PAYMENT
 GPFR_PMT_AET
 GPGB_PAYMENT
 GPMX_PAYMENT
 GPMX_PMT_AET
 GPNL_PAYMENT
 GPNL_PMT_AET
 GP_GL_DATA_TMP
 GP_PAYMENT
 GP_PAYMENT2_TMP
 GP_PAYMENT_TMP

REVERSED

Default Label Reversed
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BOND_LOG

HP_CTXDIST_WRK
 HP_DEDDIST_WRK
 HP_ERNDIST_WRK
 HP_GRSFRG_DATA
 HP_PAYCHKERN_WK
 HP_TAXDIST_WRK
 PAY_CHECK_EARNS
 PAY_CTX_DIST



PAY_DED_DIST
 PAY_ERN_DIST

PAY_TAX_DIST
 WRK_CHECK_EARNS
 WRK_CTX_DIST
 WRK_DED_DIST
 WRK_ERN_DIST
 WRK_TAX_DIST

REVERSE_FLAG

Default Label Reverse Accruals
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PAY_CALENDAR

REVERSE_SIGN

Default Label Field Reverse Sign
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_GL_MAP_DTL
 PI_DEFFD_TAO
 PI_DEFN_FIELD

REVIEWER_APPRVD

Default Label Reviewer is Approved
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) APP_CM_EVALS
 CM_EVALUATIONS
 UPG_HR75_AET



REVIEWER_COMMENTS

Default Label Reviewer Comments
Length 0
Type Long Character
Format Uppercase

Record Reference(s) CAREER_POTENTL
Z_PRES_DOC_180

REVIEWER_ID

Default Label Reviewer ID
Length 11
Type Character
Format Uppercase

Record Reference(s) APP_CM_EVALS

CM_EVALUATIONS
FMPPEREQUAT_TMP
FPMREVIEWER_TMP
REVIEW_COMMENTS
REVIEW_REVIEWER
REVV_REVWER_CMP
RW_REVIEWER_LNG
RW_REWERCMP_LNG
UPG_HR75_AET
Z_PP_EMP_REVIEW
Z_PP_EMP_REV_CO

REVIEW_BAND_CD

Default Label Review Band
Length 1
Type Character
Format Uppercase

Record Reference(s) MERIT_GROUP_TBL



REVIEW_BAND_TBL
 RVW_BAND_TB_LNG
 UPG_EP_RVW_BAND

REVIEW_BAND_SW

Default Label Review Band
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RATING_MDL_TBL

REVIEW_DT

Default Label Review Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) APP_CM_EVALS

CAREER_POTENTL
 CAREER_RANKING
 CAREER_RANK_LNG
 CAREER_RANK_TAO
 CAR_RNK_LNG_TAO
 CM_EVALUATIONS
 JOBCOMP_TMP_MC
 JOB_TMP_MC
 NVQ_EMPLEMENT
 NVQ_EMPL_LNG
 NVQ_REVIEW
 NVQ_REVIEW_LNG
 NVQ_TEMP
 NVQ_UNITSPR_LNG
 NVQ_UNITS_PROG
 PKG_MDL_TBL
 UPG_758_JJL_TAO

 UPG_758_JOB_TAO
 UPG_HR75_AET



REVIEW_FROM_DT

Default Label Review Period From
Length 10
Type Date
Format Uppercase

Record Reference(s) EMPLOYEE_REVIEW

- FMPPEREQUAT_TMP
- GVT_EMPL_PIP
- Z_PP_EE_RVW_HIS
- Z_PP_EMP_COMNNTS
- Z_PP_EMP_ELMNT
- Z_PP_EMP_IMP
- Z_PP_EMP_REVIEW
- Z_PP_EMP_REV_CO
- Z_PP_EMP_STAN
- Z_PP_PLAN_WL
- Z_PP_WORD_DATA
- Z_WF_PERF_PL_WL

REVIEW_POINTS

Default Label Review Points
Length 3
Type Number
Format Uppercase

Record Reference(s) CM_COMP_MT_TMP

- CM_ROLE_MT_TMP
- CM_ROLE_MT_TMP2
- EP_APPR
- EP_APPR_ITEM
- EP_APPR_SECTION
- EP_APPR_SUBITEM
- EP_DEBUG_DTL
- HR_SP_MER3_TAO
- REVV_FCT_PT_TBL
- REVV_RATING_TBL
- RUNCTL_CMP007



SP_MER_APPR_TMP
SP_MER_INCR_EE
UPG_HR75_AET

REVIEW_RATING

Default Label	Review Rating
Length	1
Type	Character
Format	Uppercase

Record Reference(s) AMT04_JPN_TMP

CM_RATDESCR_LNG
CM_RATING_DESCR
EMPLOYEE_REVIEW

EP_APPR
EP_APPR_ITEM
EP_APPR_SECTION
EP_APPR_SUBITEM
EP_COMPWRT_LANG
EP_COMP_DEV_TBL
EP_COMP_WRT_TBL
EP_DEBUG_DTL
EP_DES_DIST_PCT
EP_RPT_EXTR_AET
EP_SUBPROF_LANG
EP_SUBWRT_LANG
EP_SUB_DEV_TBL
EP_SUB_PROF_TBL
EP_SUB_WRT_TBL
GVT_CPDF_DYN
GVT_CPDF_STATUS
GVT_CR_PLN_PROF
GVT_EMPL_COMP
GVT_EMP_ELEMNT
HR_CMP052J2_AET
JOBCOMP_TMP_MC
JOB_TMP_MC
PER062_TMP2_JPN
QUA_PCT_TBL_JPN
REVW_FCT_PT_TBL



REVW_RATING_LNG
 REVW_RATING_TBL
 REVW_REVWER_CMP
 RUNCTL_CMP007
 RUN_CNTL_CMP107
 SALINC_SIML_JPN
 SAL_AMT_TBL_JPN
 SAL_MATRIX_PCT
 SIM01_JPN_TMP
 SIM02_JPN_TMP
 SIMER_JPN_TMP
 SP_MER_APPR_TMP
 STEPINC_TBL_JPN
 STP03_JPN_TMP
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_EP_SAL_JPN
 UPG_HR75_AET
 UPG_PY_JOB_TAO
 UPG_RVW_FCT_TAO
 Z_PP_EE_RVW_HIS
 Z_PP_EMP_ELMNT
 Z_PP_EMP_REVIEW

REVIEW_SEQUENCE

Default Label	Review Sequence
Length	3
Type	Number
Format	Uppercase

Record Reference(s) SAL_GRD_REV_JPN

REVIEW_STATUS

Default Label	Review Status
Length	1
Type	Character
Format	Uppercase



P Progress Review
 R Summary Rating
 S Supervisory Rating

REVIEW_WEIGHT

Default Label Review Weight
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) PER062_GRD_JPN
 PER062_TMP2_JPN
 SAL_GRD_REV_JPN

REVISION_DT

Default Label Revision Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) COURSE_TBL
 EG_ADMIN_POSTS
 TRN_DEMAND
 TRN_PROGRM_TBL

REVIEW_SCALE_TYPE

Default Label Review Scale Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) REVIEW_SCALE_TBL

A Average
 R Review Band
 S Summation



RE_JOIN_DSB_EE_ESP

Default Label Re-Joined Disabled Employee
Length 1
Type Character
Format Uppercase

Record Reference(s) JOB_WORK_ESP
UPG_ER_AET
UPG_HR75CNT_AET
UPG_HR75_AET

RFC_ER_ID_MEX

Default Label Company RFC
Length 16
Type Character
Format Uppercase

Record Reference(s) COMPANY_TBL_MEX
GPMX_OTH_ER
GPMX_OTH_ER_DET

RFIELDNAME

Default Label Right Field Name
Length 18
Type Character

Format Uppercase

Record Reference(s) AE_GB_AET
GB_MERGE_TBL

RFQ_DISP_MTHD

Default Label RFQ Dispatch Method
Length 3
Type Character
Format Uppercase



Record Reference(s) VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP

 EDI Electronic Data Interchange
 FAX Fax Transmission
 PHN Phone Dispatch
 PRN Print

RGWIDX_SQL
 Default Label WHERE clause to append
 Length 200
 Type Character
 Format Mixedcase

Record Reference(s) PSRGWIDX

RG_ISSUEDBY_BRA
 Default Label RG Issued By
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) PERSON_BRA

RG_ISSUED_DT_BRA
 Default Label RG Issued Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PERSON_BRA

RG_STATE_BRA
 Default Label RG State



Length 6
 Type Character
 Format Uppercase

Record Reference(s) PERSON_BRA

RIDER_TYPE

Default Label Rider Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DEP BEN_RIDER

C Court Order
 S Spousal Waiver

RIGHT_AGGR_FUNC

Default Label Right Aggregate Function Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_CONDITIONS

0 MIN
 1 MAX
 2 AVG
 3 SUM
 4 COUNT
 5 COUNT(*)

RIGHT_BRACKET

Default Label Right Bracket
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) DSSECFILTER
 EO_DSSECRULES

N	NO
Y	YES

RIGHT_CONSTANT
 Default Label Right Constant
 Length 35
 Type Character
 Format Mixedcase

Record Reference(s) TL_CONDITIONS
 TL_SQL_UPDATE
 TL_SQL_WHERE

RIGHT_CORR_ID
 Default Label Table Alias - Correlation ID
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) TL_SQL_JOIN
 TL_SQL_WHERE

A	A
B	B
C	C
D	D
E	E
F	F
G	G
H	H
I	I
J	J

RIGHT_EXPR_TYPE
 Default Label Right Expression Type



Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_SQL_WHERE

- 0 Recfield
- 1 Constant
- 2 State Variable
- 3 MetaSQL
- 4 SubQuery
- 5 Bind
- 6 Template

RIGHT_FIELDNAME

Default Label Right Field Name
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) TL_CONDITIONS
 TL_SQL_WHERE

RIGHT_PAREN

Default Label Right Parenthesis
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EO_CCR_SEL_PATH

EO_RECON_JOIN
 EO_SPATH_WH
 TL_RULE_CONDS
 TL_SQL_WHERE
 TL_TMPLT_CONDS

- 1)
- 2))
- 3)))
- 4))))



5))))
 6)))))
 7)))))))

RIGHT_RECNAME

Default Label Right Record (Table) Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) TL_CONDITIONS
 TL_RLTNSHP_DEFN
 TL_SQL_JOIN
 TL_SQL_WHERE

RIGHT_SQL_ID

Default Label Right SQL Object ID
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) TL_CONDITIONS
 TL_SQL_UPDATE
 TL_SQL_WHERE
 TL_TA_COPY_CTL
 TL_TA_CPY_AET

RIGHT_STATEVAR

Default Label Right State Variable
 Length 35
 Type Character
 Format Uppercase

Record Reference(s) TL_CONDITIONS
 TL_SQL_UPDATE
 TL_SQL_WHERE



RISKCD

Default Label Risk Code
Length 6
Type Character
Format Mixedcase

Record Reference(s) DEPT_TBL
GPFR_AT_ADMIN
GPFR_ILL_AET
RISK_TBL
R_PER507

RL1_FILE_PROC_TYPE

Default Label RL1 Mag Media Processing Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE
A Amended Slips
C Cancelled Slips
O Original Slips

RL1_FINAL_PRINT

Default Label RL-1 Final Print
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

RL1_PROCESSING_FLG

Default Label RL1 Processing Type
Length 1



Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE

- A Print All Amended
- C Print All Cancelled
- E Reprint Amended/Cancelled
- R Print All Originals
- S Reprint Selected Original(s)

RL2_FILE_PROC_TYPE

Default Label RL2 Mag Media Processing Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE

- A Amended Slips
- C Cancelled Slips
- O Original Slips

RL2_FINAL_PRINT

Default Label RL-2 Final Print
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE

RL2_PROCESSING_FLG

Default Label RL2 Processing Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE



- A Print All Amended
- C Print All Cancelled
- E Reprint Amended/Cancelled
- R Print All Originals
- S Reprint Selected Original(s)

RLV_ACCT_RES_ACODE

Default Label RL Accting Res Area Code
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_ACCT_RES_EXT

Default Label RL Accting Res Extension
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_ACCT_RES_LANG

Default Label RL Accting Res Language
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CTXPRC_PARAMS

- A English
- F French

RLV_ACCT_RES_NAME

Default Label RL Accting Resource Name
 Length 30



Type Character
 Format Mixedcase

Record Reference(s) CTXPRC_PARAMS

RLV_ACCT_RES_PHONE

Default Label RL Accting Res Phone
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_COMPANY

Default Label RL Transmitter Company
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_PACKAGE_TYPE

Default Label RL Package Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CTXPRC_PARAMS

- 1 Original File
- 2 Original Replacement
- 3 Test File
- 4 Amended
- 5 Amended Replacement
- 6 Cancelled
- 7 Cancelled Replacement



8 Invalid Data Replacement

RLV_SOURCE

Default Label RL Source of Slips
Length 1
Type Character
Format Uppercase

Record Reference(s) CTXPRC_PARAMS

- A From Ministere du Revenu
- B Facsimiles from 3rd Party
- C Slips Facsimiles by Transmitter
- D Any combination of Above

RLV_TECH_RES_ACODE

Default Label RL Technical Res Area Code
Length 3
Type Number
Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_TECH_RES_EXT

Default Label RL Technical Res Extension
Length 4
Type Number
Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_TECH_RES_LANG

Default Label RL Technical Res Language
Length 1
Type Character
Format Uppercase



Record Reference(s) CTXPRC_PARAMS

A	English
F	French

RLV_TECH_RES_NAME
Default Label RL Technical Resource Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) CTXPRC_PARAMS

RLV_TECH_RES_PHONE
Default Label RL Technical Res Phone
Length 7
Type Number
Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_TRANSM_ID
Default Label RL Transmitter No
Length 8
Type Character
Format Uppercase

Record Reference(s) CTXPRC_PARAMS

RLV_TRANSM_TYPE
Default Label RL Transmitter Type
Length 1
Type Character
Format Uppercase



Record Reference(s)	CTXPRC_PARAMS
	1 Filing for Yourself (company)
	2 Filing on Behalf of Others
	3 Filing for You and Others

RND_ADJ_INC	
Default Label	Round Adjustment Increment
Length	16
Type	Number
Format	Uppercase

Record Reference(s)	GP_ROUND_RULE
---------------------	---------------

RND_ADJ_NUM	
Default Label	Round Adjustment Number
Length	1
Type	Number
Format	Uppercase

Record Reference(s)	GP_ROUND_RULE
---------------------	---------------

RND_DEC_OR_DGT	
Default Label	Round Decimals or Digits?
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GP_ROUND_RULE
	1 Round Decimals
	2 Round Digits

RND_OPTION	
Default Label	Rounding Option
Length	1



Type Character
 Format Uppercase

Record Reference(s) GP_ROUND_RULE

1	Rounding
2	Increment

RND_OPTN_AMT

Default Label Rounding Option - Amount
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PYENT_DTL

NR	No Rounding
PG	Use Pay Group Rounding
SP	Use Specified Rounding

RND_OPTN_BASE

Default Label Rounding Option - Base
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_ERN_DED

NR	No Rounding
PG	Use Pay Group Rounding
SP	Use Specified Rounding

RND_OPTN_BASE_PG

Default Label Rounding Option - Base
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PYGRP_DTL



NR No Rounding
 SP Use Specified Rounding

RND_OPTN_ENTL

Default Label Rounding Option - Entitlement
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_ABS_ENTL

NR No Rounding
 PG Use Pay Group Rounding
 SP Use Specified Rounding

RND_OPTN_PCT

Default Label Rounding Option - Percent
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_ERN_DED

NR No Rounding
 PG Use Pay Group Rounding
 SP Use Specified Rounding

RND_OPTN_PCT_PG

Default Label Rounding Option - Percent
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PYGRP_DTL

NR No Rounding
 SP Use Specified Rounding



RND_OPTN_RATE

Default Label Rounding Option - Rate
Length 2
Type Character
Format Uppercase

Record Reference(s)

GP_ERN_DED

NR No Rounding
PG Use Pay Group Rounding
SP Use Specified Rounding

RND_OPTN_RATE_PG

Default Label Rounding Option - Rate
Length 2
Type Character
Format Uppercase

Record Reference(s)

GP_PYGRP_DTL

NR No Rounding
SP Use Specified Rounding

RND_OPTN_RSLV

Default Label Rounding Option - Resolved Amt
Length 2
Type Character
Format Uppercase

Record Reference(s)

GP_ERN_DED

NR No Rounding
PG Use Pay Group Rounding
SP Use Specified Rounding

RND_OPTN_RSLV_PG

Default Label Rounding Option - Resolved Amt
Length 2
Type Character



Format Uppercase

Record Reference(s) GP_PYGRP_DTL

NR No Rounding
SP Use Specified Rounding

RND_OPTN_UNIT

Default Label Rounding Option - Unit
Length 2
Type Character
Format Uppercase

Record Reference(s) GP_ERN_DED

NR No Rounding
PG Use Pay Group Rounding
SP Use Specified Rounding

RND_OPTN_UNIT_PG

Default Label Rounding Option - Unit
Length 2

Type Character
Format Uppercase

Record Reference(s) GP_PYGRP_DTL

NR No Rounding
SP Use Specified Rounding

RND_SIZE

Default Label Round Size
Length 3
Type Character
Format Uppercase

Record Reference(s) GP_ROUND_RULE

-01 x0.000000



-02	x00.000000
-03	x,000.000000
-04	x0,000.000000
-05	x00,000.000000
-06	x,000,000.000000
-07	x0,000,000.000000
-08	x00,000,000.000000
-09	x,000,000,000.000000
-10	x0,000,000,000.000000
-11	x00,000,000,000.000000
0	x.000000
01	x.x00000
02	x.xx0000
03	x.xxx000
04	x.xxxx00
05	x.xxxxx0

RND_SIZE_INC

Default Label	Increment Size
Length	16
Type	Number
Format	Uppercase

Record Reference(s) GP_ROUND_RULE

RND_SIZE_NUM

Default Label	Rounding Size Number
Length	3
Type	Number
Format	Uppercase

Record Reference(s) GP_ROUND_RULE

RND_TYPE

Default Label	Rounding Type
Length	1
Type	Character
Format	Uppercase



Record Reference(s)	GP_ROUND_RULE
	1 Truncate/Down
	2 Up
	3 Round Up If >= Else Down

ROAD_CONDITION	
Default Label	Road Condition
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	INCIDENT_DATA
	D Dry
	I Icy
	L Loose Sand/Gravel
	M Muddy
	N Not Applicable
	S Snow
	W Wet

ROE_CONTACT_ID	
Default Label	ROE Contact ID
Length	11
Type	Character
Format	Uppercase

Record Reference(s)	PAYGROUP_TBL
	ROE

ROE_DELETE	
Default Label	Delete ROEs
Length	1
Type	Character
Format	Uppercase



Record Reference(s) RC_PAY

ROE_DT
 Default Label ROE Date Created/Completed
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) ROE

ROE_FINAL_PRINT
 Default Label ROE Final Print
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_PAY

ROE_FORM_LANG
 Default Label ROE Form Language
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_PAY

- E English Language ROE Forms
- F French Language ROE Forms

ROE_ISSUER_ID
 Default Label ROE Issuer ID
 Length 11
 Type Character
 Format Uppercase



Record Reference(s) RC_PAY

ROE_PROCESS

Default Label ROE Process
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ROE

C Complete
 D Delete
 G Generate
 H Hold

ROE_SEQ

Default Label ROE Sequence Number
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) ROE
 ROE_FUTURE_PAY
 R_PAY101CN

ROE_SORT

Default Label ROE Sort By
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_PAY

1 Employee Name
 2 Employee ID

ROE_STAT_SELECT



Default Label ROE Process
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_PAY

A All
 C Complete
 D Delete
 G Generate
 H Hold

ROLEATTRIB

Default Label Role Attribute
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) DSUSRPRFLMAP

ROLEBINDCNT

Default Label Role Bind Count
 Length 5
 Type Number
 Format 7

Record Reference(s) PSMAPROLENAME

ROLEDEFN_PURG_STAT

Default Label Purge Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PURGE_ROLEDEFN



N Not Purged
 Y Purged

ROLENAME

Default Label Role Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) APPR_RULE_DETL

- APPR_RULE_ROLE
- APPR_VA2_WRK
- DIRECTORYATTRIB
- DSUSRPRFLMAP
- DYNROLE_TMP
- EOEC_MP_ROLE
- EOEC_MP_ROLE_CI
- EOEC_MP_ROLRULE
- EOTP_BUSEC
- EOTP_SVCAPLROLE
- EO_DSROLERULE
- EO_EIP_CTL_SET
- ER_JOBREQ_ROLES
- FPMSCTYACTN_TBL
- GPCH_ABS_STA
- GPCH_OT_STATUS
- GP_ABS_SS_STA
- GVT_ALL_STA
- HR_CM_EVAL_STA
- HR_DEV_REQ_STA
- HR_ENROLL_STA
- HR_MGR_REP_STA

- HR_OFFER_STA
- HR_PROMOTE_STA
- HR_SALCHANG_STA
- HR_SALCHBGT_STA
- HR_SALCHGRP_STA
- HR_TRANSFER_STA
- OFFER_TYPE_TBL
- PSMAPROLENAME
- PSROLECANGRANT



PSROLECLASS
 PSROLEDEFN
 PSROLEDEFNLANG
 PSROLEDEFNL_RMT
 PSROLEDEFN_RMT
 PSROLEDEL
 PSROLEGROUP
 PSROLEPERM_RMT
 PSROLEUSER
 PSROLEUSER_RMT
 PURGE_ROLEDEFN
 ROLEUSER_ARCH
 ROLE_LDAPRULE
 ROLE_PPCRULE
 RTE_CNTL_RUSER
 RTE_CNTL_RU_ARC
 RUN_CNTL_PORTAL
 SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS
 TL_OT_STATUS
 UPG_CO_SS_AET
 WC_ACTNROLE_TBL
 WC_JCR_APPR
 WF_HR_TRANS
 Z_ROLEINSERT_HS

ROLENUM

Default Label	Role Number
Length	5
Type	Number
Format	7

Record Reference(s) PSMAPFIELD

ROLESTATUS

Default Label	Role Status
Length	1
Type	Character



Format Uppercase

Record Reference(s) PSROLEDEFN
 PSROLEDEFN_RMT

 A Active
 I Inactive

ROLETYPE

Default Label Role Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PSROLEDEFN

 Q Query
 U User List

ROLEUSER

Default Label User ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPR_INST_LOG

- APPR_VA2_WRK
- EOEC_MP_USRRULE
- EOEC_MP_USR_CI
- GEN_MSG_ROLEUSR
- GEN_MSG_USER
- GPCH_ABS_STA
- GPCH_OT_STATUS
- GP_ABS_SS_STA
- GVT_ALL_STA
- HR_CM_EVAL_STA
- HR_DEV_REQ_STA
- HR_ENROLL_STA
- HR_MGR_REP_STA
- HR_OFFER_STA



HR_PROMOTE_STA
 HR_SALCHANG_STA
 HR_SALCHBGT_STA
 HR_SALCHGRP_STA
 HR_TRANSFER_STA
 MASS_RPT_DLVRY
 PSROLEUSER
 PSROLEUSER_RMT
 ROLEUSER_ARCH
 ROLEXLATOPR
 ROLEXLATOPR_ARC
 ROLEXLATOPR_LNG
 ROLEXLATOPR_OLD
 RPT_DLVRY_ROLE
 RPT_RQST
 RTE_CNTL_RUSER
 RTE_CNTL_RU_ARC
 SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS
 TL_OT_STATUS
 UPG_CO_AET
 UPG_CO_SS_AET
 WF_MON_NOTIFY
 WF_MON_RUSER
 WF_SYS_DEFAULTS
 Z_PI_POI_OPRID

ROLEUSER_ALT

Default Label	Alternate User ID
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	ROLEXLATOPR
	ROLEXLATOPR_ARC

ROLEUSER_EMPLID



Default Label Roleuser Emplid
 Length 11
 Type Character
 Format Uppercase

Record Reference(s) SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS

ROLEUSER_SUPR

Default Label Supervising User ID
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) ROLEXLATOPR
 ROLEXLATOPR_ARC

ROLE_PCODE_RULE_ON

Default Label PeopleCode Rule Enabled
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSROLEDEFN

N No
 Y Yes

ROLE_QUERY_RULE_ON

Default Label Query Rule Enabled
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSROLEDEFN

N No



Y Yes

ROLLED_LEVEL

Default Label Rolled Level
Length 3
Type Number
Format Uppercase

Record Reference(s) FACT_MAP_TBL

ROLLOVER_ALLOWED

Default Label Rollover Allowed
Length 1
Type Character
Format Uppercase

Record Reference(s) LIMIT_TBL
SAVINGS_PLN_TBL
UPG_BN_LMT_TMP2

ROLLOVER_OPT

Default Label Rollover Options
Length 1
Type Character
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL

E Specified at Employee Level
N None
P Specified at Plan Level
R Refund Excess Over Limit

ROLLUP_NAME

Default Label Rollup Name
Length 30



Type Character
Format Uppercase

Record Reference(s) HIER_CTRL_TBL

ROLL_NAME

Default Label Roll Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) GPGB_PAYMENT

ROLL_NUMBER

Default Label Roll Number
Length 20
Type Character
Format Uppercase

Record Reference(s) GPGB_PAYMENT

ROOM_ACTIVE

Default Label Room Active
Length 1
Type Character
Format Uppercase

Record Reference(s) TRN_ROOM_TAO
 TRN_ROOM_TBL
 UPG_HR75TRN_AET

ROOM_CD

Default Label Room Code
Length 6



Type Character
Format Uppercase

Record Reference(s) CRSE_SESS_DATES
TN_FCLCST_LNG
TRAINING013_AET
TRN_EEFACIL_CST
TRN_FACIL_COST
TRN_ROOM_EQUIP
TRN_ROOM_LANG
TRN_ROOM_TAO
TRN_ROOM_TBL
UPG_HR75TRN_AET

ROOM_NBR

Default Label Room Number
Length 30
Type Character
Format Mixedcase

Record Reference(s) EMPLOYMENT
GVT_EMPLOYMENT
TRN_ROOM_LANG
TRN_ROOM_TAO
TRN_ROOM_TBL
UPG_HR75TRN_AET
Z_NON_EMP_DATA

ROOT_NODE_NUM

Default Label Root Node Number
Length 10
Type Number
Format 7

Record Reference(s) TREE_MAINT_AET



Default Label Rounding Method
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PARTIC

ROUNDING_OPTIONS

Default Label Rounding Options
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_TA0006_AET
 TL_WRKGRP_TBL

D Day
 N None
 S Segment

ROUNDING_OPTS_PCH

Default Label Round Punches Before Rules
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_TA0006_AET
 TL_WRKGRP_TBL

D Day
 N None
 P Punch
 S Segment

ROUNDING_OPTS_RULE

Default Label Round Duration After Rules
 Length 1
 Type Character



Length 1
 Type Character
 Format Uppercase

Record Reference(s) CALC_RULES_TBL

ROUND_DAY

Default Label Rounding Day
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) EG_DATE_RND_OPT
 PA_DATE_RND_OPT

FD First Day of Period
 LD Last Day of Period

ROUND_DAY_IND

Default Label Add 1 Month if Days >=
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_DURATION

ROUND_DAY_VAL

Default Label Round Day Number
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) GP_DURATION

ROUND_DEC

Default Label Rounding Decimal



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO

- N No Rounding
- S Standard Rounding Rules
- T Truncate Decimals
- U Round to Next Whole Number

ROUND_EFFDT

Default Label Apply \$3000 Rounding Effective
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_COV_COMP

- A 1990 Plan Year Determination
- B 1994 Plan Year Determine
- C Apply 600 for All Plan Years
- D Apply 3000 all Plan Years
- N No Rounding

ROUND_FACTORED

Default Label Round Factored Base W/O Flat
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CALC_RULES_TBL

ROUND_FINAL

Default Label Round Final Calced Coverage
 Length 1
 Type Character



Format Uppercase

Record Reference(s) CALC_RULES_TBL

ROUND_METHOD

Default Label Round Method
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_CONS_EARN

ROUND_MONTH_IND

Default Label Add 1 Year if Months >=
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_DURATION

ROUND_MONTH_VAL

Default Label Round Months Number
Length 2
Type Number
Format Uppercase

Record Reference(s) GP_DURATION

ROUND_OPTION

Default Label Round Option for EFFDT
Length 10
Type Character
Format Uppercase



Record Reference(s) PA_DFN_DEATH

ROUND_PERIOD

Default Label Rounding Period
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DATE_RND_OPT

AY Anniversary Year
 CM Calendar Month
 CY Calendar Year
 PY Plan Year

ROUND_RULE

Default Label Rounding Rule
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) EG_DATE_RND_OPT
 PA_DATE_RND_OPT

CWF Coincident with or Next Follow
 CWP Coincident with or First Prev
 FP First Previous
 N Near
 NF Next Following
 UP Up if Day/Month =>
 UPD Up if Day/Month =>

ROUND_TO

Default Label Round to Multiple of
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) CALC_RULES_TBL



ROUND_TYPE

Default Label	Rounding Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) EG_DATE_RND_OPT
 PA_DATE_RND_OPT

DD	Decimal Date
RD	Raw Date
UE	User Exit

ROUND_UP_AMT

Default Label	Round Up Amount
Length	7
Type	Number
Format	Uppercase

Record Reference(s) CALC_RULES_TBL

ROUTEcnt

Default Label	Route Count
Length	5
Type	Number
Format	7

Record Reference(s) PSEVENTDEFN

ROUTENAME

Default Label	Routing Name
Length	30
Type	Character
Format	Mixedcase



Record Reference(s) PSEVENTROUTE

ROUTETYPE

Default Label Routing Type
 Length 5
 Type Number
 Format 7

Record Reference(s) PSEVENTROUTE

ROUTE_DETAILS

Default Label Route Details
 Length 150
 Type Character
 Format Mixedcase

Record Reference(s) INC_TRAVEL_DATA

ROUTE_DT

Default Label Route Date

 Length 10
 Type Date
 Format Uppercase

Record Reference(s) APPLICATN_ROUTE
 UPG_APP_RTE_TAO
 UPG_ER_AET
 UPG_HR75RWF_AET

ROUTE_LENGTH_KM

Default Label Route Length (km)
 Length 7
 Type Number



Format Uppercase

Record Reference(s) INC_TRAVEL_DATA

ROUTE_REASON

Default Label Reason For Unusual Route
Length 100
Type Character
Format Mixedcase

Record Reference(s) INC_TRAVEL_DATA

ROUTE_TO_ID

Default Label Route To ID
Length 11
Type Character
Format Uppercase

Record Reference(s) APPLICATN_ROUTE
 UPG_APP_RTE_TAO
 UPG_ER_AET
 UPG_HR75RWF_AET

ROUTINGTYPE

Default Label Routing Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMMSGNODEDEFN
 PSNODETRX

E Explicit
I Implicit

ROWSECCLASS



Default Label Row Security Permission List
 Length 30
 Type Character

Format Uppercase

Record Reference(s) EO_EIP_ROW_SEC

- FAST_EMP_BEN_1
- FAST_SCRTY1_AET
- FAST_SCRTY_2
- GPFR_DUCS_AET
- GPFR_PMT_AET
- GPFR_PYSL_AET
- GPFR_TERM_AET
- GPNL_PSLIP_AET
- GPNL_REP_AET
- HR_PER510_PERML
- HR_PER510_SCRTY
- INSTALLATION
- PSOPRDEFN
- SCRTY_TBL_APP
- SCRTY_TBL_BUS
- SCRTY_TBL_COMP
- SCRTY_TBL_LOC
- ST_GRP_FLD_SEC
- ST_GRP_REC_SEC
- TL_GRP_FLD_SEC
- TL_GRP_SECURITY
- TL_OPR_SECURITY
- TL_RUNCNTL_AET
- UPG_TL_AET
- UPG_TL_REC002

ROWSECCLASS_NEW

Default Label New Row Security Perm. List
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) HR_PER510_USERP



ROWSECCLASS_OLD

Default Label	Old Row Security Perm. List
Length	30
Type	Character
Format	Uppercase

Record Reference(s) HR_PER510_USERP

ROWSECCLSATTRIB

Default Label	Row Level Security Attribute
Length	56
Type	Character
Format	Mixedcase

Record Reference(s) DIRECTORYATTRIB
DSUSRPRFLMAP

ROWSECCLSCB

Default Label	Row Level Security Class
Length	1
Type	Character
Format	Uppercase

Record Reference(s) DIRECTORYATTRIB
DSUSRPRFLMAP

N	Row Sec Check Box
Y	Row Sec Check Box

ROW_COUNT

Default Label	Number to Purge
Length	8
Type	Number
Format	Uppercase



Record Reference(s) AE_GB_AET
GPHK_I56QTR_TMP
GP_PINMAP_C_AET
GP_PKG_CR_AET
TRAINING012_AET
TRAINING013_AET
TRAINING_AET
UPG_TL_AET

ROW_COUNT2

Default Label Row Count
Length 8
Type Number
Format Uppercase

Record Reference(s) GP_PKG_CR_AET
TRAINING013_AET

ROW_NUM

Default Label Row Number
Length 3
Type Number
Format Uppercase

Record Reference(s) ER_RULE_WHERE
GPIT_CUD_RP_P3
GPIT_PCUD_I1
GPIT_PCUD_I2
GPIT_PCUD_I3
GPIT_PCUD_T3
GPIT_PCUD_T4
GP_ABS_EVT_WRK
GP_TRGR_WRK
PI_INSTANCE_TBL
PSDIAGQRY1
PSDIAGQRY2



RP

Default Label Resume Processing
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

RPARENLVL

Default Label Right Paren Level
Length 2
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYCRITERIA

RPTDIR

Default Label Report Directory
Length 150
Type Character
Format Mixedcase

Record Reference(s) CDM_FILTER_ARCH
CDM_LIST_ARCH

RPTG_ELE_CODE

Default Label Reporting Element Code
Length 10
Type Character
Format Uppercase

Record Reference(s) TL_RPTG_ELE_MSG
TL_RPTG_ELE_MSG



Type Character
 Format Uppercase

Record Reference(s) RPT_RQST
 D Delivered
 P Pending Delivery

RPT_DETAIL_LEVEL

Default Label Level of Report Detail
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_RUN_CNTL
 RC_PAYINIT
 RUN_CNTL_BEN
 C Claim-Level Detail
 D Line-Item Detail Level
 R Summary by Selection
 S Detail Report

RPT_EXMPT_ALLOWANC

Default Label Rep Employee Exmpt/Alwnce/Both
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_PAY
 A All
 B Exempt/ >10 Allowances
 E Claim Exempt
 T More Than Ten Allowances

RPT_FIELDVALUE_01

Default Label Field Value
 Length 30



Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_02

Default Label Field Value
Length 30
Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_03

Default Label Field Value
Length 30
Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_04

Default Label Field Value
Length 30
Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_05

Default Label Field Value
Length 30
Type Character
Format Uppercase



Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_06

Default Label Field Value
Length 30
Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_07

Default Label Field Value
Length 30
Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_08

Default Label Field Value
Length 30
Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_FIELDVALUE_09

Default Label Field Value
Length 30
Type Character
Format Uppercase

Record Reference(s) PSBATCHRPT_SEQ



RPT_FIELDVALUE_10

Default Label	Field Value
Length	30
Type	Character
Format	Uppercase

Record Reference(s) PSBATCHRPT_SEQ

RPT_IN_USE_SW

Default Label	In Use Switch
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RPT_INST_TBL

RPT_NEG_WAGES

Default Label	Report Negative Wages
Length	1
Type	Character
Format	Uppercase

Record Reference(s) STATE_TAX_TBL

I	Include
S	Separate

RPT_PARM1

Default Label	Report Parm 1
Length	50
Type	Character
Format	Mixedcase

Record Reference(s) RPT_RQST
Z_POI_REPORT



RPT_PARM2

Default Label Report Parm 2
Length 50
Type Character
Format Mixedcase

Record Reference(s) RPT_RQST
Z_POI_REPORT

RPT_PARM3

Default Label Report Parm 3
Length 50
Type Character
Format Mixedcase

Record Reference(s) RPT_RQST
Z_POI_REPORT

RPT_PARM4

Default Label Report Parm 4
Length 50
Type Character
Format Mixedcase

Record Reference(s) RPT_RQST

RPT_PARM5

Default Label Report Parm 5
Length 50
Type Character
Format Mixedcase

Record Reference(s) RPT_RQST



RPT_RQST_DTTM

Default Label Report Request Datetime
Length 26
Type Datetime
Format 13

Record Reference(s) RPT_RQST

RPT_TOTALS_ONLY

Default Label Report Totals Only
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_QTR_UI

RPT_TYPE

Default Label Report Type Code
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

A Amended Slips
N Reissued Slips
O Original Slips

RP_EDUCATION_FLG

Default Label Validate Education
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INSTALLATION



UPG_ER_AET

RP_JOBTITLE

Default Label Responsible Person Job
Length 30
Type Character
Format Mixedcase

Record Reference(s) OHS501UK_TMP1

RP_NAME

Default Label Responsible Person Name
Length 50
Type Character
Format Mixedcase

Record Reference(s) OHS501UK_TMP1

RP_PHONE

Default Label Responsible Person Phone

Length 24
Type Character
Format Uppercase

Record Reference(s) HR_SHS_FRA_AET
OHS501UK_TMP1

RP_WRK_EXP_FLG

Default Label Validate Work Experience
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INSTALLATION



UPG_ER_AET

RQMTS_SRCH_NBR

Default Label Requirements Search #
Length 6
Type Character
Format Numbers Only

Record Reference(s) GVT_RUN_CNTL
Z_LC_RUNCTL

RQSTDTM

Default Label Request Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) CDM_LIST
CDM_LIST_ARCH
PSPRCSQUE
PSPRCSRQST

RQSTMSGNAME

Default Label Request Message
Length 30
Type Character
Format Uppercase

Record Reference(s) PSINST_VER_TRX
PSNODESDOWN
PSNODETRX
PSNODETRXDEL
PSNODTRCNPRLANG
PSNODTRXCONPROP
PSWSSERVICE



RQSTMSGVER

Default Label	Request Message Version
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	PSINST_VER_TRX PSNODESDOWN PSNODETRX PSNODETRXDEL PSNODTRCNPRLANG PSNODTRXCONPROP PSWSSERVICE
---------------------	---

RQSTSTATUSUPD

Default Label	Request Status Update
Length	1
Type	Number
Format	Uppercase

Record Reference(s)	PSPRCSPRFL
---------------------	------------

RQSTSTATUSVIEW

Default Label	Request Status View
Length	1
Type	Number
Format	Uppercase

Record Reference(s)	PSPRCSPRFL
---------------------	------------

RQSTSTRINGTYPE

Default Label	Request String Type
Length	2
Type	Character
Format	Numbers Only



Record Reference(s) PSPRCSRQSTSTRNG

01	AE Step Name
1	AE Step Name
2	SQR OS390 PDS File

RQSTTBL

Default Label	Run Control Request Table
Length	15
Type	Character
Format	Uppercase

Record Reference(s) PRCSDEFN

RQSTTEXTTYPE

Default Label	Request Text Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) PRCSRUNCNTLEOPT

	PSPRCSRQSTTEXT
	SCHDLTEXT
1	Email Address
2	Email Subject
3	Email Text
4	Email Address Expanded List
5	Distribution List
6	Original Extended Parameter
7	Extended Parameter

RQSTTRNSFRMNAME

Default Label	Request Transformation Name
Length	30
Type	Character
Format	Uppercase



Record Reference(s) PSAPMSGARCHPC
 PSAPMSGPUBCON
 PSRELATIONTRX

RQST_TEXT
 Default Label Request Text
 Length 0
 Type Long Character
 Format Uppercase

Record Reference(s) PRCSRUNCNTLEOPT
 PSPRCSRQSTTEXT
 SCHDLTEXT

RRECNAME
 Default Label Right Record (Table) Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) AE_GB_AET
 GB_MERGE_TBL

RSA_INC_MTHD
 Default Label RSA Sale-Ordinary Income Mthd
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) ST_OPTION_PLAN

FMV Fair Market Value
 LOW Lower of FMV or Sale Price
 SP Sale Price



RSLT_ADD_ARR

Default Label Amount Added To Arrears
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GPDE_AL_ERN_DED
GPIN_PR_TMP2
GPIN_PR_TMP3
GPMX_R_LOANS
GPMY_PR_TMP2
GPMY_PR_TMP3
GP_GENRPT_TMP2
GP_RSLT_ERN_DED

RSLT_NOT_TKN

Default Label Amount Not Taken
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GPDE_AL_ERN_DED
GPIN_PR_TMP2
GPIN_PR_TMP3
GPMY_PR_TMP2
GPMY_PR_TMP3
GP_GENRPT_TMP2
GP_RSLT_ERN_DED

RSLT_PAYBK

Default Label Payback Amount Result
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GPDE_AL_ERN_DED
GPIN_PR_TMP2
GPIN_PR_TMP3



GPMY_PR_TMP2
GPMY_PR_TMP3
GP_GENRPT_TMP2
GP_RSLT_ERN_DED

RSLT_REV_NUM

Default Label	Revision Number
Length	4
Type	Number
Format	Uppercase

Record Reference(s) GPDE_AL_DELTA

GPDE_DV_FLT_BAL
GPES_PSLIP_TMP

GPES_PSLP_S_PYE
GPFR_ASS_AET
GPFR_DUCS_AET
GPFR_ILL_AET
GPFR_PS_GUI_TMP
GPFR_PS_SEG_TMP
GPFR_PYSL_AET
GPFR_P_SLIP_TMP
GPIN_PR_AET
GPIN_PR_TMP
GPIN_PR_TMP2
GPIN_PR_TMP3
GPMY_159_AET
GPMY_8A_PR_AET
GPMY_PR_AET
GPMY_PR_TMP
GPMY_PR_TMP2
GPMY_PR_TMP3
GPNL_GUI_TMP
GPNL_PSLIP_AET
GPNL_PSLIP_TMP
GPNL_PS_GUI_TMP
GPNL_PS_SEG_TMP
GPNL_RC_PS_EE
GPNL_SEG_TMP
GPXPYE_PRC_STAT



GPCH_RP_FK02
GPCH_RP_MT
GPCH_RP_PK01
GPCH_RP_SI03
GPCH_RP_SI07
GPCH_RP_SI08
GPCH_RP_TX01
GPCH_RP_TX02
GPCH_RP_TX05
GPDE_AL_DELTA
GPDE_AL_ERN_DED
GPDE_BL
GPDE_BV_RP
GPDE_DV_FLT_BAL
GPDE_GR_RSLT_WA
GPDE_RA_0001
GPDE_RP_0001
GPDE_RP_0002
GPDE_RP_0003
GPDE_RP_AL01
GPDE_RP_AL04
GPDE_RP_AL05
GPDE_RP_AZ01
GPDE_RP_FL01
GPDE_RP_SI01
GPDE_RP_SI10
GPDE_RP_SI10A
GPDE_RP_TX03
GPDE_RP_TX03A
GPDE_RP_TX03_1
GPDE_RP_TX03_2
GPDE_RP_TX03_3
GPDE_RP_TX03_4
GPDE_RP_TX05_1
GPDE_TA_AET
GPDE_TA_RP_TMP
GPES_ADLN_RSLT
GPES_DATA_RSLT
GPES_PMT_AET
GPES_PSLIP_TMP
GPES_PSLIP_TMP2
GPES_PSLIP_TMP4
GPES_PSLP_S_PYE



GPES_SSTC_RSLT
GPES_TAX_EE_DTA
GPES_TAX_RSLT
GPFR_ASS_AET
GPFR_ASS_WA
GPFR_DA_AET
GPFR_DA_CONT_WA
GPFR_DA_WA
GPFR_DUCS_AET
GPFR_DUCS_WA1
GPFR_ILL_AET

GPFR_PMT_AET
GPFR_PS_ACU_TMP
GPFR_PS_ERN_TMP
GPFR_PS_GUI_TMP
GPFR_PS_SEG_TMP
GPFR_PYSL_AET
GPFR_P_SLIP_TMP
GPFR_WA_PN1
GPGB_EE_EXCEP
GPGB_EE_RSLT
GPGB_PSLIPPFTLG
GPGB_PSLIP_AET
GPGB_PSLIP_BL_W
GPGB_PSLIP_ED_W
GPGB_PSLIP_P_BL
GPGB_PSLIP_P_ED
GPGB_PSLIP_P_FT
GPGB_PSLIP_P_HR
GPGB_REPLIB_AET
GPHK_MPF_RSLT
GPHK_PSLP_RSLT
GPIN_LTA_TOT_WA
GPIN_LTA_WA
GPIN_MDA_TOT_WA
GPIN_MDA_WA
GPIN_PR_AET
GPIN_PR_TMP
GPIN_PR_TMP2
GPIN_PR_TMP3
GPIN_PSLP_RSLT
GPIT_ABSCUDDATA



GPIT_ABS_INAIL
GPIT_ABS_VERREV
GPIT_ABS_WKDATA
GPIT_CUD_SPEPAY
GPIT_CUD_WA
GPIT_DM10_AET
GPIT_DM10_WA
GPIT_F24_WA
GPIT_FCUD_T1
GPIT_GV93_TMP_A
GPIT_INQUIRY_WA
GPIT_PRSCUDDATA
GPIT_PRS_VERREV
GPIT_PRS_WKDATA
GPIT_RP_0001
GPIT_RP_0002
GPIT_RP_0003
GPIT_RP_0004
GPIT_RP_AL01
GPIT_RP_TX01
GPIT_RP_TX02
GPIT_S503_A_WA
GPIT_S503_B_WA
GPIT_S503_HD_WA
GPIT_S503_TMP_A
GPJP_MTHRMN_LNG
GPJP_MTHRMN_TBL
GPJP_WA_PIN
GPMX_ANL_ADJ_WA
GPMX_FORM37_WA

GPMX_LOAN_WA
GPMX_PMT_AET
GPMX_SDIVAR_WA
GPMX_SDI_WA
GPMX_ST_TAX_WA
GPMX_XMAS_WA
GPMY_159_AET
GPMY_8A_PR_AET
GPMY_PR_AET
GPMY_PR_TMP
GPMY_PR_TMP2
GPMY_PR_TMP3



GPMY_PSLP_RSLT
GPNL_PAYMENT
GPNL_PMT_AET
GPNL_PSLIP_AET
GPNL_PSLIP_TMP
GPNL_PS_ACU_TMP
GPNL_PS_ERN_TMP
GPNL_PS_GUI_TMP
GPNL_PS_SEG_TMP
GPNL_RC_PS_EE
GPNZ_IRD_RC_AET
GPNZ_IRD_RESULT
GPNZ_PSLP_RSLT
GPSG_CPF_RSLTS
GPSG_GL_DAT_TMP
GPSG_PSLP_RSLT
GPXMESSAGES
GPXPYE_SEG_STAT
GP_ACM_USER_ADJ
GP_AUDIT_TBL
GP_GENRPT_AET
GP_GENRPT_TMP
GP_GENRPT_TMP2
GP_MESSAGES
GP_PAYMENT
GP_PAYMENT2_TMP
GP_PAYMENT_TMP
GP_PMT_PREP_AET
GP_PYE_SEG_STAT
GP_PYE_SEG_TMP
GP_PYE_STAT_WRK
GP_RSLT_ABS
GP_RSLT_ACUM
GP_RSLT_DELTA
GP_RSLT_ERN_DED
GP_RSLT_PIN
GP_RSLT_PI_DATA
GP_RSLT_PI_SOVR
GP_SEG_WRK
GP_SRC_BNK1_TMP
GP_SRC_BNK2_TMP
GP_TL_PRSLT_WRK
TRAINING_AET



UPG_GP1_AET
UPG_GP3_AET
UPG_GPCH_AET
UPG_GPGB801_AET

RSLT_SEG_NUM2

Default Label Segment Number
Length 4
Type Number
Format Uppercase

Record Reference(s) GPFR_PS_ERN_TMP
GPNL_PS_ERN_TMP

RSLT_VER_NUM

Default Label Version Number
Length 4
Type Number
Format Uppercase

Record Reference(s) GPDE_AL_DELTA

GPDE_DV_FLT_BAL
GPES_PSLIP_TMP
GPES_PSLP_S_PYE
GPFR_ASS_AET
GPFR_DUCS_AET
GPFR_ILL_AET
GPFR_PS_GUI_TMP
GPFR_PS_SEG_TMP
GPFR_PYSL_AET
GPFR_P_SLIP_TMP
GPIN_PR_AET
GPIN_PR_TMP
GPIN_PR_TMP2
GPIN_PR_TMP3
GPIT_GV93_TMP_A
GPMY_159_AET
GPMY_8A_PR_AET



GPMY_PR_AET
 GPMY_PR_TMP
 GPMY_PR_TMP2
 GPMY_PR_TMP3
 GPNL_GUI_TMP
 GPNL_PSLIP_AET
 GPNL_PSLIP_TMP
 GPNL_PS_GUI_TMP
 GPNL_PS_SEG_TMP
 GPNL_RC_PS_EE
 GPNL_SEG_TMP
 GPXPYE_PRC_STAT
 GPXPYE_SEG_STAT
 GP_GENRPT_AET
 GP_GENRPT_TMP
 GP_GENRPT_TMP2
 GP_GL_S1TO6_TMP
 GP_GL_SEGV_TMP
 GP_GL_SEG_TMP
 GP_HST_WRK
 GP_NEW_RTO_WRK
 GP_OLD_RTO_WRK
 GP_PYE_PRC_STAT
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP

 GP_PYE_STAT_WRK
 GP_RSLT_DELTA
 GP_SEG_WRK

RSLT_XFER_VAL

Default Label	Bank Transfer Value of Deduct
Length	20
Type	Signed Number
Format	Uppercase

Record Reference(s)	GPDE_AL_ERN_DED
	GP_RSLT_ERN_DED



RSZ_EMPLR_BEL

Default Label Natl Office for Social Sec
Length 20
Type Character
Format Mixedcase

Record Reference(s) HR_DIM_BEL_AET
HR_DIM_SG13_BEL

RTE_CNTL_PROFILE

Default Label Route Control Profile
Length 30
Type Character
Format Mixedcase

Record Reference(s) RTE_CNTL_HDR
RTE_CNTL_LN
RTE_CNTL_PROF
RTE_CNTL_RUSER
RTE_CNTL_RU_ARC

RTE_CNTL_TYPE

Default Label Route Control Type
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPR_RULE_FIELD
RTE_CNTL_HDR
RTE_CNTL_LN
RTE_CNTL_TYPE

RTE_CNTL_TYPE1

Default Label Appr Field Type 1
Length 30
Type Character
Format Mixedcase



Record Reference(s) APPR_VA2_WRK

RTE_CNTL_TYPE2

Default Label Appr Field Type 2
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPR_VA2_WRK

RTE_CNTL_TYPE3

Default Label Appr Field Type 3
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPR_VA2_WRK

RTE_CNTL_TYPE4

Default Label Appr Field Type 4
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPR_VA2_WRK

RTE_CNTL_TYPE5

Default Label Appr Field Type 5
Length 30
Type Character
Format Mixedcase

Record Reference(s) APPR_VA2_WRK



RTE_FROM_VALUE

Default Label	From Value
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	RTE_CNTL_LN
---------------------	-------------

RTE_TO_VALUE

Default Label	To Value
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	RTE_CNTL_LN
---------------------	-------------

RTIME_TYPE

Default Label	Reported Time Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_AGG_MAIN_AET
	TL_ST_DELETES
	TL_ST_MINMAXDTS

E	Elapsed Time
P	Punch Time

RTO_LIM_BK_DAY

Default Label	Retro Back Limit Start Day
Length	2
Type	Number
Format	Uppercase



Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

RTO_LIM_BK_MONTHS

Default Label Number of Months
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

RTO_LIM_BK_MTH

Default Label Retro Back Limit Start Month
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December

RTO_LIM_BK_OPTN

Default Label Retro Period Backward Limit



Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

M Limit by Months
 N No Limit
 Y Limit by Years

RTO_LIM_BK_YEARS

Default Label Number of Years
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

RTO_LIM_DT_OPTN

Default Label Retro Limit Based On
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_PYENT

1 Period End Date
 2 Process End Date

RTO_LIM_FWD_DAY

Default Label Retro Fwd Limit Start Day
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT



RTO_LIM_FWD_MONTHS

Default Label Number of Months
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

RTO_LIM_FWD_MTH

Default Label Retro Fwd Limit Start Month
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December

RTO_LIM_FWD_OPTN

Default Label Retro Period Forward Limit
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) GP_PAYEE_DATA
 GP_PYENT
 M Limit by Months
 N No Limit
 Y Limit by Years

RTO_LIM_FWD_YEARS
 Default Label Number of Years
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GP_PAYEE_DATA
 GP_PYENT

RTO_MATCH_ACTN
 Default Label Retro Delta Match Action
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPDE_AL_DELTA
 GP_RSLT_DELTA
 C Apply to Calendar
 D Default Match
 N Do Not Process

RTO_MTHD
 Default Label Default Retro Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPNL_REP_AET
 GP_COUNTRY



GP_RTO_OVR_DEFN
 GP_RTO_OVR_PIN
 GP_RTO_OVR_SET
 GP_RTO_PRC_DEFN

C Corrective
 F Forwarding

RTO_MTHD_CHG_DT

Default Label Retro Method Change Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) GPXPYE_PRC_STAT
 GP_HST_WRK
 GP_PYE_PRC_STAT

RTO_MTHD_CHG_IND

Default Label Retro Method Change Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPFR_PS_SEG_TMP
 GPNL_PS_SEG_TMP
 GPXPYE_PRC_STAT
 GP_HST_WRK
 GP_PYE_PRC_STAT
 GP_PYE_STAT_WRK

RTO_MTHD_IF_CNFLCT

Default Label On Conflict Retro Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_COUNTRY



C Corrective
F Forwarding

RTO_PRC_ID
Default Label Retro Process Definition ID
Length 10
Type Character
Format Uppercase

Record Reference(s) GPXPYE_PRC_STAT
GP_HST_WRK
GP_NEW_RTO_WRK
GP_OLD_RTO_WRK
GP_PYE_PRC_STAT
GP_RTO_EVT
GP_RTO_EVT_WRK
GP_RTO_OVR_DEFN
GP_RTO_OVR_PIN
GP_RTO_OVR_SET
GP_RTO_PRC_DEFN
GP_RTO_PRC_WRK

RTO_PRC_IND
Default Label Process Retro Ind
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_PAYEE_DATA
GP_PYENT

RTO_RECALC_OPTN
Default Label Retro Recalc Option
Length 1
Type Character
Format Uppercase



Record Reference(s) GP_ERN_DED
GP_RTO_OVR_PIN

A	Always Recalc
D	Use Elem Defn.
N	Do Not Recalc

RTO_TRGR_SRC

Default Label Retro Trigger Source
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RTO_TRGR
GP_RTO_TRG_WRK

A	Automatically Generated
M	Manually Generated
S	Mass Trigger
U	Utility Generated

RTV_DEBIT_OPT

Default Label RTV Debit Option
Length 1
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

D	Default
N	No

RTV_DISPATCH_METH

Default Label RTV Dispatch Method
Length 3
Type Character



Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

EDI Electronic Data Interchange
EML Electronic Mail
FAX Fax Transmission
PRN Print

RTV_ID

Default Label Return To Vendor ID
Length 10
Type Character
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

RTV_LN_NBR

Default Label Return To Vendor Line
Length 5
Type Number
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

RTV_NOTIFY_METH

Default Label RTV Notification Method
Length 3
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP



EML Electronic Mail
 PHN Phone

RTV_VCHR_ADJ_DFLT

Default Label RTV Adjustment Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP

A Automatic Adjustment
 D Default
 N None
 S Stage to Pending File

RTW_AVAILABLE_SW

Default Label Return To Work Program Availab
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) WCB_ERLC_EC
 WCB_ERLC_WD

RTW_CONTACT_NAME

Default Label Return To Work Contact Name
 Length 50
 Type Character
 Format Uppercase

Record Reference(s) WCB_IWJO_EC
 WCB_IWJO_WD



RTW_EMPLCNS_SW_CAN

Default Label Employer Consider Return
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

RTW_EMPLRTN_SW_CAN

Default Label Employee Returned
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

RTW_EMPRTN_DT_C

Default Label Return To Work Date C
Length 10
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

RTW_MODWORK_SW_CAN

Default Label Modified Work Available
Length 1
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD



RTW_TIMES

Default Label RTW Time 5
Length 5
Type Character
Format Uppercase

Record Reference(s) WCB_IWJO_EC
WCB_IWJO_WD

RT_1000_DB

Default Label Right 1000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_1000_FREQ

Default Label Right 1000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_2000_DB

Default Label Right 2000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST



RT_2000_FREQ

Default Label Right 2000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_250_DB

Default Label Right 250 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_250_FREQ

Default Label Right 250 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_3000_DB

Default Label Right 3000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_3000_FREQ



Default Label Right 3000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_4000_DB

Default Label Right 4000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_4000_FREQ

Default Label Right 4000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_5000_DB

Default Label Right 5000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_5000_FREQ

Default Label Right 5000 Frequency
Length 1



Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_500_DB

Default Label Right 500 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_500_FREQ

Default Label Right 500 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_6000_DB

Default Label Right 6000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_6000_FREQ

Default Label Right 6000 Frequency
Length 1
Type Character
Format Uppercase



Record Reference(s) AUDIOMETRIC_TST

RT_7000_DB

Default Label Right 7000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_7000_FREQ

Default Label Right 7000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_8000_DB

Default Label Right 8000 Decibel
Length 3
Type Number
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST

RT_8000_FREQ

Default Label Right 8000 Frequency
Length 1
Type Character
Format Uppercase

Record Reference(s) AUDIOMETRIC_TST



RT_CATEGORY

Default Label	Rate Category
Length	2
Type	Character
Format	Uppercase

Record Reference(s)

RT_INDEX_TBL

10	Exchange Rate
20	Interest Rate
30	Economic Indicator
40	Stock Exchange Index
50	Stock Price
60	Commodity Price
70	Futures Price
99	Other

RT_CONV_DT

Default Label	Rate Conversion Date
Length	1
Type	Character
Format	Uppercase

Record Reference(s)

PAYGROUP_TBL

C	Check Date
P	Pay End Date
T	Today's Date

RT_DIV_FLDNAME

Default Label	Rate Divisor Field Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s)

CCUTSTHDR_TEOA

CCUTSTLN_TEOA
CCUTSTSCH_TEOA



CCUTSTVCH_TEOA
 EO_CCR_CNV_FLDS
 EO_CURRENCY_DTL

RT_MULT_FLDNAME

Default Label Rate Multiplier Field Name
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) CCUTSTHDR_TEOA
 CCUTSTLN_TEOA
 CCUTSTSCH_TEOA
 CCUTSTVCH_TEOA
 EO_CCR_CNV_FLDS
 EO_CURRENCY_DTL

RT_RATE

Default Label Market Rate
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) GPHK_IR56_AET
 ST_ESPP_CVT_AET
 ST_ESPP_RFH_AET
 ST_PURCHASE_CUR
 ST_PUR_CUR_TAO

RT_RATE_INDEX

Default Label Market Rate Index
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) EO_RATECALC_AET



EO_RATECALC_HDR
 EO_RATECALC_RPT
 RT_INDEX_LANG
 RT_INDEX_TBL
 RT_RATE_DEF_TBL
 RT_RATE_DEF_TMP
 RT_RATE_TBL
 RT_RATE_TMP
 RUN_EO_RT_GEN
 RUN_EO_RT_GEN_D
 ST_CONTRIB_RSDL
 ST_ESPP_PLAN
 ST_ESPP_PUR_AET
 ST_ESPP_RFH_AET
 ST_PURCHASE_CUR
 ST_PUR_CUR_TAO

RT_SOURCE

Default Label Reported Time Source
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) AUDIT_TLELPTIME

AUDIT_TLPCHTIME
 TL_PCH_DUR_WRK
 TL_RPTD_ELPTIME
 TL_RPTD_PCHTIME
 TL_ST_DELETES
 TL_ST_ELPTIME
 TL_ST_PARMS_AET
 TL_ST_PCHTIME

GP Global Payroll
 MD Mobile Device
 SYS Time and Labor System
 TCD Time Collection Device

RT_TYPE

Default Label Rate Type



Length 5
Type Character
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_PC

BUS_UNIT_TBL_PF
DEC2483_FRA_AET
DISTRIB_LINE
DISTRIB_LN_STG

EO_CURRENCY_AET
EO_RATECALC_RPT
GPHK_EXCHG_TBL
GPHK_IR56_AET
GP_ACC_LINE
GP_ACC_LINE_STG
HR_ACCTG_LINE
HR_ACCTG_LN_STG
KK_BUDGET_HDR
KK_BUDGET_LN
LMS_AET
LMS_RUN_CNTL
LMS_SCENAR_HIST
PAYGROUP_TBL
PROJECT
RT_RATE_TBL
RT_RATE_TMP
RT_TYPE_LANG
RT_TYPE_TBL
RUN_CNTL_CC_EO
RUN_CNTL_VCP004
ST_CONTRIB_RSDL
ST_ESPP_CVT_AET
ST_ESPP_PLAN
ST_ESPP_PUR_AET
ST_ESPP_RFH_AET
ST_PURCHASE_CUR
ST_PUR_CUR_TAO
TC_AET
TC_BENEFITS_AET
TC_PAYEXT_AET
TC_PLAN
UPG_HP_AET



VC_ALLOC_AET
VC_TC_PARM_TAO
VOUCHER
VOUCHER_STG

RULEPGM_EFFDT

Default Label Effective Date from RULE_PGM
Length 10
Type Date
Format Uppercase

Record Reference(s) TL_TA000300_AET
TL_TA_ARCH_RMAP
TL_TA_MAIN_AET

RULE_30_PERC_NLD

Default Label 30% Ruling
Length 1
Type Character
Format Uppercase

Record Reference(s) TAX_DATA_NLD

RULE_ELE1_FLAG

Default Label Rule Element 1
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT
TL_RPTD_TMPLT

RULE_ELE1_OPT

Default Label Rule Element 1 Option



Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPTD_TMPLT

N Not Used
 O Optional
 R Required

RULE_ELE2_FLAG

Default Label Rule Element 2
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT
 TL_RPTD_TMPLT

RULE_ELE2_OPT

Default Label Rule Element 2 Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPTD_TMPLT

N Not Used
 O Optional
 R Required

RULE_ELE3_FLAG

Default Label Rule Element 3
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT
 TL_RPTD_TMPLT



RULE_ELE3_OPT

Default Label	Rule Element 3 Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_RPTD_TMPLT
	N Not Used
	O Optional
	R Required

RULE_ELE4_FLAG

Default Label	Rule Element 4
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_RPDTME_TMPLT
	TL_RPTD_TMPLT

RULE_ELE4_OPT

Default Label	Rule Element 4 Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_RPTD_TMPLT
	N Not Used
	O Optional
	R Required

RULE_ELE5_FLAG

Default Label	Rule Element 5
---------------	----------------



Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT
 TL_RPTD_TMPLT

RULE_ELE5_OPT

Default Label Rule Element 5 Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_RPTD_TMPLT

N Not Used
 O Optional
 R Required

RULE_ELEMENT_1

Default Label Rule Element 1
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) AUDIT_TLELPTIME
 AUDIT_TLPCHTIME
 SCH_ADHOC_DTL
 TL_EMPL_DATA
 TL_MASS_TRANS
 TL_PCH_DUR_WRK
 TL_RAPID_PTIME
 TL_RAPID_TIME
 TL_RPTD_ELPTIME
 TL_RPTD_PCHTIME
 TL_RULE_ELEMNT1
 TL_RULE_ELM1_LG
 TL_ST_ELPTIME
 TL_ST_PCHTIME



RULE_ELEMENT_2

Default Label Rule Element 2
Length 10
Type Character
Format Uppercase

Record Reference(s) AUDIT_TLELPTIME

- AUDIT_TLPCHTIME
- SCH_ADHOC_DTL
- TL_EMPL_DATA
- TL_MASS_TRANS
- TL_PCH_DUR_WRK
- TL_RAPID_PTIME
- TL_RAPID_TIME
- TL_RPTD_ELPTIME
- TL_RPTD_PCHTIME
- TL_RULE_ELEMNT2
- TL_RULE_ELM2_LG
- TL_ST_ELPTIME
- TL_ST_PCHTIME

RULE_ELEMENT_3

Default Label Rule Element 3
Length 10
Type Character
Format Uppercase

Record Reference(s) AUDIT_TLELPTIME

- AUDIT_TLPCHTIME
- SCH_ADHOC_DTL
- TL_EMPL_DATA
- TL_MASS_TRANS
- TL_PCH_DUR_WRK
- TL_RAPID_PTIME
- TL_RAPID_TIME
- TL_RPTD_ELPTIME
- TL_RPTD_PCHTIME



TL_RULE_ELEMNT3
 TL_RULE_ELM3_LG
 TL_ST_ELPTIME
 TL_ST_PCHTIME

RULE_ELEMENT_4

Default Label Rule Element 4
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) AUDIT_TLELPTIME
 AUDIT_TLPCHTIME
 SCH_ADHOC_DTL
 TL_EMPL_DATA
 TL_MASS_TRANS
 TL_PCH_DUR_WRK
 TL_RAPID_PTIME
 TL_RAPID_TIME
 TL_RPTD_ELPTIME
 TL_RPTD_PCHTIME
 TL_RULE_ELEMNT4
 TL_RULE_ELM4_LG
 TL_ST_ELPTIME
 TL_ST_PCHTIME

RULE_ELEMENT_5

Default Label Rule Element 5
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) AUDIT_TLELPTIME
 AUDIT_TLPCHTIME
 SCH_ADHOC_DTL
 TL_EMPL_DATA
 TL_MASS_TRANS
 TL_PCH_DUR_WRK
 TL_RAPID_PTIME



TL_RAPID_TIME
 TL_RPTD_ELPTIME
 TL_RPTD_PCHTIME
 TL_RULE_ELEMNT5
 TL_RULE_ELM5_LG
 TL_ST_ELPTIME
 TL_ST_PCHTIME

RULE_FLAG

Default Label Rule Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
 UPG_TL_AET

N Batch Rules Not Applied
 X Chgd since Batch Rules Appld
 Y Batch Rules Applied

RULE_ID_ER

Default Label Rule ID
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) ER_REF_PGM_AWD
 ER_REF_PGM_ELG
 ER_RULE_AWD_LNG
 ER_RULE_AWD_SCH
 ER_RULE_DEFN
 ER_RULE_JOB_REQ
 ER_RULE_LANG
 ER_RULE_WHERE
 JOB_REQ_HJ_HIST
 TL_PAYABLE_TMP



Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAS_ELIG_DBG
 BAS_ELIG_DBGFLD
 BAS_ELIG_DBGVAL

G Geographic Location Table
 R Eligibility Rule

RULE_PGM_ID

Default Label Rule Program ID
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) TL_RULE_PGM
 TL_RULE_PGM_DTL
 TL_RUL_PGM_LANG
 TL_TA000300_AET
 TL_TA_ARCH_RMAP
 TL_TA_MAIN_AET
 TL_TA_RULE_AET
 TL_WRKGRP_TBL

RULE_REC_INBUF_IND

Default Label Rule Record In Buffer
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_VER_REC_CHLD

RULE_SQLID

Default Label Rule SQLID
 Length 23
 Type Character



Format Uppercase

Record Reference(s) PRCSRECUR

RUN3RDWEEK

Default Label Run 3rd Week
Length 1
Type Number
Format Uppercase

Record Reference(s) PRCSRECUR

RUN4THWEEK

Default Label Run 4th Week
Length 1
Type Number
Format Uppercase

Record Reference(s) PRCSRECUR

RUN5THWEEK

Default Label Run 5th Week
Length 1
Type Number
Format Uppercase

Record Reference(s) PRCSRECUR

RUN6THWEEK

Default Label Run 6th Week
Length 1
Type Number
Format Uppercase



Record Reference(s) PRCSRECUR

RUNALWAYS

Default Label Run Always
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PRCSJOBITEM

RUNCNTLID

Default Label Run Control ID
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) EDIT_2483G_FRA

- EOEW_ETLRUN_AET
- EO_BATPUB_AET
- EO_EFFDTPUB_AET
- EO_FILEPUB_AET
- OSHA_300_RUNS
- PRCSRUNCNTLDIST
- PRCSRUNCNTLDTL
- PRCSRUNCNTLEOPT
- PSPRCSQUE
- PSPRCSRQST
- PSPRCSRQSTARCH
- PSPRCSRUNCDEL
- PSPRCSRUNCNTL
- PSPRCSRUNCNTLS
- PSSIDXSCHED
- ST_ISSUUPD_TAO
- TL_OUTTCD_AET
- UPGQRYEXPR_AET

RUNDATE



Default Label Run Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) BN_834_SEL_WRK
 BN_SNAP_HIST
 GVT_RUN_CNTL

 PERSONNEL_RPT
 PERSONNEL_TAO
 RUN_CNTL_BDGT
 SHS_HIS_RUN_CTL

RUNDTTM

Default Label Run Date/Time
 Length 26
 Type Datetime
 Format 12

Record Reference(s) BN_834HIPAA_AET
 BN_834_HEADER
 BN_SNAP_HIST
 CO_ESV_FTP_HIST
 EG_AUDIT_TRACE
 EO_EIP_LOAD_AET
 ER_AUTOMTCH_AET
 ER_AUTOMTCH_RES
 PA_AUDIT_TRACE
 PSBATCHRPT_HDR
 PSPRCSQUE
 PSPRCSRQST

RUNFRIDAY

Default Label Run Friday
 Length 1
 Type Number
 Format Uppercase



RUNRECURRANCE

Default Label	Run Recurrence Name
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) PSSIDXSCHEd

RUNSATURDAY

Default Label	Run Saturday
Length	1
Type	Number
Format	Uppercase

Record Reference(s) PRCSRECUR

RUNSCHEDULEOPTION

Default Label	Run Schedule Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s) SCHDLITEM

0	Inactive
1	Active
2	Completed

RUNSERVERNAME

Default Label	Run Server Name
Length	8
Type	Character
Format	Mixedcase

Record Reference(s) SCHDLITEM



RUNSERVEROPTION

Default Label	Run Server Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PSPRCSQUE
	PSPRCSRQST
	SCHDLITEM
	1 Any Server
	2 Specific Server
	3 Specific OS
	4 Primary Server

RUNSTATUS

Default Label	Process Run Status
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	PMN_FILTER
	PRCSPURGELIST
	PSPRCSJOBSTATUS
	PSPRCSQUE
	PSPRCSRQST
	PSPRCSRQSTARCH
	SERVERPURGLIST
	Z_PMN_FILTER
	1 Cancel
	10 Not Successful
	16 Pending
	17 Success With Warning
	18 Blocked
	19 Restart
	2 Delete
	3 Error
	4 Hold
	5 Queued
	6 Initiated



7 Processing
8 Cancelled
9 Success

RUNSUNDAY

Default Label Run Sunday
Length 1
Type Number
Format Uppercase

Record Reference(s) PRC\$RECUR

RUNTHURSDAY

Default Label Run Thursday
Length 1
Type Number
Format Uppercase

Record Reference(s) PRC\$RECUR

RUNTIME

Default Label Run Time
Length 15
Type Time
Format 12

Record Reference(s) GP_PINMAP_C_AET
SCHDLITEM

RUNTIMEOPTION

Default Label Specific Run Time
Length 1
Type Character
Format Uppercase



Record Reference(s)	SCHDLITEM
	1 Job Rule Time
	2 Specific Time

RUNTUESDAY
 Default Label Run Tuesday
 Length 1
 Type Number
 Format Uppercase

Record Reference(s)	PRCSRECUR
---------------------	-----------

RUNWEDNESDAY
 Default Label Run Wednesday
 Length 1
 Type Number
 Format Uppercase

Record Reference(s)	PRCSRECUR
---------------------	-----------

RUN_ALL_AUDITS
 Default Label Audit Processing
 Length 1
 Type Character
 Format Uppercase

Record Reference(s)	EO_CURRENCY_AET
	RUN_CNTL_CC_EO
	1 Audit Processing
	2 Bypass All Audits
	3 As Defined on Rule/Exception

RUN_APPROVE_IND
 Default Label Run Approve Step



Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_RUNCTL

RUN_CALC_IND

Default Label Calculate Payees
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPAU_GLPREP_AET

- GPAU_GL_RC_AET
- GPAU_GL_TS
- GPCH_BK_TRN_AET
- GPDE_BK_TRN_AET
- GPGB_PMT_AET
- GPGB_PSLIP
- GPMY_GLPREP_TAO
- GPMY_GL_RC_AET
- GPMY_GL_TS
- GNZ_GLPREP_TAO
- GNZ_GL_RC_AET
- GNZ_GL_TS
- GPSG_GLPREP_TAO
- GPSG_GL_RC_AET
- GPSG_GL_TS
- GP_GL_PREPARE
- GP_GL_PREP_AET
- GP_PMT_PREPARE
- GP_PMT_PREP_AET
- GP_RUNCTL

RUN_CANCEL_IND

Default Label Cancel Entire Run
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) GP_RUNCTL

RUN_CNTL_ID

Default Label Run Control ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) AA_JC_JPN_AET

ABSV_RUNCTL
ACCRUAL_RUNCTL
AEREQUESTPARM
AEREQUESTTBL
AERUNCONTROL

AETEMPTBLMGR
AE_BAS_ELIG_AET
AE_DETYA_AET
AE_GBP001_AET
AE_GBP002_AET
AE_GB_AET
AE_GB_PARAM_AET
AE_PY200VC_AET
AE_PY300VC_AET
AE_REQUEST
AE_REQUEST_OPT
AE_RUN_CONTROL
AE_SYNCGEN_AET
AE_VCP001_AET
AFI_AET
AFI_CMP_TMP
ANL_DB_BIND_VAL
APPMSGARCH_AET
ARCH_AUDIT
ARCH_AUDIT_AET
ARCH_AUDIT_RQST
ARCH_EXP_AET
ARCH_FLT_AET
ARCH_FLT_OPT
ARCH_FLT_PARM



ARCH_FLT_RQST
ARCH_HST_OPT
ARCH_HST_RQST
ARCH_IMP_AET
ARCH_IMP_OPT
ARCH_IMP_RQST
ARCH_IMP_TAO
ARCH_PROC_AET
ARCH_PROC_TAO
ARCH_RPT_AET
ARCH_RPT_RQST
ARCH_RQST
ARCH_RQST_OPT
ARCH_RQST_PARM
ATH_RUNCNTL
BAS_ENR_EMPL
BAS_ENR_PARTIC
BAS_ENR_PASSIVE
BAS_ENR_PLAN
BAS_ENR_RUNCTL
BATRUNCNTL
BAT_TIMINGS_LOG
BEN_BI_RUNCTL
BEN_PRIJOB_LIST
BN_834HIPAA_AET
BN_AGE50_AET
BN_AGE50_RUNCTL
BN_M_EBX_ST_AET
BP_IMPT_HR_AET
BP_RNCTL_BPINFC
BP_RNCTL_CMP107
BP_RNCTL_IMPORT
BS_MRG_PRJ_AET
BS_PRJ_MRG_RN
BUDGET_SORT
CAGED_RC_BRA

CAN_WCBRPT_PROV
CCUTSTHDR_TEOA
CCUTSTLN_TEOA
CCUTSTSCH_TEOA
CCUTSTVCH_TEOA
CITYUPDATE_AET



CMP006_AET
CMP006_TMP
CMP006_TMP2
CMP007_AET
CMP007_TMP
CMP007_TMP2
CMP008_2_TMP
CMP008_AET
CMP008_TMP
CMP008_TMP2
CMP008_TMP3
CMP010_AET
CMP010_TMP
COBRA_RUNCTL
CO_DEDEXTRT_AET
CO_DED_MSG_AET
CO_DED_OUT_PARM
CO_DED_PAYRUN
CO_DED_RFTP_AET
CO_DPKELGRUNCTL
CO_DPK_ELIG_AET
CO_GB_API_AET
DEC2483_FRA_AET
ECPREPSELECT
ECRUNCTL
EDIT_2483_FRA
EDIT_SHEET_AET
EDIT_SHEET_FRA
EG_AUDIT_TRACE
EG_CALC_RESTART
EG_PRDIC_ERR
EG_PRDIC_GROUP
EG_PRDIC_RSLT
EG_RUN_CNTL_SVC
EMPL_ACT_RC_BRA
EMPL_REG_RC_BRA
EOCM_CAT_AET
EOCM_CAT_RQST
EOCM_COMP_AET
EOCM_COMP_RQST
EOCM_CTLG_SYND
EOCM_CTLG_SY_TP
EOCM_CTLG_S_AET



EOCM_ETL_AET
EOCM_IMPORT_AET
EOCM_IMP_PARMs
EOCM_MAP_PARMs
EOCM_MTP_AET
EOCM_MTP_RQST
EOCM_REP_AET
EOCM_REP_RQST
EOCM_UNSPS_AET
EOCM_UNSPS_RQST
EOEW_ETLRUN_AET
EOEW_EXE_FLD

EOEW_EXE_MAP
EOEW_EXE_MAPLNG
EOEW_EXE_STEP
EOEW_EXE_STPLNG
EOEW_RUN_CNTL
EOEW_RUN_FLTR
EOEW_RUN_PROC
EOTP_BULOAD_AET
EOTP_CUST_AET
EOTP_RUNBU_LOAD
EOTP_RUNCUST
EO_CURRENCY_AET
EO_CURRENCY_DTL
EO_DSAUDIT_AET
EO_EIP_LOAD_AET
EO_ERD_COMPNAME
EO_ERD_RUNCNTL
EO_ERR_RUNCNTL
EO_PARM_BATCH
EO_PARM_EFFDT
EO_PARM_EFFDTP
EO_PARM_FILE
EO_PARM_FULL
EO_RATECALC_AET
EO_RATECALC_DTL
EO_RATECALC_HDR
EO_RATECALC_RPT
EO_RUN_CNTL_DS
EP_CR_APPR_AET
EP_GRP_RES_TBL



EP_RPT_EXTR_AET
ER_AUTOMTCH_AET
ER_CRJOBREQ_AET
ER_ERP_MAIN_AET
ER_INT_EVAL_AET
ER_SRCH_RUN_AET
ER_SRCH_RUN_CTL
ESTABSYNC_AET
FA_CALC_RC
FGFMLA_RUNCTL
FGHR036_2_AET
FGHR036_3_AET
FGHR036_AET
FLSA_CAL_RUNCTL
FLSA_CBL_RUNCTL
FMLA_PAY_AUDIT
FPA_CI_AET
FPA_CI_RESULT
FPA_FINALRE_AET
FPA_FINRAT_RSLT
FPA_TENURE_AET
GM_RC_TE
GPAU_EFT_CX_AET
GPAU_FBT_AET
GPAU_GLPREP_AET
GPAU_GL_PREPARE
GPAU_GL_RC_AET
GPAU_LVE_AET
GPAU_PSLP_DP_RC
GPAU_PSLP_LC_RC
GPAU_PSLP_PE_RC

GPAU_PSLP_PG_RC
GPAU_PSM_AET
GPAU_PSM_EL_AET
GPAU_PSM_EX_AET
GPAU_RCPPAY_AET
GPAU_RC_DEDPBCK
GPAU_RC_ELM
GPAU_RC_EMPLID
GPAU_RC_LL_ABCT
GPAU_RC_LVELIAB
GPAU_RC_PSM



GPAU_RC_PSM_EE
GPAU_RC_PSM_PYE
GPAU_RC_PSM_PYG
GPAU_RC_PYENT
GPAU_RC_PYGRP
GPAU_RC_RCPT_FL
GPAU_RC_RCP_LST
GPAU_RC_REPORTS
GPAU_RC_TFN001
GPAU_RNCTL_PSLP
GPAU_RNCTL_PYE
GPAU_RUNCTL_ABS
GPAU_RUNCTL_CMX
GPAU_SPTRPT_AET
GPAU_TFN_EL_AET
GPBR_BATCH_AET
GPBR_GPS_ELEM
GPBR_MASVAC_AET
GPBR_PMT_AET
GPBR_RC_CAGED
GPBR_RC_CNTPI
GPBR_RC_DARF
GPBR_RC_DARF_CI
GPBR_RC_DARF_EE
GPBR_RC_DARF_ES
GPBR_RC_DEPEND
GPBR_RC_DEP_EE
GPBR_RC_EFTBANK
GPBR_RC_EMP_REG
GPBR_RC_FIN_RE1
GPBR_RC_FIN_RE2
GPBR_RC_FIN_REG
GPBR_RC_GPS
GPBR_RC_GRFC
GPBR_RC_MASSVAC
GPBR_RC_MASVA_H
GPBR_RC_MAS_LNG
GPBR_RC_PAY001
GPBR_RC_PAYMENT
GPBR_RC_PAYRSL
GPBR_RC_PAYRSL1
GPBR_RC_PAYRSL2
GPBR_RC_PAY_EE



GPBR_RC_SEFIP
GPBR_RC_TER_CON
GPBR_RC_TER_DEP
GPBR_RC_TER_EMP
GPBR_RC_TER_EST
GPBR_RC_UNEMP
GPBR_RC_VAC_AP

GPBR_RC_VAC_DEP
GPBR_RC_VAC_EMP
GPBR_RC_VAC_EST
GPBR_RC_VAC_REC
GPBR_VAC_AP_AET
GPCH_ABS_AET
GPCH_BK_TRN_AET
GPCH_OT_AET
GPCH_RC_AL07
GPCH_RC_CURRCD
GPCH_RC_DEPT
GPCH_RC_EMPLID
GPCH_RC_LOC
GPCH_RC_PAYGRP
GPCH_RC_PAYROLL
GPCH_RC_PYENT
GPCH_RC_TX04
GPCH_RC_TX4_LNG
GPCH_RP_SI06
GPCH_RUN_CNTL
GPCH_STX_AET
GPDE_BK_TRN_AET
GPDE_DV_RC02
GPDE_DV_RC03
GPDE_DV_RUN_CUR
GPDE_DV_RUN_DAY
GPDE_DV_RUN_DSK
GPDE_DV_RUN_END
GPDE_DV_RUN_MON
GPDE_DV_RUN_REP
GPDE_DV_RUN_STA
GPDE_RC_AL07
GPDE_RC_CURRCD
GPDE_RC_DEPT
GPDE_RC_EMPLID



GPDE_RC_LOC
GPDE_RC_PAYGRP
GPDE_RC_PAYROLL
GPDE_RC_PYENT
GPDE_RC_SI10
GPDE_RC_TX04
GPDE_RC_TX4_LNG
GPDE_TA_AET
GPDE_TA_RUN_CTL
GPES_BANK_RNCTL
GPES_PMT_AET
GPES_PSLIP_AET
GPES_PSLP_S_PYE
GPES_RC_BNK
GPES_RC_FNQ1
GPES_RC_FNQ1_EE
GPES_RC_FNQ2
GPES_RC_GL1
GPES_RC_PAYSLIP
GPES_RC_PSLP_DP
GPES_RC_PSLP_LC
GPES_RC_PSLP_PE
GPES_RC_PSLP_PG
GPES_RC_PSLP_PY
GPES_RC_SS
GPES_RC_SS1

GPES_RC_SS_TC2W
GPES_RC_TAX
GPES_RC_TAX_10T
GPES_RC_TAX_CMP
GPES_RUNCTL
GPES_SSTC_AET
GPES_TAX111_AET
GPES_TAX190_AET
GPFR_ASS_AET
GPFR_ASS_PRIRUN
GPFR_ASS_RUNCTL
GPFR_ASS_RU_LNG
GPFR_AT_RESULT
GPFR_BANK_RNCTL
GPFR_DA30_AET
GPFR_DA41_AET



GPFR_DA_AET
GPFR_DA_EXTRACT
GPFR_DA_FILE
GPFR_DA_FILE_SE
GPFR_DA_PAYGRP
GPFR_DA_RUNCTL
GPFR_DUCSF_CTL
GPFR_DUCS_AET
GPFR_DUCS_RUN_1
GPFR_DUCS_RUN_2
GPFR_EFT_RNCTL
GPFR_ILL_AET
GPFR_ILL_RUNCTL
GPFR_PMT_AET
GPFR_PYSL_AET
GPFR_RUNCTL_PSL
GPFR_SOURC_RCTL
GPFR_WRK_AET
GPFR_WRK_RUNCTL
GPGB_BANK_RNCTL
GPGB_CNC_AET
GPGB_EFT_RNCTL
GPGB_PMT_AET
GPGB_PPIN_AET
GPGB_PSLIP
GPGB_PSLIP_AET
GPGB_RCTL_CNC
GPGB_RCTL_PPIN
GPGB_RCTL_TAXUP
GPGB_RC_P46C
GPGB_REPLIB_AET
GPGB_RNCTL_EOYR
GPGB_RUNCTL_SQR
GPHK_EFT_AET
GPHK_EFT_RUNCTL
GPHK_I56_EE_RC
GPHK_I56_QT_AET
GPHK_I56_RUNCTL
GPHK_IR56_AET
GPHK_MPF_RUNCTL
GPHK_PSLP_DP_RC
GPHK_PSLP_LC_RC
GPHK_PSLP_PE_RC



GPHK_PSLP_PG_RC
GPHK_PSLP_PY_RC

GPHK_RCP_RUNCTL
GPHK_RC_ELM
GPHK_RC_EMPLID
GPHK_RC_PYENT
GPHK_RC_PYGRP
GPHK_RC_REPORTS
GPHK_RNCTL_PSLP
GPIN_BANK_RC
GPIN_PR_AET
GPIN_PR_RC
GPIN_PSLP_DP_RC
GPIN_PSLP_LC_RC
GPIN_PSLP_PE_RC
GPIN_PSLP_PG_RC
GPIN_PSLP_RC
GPIN_PYE_RC
GPIT_CUD_RP_P1
GPIT_CUD_RP_P2
GPIT_CUD_RP_P3
GPIT_CUD_RP_P4
GPIT_CUD_RUNCTL
GPIT_DM10E_TMP4
GPIT_DM10E_TMP5
GPIT_DM10E_TMP6
GPIT_DM10E_TMPA
GPIT_DM10E_TMPB
GPIT_DM10E_TMPC
GPIT_DM10E_TMPD
GPIT_DM10E_TMPE
GPIT_DM10_RUNCL
GPIT_F24_CTR
GPIT_F24_RUNCL
GPIT_F24_TMP
GPIT_FCUD_T1
GPIT_FCUD_T2
GPIT_FCUD_T3
GPIT_FCUD_T4
GPIT_FCUD_T5
GPIT_FCUD_TOT1
GPIT_FCUD_TOT2



GPIT_FCUD_TOT3
GPIT_GV93_RUNCL
GPIT_GV93_TMP
GPIT_GV93_TMP_A
GPIT_GV93_TMP_B
GPIT_GV93_TMP_C
GPIT_GV93_TMP_D
GPIT_GV93_TMP_P
GPIT_GV93_TMP_S
GPIT_PCUD_I1
GPIT_PCUD_I2
GPIT_PCUD_I3
GPIT_PCUD_T1
GPIT_PCUD_T2
GPIT_PCUD_T3
GPIT_PCUD_T4
GPIT_RC_COMPANY
GPIT_RC_COMP_ST
GPIT_RC_CURRCD
GPIT_RC_DEPT
GPIT_RC_EMPLCTG

GPIT_RC_EMPLID
GPIT_RC_ESTABID
GPIT_RC_LOC
GPIT_RC_PAYGRP
GPIT_RC_PAYROLL
GPIT_RC_PYENT
GPIT_RC_PYGRP
GPIT_S503_RCTL
GPIT_S503_RPT
GPIT_S503_TMPB2
GPIT_S503_TMP_A
GPIT_S503_TMP_B
GPIT_S503_TMP_C
GPIT_S503_TMP_D
GPJP_BA01_AET
GPJP_IT_WH_AET
GPJP_LA02_AET
GPJP_MUNIC_AET
GPJP_PP_AET
GPJP_PP_PYE
GPJP_RC_BA01



GPJP_RC_IH_AUD
GPJP_RC_IH_MNTH
GPJP_RC_IH_MUN1
GPJP_RC_IH_MUN2
GPJP_RC_IT_WHRG
GPJP_RC_LA01
GPJP_RC_PP01
GPJP_RC_SC01
GPJP_RC_SC03
GPJP_RC_SC04
GPJP_RC_SC_BNS
GPJP_RC_SC_LOAD
GPJP_RC_UC
GPJP_RC_UC_PYE
GPJP_RC_YEA
GPJP_RC_YEALOAD
GPJP_RC_YEA_PYE
GPJP_RC_YEA_RPT
GPJP_RC_YEA_SS
GPJP_SC_BNS_AET
GPJP_SC_LD_AET
GPJP_SC_UPD_AET
GPJP_UC_LD_AET
GPJP_YEASS_AET
GPJP_YEA_AET
GPMX_ACCUM_MBR
GPMX_BATCH_AET
GPMX_COUPONS
GPMX_DET_FEDTAX
GPMX_MASABS_AET
GPMX_PMT_AET
GPMX_PROV_DED
GPMX_PROV_ERN
GPMX_RC_ABSENCE
GPMX_RC_ACCUM
GPMX_RC_AG001
GPMX_RC_ANNLADJ
GPMX_RC_BANK
GPMX_RC_CAP_BSE
GPMX_RC_CNTPI

GPMX_RC_COUPONS
GPMX_RC_CRE_SAL



GPMX_RC_EFT
GPMX_RC_FEDTAX
GPMX_RC_IM002
GPMX_RC_IMSS_PR
GPMX_RC_LNCAL
GPMX_RC_LNPYE
GPMX_RC_MASSABS
GPMX_RC_OVR001
GPMX_RC_PAY001
GPMX_RC_PAYRSL
GPMX_RC_PAYRSL1
GPMX_RC_PAYRSL2
GPMX_RC_PROV
GPMX_RC_PTU
GPMX_RC_PTU001
GPMX_RC_STTAXES
GPMX_RC_SUA001
GPMX_RC_SUB_FCT
GPMX_RC_TERMREP
GPMX_RC_TRI001
GPMX_RC_VACATN
GPMX_RC_VARIABL
GPMX_RC_WKRSK_C
GPMX_RC_WKRISK
GPMY_159_AET
GPMY_8A_FI_AET
GPMY_8A_PR_AET
GPMY_CP21_AET
GPMY_CP22A_AET
GPMY_EFTFIL_AET
GPMY_EMPL_RC
GPMY_FA_PST_AET
GPMY_GLPREP_TAO
GPMY_GL_RC_AET
GPMY_LVE_AET
GPMY_NET_PAY_RC
GPMY_PR_AET
GPMY_PR_RC
GPMY_PR_RF_RC
GPMY_PSLP_DP_RC
GPMY_PSLP_LC_RC
GPMY_PSLP_PE_RC
GPMY_PSLP_PG_RC



GPMY_PSLP_RC
GPMY_PSL_DP_RC1
GPMY_PYE_RC
GPMY_RCPFIL_AET
GPMY_RC_ELM
GPMY_RC_EMPLID
GPMY_RC_FA_POST
GPMY_RC_GL_PREP
GPMY_RC_LL_ABCT
GPMY_RC_LVELIAB
GPMY_RC_PYGRP
GPMY_RC_RCPT_FL
GPMY_RC_RCP_FIL
GPMY_RC_RCP_LST
GPMY_RC_REPORTS
GPMY_RPT_RC

GPMY_RUNCTL_FIL
GPNL_PMT_AET
GPNL_PSLIP_AET
GPNL_RC_BANKING
GPNL_RC_CPINT
GPNL_RC_EFT
GPNL_RC_EMPL
GPNL_RC_EST_LST
GPNL_RC_PAYSLIP
GPNL_RC_PERS
GPNL_RC_PERSCMP
GPNL_RC_PMT_LST
GPNL_RC_PS_DEPT
GPNL_RC_PS_EE
GPNL_RC_PS_LOC
GPNL_RC_PS_PGRP
GPNL_RC_PS_PYE
GPNL_RC_PS_PYNT
GPNL_RC_RED
GPNL_RC_SOC
GPNL_RC_SOC_AET
GPNL_RC_SSN_LST
GPNL_RC_YEE
GPNL_RC_YER
GPNL_RC_YINT
GPNL_REP_AET



GPNZ_EFTMT9_AET
GPNZ_GLPREP_TAO
GPNZ_GL_RC_AET
GPNZ_IR348F_AET
GPNZ_IR348F_RC
GPNZ_IRD_RC_AET
GPNZ_IRD_RC_CR8
GPNZ_LVE_AET
GPNZ_NET_PAY_RC
GPNZ_PSLP_DP_RC
GPNZ_PSLP_LC_RC
GPNZ_PSLP_PE_RC
GPNZ_PSLP_PG_RC
GPNZ_RCPFIL_AET
GPNZ_RC_DEDPBCK
GPNZ_RC_ELM
GPNZ_RC_EMPLID
GPNZ_RC_GL_PREP
GPNZ_RC_IR348
GPNZ_RC_IRD
GPNZ_RC_LL_ABCT
GPNZ_RC_LVELIAB
GPNZ_RC_PYGRP
GPNZ_RC_RCPT_FL
GPNZ_RC_RCP_LST
GPNZ_RC_RCP_MT9
GPNZ_RC_REPORTS
GPNZ_RNCTL_PSLP
GPNZ_RNCTL_PYE
GPNZ_RUNCTL_MT9
GPNZ_RUNCTL_QES
GPSG_CPFLIN_AET
GPSG_CFPAL_AET
GPSG_CFRPT_AET
GPSG_CPF_RUNCTL

GPSG_EFTGIR_AET
GPSG_FA_PST_AET
GPSG_GLPREP_TAO
GPSG_GL_PREPARE
GPSG_GL_RC_AET
GPSG_IRAS_AET
GPSG_LVE_AET



GPSG_NET_PAY_RC
GPSG_PSLP_DP_RC
GPSG_PSLP_LC_RC
GPSG_PSLP_PE_RC
GPSG_PSLP_PG_RC
GPSG_RCPFIL_AET
GPSG_RC_ELM
GPSG_RC_EMPLID
GPSG_RC_FA_POST
GPSG_RC_GL_PREP
GPSG_RC_IRAS
GPSG_RC_IRASEMP
GPSG_RC_LL_ABCT
GPSG_RC_LVELIAB
GPSG_RC_PYGRP
GPSG_RC_RCPT_FL
GPSG_RC_RCP_GIR
GPSG_RC_RCP_LST
GPSG_RC_REPORTS
GPSG_RNCTL_PSLP
GPSG_RNCTL_PYE
GPSG_RUNCTL_GIR
GP_AUTO_CAL
GP_AUTO_CAL_AET
GP_AUTO_PRD
GP_AUTO_PRD_AET
GP_GENRPT_AET
GP_GENRPT_RC
GP_GENRPT_RC2
GP_GL_PREPARE
GP_GL_PREP_AET
GP_GRP_LIST_RUN
GP_PINMAP_AET
GP_PINMAP_C_AET
GP_PKG_CMP_AET
GP_PKG_COPY_AET
GP_PKG_CR_AET
GP_PKG_RUNCTL
GP_PMT_PREPARE
GP_PMT_PREP_AET
GP_PYE_ITER_LST
GP_PYE_STAT_WRK
GP_RUNCTL



GP_RUNCTL_APPR
GP_RUNCTL_SQR
GP_RUNCTL_SQR01
GP_RUNCTL_SQR02
GP_TLCOST_AET
GP_TL_PREPARE
GP_TL_PREP_AET
GP_TXN_DATA
GP_VC_RUNCTL
GVT_AGY_RUNCTL
GVT_CNTL_PLAN

GVT_ECS_RUNCTL
GVT_FGHR363_TAO
GVT_FIN_RUNCTL
GVT_FIN_RUNCTL2
GVT_FULL_VAC
GVT_IRR_PRT
GVT_IRR_PRT_SEL
GVT_IRR_RUNCTL
GVT_MASSCHG_AET
GVT_MPA_RUNCTL
GVT_NH_RUNCTL
GVT_NH_RUNCTL_E
GVT_PAR_PRT
GVT_RITS_RUNCTL
GVT_ROST_RUNCTL
GVT_RUNCTL_1150
GVT_RUNCTL_1514
GVT_RUNCTL_LVE
GVT_RUNCTL_UCFE
GVT_RUNC_ACTION
GVT_RUN_CNTL
GVT_RUN_FGBN001
GVT_TSP_RUNCTL
GVT_VA_FEED_INP
HPDBRETDIST_AET
HP_DISTBDGT_AET
HP_DISTSRCH_AET
HP_RC_GRSFR
HP_RC_GRSFR_ACT
HP_RC_GRSFR_DPT
HP_RC_GRSFR_PRJ



HP_RC_PDAUDIT
HP_RETDIST_AET
HRAU_PSMPC_AET
HR_BIAF_FRA_AET
HR_CMP013_AET
HR_CMP014_1_TAO
HR_CMP014_2_TAO
HR_CMP014_3_TAO
HR_CMP014_AET
HR_CMP015_AET
HR_CMP015_AFT_C
HR_CMP015_AFT_J
HR_CMP015_BEF_C
HR_CMP015_BEF_J
HR_CMP015_GRP_T
HR_CMP015_TAO1
HR_CMP015_TAO2
HR_CMP050JP_AET
HR_CMP051JP_AET
HR_CMP052JP_AET
HR_CMP053JP_AET
HR_DIM_RUN_BEL
HR_GRPANNIV_AET
HR_HRSALCHG_AET
HR_HRWF0006_AET
HR_PER501_AET
HR_PER501_AFT_C
HR_PER501_AFT_J
HR_PER501_BEF_C
HR_PER501_BEF_J

HR_PER501_GRP_T
HR_PER501_TAO1
HR_PER501_TAO2
HR_PER510_AET
HR_PER510_PERML
HR_PER510_SCRTY
HR_PER510_USERP
HR_SEN_GRP_TAO
HR_SEN_PAY1_TAO
HR_SEN_PAY2_TAO
HR_SHS_FRA_AET
HR_SPLIB_AET



HR_SP_MER1_TAO
HR_SP_MER2_TAO
HR_SP_MER3_TAO
HR_SP_MERIT_AET
HR_WC_APPR_AET
IB_ARCH_RUNCNTL
IB_FAILOVER_AET
IB_FO_RUNCNTL
ICONV_PANELLIST
ICONV_PANELNOT
ICONV_PROJLIST
ICONV_PROJNOT
ICONV_RUNCNTL
IMP_GTL_DPL
LAYOUT_STYL_TBL
LMS_AET
LMS_CMP_RUN_CTL
LMS_RUN_CNTL
LMS_SCENAR_HIST
LMS_SCENA_PURGE
LMS_SCEN_REPORT
MAKE_ANL_DB_BU
MAKE_ANL_DB_REQ
MASSRTRO_RUNCTL
MATRBK_ITA_AET
MATR_BK_ITA_TAO
MC_RUN_CNTL
MU_AET
MU_MASSUPD_RLNG
MU_MASSUPD_RSLT
OHS001GER_TMP1
OHS001GER_TMP2
OHS004GER_TMP1
OHS004GER_TMP2
PAYSHEET_RUNCTL
PAY_CALC_RUNCTL
PAY_CBLD_RUNCTL
PAY_CHECK_REVRS
PAY_CONF_RUNCTL
PAY_DBAL_RUNCTL
PAY_IMP_RUNCTL
PAY_PRNT_RUNCTL
PAY_REV_RUNCTL



PA_AUDIT_TRACE
PA_CALCULATION
PA_CALC_RESTART
PA_EE_ERR_TBL
PA_ELIG_EMPCD
PA_PRDIC_ERR

PA_PRDIC_PLAN
PA_PRDIC_RSLT
PA_RUN_CNTL
PA_RUN_CNTL_CLC
PA_SUMMARY_CALC
PA_SUMMARY_EMP
PA_SUMMARY_PLAN
PCMP_RECERT_AET
PER064JP_AET
PER066JP_AET
PER501_AET
PER501_TMP
PER501_TMP1
PER501_TMP2
PER501_TMP3
PER501_TMP4
PI_EXP_INP_AET
PI_RUNCTL
PI_RUNCTL_AE
PI_RUNCTL_SID
PORTAL_CSS_RUN
PRCSRUNCNTL
PSARCHAUDIT
PSARCHIVE_AET
PSARCHIVE_TAO
PSARCHRUNCNTL
PSARCHRUNQRYBND
PSBATCHRPT_HDR
PSHUPLD_RUNCTL
PSHUP_RUNCTL
PSIBFILERUNCNTL
PSIB_INFILE_AET
PSNVSBOOK
PSNVSBOOKREQUEST
PSPMARCHRUNCNTL
PSRUN_SEARCH



PSRUN_SRCH_AET
PTLT_EXCI_RUN
PTLT_PROJ_RUN
PTPP_CPPRJ_RUN2
PTPP_CPPRJ_RUN3
PTPP_CPPRJ_RUN4
PTPP_CPPRJ_RUN5
PTPP_CPPROJ_AET
PTPP_CPPROJ_RUN
PTPP_FD_RUN
PTPP_SCSYNC_AET
PTPP_SCSYNC_RUN
PTPP_SCUPG_AET
PTUPG_RUN_AEC
PTUPG_STATE_AET
PT_ERR_RUNCNTL
PYAP_CONVRT_AET
PYAP_POST_AET
PYRE_PRELD_AET
PY_LDTLCD_RC
PY_LDTLEMP_RC
PY_LDTL_RC
PY_PULL_CST_AET
QUERY_RUN_CNTRL
QUERY_RUN_PARM

RC_AFI_CMP_ESP
RC_AFI_EMP_ESP
RC_AFI_ESP
RC_AP_POST
RC_BUD011
RC_CAN_YE
RC_CAN_YE_PROV
RC_CTX910AP
RC_CTX910RP
RC_CTX910TP
RC_CTX910VP
RC_DDP001
RC_ENCD_TX810WY
RC_PAY
RC_PAY013_1
RC_PAY013_2
RC_PAY018CN



RC_PAY102CN
RC_PAY104CN
RC_PAYINIT
RC_PAY_UNSH
RC_PI_RUNCTL
RC_PKG
RC_PYAP_DEDINIT
RC_PYAP_TAXINIT
RC_PYAP_TXINICN
RC_PYAP_TXINIFT
RC_PYAP_TXINILT
RC_PYAP_TXINIST
RC_PYAP_TXINI_L
RC_PYAP_TXINI_S
RC_QTR_UI
RC_SEL_COMPANY
RC_SIC_UI
RC_SLC_UI
RC_TAX002ME
RC_TAX010PA
RC_TAX1042
RC_TAX504
RC_TAX504_ERN
RC_TAX710
RC_TAX810CA
RC_TAX810CT
RC_TAX810IL
RC_TAX810KY
RC_TAX810ME
RC_TAX810MN
RC_TAX810MT
RC_TAX810ND
RC_TAX810NV
RC_TAX810NY
RC_TAX810OH
RC_TAX810OR
RC_TAX810VT
RC_TAX810WA
RC_TAX810WY
RC_TAX860FL
RC_TAX905CN
RC_TAX910AU2
RC_TAX910AU_CO



RC_TAX910ER
RC_TAX910LD
RC_TAX910LD_CO
RC_TAX910LD_EE
RC_TAX910PR
RC_TAX918AU2
RC_TAX918ER
RC_TAX918PR
RC_TAX920
RC_TAX920AU
RC_TAX920EE
RC_TAX920PR
RC_TAX920PREE
RC_TAX920UST
RC_TAX920USTEE
RC_TAX921PR
RC_TAX921US
RC_TAX930
RC_TAX930AU
RC_TAX930PM
RC_TAX935
RC_TAX960
RC_TAX960MA
RC_TAX960PR
RC_TAX960PRN
RC_TAX960ST
RC_TAX960US
RC_THIRD_PARTY
RC_US_YE
RC_VC_CALWRD
RC_VC_CALWRD_WG
RC_VC_ELIG_PRO
RC_VC_REPORTS
RC_VC_REP_CHLD
RC_VNDR_REPORT
RC_WP_AGRT_RPT
RC_WP_ELIG
RC_WP_IND_RPT
RC_WP_PAYMT
RC_XTAX_CAN
RC_XTAX_TYP_CAN
RC_X_DEDS



RC_X_DEDS_VNDR
RC_X_TAX
RC_X_TAX_LOCALS
RC_X_TAX_STATES
RC_X_TAX_TYPE_F
RC_X_TAX_TYPE_L
RC_X_TAX_TYPE_S
RDEDEXTR_RUNCTL
RDEDMASS_RUNCTL
RDEDPSHT_RUNCTL
RDEDSQR_RUNCTL
REACTV_TERM_AET
RPT_RQST
RPT_RUN_CNTL
RTROEXTR_RUNCTL
RTROPSHT_RUNCTL
RTROREPT_RUNCTL
RTRORQST_RUNCTL
RTROSUMM_RUNCTL
RTROTERM_RUNCTL

RTROUND0_RUNCTL
RUNCNTL_BASICEL
RUNCTL_BIAF_FRA
RUNCTL_CMP007
RUNCTL_EDIOUT
RUNCTL_EP
RUNCTL_EP_GRP
RUNCTL_EP_RPT
RUNCTL_EP_RPT2
RUNCTL_GEN_CKEY
RUNCTL_MASSUPD1
RUNCTL_NTFA_JPN
RUNCTL_NTF_JPN
RUNCTL_PAY306RT
RUNCTL_SENPAY
RUNCTL_TLPY_PUB
RUN_CMPCLC2_JPN
RUN_CMPCLC_JPN
RUN_CMPRPT2_JPN
RUN_CMPRPT_JPN
RUN_CNTLAUDTRGS
RUN_CNTLDAP_AET



RUN_CNTLLDAP
RUN_CNTLSHEMA
RUN_CNTL_ABS001
RUN_CNTL_ABS003
RUN_CNTL_ACTION
RUN_CNTL_AU2_EO
RUN_CNTL_AUD_EO
RUN_CNTL_BDGT
RUN_CNTL_BEN
RUN_CNTL_BEN_CO
RUN_CNTL_BEN_PT
RUN_CNTL_BEN_VD
RUN_CNTL_BIAF
RUN_CNTL_BLOAD
RUN_CNTL_BN_M
RUN_CNTL_BUD020
RUN_CNTL_BUDEPT
RUN_CNTL_BUDSPN
RUN_CNTL_CAR
RUN_CNTL_CBR
RUN_CNTL_CC1_EO
RUN_CNTL_CC2_EO
RUN_CNTL_CC3_EO
RUN_CNTL_CC4_EO
RUN_CNTL_CCI
RUN_CNTL_CCI1
RUN_CNTL_CCI2
RUN_CNTL_CCI3
RUN_CNTL_CCI4
RUN_CNTL_CC_EO
RUN_CNTL_CMP015
RUN_CNTL_CMP016
RUN_CNTL_CMP107
RUN_CNTL_COESV1
RUN_CNTL_COESV2
RUN_CNTL_CPDF
RUN_CNTL_CTYITA
RUN_CNTL_DEDEXT
RUN_CNTL_DEDFTP

RUN_CNTL_DEDXML
RUN_CNTL_DELSC
RUN_CNTL_DEPT



RUN_CNTL_ECLASS
RUN_CNTL_EECRS
RUN_CNTL_EG
RUN_CNTL_EMPL
RUN_CNTL_ER
RUN_CNTL_ER_ERP
RUN_CNTL_ESPP
RUN_CNTL_ESTAB
RUN_CNTL_FP
RUN_CNTL_GB
RUN_CNTL_GB001
RUN_CNTL_HR
RUN_CNTL_HRAUD
RUN_CNTL_HR_BEL
RUN_CNTL_HR_CHE
RUN_CNTL_HR_ESP
RUN_CNTL_HR_FRA
RUN_CNTL_HR_JPN
RUN_CNTL_HR_NLD
RUN_CNTL_HR_SEC
RUN_CNTL_HR_SP
RUN_CNTL_JOB
RUN_CNTL_JOB
RUN_CNTL_LOCTN
RUN_CNTL_MATRBK
RUN_CNTL_MOC
RUN_CNTL_OHS
RUN_CNTL_ORGCH
RUN_CNTL_PAR
RUN_CNTL_PCMP1
RUN_CNTL_PCMP2
RUN_CNTL_PCMP3
RUN_CNTL_PCMP4
RUN_CNTL_PCMP5
RUN_CNTL_PER053
RUN_CNTL_PER056
RUN_CNTL_PER059
RUN_CNTL_PER060
RUN_CNTL_PER066
RUN_CNTL_PER067
RUN_CNTL_PER501
RUN_CNTL_PORTAL
RUN_CNTL_PRT_CE
RUN_CNTL_PRT_EC



RUN_CNTL_REG
RUN_CNTL_REQSN
RUN_CNTL_SENPY2
RUN_CNTL_SENPY3
RUN_CNTL_SESSN
RUN_CNTL_SF182
RUN_CNTL_SF182L
RUN_CNTL_ST
RUN_CNTL_ST_EMP
RUN_CNTL_ST_GGR
RUN_CNTL_ST_RP1
RUN_CNTL_ST_RP2
RUN_CNTL_SWPBSE
RUN_CNTL_SYSAUD
RUN_CNTL_TAU

RUN_CNTL_TRN001
RUN_CNTL_TRN032
RUN_CNTL_TRN_GP
RUN_CNTL_UKNI
RUN_CNTL_UNIT
RUN_CNTL_USADTL
RUN_CNTL_USAGE
RUN_CNTL_VCP001
RUN_CNTL_VCP002
RUN_CNTL_VCP003
RUN_CNTL_VCP004
RUN_CNTL_VNDR
RUN_CNTL_WF
RUN_CNTL_WP
RUN_CTL_ST_EMP2
RUN_DUPAPP_SRCH
RUN_EO_RT_GEN
RUN_EO_RT_GEN_D
RUN_EXCEP_DTL
RUN_FGHR022
RUN_FGSF75
RUN_GLRESET
RUN_HPDISRCH
RUN_HPSRCHDATA
RUN_HPUPDTDATA
RUN_HPUPDTSEQ
RUN_HP_RETDIST



RUN_ILL_HR_NLD
RUN_LOADCACHE
RUN_MREDDLOAD
RUN_QRYACCLIST
RUN_SALAMT2_JPN
RUN_SALAMT3_JPN
RUN_SALAMT_JPN
RUN_SALINC2_JPN
RUN_SALINC_JPN
RUN_SCHEMA_AET
RUN_STEP2_JPN
RUN_STEP_JPN
RUN_STPS1_MEX
RUN_STPS2_MEX
RUN_STPS_MEX
RUN_TREEMOVER
RUN_TREE_UTILS
R_GVT_PAR_PRT
R_PAY101CN
SAL_PLANMC_TMP2
SCHDLDEFN
SCHDLITEM
SCH_CAL_AET
SCH_GRP_AET
SCH_GRP_RNCTRL
SCH_RUNCTRL_DTL
SCH_RUNCTRL_TBL
SDK_FILEUTL_AET
SDK_RUNCNTL
SFMAINT_RUNCNTL
SHS_EE_RUN_CTL
SHS_EMPL_TAO
SHS_ESTAB_TAO
SHS_EXEMPT_TAO

SHS_FRA_RUN_CTL
SHS_HIS_RUN_CTL
SHS_OTHER_TAO
SHS_RUNCTL_WL
SHS_SSN_NBR_TAO
SP_UPDCOMP_TMP
SP_UPDJOB_TMP
STEP_INCR_AET



ST_CLASS_AET
ST_ESPPMAIN_AET
ST_ESPP_BAL_AET
ST_ESPP_CNF_AET
ST_ESPP_CVT_AET
ST_ESPP_PRC_AET
ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_GRP_GRNT_AET
ST_ISO_LIM_AET
ST_ISSUUPD_AET
ST_OPTN_AET
ST_PARTIC_AET
ST_PRCSGRP_AET
ST_REPRC_AET
ST_RUNCTL_UNVAL
ST_RUNCTL_VALUE
ST_SPLIT_AET
ST_SSDISP_AET
ST_STFS001_TAO
ST_STFS007_TAO
ST_STFS009_TAO
ST_STFS010_TAO
ST_STFS015_TMP
ST_STRR001_TAO
ST_TRSR_AET
ST_UNVALUE_AET
ST_UNVALUE_TAO
ST_VALUE_AET
ST_VALUE_TAO
ST_VEST_AET
SV403B_RUNCTL
TAU_PGM_LIST
TCOMPBN_RUNCTL
TC_AET
TC_BENEFITS_AET
TC_BEN_GRP
TC_BEN_RUN_CNTL
TC_CNTL_PAY_TAO
TC_EMPL_LST_TAO
TC_GROUP_RUNCTL
TC_MAP_BEN_TAO
TC_MAP_ERN_TAO



TC_MAP_TAXC_TAO
TC_MAP_TAX_TAO
TC_PAYEXT_AET
TC_RUNCNTL_CUBE
TC_RUNCTL_ADHOC
TC_RUN_CNTL
TC_TMP_DTL_TAO
TC_TREE_RUNCNTL
TERM_RUNCTL
TIPS_ALL_RUNCTL

TL_AGG_MAIN_AET
TL_AGG_RCTRL
TL_CALL_TA_AET
TL_CAL_CTRL_TBL
TL_DIST_DIL_AET
TL_GRP_REF_AET
TL_LBDST_RUNCTL
TL_OUTTCD_AET
TL_PAYREQ_AET
TL_PROJ_AET
TL_PYPUB_TM_AET
TL_RAPID_RCTRL
TL_REPORTS_AET
TL_RPTS_RNCTL
TL_RUNCNTL_AET
TL_RUNCTL_ACDT
TL_RUNCTL_SQR
TL_RUN_CAL_OPT1
TL_RUN_CNTL_APP
TL_RUN_CTRL_CAL
TL_RUN_CTRL_GRP
TL_RUN_CTRL_LAN
TL_RUN_CTRL_TBL
TL_RUN_GRP_DTL
TL_RUN_GRP_REF
TL_RUN_PUB_TM
TL_RUN_PYPUB_TM
TL_RUN_SCH_OPT
TL_SCHRPT_AET
TL_SCHRT_RNCTL
TL_ST_PARMS_AET
TL_ST_RUN_CNTL



TL_TA_ACTN_COPY
TL_TA_ARCH_RMAP
TL_TA_COND_COPY
TL_TA_COPY_CTL
TL_TA_CPY_AET
TL_TA_EXPND_AET
TL_TA_MAIN_AET
TL_TA_RULE_COPY
TL_TA_RUNCTL
TL_TCD_MSGNODE
TL_TCD_REPORT
TL_TCD_SQR
TL_TIME_AET
TMP_AE_RUNCNTL
TRAINING012_AET
TRAINING013_AET
TRAINING_AET
TREEMOVER_AET
TREE_MAINT_AET
TRN001_AET
TRN_BATCH_PROF
TRN_CRITERIA_OR
TRN_CRIT_COMP_E
TRN_CRIT_COMP_I
TRN_CRIT_CRS_E
TRN_CRIT_CRS_I
TRN_CRIT_DEPT_E
TRN_CRIT_DEPT_I
TRN_CRIT_JOB_E

TRN_CRIT_JOB_I
TRN_CRIT_PRTY_E
TRN_CRIT_PRTY_I
UPGCONV_DEFN
UPGPTPP_AET
UPG_BN_AET
UPG_EP_AET
UPG_GPCH_AET
UPG_PA_CALC_TMP
UPG_STATE_AET
VCAWARD_RUNCTL
VCTREESEC_AET
VC_ALLOC_AET



VC_ELIG_PRO_AET
 VC_PRO_PRDS_AET
 VC_RUN_VCP001
 WF_RPT_OPR_POOL
 WL_RIMRESP_AET
 WL_RIM_RUN_CNTL
 WP_ELIG_AET
 WP_GBLFND_AET
 WP_PAYMT_AET
 WP_PSHARING_AET
 Z_AWD_RUNCNTL
 Z_CPDF_RUNCTL
 Z_EMP_RUNCTL
 Z_LC_PIRUNCTL
 Z_LC_RUNCTL
 Z_LC_TRN_RUN
 Z_LG_AWD_RUNCTL
 Z_MC_DEPTID_TBL
 Z_NFC_RECON_REC
 Z_PIVOT_RUNCNTL
 Z_POI_REPORT
 Z_POSN_PACT_RUN
 Z_PP_RUNCTL
 Z_PP_WORD_DATA
 Z_RC_ZZZAWD01
 Z_RUN_CNTL_SINQ
 Z_RUN_PD
 Z_SINQ_PRT

RUN_CNTL_ID_EO

Default Label	Run Control ID
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) RUN_CNTL_AU2_EO

RUN_CNTL_WRK

Default Label	Run Control Work
---------------	------------------



Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_RUN_CNTL_SVC

PA_RUN_CNTL
 PA_RUN_CNTL_CLC

RUN_COMPLTD_IND

Default Label Calculated Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPAU_EFT_CX_STR

GP_GL_PREP_STRM
 GP_PMT_PRP_STRM

RUN_COUNT

Default Label Run Count
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) ER_SRCH_RUN_AET

ER_SRCH_RUN_CTL

RUN_CTRL_TYPE

Default Label Run Control Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) TL_RUNCNTL_AET

TL_RUN_CTRL_LAN



AP	Approval
CC	Create T&L Business Calendar
CR	Crew Reporting
CS	Create Work Schedules
CT	Create Time
ED	Edit Time
LD	Labor Distribution
LR	Lumpsum Reporting
MC	Mass Change
PR	Pattern Reporting
PU	Update Payroll
RA	Rules Application
RF	Refresh Dynamic Groups
RR	Range of Date Reporting
RS	Resolve Schedules
RU	Rapid Update
VC	Virtual Task Clean Up

RUN_DT

Default Label	Run Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	EG_PRDIC_ERR
	EG_PRDIC_GROUP
	EG_PRDIC_RSLT
	GL_GEN_HISTORY
	GM_TEC_LN
	HR_ACCTG_LINE
	HR_ACCTG_LN_STG
	PA_PRDIC_ERR
	PA_PRDIC_PLAN
	PA_PRDIC_RSLT
	UPG_HP_AET
	Z_HCUP_TRACKING
	Z_MASS_RUN_CTRL
	Z_MA_RUN_CNTL
	Z_MPOS_RUN_CTRL
	Z_NFC_U6701_TBL
	Z_NFC_U6708_TBL



Z_RUN_CNTL_SINQ
Z_SINQ_PRT

RUN_DTTM

Default Label Run Date and Time
Length 26
Type Datetime
Format 12

Record Reference(s) AERUNCONTROL
AETEMPTBLMGR
AE_RUN_CONTROL
TC_AET
TC_BENEFITS_AET
TC_COMPHIST_TAO
TC_COMP_HISTORY
TC_PAYEXT_AET

RUN_ERP_RULES

Default Label Eligibility and Awards Rules
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_ERP_MAIN_AET
RUN_CNTL_ER

RUN_FINALIZED_IND

Default Label Finalized Run
Length 1
Type Character
Format Uppercase

Record Reference(s) GPJP_SC_LD_AET
GPXCAL_RUN
GP_CAL_RUN
GP_GL_PREP_STRM



GP_PMT_PRP_STRM

RUN_FINALIZED_TS

Default Label Finalized Timestamp
Length 26
Type Datetime
Format 12

Record Reference(s) GPAU_PSM_CL_TAO
GPXCAL_RUN
GP_CAL_RUN
GP_GL_PREP_STRM
GP_PMT_PRP_STRM

RUN_FINAL_IND

Default Label Finalize Entire Run
Length 1
Type Character
Format Uppercase

Record Reference(s) GPAU_GLPREP_AET
GPAU_GL_RC_AET
GPCH_BK_TRN_AET
GPDE_BK_TRN_AET
GPGB_PMT_AET
GPGB_PSLIP
GPMY_GLPREP_TAO
GPMY_GL_RC_AET
GPNZ_GLPREP_TAO
GPNZ_GL_RC_AET
GPSG_GLPREP_TAO
GPSG_GL_RC_AET
GP_GL_PREPARE
GP_GL_PREP_AET
GP_PMT_PREPARE
GP_PMT_PREP_AET
GP_RUNCTL



RUN_FREEZE_IND

Default Label	Run Freeze Step
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_RUNCTL

RUN_ID

Default Label	Pay Run ID
Length	10
Type	Character
Format	Uppercase

Record Reference(s) AE_PY300VC_AET

- CO_DEDEXTRT_AET
- CO_DED_DTL_PUB
- CO_DED_EXTR_TBL
- CO_DED_FTPD_TAO
- CO_DED_OUTD_TAO
- CO_DED_OUT_PARM
- CO_DED_PAYRUN
- CO_DED_SUPP_TBL
- CO_ESV_PAYA_TAO
- CO_ESV_PAY_TAO
- DED_MESSAGE
- GL_GEN_HISTORY
- GM_RC_TE
- GPCH_RC_PAYROLL
- GPDE_RC_PAYROLL
- GPIT_RC_PAYROLL
- GVT_RITS_RUNCTL
- GVT_RUNCTL_LVE
- GVT_RUN_CNTL
- GVT_TSP_RUNCTL
- HP_RC_PDAUDIT
- IMP_CALC
- PAYSHEET_RUNCTL



PAY_CALC_RUNCTL
PAY_CALENDAR
PAY_CALENDR_NLD
PAY_CONF_RUNCTL
PAY_MESSAGE
PAY_RUN_LANG
PAY_RUN_TBL
PI_EXP_INP_AET
PI_EXTIO
PI_EXTIO2_TAO
PI_EXTIO_TAO
PI_MESSAGE
PI_RUNCTL
PI_RUNCTL_AE
PI_RUN_TBL
PSHUP_RUNCTL
PYAP_XDEDN_AET
PYRE_DETAIL
PYRE_HEADER
PYRE_INVALID
PYRE_PRELD_AET
PYRE_RUNID_HDR
PYRE_VALID_AET
PY_LDTL_RC
PY_LDTL_TBL
PY_PULL_CST_AET
RC_PAY
RC_PAY102CN
RC_PAYINIT
RC_PAY_UNSH
RC_TAX1042
RC_X_DEDS
RDEDPSHT_RUNCTL
RTROPSHT_RUNCTL
RTROUND0_RUNCTL
RUN_CNTL_COESV2
RUN_GLRESET
SV403_MESSAGE

TERM_RUNCTL
TL_LBDST_RUNCTL
TL_PAYREQ_AET



RUN_IDNT_IND

Default Label Identify Payees to Calculate
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RUNCTL

RUN_LOCATION_IND

Default Label Run Location Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RULE_DEFN
TL_TMPLT_RULE

A On-line and Batch
B Batch Only

RUN_NA_INTERFACE

Default Label Interface to Payroll for NA
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_ERP_MAIN_AET
RUN_CNTL_ER

RUN_ONLINE_RULES

Default Label Run On-line Rules
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_INSTALLATION



RUN_OPEN_IND

Default Label Open Run
Length 1
Type Character
Format Uppercase

Record Reference(s) GPAU_GLPREP_AET
GPXCAL_RUN
GP_CAL_RUN
GP_GL_PREP_AET

RUN_OPEN_TS

Default Label Open Timestamp
Length 26
Type Datetime
Format 12

Record Reference(s) GPXCAL_RUN
GP_CAL_RUN

RUN_OPTIONS

Default Label Run Options
Length 2
Type Character
Format Uppercase

Record Reference(s) GP_RUNCTL_SQR

10 All Sections
20 Earns, Deds & Arrears
30 Accumulators Only
40 Earnings Only
50 Deductions Only
60 Earnings & Deductions



- 01 Run Phase Step Initial
- 02 Run Phase Step After Initial
- 03 Run Phase Step Initial End
- 04 Run Phase Before Iterative
- 05 Run Phase Step Iterative
- 06 Run Phase Step After Iter
- 07 Run Phase Step Iter End
- 08 Run Phase Step Before Canel
- 09 Run Phase Step Cancel
- 10 Run Phase Step After Cancel
- 11 Run Phase Step Cancel End
- 12 Run Phase Step Before Identif
- 13 Run Phase Step Identification
- 14 Run Phase Step After Identif
- 15 Run Phase Step Identifictn End
- 16 Run Phase Step TL Interface
- 17 Run Phase Step Before Calc
- 18 Run Phase Step Calculate
- 19 Run Phase Step After Calc
- 20 Run Phase Step Calc End
- 21 Run Phase Step Before Final
- 22 Run Phase Step Final
- 23 Run Phase Step Final End
- 30 Run Phase Step Before Ident 2

RUN_RECALC_ALL_IND

Default Label Recalculate All Payees
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_RUNCTL

RUN_RESET

Default Label Reset
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) UPGCONV_DEFN



UPGCONV_LIST

RUN_RPT

Default Label	Select
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RC_TAX960PRN

RUN_SCOPE

Default Label	Regulatory Report Scope
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RUN_CNTL_REG

- 1 Establishments in Company
- 2 Single Establishment
- 3 HQ & Controlled Establishments
- 4 All Establishments

RUN_STAT

Default Label	Run Stat
Length	1
Type	Character
Format	Uppercase

Record Reference(s) UPGCONV_DEFN

RUN_STATUS_CD

Default Label	Run Status Code
Length	1
Type	Character



Format Uppercase

Record Reference(s) RUN_CNTL_CC_EO

C Completed
E Ran With Errors
I In Process
N Not Run

RUN_SUSPEND_IND

Default Label Suspend
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RUNCTL

RUN_SW

Default Label Run Switch
Length 1
Type Character
Format Uppercase

Record Reference(s) UPGCONV_DEFN

RUN_TRACE_OPTN

Default Label Trace Option
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RUNCTL

A Trace All Elements
C Trace Cursors
E Trace Elements in Error
N No Trace



RUN_TYPE

Default Label	Run Type Name
Length	10
Type	Character
Format	Uppercase

Record Reference(s) GPAU_ADV_RUNTYP

- GPAU_EFT_CMX_DB
- GPAU_EFT_CMX_TR
- GPBR_AVERAGES_E
- GPBR_RC_DARF
- GPBR_RC_PAY001
- GPBR_RC_TER_CON
- GPBR_RC_VAC_REC
- GPDE_AL_DELTA
- GPES_PAYMENT
- GPES_PMT_AET
- GPFR_PAYMENT
- GPJP_BA01_AET
- GPJP_PP_PG_DTL
- GPJP_RC_BA01
- GPNL_PAYMENT
- GPNL_PMT_AET
- GPNZ_ADV_RUNTYP
- GPXCAL_RUN_DTL
- GPXPYE_PRC_STAT
- GP_AUTO_CAL
- GP_AUTO_CAL_AET
- GP_CALENDAR
- GP_CAL_RUN_DTL
- GP_GCTL_DTL
- GP_HST_WRK
- GP_NET_DIST
- GP_NET_DIST_DT
- GP_NET_DIST_DTL
- GP_NET_DST1_TMP
- GP_NET_DST2_TMP
- GP_NET_PAY1_TMP
- GP_NET_PAY2_TMP
- GP_NET_PAY3_TMP
- GP_PIVCA



GP_PYE_PRC_STAT
GP_PYE_SEG_TMP
GP_PYE_STAT_WRK
GP_RSLT_DELTA

GP_RUN_TYPE
GP_RUN_TYPE_DTL
GP_RUN_TYPE_RTO
GP_RUN_TYP_LANG
GP_SS_NPD_CONF
GP_TLTRC
Z_RTN_FEED_CHK

RUN_TYPE2

Default Label Run Type Name
Length 10
Type Character
Format Uppercase

Record Reference(s) GP_RUN_TYPE_RTO

RUN_UNFREEZE_IND

Default Label Run Unfreeze Step
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RUNCTL

RUN_WITH_ERRORS

Default Label Run with Errors
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_BDGT



RV1_FORM_TYPE

Default Label RL-1 Form Type
Length 1
Type Character
Format Uppercase

Record Reference(s)

RC_CAN_YE

L Laser
S Standard Tractor Feed

RV1_PRIMARY_SORT

Default Label RL-1 Primary Sort
Length 1
Type Character
Format Uppercase

Record Reference(s)

RC_CAN_YE

1 Standard Govt Sort Sequence
2 Quebec ID Number
3 Company

RV1_SEC_SORT

Default Label RL-1 Secondary Sort
Length 1
Type Character
Format Uppercase

Record Reference(s)

RC_CAN_YE

1 Location Code
2 Department Code
3 Mail Drop
4 Postal Code
5 None of the above



RV1_THIRD_SORT

Default Label RL-1 Third Sort
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

1	Employee Name
2	Employee ID
3	Employee SIN

RV2_EFFECT

Default Label Effect on RL-2 Gross
Length 1
Type Character
Format Uppercase

Record Reference(s) DEDUCTION_CLASS

A	Adds To
N	No Effect
S	Subtracts From

RV2_FORM_TYPE

Default Label RL-2 Form Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

L	Laser
S	Standard Tractor Feed

RV2_PRIMARY_SORT

Default Label RL-2 Primary Sort
Length 1
Type Character



Format Uppercase

Record Reference(s) RC_CAN_YE

- 1 Standard Gov't Sort Sequence
- 2 Quebec ID Number
- 3 Company

RV2_SEC_SORT

Default Label RL-2 Secondary Sort
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

- 1 Location Code
- 2 Department Code
- 3 Mail Drop
- 4 Postal Code
- 5 None of the above

RV2_THIRD_SORT

Default Label RL-2 Third Sort
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_CAN_YE

- 1 Employee Name
- 2 Employee ID
- 3 Employee SIN

RVL_RATE_DIV

Default Label Revaluation Exchange Rate Div
Length 16
Type Number
Format Uppercase



Record Reference(s) CCUTSTVCH_TEO1
 CCUTSTVCH_TEO2
 CCUTSTVCH_TEO3
 CCU_TST_VCH_TBL

RVL_RATE_MULT

Default Label Revaluation Exchange Rate Mult
 Length 16
 Type Number
 Format Uppercase

Record Reference(s) CCUTSTVCH_TEO1
 CCUTSTVCH_TEO2
 CCUTSTVCH_TEO3
 CCU_TST_VCH_TBL

RV_RPT_MEDIUM

Default Label RV Reporting Medium
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE

C Cartridge
 D Diskette
 T Compact Disc

R_AGGR_FUNC_TYPE

Default Label Aggregate Function Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_SQL_WHERE

0 MIN



- 1 MAX
- 2 AVG
- 3 SUM
- 4 COUNT
- 5 COUNT(*)
- 6 NONE

R_COND_EXPRESSION

Default Label Right Condition Expr Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_CONDITIONS

- 0 Recfield
- 1 Constant
- 2 State Variable
- 3 Meta SQL
- 5 Expression Text
- 6 Rule Template

R_CONTRACT_NBR_BEL

Default Label Replacing Contract Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) UPG_CNTREPS_TAO

R_COUNTER

Default Label Room Counter
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) UPG_HR75TRN_AET



R_EMPLID_BEL

Default Label Replacing ID
Length 11
Type Character
Format Uppercase

Record Reference(s) UPG_CNTREPS_TAO

R_EMPL_RCD_NBR_BEL

Default Label Replacing Employment Nbr
Length 3
Type Number
Format Uppercase

Record Reference(s) UPG_CNTREPS_TAO

R_EXPRESSION_TXT

Default Label Right Expression Text
Length 254
Type Character
Format Uppercase

Record Reference(s) TL_CONDITIONS

R_META_SQL

Default Label Right MetaSQL
Length 30
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE



R_META_SQL_PARM5

Default Label MetaSQL Parameter 5
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

R_META_SQL_PARM6

Default Label MetaSQL Parameter 6
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

R_META_SQL_PARM7

Default Label MetaSQL Parameter 7
Length 20
Type Character
Format Mixedcase

Record Reference(s) TL_CONDITIONS
TL_SQL_WHERE

SAFE_HARBOR_PCT

Default Label Safe Harbor Percentage
Length 8
Type Number
Format Uppercase

Record Reference(s) R_FINAL_RESULTS
R_SAFE_RATIO



SALARY_COST_BUDGET

Default Label Empl. Training Budgeted Cost
Length 19
Type Number
Format Uppercase

Record Reference(s) TRN_DEMAND

SALARY_LEVEL

Default Label Level
Length 4
Type Character
Format Uppercase

Record Reference(s) R_PER031

SALARY_MATRIX_CD

Default Label Salary Matrix Code
Length 5
Type Character
Format Uppercase

Record Reference(s) GVT_RUN_CNTL

HR_CMP052J2_AET
JOBCOMP_TMP_MC
JOB_TMP_MC
QUA_PCT_TBL_JPN
SALINC_SIML_JPN
SAL_GRADE_PUB
SAL_GRADE_TBL
SAL_MATRIX_LANG
SAL_MATRIX_PCT
SAL_MATRIX_TBL
SAL_PLAN_PUB
SAL_PLAN_TBL
SIM01_JPN_TMP



SIM02_JPN_TMP
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_PY_JOB_TAO
 Z_LC_RUNCTL
 Z_SAL_GRADE_TBL
 Z_SAL_PLAN_TBL

SALARY_PLAN_STATUS

Default Label Salary Plan Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SALARY_PLAN

A Approved
 I Ineligible for Increase
 N No Increase Given
 P Proposed
 R Processed

SALARY_RATE_ID

Default Label Percent of Salary ID
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) SALARY_RATE_TBL
 SALARY_RTE_LANG

SALARY_REPLACE_PCT

Default Label Salary Replacement %
 Length 7
 Type Number
 Format Uppercase



Record Reference(s) DISBLTY_PLN_TBL

SALARY_TYPE_MEX

Default Label Salary Type
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) GPMX_RC_IM002
 GPMX_RC_IMSS_PR

0010 Fixed Salary
 0020 Mixed Salary
 0030 Variable Salary
 0040 All Salaries

SALES_TAX_ACT_SW

Default Label Allow Sales Tax Calculation
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PROJ_ACTIVITY

SALES_TAX_PROJ_SW

Default Label Allow Sales Tax Calculation
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PROJECT
 PROJECT_FS

SALES_USE_TX_FLG

Default Label Sales/Use Tax Code



Length 1
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

N Non Taxable
S Sales Tax
U Use Tax

SALETX_AMT
Default Label Sales Tax Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
VOUCHER
VOUCHER_STG

SALETX_AMT_BSE
Default Label Base Sales Tax Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
VOUCHER
VOUCHER_STG

SALETX_AMT_GL
Default Label Sales Tax Amount
Length 28
Type Signed Number



Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

SALETX_AMT_NP

Default Label Sales Tax Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

SALETX_AMT_NP_BSE

Default Label Base Sales Tax Amount
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG

SALETX_APPL_FLG

Default Label Sales Tax Applicable
Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER_LINE
VOUCHER_LN_STG

SALETX_CALC_AMT

Default Label Calculated Sales Tax Amount



Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
VOUCHER
VOUCHER_STG

SALETX_CD

Default Label Sales Tax Code
Length 8
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

SALETX_CD_ERS

Default Label Sales Tax Code ERS
Length 3
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

SALETX_CLC_AMT_BSE

Default Label Calculated Sales Tax Base Amt
Length 28
Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG



VOUCHER
VOUCHER_STG

SALETX_PRORATE_FLG

Default Label Prorate Sales Tax
Length 1
Type Character
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

SALETX_TOL_AMT

Default Label Sales Tax Tolerance Amount
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

SALETX_TOL_CUR_CD

Default Label Sales Tax Tolerance Curr Code
Length 3
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

SALETX_TOL_FLG

Default Label Sales Tax Tolerance Flag
Length 1



Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

D Default from Higher Level
S Specify at this Level

SALETX_TOL_PCT

Default Label Sales Tax Tolerance Percent
Length 6
Type Number
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

SALETX_TOL_RT_TYPE

Default Label Sales Tax Tolerance Rate Type
Length 5
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

SALINC_ADJUST

Default Label Adjustment Amount
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) SALINC_SIML_JPN



SALINC_AMOUNT

Default Label Amount of Salary Increase
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) AMT05_JPN_TMP
HR_CMP052J2_AET
SALINC_SIML_JPN
SAL_AMT_TBL_JPN
UPG_EP_SAL_JPN

SALINC_PCT

Default Label Salary Increase Percent
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) HR_CMP052J2_AET
SALINC_SIML_JPN

SALSC_ASMP_INC_LIM

Default Label Maximum Salary Increase
Length 5
Type Number
Format Uppercase

Record Reference(s) PA_SSV_DEFAULTS

SALSC_ASMP_INC_PCT

Default Label Salary Scale Percent Increase
Length 6
Type Number



Format Uppercase

Record Reference(s) PA_CALCULATION
PA_I_ESTIMATE
UPG_PA_CALC_MAP
UPG_PA_CALC_TMP

SALSTEP_INC

Default Label Number of Steps to Increase
Length 2
Type Number
Format Uppercase

Record Reference(s) STEPINC_TBL_JPN
STP04_JPN_TMP
STP4N_JPN_TMP
UPG_EP_SAL_JPN

SAL_ADMIN_PLAN

Default Label Salary Administration Plan
Length 4
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET
AE_GB_AET
BAS_ELIG_GRADE
BD_JOBCODES
BD_JOB_TBL
BP_JOB
BP_JOB_EXP
BP_POSITION_EXP
BP_RNCTL_BPINFC
CMP006_TMP

CMP006_TMP2
CMP007_AET
CMP007_TMP
CMP007_TMP2



CMP008_AET
CMP010_TMP
CMP_RULE_VALUES
ER_RULE_WHERE
GB_VALUES_TBL
GPCH_RP_0001
GPCH_RP_LSEPS
GPCH_RP_LSESK
GPCH_RP_PK01
GPDE_ER_GUARANT
GPDE_RP_0001
GPIT_RP_0001
GVT_CPDF_STATUS
GVT_ERN_PROC_RT
GVT_JOB
GVT_JOB_TEMP
GVT_MASSORGAET
GVT_MPA_PAY_TBL
GVT_PRI_PLCMNT
GVT_PRI_P_LANG
GVT_RUN_CNTL
GVT_WGI_MAN
HP_ERN_ACCT_MAP
HR_CMP050J2_AET
HR_CMP052J2_AET
HR_SAL_CHG_EE
HR_SPLIB_AET
JOB
JOB_CODE_TBL
JOB_COMP_TMP_MC
JOB_REQUISITION
JOB_REQUIS_TAO
JOB_TEMP
JOB_TMP_MC
LOCATION_TBL
PER062_TMP_JPN
PER064JP_DATA
POSITION_DATA
RUN_CNTL_HR
RUN_CNTL_HR_JPN
SAL01_JPN_TMP
SAL02_JPN_TMP
SAL03_JPN_TMP



SAL04_JPN_TMP
SALARY_PLAN
SALINC_SIML_JPN
SAL_GRADE_LANG
SAL_GRADE_PUB
SAL_GRADE_TBL
SAL_GRD_JPN_LNG
SAL_GRD_REV_JPN
SAL_GRD_TBL_JPN
SAL_PLAN_LANG
SAL_PLAN_PUB
SAL_PLAN_TBL
SAL_PLN_JPN_LNG
SAL_PLN_TBL_JPN

SAL_RATCD_LNG
SAL_RATECD_TBL
SAL_STEP_PUB
SAL_STEP_TBL
SAL_STP_TBL_LNG
SIM01_JPN_TMP
SIM02_JPN_TMP
SP_UPDJOB_TMP
SS_DTL_JOB
STEP_INCR_AET
STP01_JPN_TMP
STP02_JPN_TMP
STP03_JPN_TMP
STP04_JPN_TMP
STP05_JPN_TMP
STP06_JPN_TMP
STP4N_JPN_TMP
STPER_JPN_TMP
TC_EE_DETAIL
TC_EMPL_LST_TAO
TC_POPULATION
TC_TEMP_JOB_TAO
TC_TMP_DTL_TAO
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_HR75RWF_AET
UPG_HR75_AET
UPG_PY_JOB_TAO



WC_JOB_CHG_REQ
ZBD_JOBCODE_TBL
Z_LC_RUNCTL
Z_LG_AWD_RUNCTL
Z_SAL_GRADE_TBL
Z_SAL_PLAN_TBL
Z_SAL_STEP_TBL
Z_SSN
Z_WF_PMSO_J_WL
Z_WG_SL_PLN_TBL

SAL_CHECK

Default Label Defined Range Check for Japan
Length 1
Type Character
Format Uppercase

Record Reference(s) STUP_SALCMP_JPN

SAL_INC_DT

Default Label Salary Increase Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HR_CMP050JP_AET
 HR_CMP051JP_AET
 HR_CMP052JP_AET
 HR_CMP053JP_AET

 RUN_SALAMT_JPN
 RUN_STEP_JPN
 SAL_ID_TBL_JPN

SAL_INC_ID

Default Label Salary Increase ID
Length 12



Type Character
Format Uppercase

Record Reference(s) HR_CMP052J2_AET
HR_CMP052JP_AET
HR_CMP053JP_AET
RUN_CMPCLC_JPN
RUN_CMPRPT_JPN
RUN_SALINC_JPN
SAL01_JPN_TMP
SAL02_JPN_TMP
SAL03_JPN_TMP
SAL04_JPN_TMP
SALER_JPN_TMP
SALINC_SIML_JPN
SAL_ID2_TBL_JPN
SAL_ID_JPN_LNG
SAL_ID_TBL_JPN
SIM01_JPN_TMP
SIM02_JPN_TMP
SIMER_JPN_TMP

SAL_PLAN_DFLT
Default Label Salary Plan Default
Length 4
Type Character
Format Uppercase

Record Reference(s) UPG_HR75_AET

SAL_PLAN_EFFDT
Default Label Salary Plan Effective Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GROUP_INCR_CNTL
SAL_PLAN_CONTRL
SAL_PLN_CONTROL



SAL_PLAN_START_DT

Default Label Salary Planning Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GROUP_INCR_CNTL
SAL_PLAN_CONTRL
SAL_PLN_CONTROL

SAL_PTS_FREQUENCY

Default Label Frequency
Length 5
Type Character
Format Uppercase

Record Reference(s) HR_SP_MER1_TAO
HR_SP_MER2_TAO
HR_SP_MER3_TAO
SP_MER_INCR_EE
SP_MER_INCR_RNG
SP_MER_INCR_TBL

SAL_PTS_PER_POINT

Default Label Salary Points per Review Point
Length 5
Type Number
Format Uppercase

Record Reference(s) HR_SP_MER1_TAO
HR_SP_MER2_TAO
HR_SP_MER3_TAO
MERIT_GROUP_TBL
REVV_SCALE_TBL
SP_MER_INCR_EE



SP_MER_INCR_RNG
SP_MER_INCR_TBL

SAL_RANGE_CURRENCY

Default Label Salary Range Currency
Length 3
Type Character
Format Uppercase

Record Reference(s) ER_AGNT_PROFILE
JOBCODE_TBL

SAL_RANGE_FREQ

Default Label Salary Range Frequency
Length 5
Type Character
Format Uppercase

Record Reference(s) JOBCODE_TBL

SAL_RANGE_MAX_RATE

Default Label Salary Range Maximum Rate
Length 19
Type Number
Format Uppercase

Record Reference(s) ER_AGNT_PROFILE
JOBCODE_TBL

SAL_RANGE_MID_RATE

Default Label Salary Range Midpoint Rate
Length 19
Type Number
Format Uppercase



SAME_ADDRESS_EMPL

Default Label Same Address as Employee
Length 1
Type Character
Format Uppercase

Record Reference(s) DEPENDENT_BENEF
EMERGENCY_CNTCT
Z_PRES_DOC_170C

SAME_ADDRESS_VEND

Default Label Same Address as Vendor
Length 1
Type Character
Format Uppercase

Record Reference(s) TRN_VENDR_CNTCT

SAME_PHONE_EMPL

Default Label Same Phone as Employee
Length 1
Type Character
Format Uppercase

Record Reference(s) DEPENDENT_BENEF
EMERGENCY_CNTCT

SAME_RT_ACCRL_PD

Default Label Same Rate Accrual Period
Length 1
Type Character
Format Uppercase



Record Reference(s) PA_PROJECTIONS
D Days
M Months

SAME_ST_LCL_RSDNCE
Default Label Use State Residence for Local
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

SAMPLE_MSG_REP
Default Label Sample Reply Message
Length 254
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_AXL_TBL
EO_EIP_XML_TBL

SAMPLE_MSG_REQ
Default Label Sample Request Message
Length 254
Type Character
Format Mixedcase

Record Reference(s) EO_EIP_AXL_TBL
EO_EIP_XML_TBL

SAR_EXERCISE_MTHD
Default Label SAR Exercises Method
Length 1
Type Character



Format Uppercase

Record Reference(s) ST_OPTION_PLAN

ST_OPTN_TAO1

ST_TRSR_TAO1

P	Return Shares to Plan
T	Retire Shares to Treasury

SAT

Default Label Saturday
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) APPLICANT_DATA

SATISFACTION_MTHD

Default Label Satisfaction Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CM_ELEMENT_TBL

D	Dispensation Given
F	Off the Job Training
L	Possess Licence/Certificate
O	On the Job Training
R	Recognition of Prior Learning
S	Supervisor Assessment
T	Attend Training Course

SATISFIED

Default Label Element Satisfaction Flag
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) CM_ELEMENT_DTL

SAT_CD_BRA

Default Label Work Accident Insurance Code
Length 5
Type Number
Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

SAT_HRS

Default Label Saturday
Length 5
Type Number
Format Uppercase

Record Reference(s) FMLA_LV_HISTORY
POSITION_DATA

SAT_PAID

Default Label Paid
Length 1
Type Character
Format Uppercase

Record Reference(s) FMLA_LV_HISTORY

SAT_UP_15Y_PCT_BRA

Default Label SAT Percentage Up to 15 Years
Length 6
Type Number
Format Uppercase

Record Reference(s) ESTAB_TBL_BRA



SAT_UP_20Y_PCT_BRA

Default Label SAT Percentage Up to 20 Years
Length 6
Type Number
Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

SAT_UP_25Y_PCT_BRA

Default Label SAT Percentage Up to 25 Years
Length 6
Type Number
Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

SAVEERRORISFATAL

Default Label Save Error is Fatal
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

SAVELOC

Default Label Panel Group Save Locatin
Length 3
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN



SAVE_FOR_LATER

Default Label Save for Later
Length 3
Type Number
Format Uppercase

Record Reference(s) SS_PROCESS_DTL
SS_PROC_CMNTS
SS_PROC_FOLKS

SAVE_IND

Default Label Archive Exception
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_EXCEPT_DEFN
TL_IPTCTVAL_AET
TL_TR_CTVAL_AET
TL_VALID_AET

SAVE_SEGM_NUMBER

Default Label Save Segment Number
Length 7
Type Number
Format Uppercase

Record Reference(s) R_CTX915A_SORT
R_CTX915T_SORT

SAVINGS_COVRG

Default Label Savings Coverage
Length 1
Type Character
Format Uppercase



403B 403b Plans
 457 457 Plans

SBI_APPROVAL_FLG

Default Label SBI Approval Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP

A Approved
 U Unapproved

SBI_DOC_DFLT

Default Label SBI Document Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP

D Default Higher
 G Group Vouchers
 I Individual Voucher
 P Invoice Number

SBI_DOC_OPT

Default Label Self Billing Invoice Options
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VOUCHER



Length 10
Type Number
Format Uppercase

Record Reference(s) VOUCHER
VOUCHER_STG

SBSEL_FLDNAME

Default Label Subselect Field Name
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_CCR_SEL_PATH

SBSEL_RECNAME

Default Label Subselect Record Name
Length 15
Type Character
Format Uppercase

Record Reference(s) EO_CCR_SEL_PATH

SCALE_POSITIONS

Default Label Scale Positions
Length 1
Type Number
Format Uppercase

Record Reference(s) CURRENCY_CD_TBL

SCENARIO

Default Label Scenario
Length 10
Type Character



Format Uppercase

Record Reference(s) BP_BNFT_DIS_EXP
 BP_EARN_DIS_EXP
 BP_SAL_DIS_EXP
 RUN_CNTL_DELSC
 RUN_CNTL_HR
 TMP_SCENARIO

 TMP_SIMULATION
 TRAINING012_AET
 TRAINING_AET
 TRN_SCENARIO
 TRN_SIMULATION

SCENARIO2

Default Label Budget Scenario
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) BP_IMPT_HR_AET

SCENARIO_STATUS

Default Label Active Scenario
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TMP_SCENARIO
 TRN_SCENARIO

A Active
 I Inactive

SCENARIO_TYPE

Default Label Scenario Type
 Length 1



Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_HR
 TRAINING_AET

A Active Scenario
 G Global Scenario

SCENE_DESCR

Default Label Description of Accident Scene
 Length 50
 Type Character
 Format Uppercase

Record Reference(s) WCB_ERLO_EC
 WCB_WOIN_EC
 WCB_WOIN_WD

SCENMGMT

Default Label Apply Scenario Mgmt algorithm
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSOPTREC

SCHDLMSGTYPE

Default Label Schedule Message Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PRCSDEFNMESSAGE
 PRCSJOBMESSAGE
 SCHDLMESSAGE
 SERVERMESSAGE



- 0 Default Message
- 1 Message Catalog
- 2 Customized Message

SCHDLPRIORITY

Default Label Schedule Priority
 Length 1
 Type Character
 Format Uppercase

- Record Reference(s) SCHDLDEFN
- 1 Low
 - 2 Medium
 - 3 High

SCHDLRAESRVCNT

Default Label App Eng. Tuxedo Server Count
 Length 3
 Type Number
 Format Uppercase

- Record Reference(s) PSSERVERSTAT

SCHDLRMASTERSTAT

Default Label Master Scheduler Status
 Length 1
 Type Character
 Format Numbers Only

- Record Reference(s) PSSERVERSTAT
- 0 Inactive
 - 1 Master Scheduler Idle
 - 2 Master Scheduler Active

SCHDLROESRVCNT



Default Label Opt. Eng. Tuxedo Server Count
Length 3
Type Number

Format Uppercase

Record Reference(s) PSSERVERSTAT

SCHDLRUSEAESRVFLAG

Default Label Use AE Tuxedo Server
Length 1
Type Number
Format Uppercase

Record Reference(s) PSSERVERSTAT

SCHD_LENGTH

Default Label Length of Scheduling Set
Length 3
Type Number
Format Uppercase

Record Reference(s) TL_RUN_SCH_OPT

SCHD_TMPLT_ID

Default Label Schedule Template ID
Length 5
Type Character
Format Uppercase

Record Reference(s) SCH_CAL_AET

SCHEDULENAME

Default Label Schedule Name
Length 30



Type Character
 Format Mixedcase

Record Reference(s) PSPRCSQUE
 PSPRCSRQST
 PSPRCSRQSTARCH
 SCHDLDEFN
 SCHDLDEFNINFO
 SCHDLDEFNLANG
 SCHDLITEM
 SCHDLMESSAGE
 SCHDLNODEPARM
 SCHDLNOTIFY
 SCHDLRPTDIST
 SCHDLTEXT

SCHEDULER_FLAG

Default Label Process Scheduler Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_AGG_MAIN_AET
 0 No Call to Time Admin
 1 Call Time Admin

SCHEDULESTATUS

Default Label Schedule Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SCHDLDEFN
 0 Inactive
 1 Active
 2 Completed



SCHEDULE_FLAG

Default Label Schedule Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_PAYABLE_TMP
UPG_TL_AET

SCHEDULE_ID

Default Label Schedule ID
Length 10
Type Character
Format Uppercase

Record Reference(s) BN_M_EBX_ST_AET
GPCH_RP_PK01
GPFR_PS_SCH_TMP
GPFR_WORK_DAYS
GPFR_WRK_AET
GPFR_WRK_RUNCTL
GP_AUTO_CAL_AET
GP_PYGRP_DTL
SCH_ASSIGN
SCH_CAL_AET
SCH_CLND_TBL
SCH_CLND_WRK
SCH_DEFN_DTL
SCH_DEFN_LANG
SCH_DEFN_TBL
SCH_GRP_AET
SCH_GRP_RNCTRL
SCH_RUNCTRL_DTL
SCH_WRK_SHF_CHG
TL_WRKGRP_TBL

SCHEDULE_NAME



SCHED_HRS

Default Label Scheduled Work Hours
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GPFR_PS_SCH_TMP
GP_RSLT_ABS
SCH_ADHOC_RPT
SCH_SHIFT_TBL

SCHED_HRS_ALT

Default Label Sched Hrs Alt
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

SCHED_HRS_ALT_OVRD

Default Label Scheduled Hours Override
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS

SCHED_HRS_OVRD

Default Label Scheduled Hours Override
Length 6
Type Signed Number
Format Uppercase

Record Reference(s) GP_RSLT_ABS



SCHED_IND_OVRD

Default Label Schedule Indicator Override
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_RSLT_ABS

SCHED_NAME

Default Label Work Schedule Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_VESTSCHD
 PA_DFN_VESTSTEP
 PA_DFN_VEST_AGE

SCHED_NBR

Default Label Schedule Number
Length 3
Type Number
Format Uppercase

Record Reference(s) CCUTSTSCH_TEO1
 CCUTSTSCH_TEO2
 CCUTSTSCH_TEO3
 CCUTSTVCH_TEO1
 CCUTSTVCH_TEO2
 CCUTSTVCH_TEO3
 CCU_TST_SCH_TBL
 CCU_TST_VCH_TBL
 DISTRIB_LINE
 DISTRIB_LN_STG
 VOUCHER_LINE
 VOUCHER_LN_STG



SCHED_PRINTED_DT

Default Label	Date Schedule Printed
Length	10
Type	Date
Format	Uppercase

Record Reference(s) INTERVW_SCHED

SCHED_SOURCE

Default Label	Schedule Source
Length	2
Type	Character
Format	Uppercase

Record Reference(s) SCH_ADHOC_DTL

I	Third Party Import
L	Long Term Schedule
O	On-Line Change

SCHED_TMPLT_ID

Default Label	Schedule Template ID
Length	10
Type	Character
Format	Uppercase

Record Reference(s) SCH_DEFN_DTL

SCH_TMPLT_DTL
 SCH_TMPLT_LANG
 SCH_TMPLT_TBL

SCHED_TYPE

Default Label	Schedule Type
Length	1
Type	Character
Format	Uppercase



Record Reference(s) PA_DFN_VESTSCHD

- A Age
- C Cliff
- S Step Vesting
- T User Table
- U User Code

SCHEME_ID_ESP

Default Label Scheme ID
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) CTZ_DTA_ESP_TBL

- ESTAB_SSEC_ESP
- RGM_BSE_ESP_LNG
- RGM_BSE_ESP_TBL
- RGM_CTZ_ESP_LNG
- RGM_CTZ_ESP_TBL
- SOC_SEC_RGM_LNG
- SOC_SEC_RGM_TBL
- UPG_ER_AET
- UPG_HR75CNT_AET

SCHEME_TYPE_CD_UK

Default Label Scheme Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) EXT_SCHM_TBL_UK
OHS501UK_TMP2

- TS Training Scheme
- WE Work Experience

SCHOOL



Default Label School Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) ACCOMPLISH_LANG
APP_ACCOMP_LANG
APP_SCH EDUC_LNG
APP_SCHOOL_EDUC
APP_TRAINING
AUTOPOP_EDU_TMP
CAREER_TRAINING
COURSE_TBL
RP_QUEUE_EDU
SCHL_EDUC_LANG
SCHOOL_EDUCAT
TRAINING
TRN_INSTRCT_LNG
TRN_INSTRCT_TBL
UPG_HR75_AET

SCHOOL_CODE

Default Label School Code
Length 10
Type Character
Format Uppercase

Record Reference(s) APP_SCH EDUC_LNG
APP_SCHOOL_EDUC
APP_TRAINING
AUTOPOP_EDU_TMP
CAREER_TRAINING
COURSE_TBL
EE_IPE_STEPS
RP_QUEUE_EDU
SCHL_EDUC_LANG
SCHOOL_EDUCAT
SCHOOL_TBL
SCHOOL_TBL_LANG
TRAINING
TRN_INSTRCT_TBL



UPG_HR75_AET

SCHOOL_PR_STS_FRA

Default Label Schooling Premium Status
Length 1

Type Character
Format Uppercase

Record Reference(s) DEP_BENEF_FRA

SCHOOL_TYPE

Default Label School Type
Length 3
Type Character
Format Uppercase

Record Reference(s) APP_SCHOOL_EDUC
SCHOOL_EDUCAT

SCHOOL_TYPE_CODE

Default Label School Type Code
Length 3
Type Character
Format Uppercase

Record Reference(s) SCHL_TYPE_LANG
SCHOOL_TYPE_TBL

SCH_CONFIG1

Default Label Sched Config Total 1
Length 5
Type Number
Format Uppercase



Record Reference(s) SCH_SHIFT_TBL

SCH_CONFIG2

Default Label Sched Config Total 2
Length 5
Type Number
Format Uppercase

Record Reference(s) SCH_SHIFT_TBL

SCH_CONFIG3

Default Label Sched Config Total 3
Length 5
Type Number
Format Uppercase

Record Reference(s) SCH_SHIFT_TBL

SCH_CONFIG4

Default Label Sched Config Total 4

Length 5
Type Number
Format Uppercase

Record Reference(s) SCH_SHIFT_TBL

SCH_CONFIG_IND1

Default Label Schedule Config Indicator 1
Length 1
Type Character
Format Uppercase

Record Reference(s) SCH_SHIFT_DTL



SCH_CONFIG_IND2

Default Label Schedule Config Indicator 2
Length 1
Type Character
Format Uppercase

Record Reference(s) SCH_SHIFT_DTL

SCH_CONFIG_IND3

Default Label Schedule Config Indicator 3
Length 1
Type Character
Format Uppercase

Record Reference(s) SCH_SHIFT_DTL

SCH_CONFIG_IND4

Default Label Schedule Config Indicator 4
Length 1
Type Character
Format Uppercase

Record Reference(s) SCH_SHIFT_DTL

SCH_PGM_CD

Default Label School/Program Code
Length 6
Type Character
Format Uppercase

Record Reference(s) INTL_CNTCT_LNG
 INTL_CNTCT_PHON
 INTL_CONTCT_TBL
 INTL_SCHPGM
 INTL_SCHPGM_PAY



INTL_SCHPGM_TBL

INTL_SCHPM_LANG

INT_CTCT_TL_LNG

SCH_PGM_TYPE

Default Label	School/Program Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) INTL_SCHPGM_TBL

C	Local Customs
L	Language School
O	Other
R	Private School
U	Public School

SCH_PRODUCT_IND

Default Label	Schedule Product Indicator
Length	2
Type	Character
Format	Uppercase

Record Reference(s) TL_RUNCNTL_AET

GP	GP Sch Resolve
TL	T&L Sch Resolve

SCH_TYPE

Default Label	Shift Type
Length	2
Type	Character
Format	Uppercase

Record Reference(s) SCH_ADHOC_RPT

SCH_DEFN_TBL
SCH_GRP_AET



SCH_GRP_RNCTRL
 SCH_SHIFT_TBL
 SCH_TMPLT_TBL
 SCH_WRKDAY_TBL

E Elapsed
 F Flex
 P Punch

SCLANG

Default Label Spell Check Language
 Length 4
 Type Character
 Format Uppercase

Record Reference(s)

PSLANGUAGES

PSSCDICTDEFN
 PSSCWORDDEFN

SC00 US and UK English
 SC01 US only English
 SC02 UK English
 SC03 Afrikaans and US English
 SC04 Afrikaans
 SC05 Catalan and US English
 SC06 Catalan
 SC07 Czech
 SC08 Danish and US English
 SC09 Danish
 SC10 Dutch and US English
 SC11 Dutch
 SC12 Finnish and US English
 SC13 Finnish
 SC14 Finnish morphological database
 SC15 French and US English
 SC16 French
 SC17 German (new) and US English
 SC18 German (new)
 SC19 German (old) and US English
 SC20 German (old)
 SC21 Greek



SC22	Hungarian
SC23	Hungarian morphological db
SC24	Italian and US English
SC25	Italian
SC26	Norwegian and US English
SC27	Norwegian
SC28	Polish
SC29	Polish morphological database
SC30	Portuguese
SC31	Portuguese (Brazilian)
SC32	Portuguese (European)
SC33	Russian
SC34	Spanish
SC35	Swedish
SC99	Use session language

SCNEGWORDFLG

Default Label	Disallow
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PSSCWORDDEFN

SCOPE_IND

Default Label	Calendar Build Scope
Length	3
Type	Character
Format	Uppercase

Record Reference(s) TL_RUN_CTRL_CAL
TL_TIME_AET

ABT	All Except One Period Type
ALL	All Time Period Types
AOT	Single Period Type
HOC	Ad Hoc list of Periods



SCOPRID

Default Label User ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSSCDICTDEFN
PSSCWORDDEFN

SCORE

Default Label Test Score
Length 7
Type Number
Format Uppercase

Record Reference(s) RC_VC_REPORTS
UPG_HR75_AET
VC_ALLOC_AET
VC_MTX_GOAL
VC_MTX_GOAL_TAO

SCREENING_FLAG

Default Label Screening Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_REQ_ANSWERS
ER_REQ_QUESTNS
GVT_CR_PLN_PROF
JOB_REQ_EDUC_EX
JOB_RQMT_ACCOMP
JOB_RQMT_COMP
JOB_RQMT_TBL
UPG_ER_AET
UPG_HR75RWF_AET
UPG_JOB_CMP_TAO

F Final Screening



P Preliminary Screening

SCROLLACTION

Default Label Scroll Action
Length 2
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD

SCROLLFOUND

Default Label Scroll Found
Length 5

Type Number
Format 7

Record Reference(s) PSMAPLEVEL

SCROLLNOTFOUND

Default Label Scroll Not Found
Length 5
Type Number
Format 7

Record Reference(s) PSMAPLEVEL

SCRTY_OVRD_TYPE

Default Label Security Override Type
Length 3
Type Character
Format Uppercase

Record Reference(s) FAST_SCRTY1_AET
FAST_SCRTY_1
Z_FAST_SCRTY_1



I International Security
 N None

SCWORD

Default Label Spell Check Word
 Length 40
 Type Character
 Format Mixedcase

Record Reference(s) PSSCWORDDEFN

SDI_ADMIN_PCT

Default Label SDI Administration Percent
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) UNION_TBL

SDI_EXEMPT

Default Label Employees' SDI Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) COMPANY_TBL

E Exempt
 Y Subject

SDI_STATUS

Default Label SDI Status
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) PA_TE_STX
 STATE_TAX_DATA
 UPG_E3XW_TAO
 UPG_PY_AET

E Exempt
 N Not Applicable
 V Voluntary Disability Plan
 Y Subject

SDK_ACCESS_CD
 Default Label Access Code
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SDK_SCRTY_DEPT

N No Access
 Y Read/Write Access

SDK_ADDRESS_TYPE
 Default Label Address Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SDK_UPS_COST

SDK_AMORT_CALC
 Default Label Calculate
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) SDK_AMORT_PREF
 01 Payment



02 Principal

SDK_AMORT_FREQUNCY

Default Label Frequency
Length 2
Type Number
Format Uppercase

Record Reference(s) SDK_AMORT_PREF

SDK_AMORT_INTEREST

Default Label Interest
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_AMORT_PREF

SDK_AMORT_PAYMENT

Default Label Regular Payment
Length 12
Type Number
Format Uppercase

Record Reference(s) SDK_AMORT_PREF

SDK_AMORT_PRINCIPL

Default Label Original Principal
Length 12
Type Number
Format Uppercase

Record Reference(s) SDK_AMORT_PREF



SDK_AMORT_SCHEDULE

Default Label Show Schedule
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_AMORT_PREF

SDK_AMORT_YEARS

Default Label Years
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_AMORT_PREF

SDK_APPR_INSTANCE

Default Label Approval Instance
Length 9
Type Number
Format Uppercase

Record Reference(s) SDK_BUS_EXP_PER

SDK_APPR_STATUS

Default Label Approval Status
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_BUS_EXP_PER

A Approved
D Denied
P Pending



SDK_ASK_PRICE

Default Label Ask Price
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_BAS_DATA_CHG

Default Label BAS Data Change
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_PERS_DATA

SDK_BID_PRICE

Default Label Bid Price
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_BID_X_ASK_SIZE

Default Label Bid Ask Size
Length 9
Type Character
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_BIRTHDATE



Default Label Date of Birth
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) SDK_PERS_DATA

SDK_BUDGET_LVL

Default Label Budget Level
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SDK_DEPT_TBL

- D Department
- J Job Code
- L Line Item
- N None
- P Position Number

SDK_BUS_PURPOSE

Default Label Business Purpose
 Length 20
 Type Character
 Format Mixedcase

Record Reference(s) SDK_BUS_EXP_DTL

SDK_CHARGE_DT

Default Label Charge Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) SDK_BUS_EXP_DTL



SDK_CLOSING_TRADE

Default Label Closing Trade Today
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_COMMENTS

Default Label Comments
Length 0
Type Long Character
Format Uppercase

Record Reference(s) SDK_BUS_EXP_PER

SDK_COMPANY

Default Label Company
Length 3

Type Character
Format Uppercase

Record Reference(s) SDK_COMPANY_TBL
SDK_DEPT_TBL

SDK_COUNTRY

Default Label Country
Length 3
Type Character
Format Uppercase

Record Reference(s) SDK_COUNTRY_TBL
SDK_INSTALL
SDK_STOCKXCHG



SDK_COUNTRY_DEST

Default Label Country of Destination
Length 3
Type Character
Format Uppercase

Record Reference(s) SDK_UPS_COST

SDK_CURRENCY_CD

Default Label Currency Code
Length 3
Type Character
Format Uppercase

Record Reference(s) SDK_BUS_EXP_DTL
SDK_CURR_CD_TBL
SDK_STOCK_PRF

SDK_DEPTID

Default Label Department
Length 10
Type Character
Format Uppercase

Record Reference(s) SDK_BUS_EXP_DTL
SDK_DEPT_TBL
SDK_JOB
SDK_POS_DATA
SDK_SCRTY_DEPT

SDK_DESCR

Default Label Description
Length 30
Type Character



Format Mixedcase

Record Reference(s) SDK_BUS_EXP_PER
 SDK_COMPANY_TBL
 SDK_COUNTRY_TBL
 SDK_CURR_CD_TBL
 SDK_DEPT_TBL
 SDK_INTL_FLG_CD
 SDK_LOCH_TBL
 SDK_POS_DATA
 SDK_RT_TYPE_TBL
 SDK_SRCH_SAVE
 SDK_STOCK
 SDK_STOCKXCHG

SDK_DESCRLONG

Default Label Description
 Length 0
 Type Long Character
 Format Uppercase

Record Reference(s) SDK_RP_SITE
 SDK_UPS_TIME

SDK_DESCRSHORT

Default Label Short Description
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) SDK_COMPANY_TBL
 SDK_COUNTRY_TBL
 SDK_CURR_CD_TBL
 SDK_DEPT_TBL
 SDK_INTL_FLG_CD
 SDK_LOCH_TBL
 SDK_POS_DATA
 SDK_RT_TYPE_TBL



SDK_DIVIDEND_AMT

Default Label Dividend Amount
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_DIVIDEND_DT

Default Label Date of Next Dividend
Length 10
Type Date
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_DROP_PICKUP

Default Label Drop off Pickup
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_UPS_COST

- A On Call Air
- L Letter
- O One Time Pickup
- R Regular Daily

SDK_EARNINGS_SHARE

Default Label Earnings Share
Length 18
Type Number
Format Uppercase



Record Reference(s) SDK_STOCK

SDK_EFFDT

Default Label Effective Date
Length 10
Type Date
Format Uppercase

Record Reference(s) SDK_COMPANY_TBL

SDK_CURR_CD_TBL
SDK_DEPT_TBL
SDK_INTL_FLG_CD
SDK_JOB
SDK_LOCH_TBL
SDK_POS_DATA
SDK_PSTREENODE

SDK_EFFSEQ

Default Label Effective Sequence
Length 3
Type Number
Format Uppercase

Record Reference(s) SDK_JOB

SDK_EFF_STATUS

Default Label Status as of Effective Date
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_COMPANY_TBL

SDK_CURR_CD_TBL
SDK_DEPT_TBL
SDK_INTL_FLG_CD



SDK_LOCH_TBL
 SDK_POS_DATA

A Active
 I Inactive

SDK_EMPLID

Default Label Employee ID
 Length 11
 Type Character
 Format Uppercase

Record Reference(s) SDK_BUS_EXP_DTL
 SDK_BUS_EXP_PER
 SDK_FILEUTL_AET
 SDK_JOB
 SDK_PERS_DATA
 SDK_RUNCNTL

SDK_EMPL_RCD

Default Label Employment Rcd Nbr
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) SDK_JOB

SDK_EM_BODY

Default Label EMail Body
 Length 32000
 Type Long Character
 Format Uppercase

Record Reference(s) SDK_EM_RCVMSG
 SDK_EM_SNDEMAIL



SDK_EM_CC

Default Label cc
Length 30
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_SNDEMAIL

SDK_EM_DATE

Default Label EMail Date
Length 15
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_MAILLST

SDK_EM_DELMSG_PBTN

Default Label Delete
Length 1
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_RCVMSG

SDK_EM_EADDRESS

Default Label EMail Address
Length 30
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_RCVMSG

SDK_EM_LIST_PBTN

Default Label List Messages



Length 1
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_RCVMSG

SDK_EM_MSGID

Default Label Message-ID
Length 15
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_MAIILLST
SDK_EM_RCVMSG

SDK_EM_RCV_PBTN

Default Label Receive
Length 1
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_RCVMSG

SDK_EM_RMSG

Default Label Return Message
Length 40
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_RCVMSG
SDK_EM_SNDEMAIL

SDK_EM_RSTATUS

Default Label Return Status



Length 10
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_RCVMSG
SDK_EM_SNDEMAIL

SDK_EM_SENDER

Default Label Sender
Length 30
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_MAILLST

SDK_EM_SEND_PBTN

Default Label Send
Length 1
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_SNDEMAIL

SDK_EM_SUBJECT

Default Label Subject
Length 40
Type Character
Format Mixedcase

Record Reference(s) SDK_EM_MAILLST
SDK_EM_SNDEMAIL

SDK_EM_TO

Default Label To
Length 30



Record Reference(s)	SDK_BUS_EXP_DTL
	01 Airfare
	02 Lodging
	03 Car Rental
	04 Meals
	05 Telephone
	06 Travel
	07 Relocation
	08 Entertainment
	09 Parking
	10 Mileage
	11 Advertising
	12 Referral Fee
	13 Postage
	14 Publication
	15 Membership
	16 Miscellaneous
	17 Staff Time

SDK_EXP_PER_DT	
Default Label	Expense Period End Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	SDK_BUS_EXP_DTL
	SDK_BUS_EXP_PER

SDK_EX_DIVIDEND_DT	
Default Label	Ex Dividend Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	SDK_STOCK
---------------------	-----------



SDK_FILEACTION

Default Label File Action
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_FILEUTL_AET
SDK_RUNCNTL
E Export
I Import

SDK_FILENAME

Default Label File Name
Length 80
Type Character
Format Mixedcase

Record Reference(s) SDK_FILEUTL_AET
SDK_RUNCNTL

SDK_FILEPATHTYPE

Default Label File Path Type
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_FILEUTL_AET
SDK_RUNCNTL
A Absolute
R Relative

SDK_FIRST_NAME_SRC

Default Label First Name
Length 30
Type Character
Format Uppercase



Record Reference(s) SDK_PERS_DATA

SDK_FROM_POST_CODE

Default Label Postal Code
Length 10
Type Character
Format 11

Record Reference(s) SDK_UPS_COST

SDK_FROM_ZIP

Default Label From Zip
Length 5
Type Character
Format Uppercase

Record Reference(s) SDK_UPS_TIME

SDK_GER

Default Label German Functionality
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_INSTALL

SDK_HIGH_TRADE

Default Label Daily High
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK



SDK_INTL_FLG

Default Label International Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_BUS_EXP_PER
SDK_INTL_FLG_CD

SDK_LASTUPDDTTM

Default Label Last Update Date/Time
Length 26
Type Datetime
Format 12

Record Reference(s) SDK_STOCK

SDK_LAST_NAME_SRCH

Default Label Last Name
Length 30
Type Character
Format Uppercase

Record Reference(s) SDK_PERS_DATA

SDK_LAST_TRADE

Default Label Last Trade Price
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK



SDK_LAST_TRADE_DT

Default Label Date of Last Trade
Length 10
Type Date
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_LAST_TRADE_SIZ

Default Label Last Trade Size
Length 9
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_LAST_TRADE_TME

Default Label Time of Last Trade
Length 15
Type Time
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_LOCATION

Default Label Location Code
Length 10
Type Character
Format Uppercase

Record Reference(s) SDK_DEPT_TBL
SDK_LOCH_TBL



SDK_LOW_TRADE

Default Label Daily Low
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_MANAGER_ID

Default Label Manager ID
Length 11
Type Character
Format Uppercase

Record Reference(s) SDK_DEPT_TBL

SDK_MANAGER_POSN

Default Label Manager Position
Length 8
Type Character
Format Numbers Only

Record Reference(s) SDK_DEPT_TBL

SDK_MKT_CAPITAL

Default Label Market Capitalization
Length 18
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_NAME

Default Label Name



Length 50
Type Character
Format Name

Record Reference(s) SDK_PERS_DATA

SDK_NATIONAL_ID

Default Label National ID
Length 15
Type Character
Format Numbers Only

Record Reference(s) SDK_PERS_DATA

SDK_NAT_INS_CD

Default Label National Insurance Number
Length 9
Type Character
Format Uppercase

Record Reference(s) SDK_PERS_DATA

SDK_OPENING_TRADE

Default Label Opening Trade Today
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_OPRID

Default Label User ID
Length 30
Type Character



SDK_PER_TYPE

Default Label	Person Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) SDK_PERS_DATA

- A Applicant
- C Cobra Participant
- L Time & Labor Contractor
- P Pension Payee

SDK_PE_RATIO

Default Label	Price Earnings Ratio
Length	10
Type	Number
Format	Uppercase

Record Reference(s) SDK_STOCK

SDK_PORTFOLIO_NAME

Default Label	Portfolio Name
Length	30
Type	Character
Format	Mixedcase

Record Reference(s) SDK_STOCK_PRF

SDK_POSITION_MGMT

Default Label	Position Management Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s) SDK_INSTALL

- F Full Position Management



N No Position Management
 P Partial Position Management

SDK_POSITION_NBR

Default Label Position Number
 Length 8
 Type Character
 Format Numbers Only

Record Reference(s) SDK_POS_DATA

SDK_ROWS_DISPLAYED

Default Label Max Number of Displayed Rows
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) SDK_SRCHSPREF

1 Five
 2 Ten
 3 Fifteen
 4 Twenty
 5 Twenty-five
 6 All

SDK_RP_COSTS

Default Label Red Pepper Integration Demo
 Length 50
 Type Character
 Format Mixedcase

Record Reference(s) SDK_RP_RESULT

SDK_RP_CUSTOMER

Default Label Customer



Length 128
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_SALORDER
SDK_RP_SOQRY1
SDK_RP_SOQRY2

SDK_RP_LINENUM

Default Label Line Number
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_POLINE
SDK_RP_RESULT

SDK_RP_ORDERDATE

Default Label Order Date
Length 26
Type Datetime
Format Uppercase

Record Reference(s) SDK_RP_QUERYWRK

SDK_RP_ORDERDT

Default Label Order Date

Length 128
Type Character
Format Uppercase

Record Reference(s) SDK_RP_SALORDER
SDK_RP_SOQRY1
SDK_RP_SOQRY2



SDK_RP_PARTSITE

Default Label Part Site
Length 30
Type Character
Format Uppercase

Record Reference(s) SDK_RP_POLINE

SDK_RP_PODATE

Default Label PO Date
Length 26
Type Datetime
Format Uppercase

Record Reference(s) SDK_RP_PO

SDK_RP_PO_NUMBER

Default Label PO Number
Length 40
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_PO
SDK_RP_POLINE

SDK_RP_PROMISEDATE

Default Label Promise Date
Length 15
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_INPUT

SDK_RP_QUANTITIES



Default Label Quantities
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_POLINE
SDK_RP_RESULT

SDK_RP_QUERY

Default Label Query
Length 20
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_INPUT

SDK_RP_RCPTDATE

Default Label Receipt Date
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_RESULT

SDK_RP_RSERVERTNAME

Default Label Red Pepper Server Host
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_INPUT

SDK_RP_RSERVERTPORT

Default Label Red Pepper Server Port



Length 10
Type Character
Format Numbers Only

Record Reference(s) SDK_RP_INPUT

SDK_RP_SERVERNAME

Default Label Server Name
Length 15
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_INPUT

SDK_RP_SHIPDATE

Default Label Ship Date
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_RESULT

SDK_RP_SHIPSET

Default Label Ship Set
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_RESULT

SDK_RP_SITENAME

Default Label Site Name
Length 15
Type Character
Format Mixedcase



SDK_RP_SONAMES

Default Label SO Names
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_RESULT

SDK_RP_SONUM

Default Label SO Number
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_RESULT

SDK_RP_SOSULINENUM

Default Label Sales Order Sub Line Number
Length 10
Type Number
Format Uppercase

Record Reference(s) SDK_RP_QUERYWRK

SDK_RP_SOSULINEQTY

Default Label Sales Order Sub Line Quantity
Length 10
Type Number
Format Uppercase

Record Reference(s) SDK_RP_QUERYWRK



SDK_RP_UNITCOST

Default Label Unit Cost
Length 50
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_RESULT

SDK_RP_UNIT_PRICE

Default Label Unit Price
Length 10
Type Number
Format Uppercase

Record Reference(s) SDK_RP_POLINE

SDK_RP_VENDORNAME

Default Label Red Pepper Vendor Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) SDK_RP_PO

SDK_RT_TYPE

Default Label Rate Type
Length 5
Type Character
Format Uppercase

Record Reference(s) SDK_RT_TYPE_TBL

SDK_SETID

Default Label SetID



Length 5
Type Character
Format Uppercase

Record Reference(s) SDK_PSTREENODE

SDK_SEX

Default Label Sex
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_PERS_DATA

F	Female
M	Male
U	Unknown

SDK_SHARE_OUTSTAND

Default Label Shares Outstanding
Length 13
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_SIN

Default Label Social Insurance #
Length 9
Type Character
Format SIN

Record Reference(s) SDK_PERS_DATA

SDK_SIN_GER

Default Label Social Insurance #



Length 12
Type Character
Format Uppercase

Record Reference(s) SDK_PERS_DATA

SDK_SM_ADD

Default Label Add
Length 1
Type Character
Format Mixedcase

Record Reference(s) SDK_SM_CONCATE

SDK_SM_CONCATKEY

Default Label Concatenate Key
Length 1
Type Character
Format Mixedcase

Record Reference(s) SDK_SM

SDK_SM_CONCAT_PBTN

Default Label Concatenate
Length 1
Type Character
Format Mixedcase

Record Reference(s) SDK_SM

SDK_SM_RESULTSTR

Default Label Result
Length 0
Type Long Character



Format Uppercase

Record Reference(s) SDK_SM

SDK_SM_STRING1

Default Label String 1
Length 30
Type Character
Format Mixedcase

Record Reference(s) SDK_SM_CONCATE

SDK_SM_STRING2

Default Label String 2
Length 30
Type Character
Format Mixedcase

Record Reference(s) SDK_SM_CONCATE

SDK_SRCHSV_ID

Default Label Saved Search Identifier
Length 2
Type Number
Format Uppercase

Record Reference(s) SDK_SRCH_SAVE

SDK_SRCHSV_QUERY

Default Label Saved Search Query String
Length 0
Type Long Character
Format Uppercase



Record Reference(s) SDK_SRCH_SAVE

SDK_SRCHSV_TITLE

Default Label Saved Search Title
Length 30
Type Character
Format Mixedcase

Record Reference(s) SDK_SRCH_SAVE

SDK_SSN

Default Label Social Security #
Length 9
Type Character
Format SSN

Record Reference(s) SDK_PERS_DATA

SDK_SSN_FRA

Default Label Social Security #
Length 13
Type Character
Format Numbers Only

Record Reference(s) SDK_PERS_DATA

SDK_STK_DIVID_FREQ

Default Label Dividend Frequency
Length 28
Type Character
Format Mixedcase

Record Reference(s) SDK_STOCK



SDK_SUBMIT_FLG

Default Label Submit
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_BUS_EXP_PER

SDK_SYNCTIMESTAMP

Default Label Synchronization Timestamp
Length 26
Type Datetime
Format 13

Record Reference(s) SDK_BUS_EXP_DTL
SDK_BUS_EXP_PER
SDK_PERS_DATA

SDK_TICKER_SYMBOLS

Default Label Ticker Symbols
Length 0
Type Long Character
Format Uppercase

Record Reference(s) SDK_STOCK_PRF

SDK_TOTAL_SHARES

Default Label Total Shares Traded Today
Length 13
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK



SDK_TO_POST_CODE

Default Label Postal Code
Length 10
Type Character
Format 11

Record Reference(s) SDK_UPS_COST

SDK_TO_ZIP

Default Label Postal Code
Length 5
Type Character
Format Uppercase

Record Reference(s) SDK_UPS_TIME

SDK_TREE_EFFDT

Default Label Effective Date of Tree
Length 10
Type Date
Format Uppercase

Record Reference(s) SDK_SCRTY_DEPT

SDK_TREE_NAME

Default Label Tree Name
Length 18
Type Character
Format Uppercase

Record Reference(s) SDK_PSTREENODE

SDK_TREE_NODE

Default Label Node
Length 20



Type Number
 Format Uppercase

Record Reference(s) SDK_UPS_COST

SDK_UPS_LENGTH

Default Label Length
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) SDK_UPS_COST

SDK_UPS_PACKAGING

Default Label Packaging
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SDK_UPS_COST

- E UPS Express Box
- L UPS Letter Envelope

- T UPS Tube
- Y Your Packaging

SDK_UPS_RATE

Default Label Rate
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) SDK_UPS_CST_RES

SDK_UPS_SVC_TYPE



Default Label Service Type
Length 30
Type Character
Format Uppercase

Record Reference(s) SDK_UPS_CST_RES

SDK_UPS_TIME_BTN

Default Label Calculate Time
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_UPS_TIME

SDK_UPS_TRACK_BTN

Default Label Track Button
Length 1
Type Character
Format Uppercase

Record Reference(s) SDK_UPS_COST

SDK_UPS_WEIGHT

Default Label Package Weight
Length 3
Type Number
Format Uppercase

Record Reference(s) SDK_UPS_COST

SDK_UPS_WIDTH

Default Label UPS Width
Length 3
Type Number



Format Uppercase

Record Reference(s) SDK_UPS_COST

SDK_VOLATILITY

Default Label Stock Volatility
Length 10
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_YEAR_HIGH

Default Label 52-Week High
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_YEAR_LOW

Default Label 52-Week Low
Length 8
Type Number
Format Uppercase

Record Reference(s) SDK_STOCK

SDK_YIELD

Default Label Stock Yield
Length 10
Type Number
Format Uppercase



Record Reference(s) SDK_STOCK

SDS_SITE_NUMBER

Default Label SDS Site Number
Length 6
Type Number
Format Uppercase

Record Reference(s) CO_DPK_ELIG_HDR

SEARCHPNLNAME

Default Label Search Panel Name
Length 18
Type Character
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

SEARCHRECNAME

Default Label Search Record Name
Length 15
Type Character
Format Uppercase

Record Reference(s) BN_SRCH_VW_MAP

EOEC_MP_RULE
EO_BCDEFN_CUR
PSBCDEFN
PSMENUITEM
PSMSGAGTDEFN
PSPNLGRPDEFN
PTLT_COMP_R_STG

SEARCHRECNAME_MJ



Default Label Multiple Jobs Search Record
Length 15
Type Character
Format Uppercase

Record Reference(s) BN_SRCH_VW_MAP

SEARCH_ACCOMP

Default Label Search Accomplishments
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_AM_REQ_TBL
ER_AUTOMTCH_AET

SEARCH_BUTTON

Default Label Search Push Button
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_DSOPTATTRMAP
EO_DSREQATTRMAP
EO_DSSCHCRT_WRK

SEARCH_COMPETENCY

Default Label Search Competencies
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_AM_REQ_TBL
ER_AUTOMTCH_AET



SEARCH_DESCR

Default Label Search Description
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_AM_REQ_TBL
ER_AUTOMTCH_AET

SEARCH_KEY

Default Label Search Key
Length 30
Type Character
Format Mixedcase

Record Reference(s) RC_PAY013_2

SEARCH_MODE

Default Label Resume Search Collection
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_SRCH_RUN_AET
ER_SRCH_RUN_CTL

C Create New
U Update Existing

SEARCH_NAME

Default Label Stored Search Name
Length 20
Type Character
Format Uppercase

Record Reference(s) ER_AM_REQ_TBL
ER_AUTOMTCH_AET



ER_SRCH_SAVED

SEARCH_TYPE

Default Label	Search Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) CM_COMP_MT_TMP

CM_MATCH
CM_MATCH_TYPES

M	Role/Person
S	Competency Search

SECONDARY_SORT

Default Label	Secondary Sort
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RC_CAN_YE

1	Location Code
2	Department Code
3	Mail Drop
4	Postal Code
5	None

SECONDRY_AGE

Default Label	Secondary Age
Length	10
Type	Number
Format	Uppercase

Record Reference(s) PA_FACTOR_SETUP



SECONDRY_AGE_ALIAS

Default Label Secondary Age Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_FACTOR_SETUP

SECONDRY_AGE_ALIAT

Default Label Secondary Age Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_FACTOR_SETUP

SECONDRY_AGE_TYPE

Default Label Secondary Age Type
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_FACTOR_SETUP

SECONDS_MULTIPLIER

Default Label Seconds Multiplier
Length 16
Type Number
Format Uppercase

Record Reference(s) WF_RPT_DTTM_CVT

SECOND_AGE1



Default Label Mortality Age Offset - Tbl 1
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

SECOND_AGE1_ALIAS

Default Label Mortality Age Offset - Tbl 1
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

SECOND_AGE1_ALIAST

Default Label Secondary Age 1 Alias Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

SECOND_AGE1_DIR

Default Label Age Offset Direction - Tbl 1
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

B Backwards
 F Forwards

SECOND_AGE2

Default Label Mortality Age Offset - Male 2



Length 3
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

SECOND_AGE2_ALIAS

Default Label Mortality Age Offset - Male 2
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

SECOND_AGE2_ALIAST

Default Label Secondary Age 2 Alias Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

SECOND_AGE2_DIR

Default Label Age Offset Direction - Male 2
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_FACTOR

B Backwards
 F Forwards

SECOND_COMPLETE

Default Label Complete Only



Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DURATION_OPT
PA_DURATION_OPT

SECOND_EVENT_MODE

Default Label Secondary Event Add Mode
Length 1
Type Character
Format Uppercase

Record Reference(s) CBR_EVENT_RULES

A Add Additional Months Coverage
E Extend Initial Coverage
N No Action

SECOND_EVENT_MONTH

Default Label Second Event Additional Months
Length 2
Type Number
Format Uppercase

Record Reference(s) CBR_EVENT_RULES

SECOND_EVENT_ROLE

Default Label Secondary Event Role
Length 1
Type Character
Format Uppercase

Record Reference(s) CBR_EVENT_RULES

P Preceding Initial Event
S Succeeding Second Event



SECOND_LAST_NAME

Default Label Second Last Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) HR_NAME_DAT

SECOND_MORT_BASIS

Default Label Secondary Mortality Basis
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

S Sex Distinct
U Unisex

SECOND_MORT_TBL1

Default Label Table 1 / Male Table
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR

SECOND_MORT_TBL2

Default Label Table 2 / Female Table
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FACTOR



SECOND_PCT

Default Label	% of Table 1 Rate
Length	3
Type	Number
Format	Uppercase

Record Reference(s)	PA_DFN_FACTOR
---------------------	---------------

SECOND_PERIOD

Default Label	Count Second Period
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	EG_DURATION_OPT
	PA_DURATION_OPT

D	Days
M	Months
N	None

SECOND_ROUND_ELSE

Default Label	Round Up if Periods >Else Down
Length	3
Type	Number
Format	Uppercase

Record Reference(s)	EG_DURATION_OPT
	PA_DURATION_OPT

SECOND_ROUND_RULE

Default Label	Round the Second Period
Length	1
Type	Character
Format	Uppercase



Record Reference(s) EG_DURATION_OPT
 PA_DURATION_OPT

- E Round Up if Periods >
- N No Second Round Rule
- U Round Up if Periods >

SECOND_ROUND_UP

Default Label Round Up if Periods >
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) EG_DURATION_OPT
 PA_DURATION_OPT

SECTIONNAME

Default Label Section Name
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) PSPROJECTSEC

SECTION_83B_PERIOD

Default Label Section 83B Filing Days
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) ST_GOVERN_BODY

SECTION_NAME

Default Label Section Name
 Length 18



Type Character
 Format Uppercase

Record Reference(s) TL_TA_RSL_SECT

SECTION_TYPE_OPTN

Default Label Section Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_SECTION

- AT Absence Take
- PI Generate Positive Input
- PS Payee Section
- SP Sub-Process
- ST Standard

SECTION_USE_OPTN

Default Label Section Usage
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_SECTION

- A Absence Process Only
- E Payroll and/or Absence Process
- P Payroll Process Only

SECTOR

Default Label Sector
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) LOCATION_TBL



SECURE

Default Label	Secure
Length	1
Type	Character
Format	Uppercase

Record Reference(s) COOKIES

SECUREINVISIBLE

Default Label	Secure Invisible Field
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PSPNLFIELD

SECURITY_CLEARANCE

Default Label	Security Clearance
Length	1
Type	Character
Format	Uppercase

Record Reference(s) EMPLOYMENT

FGHR003B_EMPLOY
GVT_EMPLOYMENT
GVT_EMPL_TEMP
GVT_MASSORGPAET

- | | |
|---|------------------------------|
| 0 | Not Required |
| 1 | Confidential |
| 2 | Secret |
| 3 | Top Secret |
| 4 | Sensitive Compartmented Info |
| 5 | Q Sensitive |
| 6 | Q Non-Sensitive |
| 7 | L (Atomic Energy Act) |



- 8 Other
- 9 National Agency Check & Inq
- A Public Trust
- B Natl Agcy Chck w/ Law & Credit

SECURITY_TYPE

Default Label Type of Security
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION_FS

- C Operator Class Level Security
- N No Security
- O Operator Level Security

SEC_FEES

Default Label SEC Fees
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) ST_EXER_RELEASE
 ST_GRANT_EXER

SEC_FEES_IND

Default Label SEC Fees
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) STOCK_BRNCH_DTL

SEC_VW_TYPE

Default Label Security View Type



Length 1
 Type Character
 Format Uppercase

Record Reference(s) HR_AET

- D Department Security
- I International Assignment
- K Additional Appointment JPN
- N None

SEFIP_REP_TYPE_BRA

Default Label Legal Representative Type SEFIP
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

- 1 Company
- 2 Employee
- 3 Non Employee

SEFIP_RESP_ID_BRA

Default Label Representative ID SEFIP
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) ESTAB_TBL_BRA

SEGMENTNO

Default Label Segment Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSAPMSGARCHPD



PSAPMSGARCHPT
 PSAPMSGARCHST
 PSAPMSGPCONDATA
 PSAPMSGPUBDATA
 PSAPMSGSCONDATA
 PSMSFPUBDATA

SEGMENT_DATES

Default Label Stays Within Segment Dates
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_DEATH

SEG_BGN_DT

Default Label Segment Begin Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) GPBR_VACCAL_AET

GPCH_RP_0001
 GPDE_DV_ELIG_MO
 GPDE_DV_FLT_BAL
 GPDE_DV_PAYITEM
 GPDE_RP_0001
 GPDE_RP_SI01
 GPES_PSLIP_TMP
 GPES_PSLIP_TMP2
 GPES_PSLIP_TMP4
 GPES_PSLP_S_PYE
 GPFR_PS_GUI_TMP
 GPFR_PS_SEG_TMP
 GPFR_PYSL_AET
 GPFR_P_SLIP_TMP
 GPGB_PSLIP_AET
 GPIT_INQUIRY_WA
 GPIT_RP_0001



GPNL_GUI_TMP
GPNL_PSLIP_AET
GPNL_PSLIP_TMP
GPNL_PS_GUI_TMP
GPNL_PS_SEG_TMP
GPNL_RC_PS_EE
GPNL_RED1_TMP
GPNL_SEG_TMP
GPXPYE_SEG_STAT
GP_PYE_RUN_SEG
GP_PYE_SEG_STAT
GP_PYE_SEG_TMP
GP_PYE_STAT_WRK
GP_SEG_WRK

SEG_DETAIL

Default Label	Segment Details
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_GL_S1TO6_TMP
GP_GL_SEGV_TMP
GP_GL_SEG_TMP
GP_PYE_SEG_TMP

SEG_END_DT

Default Label	Segment End Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) GPBR_VACCAL_AET
GPCH_BK_XFER_EE
GPCH_RP_0001
GPDE_BK_XFER_EE
GPDE_BV_RP
GPDE_DV_ELIG_MO



GPDE_DV_FLT_BAL
GPDE_DV_PAYITEM
GPDE_GR_RSLT_WA
GPDE_RA_0001
GPDE_RP_0001
GPDE_RP_0002
GPDE_RP_0003
GPDE_RP_AZ01
GPDE_RP_FL01
GPDE_RP_SI01
GPDE_RP_TX03_2
GPDE_RP_TX03_3
GPDE_RP_TX03_4
GPDE_TA_AET
GPDE_TA_RP_TMP
GPDE_TA_RP_TMP2
GPES_PMT_AET
GPES_PSLIP_TMP
GPES_PSLIP_TMP2
GPES_PSLIP_TMP4
GPES_PSLP_S_PYE
GPFR_ILL_AET
GPFR_PMT_AET
GPFR_PS_GUI_TMP
GPFR_PS_SEG_TMP
GPFR_PYSL_AET
GPFR_P_SLIP_TMP
GPGB_PSLIP_AET
GPIT_INQUIRY_WA
GPIT_RP_0001
GPMX_PMT_AET
GPNL_GUI_TMP
GPNL_PAYMENT
GPNL_PMT_AET
GPNL_PSLIP_AET

GPNL_PSLIP_TMP
GPNL_PS_GUI_TMP
GPNL_PS_SEG_TMP
GPNL_RC_PS_EE
GPNL_RED1_TMP
GPNL_SEG_TMP
GPXPYE_SEG_STAT



GP_NET_PAY1_TMP
 GP_NET_PAY2_TMP
 GP_NET_PAY3_TMP
 GP_PAYMENT
 GP_PAYMENT2_TMP
 GP_PAYMENT_TMP
 GP_PMT_PREP_AET
 GP_PYE_RUN_SEG
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP
 GP_PYE_STAT_WRK
 GP_SEG_WRK

SEG_SRC_ID

Default Label Segment Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPXPYE_SEG_STAT
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP
 GP_SEG_WRK

C Calculate
 I Identify

SEG_STATUS

Default Label Segment Status
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GPXPYE_SEG_STAT
 GP_GCTL_DTL
 GP_PYE_SEG_STAT
 GP_PYE_SEG_TMP
 GP_PYE_STAT_WRK
 GP_SEG_WRK



00 Active in Segment
 01 Inactive in Segment

SEG_TRGR_LVL

Default Label Segmentation Trigger Level
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_SEG_TRGR

GP_SEG_TRG_WRK

E Payee Level
 J Job Level

SEG_TRGR_SRC

Default Label Segmentation Trigger Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_SEG_TRGR

GP_SEG_TRG_WRK

A Automatically Generated
 M Manually Generated

SEG_TRGR_STATUS

Default Label Segmentation Trigger Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_SEG_TRGR

GP_SEG_TRG_WRK

A Active
 C Cancelled



SEG_TYPE

Default Label Segment Type
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_SEG_EVT
GP_SEG_EVT_WRK
F Period
P Element

SELCOUNT

Default Label Select Count
Length 2
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYDEFN

SELECTED

Default Label Selected
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INT_EVL_CATG
ER_INT_EVL_RCMD
ER_INT_EVL_RSNS
ER_INT_EVL_RTG
ER_REQ_TMPL_PGS
ER_RES_TMPL_PGS
GVT_FULLVA_SECD
REQUIS_SECTIONS
RESUME_SECTIONS



SELECTED_COMPANY

Default Label Selected Company
Length 3
Type Character
Format Uppercase

Record Reference(s) RC_SEL_COMPANY
RC_TAX910AU_CO

SELECTED_EE

Default Label Selected EE's
Length 30
Type Character
Format Uppercase

Record Reference(s) RC_TAX910AU2
RC_TAX910ER
RC_TAX910LD_EE
RC_TAX910PR
RC_TAX918AU2
RC_TAX918ER
RC_TAX918PR
RC_TAX930
RC_TAX960PR
RC_TAX960US

SELECTION

Default Label Selection?
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_EIP_AMGF_TBL
EO_EIP_AMGR_TBL

SELECTOR



Default Label To indicate which field to chg
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_MOC_DATA

D Department
 P Position

SELECTOR_DT

Default Label Selector Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PSTREESELCTL

SELECTOR_FLAG

Default Label Selector Flag
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_MASSCHG_AET

D Department Selected
 P Position Selected

SELECTOR_NUM

Default Label Selector Number
 Length 10
 Type Number
 Format 7

Record Reference(s) PSTREESELCTL
 PSTREESELECT01
 PSTREESELECT02



PSTREESELECT03
 PSTREESELECT04
 PSTREESELECT05
 PSTREESELECT06
 PSTREESELECT07
 PSTREESELECT08
 PSTREESELECT09
 PSTREESELECT10
 PSTREESELECT11
 PSTREESELECT12
 PSTREESELECT13
 PSTREESELECT14
 PSTREESELECT15
 PSTREESELECT16
 PSTREESELECT17
 PSTREESELECT18
 PSTREESELECT19
 PSTREESELECT20
 PSTREESELECT21
 PSTREESELECT22
 PSTREESELECT23
 PSTREESELECT24
 PSTREESELECT25
 PSTREESELECT26
 PSTREESELECT27

 PSTREESELECT28
 PSTREESELECT29
 PSTREESELECT30
 PSTREESELNUM

SELECTTYPE

Default Label	Selection Type
Length	1
Type	Number
Format	Uppercase

Record Reference(s) PSQRYSELECT



Record Reference(s) PTLT_TASK_LOAD

N No
Y Yes

SELECT_OPER

Default Label Select Operator
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_CC1_EO

A All
B Between
E Equal

SELECT_OPER10

Default Label Selection Operator 10
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_OPER2

Default Label Selection Operator 2
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_OPER3

Default Label Selection Operator 3
Length 1



Type Character
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_OPER4

Default Label Selection Operator 4
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_OPER5

Default Label Selection Operator 5
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_OPER6

Default Label Selection Operator 6
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_OPER7

Default Label Selection Operator 7
Length 1
Type Character
Format Uppercase



Record Reference(s) EO_CURRENCY_AET

SELECT_OPER8

Default Label Selection Operator 8
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_OPER9

Default Label Selection Operator 9
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EO_CURRENCY_AET

SELECT_RELOAD_OPT

Default Label Load Option
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE

- A Load All Employees
- E Load Selected Employee(s)
- G Load Selected Group(s)

SELECT_TYPE

Default Label Select Type
 Length 1
 Type Character



Format Uppercase

Record Reference(s) TL_SQL_OBJECT

- 0 Into State
- 1 Insert...Select
- 2 Subquery

SELECT_VALUE

Default Label Select Value
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) NVS_SCOPE_VALUE

SELECT_VALUES

Default Label Selection Values
 Length 50
 Type Character
 Format Uppercase

Record Reference(s) EO_CCR_SEL_PATH
 EO_RECON_JOIN
 EO_SPATH_WH

SELECT_WHERE_TYPE

Default Label Where Clause Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PI_PS_RECORD

- ED ID, EffDt = Pay End Dt
- EE ID and Active EffDt
- EI Empl ID
- EM ID, all EffDts



ES ID, All EffDts , Active EffSeq
EX ID, Active EffDt Active EffSeq

SELECT_X

Default Label Select 'X'
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_CCR_SEL_PATH

SELF_ADJ

Default Label Self Adjust
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OTH_TAX_TBL

SELF_APPROVAL

Default Label Can Self Approve
Length 3
Type Number
Format Uppercase

Record Reference(s) APPR_RULE_HDR

SELF_EMPL_SW_UK

Default Label Self-Employed
Length 1
Type Character
Format Uppercase

Record Reference(s) OHS501UK_TMP2



SELF_SERVICE

Default Label Avail to Manager Self-Service
Length 1
Type Character
Format Uppercase

Record Reference(s) GB_GROUP_TBL

SELINDICATORTYPE

Default Label Selection Indicator Type
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD

SELNUM

Default Label Select Number
Length 2
Type Number
Format Uppercase

Record Reference(s) AE_GB_AET
PSQRYCRITERIA
PSQRYFIELD
PSQRYRECORD
PSQRYSELECT

SEL_ACTION

Default Label Select Action
Length 1
Type Character
Format Uppercase



Record Reference(s) GPFR_PS_SEG_TMP

GPNL_PS_SEG_TMP
GPXPYE_PRC_STAT
GP_HST_WRK
GP_OLD_RTO_WRK
GP_PYE_PRC_STAT
GP_PYE_STAT_WRK
GP_TLPTM_WRK

A Retro Add
C Current Calculation
L Load Balances
R Retro Recalc
V Retro Reversal
Z Retro Rvr & Recalc

SEL_COMP_NAME

Default Label Selection Component Name
Length 20
Type Character
Format Mixedcase

Record Reference(s) EO_PG_COMP_LANG

EO_PROCGRP_COMP

SEL_CRIT_OPTN

Default Label Selection Criteria Option
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXCAL_RUN_DTL

GP_AUTO_CAL
GP_AUTO_CAL_AET
GP_CALENDAR
GP_CAL_RUN_DTL

0 Payee List
1 All Active
2 Active and with PI



- 3 Active and with Retro Triggers
- 4 Active and with PI/Retro Trgrs
- 5 Active or having PI
- 6 Active or having Retro Trigger
- 7 Active or having PI/Retro Trgr

SEL_DISTINCT_FLAG

Default Label Distinct
 Length 1

 Type Character
 Format Uppercase

Record Reference(s) EO_CURRCNV_RULE
 EO_CURRENCY_AET

SEL_RSN

Default Label Select Reason
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GPXPYE_PRC_STAT
 GP_HST_WRK
 GP_NEW_RTO_WRK
 GP_OLD_RTO_WRK
 GP_PYE_PRC_STAT

- 01 Act/List
- 02 Inact/List
- 03 Act/And PI
- 04 Act/And Trgr
- 05 Act/All/Or
- 06 Inact/Or PI
- 07 Inact/Or Trgr
- 08 Inact/Match Adj
- 09 Inact/Trgt Adj
- 0A Active (Pay Leave in Advance)
- 0B Inactive(Pay Leave in Advance)
- 20 Absence Forecast



99 Not Applicable

SEL_STAT

Default Label Selection Status
Length 1
Type Character
Format Uppercase

Record Reference(s) GPXPYE_PRC_STAT

GP_HST_WRK
GP_NEW_RTO_WRK
GP_OLD_RTO_WRK
GP_PYE_PRC_STAT
GP_PYE_STAT_WRK

A Active
C Cancelled
I Inactive
S System Suspend
U User Suspend

SEL_YN

Default Label Selected? (yes/No)
Length 1
Type Character
Format Uppercase

Record Reference(s) DSCONNECTID

EO_DSMAP
EO_DSSECRULEREC
EO_DSSELECT_ATT
PSDSSECMAPMAIN
PT_WF_NOT_DSCFG

N No
Y Yes

SENDER_ID_BC_CAN

Default Label Sender Electronic ID



Length 5
Type Character
Format Uppercase

Record Reference(s) WCB_MSGHD_EC
WCB_MSGHD_WD
WCB_MSGTR_EC
WCB_MSGTR_WD

SEND_COUNTRY

Default Label Send Country
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_CURRENCY_CODE

Default Label Send Currency Code
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_HOURS

Default Label Send Hours
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL



SEND_LOCALITY

Default Label Send Locality
Length 1
Type Character

Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_OVRD_RSN_CODE

Default Label Send Override Reason Code
Length 1
Type Character

Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_RATE_CODE

Default Label Send Rate Code
Length 1
Type Character

Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_RULE_ELMNT1

Default Label Send Rule Element 1
Length 1
Type Character

Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL



SEND_RULE_ELMNT2

Default Label Send Rule Element 2
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_RULE_ELMNT3

Default Label Send Rule Element 3
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_RULE_ELMNT4

Default Label Send Rule Element 4
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_RULE_ELMNT5

Default Label Send Rule Element 5
Length 1
Type Character
Format Uppercase



Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_SCHED

Default Label Send Schedules
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_STATE

Default Label Send State
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_TASK_VALUES

Default Label Send Task Values
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_TO_AP

Default Label Send to AP
Length 1
Type Character
Format Uppercase



Record Reference(s) AP_EXTRACT_HDR
AP_EXTRACT_LINE
PYAP_HDR_TAO
PYAP_LINE_TAO
PYAP_UNXTRC_TAO

SEND_TO_PAYROLL

Default Label Send to Payroll
Length 1
Type Character
Format Uppercase

Record Reference(s) PY_PYBL_TM_WRK
TL_TRC_TBL

SEND_TO_TCD

Default Label Send To TCD
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_TRC_TBL
TL_TSKPRF
UPG_CONV_TL
UPG_TL_AET
UPG_TL_REC008
UPG_TL_REC009

SEND_TRCS

Default Label TCD can validate TRCs
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET



TL_TCDDEF_TBL

SEND_TSK_PRF

Default Label Send Task Profiles
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SEND_TSK_TEMPLT

Default Label Send Task Template
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_OUTTCD_AET
TL_TCDDEF_TBL

SENIORITY_CALC

Default Label Seniority Calculation Date
Length 1
Type Character
Format Uppercase

Record Reference(s) COMP_RATECD_TBL
HR_SEN_PAY1_TAO
HR_SEN_PAY2_TAO

- B Birth Date
- E EdclvlaBDt (for Japan only)
- H Hire Date
- P Professional Experience Date
- S Company Seniority Date



SENIORITY_DATE

Default Label Seniority Date
Length 10
Type Date
Format Uppercase

Record Reference(s) HR_SEN_PAY1_TAO
HR_SEN_PAY2_TAO

SENIORITY_TYPE_BEL

Default Label Seniority Type
Length 1
Type Character
Format Numbers Only

Record Reference(s) SENIORITY_BEL
1 Legal Seniority
2 Company Seniority

SENT_DT

Default Label Date Supplier Data Sent
Length 10
Type Date
Format Uppercase

Record Reference(s) CO_DED_SUPP_FLE

SEPARATE_AP_PAYMNT

Default Label Separate AP Payment
Length 1
Type Character
Format Uppercase

Record Reference(s) AP_EXTRACT_LINE
BENEF_PLAN_TBL



GARN_SPEC
GENL_DED_TBL
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XBOND_TAO
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO
PYAP_XGARN_TAO

SEPCHK

Default Label	Separate Check #
Length	1
Type	Number
Format	Uppercase

Record Reference(s) ADDL_PAY_DATA

AP_EXTRACT_LINE
FLSA_ADDL_DATA
GVT_AWD_DATA
GVT_PAY_LIMITS
GVT_PAY_TSP
HPDBRETDIST_AET
HP_CTXDIST_WRK
HP_DEDDIST_WRK
HP_DISTBDGT_AET
HP_DISTSRCH_AET
HP_ERNDIST_WRK
HP_GRSFRG_DATA
HP_PAYCHKERN_WK
HP_PAYDEDUC_WK
HP_PAYGLO2_RCHK
HP_PAYTAXCAN_WK
HP_PAY_TAX_WK
HP_RDIST_CTX
HP_RDIST_CTXDAT
HP_RDIST_DED
HP_RDIST_DEDDAT
HP_RDIST_ERN
HP_RDIST_ERNDAT
HP_RDIST_MSGTBL



HP_RDIST_TAX
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK
OTH_EARNS_TAO
PAY_ACKNOWLEDGE
PAY_ACK_STG_PUB
PAY_CHECK
PAY_CHECK_EARNS
PAY_CHECK_REVR
PAY_CTX_DIST
PAY_CTX_LIAB_AP
PAY_CTX_OVRD
PAY_DEDUCTION

PAY_DED_DIST
PAY_DED_LIAB_AP
PAY_DISTRIBUTN
PAY_EARNINGS
PAY_ERN_DIST
PAY_GARNISH
PAY_GARN_OVRD
PAY_INS_EARNS
PAY_MESSAGE
PAY_ONE_TIME
PAY_OTH_EARNS
PAY_REQUEST
PAY_RQT_STG_SUB
PAY_SPCL_EARNS
PAY_TAX
PAY_TAX_1042
PAY_TAX_CAN
PAY_TAX_DIST
PAY_TAX_LIAB_AP
PAY_TAX_OVRD
PA_HST_OTH_EARN
PA_HST_PAY_CHK
PA_HST_PAY_DED
PA_HST_PAY_EARN
PA_HST_SPL_EARN
PSHUP_TXN
PYAP_LINE_TAO
PYAP_UNXTRC_TAO



PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET
PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
PYRE_DETAIL
PYRE_PRELD_AET
RETRODED_CALC
RETRODED_DEDS
RETRODED_MSG
RETROPAY_EARNS
RETROPAY_MSG
R_GLX001
R_PAYGL1
ST_PSHUP_AET
ST_USALL_TAO
UPG_E3XW_TAO
UPG_ERN_TAO
UPG_HP_AET
UPG_PY_AET
WRK_CHECK
WRK_CHECK_EARNS
WRK_CTX_DIST
WRK_CTX_OVRD
WRK_DEDUCTION
WRK_DED_DIST
WRK_EARNINGS
WRK_ERN_DIST

WRK_GARNISH
WRK_GARN_OVRD
WRK_INS_EARNS
WRK_ONE_TIME
WRK_OTH_EARNS
WRK_SEQ_CHECK
WRK_SPCL_EARNS
WRK_TAX
WRK_TAX_1042



WRK_TAX_CAN
 WRK_TAX_DIST
 WRK_TAX_OVRD

SEPCHK_DED

Default Label Deductions Taken From Sep Chk
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DEDUCTION_CLASS

SEPCHK_FLAG

Default Label Separate Check
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_PY200VC_AET

ER_AWARD_PUB
 ER_EE_REF_AWD
 ER_ERP_AWD_AET
 ER_ERP_ELIG_AET
 ER_REF_PGM
 GPVC_ACK_PUB
 GPVC_RQT_SUB
 PYER_ACKNOWLEDG
 PYER_ACK_PUB
 PYER_ISSUED
 PYER_ISS_PUB
 PYER_REQUEST
 PYER_RQT_SUB
 PYVC_ACK_PUB
 PYVC_RQT_SUB
 PY_PYER_AET
 RC_PAYINIT
 RETRODEDPGM_TBL
 RETROPAYPGM_TBL
 VCGP_RQT_PUB



VCPY_RQT_PUB
VC_AWARD
VC_CALC_WRD_AET
VC_PLAN_EFFDT

SEP_OFF_CYCLE_IND

Default Label Separate Pay Run

Length 1
Type Character
Format Uppercase

Record Reference(s) PSHUP_RUNCTL

SEP_TAX_RPT

Default Label Separate Tax Report

Length 1
Type Character
Format Uppercase

Record Reference(s) RC_TAX810CA

SEQNO

Default Label Sequence Number

Length 5
Type Number
Format 7

Record Reference(s) AE_PY200VC_AET

AP_EXTRACT_LINE
BP_IMPT_HR_AET
DIRDNMAP
DIRMAPFILTER
ECBUSDOCDATA
ECBUSDOCERR
ECINMAPFLD
ECINMAPFLDCVT



ECINMAPRECFLD
ECOUTMAPCVT
ECOUTMAPFLD
ECOUTMAPWHERE
ECQUEUEAPPERRWL
EDIINMAPRECFLD
EDIOUTMAPFLD
EDIOUTMAPWHERE
EOEC_CCI_TEST
EO_DSATTMAP_LNG
EO_DSATTRIBMAP
EO_DSDNMAP
EO_DSDNMAP_LNG
EO_DSDNMAP_XLT
EO_DSOPATTMPLNG
EO_DSOPTATTRMAP
EO_DSOPTATT_XLT
EO_DSREQATTRMAP
EO_DSREQATT_XLT
EO_DSRQATTMPLNG
EO_ECINMAPF_CUR
EO_MSGFLDOV_CUR
EO_MSGREC_CUR
ER_AGNT_PROFILE
ER_AGNT_RESULTS
ER_PRF_JOBCODE
ER_PRF_LOC
GARN_PAYEE_TMP

GPCH_ABS_STA
GPCH_OT_STATUS
GPMX_SDIVAR_WA
GP_ABS_SS_STA
HP_GRSFRG_DATA
HR_ENROLL_STA
HR_MGR_REP_STA
HR_OFFER_STA
HR_PROMOTE_STA
HR_SALCHANG_STA
HR_SALCHBGT_STA
HR_SALCHGRP_STA
HR_TRANSFER_STA
PAY_CTX_LIAB_AP



PAY_DED_LIAB_AP
PAY_RQT_STG_SUB
PAY_TAX_LIAB_AP
PKG_BSE_CMP_CDE
PRCSDEFNURL
PRCSDEFNURLKEY
PRCSDEFNURL_LNG
PRCSJOBCHGHIST
PRCSJOBITEMCHG
PRCSMUTUALEXCL
PRCSRQSTURL
PSACTIVIMG
PSACTIVIMGLANG
PSAPMSGPUBCERR
PSAPMSGPUBCERRP
PSAPMSGPUBERR
PSAPMSGPUBERRP
PSAPMSGSUBCERR
PSAPMSGSUBCERRP
PSBUSPRIMG
PSBUSPRIMGLANG
PSCONNECTSTRDOWN
PSCONNECTSTRING
PSHUP_TXN
PSHUP_TXN_AET
PSIBFLOMSGMAP
PSIBLOGERR
PSIBLOGERRP
PSMAPFIELD
PSMAPLEVEL
PSMSGFLDOVR
PSMSGREC
PSSIGNONPPC
PT_WF_GUIDLOG
PYAP_LINE_TAO
PYAP_POST_AET
PYAP_UNXTRC_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX_AET
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XTAX1_TAO



PYAP_XTAX_AET
PYER_RQT_SUB
PYRE_DETAIL
PYRE_INVALID

PYRE_PRELD_AET
PY_IC_PI_AT_MX
PY_IC_PI_BT_MX
PY_IC_PI_ERN_MX
PY_IC_PI_ER_MX
PY_IC_PI_TAX_MX
ROLE_LDAPRULE
ROLE_PPCRULE
R_CTX915A_SORT
R_CTX915T_SORT
SS_TRANS_CI_DTL
ST_CNT_RFND_TAO
ST_PSHUP_AET
ST_PSHUP_CNT
ST_PSHUP_TAO
ST_REFUND_CNT
ST_REFUND_DTL
ST_REFUND_ESPP
ST_REFUND_TAO
TL_OT_STATUS
UPG_CO_SSC_AET
UPG_CO_SS_AET
UPG_PY_AET
UPG_SSC_AET
VC_ALLOC_AET
VC_PAYFORM_DEF
WL_DISTR_GRP
WL_RIMRESP_AET
WL_RIMRESP_ERR
WL_RIMRESP_PROC
WL_TEMPL_CMPVAR
WL_TEMPL_CMP_LN
WL_TEMPL_GEN_RS
WL_TEMPL_GEN_TK
WL_TEMPL_GNRSLN
WL_TEMPL_GNTKLN
WL_TEMPL_RESP
WL_TEMPL_RSP_LN



ER_INT_EVL_RTG
ER_RULE_WHERE
GL_GEN_HISTORY
GM_TEC_LN
GPAU_GL_MAP_AET
GPAU_GL_MAP_DTL
GPBR_ELEM_AET
GPBR_LEAVE_PARM
GPBR_LEA_PARDET
GPBR_PAYSL_F_AC
GPBR_PAYSL_F_DE
GPBR_PAYSL_F_ER
GPCH_CA_STAT_S2
GPDE_MT_TRG_PAR
GPES_ADLN_RSLT
GPES_ADLN_SCHED
GPES_ADLOAN_LNG
GPES_ADV_LOAN
GPES_LBR_SEN
GPGB_EE_CO_DTL
GPGB_PROF
GPIN_DEDN_TMP
GPIN_EXEM_TMP
GPIN_OTHER_TMP
GPIN_PERQ_TMP
GPIN_PREV_TMP
GPIN_REBATE_TMP
GPIN_TDS_SETUP
GPJP_SEQ
GPMX_ACMB_AET
GPMX_PAYSL_F_DE
GPMX_PAYSL_F_ER
GPMX_SDI_WA
GPMX_ST_TAX_WA
GPMY_AMOUNT_TMP
GPMY_BIK_SETUP
GPMY_EARN_TMP
GPMY_ELIG_TMP
GPMY_GL_MAP_AET
GPMY_GL_MAP_DTL
GPNL_RC_CPINT
GPNL_RC_PERSCMP



GPNL_REC_37_TMP
GPNL_TXR_DTL
GPNL_TXR_DT_LNG
GPNL_YEE2_TMP
GPNZ_GL_MAP_AET
GPNZ_GL_MAP_DTL
GPSG_APP_8B_DTL
GPSG_GL_MAP_AET
GPSG_GL_MAP_DTL
GP_PYE_ITER_LST
GVT_OFFER_COND
HR_ACCTG_LINE
HR_ACCTG_LN_STG
HR_OFFER_STA
HR_OFFER_SUB_WL
LMS_AET
LMS_BCOMP_TBL
LMS_EVENT_SEQ
LMS_VCOMP_TBL
LMS_WRKSCH_AET
MU_COMP_DATA
MU_LEVEL01_DATA
OFFER
OFFER_COMM
OFFER_DTL
OFFER_HIST_TAO
OFFER_STATUS
OFFER_TAO
PA_CBAL_TRANS
PA_CLC_SVC_ADJ
PA_CLC_SVC_ADJ2
PA_EACCT_TRANS
PA_SVC_TRANS
POSTAL_ALT_CHE
PRCSDEFNURLKEY
PSCDSETVALDE_LG
PSCODESETVAL
PSCODESETVAL_DE
PSCONNPROP
PSCONNPROPLANG
PSCONTENT
PSCONTENTLANG
PSDETAILTBL



PSDSSECMAPSRVR
PSDSSECRRSRVR
PSIBGATEWAYURLS
PSJPUPPREFVAL
PSLOCALEORDER
PSNODCONPRPLANG
PSNODECONPROP
PSNODTRCNPRLANG
PSNODTRXCONPROP
PSOPRALIASTYPE
PSPRCSRQSTFILE
PSPRCSRQSTTIME
PSRELATIONTRX
PSSQLTEXTDEFN
PSSTYLECLASSFNT
PSSTYLEFNLANG
RUN_CNTL_CC1
RUN_CNTL_CC2

RUN_CNTL_CC3
RUN_CNTL_CC4
RUN_HPUPDTDATA
RUN_HPUPDTSEQ
R_APP007
SCH_ADHOC_DTL
SCH_ADHOC_RPT
SCH_DEFN_DTL
SCH_SHIFT_DTL
SCH_TMPLT_DTL
SCH_WRKDAY_DTL
ST_CONTRIB_MANL
ST_CONTRIB_PART
ST_CONTRIB_RFND
ST_CONTRIB_RSDL
ST_ESPP_CVT_AET
ST_GRP_PARM_TBL
ST_REFUND_DTL
TC_AET
TC_EE_DETAIL
TC_MCOP_TAO
TC_TMP_DTL_TAO
TL_ELPTSK_INTFC
TL_ELP_ERR



SEQUENCE

Default Label Chartfield Sequence
Length 2
Type Number
Format Uppercase

Record Reference(s) CHART_DIST_HR
GPCH_RP_EO01
GPCH_RP_FK01
GPCH_RP_PK01
MIX_COM_OBJ_LNG
MIX_COM_OBJ_MEX
OFFER_DTL
PER062_GRD_JPN
PYAP_XTAX_AET

SEQUENCENO

Default Label Sequence Number
Length 10
Type Number
Format 7

Record Reference(s) AP_EXTRACT_LINE
EOCM_IMPORT_AET
EOCM_IMP_PARAMS
GPIT_CUD_RP_P1
GPIT_CUD_RP_P2
GPIT_CUD_RP_P3
GPIT_CUD_RP_P4
GPIT_GV93_TMP
GPIT_S503_RPT
GPMY_CP159_HD
GPMY_CP8A_HDR
MOBILEID
PRCSSEQUENCE
PSMSFSEQ
PSMSF_AET
PSSGWSTARTOPT



PYAP_LINE_TAO
PYAP_POST_AET
PYAP_UNXTRC_TAO
PYAP_XCTAX_AET
PYAP_XDEDN_AET
PYAP_XTAX_AET
TL_RECFLD_AET
TL_RI_TEST_AET

SEQUENCE_NBR

Default Label Sequence Number

Length 2

Type Number

Format Uppercase

Record Reference(s) APP_PRIWRK_EXPR

APP_PRWK_EX_LNG
AUTOPOP_WRK_TMP
CMP_RULE_VALUES
CUBE_AGG_DIM
DIM_DATA_SRC
DIM_INPUT_FLD
DIM_ROLLUP
DIM_ROLLUP_LVL
ECPACKAGEDetail
ECTRANSGROUPDTL
EMPL_CTG_L1
EMPL_CTG_L2
EMPL_CTG_L3
GPCH_AL_01_LNG
GPCH_AL_01_MSG
GPDE_AB_ENTTLDE
GPDE_AL_01_MSG
GPIT_AL_01_LANG
GPIT_AL_01_MSG
GP_AUTO_PRD
GP_AUTO_PRD_AET
GVT_ACCR_ADJ
GVT_ACCR_NONPAY
GVT_ACC_CASCADE



GVT_ACR_ADJ_LNG
 GVT_CPDF_DYN
 GVT_ERN_PROC_RT
 GVT_LV_DON_EXT
 GVT_RQSN_NAMES
 INJURY_ILL_DESG
 LONG_EARNS_CAN
 PRIORWORK_EXPER
 PRIORWRK_EX_LNG
 PRACTIVITYLOG
 RP_QUEUE_WRKEXP
 TL_ST_ELPTIME
 UPG_ER_AET
 UPG_GPDE801_AET
 UPG_GPDE_MS_TAO
 UPG_PRWKEXP_TAO
 Z_NFC_RQRD_RMRK

SEQUENCE_NBR_6

Default Label Sequence
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) ANALYSIS_DB_DIM

EO_BCITEM_CUR
 GPDE_MT_MESSAGE
 GPDE_MT_MSGLONG
 MC_DEFN_SQL_LN
 MC_TYPE_WHERE

PSBCITEM
 PSCIREFENUM

SEQUENCE_NUMBER

Default Label Sequence Number
 Length 2
 Type Number
 Format Uppercase



ER_INTVW_EVAL
ER_INTVW_EVL_WL
ER_INTVW_SCHED
ER_INT_EVAL_AET
ER_JOB_REQ_EXP
ER_WORKFLOW
HIER_CTRL_TBL
HP_RETDIST_AET

IV_AVAIL_TIMES
IV_SCHED_TIMES
JPN_TL_COMP_AET
MCFCTIEVENTLOG
MCFUQEVENTLOG
MCFUQTASKCFG
OFFER_COMM
OFFER_HIST_TAO
OSHA_300_RUNS
OSHA_TEMPLATES
PSIB_INFILE_AET
PSIB_MSGFLOPROC
PSMCFSEQNUM
PYTL1_STG_SUB
SALER_JPN_TMP
SIMER_JPN_TMP
STPER_JPN_TMP
TL_DIST_DIL_AET
TL_ELP_TMP
TL_PAYABLE_TAO
TL_PAYABLE_TMP
TL_PAYREQ_AET
TL_PAYROLL_SENT
TL_SEQ_UPDATE
TL_TA000900_AET
TL_TA001100_AET
TL_TO_PAY
TL_TR_CTVL_AET
TL_XREFSQ_TAO
TL_XREF_TBL
UPG_HR_AET
UPG_OFF_HIS_AET
UPG_TL_AET
UPG_TL_LIST



UPG_TL_RESEQ
 UPG_TL_TIME
 UPG_TL_TIME1
 WC_JCR_APPR
 WC_JCR_ERR_WRN

SEQ_NBR1

Default Label Sequence Number
 Length 15
 Type Number
 Format Uppercase

Record Reference(s) UPG_TL_AET
 UPG_TL_RESEQ

SEQ_NBR_TEXT

Default Label Rec Seq
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPIT_GV93_TMP_B

SEQ_NO

Default Label Sequence Number
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) GPSG_IR8S_REFND
 GVT_IRR_RK_FMT
 GVT_IRR_RMK_VAL
 GVT_SVCDEP_LANG
 GVT_SVCDEP_TBL
 GVT_SVCTRN_LANG
 GVT_SVCTRN_TBL



RETROPAY_ACCT
 RETROPAY_EARNS
 UPG_FG_AET
 VC_PLAN_FUNDING

SEQ_NUM

Default Label Sequence
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) APP_PL_ORIG_CHE

ARCH_LNG_TMP
 ARCH_SQRFLD
 BAS_ELIG_DBGFLD
 BAS_ELIG_DBGVAL
 BUDGET_SORT
 CAREER_DEVELOP
 CAREER_DEV_TAO
 CAREER_DVLP_LNG
 CAREER_MENTOR
 CAREER_MEN_TAO
 CAREER_MNTR_LNG
 CAREER_RANKING
 CAREER_RANK_LNG
 CAREER_RANK_TAO
 CAR_DVL_LNG_TAO
 CAR_MEN_LNG_TAO
 CAR_RNK_LNG_TAO
 EOEW_ETLRUN_AET
 EOEW_ETL_GRP
 EOEW_ETL_STEP
 EOEW_ETL_STPLNG
 EOEW_EXE_STEP
 EOEW_EXE_STPLNG
 EOEW_EXPR_ELEM
 EOEW_GRP_FLTR
 EOEW_GRP_ITEM
 EOEW_LU_ITEM
 EOEW_RUN_FLTR
 EOEW_RUN_PROC



EOEW_SRCFIELD
EOEW_SRCFILTER
EOEW_SRCFLD_LNG

EOEW_SRCFLTRLNG
EOEW_SRCJOIN
EOEW_SRCTABLE
EOEW_SRCTBL_LNG
EOEW_TRN_ITEM
EP_DES_DIST_PCT
ER_APPL_STATUS
ER_INTVW_STATUS
ER_POSN_STATUS
ER_REQ_STATUS
ER_ROUTE_STATUS
GM_RC_TE
GPAU_EFT_CMX_HD
GPAU_EFT_CX_AET
GPAU_PSLP_ABS
GPAU_PSLP_ACUM
GPAU_PSLP_ED
GPAU_PSLP_MSGPY
GPAU_PSLP_SECT
GPAU_PS_ABS_LNG
GPAU_PS_ACM_LNG
GPAU_PS_ED_LNG
GPBR_VACCAL_AET
GPDE_SI_MUL_DTL
GPHK_PSLP_ABS
GPHK_PSLP_ACUM
GPHK_PSLP_ED
GPHK_PSLP_SECT
GPHK_P_ABS_LNG
GPHK_P_ACUM_LNG
GPHK_P_ED_LNG
GPHK_P_SECT_LNG
GPIN_PSLP_ABS
GPIN_PSLP_ACUM
GPIN_PSLP_ED
GPIN_PSLP_MSGPY
GPIN_PSLP_SECT
GPIN_PS_ABS_LNG
GPIN_PS_ACM_LNG



GPIN_PS_ED_LNG
GPIN_WRK_DAY
GPMY_PSLP_ABS
GPMY_PSLP_ACUM
GPMY_PSLP_ED
GPMY_PSLP_SECT
GPMY_PS_ABS_LNG
GPMY_PS_ACM_LNG
GPMY_PS_ED_LNG
GPNZ_PSLP_ABS
GPNZ_PSLP_ACUM
GPNZ_PSLP_ED
GPNZ_PSLP_SECT
GPNZ_PS_ABS_LNG
GPNZ_PS_ACM_LNG
GPNZ_PS_ED_LNG
GPSG_PSLP_ABS
GPSG_PSLP_ACUM
GPSG_PSLP_ED
GPSG_PSLP_SECT
GPSG_PS_ABS_LNG
GPSG_PS_ACM_LNG

GPSG_PS_ED_LNG
GP_FC_IN
GP_FC_OUT
GP_FC_OUT_DTL
GP_FC_SEG
GP_HIST_ELEM
GP_PYE_RUN_DTL
GP_TRGR_VALUE
GP_TRGR_VAL_WRK
LMS_HOURS_RATE
LMS_HRSRATE_TAO
LMS_WRKSCH_AET
OFFER_STATUS
PI_DED_DETAIL
PI_EARN_DETAIL
PI_PARTIC_EXTBL
PI_TAX_DETAIL
PLACE_ORIG_CHE
PTUPGCONVERT
PTUPG_STATE_AET



REVV_FACTOR_TBL
REVV_FCT_PT_TBL
REVV_REVWER_CMP
RW_REWERCMP_LNG
ST_ACTN_PRC_AET
ST_ACTN_PRC_MSG
ST_CLASS_ALLOC
ST_ESTIMATE_DTL
ST_EXER_PAYMENT
ST_EXER_SWAP
ST_GRANT_VEST
ST_GRNT_VST_DTL
ST_PLANALC_LANG
ST_PLAN_ALLOC
ST_REL_PAYMENT
ST_REL_SWAP
ST_REPRC2A_TAO
ST_REPRC2B_TAO
ST_REPRC2C_TAO
ST_SPLIT1A_TAO
ST_SPLIT1B_TAO
ST_SPLIT1_TAO
ST_SPLIT3A_TAO
ST_SPLIT3B_TAO
ST_SPLIT3_TAO
ST_SPLIT7A_TAO
ST_SPLIT7B_TAO
ST_SPLIT7_TAO
ST_TRSRALC_LANG
ST_TRSR_ALLOC
ST_VC_ALLOC
ST_VEST_AET
ST_VEST_DEFN
ST_VEST_DFN_AET
TL_RULE_CONDS
TL_SQL_BINDS
TL_SQL_INSERT
TL_SQL_JOIN
TL_SQL_JOINFLDS
TL_SQL_SEL_FLDS
TL_SQL_UPDATE

TL_SQL_UPDBINDS



TL_SQL_WHERE
 TL_SQL_WHRBINDS
 TL_ST_WORK_AET
 TL_TMPLT_CONDS
 TL_TMPLT_RULE2
 UPG_DATACONV
 UPG_ER_AET
 UPG_HR75_AET
 UPG_RVW_FCT_TAO
 UPG_STATE_AET
 VENDOR_PAY
 VENDOR_PAY_TMP
 WP_EE_AGRT_PER
 WP_EE_FUND_DET
 WP_PAYMT_AET
 WP_PSHARING_MSG
 Z_JOB_REQ_APPR
 Z_NFC_U6701_TBL
 Z_NFC_U6708_TBL

SEQ_NUM5

Default Label	Sequence Number
Length	5
Type	Number
Format	Uppercase

Record Reference(s) GPAU_PSLP_ED

GPAU_PS_ED_LNG
 GPFY_DA_SIT
 GPHK_PSLP_ED
 GPHK_P_ED_LNG
 GPIN_PSLP_ED
 GPIN_PS_ED_LNG
 GPIN_WRK_DAY
 GPMY_EFT_MAY_HD
 GPMY_PSLP_ED
 GPMY_PS_ED_LNG
 GPNZ_PSLP_ED
 GPNZ_PS_ED_LNG
 GPSG_CPFLIN_AET
 GPSG_EFT_GIR_HD



GPSG_PSLP_ED
 GPSG_PS_ED_LNG
 GP_ABS_DTL_WRK
 GP_ABS_EVT_WRK
 GP_ABS_SUM_WRK
 GP_ARRAY_FLD
 GP_ARRAY_KEY
 GP_ARRAY_PRC
 GP_BRACKET_DTL
 GP_FORMULA_DTL
 GP_PROCESS_DTL
 GP_PYE_SECT_DTL
 GP_RUNCTL
 GP_SECTION_DTL
 GP_USR_EXIT_DTL
 PYRE_PRELD_AET
 TL_AGG_MAIN_AET

 UPG_GP2_AET

SEQ_NUM8

Default Label Sequence Number
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) GP_RSLT_ACUM
 REG002_TMP
 UPG_GP1_AET

SERIAL

Default Label Serial or Parallel
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSACTIVITYLOG



SERIAL_NBR

Default Label Serial Number
Length 25
Type Character
Format Uppercase

Record Reference(s) COMP_PROP_TBL

SERVERACTION

Default Label Process Server Action
Length 2
Type Character
Format Uppercase

Record Reference(s) PSSERVERSTAT

0	None
1	Stop
2	Suspended
3	Restart
4	Purge

SERVERACTIVITYTYPE

Default Label Server Activity Type
Length 2
Type Character
Format Numbers Only

Record Reference(s) SERVERACTVTY

1	Master Register
2	Remote Register
3	Queue Register
4	Change Status

SERVERASSIGN

Default Label Assigned Remote Server



Length 8
 Type Character
 Format Uppercase

Record Reference(s) PSPRCSQUE

SERVERBOOKMARK

Default Label Mobile Server Bookmark
 Length 36
 Type Character
 Format Uppercase

Record Reference(s) MOBILEID

SERVEREVENTTYPE

Default Label Server Event Type
 Length 2
 Type Character
 Format Numbers Only

Record Reference(s) SERVERMESSAGE

- 1 Schedule Started
- 2 Schedule Stopped
- 3 Suspended
- 4 Schedule Error

SERVERNAME

Default Label Server Name
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) BAS_ODEM_PRNCTL

- NVSDRILL_LANG
- NVSDRILL_LAYOUT
- PAY_OL_PRNTCTL
- PMN_FILTER



CDM_TRANSFER
 PSPRCSJOBSTATUS
 PSPRCSQUE
 PSPRCSRQST
 PSPRCSRQSTARCH

SERVERSTATE

Default Label Server State
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) SERVERACTVTY

SERVERSTATUS

Default Label Server Status
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PSSERVERSTAT

- 0 Error
- 1 Down
- 2 Suspended
- 3 Running
- 4 Purging

- 5 Running With No Report Node
- 6 Suspended - Disk Low
- 7 Suspended - Offline
- 8 Running - Report Rep. Full
- 9 Overloaded

SERVERTYPE

Default Label Server Type
 Length 1
 Type Character



Format Uppercase

Record Reference(s) SERVERINFO

SERVER_ID

Default Label Server ID
Length 15
Type Character
Format Uppercase

Record Reference(s) CO_ESV_SUPP_TBL

SERVICENAME

Default Label Service name
Length 50
Type Character
Format Mixedcase

Record Reference(s) EOEI_XMLREP_TBL

- EOEI_XMLREQ_TBL
- EO_EIP_AXL_TBL
- EO_EIP_AXML_TBL
- EO_EIP_XLNP_TBL
- EO_EIP_XLPF_TBL
- EO_EIP_XLPR_TBL
- EO_EIP_XLPX_TBL
- EO_EIP_XLQF_TBL
- EO_EIP_XLQR_TBL
- EO_EIP_XLQX_TBL
- EO_EIP_XML_TBL
- XMLSERVICEINFO

SERVICENAMEW

Default Label Service Name
Length 60
Type Character
Format Mixedcase



Record Reference(s) PSWSENDPOINT
PSWSSERVICE

SERVICE_403B_PRORT

Default Label 403(b) Service
Length 1
Type Character
Format Uppercase

Record Reference(s) LIMIT_TBL
UPG_BN_LMT_TMP2

F Based on FTE
S Based on Standard Hours

SERVICE_ACCRUAL

Default Label Service Accrual
Length 1
Type Character
Format Uppercase

Record Reference(s) TERM_PGM_DEFLVE

H Hours of Service
M Months of Service

SERVICE_ADJ_METHOD

Default Label Service Adjustment Method
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_FNC_RSLT_TBL

1 Upon Full Payment/Redeposit
2 Upon Any Payment/Redeposit
3 On a Prorated Basis



SERVICE_AMOUNT

Default Label Service Amount
Length 16
Type Number
Format Uppercase

Record Reference(s) PA_PRIOR_PLAN

SERVICE_AS_OF_CD

Default Label Service As Of Code
Length 1
Type Character
Format Uppercase

Record Reference(s) BAS_ELIG_RULES
CALC_RULES_TBL

C Check Date
L Last Year On
P Pay End Date
T This Year On

SERVICE_AS_OF_DD

Default Label Service As Of Day
Length 2
Type Number
Format Uppercase

Record Reference(s) BAS_ELIG_RULES
CALC_RULES_TBL

SERVICE_AS_OF_MM

Default Label Service As Of Month
Length 2
Type Number



Format Uppercase

Record Reference(s) BAS_ELIG_RULES
 CALC_RULES_TBL

SERVICE_DAYS_GBL

Default Label Service Days
Length 5
Type Number
Format Uppercase

Record Reference(s) EG_CLC_SVC_FLX
 EG_FLX_SVC_DT

SERVICE_DEFINITION

Default Label Service Result Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_BEN_ELIG

SERVICE_DT

Default Label Service Date
Length 10
Type Date
Format Uppercase
Legacy field name DATE-SCD-LEAVE
Legacy system name PINE

Record Reference(s) AE_FGPY005_AET
 BAS_PARTIC
 BN_SNAP_JOB
 EG_FLX_SVC_DT
 EMPLOYMENT
 FGHR003B_EMPLOY
 GPBR_VAC_AP_AET



GPMX_TRG_AET
 GVT_EMPLOYMENT

GVT_EMPL_TEMP
 GVT_LV_BANK_APP
 MASS_RETRO_RQST
 RETRODEDMAS_TBL
 TL_EMPL_DTA_MSG
 TL_EMPL_TAO
 TL_RPT_EMPL
 Z_HCUP_AUDIT
 Z_HR_PIVOT_REF
 Z_MIIS_EMPOW_IN

SERVICE_FROM

Default Label Service From
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_VESTSTEP

SERVICE_FR_NAME

Default Label Service Function Result Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_FNC_RSLT_TBL
 PA_WTHDRW_CTB

SERVICE_HRS

Default Label Hours of Service
 Length 11
 Type Signed Number
 Format Uppercase



Record Reference(s) GVT_ACCR_ADJ
GVT_ACCR_LDGR
GVT_ACR_SUM_WRK
LEAVE_ACCRUAL
TERM_PRORT_ACCR

SERVICE_HRS_ADD

Default Label Add to Service Hours
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_ACCRL
GVT_ACC_ERNCD

SERVICE_HRS_UNPROC

Default Label Service Hours Unprocessed
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) LEAVE_ACCRUAL

SERVICE_ID

Default Label Service ID
Length 20
Type Character
Format Uppercase

Record Reference(s) ORG_NAMEVALUE

SERVICE_IND

Default Label Service
Length 1



Type Character
 Format Uppercase

Record Reference(s) EG_PRDIC_RSLT
 EG_RUN_CNTL_SVC
 PA_PRDIC_RSLT
 PA_RUN_CNTL

SERVICE_IND2

Default Label Commit to History
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_PRDIC_RSLT
 EG_RUN_CNTL_SVC

SERVICE_INTERVAL

Default Label Service Units
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_ERN_ACR_CLS
 LEAVE_PLAN_TBL

H Hours
 M Months
 P Pay Period
 Y Years

SERVICE_INTERVALS

Default Label Service Intervals
 Length 5
 Type Number
 Format Uppercase



Record Reference(s) GVT_ACC_ADL_TBL
GVT_ACC_RT_TBL
LEAVE_ADDL_TBL
LEAVE_RATE_TBL
SVC_COVG_TBL
SVC_STEP_COVG
SVC_STEP_PCT

SERVICE_LENGTH
Default Label Months of Service
Length 10
Type Number
Format Uppercase

Record Reference(s) TERM_PRORT_ACCR

SERVICE_MINIMUM
Default Label Service Minimum Years
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_DFN_BEN_ELIG

SERVICE_MONTHS
Default Label Months of Service
Length 4
Type Number
Format Uppercase

Record Reference(s) R_PER003

SERVICE_MONTHS_GBL
Default Label Service Months
Length 4



Format Uppercase

Record Reference(s) EG_CLC_SVC_FLX
EG_FLX_SVC_DT
GPBR_MASVAC_AET
GPBR_VACN_AP
GPBR_VAC_AP_AET
GVT_RUN_CNTL
RUN_CNTL_HR
R_PER003
Z_LC_RUNCTL

SERVICE_YEARS1

Default Label Between Service Years
Length 3
Type Number
Format Uppercase

Record Reference(s) GPCH_AB_ENTTLDE
GPDE_AB_ENTTLDE
UPG_GPDE801_AET

SERVICE_YEARS2

Default Label and Service Years
Length 3
Type Number
Format Uppercase

Record Reference(s) GPCH_AB_ENTTLDE
GPDE_AB_ENTTLDE

SERVICE_YRS_OVRD

Default Label Override Service Years Calc
Length 1
Type Character
Format Uppercase



Record Reference(s) SAVINGS_403B_EE
SAVINGS_MGT_EE

SERV_MONTHS_BEL

Default Label Months service time
Length 3
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_HR_BEL

SESSIONCOOKIEIDOM

Default Label Session Cookie Domain
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSWEBPROFHIST

SESSIONCOOKIENAME

Default Label Session Cookie Name
Length 254
Type Character
Format Mixedcase

Record Reference(s) PSWEBPROFHIST

SESSIONIDNUM

Default Label Session ID Number
Length 10
Type Number
Format 7

Record Reference(s) PSPRCSCHLDINFO



PSPRCSQUE
SERVERINFO

SESSION_LANGUAGE

Default Label Session Language
Length 8
Type Character
Format Uppercase

Record Reference(s)

CRSE_SESSN_TBL

CFR	Canadian French
DUT	Dutch
ENG	English
ESP	Spanish
FRA	French
GER	German
INE	International English
JPN	Japanese
POR	Portuguese

SESSION_NBR

Default Label Course Session Nbr
Length 4
Type Character
Format Numbers Only

Record Reference(s)

APP_TRAINING

CRSE_SESSN_COST
CRSE_SESSN_TBL
CRSE_SESS_DATES
CRSE_SESS_EQUIP
CRSE_SESS_INSTR
CRSE_SESS_PROVD
CRSE_SESS_RAREA
CRSE_SESS_RATNG
CRS_SESSDTS_LNG
GVT_SF182_EVAL
GVT_SF182_LANG



Type Character
 Format Uppercase

Record Reference(s) CRSE_SESSN_TBL

A Active
 C Complete
 N Canceled

SESSION_SW

Default Label Coming from session table
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TRN_EEPROV_COST

SESSN_ADMINISTRATN

Default Label Session Administration
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) COURSE_TBL

SESSN_END_DT

Default Label Session End Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) CRSE_SESS_DATES
 UPG_HR75TRN_AET

SESSN_END_TIME

Default Label End Time



Length 15
Type Time
Format Uppercase

Record Reference(s) CRSE_SESSN_TBL
CRSE_SESS_DATES
TRN001_AET
TRN001_TAO
UPG_HR75TRN_AET

SESSN_ORGANIZER

Default Label Session Administration
Length 1
Type Character
Format Uppercase

Record Reference(s) CRSE_SESSN_TBL

SESSN_START_DT

Default Label Session Start Date
Length 10
Type Date
Format Uppercase

Record Reference(s) CRSE_SESS_DATES
UPG_HR75TRN_AET

SESSN_START_TIME

Default Label Start Time
Length 15
Type Time
Format Uppercase

Record Reference(s) CRSE_SESSN_TBL
CRSE_SESS_DATES
TRN001_AET



TRN001_TAO
UPG_HR75TRN_AET

SETCNTRLFLD

Default Label Set Control Field
Length 18
Type Character
Format Uppercase

Record Reference(s) EO_RECDEFN_CUR
EO_RECFIELD_CUR
PSRECDEFN
PSRECFIELD
PSRECFIELDDB
PSTREESTRCT

SETCNTRLVALUE

Default Label Set Control Value
Length 20
Type Character
Format Uppercase

Record Reference(s) EOTP_CTLGRP_TMP
EOTP_CTLREC_TMP
PSACETREE
PSTREEBRADEL
PSTREEBRANCH
PSTREEDEFN
PSTREEDEFNLANG
PSTREEDEL
PSTREELEAF
PSTREELEVEL
PSTREELOCK
PSTREENODE
PSTREEPROMPT
PSTREESELCTL
PSTREESTRCT
PSX_TREEBRANCH



PSX_TREDEFNLNG
 PSX_TREELEAF
 PSX_TREELEVEL
 PSX_TREENODE
 PSX_TREENODEGAP
 PSX_TREENODENUM
 PSX_TREENODEUPD
 PSX_TREE_SAVE
 RUN_TREEMOVER
 RUN_TREE_UTILS
 SET_CNTL_GP_TMP
 SET_CNTL_RC_TMP
 SET_CNTRL_GROUP
 SET_CNTRL_REC
 SET_CNTRL_TBL
 SET_CNTRL_TREE
 SET_CNTRL_TR_WK
 SET_CTL_GRP_TMP
 SET_CTL_REC_TMP
 TREEMOVER_AET
 TREE_MAINT_AET
 UPG_HR75_AET
 UPG_PY_AET

SETCNTRLVALUE_NEW

Default Label	Set Control Value
Length	20
Type	Character
Format	Uppercase

Record Reference(s) PSTREEPUBSUB

SETCNTRLVALUE_OLD

Default Label	Set Control Value
Length	20
Type	Character
Format	Uppercase

Record Reference(s) PSTREEPUBSUB



SETCNTRL_COUNT

Default Label Set Control Field Count
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSTREESTRCT

SETCNTRL_IND

Default Label Set Control Method Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSTREESTRCT
 RUN_TREEMOVER
 TREEMOVER_AET

B Business Unit
 N None
 S SetId Indirection
 U User Defined

SETID

Default Label SetID
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) AA_JC_JPN_AET
 ABS_CD_TBL_LANG
 ABS_CLASS_TBL
 ABS_CL_TBL_LANG
 ABS_CODE_TBL
 ABS_STAT_NLD
 ABS_TYPE_TBL



ABS_TY_TBL_LANG
ACCDNT_TYPE_LNG
ACCDNT_TYPE_TBL
ACCT_CD_TBL
AE_GB_AET
APP_DIVER_ETHNC
APP_DIVER_RELIG
AP_EXTRACT_HDR
AP_EXTRACT_LINE
AP_VENDOR_CNTRL
AUDIT_EOTP_SVC
BALANCE_ID_DEF
BALANCE_ID_LANG
BALANCE_ID_QTR
BALANCE_ID_TBL
BAL_ID_DEF_LANG
BAL_ID_QTR_LANG
BAS_ELIG_GRADE
BAS_ELIG_LOCN
BDGT_EXPORT_WRK

BD_JOBCODES
BENEF_PLAN_TBL
BEN_PLAN_DATA
BN_834_MEMBER
BN_834_PAYER
BN_834_PLAN
BN_834_PYR_WRK
BN_834_SEL_WRK
BN_M_SCHVND_TBL
BN_SNAP_HIST
BN_SNAP_PLAN
BN_SNAP_TMP1
BN_VENDOR_EIN
BODY_PART_LANG
BODY_PART_TBL
BP_RNCTL_BPINFC
BUDGET_ACTUALS
BUDGET_TRIGGER
BUDGET_YEAR
BUS_UNIT_OPT_HR
CAL_BP_TBL
CAL_DEFN_TBL



CAL_DETP_TBL
CAN_JOBCODE_CU
CAN_TAX_TYPE
CBO_CD_BRA_AET
CC_CARD_TBL_EX
CC_CARD_TBL_LNG
CHART_DIST_HR
CHART_KEYS_HR
CHART_KEYS_LANG
CLAIM_INFO_AUS
CMP008_AET
CMP010_TMP
CMP_RULE_VALUES
CM_ROLE
CM_ROLE_ACCOMPS
CM_ROLE_ACP_TAO
CM_ROLE_COMPS
CM_ROLE_CPS_TAO
CM_ROLE_MT_TMP
CM_ROLE_MT_TMP2
CM_ROLE_TAO
CNTRCT_TYPE_GRP
CNT_RSZ_TBL_BEL
CNT_TEMPLATE
CNT_TEMPL_LANG
COMP_EXT_RELATN
COMP_LOC_TBL
CONTRACT_CLAUSE
CONTRCT_CLS_LNG
DANGER_OCC_LANG
DANGER_OCC_TBL
DEPTBDGT_SUSPNS
DEPT_ACCESS_TBL
DEPT_BUDGET
DEPT_BUDGET_CTX
DEPT_BUDGET_DED
DEPT_BUDGET_DT
DEPT_BUDGET_ERN
DEPT_BUDGET_TAX

DEPT_FTE_CAP
DEPT_FTE_EFFDT
DEPT_NODE_TBL



DEPT_TBL
DEPT_TBL_LANG
DEPT_TREE_NODE
DIAGNOSIS_LANG
DIAGNOSIS_TBL
DISCIP_STEP_TBL
DISCIP_TYPE_TBL
DIVERS_ETHNIC
DIVERS_RELIGION
ECEXTTPLINK
ECGENERAL
ECTPCVT_HDR
EG_ADMIN_POSTS
EG_SPECIAL_PRJ
EG_TENURE_DATA
EMPL_CLASS_TBL
EMPL_CL_TBL_LNG
EMPL_CTG
EMPL_CTG_ESP
EMPL_CTG_IND
EMPL_CTG_L1
EMPL_CTG_L1_LNG
EMPL_CTG_L2
EMPL_CTG_L2_LNG
EMPL_CTG_L3
EMPL_CTG_L3_LNG
EMPL_CTG_LNG
EMPL_CTG_MG_IND
EMPL_REG_RC_BRA
ENCUMB_DEFN_DED
ENCUMB_DEFN_TAX
ENCUMB_DEFN_TBL
ENCUMB_DIST_DED
ENCUMB_DIST_ERN
ENCUMB_DIST_TAX
ENCUMB_MSG
ENCUMB_TRIGGER
EOCM_ACCESS_ENT
EOCM_ACCESS_TP
EOCM_CATALOG
EOCM_CATALOG_CH
EOCM_CATALOG_TP
EOCM_CATLG_USER



EOCM_CAT_AET
EOCM_CAT_RQST
EOCM_CAT_TP_VER
EOCM_CAT_VER
EOCM_COMP_AET
EOCM_COMP_RQST
EOCM_COM_OFFCAT
EOCM_CRMRP_TBL
EOCM_CRM_SCH
EOCM_CSAPP_WL
EOCM_CTLG_SYND
EOCM_CTLG_SY_TP
EOCM_CTLG_S_AET
EOCM_DATA_FLDS
EOCM_DATA_SRC

EOCM_DS_ERROR
EOCM_DS_LOG
EOCM_ELMRP_TBL
EOCM_ELM_SCH
EOCM_EPRORP_TBL
EOCM_EPRO_SCH
EOCM_ETL_AET
EOCM_GEN_TBL
EOCM_IMPORT_AET
EOCM_IMP_PARMS
EOCM_MAP_DFN
EOCM_MAP_PARMS
EOCM_MTP_AET
EOCM_MTP_RQST
EOCM_NEWGEN_TBL
EOCM_NEWOFF_TBL
EOCM_NEW_CAT
EOCM_NEW_OFFCAT
EOCM_OFFER_CAT
EOCM_OFFER_TBL
EOCM_REPORT
EOCM_REP_AET
EOCM_REP_RQST
EOCM_SELECT_FLD
EOCM_SOFF_PR
EOCM_S_OFF_TBL
EOCM_TP_RULE



EOCM_TP_VER
EOCM_WORKFLOW
EOTP_APPROVE_WL
EOTP_CTLGRP_TMP
EOTP_CTLREC_TMP
EOTP_PARTNRSVCS
EOTP_PARTUSRSVC
EOTP_RECSVCS
EOTP_SERVICE
EOTP_SVCAPLROLE
EOTP_SVCGROUP
EOTP_SVCPROC
EOTP_SVC_LANG
EO_EIP_CTL
EO_SETID_EOC
EO_SYS_WF_RULES
ER_RULE_WHERE
ESTAB_LOCUS_TAO
ESTAB_LOC_US
ETHNIC_GRP_LANG
ETHNIC_GRP_TBL
FAST_SCRTY_2
FPADEPT_HDCNT
FPADPTCAHDCNT
FPADPTCAHDCNT01
FPAHEADCNT04
FPA_CA_ARCH
FPA_CA_TBL
FPMACTSTATU_TBL
FPMCONVTABL1_TB
FPMCONVTABL_TBL
FPMDEPT_BUDG
FPMJB_RATECODE
FPMRANK_TBL

FPMRANK_TBL_LNG
FPMRK_RATECODE
FPM_CA_CTG_LNG
FPM_CA_CTG_MBR
FPM_CA_CTG_TBL
FPM_CA_DOUBLE
FPM_CA_HDCT
FPM_CA_LOCKS



FPM_CA_MVT1_LNG
FPM_CA_MVT2_LNG
FPM_CA_MVTS1
FPM_CA_MVTS2
FPM_CA_ORPHANRK
FSA_BENEF_TBL
FSA_CLAIM
FSA_CLAIM_DET
FSA_PAYMENT
FS_ACTIVITY_LNG
FS_ACTIVITY_TBL
FUND_TBL
GARN_SPEC
GB_VALUES_TBL
GENL_DED_TBL
GL_ACCOUNT_LANG
GL_ACCOUNT_TBL
GL_ACCT_CD_TBL
GPAU_EFT_SB_TMP
GPAU_PSLP_DEPT
GPAU_PSLP_DP_RC
GPAU_PSLP_LC_RC
GPAU_PSLP_LOCTN
GPAU_RC_LVELIAB
GPAU_RC_REPORTS
GPBR_RC_TER_DEP
GPBR_RC_VAC_DEP
GPCH_RC_PAYROLL
GPCH_RP_LSECT
GPCH_RP_LSEJC
GPCH_RP_LSEPS
GPCH_RP_LSESK
GPDE_AL_DEPT
GPDE_AL_PE_LOC
GPDE_BK_DP_SBK1
GPDE_BK_DP_SBK2
GPDE_ER_GUARANT
GPES_LBR_AGRMNT
GPES_LBR_BNF_AT
GPES_LBR_BNF_IT
GPES_LBR_BNF_MT
GPES_LBR_BNF_RE
GPES_LBR_SEN



GPES_LBR_XTRLNG
GPES_LBR_XTRPER
GPES_LBR_XTR_PD
GPES_RC_BNK
GPES_RC_PSLP_DP
GPES_RC_PSLP_LC
GPES_RC_TAX
GPES_SEN_BSE_ER
GPES_TAX190_AET
GPFR_ILL_ADMIN

GPGB_RUNCTL_SQR
GPHK_PSLP_DEPT
GPHK_PSLP_DP_RC
GPHK_PSLP_LC_RC
GPHK_PSLP_LOCTN
GPIN_PR_TMP
GPIN_PSLP_DEPT
GPIN_PSLP_DP_RC
GPIN_PSLP_LC_RC
GPIN_PSLP_LOCTN
GPIT_DM10E_TMPA
GPIT_DM10E_TMPB
GPIT_DM10E_TMPC
GPIT_DM10_AET
GPIT_DM10_RUNCL
GPIT_DM10_TMP
GPMX_RC_PROV
GPMY_PE_SBANK
GPMY_PR_TMP
GPMY_PSL_DP_RC1
GPMY_PSL_LOCTN1
GPMY_RC_LVELIAB
GPMY_RC_REPORTS
GPMY_RPT_RC
GPNL_EE_SOC_INS
GPNL_RC_PS_DEPT
GPNL_RC_PS_LOC
GPNZ_PE_SBANK
GPNZ_PSLP_DEPT
GPNZ_PSLP_DP_RC
GPNZ_PSLP_LC_RC
GPNZ_PSLP_LOCTN



GPNZ_RC_LVELIAB
GPNZ_RC_REPORTS
GPSG_PE_SBANK
GPSG_PSLP_DEPT
GPSG_PSLP_DP_RC
GPSG_PSLP_LC_RC
GPSG_PSLP_LOCTN
GPSG_RC_LVELIAB
GPSG_RC_REPORTS
GP_GENRPT_TMP
GP_PE_SBANK_DTL
GP_PI_GEN_SOVR
GP_PI_MNL_SOVR
GP_P_SBNK_SGPAU
GP_RSLT_PI_SOVR
GRIEV_STEP_TBL
GRIEV_TYPE_TBL
GVT_EMPLOYMENT
GVT_EMPL_TEMP
GVT_MASSCHG_AET
GVT_MOC_DATA
GVT_MOC_DTA_LNG
GVT_POI_TBL
GVT_PSN_APPLFOR
GVT_RUN_CNTL
HAZ_CON_MAT_LNG
HAZ_CON_MAT_TBL
HPDBRETDIST_AET
HP_BDGT_CTXCHG

HP_BDGT_DEDCHG
HP_BDGT_ERNCHG
HP_BDGT_TAXCHG
HP_BGTACTUAL_WK
HP_CTX_ACCT_DTL
HP_DED_ACCT
HP_DED_ACCT_MAP
HP_DED_ACC_TMPL
HP_DISTBDGT_AET
HP_DISTRCH_AET
HP_ERN_ACCT
HP_ERN_ACCT_MAP
HP_ERN_ACC_TMPL



HP_RC_GRSFR_DPT
HP_RDIST_TRIGGR
HP_TAX_ACCT_DTL
HR_CMP050JP_AET
HR_CMP051JP_AET
HR_DIM_RUN_BEL
HR_PER510_SCRTY
HS_ALLERGY_LANG
HS_ALLERGY_TBL
HS_IMMUN_LANG
HS_IMMUN_TBL
HS_MEDCATN_LANG
HS_MEDCATN_TBL
INJURY_ILL_IND
INJURY_NATR_LNG
INJURY_NATR_TBL
INJURY_SRCE_LNG
INJURY_SRCE_TBL
INTERVW_SCHED
INTERVW_TIMES
JOB_CD_COMP_RATE
JOB_CD_SURVEY
JOB_CD_SURVEY_LN
JOB_CD_TASK_DEFN
JOB_CD_TASK_TBL
JOB_CD_TRN_PROG
JOB_CODE_HAZ_TBL
JOB_CODE_LANG
JOB_CODE_TBL
JOB_CODE_TBL_BRA
JOB_REQUIS_TAO
JOB_TASK_LANG
JOB_TASK_TBL
JRN_LGEN_APPL_ID
LEGAL_TYPE_LNG
LEGAL_TYPE_TBL
LMS_ENTRY_AET
LMS_EVENT_TBL
LOCATION_CHE
LOCATION_LANG
LOCATION_TBL
LOCATN_HAZ_TBL
LOCL_TX_TYP_TBL



LOC_CASEOFF_GER
LOC_CASEOFF_TBL
MC_DEFN_PC
MOC_DEPT
MODIFIED_WRK_LNG

MODIFIED_WRK_TBL
MU_AET
NVS_SCOPE
NVS_SCOPE_FIELD
NVS_SCOPE_VALUE
OCC_ILLNESS_LNG
OCC_ILLNESS_TBL
OFFER_HIST_TAO
OFFER_TAO
OPR_DEFAULT_TBL
OPR_DEF_HR_TAO
OPR_DEF_TBL_FS
OPR_DEF_TBL_HR
ORG_TBL
PAYROLL_DATA
PA_DBPAY_FUND
PA_RT_ADJ
PA_RT_PAY_DETL
PA_RT_PAY_SCHED
PA_TE_1PMT
PA_TE_SPMT
PA_WTHDRW_CTB
PCMP_CHK_TYP_LNG
PCMP_CHK_TYPE
PCMP_CLASS
PCMP_CLASS_COMM
PCMP_CLASS_LANG
PCMP_CLSSCOMLNG
PCMP_COMPL
PCMP_COMPL_LANG
PCMP_DEVACT_LNG
PCMP_DEVPLANLNG
PCMP_DEV_ACPS
PCMP_DEV_ACT
PCMP_DEV_COMP
PCMP_DEV_CRSE
PCMP_DEV_PLAN



PCMP_OBMODC_LNG
PCMP_OBMODECLNG
PCMP_OBSELEMLNG
PCMP_OBSMOD_COM
PCMP_OBSMOD_ECM
PCMP_OBSMOD_ELM
PCMP_OBSMOD_LNG
PCMP_OBS_ELEM
PCMP_OBS_MODEL
PCMP_PRODTYPLNG
PCMP_PRODUCT
PCMP_PROD_LNG
PCMP_PROD_TYPE
PCMP_REG_AUTH
PCMP_RGAUTHCLNG
PCMP_RGAUTH_COM
PCMP_RGAUTH_LNG
PCMP_TYPE
PCMP_TYPE_COMM
PCMP_TYPE_JOB CD
PCMP_TYPE_LANG
PCMP_TYP_COMLNG
PER062_GRD_JPN
PER064JP_DATA

PER066JP_AET
PER066JP_DATA
PERS_CNTRCT_TYP
PERS_CNTTYP_LNG
PKG_MDL_TBL
POOL_TBL
POOL_TBL_LANG
POSN_BUDGET
POSN_BUDGET_DT
PRODUCT_TBL
PROJECT_FS
PROJECT_TBL
PROJECT_TBL_LNG
PROJ_CATG_LANG
PROJ_CATG_TBL
PROJ_CAT_SUB
PROJ_CAT_SUB_LG
PROJ_RES_TYPE



PROJ_RES_TYP_LG
PROJ_STATUS_CTL
PROJ_STATUS_LNG
PROJ_STATUS_TBL
PROJ_SUBCAT_LNG
PROJ_SUBCAT_TBL
PROJ_TYPE_CAT
PROJ_TYPE_LANG
PROJ_TYPE_TBL
PROJ_TYP_CAT_LG
PSACETREE
PSCUBETBLSPC
PSOPRALIAS
PSTREEBRADEL
PSTREEBRANCH
PSTREEDEFN
PSTREEDEFNLNG
PSTREEDEL
PSTREELEAF
PSTREELEVEL
PSTREELOCK
PSTREENODE
PSTREEPROMPT
PSTREESELCTL
PSX_TREEBRANCH
PSX_TREEDEFNLNG
PSX_TREELEAF
PSX_TREELEVEL
PSX_TREENODE
PSX_TREENODEGAP
PSX_TREENODENUM
PSX_TREENODEUPD
PSX_TREE_SAVE
PYAP_CONVRT_AET
PYAP_HDR_TAO
PYAP_LINE_TAO
PYAP_POST_AET
PYAP_UNXTRC_TAO
PYAP_XBOND_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX3_TAO
PYAP_XCTAX_AET



PYAP_XDEDN1_TAO
PYAP_XDEDN2_TAO
PYAP_XDEDN3_TAO
PYAP_XDEDN4_TAO
PYAP_XDEDN_AET
PYAP_XGARN_TAO
PYAP_XTAX1_TAO
PYAP_XTAX2_TAO
PYAP_XTAX_AET
PY_VNDR_MAPPING
QUA_PCT_TBL_JPN
RATING_MDL_TBL
RC_BUD011
RC_PKG
RC_X_DEDS_VNDR
RELIGION_LANG
RELIGION_TBL
REVV_RATING_TBL
REV_DEF_JPN_LNG
REV_DEF_TBL_JPN
RUN_CNTL_ABS001
RUN_CNTL_ABS003
RUN_CNTL_BDGT
RUN_CNTL_BEN
RUN_CNTL_BEN_VD
RUN_CNTL_BLOAD
RUN_CNTL_BUDEPT
RUN_CNTL_BUDSPN
RUN_CNTL_DEPT
RUN_CNTL_EG
RUN_CNTL_HR
RUN_CNTL_HR_ESP
RUN_CNTL_HR_JPN
RUN_CNTL_HR_NLD
RUN_CNTL_JOB_CD
RUN_CNTL_LOCTN
RUN_CNTL_ORGCH
RUN_CNTL_VNDR
RUN_HPDISTRCH
RUN_ILL_HR_NLD
RUN_SALAMT_JPN
RUN_STEP_JPN



RUN_TREEMOVER
RUN_TREE_UTILS
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5
R_PER060
R_PER505
R_PER507
SAL_GRADE_LANG
SAL_GRADE_PUB
SAL_GRADE_TBL
SAL_GRD_JPN_LNG
SAL_GRD_REV_JPN
SAL_GRD_TBL_JPN
SAL_ID_TBL_JPN
SAL_MATRIX_LANG
SAL_MATRIX_PCT
SAL_MATRIX_TBL
SAL_PLAN_LANG

SAL_PLAN_PUB
SAL_PLAN_TBL
SAL_PLN_JPN_LNG
SAL_PLN_TBL_JPN
SAL_RATECD_LNG
SAL_RATECD_TBL
SAL_STEP_PUB
SAL_STEP_TBL
SAL_STP_TBL_LNG
SCHL_TYPE_LANG
SCHOOL_TYPE_TBL
SCRTY_TBL_DEPT
SENIOR_NOTIF_ITA
SETID_LANG
SETID_MAP
SETID_TBL
SET_CNTL_GP_TMP
SET_CNTL_RC_TMP
SET_CNTRL_GROUP
SET_CNTRL_REC
SET_CNTRL_TBL
SET_CNTRL_TREE
SET_CNTRL_TR_WK



SET_CTL_GRP_TMP
SET_CTL_REC_TMP
SHIFT_LANG
SHIFT_TBL
SOCIAL_ASSR_NLD
STAT_TBL
STAT_TX_TYP_TBL
ST_GRP_PARM_TBL
SUPVSR_LVL_LANG
SUPVSR_LVL_TBL
TC_SETID_REC
TEMP_DUTIES_LNG
TEMP_DUTIES_TBL
TL_GRP_PARM_TBL
TL_PAYABLE_TMP
TRAINING013_AET
TRAINING_AET
TREEMOVER_AET
TREE_LEVEL_LNG
TREE_LEVEL_TBL
TREE_MAINT_AET
TREE_NODE_LANG
TREE_NODE_TBL
TRN_CRIT_DEPT_E
TRN_CRIT_DEPT_I
TRN_CRIT_JOB_E
TRN_CRIT_JOB_I
TRN_JOB_SL_COST
UNSAFE_ACT_LANG
UNSAFE_ACT_TBL
UPG_83_JP_AET
UPG_83_JP_MAIN
UPG_CM_ACMP_TAO
UPG_CM_COMP_TAO
UPG_CM_ROLE_TAO
UPG_CONV_BN
UPG_CONV_HR75
UPG_CONV_HR801

UPG_CONV_TBL
UPG_E3XW_TAO
UPG_GPBR880_AET
UPG_HP_01_TAO



UPG_HP_02_TAO
UPG_HP_AET
UPG_HR75RWF_AET
UPG_HR75_AET
UPG_HR_AET
UPG_LBRXER_GPES
UPG_LOC_CHE_TAO
UPG_OFF_HIS_AET
UPG_PY_AET
UPG_TL_AET
VENDOR
VENDOR_ADDR
VENDOR_ADDR_LNG
VENDOR_ADDR_PHN
VENDOR_ADDR_TMP
VENDOR_CNTCT
VENDOR_LANG
VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP
VENDOR_PAY
VENDOR_PAY_TMP
VENDOR_POLICY
VENDOR_TMP
VNDRLOCSCROL_LG
VNDR_ADDR_P_TMP
VNDR_ADDR_SCROL
VNDR_ADDR_S_TMP
VNDR_BANK_ACCT
VNDR_BANK_A_TMP
VNDR_CNTCT_PHN
VNDR_CNTCT_SCR
VNDR_CNTCT_TAO
VNDR_CNTCT_TMP
VNDR_CTCT_P_TMP
VNDR_CTCT_S_TMP
VNDR_LOC_SCROL
VNDR_LOC_S_TMP
VNDR_PLCY_CNTCT
VNDR_PLCY_C_TMP
VNDR_POLICY_TMP
WA_MKT_RATE_TBL
WC_CNCLSPK_TBL



SETID_3

Default Label SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) AE_GB_AET
GB_VALUES_TBL
GP_PI_MNL_TMPLT

SETID_ACTIVITY

Default Label Activity SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) UPG_TL1_AET
UPG_TL_AET
UPG_TL_TIME
UPG_TL_TIME1

SETID_AP

Default Label Accounts Payable SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) PYAP_CONVRT_AET
PY_VNDR_MAPPING
VNDR_CNTCT_TAO

SETID_BASED

Default Label Setid Based
Length 1



Type Character
Format Uppercase

Record Reference(s) ECTPCVT_HDR

SETID_DEPT

Default Label Department SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) BD_POS_POOL_WRK

BP_JOB
CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN
CO_DPK_JOB_TAO
ER_DPTPOP_AET
ER_EE_REF_AWD
FAST_SCRTY1_AET
FAST_SCRTY_1
FPAEEFLAT_TBL
FPAEEPOST_HIST
FPAEEPOST_TBL
FPAHEADCNT
FPAHEADCNT01
FPAHEADCNT02
FPAHEADCNT04
FPA_CI_JOB
FPA_RATPRS_TBL
GPDE_RP_0001
GPIT_DM10_AET
GPIT_RP_0001
GPMX_RC_AG001
GPMX_RC_VACATN
GPNL_PSLIP_MSG
GPNL_YEE1_TMP
GPNL_YER1_TMP
GPSG_IR8A_FORM
GVT_JOB



GVT_JOB_TEMP
 HP_GRSFRG_DATA
 HP_RETDIST_AET
 HR_DIM_BEL_AET
 HR_NSZ_AET
 HR_VIAPRIS_AET
 JOB
 JOBCOMP_TMP_MC
 JOB_REQUISITION

JOB_REQUIS_TAO
 JOB_TEMP
 JOB_TMP_MC
 PER062_TMP_JPN
 PER064JP_DATA
 R_PER031
 TC_EE_DETAIL
 TC_POPULATION
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_CONV_HR75
 UPG_CONV_TL
 UPG_HR75RWF_AET
 UPG_PY_JOB_TAO
 UPG_TL1_AET
 UPG_TL_AET
 UPG_TL_TIME
 UPG_TL_TIME1
 Z_FAST_SCRTY_1

SETID_FLD_CD

Default Label	Setid Field Code
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	GP_TASK_ELEM
	01 SETID_DEPT
	02 SETID_JOBCODE
	03 SETID_LOCATION



SETID_HR

Default Label SetID - HR
Length 5
Type Character
Format Uppercase

Record Reference(s) PYAP_XTAX1_TAO
PYAP_XTAX_AET
R_HR_ACCRUAL
R_PAYGL1

SETID_JOBCODE

Default Label Job Code SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET
BP_JOB
BUDGET_ACTUALS
CO_DPK_JOB_TAO
CO_ESV_JOBA_TAO
CO_ESV_JOB_TAO
DEPT_BUDGET

DEPT_BUDGET_CTX
DEPT_BUDGET_DED
DEPT_BUDGET_ERN
DEPT_BUDGET_TAX
ENCUMB_DEFN_DED
ENCUMB_DEFN_TAX
ENCUMB_DEFN_TBL
ENCUMB_DIST_DED
ENCUMB_DIST_ERN
ENCUMB_DIST_TAX
ENCUMB_MSG
ENCUMB_TRIGGER
FPAEEFLAT_TBL
FPAEEPOST_HIST



FPAEPOST_TBL
FPA_CI_JOB
FPMRANK_TBL
GPFR_ASS_AET
GPFR_ASS_PAYEE
GPFR_WC_POS
GVT_JOB
GVT_JOB_TEMP
HPDBRETDIST_AET
HP_BDGT_CTXCHG
HP_BDGT_DEDCHG
HP_BDGT_ERNCHG
HP_BDGT_TAXCHG
HP_BGTACTUAL_WK
HP_DISTBDGT_AET
HP_ERN_ACCT_MAP
HP_RETDIST_AET
HR_CMP052J2_AET
HR_SAL_CHG_EE
JOB
JOBCOMP_TMP_MC
JOB_TEMP
JOB_TMP_MC
POSN_BUDGET
ROE
R_PER003
R_PER031
SALINC_SIML_JPN
SIM01_JPN_TMP
SIM02_JPN_TMP
TC_EE_DETAIL
TC_POPULATION
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_CONV_HR75
UPG_CONV_TL
UPG_HP_01_TAO
UPG_HP_02_TAO
UPG_HP_AET
UPG_PY_JOB_TAO
UPG_TL1_AET
UPG_TL_AET
UPG_TL_TIME



UPG_TL_TIME1

SETID_JOBTASK

Default Label	Job Task SetID
Length	5
Type	Character
Format	Uppercase

Record Reference(s) JOB_CD_TASK_DEFN

SETID_LBR_AGRMNT

Default Label	Labor Agreement SetID
Length	5
Type	Character
Format	Uppercase

Record Reference(s) MATR_BK_ITA_TAO

MATR_BOOK_ITA
R_PER053
R_PER053_ALL
R_PER053_MAX
R_PER053_MIN
R_PER060
TC_EE_DETAIL
TC_POPULATION

SETID_LOCATION

Default Label	Location SetID
Length	5
Type	Character
Format	Uppercase

Record Reference(s) AE_GB_AET

BP_JOB
COMPANY_TBL
DEPT_TBL



ER_PRF_LOC
 ESTAB_LOCUS_TAO
 FPAEEPOST_HIST
 FPAEEPOST_TBL
 FPA_CI_JOB
 GB_VALUES_TBL
 GPDE_RP_0001
 GPIT_RP_0001
 GVT_JOB
 GVT_JOB_TEMP
 HR_LOCATION_WL
 INCIDENT_DATA
 INCIDENT_REPORT
 JOB
 JOBCD_TASK_DEFN
 JOBCD_TASK_TBL
 JOBCOMP_TMP_MC
 JOB_TEMP
 JOB_TMP_MC
 PER064JP_DATA
 R_PER507
 TC_EE_DETAIL
 TC_POPULATION

 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_CONV_TL
 UPG_PY_JOB_TAO
 UPG_TL1_AET
 UPG_TL_AET
 UPG_TL_TIME
 UPG_TL_TIME1

SETID_MAP

Default Label	SetID Map
Length	5
Type	Character
Format	Uppercase

Record Reference(s) SETID_MAP



SETID_NEW

Default Label SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) PSTREEPUBSUB

SETID_OLD

Default Label SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) PSTREEPUBSUB

SETID_RESOURCE

Default Label Resource SetID
Length 5
Type Character
Format Uppercase

Record Reference(s) UPG_TL1_AET
UPG_TL_AET
UPG_TL_TIME
UPG_TL_TIME1

SETID_RPDEPT

Default Label SETID
Length 5
Type Character
Format Uppercase

Record Reference(s) R_PER507



SETID_SALARY

Default Label	Salary SetID
Length	5
Type	Character
Format	Uppercase

Record Reference(s) AMT01_JPN_TMP

- AMT02_JPN_TMP
- AMT03_JPN_TMP
- BP_JOB
- GVT_JOB
- GVT_JOB_TEMP
- HP_ERN_ACCT_MAP
- HR_CMP050J2_AET
- HR_CMP052J2_AET
- HR_SAL_CHG_EE
- JOB
- JOBCODE_TBL
- JOBCOMP_TMP_MC
- JOB_TEMP
- JOB_TMP_MC
- LOCATION_TBL
- PER062_TMP2_JPN
- PER062_TMP_JPN
- PER064JP_DATA
- SAL01_JPN_TMP
- SAL02_JPN_TMP
- SAL03_JPN_TMP
- SAL04_JPN_TMP
- SALINC_SIML_JPN
- SIM01_JPN_TMP
- SIM02_JPN_TMP
- STP01_JPN_TMP
- STP02_JPN_TMP
- STP03_JPN_TMP
- STP04_JPN_TMP
- STP05_JPN_TMP
- STP06_JPN_TMP
- STP4N_JPN_TMP
- STPER_JPN_TMP



TC_EE_DETAIL
 TC_POPULATION
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_PY_JOB_TAO

SETID_SECURITY

Default Label TableSet ID Security
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INSTALLATION_FS

SET_LETTER_CD

Default Label Set Letter Code
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) STANDRD_LTR_TBL

APP Recruitment Letters
 CBR COBRA Letters
 CUST Customers Letters
 HIPA HIPAA Certificate
 MLR Manage Labor Relation
 REV Employee Review Letters
 TRN Training Letters

SET_OVERRIDE

Default Label SetID Override
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) PROJECT



SEVERE_DISABILITY

Default Label Severe Disability
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPIN_TDS_GEN

SEVERITY

Default Label Severity of Exception
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_EXCEPT_DEFN

H High
 L Low
 M Medium

SEX

Default Label Gender
 Length 1
 Type Character
 Format Uppercase
 Legacy field name SEX-CODE
 Legacy system name PINE

Record Reference(s) ABS_STAT_NLD

APPLICANT
 BEN_PER_DATA

 BN_834_MEMBER
 BN_SNAP_PER
 CO_DPK_ELIG_DET
 CO_DPK_ELIG_NEW
 CO_DPK_ELIG_OLD



CO_DPK_ELIG_TRN
CO_DPK_PERS_TAO
DEC2483_FRA_AET
DEPENDENT_BENEF
DETYA_PRCs_CA
DETYA_PRCs_TMP
FPADEPT_HDCNT
FPAHEADCNT
FPAHEADCNT01
FPAHEADCNT02
FPAHEADCNT03
FPAHEADCNT04
FPAPEREFFDT_HIS
FPARANK_HDCNT
FUNC_TEST_SRC
GA_PRIV_OUTDOC
GPCH_RP_0001
GPCH_RP_PK01
GPCH_RP_SI03
GPCH_RP_SI07
GPCH_TX_RATES
GPDE_DV_DBGB
GPDE_DV_DBGB_B
GPDE_RP_0001
GPFR_AT_ADMIN
GPFR_DA30_AET
GPFR_ILL_AET
GPGB_REPLIB_AET
GPIT_CUD_RP_P1
GPIT_DEP_DTL_EE
GPIT_FCUD_T2
GPIT_RP_0001
GPJP_WA_PIN
GPSG_IR21_CHILD
GPSG_IR21_HDR
GPSG_IR8A_FORM
GVT_CAR_INTRFC
GVT_CPDF_DYN
GVT_CPDF_STATUS
GVT_PERS_DATA
GVT_PERS_TEMP
HP_FT_SURVEY
HP_PT_SURVEY



HRAU_PSMPC1_TAO
 HRAU_PSMPC_TAO
 HR_DIM_BEL_AET
 HR_NSZ_AET
 HR_VIAPRIS_AET
 NE_PERSONAL_DTA
 NSZ_PERSON_NLD
 OHS001GER_TMP2
 OHS004GER_TMP2
 OHS501UK_TMP2
 PA_CLC_EMP
 PERSONNEL_RPT
 PERSONNEL_TAO

PERS_DATA_EFFDT
 REG002_TMP
 R_APP001_TMP
 R_APP002_TMP
 R_PER002
 R_PER053
 R_PER053_ALL
 R_PER053_MAX
 R_PER053_MIN
 R_PER060
 SHS_EMPL_TAO
 WCB_INWO_EC
 WRK_IMP_EMPL
 Z_HCUP_AUDIT
 Z_HR_NFC102_REC
 Z_HR_PIVOT_REF
 Z_MIIS_EMPOW_IN
 Z_NON_EMP_DATA
 Z_PRES_DOC_180D

F	Female
M	Male
U	Unknown

SEX_FLG	
Default Label	Gender
Length	1
Type	Character



Format Uppercase

Record Reference(s) HR_DIM_SEG7_BEL
NSZ_PERSON_NLD
RESUME_OPTIONS

SEX_GER

Default Label Sex
Length 1
Type Character
Format Uppercase

Record Reference(s) OHS001GER_TMP2
OHS004GER_TMP2

SGP

Default Label SGP - Singapore
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

SHARES_ALLOCATED

Default Label Shares Allocated
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_CLASS_ALLOC
ST_PLAN_ALLOC
ST_TRSR_ALLOC
ST_VC_ALLOC



SHARES_ALLOC_CLASS

Default Label Class Shares Allocated
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_CLASS_BAL
 ST_AE_TRSR_BAL
 ST_CLASS_AET
 ST_TRSR_AET

SHARES_ALLOC_EXPIR

Default Label Plan Shares Expired
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL
 ST_OPTN_AET

SHARES_ALLOC_PLAN

Default Label Plan Shares Allocated
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_ESPP_BAL
 ST_AE_OPTN_BAL
 ST_AE_TRSR_BAL
 ST_ESPP_BAL_AET
 ST_OPTN_AET
 ST_TRSR_AET

SHARES_ALLOC_TRSR

Default Label Treasury Shares Allocated
Length 20
Type Signed Number



SHARES_CANCELLED

Default Label Shares Cancelled
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL
ST_AE_TRSR_BAL
ST_OPTN_AET
ST_TRSR_AET

SHARES_CANCEL_PLAN

Default Label Shares Cancelled
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL
ST_OPTN_AET

SHARES_CANCEL_RPRC

Default Label Shares Cancelled from Reprice

Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_OPTN_AET
ST_TRSR_AET

SHARES_CAN_PLAN_RP

Default Label Shares Cancelled
Length 20
Type Signed Number
Format Uppercase



Record Reference(s) ST_OPTN_AET

SHARES_DISPOSED

Default Label Shares Disposed
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_DISPOSN_CNT

ST_DISP_ALL_TMP
ST_ESPP_DISPOSN
ST_EXER_DISPOSN
ST_PURCHASES
ST_REL_DISPOSN
ST_SPLIT10C_TAO
ST_SPLIT11C_TAO
ST_SPLIT5C_TAO

SHARES_EXERCISED

Default Label Shares Exercised
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_CLASS_BAL

ST_AE_OPTN_BAL
ST_CLASS_AET
ST_CLASS_TAO1
ST_COMBINED_TMP
ST_GRANT_EXER
ST_OPTN_AET
ST_OPTN_TAO3A
ST_OPTN_TAO3B
ST_OPTN_TAO4
ST_REPRC1A_TAO
ST_REPRC1B_TAO
ST_REPRC1C_TAO
ST_REPRC2A_TAO
ST_REPRC2B_TAO



ST_REPRC2C_TAO
 ST_SPLIT2C_TAO
 ST_STFS010_TBL

ST_STFS014A_TBL
 ST_STFS014_TBL
 ST_STFS015A_TBL
 ST_STFS015_TBL
 ST_STOK001_TBL
 ST_STOK002A_TBL
 ST_STOK002_TBL
 ST_STOP001_TBL
 ST_STOP005_TBL
 ST_STOP008_TBL
 ST_STOP035_TAO
 ST_STRR001_TBL
 ST_TRSR_TAO3A
 ST_TRSR_TAO3B
 ST_TRSR_TAO4

SHARES_EXER_SAR

Default Label Exercised SAR Shares
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) ST_AE_CLASS_BAL
 ST_AE_OPTN_BAL
 ST_AE_TRSR_BAL
 ST_CLASS_AET
 ST_OPTN_AET
 ST_TRSR_AET

SHARES_EXER_SWAP

Default Label Exercised Shares Swapped
 Length 20
 Type Signed Number
 Format Uppercase



Record Reference(s) ST_AE_CLASS_BAL
ST_CLASS_AET
ST_OPTN_AET
ST_TRSR_AET

SHARES_EXPIRED

Default Label Shares Expired
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL
ST_AE_TRSR_BAL
ST_OPTN_AET
ST_TRSR_AET

SHARES_EXPIRE_PLAN

Default Label Shares Expired
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL
ST_OPTN_AET

SHARES_EXPIRE_RPRC

Default Label Shares Expired from Reprice
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_OPTN_AET
ST_TRSR_AET



SHARES_EXP_PLAN_RP

Default Label Shares Expired
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_OPTN_AET

SHARES_GRANTED

Default Label Shares Granted
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL

ST_GRANT
ST_GRNT_MOD_TAO
ST_OPTN_AET
ST_OPTN_TAO2
ST_REPRC2D_TAO
ST_REPRC_TAO
ST_TRSR_TAO2

SHARES_ISSUED

Default Label Shares Issued
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_EXER_ISSUE
ST_REL_ISSUE

SHARES_OUTSTANDING

Default Label Shares Outstanding
Length 20

Type Signed Number



Format Uppercase
Record Reference(s) ST_AE_CLASS_BAL
 ST_CLASS_AET

SHARES_PENDING

Default Label Shares Pending
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_PENDING_CNT
 ST_PURCHASES

SHARES_PURCHASED

Default Label Shares Purchased
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_CLASS_BAL
 ST_AE_ESPP_BAL
 ST_CLASS_AET
 ST_COMBINED_TMP
 ST_ESPP_BAL_AET
 ST_ESPP_PURCH
 ST_PURCHASES
 ST_PURCHASE_TAO

SHARES_RELEASED

Default Label Shares Released
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_AE_OPTN_BAL
 ST_COMBINED_TMP



ST_EXER_RELEASE
 ST_OPTN_AET
 ST_SPLIT6C_TAO

SHARES_REL_SWAP

Default Label Released Shares Swapped
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) ST_AE_CLASS_BAL
 ST_CLASS_AET
 ST_OPTN_AET
 ST_TRSR_AET

SHARES_REMAINDER

Default Label Remainder Shares
 Length 23
 Type Signed Number
 Format Uppercase

Record Reference(s) ST_OPTN_TAO3A
 ST_OPTN_TAO3B
 ST_SPLIT10A_TAO
 ST_SPLIT10B_TAO
 ST_SPLIT10_TAO
 ST_SPLIT11A_TAO
 ST_SPLIT11B_TAO
 ST_SPLIT11_TAO
 ST_SPLIT12A_TAO
 ST_SPLIT12B_TAO
 ST_SPLIT12_TAO
 ST_SPLIT1A_TAO
 ST_SPLIT1B_TAO
 ST_SPLIT1_TAO
 ST_SPLIT2A_TAO
 ST_SPLIT2B_TAO
 ST_SPLIT2_TAO



ST_SPLIT3A_TAO
ST_SPLIT3B_TAO
ST_SPLIT3_TAO
ST_SPLIT4A_TAO
ST_SPLIT4B_TAO
ST_SPLIT4_TAO
ST_SPLIT5A_TAO
ST_SPLIT5B_TAO
ST_SPLIT5_TAO
ST_SPLIT6A_TAO
ST_SPLIT6B_TAO
ST_SPLIT6_TAO
ST_SPLIT7A_TAO
ST_SPLIT7B_TAO
ST_SPLIT7_TAO
ST_SPLIT8A_TAO
ST_SPLIT8B_TAO
ST_SPLIT8_TAO
ST_SPLIT9A_TAO
ST_SPLIT9B_TAO
ST_SPLIT9_TAO
ST_TRSR_TAO3A
ST_TRSR_TAO3B

SHARES_REPURCHABLE

Default Label Shares Repurchasable
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET
ST_ACTN_PRC_MSG

SHARES_REPURCHASED

Default Label Shares Repurchased
Length 20
Type Signed Number
Format Uppercase



Record Reference(s) ST_AE_CLASS_BAL
ST_AE_OPTN_BAL
ST_AE_TRSR_BAL
ST_CLASS_AET
ST_GRNT_REPURCH
ST_OPTN_AET
ST_SPLIT9C_TAO
ST_TRSR_AET

SHARES_ROUNDED

Default Label Shares Rounded
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_SPLIT10A_TAO
ST_SPLIT10B_TAO
ST_SPLIT10_TAO
ST_SPLIT11A_TAO
ST_SPLIT11B_TAO
ST_SPLIT11_TAO
ST_SPLIT12A_TAO
ST_SPLIT12B_TAO
ST_SPLIT12_TAO
ST_SPLIT1A_TAO
ST_SPLIT1B_TAO
ST_SPLIT1_TAO
ST_SPLIT2A_TAO
ST_SPLIT2B_TAO
ST_SPLIT2_TAO
ST_SPLIT3A_TAO
ST_SPLIT3B_TAO
ST_SPLIT3_TAO
ST_SPLIT4A_TAO
ST_SPLIT4B_TAO
ST_SPLIT4_TAO
ST_SPLIT5A_TAO
ST_SPLIT5B_TAO
ST_SPLIT5_TAO
ST_SPLIT6A_TAO



ST_SPLIT6B_TAO
ST_SPLIT6_TAO
ST_SPLIT7A_TAO
ST_SPLIT7B_TAO
ST_SPLIT7_TAO
ST_SPLIT8A_TAO
ST_SPLIT8B_TAO
ST_SPLIT8_TAO
ST_SPLIT9A_TAO
ST_SPLIT9B_TAO
ST_SPLIT9_TAO

SHARES_SELF_SRVC

Default Label Shares Self Service
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_PURCHASES
ST_SELF_SRV_CNT

SHARES_SWAPPED

Default Label Shares Swapped
Length 19
Type Number
Format Uppercase

Record Reference(s) ST_AE_CLASS_BAL
ST_AE_OPTN_BAL
ST_AE_TRSR_BAL
ST_CLASS_AET
ST_CLASS_TAO1
ST_EXER_SWAP
ST_GRANT_EXER
ST_OPTN_AET
ST_OPTN_TAO4
ST_REL_SWAP
ST_TRSR_AET



ST_TRSR_TAO4

SHARES_TRADED

Default Label Shares Traded
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_CLASS_TAO1
ST_EXER_RELEASE
ST_GRANT_EXER
ST_OPTN_TAO4
ST_TRSR_TAO4

SHARES_UNROUNDED

Default Label Unrounded shares
Length 23
Type Signed Number
Format Uppercase

Record Reference(s) ST_PURCHASE_TAO
ST_SPLIT10A_TAO
ST_SPLIT10B_TAO
ST_SPLIT10_TAO
ST_SPLIT11A_TAO
ST_SPLIT11B_TAO
ST_SPLIT11_TAO

ST_SPLIT12A_TAO
ST_SPLIT12B_TAO
ST_SPLIT12_TAO
ST_SPLIT1A_TAO
ST_SPLIT1B_TAO
ST_SPLIT1_TAO
ST_SPLIT2A_TAO
ST_SPLIT2B_TAO
ST_SPLIT2_TAO
ST_SPLIT3A_TAO
ST_SPLIT3B_TAO



ST_SPLIT3_TAO
 ST_SPLIT4A_TAO
 ST_SPLIT4B_TAO
 ST_SPLIT4_TAO
 ST_SPLIT5A_TAO
 ST_SPLIT5B_TAO
 ST_SPLIT5_TAO
 ST_SPLIT6A_TAO
 ST_SPLIT6B_TAO
 ST_SPLIT6_TAO
 ST_SPLIT7A_TAO
 ST_SPLIT7B_TAO
 ST_SPLIT7_TAO
 ST_SPLIT8A_TAO
 ST_SPLIT8B_TAO
 ST_SPLIT8_TAO
 ST_SPLIT9A_TAO
 ST_SPLIT9B_TAO
 ST_SPLIT9_TAO

SHARES_VALUED

Default Label Shares Valued
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) ST_GRANT_VALUE
 ST_GRNT_VAL_DTL
 ST_VALUE_TAO10
 ST_VALUE_TAO2
 ST_VALUE_TAO3
 ST_VALUE_TAO4
 ST_VALUE_TAO5
 ST_VALUE_TAO6
 ST_VALUE_TAO7
 ST_VALUE_TAO8
 ST_VALUE_TAO9

SHARES_VESTED



Default Label Shares Vested
 Length 20
 Type Signed Number
 Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET
 ST_GRNT_VST_DTL

- ST_OPTN_TAO3A
- ST_OPTN_TAO3B
- ST_REPRC1A_TAO
- ST_REPRC1B_TAO
- ST_REPRC2A_TAO
- ST_REPRC2B_TAO
- ST_STFS010_TBL
- ST_STFS014A_TBL
- ST_STFS014_TBL
- ST_STFS015A_TBL
- ST_STFS015_TBL
- ST_STOK001_TBL
- ST_STOK002A_TBL
- ST_STOK002_TBL
- ST_STOP001_TBL
- ST_STOP005_TBL
- ST_STOP008_TBL
- ST_STOP035_TAO
- ST_STRR001_TBL
- ST_STRR005_TAO
- ST_TRSR_TAO3A
- ST_TRSR_TAO3B

SHARE_SOURCE

Default Label Share Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_COMBINED_TMP
 ST_DISP_ALL_TMP

E Stock Purchase



O Option Exercise
 R Restricted Release
 T Total:

SHIFT

Default Label Regular Shift
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BP_JOB

- BP_JOB_ERN_DIST
- GPMX_OVR_DAILY
- GVT_JOB
- GVT_JOBDIST
- GVT_JOBDIST_TMP
- GVT_JOB_TEMP
- GVT_MASSORGJAET
- GVT_MASSORGAET
- HR_NSZ_AET
- HR_VIAPRIS_AET
- INC_EARNING_NLD
- JOB
- JOBCOMP_TMP_MC
- JOB_EARNS_DIST

- JOB_ERN_DST_TMP
- JOB_REQUISITION
- JOB_REQUIS_TAO
- JOB_TEMP
- JOB_TMP_MC
- PAY_EARNINGS
- POSITION_DATA
- POSN_EARNS_DIST
- RETROPAY_EARNS
- SHIFT_LANG
- SHIFT_TBL
- TL_RAPID_TIME
- UPG_758_JJL_TAO
- UPG_758_JOB_TAO
- UPG_EARNS_DIST
- UPG_HR75RWF_AET



JOBCOMP_TMP_MC
JOB_TEMP

JOB_TMP_MC
SHIFT_TBL
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_PY_JOB_TAO

SHIFT_ID

Default Label Shift ID
Length 10
Type Character
Format Uppercase

Record Reference(s) SCH_ADHOC_DTL
SCH_ADHOC_RPT
SCH_SHIFT_DTL
SCH_SHIFT_LANG
SCH_SHIFT_TBL
SCH_VW_SCH_TBL
SCH_WRKDAY_DTL
TL_PAYABLE_TMP
TL_RUNCNTL_AET
UPG_TL_TIME
UPG_TL_TIME1

SHIFT_RT

Default Label Shift Differential Rate
Length 19
Type Number
Format Uppercase

Record Reference(s) BP_JOB
GVT_JOB
GVT_JOB_TEMP
JOB
JOBCOMP_TMP_MC
JOB_TEMP



JOB_TMP_MC
PAY_EARNINGS
RETROPAY_EARNS
SHIFT_TBL
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_PY_JOB_TAO
WRK_EARNINGS

SHIPTO_ID

Default Label Ship To Location
Length 10
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE

DISTRIB_LN_STG
VENDOR_LOC
VENDOR_LOC_AET

VENDOR_LOC_TMP
VOUCHER_LINE
VOUCHER_LN_STG

SHIP_DATE

Default Label Item Shipping Date
Length 10
Type Date
Format Uppercase

Record Reference(s) VOUCHER

VOUCHER_STG

SHIP_LOC_FLG

Default Label Ship To/End Location Flag
Length 1
Type Character



Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

D Default from Higher Level
S Specify at this Level

SHIP_TYPE_ID

Default Label Ship Via Code
Length 10
Type Character
Format Uppercase

Record Reference(s) VENDOR_LOC
VENDOR_LOC_AET
VENDOR_LOC_TMP

SHI_OVERRIDE

Default Label State Health Insurance Overrid
Length 1
Type Character
Format Uppercase

Record Reference(s) CO_STATETAX_TBL

SHI_RATE

Default Label State Health Insur Override Rt
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) CO_STATETAX_TBL



SHORTFALL_RATIO

Default Label YTD Shortfall Ratio
Length 8
Type Signed Number
Format Uppercase

Record Reference(s) TIPS_ALLOC_EMPL
WRK_TIPS_ALLOC
WRK_TIPS_ALLOC2

SHORTNAME

Default Label Field Short Name
Length 15
Type Character
Format Mixedcase

Record Reference(s) EO_DBFLDLBL_CUR
PSDBFLDLABL
PSDBFLDLABLLANG
PSOPTIONS

SHORT_SVC_DEF

Default Label Short Service Definition Name
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_AVGEARN

SHORT_SVC_METHOD

Default Label Short Service Options
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_AVGEARN



D Different FAE Definition
U User Code
W Use what you have

SHOWCOLHIDEROWS

Default Label Show Column On Hide Rows
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD

SHOWENTRIES

Default Label Show Entries
Length 5
Type Number
Format 7

Record Reference(s) PSEVENTROUTE

SHOWTABCNTLBTN

Default Label Show Tab Control Button
Length 1
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD

SHOWTBAR

Default Label show internet toolbar
Length 2
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN



SHOW_CREDIT

Default Label Show Credits on Enrollmnt Form
Length 1
Type Character
Format Uppercase

Record Reference(s) BEN_DEFN_PGM

SHOW_DETAIL_ICON

Default Label Show Detail Icon
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

SHOW_EXCEPTION_FLG

Default Label Show Exceptions
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WV_CRITERIA

SHOW_GP_ABS_FLG

Default Label Show Global Payroll Absences

Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WV_CRITERIA



SHOW_HOLIDAY_FLG

Default Label Show Holidays
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WV_CRITERIA

SHOW_IN_HEADER

Default Label Show in Header
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

SHOW_IN_LISTVW

Default Label Show in List View
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMPCONTDEV

SHOW_LABEL_FLG

Default Label Show Symbols
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WV_CRITERIA

SHOW_OVERTIME_FLG

Default Label Show Planned Overtime



Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WV_CRITERIA

SHOW_PLAN_TYPE

Default Label Show if no choice
Length 1
Type Character
Format Uppercase

Record Reference(s) BEN_DEFN_PLAN

SHOW_SCHEDULE_FLG

Default Label Show Schedule
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WV_CRITERIA

SHOW_TRAINING_FLG

Default Label Show Training Hours
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WV_CRITERIA

SHS_COMP_EE_CNT

Default Label Company Employee Count
Length 4
Type Number



Format Uppercase

Record Reference(s) SHS_OTHER_TAO

SHS_ESTAB_EE_CNT

Default Label Establishmetn Employee Count
Length 4
Type Number
Format Uppercase

Record Reference(s) SHS_OTHER_TAO

SHS_FIRST_EEFR_FLG

Default Label First Employee
Length 1
Type Character
Format Uppercase

Record Reference(s) SHS_OTHER_TAO

SHS_FIRST_HIRE_FLG

Default Label Exemption if First Hired
Length 1
Type Character

Format Uppercase

Record Reference(s) SHS_EE_RUN_CTL
 SHS_EXEMPT_TAO

SHS_LAY_OFF_FLG

Default Label Lay-off Flag
Length 1
Type Character
Format Uppercase



Record Reference(s) SHS_EXEMPT_TAO

SHS_PARTTIME_FLG

Default Label Exemption if Part-Time
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SHS_EE_RUN_CTL
 SHS_EXEMPT_TAO

SHS_PROBATION_DAYS

Default Label Probation Duration in Days
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) HR_SHS_FRA_AET
 SHS_OTHER_TAO

SHS_RPT_FRA_SW

Default Label Employee Selection Criteria
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) HR_SHS_FRA_AET
 SHS_FRA_RUN_CTL

E By Employee ID
 G By Group
 H By Hire Date

SICK_PLAN

Default Label Sick Leave Plan



Length 6
 Type Character
 Format Uppercase

Record Reference(s) UNION_TBL

SIDE_OF_BODY

Default Label Side of Body
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) INJURY_ILL_BP
 WCB_WODT_EC
 WCB_WODT_WD

B Back
 F Front
 L Left
 R Right

SIDX_BUILD_TYPE

Default Label Type of Build
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) PSRUN_SEARCH
 PSRUN_SRCH_AET
 PSSIDXSCHE

INCR Incremental Update to Index
 RBLD Drop and Rebuild Index

SIGNATURE_CITY

Default Label Signature City
 Length 30
 Type Character



Format Mixedcase

Record Reference(s) GPES_RC_BNK
GPES_RC_TAX
GPES_TAX190_AET
HIRING_CTR_ESP

SIGNATURE_DT

Default Label Signature Date
Length 10
Type Date
Format Uppercase

Record Reference(s) APP_CNT_DATA
CONTRACT_DATA
GPES_RC_BNK
GPES_RC_TAX
GPES_TAX190_AET
UPG_CONTRCT_TAO
UPG_ER_AET
UPG_HR75CNT_AET
Z_PRES_DOC_180

SIGNONBI

Default Label Sign-On Business Interlink
Length 1
Type Character
Format Uppercase

Record Reference(s) PSMERCHBI

SIGNVALUE

Default Label Signed Value
Length 2
Type Signed Number
Format Uppercase



Record Reference(s) R_NDT_CONTROL

SIGN_AUTHORITY

Default Label Signature Authority
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) POSITION_DATA

- 1 Credit Competence
- 2 Signature Competence
- 3 Procuration

SIGN_NEG_CHAR

Default Label Sign Negative Character
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO

SIGN_POSITION

Default Label Sign Position
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_FIELD_TBL
 PI_PIFLD_TAO

- L Leading
- T Trailing
- U Unsigned Numeric



SIGN_POS_CHAR

Default Label	Sign Positive Character
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PI_FIELD_TBL
	PI_PIFLD_TAO

SIGN_POS_IND

Default Label	Positive Sign
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	GPCH_RP_EO01
	PI_FIELD_TBL
	PI_PIFLD_TAO

SIMPLES_OPTION_BRA

Default Label	Option to Simples
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	COMPANY_TBL_BRA
---------------------	-----------------

- | | |
|----|--------------------------------|
| 01 | Non Opting |
| 02 | Opting |
| 03 | Opting + 1.200.000,00 Annual |
| 04 | Non Opting + 1.200.000,00 Annl |

SIN

Default Label	Social Insurance #
Length	9
Type	Character
Format	SIN



Record Reference(s) PAY_EARNINGS

PAY_LINE
PAY_PAGE
WRK_EARNINGS
WRK_LINE

C Check Only
N Not Applicable
P Paysheet Only

SINGLE_CLASS_FIRM

Default Label Single Classification Firm
Length 1
Type Character
Format Uppercase

Record Reference(s) CAN_WCB_PROV

SINGLE_CURR_FLAG

Default Label Convert Single Currency
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_PROC_GROUP

SINGLE_STD_DED

Default Label Single Standard Deduction
Length 6
Type Number
Format Uppercase

Record Reference(s) STATE_TAX_TBL



SIN_CONTRB_SPOUSE

Default Label Spouse SIN
Length 9
Type Character
Format SIN

Record Reference(s) CAN_AMEND_RL1_S
CAN_AMEND_RL2_S
CAN_AMEND_T4A_S
CAN_AMEND_T4_S
CAN_YE_SLIP

SIN_FORM_CODE

Default Label Single Form code
Length 4
Type Character
Format Uppercase

Record Reference(s) PA_DFN_FORMULA

SIN_GER

Default Label Social Insurance #
Length 12
Type Character
Format Uppercase

Record Reference(s) Z_FAST_SCRT_EMP

SIN_PCT_CONTD

Default Label Single Percentage Continued
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FORMULA



SIN_YRS_CERT

Default Label Single Years Certainty
Length 2
Type Number
Format Uppercase

Record Reference(s) PA_DFN_FORMULA

SIREN_CD_FRA

Default Label SIREN Code
Length 9
Type Character
Format Uppercase

Record Reference(s) GPFR_ASS_COMP

GPFR_AT_ADMIN
GPFR_DA41_AET
GPFR_ILL_ADMIN
GPFR_ILL_AET
SHS_ESTAB_TAO

SIRET_CD

Default Label SIRET
Length 20
Type Character
Format Uppercase

Record Reference(s) GPFR_ASS_COMP

GPFR_AT_ADMIN
GPFR_ILL_ADMIN
GPFR_ILL_AET

SITE_NBR

Default Label Site Number
Length 6



Type Character
Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET

- CO_DED_DTLM_SUB
- CO_DED_DTL_PUB
- CO_DED_EE_TBL
- CO_DED_EMP3_TAO
- CO_DED_EMP4_TAO
- CO_DED_EXTR_TBL
- CO_DED_FTPD_TAO
- CO_DED_FTPH_TAO
- CO_DED_HDRM
- CO_DED_HDRM_PUB
- CO_DED_HDRM_SUB
- CO_DED_INBND
- CO_DED_INVLDTXN
- CO_DED_OUTD_TAO
- CO_DED_OUTH_TAO
- CO_DED_OUT_PARM
- CO_DED_RFTP_AET
- CO_DED_SITEID
- CO_DED_SITE_TAO
- CO_DED_SUPP_FLE
- CO_DED_SUPP_TBL
- CO_DED_VLDTXN
- CO_DED_VLDT_AET

SITE_NBR_ALT
Default Label
Length 6
Type Character

Format Uppercase

Record Reference(s) CO_DED_DTL_PUB

- CO_DED_EXTR_TBL
- CO_DED_FTPD_TAO
- CO_DED_OUTD_TAO



SIZINGSET

Default Label Sizing Set
Length 3
Type Number
Format Uppercase

Record Reference(s) PSIDXDDLPARM
 PSREDDLPARM
 PSSPCDDLPARM

SIZING_SET

Default Label Sizing Set
Length 3
Type Number
Format Uppercase

Record Reference(s) PSDDLDEFPARMS
 PSDDLMODEL

SI_ACCIDENT_NUM

Default Label Social Insurance Accident #
Length 15
Type Character
Format Uppercase

Record Reference(s) DEPT_TBL
 OHS001GER_TMP1
 OHS004GER_TMP1
 R_PER507

SI_CLASSID

Default Label Application Class ID
Length 30
Type Character
Format Mixedcase



SI_LOCK_TL_FLDS

Default Label Lock Translation Fields
Length 1
Type Character
Format Uppercase

Record Reference(s) SI_TRANSL_DEFN

SI_MATCH_NAME

Default Label Match Name
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSL_DAT_A
SI_TRANSL_DAT_B

SI_MATCH_VALUE

Default Label Match Value
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSL_DAT_A
SI_TRANSL_DAT_B

SI_MATCH_VALUE1

Default Label Match Value 1
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP
SI_TL_SRCH_TMP



SI_MATCH_VALUE10

Default Label Match Value 10
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUE2

Default Label Match Value 2
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUE3

Default Label Match Value 3
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUE4

Default Label Match Value 4
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUES5

Default Label Match Value 5



Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUE6

Default Label Match Value 6
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUE7

Default Label Match Value 7
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUE8

Default Label Match Value 8
Length 95
Type Character
Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_MATCH_VALUE9

Default Label Match Value 9
Length 95
Type Character



Format Mixedcase

Record Reference(s) SI_TL_RSLTS_TMP

SI_METHODNAME

Default Label Methodname
Length 254
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSF_STEP

SI_NODE_A

Default Label Node A
Length 30
Type Character
Format Uppercase

Record Reference(s) SI_TRANSLDF_LNG

- SI_TRANSL_DAT_A
- SI_TRANSL_DAT_B
- SI_TRANSL_DEFN
- SI_TRANSL_FLD_A
- SI_TRANSL_FLD_B
- SI_TRANSL_MAP
- SI_TRANSL_SET_A
- SI_TRANSL_SET_B

SI_NODE_B

Default Label Node B
Length 30
Type Character
Format Uppercase

Record Reference(s) SI_TRANSLDF_LNG

- SI_TRANSL_DAT_A



SI_STEP_ERR_FLG

Default Label On Error
Length 1
Type Character
Format Uppercase

Record Reference(s) SI_TRANSF_STEP

A Abort on error
I Log error and continue

SI_SUPPLIER_ID

Default Label Supplier Id
Length 15
Type Character
Format Uppercase

Record Reference(s) SI_TRANSF_LNG

SI_TRANSF_PARAM
SI_TRANSF_SETUP
SI_TRANSF_STEP

SI_TAGNAME

Default Label XML Tagname
Length 50
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSF_PARAM

SI_TRANSF_STEP

SI_TAGNAME2

Default Label XML Tagname
Length 50



Type Character
Format Mixedcase

Record Reference(s) SI_TRANSF_STEP

SI_TAGXPATH

Default Label XML Tag Xpath
Length 250
Type Character
Format Uppercase

Record Reference(s) SI_TRANSF_PARAM
SI_TRANSF_STEP

SI_TAGXPATH2

Default Label XML Tag Xpath
Length 250
Type Character
Format Uppercase

Record Reference(s) SI_TRANSF_STEP

SI_TARGET_SCHEMA

Default Label Target Schema
Length 30
Type Character
Format Uppercase

Record Reference(s) SI_TRANSF_SETUP

SI_TARGET_TYPE

Default Label Target Schema Type
Length 1
Type Character



Format Uppercase

Record Reference(s) SI_TRANSF_SETUP

M PeopleSoft Message
X XML Document

SI_TRANSACTION

Default Label Transaction Id
Length 30
Type Character
Format Uppercase

Record Reference(s) SI_TRANSF_LNG
 SI_TRANSF_PARAM
 SI_TRANSF_SETUP
 SI_TRANSF_STEP

SI_TRANSFORM_TYPE

Default Label Transformation Type
Length 1
Type Character
Format Uppercase

Record Reference(s) SI_TRANSF_STEP

C Tag Content
S Tag Structure and Content

SI_TRANSF_DESCR20

Default Label Short Description
Length 20
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSF_LNG
 SI_TRANSF_SETUP



SI_TRANSF_DESCR50

Default Label Transformation Description
Length 50
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSF_LNG
SI_TRANSF_SETUP

SI_TRANSLATION

Default Label Translation Id

Length 30
Type Character
Format Uppercase

Record Reference(s) SI_TRANSLDF_LNG
SI_TRANSL_DAT_A
SI_TRANSL_DAT_B
SI_TRANSL_DEFN
SI_TRANSL_FLD_A
SI_TRANSL_FLD_B
SI_TRANSL_MAP
SI_TRANSL_SET_A
SI_TRANSL_SET_B

SI_TRANSL_DESCR20

Default Label Short Description
Length 20
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSLDF_LNG
SI_TRANSL_DEFN

SI_TRANSL_DESCR50



Default Label Translation Description
Length 50
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSLDF_LNG
SI_TRANSL_DEFN

SI_TRANSL_VAL_COMB

Default Label Value Combination
Length 165
Type Character
Format Mixedcase

Record Reference(s) SI_TRANSL_SET_A
SI_TRANSL_SET_B

SI_UNIT

Default Label Social Insurance Unit
Length 6
Type Character
Format Uppercase

Record Reference(s) SI_UNIT_GER
SI_UNIT_GER_LNG
UPG_HR75_AET

SKILL_LEVEL

Default Label Can OEE Skill Level
Length 1
Type Character
Format Uppercase

Record Reference(s) CAN_NOC_TBL
A Skill Level A



B Skill Level B
 C Skill Level C
 D Skill Level D
 N Not Applicable

SKILL_TYPE

Default Label Can OEE Skill Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) CAN_NOC_TBL

SKIPGOTO

Default Label Exclude From Go To Drop Down
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMPDEFNDEV

SLAVENODE

Default Label Slave Node
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) PSBATREPREQHDR

SLAVEPROCESSNAME

Default Label Slave Process Name
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) PSAPMSGARCHPC



PSAPMSGARCHPH
PSAPMSGARCHSC
PSAPMSGPUBCON
PSAPMSGPUBHDR
PSAPMSGSUBCON
PSIBBRKSLAVE
PSIBPUBSLAVE
PSIBSUBSLAVE

SLA_AMOUNT

Default Label Total SLA Benefit
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_CLC_415_AY

SLA_FORM_IND

Default Label SLA indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY

SLEEPTIME

Default Label Sleep Time
Length 4
Type Number
Format Uppercase

Record Reference(s) SERVERDEFN

SLICE_BGN_DT



Default Label Slice Begin Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GPCH_RP_0001

- GPCH_RP_MT
- GPCH_RP_SI07
- GPDE_AL_ERN_DED
- GPDE_BL
- GPDE_DV_ELIG_MO
- GPDE_DV_FLT_BAL
- GPDE_DV_PAYITEM
- GPDE_RP_AL01
- GPDE_RP_AL04
- GPDE_RP_AL05
- GPDE_RP_SI01
- GPDE_RP_TX03
- GPES_PSLIP_TMP2
- GPES_PSLIP_TMP4
- GPFR_PS_ERN_TMP
- GPIT_CUD_SPEPAY
- GPIT_CUD_WA
- GPIT_DM10E_TMPA
- GPIT_DM10_AET
- GPIT_DM10_TMP
- GPIT_DM10_WA
- GPIT_FCUD_T1

- GPIT_PCUD_I1
- GPIT_PCUD_I3
- GPIT_PCUD_T1
- GPIT_PCUD_T2
- GPIT_RP_0001
- GPIT_RP_AL01
- GPIT_RP_TX01
- GPIT_RP_TX02
- GPNL_PS_ERN_TMP
- GPNL_RC_PS_EE
- GPNL_SOC2_TMP
- GP_AUDIT_TBL
- GP_RSLT_ACUM
- GP_RSLT_ERN_DED



GP_RSLT_PIN
UPG_GP1_AET

SLICE_END_DT

Default Label Slice End Date
Length 10
Type Date
Format Uppercase

Record Reference(s) GPCH_RP_0001

GPCH_RP_0002
GPCH_RP_EO01
GPCH_RP_FK01
GPCH_RP_FK02
GPCH_RP_MT
GPCH_RP_PK01
GPCH_RP_SI07
GPCH_RP_SI08
GPCH_RP_TX01
GPCH_RP_TX02
GPCH_RP_TX05
GPDE_AL_ERN_DED
GPDE_BL
GPDE_DV_ELIG_MO
GPDE_DV_FLT_BAL
GPDE_DV_PAYITEM
GPDE_RA_0001
GPDE_RP_0003
GPDE_RP_AL01
GPDE_RP_AL04
GPDE_RP_AL05
GPDE_RP_AZ01
GPDE_RP_FL01
GPDE_RP_SI01
GPDE_RP_SI10
GPDE_RP_SI10A
GPDE_RP_TX03
GPDE_RP_TX03A
GPDE_RP_TX03_1
GPDE_RP_TX03_3
GPDE_RP_TX03_4



GPDE_RP_TX05_1
 GPES_PSLIP_TMP2
 GPES_PSLIP_TMP4
 GPFR_PS_ERN_TMP

GPIT_CUD_SPEPAY
 GPIT_CUD_WA
 GPIT_DM10E_TMPA
 GPIT_DM10_AET
 GPIT_DM10_TMP
 GPIT_DM10_WA
 GPIT_FCUD_T1
 GPIT_FCUD_T2
 GPIT_PCUD_I1
 GPIT_PCUD_I3
 GPIT_PCUD_T1
 GPIT_PCUD_T2
 GPIT_RP_0001
 GPIT_RP_0002
 GPIT_RP_0003
 GPIT_RP_0004
 GPIT_RP_AL01
 GPIT_RP_TX01
 GPIT_RP_TX02
 GPNL_PS_ERN_TMP
 GPNL_RC_PS_EE
 GPNL_SOC2_TMP
 GP_AUDIT_TBL
 GP_RSLT_ACUM
 GP_RSLT_ERN_DED
 GP_RSLT_PIN
 UPG_GP1_AET
 UPG_GPCH_AET

SLIP_FIRST_NAME

Default Label	First Name
Length	12
Type	Character
Format	Uppercase

Record Reference(s) CAN_YE_AMEND_E



Type Character
Format Uppercase

Record Reference(s) NDT_RUNCTL
R_FINAL_RESULTS

SLOT_NBR

Default Label Sequence number
Length 3
Type Number
Format Uppercase

Record Reference(s) APP_IV_SCHED
IV_AVAIL_DATES
IV_SCHED_TIMES

SMALL_BNFT_CASHOUT

Default Label Small Benefit Cashout
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_DFN_OPT_FORM

SMIC_CD_FRA

Default Label Minimum Salary
Length 8
Type Number
Format Uppercase

Record Reference(s) EXT_PARM_FRA

SMOKER



SOCS_AUTH_KEY_ESP

Default Label Authorization Key
Length 8
Type Character
Format Uppercase

Record Reference(s) SOCS_SETHD_ESP

SOCS_CNTRY_CD_ESP

Default Label SS Country Cd
Length 3
Type Character
Format Uppercase

Record Reference(s) SOCS_CNTRY_ESP
SOCS_SETHD_ESP

SOCS_DAY_TYPE_ESP

Default Label Days Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ESTAB_SSEC_ESP

0 Regular

SOCS_ER_CODE_ESP

Default Label Employer Code
Length 1
Type Character
Format Uppercase

Record Reference(s) GPES_SSTC_TC1



SOCS_SETHD_ESP

9 Fiscal Identification Code

SOCS_ER_TYPE_ESP

Default Label Employer Type
Length 1
Type Character
Format Uppercase

Record Reference(s) SOCS_SETHD_ESP

2 Collective
4 Public Administration

SOCS_PAY_TYPE_ESP

Default Label Pay Type
Length 1
Type Character
Format Uppercase

Record Reference(s) GPES_RC_SS
GPES_SSTC_AET

0 Regular

SOCS_PROCS_CD_ESP

Default Label Deliver Process Code
Length 4
Type Character
Format Uppercase

Record Reference(s) SOCS_SETHD_ESP

SM01 Magnetic Device
VIP3 MS DOS Suite
WST2 Winsuite

SOCS_RISK_CD_B_ESP



Default Label Social Security Risk Code
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) JOB_WORK_ESP

SOCS_SILCON_ESP

Default Label Silcon Key
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) SOCS_SETHD_ESP

SOCS_WRKGRP_B_ESP

Default Label Social Security Wrk Group Cd
 Length 2
 Type Character
 Format Numbers Only

Record Reference(s) JOB_WORK_ESP

SOC_EXCLUSION_ESP

Default Label Social Exclusion Employee
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) JOB_WORK_ESP

UPG_ER_AET
 UPG_HR75CNT_AET
 UPG_HR75_AET

- 1 Social Exclusion
- 2 Domestic Violence Victim



SOC_PASS_TOTAL_BEL

Default Label Total
Length 17
Type Signed Number
Format Uppercase

Record Reference(s) RUN_CNTL_HR_BEL

SOC_SEC_FLAG

Default Label Social Security Earnings Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CLC_SOC_AY

SOC_SEC_RISK_CODE

Default Label Social Security Risk Code
Length 3
Type Character
Format Uppercase

Record Reference(s) AFI_AET

GPES_SSTC_RSLT
JOBCOMP_TMP_MC
JOB_TMP_MC

JOB_WORK_ESP
SOC_SEC_RSK_LNG
SOC_SEC_RSK_TBL
UPG_758_JJL_TAO

SOC_SEC_WRK_GRP_CD

Default Label Social Security Wrk Group Cd
Length 2



Type Character
 Format Numbers Only

Record Reference(s) GPES_SSTC_RSLT
 JOB_WORK_ESP
 RGM_BSE_ESP_LNG
 RGM_BSE_ESP_TBL

SOLD_HRS_ADD

Default Label Add to Hours Sold
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EARNINGS_ACCRL
 GVT_ACC_ERNCD

SOLVERTYPE

Default Label Optimization Solver Type
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PSOPTSOLVERCODE

SORT_A_D

Default Label Sort Ascending/Decending Parm
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_EG

A Ascending
 D Descending



X Exceptions

SORT_BY7

Default Label Sort By
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

D Date
E Employee ID
S Severity
T Status
X Exceptions

SORT_BY8

Default Label Sort By
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUNCTL_SQR

D Date
E Employee ID
S Severity
T Status
X Exceptions

SORT_CODE1

Default Label Sort Code1
Length 1
Type Character
Format Uppercase

Record Reference(s) RC_US_YE

1 None



- 2 State
- 3 Paygroup
- 4 Department
- 5 Zip Code
- 6 Mail Drop
- 7 State/Locality

SORT_CODE3

Default Label Sort Code3
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_US_YE

- 1 Employee ID
- 2 Employee SSn
- 3 Employee Last Name

SORT_FLD

Default Label Sort Field
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) R_PAY015

SORT_INDICATOR

Default Label Sort Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE

- D Department Code
- L Location Code
- N Last Name



Format Uppercase

Record Reference(s) PSPROJECTITEM

SOURCE_APPLID

Default Label Applicant ID
Length 11
Type Character
Format Uppercase

Record Reference(s) ER_DUP_APPS_AET
ER_DUP_COMMOND T

SOURCE_IND

Default Label Source Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) GPCH_RP_TX05
GPCH_RP_TX05C
GPCH_RP_TX05D
TL_PAYABLE_TMP
UPG_TL_TIME
UPG_TL_TIME1

O Offset
S System Generated
U User Reported

SOURCE_INSTANCE

Default Label Source Instance
Length 15
Type Number
Format Uppercase

Record Reference(s) KK_BUDGET_HDR



Length 25
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_CHAR_2

Default Label SOVR Character Value 2
 Length 25
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_CHAR_3

Default Label SOVR Character Value 3
 Length 25
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_DT

Default Label Date Value
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) GPMX_SAL_ERNDED

- GP_CAL_SOVR
- GP_ELM_DFN_SOVR
- GP_PI_GEN_SOVR
- GP_PI_MNL_SOVR
- GP_PYENT_SOVR
- GP_PYE_OVR_SOVR
- GP_PYE_SOVR
- GP_PYGRP_SOVR



GP_RSLT_PI_SOVR

SOVR_VAL_DT_1

Default Label SOVR Date Value 1
Length 10
Type Date
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_DT_2

Default Label SOVR Date Value 2
Length 10

Type Date
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_DT_3

Default Label SOVR Date Value 3
Length 10
Type Date
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_NUM

Default Label Numeric Value
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GPMX_SAL_ERNDED
GP_CAL_SOVR



GP_ELM_DFN_SOVR
GP_PI_GEN_SOVR
GP_PI_MNL_SOVR
GP_PYENT_SOVR
GP_PYE_OVR_SOVR
GP_PYE_SOVR
GP_PYGRP_SOVR
GP_RSLT_PI_SOVR

SOVR_VAL_NUM_1

Default Label SOVR Number Value 1
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_NUM_2

Default Label SOVR Number Value 2
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_NUM_3

Default Label SOVR Number Value 3
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) GP_PI_MNL_SSN

SOVR_VAL_TYPE_1



Default Label SOVR Value Type 1
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

SOVR_VAL_TYPE_2

Default Label SOVR Value Type 2
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

SOVR_VAL_TYPE_3

Default Label SOVR Value Type 3
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) GP_PI_MNL_TMPLT

SPCL_BALANCE

Default Label Spl Accumulator Bal/Earn Code
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BAL_ADJ_CN_ERN

- BAL_ADJ_ERN
- CAN_ERN_BALANCE
- EARNINGS_BAL
- PA_CONS_EARN_CD
- PA_CONS_HRS_CD
- PA_HST_EARN_BAL



Length 1
 Type Character
 Format Uppercase

Record Reference(s) DEDUCTION_TBL

B Bond
 G Garnishment
 U Union Dues

SPEAK_PROFICIENCY

Default Label Speaking Proficiency
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) COURSE_LANGUAGE
 UPG_HR75_AET

1 Low
 2 Moderate
 3 High

SPECIALFIELD1

Default Label SpecialField1
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) R_PER001

SPECIAL_AMT_1

Default Label Special Tax Amount 1
 Length 15
 Type Signed Number
 Format Uppercase

Record Reference(s) STATE_TAX_TBL



SPECIAL_AMT_2

Default Label Special Tax Amount 2
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) STATE_TAX_TBL

SPECIAL_AMT_3

Default Label Special Tax Amount 3
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) STATE_TAX_TBL

SPECIAL_AMT_4

Default Label Special Tax Amount 4
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) STATE_TAX_TBL

SPECIAL_AMT_5

Default Label Special Tax Amount 5
Length 15
Type Signed Number
Format Uppercase

Record Reference(s) STATE_TAX_TBL



SPECIAL_CALCULATN

Default Label Special Calculation Routine
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GVT_ERN_ACR_CLS
 LEAVE_PLAN_TBL

SPECIAL_CIT_STATUS

Default Label Special CIT Status
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CAN_TAX_DATA
 E Exempt (not subject to CIT)
 G Maintain gross
 N None

SPECIAL_DESCR_1

Default Label Special Tax Amount Descr 1
 Length 15
 Type Character
 Format Mixedcase

Record Reference(s) STATE_TAX_LANG
 STATE_TAX_TBL

SPECIAL_DESCR_2

Default Label Special Tax Amount Descr 2
 Length 15
 Type Character
 Format Mixedcase

Record Reference(s) STATE_TAX_LANG



STATE_TAX_TBL

SPECIAL_DESCR_3

Default Label	Special Tax Amount Descr 3
Length	15
Type	Character
Format	Mixedcase

Record Reference(s)	STATE_TAX_LANG
	STATE_TAX_TBL

SPECIAL_DESCR_4

Default Label	Special Tax Amount Descr 4
Length	15
Type	Character
Format	Mixedcase

Record Reference(s)	STATE_TAX_LANG
	STATE_TAX_TBL

SPECIAL_DESCR_5

Default Label	Special Tax Amount Descr 5
Length	15
Type	Character
Format	Mixedcase

Record Reference(s)	STATE_TAX_LANG
	STATE_TAX_TBL

SPECIAL_FWT_STATUS

Default Label	Special FWT Status
Length	1
Type	Character
Format	Uppercase



Default Label Specified Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PYAP_XDEDN_AET
RC_X_DEDS

SPEC_ABILITY_FRA

Default Label Special ability
Length 1
Type Character
Format Uppercase

Record Reference(s) INSEE_TBL_FRA

SPEC_CALC_RTN

Default Label Special Calculation Routine
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SPEC_TER_BONUS_ITA

Default Label Special Termination Bonus
Length 19
Type Number
Format Uppercase

Record Reference(s) EMPL_TERMS_ITA

SPK_COMM_ID_GER

Default Label Spokesmen Committee ID



Length 9
Type Character
Format Uppercase

Record Reference(s) JOBCOMP_TMP_MC
JOB_TMP_MC
SPK_COMM_GER
SPK_COMM_G_LNG
UPG_HR75_AET

SPLIT_SW

Default Label Split Session Cost
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_SESSN

SPOKESPERSON_ID

Default Label Spokesperson
Length 11
Type Character
Format Uppercase

Record Reference(s) WC_CNCLSPK_TBL

SPONSOR

Default Label Sponsor
Length 50
Type Character
Format Mixedcase

Record Reference(s) EG_ACTIVITIES



SPOUSAL_CONSENT

Default Label Spousal Consent
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_CLC_OFRM_AY
PA_DFN_OPT_FORM

SPOUSE_BIRTHDATE

Default Label Spouse Birthdate
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_CALCULATION
PA_CLC_EMP
PA_I_ESTIMATE
UPG_PA_CALC_TMP

SPOUSE_CONSENT

Default Label Spousal Consent Form Included
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_RUN_CNTL
PA_RUN_CNTL_CLC

SPOUSE_COVERAGE

Default Label Spouse Coverage
Length 1
Type Character
Format Uppercase

Record Reference(s) COVRG_CD_TBL



- A Spouse Allowed
- D Dependent Only Allowed
- N Spouse Not Allowed
- O Sps + Deps Only Allowed
- R Spouse Required
- S Spouse Only Allowed

SPOUSE_GER

Default Label Spouse Relation
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) OHS001GER_TMP1
 OHS004GER_TMP1

SPOUSE_NAME

Default Label Spouse Name
 Length 40
 Type Character
 Format Uppercase

Record Reference(s) PA_CLC_EMP

SPOUSE_SSN

Default Label Spouse SSN
 Length 9
 Type Character
 Format SSN

Record Reference(s) W2_DATA_PR
 YE_DATA
 YE_W2CP_DATA

SPREADTYPE



Default Label Spread Type
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) BD_POSITION_TBL

SPREAD_TEMPLATE

Default Label Spread Template Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) BD_POSITION_TBL

SP_BCD_AGE_ALIAS

Default Label Spouse Age
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

SP_BCD_AGE_ALIAST

Default Label Spouse Age at BCD Alias T
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_OPT_FORM

SP_FROM_DATE

Default Label Period End - From Date
 Length 10



Length 8192
 Type Long Character
 Format Uppercase

Record Reference(s) EOEW_ETLRUN_AET
 EOEW_ETL_STEP
 EOEW_EXE_STEP
 PSSQLTEXTDEFN
 TREE_MAINT_AET

SQLTYPE

Default Label SQL Object type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EDIOUTMAPWHERE
 PSFLDSEGDEFN
 PSSQLDEFN
 PSSQLDEL
 PSSQLDESCR
 PSSQLLANG
 PSSQLTEXTDEFN

SQL_ACCESS_D

Default Label SQL Access Delete
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_WORK_TABLES

SQL_ACCESS_I

Default Label SQL Access Insert
 Length 1
 Type Character



Format Uppercase

Record Reference(s) TL_WORK_TABLES

SQL_ACCESS_S

Default Label SQL Access Select
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WORK_TABLES

SQL_ACCESS_U

Default Label SQL Access Update
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_WORK_TABLES

SQL_FUNCTION

Default Label SQL Function
Length 2
Type Character
Format Uppercase

Record Reference(s) EO_CCR_SEL_PATH

- 1 MAX
- 2 MIN
- 3 SUM
- 4 AVG

SQL_ID

Default Label SQL Object ID



SQL_ID2

Default Label SQL Object ID
Length 30
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_ISSUUPD_AET
ST_SSDISP_AET
ST_VEST_AET

SQL_ID3

Default Label SQL Object ID
Length 30
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_ISSUUPD_AET
ST_SSDISP_AET

SQL_ID4

Default Label SQL Object ID
Length 30
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PUR_AET
ST_ISSUUPD_AET
ST_SSDISP_AET

SQL_ID5



Length 1
 Type Character
 Format Uppercase

Record Reference(s) AE_GB_AET
 GB_MERGE_TBL
 GB_WHERE_TBL

- A Equal
- B Less than
- C Greater than
- D Less or Equal
- E Greater or Equal
- F In List
- G Not in List
- H Between
- I Not Equal
- J Minimum
- K Maximum
- L Current
- M Is Null
- N Not Null
- O Not Between
- P Like
- Q Not Like
- R Effdt <=
- S Effdt >=
- T Effdt <
- U Effdt >

SQL_ROW_COUNT
 Default Label SQL Row Count
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) UPG_BN_AET
 UPG_EP_AET
 UPG_GPCH_AET
 UPG_GPJP880_AET
 UPG_GPMX830_AET



UPG_PA_AET

SQL_STMT

Default Label	SQL Statement
Length	8048
Type	Long Character
Format	Uppercase

Record Reference(s) GP_PKG_TAO_AET

SQL_STMT_254

Default Label	SQL Statement length 254
Length	254
Type	Character
Format	Mixedcase

Record Reference(s) AE_PTTSRPLC_AET
 AE_PTTSUNDO_AET
 GPNL_REP_AET

SQL_TYPE

Default Label	SQL Object Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) TL_SQL_OBJECT

- 0 Delete
- 1 Insert
- 2 Select
- 3 Update
- 4 Expression Text

SQRRTFLAG

Default Label	SQR Runtime
---------------	-------------



Length 1
 Type Character
 Format Numbers Only

Record Reference(s) PRC SDEFN

0	No
1	Yes

SQR_DATA_PREFIX

Default Label SQR Datatype Prefix
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) MC_DATA_TBL

SRCCOMPREDTTM

Default Label Source Comparison DtTm
 Length 26
 Type Datetime
 Format Uppercase

Record Reference(s) PSPROJECTDEFN

SRCE_EMAIL_BC_CAN

Default Label Source Email Services
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) WCB_MSGHD_EC
 WCB_MSGHD_WD

SRCE_MBOX_BC_CAN



Default Label Source Mailbox ID
Length 40
Type Character
Format Uppercase

Record Reference(s) WCB_MSGHD_EC
WCB_MSGHD_WD

SRCE_SFTWR_ID

Default Label WCB Source Software ID
Length 2
Type Character
Format Uppercase

Record Reference(s) WCB_EDSR_EC
WCB_EDSR_WD
WCB_MSGHD_EC
WCB_MSGHD_WD

SRCE_SFTWR_VERS

Default Label Source Software Version
Length 8
Type Character
Format Uppercase

Record Reference(s) WCB_MSGHD_EC
WCB_MSGHD_WD

SRCHBYPNLDATA

Default Label Use Panel Data in Search
Length 1
Type Number
Format Uppercase

Record Reference(s) PSPNLFIELD



SRCHLINKMSGNUM

Default Label Srch Action Msg Num
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

SRCHLINKMSGSET

Default Label Srch Action Msg Set
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

SRCHTEXTMSGNUM

Default Label Srch Results Msg Num
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

SRCHTEXTMSGSET

Default Label Srch Results Msg Set
Length 5
Type Number
Format Uppercase

Record Reference(s) PSPNLGRPDEFN

SRCH_RESULTS_NAME



Record Reference(s) PSRELATIONTRX
PSRELATTRXDEL

SRCRECNAME

Default Label Source Record Name
Length 15
Type Character
Format Uppercase

Record Reference(s) EO_BATLIB_AET
EO_MSGRECMAP

SRCRQSTMSGNAME

Default Label Request Message Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSRELATIONTRX
PSRELATTRXDEL

SRCRQSTMSGVER

Default Label Source Request Message Version
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSRELATIONTRX
PSRELATTRXDEL

SRCTRXTYPE

Default Label Transaction Type
Length 4



Type Character
 Format Uppercase

Record Reference(s) PSRELATIONTRX
 PSRELATTRXDEL

IA Inbound Asynchronous
 IS Inbound Synchronous
 OA Outbound Asynchronous
 OS Outbound Synchronous

SRCTYPE

Default Label Source Type
 Length 5
 Type Number
 Format 7

Record Reference(s) PSBUSPROCITEM
 PSMSGAGTDEFN
 PSVAITEM

SRC_ACTION_ID

Default Label Source Action ID
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) TL_TA_ACTN_COPY
 TL_TA_CPY_AET

SRC_BANK_ID

Default Label Source Bank ID
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) ESTAB_TBL_BRA
 GPAU_EFT_CMX_DB



GPAU_EFT_CMX_HD
GPAU_EFT_CMX_TR
GPAU_EFT_CX_AET
GPAU_EFT_SB_TMP
GPBR_PAYMENT

GPBR_PMT_AET
GPCH_BK_PYE_DEF
GPCH_BK_XFERDTA
GPCH_RC_PAYROLL
GPDE_AL_DEPT
GPDE_BK_DP_SBK2
GPDE_BK_PE_HMBK
GPDE_BK_PE_SBK2
GPDE_BK_PG_HMBK
GPDE_BK_PG_SBK2
GPDE_BK_PYE_DEF
GPDE_BK_XFERDTA
GPDE_RC_PAYROLL
GPES_PAYMENT
GPES_PMT_AET
GPFR_DUCS_AET
GPFR_DUCS_DECL
GPFR_PAYMENT
GPFR_PMT_AET
GPGB_PAYMENT
GPHK_PYENT_SBNK
GPHK_PYENT_TAO
GPIT_RC_PAYROLL
GPJP_BA01_AET
GPJP_BA_HEADER
GPJP_RC_BA01
GPJP_SRC_BANK
GPMX_PAYMENT
GPMX_PMT_AET
GPMY_EFT_MAY_HD
GPMY_PE_SBANK
GPMY_PYENT_SBNK
GPNL_PAYMENT
GPNL_PMT_AET
GPNZ_PE_SBANK
GPSG_PE_SBANK
GP_PAYMENT



GP_PE_S BANK_DTL
 GP_PYENT
 GP_P_SBNK_SGPAU
 GP_SRCBANK_SGPAU
 GP_SRC_BNK1_TMP
 GP_SRC_BNK2_TMP
 PAYGROUP_TBL
 SOCS_SETHD_ESP
 SRC_BANK
 UPG_CONV_HR75_1
 UPG_CONV_PY75_2
 UPG_HR75_AET
 UPG_PY_AET

SRC_CAL_ID

Default Label Source Calendar ID
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) GPFR_PS_ERN_TMP
 GPNL_PS_ERN_TMP

GP_PI_GEN_DATA
 GP_PI_GEN_HDR
 GP_PI_GEN_REF
 GP_PI_GEN_SOVR
 GP_PI_HDR_WRK
 GP_PI_VC_PLAN
 GP_TL_PIGEN_WRK
 GP_TL_PIHD2_WRK

SRC_CAL_RUN_ID

Default Label Source Calendar Run ID
 Length 18
 Type Character
 Format Uppercase

Record Reference(s) GPDE_DV_REP_AET



GPDE_DV_REP_WRK
 GPFR_PS_ERN_TMP
 GPNL_PS_ERN_TMP
 GP_PI_GEN_DATA
 GP_PI_GEN_HDR
 GP_PI_GEN_REF
 GP_PI_GEN_SOVR
 GP_PI_HDR_WRK
 GP_TLCOST_AET
 GP_TLPTM_WRK
 GP_TLTRC_WRK
 GP_TL_PIGEN_WRK
 GP_TL_PIID2_WRK
 GP_TL_PREP_AET
 GP_TL_PRSLT_WRK

SRC_CIPROPERTYNAME

Default Label Source CI Property Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSCIREFPROPERTY

SRC_CONDITION_ID

Default Label Source Condition ID
 Length 12
 Type Character
 Format Uppercase

Record Reference(s) TL_TA_COND_COPY
 TL_TA_CPY_AET

SRC_FIELDNAME

Default Label SRC FieldName
 Length 18
 Type Character



Format Uppercase

Record Reference(s) TL_ACTION_DTL

SRC_FIELD_IND

Default Label Source Field Indicator

Length 1

Type Character

Format Uppercase

Record Reference(s) TL_ACTION_DTL

- 0 RecField
- 1 Constant
- 2 State Variable
- 3 Meta SQL
- 4 Expression
- 5 Rule Template

SRC_RECNAME

Default Label Source Record (Table) Name

Length 15

Type Character

Format Uppercase

Record Reference(s) TL_ACTIONS

SRC_TGT

Default Label Source/Target Indicator

Length 1

Type Character

Format Uppercase

Record Reference(s) PST_PNLFIELDS



SRC_TL_RULE_ID

Default Label Source TL Rule ID
Length 12
Type Character
Format Uppercase

Record Reference(s) TL_TA_CPY_AET
TL_TA_RULE_COPY

SRVRDESTFILE

Default Label Server File Destination
Length 127
Type Character
Format Mixedcase

Record Reference(s) PSPRCSRFL
PSPRCSRUNCNTL

SRVRDESTPRINTER

Default Label Server Destination Printer
Length 127
Type Character
Format Mixedcase

Record Reference(s) PSPRCSRUNCNTL

SRVRDESTPRNT

Default Label Server Print Destination
Length 127
Type Character
Format Mixedcase

Record Reference(s) PSPRCSRFL



SRVRHOSTNAME

Default Label	Server Hostname
Length	80
Type	Character
Format	Mixedcase

Record Reference(s)	PSSERVERSTAT
	SERVERINFO

SRVRLOADBALOPTN

Default Label	Server Load Balancing Option
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	SERVERDEFN
	0 Do Not Use for Load Balancing
	1 Use for Load Balancing

SRVRRUNOPTION

Default Label	Server Run Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	SCHDLDEFN
	1 Any Server
	2 Specific Server
	3 Specific OS
	4 Primary Server

SRVRSTATUSUPD

Default Label	Server Status Update
Length	1
Type	Number
Format	Uppercase



Record Reference(s) PSPRCSPRFL

SRVRSTATUSVIEW

Default Label Server Status View
 Length 1
 Type Number
 Format Uppercase

Record Reference(s) PSPRCSPRFL

SRVRTYPE

Default Label Server Type
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PSPRCSJOBSTATUS

- 1 Application Server
- 2 Distribution Agent

SR_BUILD

Default Label Activity
 Length 20
 Type Character
 Format Uppercase

Record Reference(s) BS_BLD_PROJ
 BS_MRG_PRJ_AET
 BS_PRJ_MRG_RN

SR_BUILD_ID

Default Label Build Id
 Length 20
 Type Character



Format Uppercase

Record Reference(s) BS_BLD_PROJ
BS_MRG_PRJ_AET
BS_PRJ_MRG_RN

SR_LICENSE_GRP

Default Label License Group
Length 18
Type Character
Format Uppercase

Record Reference(s) BS_BLD_PROJ
BS_MRG_PRJ_AET
BS_PRJ_MRG_RN

SR_PRODUCT

Default Label Product
Length 4
Type Character
Format Uppercase

Record Reference(s) BS_BLD_PROJ
BS_MRG_PRJ_AET

SSN

Default Label Social Security #
Length 9
Type Character
Format SSN

Record Reference(s) AUDIT_PERSONAL
GVT_ASSIGNEE
GVT_ASSIGN_BEN
GVT_CAR_INTRFC
GVT_CPDF_DYN



GVT_CPDF_ERRTBL
 GVT_CPDF_STATUS
 GVT_PAR_PRT
 GVT_TSP_01_HIST
 HR_AET
 PAY_CHECK
 R_GVT_BOND_ISS
 R_GVT_PAR_PRT
 R_TAX002NY
 R_TAX810
 W2_DATA
 W2_DATA_PR
 WRK_CHECK
 YE_DATA
 Z_AUDIT_PERS
 Z_FAST_SCRT_EMP
 Z_NFC_U6708_TBL
 Z_PRES_DOC_170C
 Z_SSN
 Z_TABLE102

SSN1

Default Label SSN
 Length 9
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_PAR
 R_GVT_BOND_ISS
 Z_NFC_U6708_TBL

SSN_EMPLOYER

Default Label Soc.Sec.Number for Employer
 Length 13
 Type Character
 Format Uppercase

Record Reference(s) AFI_AET



AFI_CMP_TMP
 ESTAB_SSEC_ESP
 GPES_RC_BNK
 GPES_RC_SS
 GPES_RC_SS1
 GPES_RC_SS_TC2W
 GPES_SSTC_RSLT
 GPES_SSTC_TC1
 JOB_WORK_ESP
 RC_AFI_CMP_ESP
 RC_AFI_EMP_ESP

SSN_EMPL_TYPE

Default Label Soc.Sec.Nbr. for Employer Type
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) CMP_RULE_VALUES
 ESTAB_SSEC_ESP
 RGM_CTZ_ESP_TBL

- 1 Regular
- 2 Apprenticeship
- 3 Training

SSN_FRA

Default Label Social Security #
 Length 13
 Type Character
 Format Numbers Only

Record Reference(s) FPA_EMPLOYEES
 Z_FAST_SCRT_EMP

SSN_KEY_FRA

Default Label Social Security # Key
 Length 2



Type Character
 Format Numbers Only

Record Reference(s) FPACNTRBARC_TBL
 FPACNTRBRES_TBL
 FPA_EMPLOYEES
 FPA_EXT_INF_TBL
 GPFR_ASS_PAYEE
 GPFR_AT_ADMIN

 GPFR_ILL_ADMIN
 GPFR_ILL_AET
 HR_SHS_FRA_AET
 SHS_EMPL_TAO
 UPG_HR75_AET

SSN_LIMIT1_FRA
 Default Label Social Security Ceiling A
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) EXT_PARM_FRA

SSN_LIMIT2_FRA
 Default Label Social Security Ceiling B
 Length 8
 Type Number
 Format Uppercase

Record Reference(s) EXT_PARM_FRA

SSN_LIMIT3_FRA
 Default Label Social Security Ceiling C
 Length 9
 Type Number
 Format Uppercase



P Process Detail Scroll
 S Search Record
 V Save For Ltr Scroll

SS_COMMENCE_ALIAS

Default Label Social Security Commencement
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

SS_COMMENCE_ALIAST

Default Label Alias Type for SS Commence Dat
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA

SS_COMMENCE_DT

Default Label Social Security Commencement
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) PA_DFN_PIA

SS_COMMENCE_TYPE

Default Label Social Security Commencement
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_PIA



A Alias Name
 D Date Constant

SS_COMP_PROCESS

Default Label SS Component Process
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SS_PAGE_TEXT
 SS_SECTION_VSBL

B Component Build
 P Component SavePostChange

SS_COMP_USE

Default Label Self Service Component Use
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) SS_BP_COMPS
 SS_COMMONADM_WL
 SS_COMMON_WL
 SS_PAGE_BUFFER
 SS_PAGE_TEXT
 SS_SECTION_VSBL

ADM Administrator
 APL Approval List
 APR Approver
 COR Core
 ORG Originator
 STL Status List
 STS Status

SS_CONFIG_OPTION

Default Label SS Configuration Option
 Length 1



Type Character
 Format Uppercase

Record Reference(s) SS_ADM_RULESTP

SS_EMAIL_TEXT
 SS_PAGE_TEXT
 SS_PROC_RULES
 SS_SECTION_VSBL

- 1 DB Updates N, Appr Req Y
- 2 DB Updates N, Appr Req N
- 3 DB Updates Y, Appr Req Y
- 4 DB Updates Y, Appr Req N
- 5 CI Administrator Option

SS_GRP_ID

Default Label Self Service Group ID
 Length 15
 Type Number
 Format Uppercase

Record Reference(s) SS_COMMONADM_WL

SS_COMMON_WL
 SS_DTL_EPM
 SS_DTL_JOB
 SS_DTL_SALCHANG
 SS_DTL_TRAINING
 SS_ERR_WRN
 SS_HDR
 SS_KEYS
 SS_KEYS_APPR
 SS_KEYS_DENY
 SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS
 UPG_CO_SS_AET

SS_PAGE_AREA

Default Label SS Page Area



Length 1
 Type Character
 Format Uppercase

Record Reference(s) SS_PAGE_TEXT
 SS_SECTION_VSBL

- A Approved Temp Area
- D Deny Temp Area
- E Edit Area
- H Header

SS_PIA_CD
 Default Label Calc Soc Sec PIA
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_CALCULATION
 UPG_PA_CALC_TMP

SS_PROCESS_CYCLE
 Default Label Self Service Process Cycle
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) SS_DTL_EPM
 SS_DTL_JOB
 SS_DTL_SALCHANG
 SS_DTL_TRAINING
 SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS
 UPG_CO_SS_AET

SS_REGIM_CD_GPFRA



Default Label Social Security Code
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) GPFR_URS_LNG
 GPFR_URS_RATES

SS_ROLETYPE

Default Label Self Service Roletype
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) SS_EMAIL_TEXT
 SS_PROCESS_DTL
 SS_PROC_CMNTS
 SS_PROC_FOLKS

ADM Administrator
 APR Approver
 INP Interested Party
 ORG Originator

SS_STAT_INDICATOR

Default Label Self Service Status Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) SS_EMAIL_TEXT
 SS_PAGE_TEXT
 SS_SECTION_VSBL
 UPG_CO_AET

A Approved
 B CI failed - Errors & Warnings
 C Cancelled
 D Denied
 E Errors Encountered



I In Approval Process
M Administrator Action Required
S Success
W Warnings Encountered

SS_TRANS_ID

Default Label Self Service Transaction ID
Length 15
Type Number
Format Uppercase

Record Reference(s) SS_COMMONADM_WL

SS_DTL_EPM
SS_DTL_JOB
SS_DTL_SALCHANG
SS_DTL_TRAINING
SS_ERR_WRN

SS_KEYS
SS_KEYS_APPR
SS_KEYS_DENY
SS_PROCESS_DTL
SS_PROC_CMNTS
SS_PROC_FOLKS
UPG_CO_SS_AET

SS_USER_TYPE

Default Label Self Service User Type
Length 1
Type Character
Format Uppercase

Record Reference(s) SS_BP_COMPS

SS_COMMON_WL

A Administrator
E Employee
M Manager



ST

Default Label PS/Stock Administration
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION

STANDARD_RT

Default Label Standard Rate
Length 19
Type Number
Format Uppercase

Record Reference(s) RISK_TBL

STARTAPPSERVER

Default Label Can Start Application Server?
Length 1
Type Number
Format Uppercase

Record Reference(s) PSCLASSDEFN

STARTDATETIME

Default Label Start Datetime
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSTZOFFSET

SCHDLDEFN
TL_TA_RSL_BATCH
TL_TA_RSL_MAIN
TL_TA_RSL_SECT



STARTINGDAY

Default Label Starting Day
Length 1
Type Number
Format Uppercase

Record Reference(s) PSSPTIMES

STARTINGSECOND

Default Label Starting Second
Length 5
Type Number
Format Uppercase

Record Reference(s) PSSPTIMES

STARTLOC

Default Label Start Location
Length 5
Type Number
Format 7

Record Reference(s) PSIMPFIELD

STARTTIME

Default Label Start Time
Length 4
Type Number
Format Uppercase

Record Reference(s) PSAUTHSIGNON
SERVEROPRTN



START_DATE

Default Label Start Date for Gen Standing PO
Length 10
Type Date
Format Uppercase

Record Reference(s) EE_ALLERGY_DTL

- EE_ALLERGY_LANG
- EE_DISEASE_DTL
- EE_DISEASE_LANG
- EE_IMMUN_DTL
- EE_IMMUN_LANG
- EE_MEDCATN_DTL

- EE_MEDCATN_LANG
- EG_FUNCTN_RESLT
- EG_SVC_HIST
- EG_SVC_HIST_FLX
- EOEI_LOAD_MSG
- FPASENDUR_CALC
- FPA_CA_STATUS
- GPBR_LOAN_WA
- GPGB_EE_CO_DTL
- GPGB_EE_LOAN
- GPGB_EE_PENSION
- GPGB_EE_STLOAN
- GPGB_EE_TAXCRD
- GVT_LV_REC_APP
- HR_DIM_RSLT_BEL
- HR_DIM_RUN_BEL
- INC_TRAVEL_DATA
- INJURY_ABSENCES
- PA_ACCUMS
- PA_CVRGE_HSTRY
- PA_EACCT_ACCUM
- PA_FUNCTN_RESLT
- PA_SVC_HIST
- PSRELATIONSHIP
- SCH_CAL_AET
- TIPS_ALL_RUNCTL
- TL_MASS_SESSION
- TL_PROFILE_AET
- TL_REPORTS_AET



TL_RPTS_RNCTL
TL_SCHRPT_AET
TL_SCHRT_RNCTL
Z_FLEXFUND_TBL

START_DATE_ALIAS

Default Label Start Date Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) EG_FUNCTN_RESLT
PA_FUNCTN_RESLT

START_DATE_ALIAST

Default Label Start Date Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) EG_FUNCTN_RESLT
PA_FUNCTN_RESLT

START_DATE_OVRD

Default Label Start Date Ovr for Mass Retro
Length 10
Type Date
Format Uppercase

Record Reference(s) RETRODEDPGM_DEF
RETROPAYPGM_DEF

START_DAY

Default Label Start Date (Day)



Length 2
 Type Number
 Format Uppercase

Record Reference(s) PA_CONS_DED
 PA_CONS_EARN
 PA_CONS_HRS

START_DAY_CAL

Default Label Calendar Yearly Start Day
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) GP_PYENT

START_DAY_FSCL

Default Label Fiscal Yearly Start Day
 Length 2
 Type Number
 Format Uppercase

Record Reference(s) GP_PYENT
 GP_PYGRP

START_DAY_OF_WEEK

Default Label Start Day of Week
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) TL_TIME_AET
 TL_TIME_PERIODS

- 1 1 - Monday
- 2 2 - Tuesday
- 3 3 - Wednesday



4	4 - Thursday
5	5 - Friday
6	6 - Saturday
7	7 - Sunday

START_DT

Default Label	Start Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	AAP_YEAR
	AAP_YEAR_GOALS
	AAP_YEAR_JG_GLS
	AAP_YEAR_JOBGRP
	APP_PRIWRK_EXPR
	APP_PRWK_EX_LNG
	APP_VSA_PMT_DTA
	AUTOPOP_WRK_TMP
	CAR_ALLOC
	CAR_NOTINUSE
	CAR_POOL
	CM_ELEMENT_DTL
	CONTR_ENDS_BEL
	DEPBEN_RIDER
	EG_COMMIT_MEMBR
	FPAEECAREHIST
	GARN_SPEC
	GPBR_LOAN
	GPDE_CAR_ALLOC
	GPGB_REPLIB_AET
	GPHK_MPF_RSLT
	GPJP_YEA_PYEADJ
	GPMX_OTH_ER
	GPMX_OTH_ER_DET
	GP_PKG_SUPPORT1
	GVT_GARN_SPEC
	HP_PT_APPNTMNT
	HR_SHS_FRA_AET
	ILLNESS_GER
	MASS_RETRO_RQST



NVQ_EMPLEMENT
NVQ_UNITS_PROG
PA_CLC_ACCT_AY
PA_CLC_EACCT_AY
PA_CLC_FAE_AY
PA_CLC_PEL_AY
PA_CONS_ARRAY
PA_CONS_DED_AY
PA_CONS_HRS_AY
PA_ELIG_EMPCD
PRIORWORK_EXPER
PRIORWRK_EX_LNG
PROJECT_STATUS
PROJECT_TBL
PROJECT_TEAM
PROJ_ACT_STATUS
PROJ_ACT_TEAM
RETRODEDMAS_TBL
RP_QUEUE_WRKEXP
RUN_CNTL_HR_FRA
SCH_CAL_AET
SCH_RUNCTRL_DTL
SHS_FRA_RUN_CTL
SHS_HIS_RUN_CTL
TL_ATTEND_AET
TL_CALENDAR
TL_CALL_TA_AET

TL_CAL_CTRL_TBL
TL_EXCEPTION
TL_MBLE_TRCDT
TL_RUNCNTL_AET
TL_RUN_CTRL_LAN
TL_TA000300_AET
TL_TA000800_AET
TL_TA_ARCH_RMAP
TL_TA_SE_DT_AET
TL_TA_TRPRF_AET
TL_TIME_AET
TL_WV_CRITERIA
UPG_CNTENDS_TAO
UPG_ER_AET
UPG_HR75_AET



UPG_PRWKEXP_TAO
VOLUNTEER_ACT
VOLUNTR_ACT_LNG
WP_AGREEMENT
Z_FLEX_WRK_AGM2
Z_FLEX_WRK_AGMT

START_DT_DAY

Default Label Day
Length 2
Type Number
Format Uppercase

Record Reference(s) HR_GRPANNIV_AET

START_DT_IND_AUTO

Default Label Pay Entity Calendar
Length 1
Type Character
Format Uppercase

Record Reference(s) GP_AUTOGEN_DFLT

START_DT_MONTH

Default Label Month
Length 2
Type Number
Format Uppercase

Record Reference(s) HR_GRPANNIV_AET

START_DT_OPTN_FSCL

Default Label Fiscal Start Default Source
Length 2
Type Character



Format Uppercase

Record Reference(s) GP_PYGRP

PE Use Paying Entity Defaults
SP Use Specified Start Date

START_DT_TYPE

Default Label Start Date Type
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_FUNCNTN_RESLT
 PA_FUNCNTN_RESLT

A Alias
D Date

START_DT_YEAR

Default Label Year
Length 4
Type Number
Format Uppercase

Record Reference(s) HR_GRPANNIV_AET

START_EVENT_DT

Default Label Start Date for BenAdmin
Length 10
Type Date
Format Uppercase

Record Reference(s) INSTALLATION

START_IDX



Default Label Period starts on
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) TL_CAL_VAL_COMB

TL_TIME_AET
 TL_TIME_PERIODS

10TH	10TH
11TH	11TH
12TH	12TH
13TH	13TH
14TH	14TH
15TH	15TH
16TH	16TH
17TH	17TH
18TH	18TH
19TH	19TH
1ST	1ST
20TH	20TH
21ST	21ST

22ND	Twenty Second
23RD	Twenty Third
24TH	Twenty Fourth
25TH	Twenty Fifth
26TH	Twenty Sixth
27TH	Twenty Seventh
28TH	Twenty Eighth
29TH	Twenty Ninth
2ND	2ND
30TH	Thirtieth
31ST	Thirty First
3RD	3RD
4TH	4TH
5TH	5th
6TH	6TH
7TH	7TH
8TH	8TH
9TH	9TH
LAST	Last



START_MINI_DT

Default Label	Start Mini Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	TL_RUNCNTL_AET
---------------------	----------------

START_MONTH

Default Label	Start Date (Month)
Length	2
Type	Number
Format	Uppercase

Record Reference(s)	PA_CONS_DED
	PA_CONS_EARN
	PA_CONS_HRS

START_MTH_CAL

Default Label	Calendar Yearly Start Month
Length	2
Type	Character
Format	Uppercase

Record Reference(s)	GP_PYENT
	01 January
	02 February
	03 March
	04 April
	05 May
	06 June
	07 July
	08 August
	09 September
	10 October
	11 November



12 December

START_MTH_FSCL

Default Label Fiscal Yearly Start Month
 Length 2
 Type Character
 Format Uppercase

Record Reference(s)	GP_PYENT	
	GP_PYGRP	
	01	January
	02	February
	03	March
	04	April
	05	May
	06	June
	07	July
	08	August
	09	September
	10	October
	11	November
	12	December

START_SUCC_CHK

Default Label Start Success Checking
 Length 6
 Type Number
 Format Uppercase

Record Reference(s)	RUN_CNTL_BDGT
---------------------	---------------

START_TIME

Default Label Interview Start Time
 Length 15
 Type Time
 Format Uppercase

Record Reference(s)	ABSW_TMPL_DET
---------------------	---------------



ABSW_T_DET_LANG
 APP_IV_SCHED
 ER_INTVW_SCHED
 INC_TRAVEL_DATA
 INJURY_ILL_IND
 INTERVWER_AVAIL
 INTERVW_SCH_TBL
 INTERVW_TIMES
 IV_AVAIL_TIMES
 IV_SCHED_TIMES
 SCH_ADHOC_RPT
 SCH_SHIFT_TBL
 TL_TA0006_AET

START_TIME1

Default Label	Start Time
Length	19
Type	Character
Format	Uppercase

Record Reference(s) OHS001GER_TMP2

START_UNIT

Default Label	Start Unit for complex Period
Length	3
Type	Character
Format	Uppercase

Record Reference(s) TL_CAL_VAL_COMB
 TL_TIME_AET
 TL_TIME_PERIODS

DAY	Day
FRI	Friday
MON	Monday
SAT	Saturday
SUN	Sunday
THU	Thursday



TUE Tuesday
WED Wednesday

START_UP_ALIAS_NM

Default Label Start-Up Alias Name
Length 15
Type Character
Format Uppercase

Record Reference(s) EG_CALC_GRP_TBL

START_UP_AMOUNT

Default Label Startup Amount
Length 15
Type Number
Format Uppercase

Record Reference(s) PA_STRTUP_HISTO

START_UP_DATE

Default Label Startup Date
Length 10
Type Date
Format Uppercase

Record Reference(s) PA_STRTUP_HISTO

START_WEEK_DAY_IND

Default Label Process from prior week day

Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RUN_CTRL_CAL
TL_TIME_AET



START_WORK_DT_BEL

Default Label Start Date Worked
Length 10
Type Date
Format Uppercase

Record Reference(s) CONTR_ENDS_BEL
UPG_CNTENDS_TAO

START_YEAR

Default Label Start Year
Length 5
Type Signed Number
Format Uppercase

Record Reference(s) DEC2483_FRA_AET

STATE

Default Label State
Length 6
Type Character
Format Uppercase

Record Reference(s) ADDL_PAY_DATA
APP_PRIWRK_EXPR
APP_SCHOOL_EDUC
AP_EXTRACT_LINE
ASSIGNMENT
AUDIT_TLPCHTIME
AUTOPOP_APP_TMP
AUTOPOP_WRK_TMP
BAL_ADJ_TAX
BAL_ADJ_TAX1042
BAS_ELIG_STATE
BN_834_MEMBER
CAR_DATA



CITYUPDATE_TAO
CITY_TBL_ITA
CLAIM_INFO_AUS
CLM_INF_DTL_AUS
COMPANY_STATS
COMP_PROP_TBL
COUNTYSTATE_ITA
CO_DPK_ADDR_TAO
CO_DPK_ELIG_DET
CO_DPK_ELIG_NEW
CO_DPK_ELIG_OLD
CO_DPK_ELIG_TRN

CO_ESV_ADDR_TAO
CO_ESV_INIT_DET
CO_ESV_YTD_DET
CO_LOCALTAX_TBL
CO_STATETAX_TBL
DEC2483_FRA_AET
DEPBEN_RIDER
DEPT_BUDGET_TAX
DRIVERS_LIC
DUPLICATE_SET
EO_ADDR_VALIDAT
GA_PRV_OUTDOC
GPAU_ETP_EL_TAO
GPAU_PSM_EL_TAO
GPAU_TFN_EL_TAO
GPBR_R20_SEFIP
GPCH_RP_FK02
GPCH_RP_MT
GPCH_RP_PK01
GPCH_RP_SI08
GPCH_RP_TX05
GPCH_STX_AET
GPES_TAX190
GPIT_ADD_COM
GPIT_ADD_PRO
GPIT_CAF_DATA
GPIT_CUD_RP_P1
GPIT_FCUD_T2
GPMX_RC_STTAXES
GPMX_ST_TAXES



GPMX_ST_TAXES_C
GPMX_ST_TAX_WA
GVT_CAR_INTRFC
GVT_COUNTY_TBL
GVT_GARN_PAYEE
GVT_GARN_SPEC
GVT_GEOLOC_LANG
GVT_GEOLOC_TBL
GVT_PAR_PSH_AET
GVT_RUN_CNTL
GVT_TAX_ROUTING
GVT_TAX_RT_LANG
GVT_TSP_01_HIST
GVT_TSP_01_LANG
GVT_UCFE
GVT_VA_DUTY_LOC
HPDBRETDIST_AET
HP_BDGT_TAXCHG
HP_COL_DEFN_DTL
HP_DISTBDGT_AET
HP_DISTSRCH_AET
HP_GRSFRG_DATA
HP_PAY_TAX_WK
HP_RDIST_TAXDAT
HP_RETDIST_AET
HP_TAXDIST_WRK
HR_DIM_BEL_AET
HR_NSZ_AET
HR_VIAPRIS_AET
INJ_CLMADD_LNG
LOCAL_TAX_DATA

LOCAL_TAX_TBL
LOCAL_TAX_TBL2
LOCL_TX_CLS_TBL
LOCL_TX_TYP_EFF
LOCL_TX_TYP_TBL
OSHA_301_REPORT
PAY_EARNINGS
PAY_TAX
PAY_TAX_1042
PAY_TAX_DIST
PAY_TAX_LIAB_AP



PAY_TAX_OVRD
PA_HST_W2_AMTS
PA_HST_YE_AMTS
PA_QDRO_COM
PA_TE_BIO
PA_TE_LTX
PA_TE_STX
PKG_COMPANY_PRT
PKG_PYTX_RT_TBL
POSTAL_CD_CHE
POSTAL_TBL_JPN
PRIORWORK_EXPER
PSHUP_TXN
PYAP_LINE_TAO
PYAP_UNXTRC_TAO
PYAP_XTAX1_TAO
PYAP_XTAX_AET
RC_PYAP_TXINILT
RC_PYAP_TXINIST
RC_PYAP_TXINI_L
RC_PYAP_TXINI_S
RC_TAX960KY
RC_TAX960ST
RC_X_TAX_LOCALS
RC_X_TAX_STATES
RC_X_TAX_TYPE_L
RC_X_TAX_TYPE_S
RETROPAY_EARNS
RP_QUEUE_APP
RP_QUEUE_WRKEXP
RUN_FGSF75
R_GVT_BOND_ISS
R_PATXUPD
R_TAX002CA
R_TAX002MI
R_TAX002MN
R_TAX810CA
R_TAX810MI
R_TAX810MN
R_TAX910XX
R_TAX960XX
SCHOOL_EDUCAT
SCHOOL_TBL



STATE_TAXRT_TBL
STATE_TAX_DATA
STATE_TAX_LANG
STATE_TAX_TBL
STATE_TBL
STATE_TBL_LANG
STAT_TX_CLS_TBL

STAT_TX_TYP_EFF
STAT_TX_TYP_TBL
ST_EXER_TAXES
ST_LOCAL_TAX
ST_OTH_TAX_TBL
ST_PSHUP_AET
ST_REL_TAXES
ST_R_EXER_TAXES
ST_R_REL_TAXES
ST_STATE_TAX
SWT_MARSTAT_TBL
SWT_MARSTA_LANG
TAX1042_BALANCE
TAXFORM_TAX
TAXGR_BASE_TBL
TAXGR_CMPNT_TBL
TAXGR_DEFN_TBL
TAX_BALANCE
TAX_DISTRIB
TAX_LOCATION2
TL_ELP_ERR
TL_ELP_INTFC
TL_MASS_TRANS
TL_OUTTCD_AET
TL_PAYABLE_TMP
TL_PCH_DUR_WRK
TL_PUNCH_ERR
TL_PUNCH_INTFC
TL_RAPID_PTIME
TL_RAPID_TIME
TL_RPTD_PCHTIME
TL_ST_PCHTIME
TL_TCD_TBL
TRVL_CMPY_PAID
UPG_CONV_LCLTX



UPG_E35C_TAO
UPG_E3XW_TAO
UPG_ER_AET
UPG_HP_01_TAO
UPG_HP_02_TAO
UPG_HP_AET
UPG_HR75RWF_AET
UPG_HR75TRN_AET
UPG_HR75_AET
UPG_LCLTX2
UPG_PRWKEXP_TAO
UPG_TL_TIME
UPG_TL_TIME1
W2C_AMOUNTS
W2C_DATA
W2_AMOUNTS
W2_AMOUNTS_PR
W2_COMPANY
W2_DATA
W2_DATA_PR
WCB_CCAD_EC
WCB_ERLO_EC
WCB_ERPT_EC
WCB_INWO_EC
WRK_EARNINGS
WRK_TAX

WRK_TAX_1042
WRK_TAX_DIST
WRK_TAX_OVRD
YE_AMOUNTS
YE_DATA
YE_W2CP_AMOUNTS
YE_W2CP_DATA
YE_W2C_AMOUNTS
YE_W2C_DATA
Z_AS_ACTG_STTN
Z_BEN_VEN_ADDR
Z_CARDSHIP_TBL
Z_CITY_TBL
Z_CONTR_COMPANY
Z_COUNTY_TBL
Z_FLEXFUND_TBL



Z_FLEX_OTH_REC
Z_FLEX_SITE_REC
Z_HR_PIVOT_REF
Z_LC_RUNCTL
Z_MIIS_EMPOW_IN
Z_NEDC_TBL
Z_NEDC_USER_TMP
Z_PRES_140_WL
Z_PRES_150_WL
Z_PRES_DOC_140
Z_PRES_DOC_150
Z_STATE_TBL
Z_Z_ASACTG_STTN

STATE2

Default Label State
Length 6
Type Character
Format Uppercase

Record Reference(s) GPCH_RP_PK01

GPIT_CUD_RP_P1
GPIT_FCUD_T2
UPG_E3XW_TAO
Z_HR_PIVOT_REF
Z_MIIS_EMPOW_IN

STATEMENT

Default Label Statement
Length 0
Type Long Character
Format Uppercase

Record Reference(s) INJ_ILL_EMPSTMT

INJ_ILL_EMP_LNG
INJ_ILL_OBJSTMT
INJ_ILL_OBJ_LNG
INJ_ILL_STMT
INJ_ILL_STM_LNG



STATEMENT_TYPE

Default Label	Statement Type
Length	1
Type	Number
Format	Uppercase

Record Reference(s)	PSDDLDEFPARMS
	PSDDLMODEL
	1 Table
	2 Index
	3 Tablespace

STATEREC_FLAG

Default Label	AE State Record
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	TL_WORK_TABLES
---------------------	----------------

STATEVAR

Default Label	State Variable
Length	35
Type	Character
Format	Uppercase

Record Reference(s)	TL_ACTION_DTL
	TL_SQL_INSERT
	TL_SQL_SEL_FLDS

STATE_ALL

Default Label	All States
Length	1



Type Character
 Format Uppercase

Record Reference(s) PYAP_XTAX_AET
 RC_X_TAX

A All States
 S Specific States

STATE_DESCR1

Default Label State Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) OHS501UK_TMP1
 OHS501UK_TMP2
 Z_CHARITIES_TBL

STATE_DESCR2

Default Label State Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) OHS501UK_TMP1
 OHS501UK_TMP2

STATE_DOC_CNTL_NBR

Default Label Document Control Number
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) RC_TAX810MT
 RC_TAX810OH



STATE_EXISTS

Default Label State
Length 1
Type Character
Format Mixedcase

Record Reference(s) DUP_APPSRCH_AET
RUN_DUPAPP_SRCH

STATE_FLAG

Default Label State
Length 1
Type Character
Format Uppercase

Record Reference(s) TL_RPDTME_TMPLT
TL_RPTD_TMPLT

STATE_FROM

Default Label From State
Length 6
Type Character
Format Uppercase

Record Reference(s) GPMX_RC_STTAXES
TRVL_CMPY_PAID

STATE_GARN_LAW

Default Label Garnish Law Source
Length 6
Type Character
Format Uppercase

Record Reference(s) GARN_DE_EARN



GARN_EMPL_DED
GARN_EXEMPT_TBL
GARN_OPERANDS
GARN_RULE
GARN_RULE_LANG
GARN_RULE_TBL
PAY_GARNISH
UPG_CAN1_AET
WRK_GARNISH

STATE_GARN_PRORATE

Default Label Proration Rule State
Length 6
Type Character
Format Uppercase

Record Reference(s) GARN_PRORATE_RL
GARN_SPEC
GVT_GARN_SPEC
PAY_GARNISH
WRK_GARNISH

STATE_LOCAL_EIN

Default Label State and Local EIN
Length 20
Type Character
Format Uppercase

Record Reference(s) AP_EXTRACT_HDR
PYAP_HDR_TAO
PYAP_XCTAX1_TAO
PYAP_XCTAX2_TAO
PYAP_XCTAX3_TAO
PYAP_XCTAX_AET
PYAP_XTAX1_TAO
PYAP_XTAX2_TAO
PYAP_XTAX_AET



STATE_LOCATION_CD

Default Label	State Location Code
Length	3
Type	Character
Format	Uppercase

Record Reference(s) RC_SLC_UI

STATE_NUMBER

Default Label	State Number
Length	2
Type	Character
Format	Numbers Only

Record Reference(s) RUN_CNTL_HR

- | | |
|----|----------------------|
| AK | Alaska |
| AL | Alabama |
| AR | Arkansas |
| AZ | Arizona |
| CA | California |
| CO | California |
| CT | Connecticut |
| DC | District of Columbia |
| DE | Delaware |
| FL | Florida |
| GA | Georgia |
| HI | Hawaii |
| IA | Iowa |
| ID | Idaho |
| IL | Illinois |
| IN | Indiana |
| KS | Kansas |
| KY | Kentucky |
| LA | Louisiana |
| MA | Massachusetts |
| MD | Maryland |
| ME | Maine |
| MI | Michigan |



MN	Minnesota
MO	Missouri
MS	Mississippi
MT	Montana
NC	North Carolina
ND	North Dakota
NE	Nebraska
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NV	Nevada
NY	New York
OH	Ohio
OK	Oklahoma
OR	Oregon
PA	Pennsylvania
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
UT	Utah
VA	Virginia
VT	Vermont
WA	Washington
WI	Wisconsin
WV	West Virginia
WY	Wyoming

STATE_OPT	
Default Label	State Option
Length	1
Type	Character
Format	Uppercase

Record Reference(s) TL_RPTD_TMPLT

N	Not Used
O	Optional
R	Required



STATE_OTHER

Default Label State
Length 6
Type Character
Format Uppercase

Record Reference(s) AUTOPOP_EDU_TMP
BN_834_MEMBER
EMPLOYEES
EMPLOYEES_1
EMPLOYEES_TAO
GVT_AWD_DATA
RP_QUEUE_EDU
RUN_FGSF75
UPG_HR75_AET
Z_EMPLOYEES
Z_HCUP_AUDIT

STATE_PASSPORT

Default Label State
Length 6
Type Character
Format Uppercase

Record Reference(s) APP_CITIZN_PSPT
CITIZEN_PSSPRT
UPG_ER_AET

STATE_RESIDENCE

Default Label State of Residence
Length 6
Type Character
Format Uppercase

Record Reference(s) LOCTX_RECIP_TBL
STTAX_RECIP_TBL



STATE_WORK

Default Label State of Employment
Length 6
Type Character
Format Uppercase

Record Reference(s) LCLWK_TXRCP_TBL
LOCTX_RECIP_TBL
STTAX_RECIP_TBL

STATISTICS_ACCOUNT

Default Label Statistical Account
Length 1
Type Character
Format Uppercase

Record Reference(s) GL_ACCOUNT_TBL

STATISTICS_CODE

Default Label Statistics Code
Length 3
Type Character
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
GM_TEC_LN
HR_ACCTG_LINE
HR_ACCTG_LN_STG
STAT_TBL
UPG_HP_AET

STATISTIC_AMOUNT

Default Label Statistic Amount
Length 17



Type Signed Number
Format Uppercase

Record Reference(s) DISTRIB_LINE
DISTRIB_LN_STG
GM_TEC_LN
HR_ACCTG_LINE
HR_ACCTG_LN_STG
UPG_HP_AET
VOUCHER_LINE
VOUCHER_LN_STG

STATS_GATHER
Default Label Gather Statistics Globally
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

STATS_START
Default Label Start Time For Stats Gathering
Length 26
Type Datetime
Format Uppercase

Record Reference(s) ECPACKAGEDetail
ECPACKAGELOG
ECPACKAGELOG_EC
ECTRANSGROUPDTL
ECTRANSGROUPLOG
ECTRANSGROUP_EC
PSOPTIONS

STATS_STOP
Default Label Stop Time For Stats Gathering



Length 26
Type Datetime
Format Uppercase

Record Reference(s) ECPACKAGEDetail
ECPACKAGELOG
ECPACKAGELOG_EC
ECTRANGROUPDTL
ECTRANGROUPLOG
ECTRANGROUP_EC
PSOPTIONS

STATS_TABLE

Default Label Gather Statistics for Table
Length 1
Type Character
Format Uppercase

Record Reference(s) PSOPTIONS

STATS_TIMER

Default Label Write Interval
Length 10
Type Number
Format 7

Record Reference(s) PSOPTIONS

STATUS

Default Label Status
Length 1
Type Character
Format Uppercase

Record Reference(s) AE_FGPY005_AET
DSUSRPRFLMAP
EOEC_MP_RULE



EOEI_LOAD_MSG
 EO_DSMAP
 EO_EIP_AMSG_TBL
 ER_ATTCHTYP_TBL
 ER_QSTN_SET_TBL
 ER_QUESTION_TBL

ER_REQ_DESCR_TP
 GPCH_RP_EO01
 GPCH_RP_FK01
 GPCH_RP_FK02
 GPCH_RP_SI07
 GPCH_RP_SI08
 GPCH_RP_TX01
 GPCH_RP_TX02
 GPCH_RP_TX05
 GPCH_RP_TX05C
 GPCH_RP_TX05D
 GPCH_SI_VARIAN2
 GPFR_DA_SIT
 GVT_VA_OPTIONS
 HP_NON_OP_FUNDS
 MIX_COM_REP_MEX
 PA_PEN_SVC_STAT
 PSCONN
 PSDSSECMAPMAIN
 PSPRDMDEFN
 PSPRSMWSRPPROD
 PSQRYTRANS
 PSWSRPPLTDEFN
 PT_WF_NOT_DSCFG
 PY_W4_EE_AET
 PY_W5_EE_AET
 Z_AUTOTXS_C05
 Z_AUTOTXS_C06
 Z_B_MASTER_TBL

A Active
 I Inactive

STATUSSTRING
 Default Label Status String



Length 5
 Type Character
 Format Uppercase

Record Reference(s) EO_EIP_ERR_AET

- EO_EIP_MSG_ERR
- EO_EIP_MSG_TAO2
- EO_EIP_MSG_TAO3
- EO_EIP_MSG_WL
- PSAPMSGARCHPC
- PSAPMSGARCHPH
- PSAPMSGARCHSC
- PSAPMSGDSPSTAT
- PSAPMSGPUBCON
- PSAPMSGPUBHDR
- PSAPMSGSUBCON
- PSIBLOGHDR
- PSIBLOGHDRARCH
- PT_AMM_DUMMY
- PT_EIP_MSG_ERR
- PT_EIP_MSG_TAO2
- PT_EIP_MSG_TAO3
- PT_EIP_MSG_WL
- PT_EIP_PUB_ERR
- PT_EIP_PUB_TAO2

- PT_EIP_PUB_TAO3
- PT_EIP_PUB_WL
- PT_EIP_SUB_ERR
- PT_EIP_SUB_TAO2
- PT_EIP_SUB_TAO3
- PT_EIP_SUB_WL

STATUS_AREA

Default Label Recruitment Area
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ER_STATUS_LANG
 ER_STATUS_TBL



ER_STS_CHG_TBL
 ER_STS_EFF_TBL
 ER_STS_RSN_LANG
 ER_STS_RSN_TBL
 ER_STS_SUCC_TBL
 ER_STS_WF_TBL
 REC_STATDEC_TBL
 REC_STATUS_TBL
 UPG_ER_STATUS
 UPG_ER_STS_RSN

- 1 1-Job Requisition
- 2 2-Applicant
- 3 3-Position Applied For
- 4 4-Route
- 5 5-Interview
- 6 6-Offer

STATUS_AREA_CHG

Default Label Recruitment Area
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ER_STS_CHG_TBL
 ER_STS_EFF_TBL

- 1 Job Requisition
- 2 Applicant
- 3 Position Applied For
- 4 Route
- 5 Interview
- 6 Offer

STATUS_CODE

Default Label Status Code
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) AE_BAS_ELIG_AET



AE_GVTAPCNS_AET

APPLICANT
APPLICATN_ROUTE
ER_AM_STS_TBL
ER_APPL_STATUS
ER_INTERVIEW
ER_INTVW_STATUS
ER_INTVW_TAO
ER_INT_EVL_RCMD
ER_INT_EVL_RSNS
ER_PE_OPR_REQS
ER_POSN_STATUS
ER_REQ_STATUS
ER_ROUTE_STATUS
ER_STATUS_LANG
ER_STATUS_TBL
ER_STSFSCR_LANG
ER_STSPSCR_LANG
ER_STS_CHG_TBL
ER_STS_CNVT_TAO
ER_STS_EFF_TBL
ER_STS_FSCR_TBL
ER_STS_PSCR_TBL
ER_STS_RSN_LANG
ER_STS_RSN_TBL
ER_STS_SUCC_TBL
ER_STS_WF_TBL
GVT_APPL_CONSID
GVT_PSN_APPLFOR
JOB_REQUISITION
JOB_REQUIS_TAO
OFFER
OFFER_HIST_TAO
OFFER_STATUS
OFFER_TAO
POSN_APPLD_TAO
POSN_APPLIEDFOR
REC_STATDEC_TBL
R_GVT_BAS_ELIG0
R_GVT_BAS_ELIG1
R_GVT_BAS_ELIG2
R_GVT_BAS_ELIG3



R_GVT_BAS_ELIG4
R_GVT_BA_ELIG0A
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5
UPG_APP_RTE_TAO
UPG_ER_AET
UPG_ER_STATUS
UPG_ER_STS_RSN
UPG_HR75RWF_AET
UPG_OFF_HIS_AET

STATUS_CODE_CHG

Default Label Change Status to
Length 3
Type Character
Format Uppercase

Record Reference(s) ER_STS_CHG_TBL
 ER_STS_CNVT_TAO
 ER_STS_EFF_TBL

STATUS_DATE_MEX

Default Label Status Date
Length 10
Type Date
Format Uppercase

Record Reference(s) MIX_COM_REP_MEX

STATUS_DT

Default Label Status Date
Length 10
Type Date
Format Uppercase



Record Reference(s)	ACCOM_OPTION
	ACCOM_REQUEST
	AE_BAS_ELIG_AET
	AE_GVTAPCNS_AET
	APPLICANT
	APPLICATN_ROUTE
	APP_ACCOM_OPTN
	APP_ACCOM_RQST
	APP_CHKLST_ITM
	APP_TRAINING
	APP_VSA_PMT_DTA
	BAS_PARTIC
	EMPL_CHKLST_ITM
	ER_APPL_STATUS
	ER_APP_PREEMPLH
	ER_INTERVIEW
	ER_INTVW_STATUS
	ER_INTVW_TAO
	ER_INT_EVL_DEFN
	ER_POSN_STATUS
	ER_QSTN_SET_TBL
	ER_QUESTION_TBL
	ER_REQ_STATUS
	ER_REQ_TMPL_TBL
	ER_RES_TMPL_TBL
	ER_ROUTE_STATUS
	FPAEREQUEST
	GRIEVANCE
	GVT_APPL_CONSID
	GVT_OFFER_COND
	GVT_PSN_APPLFOR
	GVT_SVCDEP_TBL
	GVT_TSP_01_HIST
	GVT_VA_OPTIONS
	HR_WC_APPR_AET
	JOB_REQUISITION
	JOB_REQUIS_TAO
	OFFER
	OFFER_HIST_TAO
	OFFER_STATUS
	OFFER_TAO
	POSITION_DATA



POSN_APPLD_TAO
POSN_APPLIEDFOR
RUN_CNTL_ESPP
R_GVT_BAS_ELIG0
R_GVT_BAS_ELIG1
R_GVT_BAS_ELIG2
R_GVT_BAS_ELIG3
R_GVT_BAS_ELIG4
R_GVT_BA_ELIG0A
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5
ST_CONTRIB_MANL
ST_CONTRIB_PART
ST_CONTRIB_RSDL
ST_ESPP_DISPOSN
ST_EXER_DISPOSN
ST_EXER_RELEASE
ST_GRANT
ST_GRANT_EXER
ST_GRNT_REPURCH
ST_OFFERING_PD
ST_REL_DISPOSN
ST_REPRC_PARTIC
ST_REPRC_TBL
ST_SPLIT_TBL
TRAINING
UPG_APP_RTE_TAO
UPG_ER_AET
UPG_HR75RWF_AET
UPG_HR75_AET
UPG_OFF_HIS_AET
VISA_PMT_DATA
WP_AGRT_PERIOD
Z_LC_GRIEV_STAT
Z_LC_INFOREQSTA
Z_LC_MISC_STAT
Z_LC_ULP_STATUS
Z_WF_VACANCY_WL

STATUS_DTTM



Default Label Status Date && Time
Length 26
Type Datetime
Format 12

Record Reference(s) ER_EE_REF_AWD
 PI_PARTIC
 PI_RUN_PYGRP
 PI_RUN_TBL

STATUS_FLAG

Default Label Status Flag
Length 1

Type Character
Format Uppercase

Record Reference(s) HR_PER510_PERML
 HR_PER510_USERP
 PYTL2_STG_SUB
 TL_MBLE_TRCDT
 TL_XREF_COSTS

STATUS_INDIAN

Default Label Status Indian
Length 1
Type Character
Format Uppercase

Record Reference(s) CAN_TAX_DATA

STATUS_PHASE

Default Label Recruitment Phase
Length 1
Type Character
Format Uppercase



Record Reference(s)	ER_STATUS_TBL
	1 1-Preliminary Screening
	2 2-Final Screening
	3 3-Route
	4 4-Interview
	5 5-Offer
	6 6-Ready to Hire

STATUS_REASON

Default Label	Status Reason
Length	3
Type	Character
Format	Uppercase

Record Reference(s)	AE_BAS_ELIG_AET
	AE_GVTAPCNS_AET
	APPLICANT
	APPLICATN_ROUTE
	ER_APPL_STATUS
	ER_INTERVIEW
	ER_INTVW_STATUS
	ER_INTVW_TAO
	ER_INT_EVL_RSNS
	ER_POSN_STATUS
	ER_REQ_STATUS
	ER_ROUTE_STATUS
	ER_STSFSCR_LANG
	ER_STSPSCR_LANG
	ER_STS_CNVT_TAO
	ER_STS_FSCR_TBL
	ER_STS_PSCR_TBL
	ER_STS_RSN_LANG
	ER_STS_RSN_TBL
	GVT_APPL_CONSID
	GVT_PSN_APPLFOR
	JOB_REQUISITION
	OFFER
	OFFER_HIST_TAO
	OFFER_STATUS
	OFFER_TAO



POSN_APPLD_TAO
POSN_APPLIEDFOR
REC_STATDEC_TBL
R_GVT_BAS_ELIG0
R_GVT_BAS_ELIG1
R_GVT_BAS_ELIG2
R_GVT_BAS_ELIG3
R_GVT_BAS_ELIG4
R_GVT_BA_ELIG0A
R_GVT_PRIPL_AG3
R_GVT_PRIPL_AG4
R_GVT_PRIPL_AG5
UPG_APP_RTE_TAO
UPG_ER_AET
UPG_ER_STATUS
UPG_ER_STS_RSN
UPG_OFF_HIS_AET

STATUS_RSN_CHG

Default Label Change Reason to
Length 3
Type Character
Format Uppercase

Record Reference(s) ER_STS_CHG_TBL
ER_STS_CNVT_TAO
ER_STS_EFF_TBL

STATUS_SUCESSOR

Default Label Status Successor
Length 3
Type Character
Format Uppercase

Record Reference(s) ER_STS_SUCC_TBL

STATUTE_BEL



Default Label Statute
Length 2
Type Character
Format Numbers Only

Record Reference(s) CNT_RSZ_TBL_BEL
STATUTE_BEL_LNG
STATUTE_TBL_BEL
SUBSTAT_TBL_BEL

STATUTORY_EE

Default Label Statutory Employee
Length 1
Type Character
Format Uppercase

Record Reference(s) FED_TAX_DATA
PY_IC_W4_AUDIT
W2C_DATA
W2_DATA
W2_DATA_PR
YE_DATA
YE_W2C_DATA

STAT_FTE1_CF

Default Label Female Citizen in FTE 90-100%
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE1_CM

Default Label Male Citizen in FTE 90-100%
Length 9
Type Number



Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE1_FF

Default Label Female Foreignr in FTE 90-100%
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE1_FM

Default Label Male Foreigner in FTE 90-100%
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE2_CF

Default Label Female Citizen in FTE 50-90%
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE2_CM

Default Label Male Citizen in FTE 50-90%
Length 9
Type Number
Format Uppercase



Record Reference(s) COMPANY_STATS

STAT_FTE2_FF

Default Label Female Foreignr in FTE 50-90%
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE2_FM

Default Label Male Foreigner in FTE 50-90%
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE3_CF

Default Label Female Citizen in low FTE
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE3_CM

Default Label Male Citizen in Low FTE
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS



STAT_FTE3_FF

Default Label Female Foreignr in low FTE
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAT_FTE3_FM

Default Label Male Foreigner in low FTE
Length 9
Type Number
Format Uppercase

Record Reference(s) COMPANY_STATS

STAY_IN_PERIOD

Default Label Stay in Period Date
Length 1
Type Character
Format Uppercase

Record Reference(s) JRNLGEN_APPL_ID

STDCOLORBG

Default Label Standard Background Color
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSSTYLEDEFN
PSSTYLEDEFNLANG



STDCOLORFG

Default Label Standard Foreground Color
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSSTYLEDEFN
PSSTYLEDEFNLANG

STDNT_FIN_PAYGROUP

Default Label Student Fin Paygroup
Length 1
Type Character
Format Uppercase

Record Reference(s) PAYGROUP_TBL

STDY_HRS_WKLY_AUS

Default Label Study hours per week
Length 5

Type Number
Format Uppercase

Record Reference(s) STUDY_BANK_AUS

STD_ANNUAL_FACTOR

Default Label Frequency Annualization Factor
Length 9
Type Number
Format Uppercase

Record Reference(s) PER501_TMP
PER501_TMP1



GVT_RQSN_JOB
HRAU_PSMPC1_TAO
HRAU_PSMPC_TAO
HR_CMP052J2_AET
HR_NSZ_AET
HR_SAL_CHG_EE
JOB
JOBCODE_TBL
JOBCOMP_TMP_MC
JOB_EARNS_DIST
JOB_ERN_DST_TMP
JOB_REQUISITION
JOB_REQUIS_TAO
JOB_TEMP
JOB_TMP_MC
LMS_AET
LMS_ENTRY_AET
LMS_EVENT_TBL
LMS_WRKSCH_AET
PER501_TMP
PER501_TMP1
POSITION_DATA
POSN_EARNS_DIST
SALARY_PLAN
SALINC_SIML_JPN
SAL_PLAN_PUB
SAL_PLAN_TBL
SHS_OTHER_TAO
SIM01_JPN_TMP
SIM02_JPN_TMP
TC_AET
UNION_TBL
UPG_758_JJL_TAO
UPG_758_JOB_TAO
UPG_EARNS_DIST
UPG_HR75RWF_AET
UPG_PY_JOB_TAO
WC_JOB_CHG_REQ
ZBD_JOBCODE_TBL
Z_HCUP_AUDIT
Z_HR_NFC102_REC
Z_SAL_PLAN_TBL



STD_HOURS_MAND

Default Label Standard Hours Mandatory
Length 1
Type Character
Format Uppercase

Record Reference(s) JOB_RQMT_TBL

STD_HOURS_NEW

Default Label *New Standard Hours
Length 7
Type Number
Format Uppercase

Record Reference(s) HR_FULL_PART_WL

STD_HOURS_OVRD

Default Label Std Hours Override
Length 7
Type Number
Format Uppercase

Record Reference(s) FMLA_LV_REQUEST

STD_HRS_DEFAULT

Default Label Default Standard Hours
Length 7
Type Number
Format Uppercase

Record Reference(s) BUS_UNIT_OPT_HR
COMPANY_STATS
GVT_RUN_CNTL



INSTALLATION
 OPR_DEF_HR_TAO
 OPR_DEF_TBL_HR
 Z_LC_RUNCTL

STD_HRS_FREQUENCY

Default Label Standard Work Period
 Length 5
 Type Character
 Format Uppercase

Record Reference(s) BD_JOBCODES

BP_JOB
 BUS_UNIT_OPT_HR
 CO_DPK_ELIG_DET
 CO_DPK_ELIG_NEW
 CO_DPK_ELIG_OLD
 CO_DPK_ELIG_TRN
 CO_DPK_JOB_TAO
 EDIT_SHEET_AET
 FPAEWORKRT
 FPAEWORK_HIST
 FPA_CI_JOB
 FPMPOINTYP_TBL
 GPMX_PTU_AET
 GVT_JOB
 GVT_JOB_TEMP
 GVT_RUN_CNTL
 HR_CMP052J2_AET
 HR_NSZ_AET
 HR_SAL_CHG_EE
 INSTALLATION
 JOB
 JOBCODE_TBL
 JOBCOMP_TMP_MC
 JOB_REQUISITION

 JOB_REQUIS_TAO
 JOB_TEMP
 JOB_TMP_MC
 LMS_AET



LMS_ENTRY_AET
 LMS_EVENT_TBL
 LMS_WRKSCH_AET
 OPR_DEF_HR_TAO
 OPR_DEF_TBL_HR
 PER501_TMP
 PER501_TMP1
 POSITION_DATA
 SALARY_PLAN
 SALINC_SIML_JPN
 SAL_PLAN_PUB
 SAL_PLAN_TBL
 SHS_OTHER_TAO
 SIM01_JPN_TMP
 SIM02_JPN_TMP
 TC_AET
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_HR75RWF_AET
 UPG_HR75_AET
 UPG_PY_JOB_TAO
 WC_JOB_CHG_REQ
 ZBD_JOBCODE_TBL
 Z_SAL_PLAN_TBL

STD_INDUSTRY_CD

Default Label	Standard Industry Code
Length	5
Type	Character
Format	Uppercase

Record Reference(s) RC_SIC_UI

STD_OR_PAY_HRS

Default Label	Use Standard or Payroll Hours
Length	1
Type	Character
Format	Uppercase



Record Reference(s) FMLA_PLAN_TBL

P Use Payroll Hours
S Use Standard Hours

STEP

Default Label Step
Length 2
Type Number
Format Uppercase
Legacy field name STEP
Legacy system name PINE

Record Reference(s) AE_FGPY005P_AET

- AE_FGPY005_AET
- AUDIT_GVT_JOB
- BD_JOBCODES
- BD_JOB_TBL
- BP_JOB
- BP_JOB_EXP
- BP_POSITION_EXP
- CMP007_TMP
- CMP007_TMP2
- CMP008_AET
- CMP010_TMP
- GPCH_RP_0001
- GPDE_ER_GUARANT
- GPDE_RP_0001
- GPIT_RP_0001
- GVT_ERN_PROC_RT
- GVT_JOB
- GVT_JOB_TEMP
- GVT_WGI_MAN
- HR_CMP050J2_AET
- HR_SAL_CHG_EE
- HR_SPLIB_AET
- JOB
- JOBCODE_TBL
- JOBCOMP_TMP_MC
- JOB_TEMP
- JOB_TMP_MC



OFFER
 OFFER_HIST_TAO
 OFFER_TAO
 PER062_TMP_JPN
 POSITION_DATA
 SAL_RATCD_LNG
 SAL_RATECD_TBL
 SAL_STEP_PUB
 SAL_STEP_TBL
 SAL_STP_TBL_LNG
 SP_UPDJOB_TMP
 SS_DTL_JOB
 STP01_JPN_TMP
 STP02_JPN_TMP
 STP03_JPN_TMP
 STP04_JPN_TMP
 STP05_JPN_TMP
 STP06_JPN_TMP
 STP4N_JPN_TMP
 STPER_JPN_TMP
 TC_EE_DETAIL
 TC_EMPL_LST_TAO
 TC_POPULATION
 TC_TEMP_JOB_TAO
 TC_TMP_DTL_TAO
 UPG_758_JJL_TAO
 UPG_758_JOB_TAO
 UPG_HR75_AET
 UPG_OFF_HIS_AET
 UPG_PY_JOB_TAO
 WC_JOB_CHG_REQ
 ZBD_JOBCODE_TBL
 Z_HCUP_AUDIT

 Z_HR_NFC102_REC
 Z_LC_WIG_TMP
 Z_SAL_STEP_TBL

STPEACTION

Default Label	Step Action
Length	5



Type Number
 Format 7

Record Reference(s) PSSTEPDEFN

STEPNAME

Default Label Step Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSSTEPDEFN

STEPNO

Default Label Step Number
 Length 5
 Type Number
 Format 7

Record Reference(s) MU_AET
 MU_MASSUPD_RLNG
 MU_MASSUPD_RSLT
 PSACTARCHIVE
 PSACTIVITYLOG
 PSSTEPDEFN
 RUNCTL_MASSUPD1

STEP_DESCR

Default Label Step Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) SAL_STEP_TBL
 SAL_STP_TBL_LNG
 Z_SAL_STEP_TBL



Record Reference(s) OHS001GER_TMP1
OHS004GER_TMP1

STEP_FROM

Default Label Step
Length 2
Type Number
Format Uppercase

Record Reference(s) JOB_REQUISITION
JOB_REQUIS_TAO
UPG_HR75RWF_AET

STEP_ID

Default Label Step ID
Length 6
Type Character
Format Uppercase

Record Reference(s) CMP008_TMP
CMP008_TMP2
EE_IPE_STEPS
IPE_PLAN_STEPS

IPE_STEP_LANG
IPE_STEP_TABLE
UPG_HR75_AET

STEP_INCREM_ACCUM

Default Label Spec Accum for Step Increments
Length 3
Type Character
Format Uppercase

Record Reference(s) SAL_GRADE_PUB
SAL_GRADE_TBL



Length 3
 Type Character
 Format Uppercase

Record Reference(s) DISCIPLIN_STEP
 GRIEVANCE_STEP

STEP_RT_THD_AMT

Default Label Step Rate Threshold Amount
 Length 7
 Type Number
 Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

STEP_RT_THD_TBL_NM

Default Label Step Rate Threshold Table Name
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

STEP_RT_THRESHOLD

Default Label Step Rate Threshold
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_ACCOUNT

- C Constant Amt
- P Percentage
- T Time Aware Percentage
- U User Code



STEP_STATUS

Default Label Event Guide Step Status
Length 3
Type Character
Format Uppercase

Record Reference(s) PSACTARCHIVE
PSACTIVITYLOG

STEP_SVC_RSLT

Default Label Step Service result
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_VESTSCHD

STEP_TO

Default Label Step
Length 2
Type Number
Format Uppercase

Record Reference(s) JOB_REQUISITION
JOB_REQUIS_TAO
UPG_HR75RWF_AET

STEP_TYPE

Default Label Step Type
Length 1
Type Character
Format Uppercase

Record Reference(s) IPE_STEP_TABLE



P Practical
T Theoretical

STFLSRVACCEPTING

Default Label Accepting Requests
Length 1
Type Character
Format Uppercase

Record Reference(s) PSSTATEFULSRV

STFLSRVCURRENTOP

Default Label Current Operation
Length 20
Type Character
Format Uppercase

Record Reference(s) PSSTATEFULSRV

STFLSRVID

Default Label Analytic server ID
Length 4
Type Number
Format Uppercase

Record Reference(s) PSSTATEFULSRV

STFLSRVLASTOPDTTM

Default Label Stateful server last operation
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSSTATEFULSRV



STFLSRVLASTOPUID

Default Label Last operation User ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSSTATEFULSRV

STFLSRVOPENDTTM

Default Label Time Opened
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSSTATEFULSRV

STFLSRVOPENUID

Default Label Opened User ID
Length 30
Type Character
Format Mixedcase

Record Reference(s) PSSTATEFULSRV

STFLSRVREGDTTM

Default Label Registration Date and Time
Length 26
Type Datetime
Format Uppercase

Record Reference(s) PSSTATEFULSRV

STFLSRVRMTACCESS



Default Label Remote Access Allowed
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSSTATEFULSRV

STFLSRVSTATE

Default Label Server state
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSSTATEFULSRV

- A Available
- I Idle
- K Marked for Restart
- L Loading
- R Registered
- X Executing

STFLSRVTIMEOUT

Default Label Timeout
 Length 6
 Type Number
 Format Uppercase

Record Reference(s) PSSTATEFULSRV

STL_APPROVALS

Default Label Settlement Approvals
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL



STL_APPROV_OPT

Default Label Approval Method
Length 1
Type Character
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_GL
1 Manual
2 Workflow

STMT_NAME

Default Label SQL Statement Name
Length 7
Type Character
Format Uppercase

Record Reference(s) SQLSTMT_TBL

STMT_TEXT

Default Label SQL Statement Text
Length 8192
Type Long Character
Format Uppercase

Record Reference(s) SQLSTMT_TBL

STMT_TEXT_PART1

Default Label Partial Statement Text 1
Length 100
Type Character
Format Mixedcase

Record Reference(s) GP_PKG_COPY_AET



STMT_TEXT_PART2

Default Label	Partial Statement Text 2
Length	100
Type	Character
Format	Mixedcase

Record Reference(s) GP_PKG_COPY_AET

STMT_TEXT_PART3

Default Label	Partial Statement Text 3
Length	100
Type	Character
Format	Mixedcase

Record Reference(s) GP_PKG_COPY_AET

STMT_TYPE

Default Label	SQL Statement Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s) PA_CUSTOM2
SQLSTMT_TBL

B	Boolean
F	Function
O	Operation

STOCK_ACTION

Default Label	Stock Action
Length	3
Type	Character
Format	Uppercase



Record Reference(s) STOCK_ACTN_TBL
 ST_ACTN_PRC_AET
 ST_ACTN_PRC_HDR
 ST_ACTN_PRC_MSG
 ST_ACTN_PRC_TBL
 ST_ACTN_RSN_TBL
 ST_ACTN_RULE
 ST_GRANT
 ST_REPRC_TAO

STOCK_ACTION_DT

Default Label Stock Action Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET
 ST_ACTN_PRC_HDR
 ST_ACTN_PRC_MSG
 ST_ACTN_PRC_TBL
 ST_ACTN_PRC_WL
 ST_GRANT

STOCK_ACTION_TYPE

Default Label Stock Action Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) STOCK_ACTN_TBL
 ST_ACTN_PRC_AET
 ST_ACTN_PRC_HDR
 ST_ACTN_PRC_TBL

L Leave of Absence
 R Return from Leave
 T Termination



Default Label Stock ID
Length 10
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

- RUN_CNTL_ST
- RUN_CNTL_ST_GGR
- R_CONTRIB_PART
- STOCK_AGENT
- STOCK_AGENT_DTL
- STOCK_AGREEMENT
- STOCK_BRANCH
- STOCK_BRNCH_DTL
- STOCK_CLASS_TBL
- STOCK_DTL
- STOCK_EXCHANGE
- STOCK_EXCH_LANG
- STOCK_FISCAL_YR
- STOCK_LEGEND
- STOCK_PLAN_LANG
- STOCK_PLAN_TBL
- STOCK_TBL
- STOCK_TBL_LANG
- STOCK_TREASURY
- STOCK_TRSR_LANG
- ST_ACTN_PRC_AET
- ST_ACTN_PRC_MSG
- ST_ACTN_PRC_TBL
- ST_ACTN_RULE
- ST_AE_CLASS_BAL
- ST_AE_ESPP_BAL
- ST_AE_OPTN_BAL
- ST_AE_TRSR_BAL
- ST_AGENT_CNTCT
- ST_AGNT_CT_LANG
- ST_BLACKOUT_LST
- ST_BLACKOUT_TBL
- ST_BLKOUT_LANG
- ST_BRANCH_CNTCT
- ST_BRNC_CT_LANG
- ST_CANCEL_TMP
- ST_CLASS_AET



ST_CLASS_ALLOC
ST_CNT_RFND_TAO
ST_COMBINED_TMP
ST_CONTRIB_MANL
ST_CONTRIB_PART
ST_CONTRIB_RFND
ST_CONTRIB_RSDL
ST_DAILY_PRICES

ST_DISPOSN_CNT
ST_DISP_ALL_TMP
ST_ESPPMAIN_AET
ST_ESPP_BAL_AET
ST_ESPP_CNF_AET
ST_ESPP_CVT_AET
ST_ESPP_DISPOSN
ST_ESPP_PARTIC
ST_ESPP_PLAN
ST_ESPP_PRC_AET
ST_ESPP_PURCH
ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_ESTIMATE_DTL
ST_ESTIMATE_TBL
ST_EXER_DISPOSN
ST_EXER_ISSUE
ST_EXER_LEGEND
ST_EXER_PAYMENT
ST_EXER_RELEASE
ST_EXER_SWAP
ST_EXER_TAXES
ST_GRANT
ST_GRANT_EXER
ST_GRANT_VALUE
ST_GRANT_VEST
ST_GRNT_MESSAGE
ST_GRNT_MOD_TAO
ST_GRNT_REPURCH
ST_GRNT_VAL_DTL
ST_GRNT_VST_DTL
ST_GROUP_TBL
ST_GRP_GRNT_AET
ST_GRP_PARM_TBL



ST_INSIDER_TBL
ST_ISO_LIM_AET
ST_ISSUANCE
ST_ISSUUPD_AET
ST_ISSUUPD_TAO
ST_ISSU_MESSAGE
ST_MANL_ALL_TAO
ST_MANL_SUM_TAO
ST_OFFERING_PD
ST_OFFER_EST
ST_OFFER_GRANT
ST_OFFER_VALUE
ST_OFFR_VAL_DTL
ST_OPTION_PARMS
ST_OPTION_PLAN
ST_OPTN_AET
ST_PARTIC_AET
ST_PARTIC_TMP
ST_PENDING_CNT
ST_PE_OPTN_PREF
ST_PLANALC_LANG
ST_PLAN_ALLOC
ST_PRDISP_AET
ST_PSHUP_AET
ST_PURCHASES
ST_PURCHASE_PD
ST_PURCHASE_PRC

ST_PURCHASE_TAO
ST_PURCHASE_TBL
ST_PURCH_PARTIC
ST_PUR_CNTR_TAO
ST_REFUND_CNT
ST_REFUND_DTL
ST_REFUND_ESPP
ST_REFUND_TAO
ST_REL_DISPOSN
ST_REL_ISSUE
ST_REL_LEGEND
ST_REL_PAYMENT
ST_REL_SWAP
ST_REL_TAXES
ST_REPRC_AET



ST_REPRC_CNTRY
ST_REPRC_CO
ST_REPRC_EMPL
ST_REPRC_PARTIC
ST_REPRC_PLAN
ST_REPRC_PR_MSG
ST_REPRC_TBL
ST_REPRICE_LANG
ST_RUNCTL_UNVAL
ST_RUNCTL_VALUE
ST_R_EXER_TAXES
ST_R_REL_TAXES
ST_SELF_SRV_CNT
ST_SPLIT_AET
ST_SPLIT_LANG
ST_SPLIT_TBL
ST_SSDISP_AET
ST_STFS001_TAO
ST_STFS007_TAO
ST_STFS009_TAO
ST_STFS010_TAO
ST_STFS010_TBL
ST_STFS014A_TBL
ST_STFS014_TBL
ST_STFS015A_TBL
ST_STFS015_TBL
ST_STOK001_TBL
ST_STOK002A_TBL
ST_STOK002_TBL
ST_STOP001_TBL
ST_STOP005_TBL
ST_STOP008_TBL
ST_STRR001_TAO
ST_TRSRALC_LANG
ST_TRSR_AET
ST_TRSR_ALLOC
ST_UNVALUE_TAO
ST_UNVALUE_TAO2
ST_USALL_TAO
ST_USSUM_TAO
ST_VALUE_AET
ST_VALUE_TAO
ST_VALUE_TAO10



ST_VALUE_TAO2
 ST_VALUE_TAO3
 ST_VALUE_TAO4

ST_VALUE_TAO5
 ST_VALUE_TAO6
 ST_VALUE_TAO7
 ST_VALUE_TAO8
 ST_VALUE_TAO9
 ST_VALUE_TBL
 ST_VC_ALLOC
 ST_VEST_AET
 VC_PLAN_TBL

STOCK_PLAN

Default Label Stock Plan
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

RUN_CNTL_ST
 RUN_CNTL_ST_GGR
 R_CONTRIB_PART
 STOCK_PLAN_LANG
 STOCK_PLAN_TBL
 ST_ACTN_PRC_AET
 ST_ACTN_RULE
 ST_AE_ESPP_BAL
 ST_AE_OPTN_BAL
 ST_CNT_RFND_TAO
 ST_COMBINED_TMP
 ST_CONTRIB_MANL
 ST_CONTRIB_PART
 ST_CONTRIB_RFND
 ST_CONTRIB_RSDL
 ST_DISPOSN_CNT
 ST_DISP_ALL_TMP
 ST_ESPPMAIN_AET
 ST_ESPP_BAL_AET
 ST_ESPP_CNF_AET



ST_ESPP_CVT_AET
ST_ESPP_DISPOSN
ST_ESPP_PARTIC
ST_ESPP_PLAN
ST_ESPP_PRC_AET
ST_ESPP_PURCH
ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_GRANT
ST_GRANT_EXER
ST_GRNT_MOD_TAO
ST_GRP_GRNT_AET
ST_ISO_LIM_AET
ST_ISSUUPD_AET
ST_MANL_ALL_TAO
ST_MANL_SUM_TAO
ST_OFFERING_PD
ST_OFFER_EST
ST_OFFER_GRANT
ST_OFFER_VALUE
ST_OFFR_VAL_DTL
ST_OPTION_PARMS

ST_OPTION_PLAN
ST_OPTN_AET
ST_PARTIC_AET
ST_PENDING_CNT
ST_PLANALC_LANG
ST_PLAN_ALLOC
ST_PRDISP_AET
ST_PURCHASES
ST_PURCHASE_PD
ST_PURCHASE_PRC
ST_PURCHASE_TAO
ST_PURCHASE_TBL
ST_PURCH_PARTIC
ST_PUR_CNTR_TAO
ST_REFUND_CNT
ST_REFUND_DTL
ST_REFUND_ESPP
ST_REFUND_TAO
ST_REPRC_AET
ST_REPRC_PLAN



ST_REPRC_TAO
 ST_REPRC_TBL
 ST_SELF_SRV_CNT
 ST_SPLIT10A_TAO
 ST_SPLIT10B_TAO
 ST_SPLIT10C_TAO
 ST_SPLIT10_TAO
 ST_SSDISP_AET
 ST_STFS010_TBL
 ST_STFS014A_TBL
 ST_STFS014_TBL
 ST_STFS015A_TBL
 ST_STFS015_TBL
 ST_STOK001_TBL
 ST_STOK002A_TBL
 ST_STOK002_TBL
 ST_STOP001_TBL
 ST_STOP005_TBL
 ST_STOP008_TBL
 ST_TRSR_TAO1
 ST_TRSR_TAO2
 ST_TRSR_TAO3A
 ST_TRSR_TAO3B
 ST_TRSR_TAO4
 ST_USALL_TAO
 ST_USSUM_TAO
 ST_VALUE_TAO2
 ST_VC_ALLOC
 ST_VEST_AET
 VC_PLAN_TBL

STOCK_PLAN_TYPE

Default Label	Stock Plan Type
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	RUN_CNTL_ESPP
	RUN_CNTL_ST
	RUN_CNTL_ST_GGR



R_CONTRIB_PART
STOCK_PLAN_LANG
STOCK_PLAN_TBL
ST_ACTN_RULE
ST_AE_ESPP_BAL
ST_AE_OPTN_BAL
ST_CNT_RFND_TAO
ST_COMBINED_TMP
ST_CONTRIB_MANL
ST_CONTRIB_PART
ST_CONTRIB_RFND
ST_CONTRIB_RSDL
ST_DISPOSN_CNT
ST_DISP_ALL_TMP
ST_ESPPMAIN_AET
ST_ESPP_BAL_AET
ST_ESPP_CNF_AET
ST_ESPP_CVT_AET
ST_ESPP_DISPOSN
ST_ESPP_PARTIC
ST_ESPP_PLAN
ST_ESPP_PRC_AET
ST_ESPP_PURCH
ST_ESPP_PUR_AET
ST_ESPP_UNC_AET
ST_GRP_GRNT_AET
ST_ISSUANCE
ST_ISSUUPD_AET
ST_ISSUUPD_TAO
ST_ISSU_MESSAGE
ST_MANL_ALL_TAO
ST_MANL_SUM_TAO
ST_OFFERING_PD
ST_OFFER_EST
ST_OFFER_GRANT
ST_OFFER_VALUE
ST_OFFR_VAL_DTL
ST_OPTION_PARMS
ST_OPTION_PLAN
ST_OPTN_AET
ST_PARTIC_AET
ST_PENDING_CNT
ST_PLANALC_LANG



ST_PLAN_ALLOC
 ST_PRDISP_AET
 ST_PURCHASES
 ST_PURCHASE_PD
 ST_PURCHASE_PRC
 ST_PURCHASE_TAO
 ST_PURCHASE_TBL
 ST_PURCH_PARTIC
 ST_PUR_CNTR_TAO
 ST_REFUND_CNT
 ST_REFUND_DTL
 ST_REFUND_ESPP
 ST_REFUND_TAO
 ST_REPRC_PLAN
 ST_SELF_SRV_CNT
 ST_SPLIT10A_TAO
 ST_SPLIT10B_TAO

ST_SPLIT10C_TAO
 ST_SPLIT10_TAO
 ST_SSDISP_AET
 ST_USALL_TAO
 ST_USSUM_TAO
 ST_VC_ALLOC
 VC_PLAN_TBL

E Purchase Plan
 O Option Plan

STOCK_VOLUME

Default Label Stock Volume
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) ST_DAILY_PRICES

STOCK_YEAR

Default Label Stock Year
 Length 4



Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_ST
 ST_GRP_GRNT_AET

STOP_DATE

Default Label Stop Date
Length 10
Type Date
Format Uppercase

Record Reference(s) EG_FUNCTN_RESLT
 GPGB_EE_CO_DTL
 GPGB_EE_TAXCRD
 PA_FUNCTN_RESLT

STOP_DATE_ALIAS

Default Label Stop Date Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) EG_FUNCTN_RESLT
 PA_FUNCTN_RESLT

STOP_DATE_ALIAST

Default Label Stop Date Alias Type
Length 2
Type Character

Format Uppercase

Record Reference(s) EG_FUNCTN_RESLT
 PA_FUNCTN_RESLT



STOP_DAY_MEX

Default Label	Stop Day
Length	4
Type	Character
Format	Numbers Only

Record Reference(s)	CAR_MAINT_MEX
	0010 Monday
	0020 Tuesday
	0030 Wednesday
	0040 Thursday
	0050 Friday

STOP_DED_TERM

Default Label	Stop Deduction at Termination
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	DEDUCTION_CLASS
---------------------	-----------------

STOP_DT

Default Label	Stop Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s)	GARN_SPEC
	GVT_GARN_SPEC
	PA_CLC_PEL_AY

STOP_DT_TYPE

Default Label	Stop Date Type
Length	1
Type	Character
Format	Uppercase



Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_PIN
 UPG_GP_01_TAO

STORE_RSLT_IF_ZERO

Default Label Store Results if Zero
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_BAL_SS
 GP_PIN
 UPG_GP_01_TAO

N If Element Or Comp Is Non-Zero
 X If Element Is Non-Zero
 Y Always Store

STORE_RULE_MAP

Default Label Store Copies of the Rule Map
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_TA_MAIN_AET
 TL_TA_OPTIONS

STORE_RULE_TIMING

Default Label Store the Rule Timings?
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) TL_TA_MAIN_AET



STRATEGY

Default Label Strategy
Length 20
Type Character
Format Mixedcase

Record Reference(s) PSWEBPROFDEF

STREET1

Default Label Street (Line 1)
Length 30
Type Character
Format Mixedcase

Record Reference(s) PA_QDRO_COM

STREET2

Default Label Street (Line 2)
Length 30
Type Character
Format Mixedcase

Record Reference(s) PA_QDRO_COM

STREET_NAME

Default Label Street Name
Length 30
Type Character
Format Mixedcase

Record Reference(s) INJ_CLMADD_LNG
WCB_CCAD_EC
WCB_ERLO_EC
WCB_INWO_EC



STREET_NBR

Default Label Street Number
Length 7
Type Character
Format Mixedcase

Record Reference(s) WCB_CCAD_EC
WCB_ERLO_EC
WCB_INWO_EC

STREET_UNIT_NBR

Default Label Street Unit_number
Length 6
Type Character
Format Mixedcase

Record Reference(s) WCB_CCAD_EC
WCB_ERLO_EC
WCB_INWO_EC

STRIKEOUT

Default Label Strikeout
Length 6
Type Signed Number
Format 7

Record Reference(s) PSSTYLEDEFN
PSSTYLEDEFNLANG

STRING_DATE

Default Label date string
Length 100
Type Character



Format Uppercase

Record Reference(s) TL_RI_TEST_AET

STRING_DTTM

Default Label Date Time String
Length 100
Type Character
Format Uppercase

Record Reference(s) TL_RI_TEST_AET

STRING_ID

Default Label String ID
Length 18
Type Character
Format Uppercase

Record Reference(s) GPIT_SQR_S_FOO
 GPIT_SQR_S_HEA
 GPIT_SQR_S_TBL
 STRINGS_LNG_TBL
 STRINGS_TBL

STRING_TEXT

Default Label String Text
Length 100
Type Character
Format Mixedcase

Record Reference(s) STRINGS_LNG_TBL
 STRINGS_TBL
 UPG_GP_AET

STRM_IDNT_IND



Default Label Stream Identified
 Length 1

Type Character
 Format Uppercase

Record Reference(s) GP_CAL_RUN_STRM

STRM_IDNT_TS

Default Label Stream Identification
 Length 26
 Type Datetime
 Format 12

Record Reference(s) GP_CAL_RUN_STRM

STRM_NUM

Default Label Stream Number
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) GPAU_EFT_CX_AET

- GPAU_EFT_CX_STR
- GPAU_GLPREP_AET
- GPAU_GL_MAP_AET
- GPAU_GL_PREPARE
- GPAU_GL_RC_AET
- GPAU_GL_TS
- GPAU_LEAVE_LIAB
- GPAU_LVE_AET
- GPAU_LVE_TAO
- GPAU_RUNCTL_CMX
- GPBR_PMT_AET
- GPBR_RC_PAYMENT
- GPCH_BK_TRN_AET
- GPDE_BK_TRN_AET
- GPFR_DA_AET
- GPFR_DA_EXTRACT



GPGB_PMT_AET
GPGB_PSLIP
GPGB_PSLIP_AET
GPMX_PMT_AET
GPMX_RC_BANK
GPMY_GLPREP_TAO
GPMY_GL_MAP_AET
GPMY_GL_RC_AET
GPMY_GL_TS
GPMY_LEAVE_LIAB
GPMY_LVE_AET
GPMY_RC_GL_PREP
GPNZ_GLPREP_TAO
GPNZ_GL_MAP_AET
GPNZ_GL_RC_AET
GPNZ_GL_TS
GPNZ_LEAVE_LIAB
GPNZ_LVE_AET
GPNZ_LVE_TAO
GPNZ_RC_GL_PREP
GPSG_GLPREP_TAO

GPSG_GL_MAP_AET
GPSG_GL_PREPARE
GPSG_GL_RC_AET
GPSG_GL_TS
GPSG_LEAVE_LIAB
GPSG_LVE_AET
GPSG_RC_GL_PREP
GPXMESSAGES
GP_CAL_RUN_STRM
GP_CAL_TS_WRK
GP_GL_DNF_TMP
GP_GL_PREPARE
GP_GL_PREP_AET
GP_GL_PREP_STRM
GP_MESSAGES
GP_PMT_PREPARE
GP_PMT_PREP_AET
GP_PMT_PRP_STRM
GP_RUNCTL
GP_STRM
GP_TLCOST_AET



GP_TLCOST_STRM
 GP_TLTRC_WRK
 GP_TL_PREPARE
 GP_TL_PREP_AET

STRT_STOP_DIFF

Default Label Start Stop Time Duration
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) SCH_SHIFT_DTL

STR_LBLTYPE

Default Label String Source
 Length 1
 Type Character
 Format Numbers Only

Record Reference(s) STRINGS_LNG_TBL
 STRINGS_TBL

- 1 Text
- 2 Field Shortname
- 3 Field Longname

STUDENT

Default Label Student
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) BN_834_MEMBER
 BN_SNAP_PER
 DEPENDENT_BENEF
 GPCH_CA_DATA2
 GPCH_RP_FK01



N No
Y Yes

STUDENT_AGE_LIMIT

Default Label COBRA Student Age Limit
Length 2
Type Number
Format Uppercase

Record Reference(s) BEN_DEFN_PGM

STUDENT_BRA

Default Label Student
Length 1
Type Number
Format Uppercase

Record Reference(s) DEP_BEN_EFF_BRA

STUDENT_STATUS_DT

Default Label Student Status Date
Length 10
Type Date
Format Uppercase

Record Reference(s) BN_SNAP_PER
DEPENDENT_BENEF

STYLECLASSNAME

Default Label Style Class Name
Length 30
Type Character
Format Uppercase

Record Reference(s) PSSTYLECLASS



PSSTYLECLASSFNT
 PSSTYLECLSLANG
 PSSTYLEFNLANG

STYLENAME

Default Label Style Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) PSSTYLEDEFN
 PSSTYLEDEFNLANG
 PSSTYLEDEL

STYLESHEETNAME

Default Label Style Sheet Name
 Length 30
 Type Character
 Format Uppercase

Record Reference(s) PSOPTIONS
 PSPNLDEFN
 PSSTYLECLASS
 PSSTYLECLASSFNT
 PSSTYLECLSLANG
 PSSTYLEDFNLANG
 PSSTYLEFNLANG
 PSSTYLSHEETDEFN
 PSSTYLSHEETDEL
 PTPPB_PAGELET

STYLESHEETTYPE

Default Label StyleSheet Type
 Length 1
 Type Number
 Format Uppercase



Record Reference(s) PSSTYLSHEETDEFN

STYLE_PATH

Default Label Location of Style Files
 Length 254
 Type Character
 Format Mixedcase

Record Reference(s) PSSIDXDEFN

ST_ACCOUNT_DISTRIB

Default Label Accounting Distribution
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ST

R Ratable
 S Straight-Line

ST_ACCOUNT_NBR

Default Label Account Number
 Length 17
 Type Character
 Format Uppercase

Record Reference(s) ST_ESPP_PURCH

ST_EXER_ISSUE

ST_ISSUANCE
 ST_ISSUUPD_AET
 ST_ISSUUPD_TAO
 ST_PURCHASES
 ST_REL_ISSUE



ST_ACCOUNT_STD

Default Label Accounting Standard
Length 1
Type Character
Format Uppercase

Record Reference(s) STOCK_TBL

A APB 25
F FAS 123

ST_ACTIVE_EXER

Default Label Exercise Active
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_ACTIVE_FLAG

Default Label Grant Active Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_AGENCY_ID

Default Label Agency ID
Length 10
Type Character
Format Uppercase

Record Reference(s) STOCK_AGENT
STOCK_AGENT_DTL
ST_AGENT_CNTCT
ST_AGENT_DTL



ST_AGENT_TBL
ST_AGNT_CT_LANG

ST_ALLOCATION_TYPE

Default Label Allocation Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_CLASS_ALLOC
ST_PLAN_ALLOC
ST_TRSR_ALLOC

A Adjustment
B Board Approved
H Shareholder Approved
I Initial Allocation
S Stock Split

ST_ALL_EXER

Default Label All Exercise
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_AMT_INCOME

Default Label AMT Income
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_EXER_RELEASE
ST_GRANT_EXER



ST_ASSET_PRICE

Default Label Grant FMV
Length 19
Type Number
Format Uppercase

Record Reference(s) ST_VALUE_TAO4
ST_VALUE_TAO7
ST_VALUE_TAO9

ST_BEN_OWNER

Default Label Section 16 Beneficial Owner
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_BLACKOUT_TBL
ST_INSIDER_TBL
ST_REPRC_AET
ST_REPRC_TBL

ST_BRANCH_ID

Default Label Branch ID
Length 10
Type Character

Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
RUN_CNTL_ST
STOCK_BRANCH
STOCK_BRNCH_DTL
ST_BRANCH_CNTCT
ST_BRANCH_LANG
ST_BRKR_BRANCH
ST_BRNC_CT_LANG
ST_ESPP_PURCH
ST_EXER_ISSUE



ST_ISSUANCE
 ST_ISSUUPD_AET
 ST_ISSUUPD_TAO
 ST_PURCHASES
 ST_REL_ISSUE

ST_BRANCH_ID_TO

Default Label Branch ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
 RUN_CNTL_ST
 ST_ISSUUPD_AET

ST_BROKERAGE_ID

Default Label Brokerage ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
 RUN_CNTL_ST
 STOCK_BRANCH
 STOCK_BRNCH_DTL
 ST_BRANCH_CNTCT
 ST_BRANCH_LANG
 ST_BRKR_BRANCH
 ST_BRNC_CT_LANG
 ST_BROKER_DTL
 ST_BROKER_TBL
 ST_ESPP_PURCH
 ST_EXER_ISSUE
 ST_ISSUANCE
 ST_ISSUUPD_AET
 ST_ISSUUPD_TAO
 ST_PURCHASES
 ST_REL_ISSUE



ST_BROKERAGE_ID_TO

Default Label Brokerage ID
Length 10

Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP
 RUN_CNTL_ST
 ST_ISSUUPD_AET

ST_CALC_SRC

Default Label Calculation Source
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_EXER_RELEASE
 ST_GRANT_EXER

- M Manual Entry
- N North American Payroll
- P Copy Previous Taxes
- S Load Default Taxes

ST_CALC_YEAR

Default Label Find Tax and Sale Info Year
Length 4
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_CANCEL_DT

Default Label Cancellation Date



Length 10
Type Date
Format Uppercase

Record Reference(s) RUN_CNTL_ST_GGR

- ST_CANCEL_TMP
- ST_GRANT
- ST_GRNT_MOD_TAO
- ST_GRP_GRNT_AET
- ST_OPTN_TAO2
- ST_REPRC1A_TAO
- ST_REPRC1B_TAO
- ST_REPRC2A_TAO
- ST_REPRC2B_TAO
- ST_REPRC_TAO
- ST_STFS010_TBL
- ST_STFS014A_TBL
- ST_STFS014_TBL
- ST_STFS015A_TBL
- ST_STFS015_TBL
- ST_STOK001_TBL
- ST_STOK002A_TBL
- ST_STOK002_TBL
- ST_STOP001_TBL
- ST_STOP005_TBL

- ST_STOP008_TBL
- ST_STOP035_TAO
- ST_STRR001_TBL
- ST_TRSR_TAO2

ST_CANCEL_EXER
Default Label Exercise Cancelled
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP



ST_CANCEL_FLAG

Default Label	Grant Cancel Flag
Length	1
Type	Character
Format	Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_CANCEL_REASON

Default Label	Cancellation Reason
Length	4
Type	Character
Format	Uppercase

Record Reference(s) RUN_CNTL_ST

- ST_CANCEL_TMP
- ST_GRANT
- ST_GRNT_MOD_TAO
- ST_OPTN_TAO2
- ST_STFS010_TBL
- ST_STFS014A_TBL
- ST_STFS014_TBL
- ST_STFS015A_TBL
- ST_STFS015_TBL
- ST_STOK001_TBL
- ST_STOK002A_TBL
- ST_STOK002_TBL
- ST_STOP001_TBL
- ST_STOP005_TBL
- ST_STOP008_TBL
- ST_STOP035_TAO
- ST_STRR001_TBL
- ST_TRSR_TAO2

RESC	Employee Rescinded Offer
RPRC	Reprice
TER	Termination

ST_CHANGE_PCT

Default Label	Change Percent
---------------	----------------



Length 8
 Type Signed Number
 Format Uppercase

Record Reference(s) RUN_CNTL_ST

ST_CONTACT_TYPE

Default Label Contact Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_AGENT_CNTCT
 ST_AGNT_CT_LANG
 ST_BRANCH_CNTCT
 ST_BRNC_CT_LANG

- A Administrative
- B Broker
- E Escrow
- T Transfer
- Y Escrow/Transfer
- Z Administrative/Broker

ST_COST_SALE_PRICE

Default Label Sale Price
 Length 19
 Type Number
 Format Uppercase

Record Reference(s) ST_EXER_RELEASE
 ST_GRANT_EXER

ST_COST_SHARE_SOLD

Default Label Shares Sold
 Length 19
 Type Number



Format Uppercase

Record Reference(s) ST_EXER_RELEASE
 ST_GRANT_EXER

ST_DATE

Default Label Start Date of Work
Length 10
Type Date
Format Uppercase

Record Reference(s) RUN_CNTL_HR_JPN

ST_DAY_TYPE

Default Label Stock Day Type
Length 3

Type Character
Format Uppercase

Record Reference(s) ST_DAILY_PRICES

HOL Holiday
SAT Saturday
SUN Sunday
TRD Trading Day

ST_DEFAULT_PERCENT

Default Label Default Percentage
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_COUNTRY_TAX
 ST_EXER_TAXES
 ST_LOCAL_TAX
 ST_PSHUP_AET
 ST_REL_TAXES



ST_R_EXER_TAXES
 ST_R_REL_TAXES
 ST_STATE_TAX

ST_DIRECTOR

Default Label Section 16 Director
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_BLACKOUT_TBL
 ST_INSIDER_TBL
 ST_REPRC_AET
 ST_REPRC_TBL

ST_DIVIDEND_RATE

Default Label Expected Dividend Rate
 Length 9
 Type Number
 Format Uppercase

Record Reference(s) ST_ESTIMATE_DTL
 ST_GRANT_VALUE
 ST_GRNT_VAL_DTL
 ST_OFFR_VAL_DTL
 ST_VALUE_TAO10
 ST_VALUE_TAO4
 ST_VALUE_TAO5
 ST_VALUE_TAO7
 ST_VALUE_TAO9

ST_ESPP_SORT_CNTL

Default Label Sort By
 Length 1
 Type Character
 Format Uppercase



Record Reference(s) RUN_CNTL_ST

C Company and PayGroup

P Process Group

ST_ESTIMATE_ID

Default Label Estimate ID

Length 10

Type Character

Format Uppercase

Record Reference(s) ST_ESTIMATE_DTL

ST_ESTIMATE_TBL

ST_VALUE_AET

ST_VALUE_TAO6

ST_VALUE_TBL

ST_EST_CONTRIB

Default Label Estimated Contributions

Length 19

Type Number

Format Uppercase

Record Reference(s) ST_OFFER_EST

ST_EST_DESCR

Default Label Description

Length 30

Type Character

Format Mixedcase

Record Reference(s) ST_ESTIMATE_TBL

ST_EST_DESCR10

Default Label Short Description



Length 10
 Type Character
 Format Mixedcase

Record Reference(s) ST_ESTIMATE_TBL

ST_EXPECTED_LIFE

Default Label Expected Life Years
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) ST_GRANT_VALUE

- ST_GRNT_VAL_DTL
- ST_OFFR_VAL_DTL
- ST_RUNCTL_VALUE
- ST_VALUE_AET
- ST_VALUE_TAO10
- ST_VALUE_TAO2
- ST_VALUE_TAO3
- ST_VALUE_TAO4
- ST_VALUE_TAO5
- ST_VALUE_TAO6
- ST_VALUE_TAO7
- ST_VALUE_TAO8
- ST_VALUE_TAO9

ST_EXPENSE_TYPE

Default Label Expense Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ST

- A Actual Expense
- B Actual/Proforma Expense
- P Proforma Expense



ST_EXPIRE_FLAG

Default Label Expire Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

D Vested Shares Expire in
M Vested Shares Expire in

ST_FAS_ADOPT_DT

Default Label FAS 123 Adoption Date
Length 10
Type Date
Format Uppercase

Record Reference(s) STOCK_TBL

ST_FAS_COMP_PLAN

Default Label FAS 123 Compensatory Plan
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_ESPP_PLAN

ST_FAS_DISCLOSE_DT

Default Label FAS 123 Disclosure Date
Length 10
Type Date
Format Uppercase

Record Reference(s) STOCK_TBL



A	Annual
B	Biweekly
D	Daily
M	Monthly
Q	Quarterly
S	Semimonthly
W	Weekly

ST_GOVERN_CD

Default Label	Governing Body
Length	4
Type	Character
Format	Uppercase

Record Reference(s)	STOCK_DTL
	ST_ESPP_PLAN
	ST_ESPP_PUR_AET
	ST_GOVBODY_LANG
	ST_GOVERN_BODY
	ST_GRP_GRNT_AET
	ST_OPTION_PLAN

ST_GROUP_DESCR

Default Label	Description
Length	30
Type	Character
Format	Mixedcase

Record Reference(s)	ST_GROUP_TBL
---------------------	--------------

ST_GROUP_DESCR10

Default Label	Short Description
Length	10
Type	Character
Format	Mixedcase

Record Reference(s)	ST_GROUP_TBL
---------------------	--------------



ST_GROUP_ID

Default Label Group ID
Length 5
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST
ST_GROUP_TBL
ST_GRP_PARM_TBL
ST_RUNCTL_UNVAL
ST_RUNCTL_VALUE

ST_GRP_WHERE_CLS

Default Label SQL Object
Length 4096
Type Long Character
Format Uppercase

Record Reference(s) ST_GROUP_TBL

ST_IMPORT_DT

Default Label Import Date
Length 10
Type Date
Format Uppercase

Record Reference(s) ST_CONTRIB_MANL

ST_IMPORT_NBR

Default Label Import Number
Length 3
Type Number
Format Uppercase



Record Reference(s) ST_CONTRIB_MANL

ST_INCLUDE_EXCLUDE

Default Label Include/Exclude
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_PURCH_CALNDR

E Exclude Value
I Include Value

ST_INSIDER_TYPE

Default Label Insider Type
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST

B Beneficial Owner
D Director
I Company Insider
O Officer
P Proxy Report
R Reporting Person

ST_INSTANCE

Default Label Session Number
Length 10
Type Number
Format Uppercase

Record Reference(s) TL_AGG_MAIN_AET

TL_AGG_RCTRL
TL_DELETES
TL_MASS_SESSION



TL_MASS_TM_AET
 TL_MASS_TR
 TL_MASS_TRANS
 TL_RAPID_HEADER
 TL_RAPID_H_LANG

TL_RAPID_PTIME
 TL_RAPID_TIME
 TL_RAPID_T_LANG
 TL_RUN_GRP_DTL
 TL_STLOAD_AET
 TL_ST_DELETES
 TL_ST_ELPTIME
 TL_ST_MAXSEQ
 TL_ST_MINMAXDTS
 TL_ST_PARMS_AET
 TL_ST_PCHTIME
 TL_ST_QUEUE
 TL_ST_QUEUE2
 TL_ST_RUN_CNTL
 TL_TA_MAIN_AET

ST_INTEREST_RATE

Default Label	Risk-Free Interest Rate
Length	9
Type	Number
Format	Uppercase

Record Reference(s)	ST_ESTIMATE_DTL
	ST_GRANT_VALUE
	ST_GRNT_VAL_DTL
	ST_OFFR_VAL_DTL
	ST_VALUE_AET
	ST_VALUE_TAO10
	ST_VALUE_TAO4
	ST_VALUE_TAO5
	ST_VALUE_TAO7
	ST_VALUE_TAO9



ST_INTEREST_TYPE

Default Label Interest Rate Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_ESTIMATE_DTL
ST_VALUE_TAO4
ST_VALUE_TAO7
ST_VALUE_TAO9

C Compounded
S Simple

ST_KEEP_ACCNT_NBR

Default Label Keep Account Number
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST
ST_ISSUUPD_AET

ST_LOA_TER_SW

Default Label LOA/TER Indicator
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_ACTN_PRC_AET

ST_MASS_ISSUANCE

Default Label Mass Issuance Update
Length 1
Type Character
Format Uppercase



Record Reference(s) ST_ISSUANCE
ST_ISSUUPD_TAO

ST_MONTH_END_FLAG
Default Label Month End Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST

ST_OFFICER
Default Label Section 16 Officer
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_BLACKOUT_TBL
ST_INSIDER_TBL
ST_REPRC_AET
ST_REPRC_TBL

ST_OPTION_ISAR
Default Label Allow ISO SAR Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

ST_OPTION_ISO
Default Label Allow Icentive Stock Opt Type
Length 1
Type Character
Format Uppercase



Record Reference(s) ST_OPTION_PLAN

ST_OPTION_NQ

Default Label Allow Non-Qualified Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

ST_OPTION_NSAR

Default Label Allow Non-Qualified SAR Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

ST_OPTION_RSA

Default Label Allow Restricted Stock Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_OPTION_PLAN

ST_OPTION_TYPE

Default Label Option Type
Length 4
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST



Type Character
 Format Uppercase

Record Reference(s) ST_REPRC_AET
 ST_REPRC_TBL

ISAR Incentive Stock Option SAR
 ISO Incentive Stock Option
 NQ Non-Qualified Stock Option
 NSAR Non-Qualified SAR

ST_OPTN_CNV_NQ

Default Label Stock Option Conversion - NQ
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) ST_REPRC_AET
 ST_REPRC_TBL

ISAR Incentive Stock Option SAR
 ISO Incentive Stock Option
 NQ Non-Qualified Stock Option
 NSAR Non-Qualified SAR

ST_OPTN_CNV_NSAR

Default Label Stock Option Conversion - NSAR
 Length 4
 Type Character
 Format Uppercase

Record Reference(s) ST_REPRC_AET
 ST_REPRC_TBL

ISAR Incentive Stock Option SAR
 ISO Incentive Stock Option

 NQ Non-Qualified Stock Option
 NSAR Non-Qualified SAR



ST_ORD_INCOME

Default Label Ordinary Income
Length 20
Type Signed Number
Format Uppercase

Record Reference(s) ST_ESPP_DISPOSN
ST_ESPP_PURCH
ST_EXER_DISPOSN
ST_EXER_RELEASE
ST_GRANT_EXER
ST_PRDISP_AET
ST_PURCHASES
ST_REL_DISPOSN

ST_OVRD_MARKET_RT

Default Label Exchange Rate Override
Length 16
Type Number
Format Uppercase

Record Reference(s) ST_CONTRIB_RSDL
ST_ESPP_RFH_AET
ST_PURCHASE_CUR

ST_OWN_PERCENT

Default Label Ownership Percentage
Length 6
Type Number
Format Uppercase

Record Reference(s) ST_INSIDER_TBL

ST_PARTIC_OVERRIDE

Default Label Participation Override
Length 1
Type Character



ST_PRICE_TYPE

Default Label	Price Indicator
Length	1
Type	Character
Format	Uppercase

Record Reference(s) ST_ESPP_PRC_AET
 ST_ESPP_PUR_AET
 ST_FMV_MTHD_TBL

A	Ask Price
B	Bid Price
C	Close Price
D	Average Bid/Ask
H	High Price
L	Low Price
O	Open Price
P	Private
S	Average Open/Close
W	Average High/Low

ST_PRIOR_ASOFDATE

Default Label	Prior As Of Date
Length	10
Type	Date
Format	Uppercase

Record Reference(s) RUN_CNTL_ST

ST_PROCESS_ORIGIN

Default Label	Process Origin
Length	1
Type	Character
Format	Uppercase

Record Reference(s) ST_ACTN_PRC_AET
 ST_ACTN_PRC_MSG

M	Manually
W	Worklist



ST_PR_DT

Default Label Sent to Payroll Date
Length 10
Type Date
Format Uppercase

Record Reference(s) ST_CONTRIB_RSDL

ST_ESPP_DISPOSN
ST_EXER_DISPOSN
ST_EXER_RELEASE
ST_GRANT_EXER
ST_REFUND_ESPP
ST_REL_DISPOSN
VC_AWARD
VC_GRP_AWARD

ST_REFUND_SRC

Default Label Refund Source
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_REFUND_ESPP

C Contribution Refund
P Stock Purchase

ST_REGISTERED

Default Label SEC Registered
Length 1
Type Character
Format Uppercase

Record Reference(s) STOCK_DTL



ST_REPROCESS_RUN

Default Label Reprocess
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_REVERSE_EXER

Default Label Exercise Reversed
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_ROUNDING_RULE

Default Label Stock Rounding Rule
Length 1
Type Character
Format Uppercase

Record Reference(s) STOCK_DTL
ST_ESPP_PLAN

ST_ESPP_PUR_AET
ST_OPTION_PLAN
ST_SPLIT_AET
ST_SPLIT_TBL
VC_CALC_WRD_AET

D Round Down
S Standard Rounding
U Round Up

ST_ROUNDING_RULE2

Default Label Stock Rounding Rule
Length 1



Type Character
 Format Uppercase

Record Reference(s) STOCK_DTL
 ST_ESPP_PLAN
 ST_ESPP_PUR_AET
 ST_SPLIT_AET

D Round Down
 S Standard Rounding
 U Round Up

ST_RTNCOD
 Default Label SubmitTime Return Code
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) TL_AGG_MAIN_AET
 TL_STINST_AET
 TL_ST_PARMS_AET

ST_RTNCOD_RSN
 Default Label Submit Time Return Code Reason
 Length 100
 Type Character
 Format Uppercase

Record Reference(s) TL_AGG_MAIN_AET
 TL_ST_PARMS_AET

ST_RUN_TYPE
 Default Label Run Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RUN_CNTL_ST



ST_SSDISP_AET

- E Employee
- I Insider
- N None
- P Process Group

ST_SALE_HOLD_DT

Default Label Sale Hold Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) ST_ESPP_PURCH
 ST_ESPP_PUR_AET
 ST_PURCHASES

ST_SEND_SRC

Default Label Sent to Payroll Source
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_CNT_RFND_TAO
 ST_CONTRIB_RSDL
 ST_ESPP_DISPOSN
 ST_EXER_DISPOSN
 ST_EXER_RELEASE
 ST_GRANT_EXER
 ST_REFUND_ESPP
 ST_REFUND_TAO
 ST_REL_DISPOSN

- N North American Payroll
- R Stock Payroll Report

ST_SHOW_EXERCISE

Default Label Shares Exercisable



Length 1
Type Character
Format Uppercase

Record Reference(s) ST_PE_OPTN_PREF

ST_SHOW_GRANTED

Default Label Shares Granted
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_PE_OPTN_PREF

ST_SHOW_GRANT_DT

Default Label Grant Date
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_PE_OPTN_PREF

ST_SHOW_GRANT_NBR

Default Label Grant Number
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_PE_OPTN_PREF

ST_SHOW_GRANT_PRC

Default Label Grant Price
Length 1
Type Character



Format Uppercase

Record Reference(s) ST_PE_OPTN_PREF

ST_SHOW_LAST_VEST

Default Label Last Vesting Date
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_PE_OPTN_PREF

ST_SHOW_OPTN_TYPE

Default Label Option Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_PE_OPTN_PREF

ST_SPLIT_ID

Default Label Split ID
Length 10
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST
 ST_SPLIT_AET
 ST_SPLIT_LANG
 ST_SPLIT_TBL

ST_SPLIT_SHARE_NEW

Default Label Stock Split New Shares
Length 3



ST_STATE_TAX
ST_TAX_TYPE_TBL

ST_SUPPR_DTLS

Default Label Suppress Details
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST

ST_SUSPEND_FLAG

Default Label Grant Suspend Flag
Length 1
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ESPP

ST_TAX_ID

Default Label Tax ID
Length 9
Type Character
Format Uppercase

Record Reference(s) ST_EXER_ISSUE
ST_REL_ISSUE

ST_TAX_LEVEL

Default Label Stock Tax Level
Length 1
Type Character
Format Uppercase



Record Reference(s) ST_TAX_TYPE_TBL

C Country
L Local
S State

ST_TAX_OVERRIDE

Default Label Tax Amount Override
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_EXER_TAXES

ST_PSHUP_AET
ST_REL_TAXES
ST_R_EXER_TAXES
ST_R_REL_TAXES

M Manual Override
N No Override
S Stock System Override

ST_TAX_RT

Default Label Tax Rate
Length 9
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_ST

ST_TAX_TYPE

Default Label State Tax Calculation Type
Length 1

Type Character
Format Uppercase

Record Reference(s) STATE_TAX_TBL



A	Graduated Tax Tbls-Allowances
E	Graduated Tax Tbls-Annl Exem \$
F	Percent of FWT (One)
G	Percent of Taxable Gross
N	Not Applicable
P	Percent of FWT (Many)
T	Tiered Tax Table - YTD
X	No State Withholding

ST_TICKER_SYMBL

Default Label	Stock Ticker Symbol
Length	5
Type	Character
Format	Uppercase

Record Reference(s) STOCK_EXCHANGE

ST_TRADING_DAY

Default Label	Trading Day
Length	3
Type	Character
Format	Uppercase

Record Reference(s) ST_DAILY_PRICES

FRI	Friday
HOL	Holiday
MON	Monday
SAT	Saturday
SUN	Sunday
THU	Thursday
TUE	Tuesday
WED	Wednesday

ST_TREASURY_ID

Default Label	Treasury ID
Length	10
Type	Character
Format	Uppercase



Record Reference(s) STOCK_TREASURY
STOCK_TRSR_LANG
ST_AE_TRSR_BAL
ST_CLASS_ALLOC
ST_OPTION_PLAN
ST_OPTN_TAO1
ST_PLAN_ALLOC
ST_TRSRALC_LANG
ST_TRSR_AET
ST_TRSR_ALLOC
ST_TRSR_TAO1

ST_VALUATION_DT
Default Label Valuation Date
Length 10
Type Date
Format Uppercase

Record Reference(s) ST_GRNT_VAL_DTL
ST_SPLIT12A_TAO
ST_SPLIT12B_TAO
ST_SPLIT12_TAO
ST_VALUE_TAO10
ST_VALUE_TAO3
ST_VALUE_TAO4
ST_VALUE_TAO5
ST_VALUE_TAO6
ST_VALUE_TAO8
ST_VALUE_TAO9

ST_VALUATION_ID
Default Label Valuation ID
Length 10
Type Character
Format Uppercase

Record Reference(s) RUN_CNTL_ST



ST_GRANT_VALUE
 ST_OFFER_VALUE
 ST_RUNCTL_VALUE
 ST_VALUE_AET
 ST_VALUE_TAO10
 ST_VALUE_TAO6
 ST_VALUE_TAO7
 ST_VALUE_TAO9
 ST_VALUE_TBL

ST_VALUE_DESCR

Default Label Description
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) ST_VALUE_TBL

ST_VALUE_DESCR10

Default Label Short Description
 Length 10
 Type Character
 Format Mixedcase

Record Reference(s) ST_VALUE_TBL

ST_VALUE_EFFDT

Default Label Valuation Effective Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) ST_GRANT_VALUE
 ST_GRNT_VAL_DTL
 ST_SPLIT12A_TAO
 ST_SPLIT12B_TAO



- A A:Max Shrs on Grant Price
- B B:Max Shrs on Withholding
- C C:Multi Purchase Offering
- D D:Multi Pur Offer with reset
- E E:Multi Pur Offer w/rollover
- F F:C+ Allow % chg after Purch
- G G:Single Purch Chg % anytime

- H H:C+G Multi Pur Chg % anytime
- I I:G+Allow Cash/Retro Increase

ST_VALUE_REASON

Default Label Valuation Reason
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_GRANT_VALUE
 ST_UNVALUE_TAO2

- I Initial Valuation
- R Reprice

ST_VALUE_RUN_TYPE

Default Label Valuation Run Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) ST_RUNCTL_VALUE
 ST_VALUE_AET

- C Create Valuation Records
- P Preview Valuation Report

ST_VEST_BASIS_DT

Default Label Vest Basis Date
 Length 10
 Type Date



Format Uppercase

Record Reference(s) RUN_CNTL_ST_GGR
ST_GRNT_MOD_TAO
ST_GRP_GRNT_AET
ST_VEST_AET

ST_VEST_PERIOD_CNT

Default Label Period Count
Length 2
Type Number
Format Uppercase

Record Reference(s) ST_VEST_AET
ST_VEST_DFN_AET

ST_VOLATILITY

Default Label Volatility
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_GRANT_VALUE

ST_GRNT_VAL_DTL
ST_OFFR_VAL_DTL
ST_VALUE_AET
ST_VALUE_TAO10
ST_VALUE_TAO4
ST_VALUE_TAO5
ST_VALUE_TAO7
ST_VALUE_TAO9

ST_VOLATILITY_HIGH

Default Label High Volatility
Length 8
Type Number



Format Uppercase

Record Reference(s) ST_ESTIMATE_DTL
ST_VALUE_TAO4
ST_VALUE_TAO7
ST_VALUE_TAO9

ST_VOLATILITY_LOW

Default Label Low Volatility
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_ESTIMATE_DTL
ST_VALUE_TAO4
ST_VALUE_TAO7
ST_VALUE_TAO9

ST_VOLATILITY_MEAN

Default Label Mean Volatility
Length 8
Type Number
Format Uppercase

Record Reference(s) ST_ESTIMATE_DTL
ST_VALUE_TAO4
ST_VALUE_TAO7
ST_VALUE_TAO9

ST_VOLATILITY_TYPE

Default Label Volatility Type
Length 1
Type Character
Format Uppercase

Record Reference(s) ST_VALUE_AET
ST_VALUE_TAO6



ST_VALUE_TAO7
 ST_VALUE_TAO9
 ST_VALUE_TBL

H High
 L Low
 M Mean

SUA_REASON_MEX

Default Label SUA Reason
 Length 4
 Type Character
 Format Numbers Only

Record Reference(s) GPMX_IM14_TMP
 GPMX_SDI_WA

0010 Employee Register
 0020 Employee Termination
 0030 Salary Change
 0040 Re-enter
 0050 N/A

SUBCATEGORY_EDIT

Default Label SubCategory Edit Table
 Length 15
 Type Character
 Format Uppercase

Record Reference(s) BUS_UNIT_TBL_PC

SUBCHANNEL

Default Label Sub Channel
 Length 60
 Type Character
 Format Uppercase

Record Reference(s) PSAPMSGARCHPC



PSAPMSGARCHPH
 PSAPMSGARCHSC
 PSAPMSGPUBCON
 PSAPMSGPUBHDR
 PSAPMSGSUBCON
 PSIBBRKSLAVE
 PSIBPUBSLAVE
 PSIBSUBSLAVE
 PT_AMM_DUMMY
 PT_EIP_MSG_ERR
 PT_EIP_MSG_TAO2
 PT_EIP_MSG_TAO3
 PT_EIP_PUB_ERR
 PT_EIP_PUB_TAO2
 PT_EIP_PUB_TAO3
 PT_EIP_PUB_WL

SUBCONSTATUS

Default Label Subscription Contract Status
 Length 1

Type Number
 Format Uppercase

Record Reference(s) EO_EIP_ERR_AET
 EO_EIP_MSG_ERR
 EO_EIP_MSG_TAO2
 EO_EIP_MSG_TAO3
 PSAPMSGARCHSC
 PSAPMSGSUBCON

SUBCON_DESCR_CAN

Default Label Employment Details
 Length 0
 Type Long Character
 Format Uppercase

Record Reference(s) EMPLOYMENT_LNG3
 HS_EMPL_SUB_CAN



HS_EMPL_SUB_LNG

SUBCON_PEOPLECODE

Default Label Subscription PeopleCode
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIBPROFILESUB

SUBCON_TOTAL

Default Label Subscription Contract Total
Length 7
Type Number
Format Uppercase

Record Reference(s) PSIBPROFILESUB

SUBCUST_USE_SW

Default Label SubCustomer Use
Length 1
Type Character
Format Uppercase

Record Reference(s) INSTALLATION_FS

- 1 Use First SubCustomer Field
- B Use Both SubCustomer Fields
- N Do Not Use SubCustomer Fields

SUBFACULTY_CODE

Default Label Sub-Faculty Code
Length 10
Type Character
Format Uppercase



Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_CUI

Default Label Subject EI Earn
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_CUI_HOURS

Default Label Subject EI Hrs
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_FICA

Default Label Subject to FICA
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_FUT

Default Label Subject to FUT
Length 1
Type Character
Format Uppercase



Record Reference(s) EARNINGS_TBL

SUBJECT_FWT

Default Label Subject to FWT
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_PAY_TAX

Default Label Subject to Payroll Tax
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_QIT

Default Label Subject to QIT
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_QPP

Default Label Subject to QPP

Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL



SUBJECT_REG

Default Label Subject to Regular Rate
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_RV2

Default Label Subject to RL-2
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_T4A

Default Label Subject to T4A
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_TRUE_RVGRS

Default Label Subject True RL
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBJECT_TRUE_T4GRS



Default Label Subject True T4
Length 1
Type Character
Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBMISSION_REF_ID

Default Label Submission Reference ID
Length 8

Type Number
Format Uppercase

Record Reference(s) CTXPRC_PARAMS

SUBMITTED

Default Label Submitted
Length 1
Type Character
Format Uppercase

Record Reference(s) ER_INTVW_EVAL

SUBMIT_BTN

Default Label Submit Button
Length 1
Type Character
Format Uppercase

Record Reference(s) Z_JOB_REQ
Z_JOB_REQ_APPR

SUBMIT_DT

Default Label Submission Date



Length 10
 Type Date
 Format Uppercase

Record Reference(s) NVQ_UNITS_PROG

SUBMIT_ID

Default Label Submit ID
 Length 34
 Type Character
 Format Uppercase

Record Reference(s) TL_TRSTATUS_AET
 TL_TR_PROCLIST

SUBNAME

Default Label Subscription Name
 Length 30
 Type Character
 Format Mixedcase

Record Reference(s) EO_EIP_CTL

EO_EIP_ERR_AET
 EO_EIP_FTND_TBL
 EO_EIP_MGCI_TBL
 EO_EIP_MGFT_TBL
 EO_EIP_MGPC_TBL

EO_EIP_MSG_ERR
 EO_EIP_MSG_TAO2
 EO_EIP_MSG_TAO3
 EO_EIP_MSG_WL
 PSAPMSGARCHSC
 PSAPMSGSUBCERR
 PSAPMSGSUBCERRP
 PSAPMSGSUBCON
 PSIBPROFILESUB
 PSIBSUBSLAVE
 PSSUBDEFN



PSSUBDEL
PT_AMM_DUMMY
PT_EIP_SUB_ERR
PT_EIP_SUB_TAO2
PT_EIP_SUB_TAO3
PT_EIP_SUB_WL

SUBNODE

Default Label	Subscribing Node
Length	30
Type	Character
Format	Uppercase

Record Reference(s)	PSAPMSGARCHPC
	PSAPMSGARCHPT
	PSAPMSGPCONDATA
	PSAPMSGPUBCERR
	PSAPMSGPUBCERRP
	PSAPMSGPUBCON
	PSIBPROFILEPUB
	PSIBPUBSLAVE
	PT_AMM_DUMMY
	PT_EIP_PUB_ERR
	PT_EIP_PUB_TAO2
	PT_EIP_PUB_TAO3
	PT_EIP_PUB_WL

SUBOWNER

Default Label	Subscription Owner
Length	30
Type	Character
Format	Uppercase

Record Reference(s)	PSAPMSGARCHSC
	PSAPMSGSUBCON
	PSSUBDEFN



SUBPNLNAME

Default Label SubPanel Name
Length 18
Type Character
Format Uppercase

Record Reference(s) PSPNLFIELD

PST_PNLFIELDS
PTLT_COMP_R_STG

SUBPNLVER

Default Label SubPanel Version Number
Length 10
Type Number
Format 7

Record Reference(s) PSPNLFIELD

PST_PNLFIELDS

SUBPROCID

Default Label Subscription Process ID
Length 10
Type Number
Format 7

Record Reference(s) PSAPMSGARCHSC

PSAPMSGSUBCON
PSAPMSGSUBPRCID

SUBRECNAME

Default Label Subrecord (Table) Name
Length 15
Type Character
Format Uppercase

Record Reference(s) EO_BCITEM_CUR



PSBCITEM

SUBRECORD

Default Label Sub Record
Length 1
Type Character
Format Uppercase

Record Reference(s) EO_RECFIELD_CUR
PSRECFIELD
PSRECFIELDDB

SUBRECVER

Default Label Sub Record Version
Length 10
Type Number
Format 7

Record Reference(s) EO_RECFIELD_CUR
PSRECFIELD
PSRECFIELDDB

SUBRETRYSEC

Default Label Subscription Retry Seconds
Length 5
Type Number
Format 7

Record Reference(s) PSCHNLDEFN

SUBSCRIBE_DTTM

Default Label Subscription Date Time
Length 26
Type Datetime



Type Character
Format Numbers Only

Record Reference(s) CNT_RSZ_TBL_BEL
SUBSTAT_TBL_BEL

00 Not Applicable
01 Regular Employee
02 Sales Representative
03 Executive

SUBSTITUTE

Default Label Number of Substitutes
Length 3
Type Number
Format Uppercase

Record Reference(s) ELECT_GROUP

SUBSTITUTE_ELECTED

Default Label Elected
Length 1
Type Character
Format Uppercase

Record Reference(s) ELECT_RESULT

SUBSTITUTE_INDICAT

Default Label Substitute Indicator
Length 10
Type Number
Format Uppercase

Record Reference(s) ELECT_ROLL



SUBSTITUTE_RESULT

Default Label Substitute Result
Length 3
Type Number
Format Uppercase

Record Reference(s) ELECT_GROUP
ELECT_ROLL

SUBSTITUTE_SEATS

Default Label Substitute Seats
Length 3
Type Number
Format Uppercase

Record Reference(s) ELECT_ROLL

SUBSTITUTE_VOTES

Default Label Substitute Votes
Length 7
Type Number
Format Uppercase

Record Reference(s) ELECT_RESULT

SUBSTYLESHEET

Default Label SubStyleSheet
Length 3
Type Number
Format Uppercase

Record Reference(s) PSSTYLECLASS

SUBTIMEOUTMIN



Default Label Subscription time-out minutes
 Length 5
 Type Number
 Format 7

Record Reference(s) PSCHNLDEFN
 PSSUBDEFN

SUBTRACT_EARNS

Default Label Subtract from this Draw
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EARNINGS_TBL

SUBTTLNUM

Default Label Subtitle Number
 Length 3
 Type Number
 Format Uppercase

Record Reference(s) PSQRYFIELD

SUBTYPE_IND

Default Label Period Subtype
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) TL_TIME_AET
 TL_TIME_PERIODS

M Month
 Q Quarter
 SM Semi-month



SY Semi-year
 X User Defined
 Y Year

SUB_ADJUSTMENT

Default Label Subadjustment
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) PA_DFN_AGE_ADJ
 PA_DFN_AGE_TBL

SUB_CATEGORY_CD

Default Label Subcategory Code
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) TN_ALCRSEVW_LNG
 TN_CTLOG_TL_LNG
 TRN_ALL_COURSE
 TRN_ALL_CRSE_VW
 TRN_CATALOG_TBL
 TRN_SUBCAT_LANG
 TRN_SUBCAT_TBL

SUB_COMPONENT

Default Label Packaging Sub Component
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) PKG_BSE_CMP_CAL

SUB_EDIT_OPTION



Default Label SubCategory Edit Option
Length 3
Type Character
Format Uppercase

Record Reference(s) BUS_UNIT_TBL_PC

IND Independent
OVR Override
REL Related

SUB_FINAL_ORDER

Default Label Final Order
Length 3
Type Character
Format Uppercase

Record Reference(s) ELECT_RESULT

SUB_GROUP_ID

Default Label Subgroup ID
Length 15
Type Character
Format Uppercase

Record Reference(s) HR_LMS_STRC_AET

LMS_AET
LMS_INCENT_AET
TC_EXCEL_SUBGRP
TC_VCSUBGRP_TAO

SUB_PRC_ITERATION

Default Label Subprocess Iteration
Length 3
Type Number
Format Uppercase



Record Reference(s) GP_AUDIT_TBL

SUB_VOTES

Default Label Substitute Votes
Length 10
Type Number
Format Uppercase

Record Reference(s) ELECT_ROLL

SUCCESS_PCT

Default Label Success Percentage
Length 7
Type Number
Format Uppercase

Record Reference(s) RUN_CNTL_BDGT

SUFFIX_SEPARATOR

Default Label Suffix Separator
Length 1
Type Character
Format Uppercase

Record Reference(s) GPAU_FBT_AET

GPAU_PSM_AET
GPAU_PSM_EX_AET
GPBR_VAC_AP_AET
GP_SUFFIX

SUMMARY_OR_SGMT

Default Label Summary or Segment Data
Length 1
Type Character



Format Uppercase

Record Reference(s) RC_CAN_YE

S	Summary Data Only
X	Summary and Segment Data

SUMMARY_REPORT

Default Label Summary Report
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPAU_RC_RCPT_FL
 TL_TCD_REPORT

N	No Summary Report
Y	Report Summary

SUMMARY_SW

Default Label Allow activities on this node
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PROJECT
 PROJECT_FS

SUM_INSTANCE_IND

Default Label Sum Instance Indicator
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GP_AUDIT_TBL

SUM_SLICES_IND



SUPERVISOR_ID

Default Label	Supervisor ID
Length	11
Type	Character
Format	Uppercase

Record Reference(s) BP_JOB

- DISCIPLIN_ACTN
- EMPLOYMENT
- FGHR003B_EMPLOY
- GVT_EMPLOYMENT
- GVT_EMPL_TEMP
- GVT_JOB
- GVT_JOB_TEMP
- HR_MGR_REP_DAT
- HR_PROMOTE_DAT
- HR_TRANSFER_DAT
- INJURY_ILL_IND
- JOB
- JOBCOMP_TMP_MC
- JOB_TEMP
- JOB_TMP_MC
- NE_PERSONAL_DTA
- UPG_758_JJL_TAO
- UPG_758_JOB_TAO
- UPG_PY_JOB_TAO
- Z_HR_PIVOT_REF
- Z_JOB_REQ
- Z_MIIS_EMPOW_IN
- Z_PP_EMP_REVIEW

SUPERVISOR_NAME

Default Label	Supervisor Name
Length	50
Type	Character
Format	Mixedcase

Record Reference(s) EMPLOYEES

- EMPLOYEES_1
- EMPLOYEES_TAO



NE_PERSONAL_DTA
Z_EMPLOYEES
Z_NEDC_TBL
Z_NEDC_USER_TMP
Z_PP_RUNCTL

SUPERVISR_PIN_NUM

Default Label Supervisor Pin Number
Length 20
Type Number
Format Uppercase

Record Reference(s) TL_RPT_SUPVR
TL_SUPVR_TAO
TL_TCDSUPRV_MSG
TL_TCD_SUPERV

SUPL_WAGE_RT

Default Label Supplemental Wage Rate
Length 7
Type Number
Format Uppercase

Record Reference(s) STATE_TAX_TBL

SUPPLIER_LOGO

Default Label Supplier Logo
Length 30
Type Character
Format Uppercase

Record Reference(s) CO_DPK_SUPP_TBL

SUPL_CON_METHOD

Default Label Supplemental Concurrent Method



Length 1
 Type Character
 Format Uppercase

Record Reference(s) STATE_TAX_TBL

- D Aggregate - No Annualize
- G Aggregate
- N Aggregate-No Tax else Percent
- P Percent of Taxable Gross
- Q Non-Resident Supplemental
- S Special Table
- T Special Table with Exemptions
- X Not Applicable

SUPPL_SEP_METHOD

Default Label Supplemental Separate Method
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) STATE_TAX_TBL

- D Aggregate - No Annualize
- G Aggregate
- N Aggregate-No Tax else Percent
- P Percent of Taxable Gross
- Q Non-Resident Supplemental
- S Special Table
- T Special Table with Exemptions
- X Not Applicable

SUPPORT_DOC_ID

Default Label Supporting Document ID
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) APP_VSA_PMT_SPT
 FPAEESUPDOC



FPMSUPDOC_TBL
 SUPPORT_DOC_TBL
 SUPPRT_DOC_LANG
 UPG_ER_AET
 VISA_PERMIT_SUP
 VISA_PMT_SUPPRT

SUPPRESSONDEV

Default Label Suppress on this Device
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PSMPCONTDEV

SUPPR_DDP_ADVICE

Default Label Suppress DDP Advice Print
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DIRECT_DEPOSIT

SUPP_DEDCD

Default Label Supplier Deduction Code
 Length 6
 Type Character
 Format Uppercase

Record Reference(s) CO_DED_DCODE

CO_DED_DTLM
 CO_DED_DTLM_PUB
 CO_DED_DTLM_SUB
 CO_DED_DTL_PUB
 CO_DED_EE_TBL
 CO_DED_FTPD_TAO



CO_DED_INVLDTXN
 CO_DED_OUTD_TAO
 CO_DED_VLDTXN
 CO_DED_VLDT_AET

SUPP_FILE_ID

Default Label Supplier File ID
 Length 10
 Type Character
 Format Uppercase

Record Reference(s) CO_DEDEXTRT_AET
 CO_DED_EXTR_TBL
 CO_DED_MER_TAO
 CO_DED_MSG_AET
 CO_DED_RFTP_AET
 CO_DED_SUPP_FLE
 CO_DED_VLDT_AET
 RUN_CNTL_DEDFTP

SUPP_FORM

Default Label Supplementary Form Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) RC_CAN_YE
 1 Canadian Government
 2 Other

SUPP_LOGO_IMAGE

Default Label Supplier Logo Image
 Length 30
 Type Image Reference
 Format Uppercase

Record Reference(s) CO_DPK_SUPP_TBL



SUPR_COMM_MNT_CAN

Default Label	Supervision to Montreal
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PERS_OFFLNG_CAN
0	Not Applicable
1	Bilingual Supervision Required
8	All Other Situations

SUPR_COMM_NB_CAN

Default Label	Supervision to New Brunswick
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PERS_OFFLNG_CAN
0	Not Applicable
1	Bilingual Supervision Required
8	All Other Situations

SUPR_COMM_NCR_CAN

Default Label	Supervision to NCR
Length	1
Type	Character
Format	Uppercase

Record Reference(s)	PERS_OFFLNG_CAN
0	Not Applicable
1	Bilingual Supervision Required
8	All Other Situations

SUPR_COMM_ON_CAN

Default Label	Supervision to Ontario
---------------	------------------------



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PERS_OFFLNG_CAN

0 Not Applicable
 1 Bilingual Supervision Required
 8 All Other Situations

SUPR_COMM_QC_CAN

Default Label Supervision to Quebec
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PERS_OFFLNG_CAN

0 Not Applicable
 1 Bilingual Supervision Required
 8 All Other Situations

SUPV_LVL_ID

Default Label Supervisor Level
 Length 8
 Type Character
 Format Uppercase

Record Reference(s) GPJP_PP_AET

GPJP_PP_DATA2
 GPJP_RC_PP01
 GPJP_RC_YEA_RPT
 INTCPX_SPV_JPN
 INTCPX_SPV_JPNL
 JOBCOMP_TMP_MC
 JOB_TMP_MC
 PER062_TMP_JPN

PER064JP_DATA
 PER066JP_DATA
 POSITION_DATA



Format Uppercase

Record Reference(s) JOBCD_SURVEY

SURVEY_MEANTOT_RT

Default Label Mean Total Compensation
Length 19
Type Number
Format Uppercase

Record Reference(s) JOBCD_SURVEY

SURVEY_MED_BASE_RT

Default Label Median Base Rate
Length 19
Type Number
Format Uppercase

Record Reference(s) JOBCD_SURVEY

SURVEY_MED_TOT_RT

Default Label Median Total Compensation
Length 19
Type Number
Format Uppercase

Record Reference(s) JOBCD_SURVEY

SURVEY_MIDPOINT_RT

Default Label Midpoint Rate
Length 19
Type Number
Format Uppercase



Type Character
 Format Uppercase

Record Reference(s) JOB_WORK_ESP

SUSBTIT_REASON_ESP

Default Label Substitution Reasons
 Length 2
 Type Character
 Format Uppercase

Record Reference(s) JOB_WORK_ESP

- 01 Extended LOA
- 02 Maternity or Pregnancy Risk
- 03 Retirement at 64
- 04 Disabled Employee
- 05 Disable Employee on IT

SUSPENSE_REF_NUM

Default Label Suspense Reference Number
 Length 5
 Type Number
 Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG

SUT_APPLICABILITY

Default Label Sales/Use Tax Applicability
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG
 VOUCHER_LINE
 VOUCHER_LN_STG



D Sales Tax Appl, Direct Pay
 E Item is Exempt
 S Sales Tax Appl
 U Use Tax Appl
 X Purchaser is Exonerated

SUT_BASE_ID

Default Label Sales/Use Tax Destination

Length 10
 Type Character
 Format Uppercase

Record Reference(s) DISTRIB_LINE
 DISTRIB_LN_STG
 VENDOR_LOC
 VENDOR_LOC_AET
 VENDOR_LOC_TMP
 VOUCHER_LINE
 VOUCHER_LN_STG

SUT_CREDIT

Default Label SUT Credit
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) STTAX_RECIP_TBL

SUT_EFF_TAX_QTR

Default Label SUT Effective Tax Quarter
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) CO_STATETAX_TBL



- 1 First Quarter
- 2 Second Quarter
- 3 Third Quarter
- 4 Fourth Quarter

SUT_EFF_TAX_YR

Default Label SUT Effective Tax Year
 Length 4
 Type Number
 Format Uppercase

Record Reference(s) CO_STATETAX_TBL

SUT_EXCPTN_CERTIF

Default Label Sales/Use Tax Exception Certif
 Length 20
 Type Character
 Format Uppercase

Record Reference(s) VOUCHER_LINE
 VOUCHER_LN_STG

SUT_EXCPTN_TYPE

Default Label Sales/Use Tax Exception Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) VOUCHER_LINE
 VOUCHER_LN_STG

- D Direct Pay
- E Exempt/Exonerated
- N None

SUT_EXEMPT



Default Label Exempt From SUT
Length 1
Type Character
Format Uppercase

Record Reference(s) COMPANY_TBL
PA_TE_STX
STATE_TAX_DATA

SUT_EXPERIENCE_RT

Default Label SUT Experience Rate
Length 8
Type Number
Format Uppercase

Record Reference(s) CO_STATETAX_TBL

SUT_STATE

Default Label SUT State
Length 6
Type Character
Format Uppercase

Record Reference(s) R_TAX004

SVC_ADJ_ACTION1

Default Label Service Adjustment Action Cd
Length 3
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

SVC_ADJ_ACTION2



Default Label Service Adjustment Action 2 Cd
Length 3
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

SVC_ADJ_ACT_RSN1

Default Label Svc Adj Action Reason
Length 3
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

SVC_ADJ_ACT_RSN2

Default Label Svc Adj Action Reason 2
Length 3
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

SVC_ADJ_ADD_NUM

Default Label Service Adjustment Add Number
Length 3
Type Number
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT



SVC_ADJ_ADD_TYP

Default Label Service Adjustment Add Type
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

D Days
M Months
U User Code
W Weeks
Y Years

SVC_ADJ_AMT

Default Label Service Adjustment
Length 11
Type Signed Number
Format Uppercase

Record Reference(s) PA_CLC_SVC_AY

PA_SVC_HIST
PA_SVC_TRANS

SVC_ADJ_TYP

Default Label Service Adjustment Type
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

A Add
C Ignore Current Action/Reason
F Ignore Future Action/Reason
I Insert



SVC_ADJ_WITHIN_NUM

Default Label Service Adjustment Within Nmbr
Length 3
Type Number
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

SVC_ADJ_WITHIN_TYP

Default Label Service Adjustment Within Type
Length 1
Type Character
Format Uppercase

Record Reference(s) EG_DFN_SCAT_CAT
PA_DFN_SCAT_CAT

D Days
M Months
U User Code
W Weeks
Y Years

SVC_AMOUNT

Default Label Service Amount Extension
Length 12
Type Number
Format Uppercase

Record Reference(s) EG_DATE
PA_DATE
PA_TL_SVC_CRED

SVC_AMT_WO_BRK

Default Label Service Amt without Breaks



Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_SVC_AY
 PA_SVC_HIST

SVC_AMT_W_BRK

Default Label Service Amt with Breaks
 Length 10
 Type Number
 Format Uppercase

Record Reference(s) PA_CLC_SVC_AY
 PA_SVC_HIST

SVC_DFN_TYPE

Default Label For future use
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) EG_DFN_SVC
 EG_DFN_SVC_STAT
 PA_DFN_SVC
 PA_DFN_SVC_STAT

B Break Definition
 S Service Definition Type

SVC_FROM_DT

Default Label Service From Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) FSA_CLAIM



FSA_CLAIM_DET

SVC_FUNCTN_RESULT

Default Label Benefit Service Functn Result
Length 10
Type Character
Format Uppercase

Record Reference(s) EG_RUN_CNTL_SVC
PA_RUN_CNTL

SVC_PROVIDER

Default Label Service Provider
Length 15
Type Character
Format Uppercase

Record Reference(s) FSA_CLAIM

SVC_PROVIDER_DET

Default Label Detail Level Service Provider
Length 40
Type Character
Format Uppercase

Record Reference(s) FSA_CLAIM_DET

SVC_RATE_TBL_ID

Default Label Service Rate Table ID
Length 4
Type Character
Format Uppercase

Record Reference(s) SVC_COVG_TBL



SVC_RATE_LANG
SVC_RATE_TBL

SVC_REQUIREMENT

Default Label Service Requirement
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_REQUIREMENT1

Default Label Service Requirement 1
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_REQUIREMENT2

Default Label Service Requirement 2
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_REQUIRE_RULE

Default Label Participation Service Req
Length 1

Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC



G Greater of
L Lesser of
O Only One Requirement

SVC_RESULT_NAME1

Default Label Service Result Name 1
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_RESULT_NAME2

Default Label Service Result Name 2
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_RQMT1_ALIAS

Default Label Service Requirement 1 Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_RQMT1_ALIAST

Default Label Service Requirement Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC



SVC_RQMT1_ALS_TYPE

Default Label
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC
A Alias
N Number

SVC_RQMT2_ALIAS

Default Label Service Requirement 2 Alias
Length 10
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_RQMT2_ALIAST

Default Label Service Requirement Alias Type
Length 2
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC

SVC_RQMT2_ALS_TYPE

Default Label
Length 1
Type Character
Format Uppercase

Record Reference(s) PA_DFN_PARTIC



A Alias
N Number

SVC_SCHD_HRS_NUM

Default Label Service schedule hours number
Length 12
Type Number
Format Uppercase

Record Reference(s) PA_TL_SVC_SCHD

SVC_SCHD_SVC_NUM

Default Label Service Schedule Service Nbr
Length 10
Type Number
Format Uppercase

Record Reference(s) PA_TL_SVC_SCHD

SVC_STEP_TBL_ID

Default Label Service Step Table ID
Length 6
Type Character
Format Uppercase

Record Reference(s) SAVINGS_PLN_TBL
SVC_STEP_COVG
SVC_STEP_LANG
SVC_STEP_PCT
SVC_STEP_TBL

SVC_TO_DT

Default Label Service To Date
Length 10



Type Date
 Format Uppercase

Record Reference(s) FSA_CLAIM
 FSA_CLAIM_DET

SVC_TYPE

Default Label Service Type
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) FSA_CLAIM
 FSA_CLAIM_DET

- C Dependent Day Care
- D Dental
- H Hearing
- M Medical
- O Orthodontia
- P Prescription Drugs
- R Retirement Counselling
- V Vision
- Y Carryforward

SVR_DSABLD_DPNDNT

Default Label Severely Disabled Dependent
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) GPIN_TDS_GEN

SWAP_FMV

Default Label Swap/Trade Fair Market Value
 Length 19
 Type Number
 Format Uppercase



Record Reference(s) PA_TE_STX
STATE_TAX_DATA
Z_PRES_DOC_140

SWT_ADDL_AMT
Default Label SWT Additional Amount
Length 9
Type Signed Number
Format Uppercase

Record Reference(s) PA_TE_STX
STATE_TAX_DATA
Z_PRES_DOC_140

SWT_ADDL_PCT
Default Label SWT Additional Percentage
Length 6
Type Number
Format Uppercase

Record Reference(s) PA_TE_STX
STATE_TAX_DATA

SWT_ALLOWANCES
Default Label Withholding Allowances
Length 3
Type Number
Format Uppercase

Record Reference(s) PA_TE_STX
STATE_TAX_DATA

SWT_MAR_STATUS
Default Label SWT Marital/Tax Status



Length 1
 Type Character
 Format Uppercase

Record Reference(s) PA_TE_STX
 STATE_TAX_DATA
 SWT_MARSTAT_TBL
 SWT_MARSTA_LANG

SYMBOLICID

Default Label Access Profile Symbolic Id
 Length 8
 Type Character
 Format Mixedcase

Record Reference(s) DSUSRPRFLMAP
 PSACCESSPRFL
 PSOPRDEFN

SYMBOLICIDATTRIB

Default Label Symbolic ID Attribute
 Length 56
 Type Character
 Format Mixedcase

Record Reference(s) DIRECTORYATTRIB

SYMBOLICIDCB

Default Label Symbolic ID
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) DIRECTORYATTRIB

N Symbolic ID Check Box



Y Symbolic ID Check Box

SYMPTOMS_GER

Default Label Symptoms
Length 50
Type Character
Format Mixedcase

Record Reference(s) ILLNESS_GER
ILLNESS_GER_LNG
OHS004GER_TMP2

SYNCDTTM

Default Label Sync Date Time
Length 26
Type Datetime
Format 12

Record Reference(s) EOEW_RUN_PROC
PSSYNCSERVERVAL

SYNCID

Default Label Synchronization ID
Length 10
Type Number
Format 7

Record Reference(s) CURRENCY_CD_TBL
PSBCITEM
PSCISYNCDDEFN
PSMPCONTDEV
PSMPDEFN
PSMPDEFNDEV
PSMPRTPREF
PSPCMSYNCID
PSPRSMSYNC
PSSYNCSERVERVAL



PSTIMEZONE
PSWORKLIST
PSXLATITEM
RT_RATE_TBL
SCH_CLND_TBL
SCH_SHIFT_DTL
SCH_SHIFT_TBL
SDK_BUS_EXP_DTL
SDK_BUS_EXP_PER
SDK_PERS_DATA
TL_RPTD_ELPTIME
TL_TRC_TBL

SYNCORDER

Default Label Synchronization order
Length 3
Type Number
Format Uppercase

Record Reference(s) PSOPTREC

SYNCROWCOUNT

Default Label SYNC_ROWCOUNT
Length 6
Type Number
Format Uppercase

Record Reference(s) PSSYNCSERVERVAL

SYNCSESSIONID

Default Label SYNC_SESSION_ID
Length 6
Type Number
Format Uppercase

Record Reference(s) PSSYNCSERVERVAL



SYSPIN_SETID_IND

Default Label	SetID Controlled
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_SYSTEM_PIN

SYSPIN_SRC

Default Label	System Element Source
Length	1
Type	Character
Format	Uppercase

Record Reference(s) GP_SYSTEM_PIN

D	Database Field
S	System-Computed

SYSTEMIDFIELDNAME

Default Label	System ID Field Name
Length	18
Type	Character
Format	Uppercase

Record Reference(s) PSRECDEFN

SYSTEMTYPE

Default Label	System Type
Length	3
Type	Character
Format	Uppercase

Record Reference(s) PSOPTIONS



CNV	Conversion Database
DEV	Development Database
DMO	Demo Database
INT	Integration Test Database
PAR	Parallel Test Database
PRD	Production Database
SND	Sandbox Database
STG	Stage Database
STS	System Test Database
TRN	Training Database
UAT	User Acceptance Test Database
UND	Undefined Database

SYSTEM_DATA_FLG

Default Label	System Data
Length	1
Type	Character
Format	Uppercase

Record Reference(s) ACTN_REASON_TBL

- COMPANY_TBL
- DRIVER_LTYT_TBL
- EO_TRANSACTIONS
- EO_TRAN_CAT
- EP_TMPL_DEFN
- FPMACTN_RSN_TBL
- GB_PNLGRDFT_TBL
- HR_SSTEXT_CFG
- HR_WF_STATUS
- JOB_CTG_FRA_TBL
- SS_ADM_RULESTP
- SS_BIND_GRP
- SS_BP_COMPS
- SS_EMAIL_TEXT
- SS_KEYFIELDS

- SS_LINK_TBL
- SS_PAGE_BUFFER
- SS_PAGE_TEXT
- SS_PROC_RULES
- SS_SECTION_VSBL



WP_FORMULA_DEF
 WP_FORMULA_TBL
 WP_VARIABLE_DET
 WP_VARIABLE_TBL
 WRK_EXP_FRA_TBL

SYSTEM_DATE

Default Label System Date
 Length 10
 Type Date
 Format Uppercase

Record Reference(s) FSA_RUNCTL
 RUN_CNTL_CBR
 UPG_TL_AET

SYSTEM_ID_CD

Default Label System Code
 Length 1
 Type Character
 Format Uppercase

Record Reference(s) PI_SYSTEM_TBL
 A ADP Interface
 O Other

SYSTEM_SOURCE

Default Label System Source
 Length 3
 Type Character
 Format Uppercase

Record Reference(s) KK_BUDGET_HDR
 PROJECT
 PROJECT_FS
 PROJ_ACTIVITY



ALO	PS/GL Allocations
BAM	PS/AM Batch
BBC	PS/GL Batch Budget Creation
BBI	BI Batch
BCL	PS/GL Budgetary Closing
BCP	Configurator Product Batch
BGM	GM Batch
BIN	IN Batch
BOM	OM Batch
BPC	PS/PC Batch
BPO	PO Batch
BTL	BATCH TIME & LABOR
CNV	Conversion
CON	PS/GL Consolidations
CRT	Cart Replenishment
EQT	PS/GL Consolidations
EQT	PS/GL Equitization
EXT	External (non-PS) System
EXV	External System with VAT
FRM	External Form
GAM	PS/FS JrnlGen - Asset Mgmt.
GAP	PS/FS JrnlGen - Accts. Payable
GAR	PS/FS JrnlGen - Accts Rcvble.
GBI	PS/FS JrnlGen - Billing
GCC	PS/PO JrnlGen - Procure Card
GEC	PS/PO JrnlGen - EE Pro Card
GEX	PS/FS JrnlGen - Expenses
GGM	PS/FS JrnlGen - Grants
GHR	PS/FS JrnlGen - HRMS
GIN	PS/FS JrnlGen - Inventory
GOT	PS/FS JrnlGen - Other
GPC	PS/FS JrnlGen - Proj. Costing
GPE	PS/FS JrnlGen - EE PU
GPO	PS/FS JrnlGen - Purchasing
GRQ	PS/FS JrnlGen - EE Requisition
GTR	PS/FS JrnlGen - Treasury
NVS	PS/nVision
OBI	PS/OM to PS/BI Interface
PAM	PS/AM Online Entry Panel
PAP	PS/AP Online Entry Panel
PBI	Projects to Billing Interface
PIN	IN Online Entry Panel



PLN	Production Planning
PNL	PS/GL Online Entry Panel
POM	OM Online Entry Panel
PPC	PC Online Entry Panel
PPO	PO Online Entry Panel
REV	PS/FS Currency Revaluation
SCE	Suspense Correction Entry
SFC	Production Management
SJE	PS/GL Online SJE Creation
TRN	PS/FS Currency Translation
TWL	PS/FS Curr Trans Within Ledger
UKN	Unknown